



The bidi Package

Source documentation for version 37.9

to my Master, *Ferdowsi The Great*

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/kvafa/bidi/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

You may also have conversations, ask questions and post answers without opening issues using the Discussions space:

<https://github.com/kvafa/bidi/discussions>

The announcements for the new releases of the package will also appear in the Discussions space under the Announcements category.

Copyright (c) 2007–2022 Vafa Khalighi
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bidi* Package

Bidirectional typesetting in plain $\text{T}_{\text{E}}\text{X}$ and $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$, using $\text{X}_{\text{e}}\text{T}_{\text{E}}\text{X}$ engine

Source documentation for version 37.9

Vafa Khalighi*

June 10, 2022

Contents

1	File <code>amsart-xetex-bidi.def</code>	4	18	File <code>beamerbaseframecomponents-xetex-bidi.def</code>	40
2	File <code>adjmulticol-xetex-bidi.def</code>	6	19	File <code>beamerbaselocalstructure-xetex-bidi.def</code>	47
3	File <code>algorithm2e-xetex-bidi.def</code>	7	20	File <code>beamerbasenavigation-xetex-bidi.def</code>	49
4	File <code>amsbook-xetex-bidi.def</code>	7	21	File <code>beamerbaseoverlay-xetex-bidi.def</code>	50
5	File <code>amsmath-xetex-bidi.def</code>	10	22	File <code>beamerinnerthemedefault-xetex-bidi.def</code>	50
6	File <code>amstext-xetex-bidi.def</code>	10	23	File <code>beamerinnerthemecircles-xetex-bidi.def</code>	53
7	File <code>amsthm-xetex-bidi.def</code>	10	24	File <code>beamerinnerthemeinmargin-xetex-bidi.def</code>	53
8	File <code>array-xetex-bidi.def</code>	10	25	File <code>beamerinnerthemerectangles-xetex-bidi.def</code>	55
9	File <code>article-xetex-bidi.def</code>	12	26	File <code>beamerinnerthemrounded-xetex-bidi.def</code>	55
10	File <code>artikel1-xetex-bidi.def</code>	15	27	File <code>beamerouterthemedefault-xetex-bidi.def</code>	55
11	File <code>artikel2-xetex-bidi.def</code>	20	28	File <code>beamerouterthemeinfolines-xetex-bidi.def</code>	55
12	File <code>artikel3-xetex-bidi.def</code>	25	29	File <code>beamerouterthememiniframes-xetex-bidi.def</code>	56
13	File <code>arydshln-xetex-bidi.def</code>	29	30	File <code>beamerouterthemesidebar-xetex-bidi.def</code>	57
14	File <code>beamer-xetex-bidi.def</code>	32	31	File <code>beamerouterthemesplit-xetex-bidi.def</code>	59
15	File <code>beamerbaseauxtemplates-xetex-bidi.def</code>	32	32	File <code>beamerouterthemeshadow-xetex-bidi.def</code>	60
16	File <code>beamerbaseboxes-xetex-bidi.def</code>	37	33	File <code>beamerouterthemesmoothbars-xetex-bidi.def</code>	61
17	File <code>beamerbasecolor-xetex-bidi.def</code>	39	34	File <code>beamerouterthemesmoothtree-xetex-bidi.def</code>	62

*Thanks to the `bidi-tex` GitHub organization consisted of David Carlisle and other members of the $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ team to maintain the package in the period 2018–2020.

35	File beamerouterthemetree-xetex-bidi.def	65	File combine-xetex-bidi.def	177
36	File beamerthemeHannover-xetex-bidi.def	66	File crop-xetex-bidi.def	177
37	File beamerthemeSingapore-xetex-bidi.def	67	File cutwin-xetex-bidi.def	179
38	File bidi.sty	68	File cuted-xetex-bidi.def	180
39	File bidi.tex	72	File cvthemebidicasual.sty	188
40	File bidi2in1.sty	74	File cvthemebidiclassic.sty	190
41	File bidicode.sty	75	File dblfnote-xetex-bidi.def	192
42	File bidiftnextra.sty	78	File diagbox-xetex-bidi.def	195
43	File bidimoderncv.cls	81	File draftwatermark-xetex-bidi.def	197
44	File bidi-perpage.sty	86	File eso-pic-xetex-bidi.def	197
45	File biditools.sty	87	File empheq-xetex-bidi.def	198
46	File bidituftefloat.sty	124	File extarticle-xetex-bidi.def	201
47	File bidituftesidenote.sty	135	File extbook-xetex-bidi.def	205
48	File bidituftetoc.sty	145	File extletter-xetex-bidi.def	208
49	File bidituftegeneralstructure.sty	148	File extrafootnotefeatures-xetex-bidi.def	209
50	File bidituftehyperref.sty	150	File extreport-xetex-bidi.def	241
51	File bidituftetitle.sty	151	File fancybox-xetex-bidi.def	244
52	File biditufte-handout.cls	153	File fancyhdr-xetex-bidi.def	245
53	File biditufte-book.cls	154	File fix2col-xetex-bidi.def	245
54	File bidipoem.sty	155	File fleqn-xetex-bidi.def	246
55	File boek3-xetex-bidi.def	162	File float-xetex-bidi.def	247
56	File boek-xetex-bidi.def	165	File floatrow-xetex-bidi.def	247
57	File bookest-xetex-bidi.def	168	File flowfram-xetex-bidi.def	247
58	File book-xetex-bidi.def	169	File footnote-xetex-bidi.def	250
59	File breqn-xetex-bidi.def	173	File footnotebackref-xetex-bidi.def	257
60	File cals-xetex-bidi.def	174	File framed-xetex-bidi.def	258
61	File caption-xetex-bidi.def	175	File ftnright-xetex-bidi.def	261
62	File caption3-xetex-bidi.def	175	File graphicx-xetex-bidi.def	266
63	File colortbl-xetex-bidi.def	175	File geometry-xetex-bidi.def	268
64	File color-xetex-bidi.def	176	File hvfloat-xetex-bidi.def	269



95	File hyperref-xetex-bidi.def	275	125	File pstricks-xetex-bidi.def	339
96	File imsgproc-xetex-bidi.def	287	126	File quotchap-xetex-bidi.def	340
97	File leqno-xetex-bidi.def	288	127	File ragged2e-xetex-bidi.def	340
98	File letter-xetex-bidi.def	288	128	File rapport1-xetex-bidi.def	342
99	File lettrine-xetex-bidi.def	289	129	File rapport3-xetex-bidi.def	347
100	File lineno-xetex-bidi.def	291	130	File refrep-xetex-bidi.def	352
101	File listings-xetex-bidi.def	292	131	File report-xetex-bidi.def	356
102	File loadingorder-xetex-bidi.def	294	132	File rotating-xetex-bidi.def	359
103	File longtable-xetex-bidi.def	300	133	File scrartcl-xetex-bidi.def	362
104	File lscapex-xetex-bidi.def	302	134	File scrbook-xetex-bidi.def	376
105	File mathtools-xetex-bidi.def	303	135	File scrreprt-xetex-bidi.def	390
106	File mdframed-xetex-bidi.def	303	136	File sidecap-xetex-bidi.def	404
107	File bidi-media9.sty	304	137	File soul-xetex-bidi.def	404
108	File memoir-xetex-bidi.def	315	138	File stabular-xetex-bidi.def	406
109	File midfloat-xetex-bidi.def	318	139	File subfigure-xetex-bidi.def	406
110	File minitoc-xetex-bidi.def	323	140	File tabs-xetex-bidi.def	406
111	File multicol-xetex-bidi.def	323	141	File tabularx-xetex-bidi.def	407
112	File multienum-xetex-bidi.def	328	142	File tabulary-xetex-bidi.def	408
113	File natbib-xetex-bidi.def	329	143	File tc-xetex-bidi.def	409
114	File newfloat-xetex-bidi.def	330	144	File tcolorbox-xetex-bidi.def	409
115	File ntheorem-xetex-bidi.def	330	145	File titlesec-xetex-bidi.def	410
116	File ntheorem-hyper-xetex-bidi.def	331	146	File titletoc-xetex-bidi.def	410
117	File overpic-xetex-bidi.def	331	147	File tocbibind-xetex-bidi.def	411
118	File pdfbase-xetex-bidi.def	332	148	File tocloft-xetex-bidi.def	413
119	File pdfscape-xetex-bidi.def	332	149	File tocbasic-xetex-bidi.def	419
120	File pdfpages-xetex-bidi.def	333	150	File tocstyle-xetex-bidi.def	433
121	File pgfcorescopes.code-xetex-bidi.def	333	151	File todonotes-xetex-bidi.def	438
122	File pgfsys.code-xetex-bidi.def	335	152	File wrapfig-xetex-bidi.def	440
123	File picinpar-xetex-bidi.def	335	153	File xcolor-xetex-bidi.def	442
124	File plain-xetex-bidi.def	337	154	File latex-xetex-bidi.def	444





1 File amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for X
2 \def\tocline#1#2#3#4#5#6#7{\relax
3 \ifnum #1>\c@tocdepth % then omit
4 \else
5 \par \addpenalty\@secpenalty\addvspace{#2}%
6 \begingroup \hyphenpenalty\@M
7 \ifempty{#4}{%
8 \@tempdima\csname r@tocindent\number#1\endcsname\relax
9 }{%
10 \@tempdima#4\relax
11 }%
12 \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\
13 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16 \nobreak
17 \endgroup
18 \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24 \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
25 {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27 \kern-.4\p@
28 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
29 \kern11\p@\kern-\footnotesep}
30 \def\left@footnoterule{\kern-.4\p@
31 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35 \insert\footins{%
36 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37 \reset@font%
38 \bidi@footnotetext@font% \normalfont\footnotesize
39 \interlinepenalty\interfootnotelinepenalty
40 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41 \floatingpenalty\@MM \hsize\columnwidth
42 \@parboxrestore \parindent\normalparindent \sloppy
43 \protected@edef\@currentlabel{%
44 \csname p@footnote\endcsname\@thefnmark}%
45 \@makefnmark%
46 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
47
48 \long\def\@RTLfootnotetext#1{%
49 \insert\footins{%
50 \@RTLtrue%
51 \reset@font%
52 \bidi@RTLfootnotetext@font% \normalfont\footnotesize
```



```

53 \interlinepenalty\interfootnotelinepenalty
54 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55 \floatingpenalty\@MM \hsize\columnwidth
56 \@parboxrestore \parindent\normalparindent \sloppy
57 \protected@edef\@currentlabel{%
58 \csname p@footnote\endcsname\@thefnmark}%
59 \@makefntext{%
60 \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65 \insert\footins{%
66 \RTLfalse%
67 \reset@font%
68 \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
69 \interlinepenalty\interfootnotelinepenalty
70 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71 \floatingpenalty\@MM \hsize\columnwidth
72 \@parboxrestore \parindent\normalparindent \sloppy
73 \protected@edef\@currentlabel{%
74 \csname p@footnote\endcsname\@thefnmark}%
75 \@makefntext{%
76 \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}
77
78
79 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84 \@bibtitlestyle
85 \normalfont\bibliofont\labelsep .5em\relax
86 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
87 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
88 \bidi@thebibliography@font@hook%
89 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90 \leftmargin\labelwidth \advance\leftmargin\labelsep
91 \usecounter{enumiv}}%
92 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
93 \sfcode`\.=\@m
94 }{%
95 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96 \endlist
97 }
98 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
99 \columnseprule{z@ \columnsep 35\p@
100 \@indextitlestyle
101 \thispagestyle{plain}%
102 \let\item\@idxitem
103 \parindent\z@ \parskip\z@\@plus.3\p@\relax
104 \ifRTL\raggedleft\else\raggedright\fi
105 \hyphenpenalty\@M
106 \footnotesize}

```



```

107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111 \@topnum\z@ % this prevents figures from falling at the top of page 1
112 \setcopyright
113 \thispagestyle{firstpage}% this sets first page specifications
114 \uppercase\shorttitle
115 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
116 \else \andify\shortauthors
117 \fi
118 \@maketitle@hook
119 \begingroup
120 \@maketitle
121 \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
122 \toks4\def\{\ \ignorespaces}}% defend against questionable usage
123 \edef\@tempa{%
124 \@nx\markboth{\the\toks4
125 \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
126 \@tempa
127 \endgroup
128 \c@footnote\z@
129 \cleartopmattertags
130 }

```

2 File adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol p
132 \def\adjmulticols#1#2#3{\col@number#1\relax
133 \def\@tempa{#2}%
134 \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
135 \def\@tempa{#3}%
136 \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
137 \ifnum\col@number<\@ne
138 \PackageWarning{adjmulticol}%
139 {Using '\number\col@number'
140 columns doesn't seem a good idea.^^J
141 I therefore use one columns instead}%
142 \col@number\@ne\fi
143 \ifnum\col@number>10
144 \PackageError{adjmulticol}%
145 {Too many columns}%
146 {Current implementation doesn't
147 support more than 10 columns.%
148 \MessageBreak
149 I therefore use 10 columns instead}%
150 \col@number10 \fi
151 \ifx\@footnotetext\mult@footnotetext\else
152 \let\orig@footnotetext\@footnotetext
153 \let\@footnotetext\mult@footnotetext
154 \fi
155 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
156 \let\orig@LTRfootnotetext\@LTRfootnotetext
157 \let\@LTRfootnotetext\mult@LTRfootnotetext

```



```

158 \fi
159 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160 \let\orig@RTLfootnotetext\@RTLfootnotetext
161 \let\@RTLfootnotetext\mult@RTLfootnotetext
162 \fi
163 \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]
164 \let\adjmc@page@sofar@orig=\page@sofar

```

3 File algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2018/09/23 v0.2 bidi adaptations for algorithm2e p
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%
168 \else%
169 \fi
170 \ifpackageloaded{color}{-}{%
171 \bidi@patchcmd{\@algocf@start}{\bgroup}{%
172 \bgroup
173 \if@RTL
174 \beginR
175 \else
176 \beginL
177 \fi
178 }{}{}
179 \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
180 \if@RTL
181 \endR
182 \else
183 \endL
184 \fi
185 \egroup
186 \end{lrbox}}%
187 }{}{}
188 \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
189 \if@RTL
190 \hboxR
191 \else
192 \hboxL
193 \fi
194 }{}{}
195 }

```

4 File amsbook-xetex-bidi.def

```

196 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for
197 \def\@tocline#1#2#3#4#5#6#7{\relax
198 \ifnum #1>\c@tocdepth % then omit
199 \else
200 \par \addpenalty\@secpenalty\addvspace{#2}%
201 \begingroup \hyphenpenalty\@M
202 \@ifempty{#4}{%
203 \@tempdima\csname r@tocindent\number#1\endcsname\relax
204 }{}%
205 \@tempdima#4\relax

```



```

206 }%
207 \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\
208 \if@RTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
209 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
210 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
211 \nobreak
212 \endgroup
213 \fi}
214 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
215 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
216 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
217 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
218 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
219 \columnseprule\z@ \columnsep 35\p@
220 \@indextitlestyle
221 \thispagestyle{plain}%
222 \let\item\@idxitem
223 \parindent\z@ \parskip\z@\@plus.3\p@\relax
224 \if@RTL\raggedleft\else\raggedright\fi
225 \hyphenpenalty\@M
226 \footnotesize}
227 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
228 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
229 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
230 \def\right@footnoterule{%
231 \kern-.4\p@
232 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
233 \kern11\p@\kern-\footnotesep}
234 \def\left@footnoterule{\kern-.4\p@
235 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
236
237 \long\def\@footnotetext#1{%
238 \insert\footins{%
239 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
240 \reset@font%
241 \bidi@footnotetext@font% \normalfont\footnotesize
242 \interlinepenalty\interfootnotelinepenalty
243 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
244 \floatingpenalty\@MM \hsize\columnwidth
245 \@parboxrestore \parindent\normalparindent \sloppy
246 \protected@edef\@currentlabel{%
247 \csname p@footnote\endcsname\@thefnmark}%
248 \@makefnmark%
249 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
250
251 \long\def\@RTLfootnotetext#1{%
252 \insert\footins{%
253 \@RTLtrue%
254 \reset@font%
255 \bidi@RTLfootnotetext@font% \normalfont\footnotesize
256 \interlinepenalty\interfootnotelinepenalty
257 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
258 \floatingpenalty\@MM \hsize\columnwidth
259 \@parboxrestore \parindent\normalparindent \sloppy

```



```

260 \protected@edef\@currentlabel{%
261 \csname p@footnote\endcsname\@thefnmark}%
262 \@makefntext{%
263 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
264
265
266 \long\def\@LTRfootnotetext#1{%
267 \insert\footins{%
268 \RTLfalse%
269 \reset@font%
270 \bidi@L@LTRfootnotetext@font% \normalfont\footnotesize
271 \interlinepenalty\interfootnotelinepenalty
272 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
273 \floatingpenalty\@MM \hsize\columnwidth
274 \@parboxrestore \parindent\normalparindent \sloppy
275 \protected@edef\@currentlabel{%
276 \csname p@footnote\endcsname\@thefnmark}%
277 \@makefntext{%
278 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
279
280
281
282 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
283 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
284 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
285
286 \renewenvironment{thebibliography}[1]{%
287 \@bibtitlestyle
288 \normalfont\bibliofont\labelsep .5em\relax
289 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
290 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
291 \bidi@thebibliography@font@hook%
292 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
293 \leftmargin\labelwidth \advance\leftmargin\labelsep
294 \usecounter{enumiv}}%
295 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
296 \sfcode`.=\@m
297 }{%
298 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
299 \endlist
300 }
301 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
302 \begingroup
303 \fontsize{\@xivpt}{18}\bfseries\centering
304 \ifnum\c@secnumdepth>\m@ne
305 \leavevmode \hskip-\ifRTL\rightskip\else\leftskip\fi
306 \rlap{\vbox to\z@{\vss
307 \centerline{\normalsize\mdseries
308 \uppercase\@xp{\chaptername}\enspace\thechapter}
309 \vskip 3pc}}\hskip\ifRTL\rightskip\else\leftskip\fi\fi
310 #1\par \endgroup
311 \skip@34\p@ \advance\skip@-\normalbaselineskip
312 \vskip\skip@ }
313 \def\maketitle{\par

```



```

314 \@topnum\z@ % this prevents figures from falling at the top of page 1
315 \begingroup
316 \@maketitle
317 \endgroup
318 \c@footnote\z@
319 \def\do##1{\let##1\relax}%
320 \do\maketitle \do\@maketitle \do\title \do\xtitle \do\@title
321 \do\author \do\@xauthor \do\address \do\@xaddress
322 \do\email \do\@xemail \do\curraddr \do\@xcurraddr
323 \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
324 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
325 }

```

5 File amsmath-xetex-bidi.def

```

326 \ProvidesFile{amsmath-xetex-bidi.def}[2020/05/16 v1.2 bidi adaptations for amsmath package f
327 \let\veqno=\eqno
328 \iftagsleft@ \let\veqno=\leqno \fi
329 \renewcommand{\numberwithin}[3][\arabic]{%
330   \ifundefined{c@#2}{\@nocounterr{#2}}{%
331     \ifundefined{c@#3}{\@nocnterr{#3}}{%
332       \@addtoreset{#2}{#3}%
333       \xp\xdef\csname the#2\endcsname{%
334         \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}%
335 }
336 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@italicco
337
338 \bidi@patchcmd\math@cr@@@align\place@tag{%
339   \place@tag
340   \else
341     \place@tag
342 }{}{}
343

```

6 File amstext-xetex-bidi.def

```

344 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package f
345 \def\textdef@#1#2#3{\hbox{%
346   \everymath{#1}%
347   \let\fontsize#2\selectfont
348   \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}

```

7 File amsthm-xetex-bidi.def

```

349 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
350 \def\@thmcountersep{\@SepMark}

```

8 File array-xetex-bidi.def

```

351 \ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for X
352 \def\@testpach{\@chclass
353   \ifnum \@lastchclass=6 \one \@chnum \one \else
354   \ifnum \@lastchclass=7 5 \else
355   \ifnum \@lastchclass=8 \tw@ \else

```



```

356 \ifnum \@lastchclass=9 \thr@@
357 \else \z@
358 \ifnum \@lastchclass = 10 \else
359 \edef\@nextchar{\expandafter\string\@nextchar}%
360 \@chnum
361 \if \@nextchar c\z@ \else
362 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
363 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
364 \z@ \@chclass
365 \if\@nextchar |\@ne \else
366 \if \@nextchar !6 \else
367 \if \@nextchar @7 \else
368 \if \@nextchar <8 \else
369 \if \@nextchar >9 \else
370 10
371 \@chnum
372 \if \@nextchar m\thr@@\else
373 \if \@nextchar p4 \else
374 \if \@nextchar b5 \else
375 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
376 \fi \fi
377 \def\@tabular{%
378 \leavevmode
379 \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabc@sep \let\d@llarbegin\beginR
380 \let\d@llarend\endR
381 \@tabarray}
382 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
383 \expandafter\let\csname endtabular*\endcsname=\endtabular
384 \def\@array[#1]#2{%
385 \@tempdima \ht \strutbox
386 \advance \@tempdima by\extrarowheight
387 \setbox \@arstrutbox \hbox{\vrule
388 \@height \arraystretch \@tempdima
389 \@depth \arraystretch \dp \strutbox
390 \@width \z@}%
391 \beginR
392 \mkpream{#2}%
393 \xdef\@preamble{\noexpand \ialign \@halignto
394 \bgroup \@arstrut \@preamble
395 \tabskip \z@ \cr}%
396 \endR
397 \@arrayleft
398 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
399 \bgroup
400 \let \@sharp ##\let \protect \relax
401 \lineskip \z@
402 \baselineskip \z@
403 \m@th
404 \let\\\@arraycr \let\@tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\@hboxR
405 \def\@tabarray{\@ifnextchar{\@array}{\@array[c]}}
406 \def\endarray{\cr\egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@pream
407 \def\array{\col@sep\arraycolsep
408 \def\d@llarbegin{\$}\let\d@llarend\d@llarbegin\gdef\@halignto{}}
409 \@RTLtabfalse\@tabarray}

```



9 File article-xetex-bidi.def

```
410 \ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article
411 \if@titlepage
412 \renewcommand\maketitle{\begin{titlepage}%
413 \let\footnotesize\small
414 \let\right@footnoterule\relax
415 \let\left@footnoterule\relax
416 \let\textwidth@footnoterule\relax
417 \let \footnote \thanks
418 \let \LTRfootnote \LTRthanks
419 \let \RTLfootnote \RTLthanks
420 \null\vfil
421 \vskip 60\p@
422 \begin{center}%
423   {\LARGE \@title \par}%
424   \vskip 3em%
425   {\large
426     \lineskip .75em%
427     \begin{tabular}[t]{c}%
428       \@author
429     \end{tabular}\par}%
430   \vskip 1.5em%
431   {\large \@date \par}%           % Set date in \large size.
432 \end{center}\par
433 \@thanks
434 \vfil\null
435 \end{titlepage}%
436 \setcounter{footnote}{0}%
437 \global\let\thanks\relax
438 \global\let\LTRthanks\relax
439 \global\let\RTLthanks\relax
440 \global\let\maketitle\relax
441 \global\let\@thanks\@empty
442 \global\let\@author\@empty
443 \global\let\@date\@empty
444 \global\let\@title\@empty
445 \global\let\title\relax
446 \global\let\author\relax
447 \global\let\date\relax
448 \global\let\and\relax
449 }
450 \else
451 \renewcommand\maketitle{\par
452 \begingroup
453 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
454 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
455 \long\def\@makefntext##1{\parindent 1em\noindent
456   \hb@xt@1.8em{%
457     \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
458 \if@twocolumn
459   \ifnum \col@number=\@ne
460     \@maketitle
461   \else
```



```

462     \twocolumn[\@maketitle]%
463     \fi
464     \else
465     \newpage
466     \global\@topnum\z@   % Prevents figures from going at top of page.
467     \@maketitle
468     \fi
469     \thispagestyle{plain}\@thanks
470 \endgroup
471 \setcounter{footnote}{0}%
472 \global\let\thanks\relax
473 \global\let\LTRthanks\relax
474 \global\let\RTLthanks\relax
475 \global\let\maketitle\relax
476 \global\let\@maketitle\relax
477 \global\let\@thanks\@empty
478 \global\let\@author\@empty
479 \global\let\@date\@empty
480 \global\let\@title\@empty
481 \global\let\title\relax
482 \global\let\author\relax
483 \global\let\date\relax
484 \global\let\and\relax
485 }
486 \def\@maketitle{%
487   \newpage
488   \null
489   \vskip 2em%
490   \begin{center}%
491     \let \footnote \thanks
492     \let \LTRfootnote \LTRthanks
493     \let \RTLfootnote \RTLthanks
494     {\LARGE \@title \par}%
495     \vskip 1.5em%
496     {\large
497       \lineskip .5em%
498       \begin{tabular}[t]{c}%
499         \@author
500       \end{tabular}\par}%
501     \vskip 1em%
502     {\large \@date}%
503   \end{center}%
504   \par
505   \vskip 1.5em}
506 \fi
507 \renewcommand*\l@part[2]{%
508   \ifnum \c@tocdepth >-2\relax
509     \addpenalty\@secpenalty
510     \addvspace{2.25em \@plus\p@}%
511     \setlength\@tempdima{3em}%
512     \begingroup
513       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
514       \parfillskip -\@pnumwidth
515     {\leavevmode

```



```

516     \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
517     \nobreak
518     \if@compatibility
519         \global\@nobreaktrue
520         \everypar{\global\@nobreakfalse\everypar{}}%
521     \fi
522 \endgroup
523 \fi}
524 \renewcommand*\l@section[2]{%
525 \ifnum \c@tocdepth >\z@
526     \addpenalty\@secpenalty
527     \addvspace{1.0em \@plus\p@}%
528     \setlength\@tempdima{1.5em}%
529     \begingroup
530         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
531         \parfillskip -\@pnumwidth
532         \leavevmode \bfseries
533         \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
534         \hskip -\if@RTL\rightskip\else\leftskip\fi
535         #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
536     \endgroup
537 \fi}
538 \renewcommand\left@footnoterule{%
539 \kern-3\p@
540 \hrule\@width.4\columnwidth
541 \kern2.6\p@}
542 \renewcommand\right@footnoterule{%
543 \kern-3\p@
544 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
545 \kern2.6\p@}
546 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
547 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
548 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
549 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
550 \def\@part[#1]#2{%
551     \ifnum \c@secnumdepth >\m@ne
552         \refstepcounter{part}%
553         \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
554     \else
555         \addcontentsline{toc}{part}{#1}%
556     \fi
557     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
558     \interlinepenalty \@M
559     \normalfont
560     \ifnum \c@secnumdepth >\m@ne
561         \Large\bfseries \partname\nobreakspace\thepart
562         \par\nobreak
563     \fi
564     \huge \bfseries #2%
565     \markboth{}{\par}%
566     \nobreak
567     \vskip 3ex
568     \@afterheading}
569 \renewenvironment{thebibliography}[1]

```



```

570 {\section*{\refname}%
571 \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
572 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
573 \bidi@thebibliography@font@hook%
574 \list{\@biblabel{\@arabic\c@enumiv}}%
575 {\settowidth\labelwidth{\@biblabel{#1}}%
576 \leftmargin\labelwidth
577 \advance\leftmargin\labelsep
578 \@openbib@code
579 \usecounter{enumiv}%
580 \let\p@enumiv\@empty
581 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
582 \sloppy
583 \clubpenalty4000
584 \@clubpenalty \clubpenalty
585 \widowpenalty4000%
586 \sfcode\.\@m}
587 {\def\@noitemerr
588 {\@latex@warning{Empty `thebibliography' environment}}}%
589 \endlist}
590 \renewenvironment{theindex}
591 {\if@twocolumn
592 \@restonecolfalse
593 \else
594 \@restonecoltrue
595 \fi
596 \columnseprule \z@
597 \columnsep 35\p@
598 \twocolumn[\section*{\indexname}]%
599 \mkboth{\MakeUppercase\indexname}%
600 {\MakeUppercase\indexname}%
601 \thispagestyle{plain}\parindent\z@
602 \parskip\z@ \@plus .3\p@\relax
603 \let\item\@idxitem}
604 {\if@restonecol\onecolumn\else\clearpage\fi}

```

10 File artikel1-xetex-bidi.def

```

605 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class f
606 \renewenvironment{theindex}{%
607 \if@twocolumn
608 \@restonecolfalse
609 \else
610 \@restonecoltrue
611 \fi
612 \columnseprule \z@
613 \columnsep 35\p@
614 \twocolumn[\section*{\indexname}]%
615 \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
616 \thispagestyle{plain}\parindent\z@
617 \parskip\z@ \@plus .3\p@\relax
618 \let\item\@idxitem
619 }{%
620 \if@restonecol\onecolumn\else\clearpage\fi}

```



```

621 \renewcommand* \head@style{%
622   \interlinepenalty \@M
623   \hyphenpenalty=\@M \exhyphenpenalty=\@M
624   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
625 \if@titlepage
626   \renewenvironment{abstract}{%
627     \titlepage
628     \null\vfil
629     \section*{\SectFont\abstractname}
630     \noindent\ignorespaces}
631   {\par\vfil\null\endtitlepage}
632 \else
633   \renewenvironment{abstract}{%
634     \if@twocolumn
635       \section*{\abstractname}%
636     \else
637       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
638       \section*{\small\SectFont\abstractname}%
639       \noindent\ignorespaces
640     \fi}
641   {\if@twocolumn\else\par\egroup\fi}
642 \fi
643 \renewcommand* \@regtocline[3]{%
644   \ifnum #1>\c@tocdepth
645     \else
646       \vskip\z@\@plus.2\p@
647       {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
648        \if@RTL\rightskip\else\leftskip\fi\unitindent
649        \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
650        \parfillskip\z@
651        \@tempdima\unitindent
652        \parindent\z@
653        \leavevmode
654        \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
655        \hskip 1em \nobreak{\slshape #3}\par
656       }%
657   \fi}
658 \if@oldtoc
659 \renewcommand* \l@part[2]{%
660   \ifnum \c@tocdepth >-2\relax
661     \addpenalty\@secpenalty
662     \addvspace{2.25em \@plus\p@}%
663     \begingroup
664     \setlength\@tempdima{3em}%
665     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
666     \parfillskip -\@pnumwidth
667     {\leavevmode
668      \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
669     \nobreak
670     \if@compatibility
671       \global\@nobreaktrue
672     \everypar{\global\@nobreakfalse\everypar{}}%
673     \fi
674   \endgroup

```



```

675 \fi}
676 \else
677 \renewcommand*\l@part{%
678 \ifnum \c@tocdepth >-2\relax
679 \addpenalty\@secpenalty
680 \advvspace{2.25em \@plus \p@}%
681 \@regtocline{0}%
682 \fi}
683 \fi
684 \if@oldtoc
685 \renewcommand*\l@section[2]{%
686 \addpenalty\@secpenalty
687 \advvspace{1.0em \@plus \p@}%
688 \setlength\@tempdima{1.5em}%
689 \begingroup
690 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
691 \parfillskip -\@pnumwidth
692 \leavevmode \bfseries
693 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
694 \hskip -\if@RTL\rightskip\else\leftskip\fi
695 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
696 \endgroup}
697 \else
698 \renewcommand*\l@section{\@regtocline{1}}
699 \fi
700 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
701 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
702 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
703 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
704 \renewenvironment{thebibliography}[1]
705 {\section*\refname}%
706 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
707 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
708 \bidi\@thebibliography@font@hook%
709 \list{\@biblabel{\@arabic\c@enumiv}}%
710 {\settowidth\labelwidth{\@biblabel{#1}}%
711 \leftmargin\labelwidth
712 \advance\leftmargin\labelsep
713 \@openbib@code
714 \usecounter{enumiv}%
715 \let\p@enumiv\@empty
716 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
717 \sloppy\clubpenalty4000\widowpenalty4000%
718 \sfcode`. \@m}
719 {\def\@noitemerr
720 {\@latex@warning{Empty `thebibliography' environment}}%
721 \endlist}
722 \renewcommand*\left@footnoterule{%
723 \kern-3\p@
724 \kern.5\baselineskip
725 \hrule\@width\unitindent
726 \kern.4\baselineskip
727 }
728 \renewcommand*\right@footnoterule{%

```



```

729 \kern-3\p@
730 \kern.5\baselineskip
731 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
732 \kern.4\baselineskip}
733 \if@titlepage
734 \renewcommand*{\TitleFont{\rmfamily}
735 \renewcommand*\maketitle{%
736 \begin{titlepage}%
737 \let\footnotesize\small
738 \let\right@footnoterule\relax
739 \let\left@footnoterule\relax
740 \let\textwidth@footnoterule\relax
741 \let \footnote \thanks
742 \long\def\@makefnctext##1{\parindent\z@
743 \def\labelitemi{\textendash}\@crevlabeltrue
744 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
745 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
746 \if@compatibility\setcounter{page}{0}\fi
747 \null\vfil
748 \vskip 60\p@
749 \begin{center}%
750 \TitleFont
751 {\LARGE \def\{\penalty -\@M}
752 \if@allcaps
753 \expandafter\uc@nothanks\@title\thanks\relax
754 \else
755 \@title
756 \fi\par}%
757 \vskip 3em%
758 {\large
759 \lineskip .75em \parindent\z@
760 \begin{tabular}[t]{c}%
761 \if@allcaps
762 \expandafter\uc@authornothanks\@author\and\relax
763 \else
764 \@author
765 \fi
766 \end{tabular}\par}%
767 \vskip 1.5em%
768 {\large
769 \if@allcaps
770 \uppercase\expandafter{\@date}%
771 \else
772 \@date
773 \fi\par}%
774 \end{center}\par
775 \@thanks
776 \vfil\null
777 \end{titlepage}%
778 \setcounter{footnote}{0}%
779 \global\let\thanks\relax
780 \global\let\maketitle\relax
781 \global\let\@thanks\@empty
782 \global\let\@author\@empty

```



```

783 \global\let\@title\@empty
784 \global\let\@date\@empty
785 \global\let\title\relax
786 \global\let\author\relax
787 \global\let\date\relax
788 \global\let\and\relax
789 }
790 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
791 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
792   \futurelet\@tempa\uc@ax}
793 \def\uc@ax{%
794   \ifx\@tempa\relax
795     \else
796       \andname \and \expandafter\uc@authornothanks
797     \fi}
798 \def\uc@tx{\ifx\@tempa\relax
799   \else \expandafter\uc@ty \fi}
800 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
801 \else
802 \renewcommand*\maketitle{\par
803   \begingroup
804     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
805     \def\@makefnmark{\rlap{%
806       \@textsuperscript{\normalfont\@thefnmark}}}%
807     \long\def\@makefntext{\@xmakefntext{%
808       \@textsuperscript{\normalfont\@thefnmark}}}%
809     \if@twocolumn
810       \ifnum \col@number=\@ne
811         \@maketitle
812       \else
813         \twocolumn[\@maketitle]%
814       \fi
815     \else
816       \newpage
817       \global\@topnum\z@
818       \@maketitle
819     \fi
820     \thispagestyle{plain}\@thanks
821   \endgroup
822   \setcounter{footnote}{0}%
823   \global\let\thanks\relax
824   \global\let\maketitle\relax
825   \global\let\@maketitle\relax
826   \global\let\@thanks\@empty
827   \global\let\@author\@empty
828   \global\let\@title\@empty
829   \global\let\@date\@empty
830   \global\let\title\relax
831   \global\let\author\relax
832   \global\let\date\relax
833   \global\let\and\relax
834 }
835 \def\@maketitle{%
836   \newpage

```



```

837 \null
838 \vskip 2em%
839 \begin{center}%
840   \let \footnote \thanks
841   {\LARGE \TitleFont \@title \par}%
842   \vskip 1.5em%
843   {\large \TitleFont
844     \lineskip .5em%
845     \begin{tabular}[t]{c}%
846       \@author
847     \end{tabular}\par}%
848   \vskip 1em%
849   {\large \TitleFont \@date}%
850 \end{center}%
851 \par
852 \vskip 1.5em}
853 \fi

```

11 File artikel2-xetex-bidi.def

```

854 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class f
855 \renewenvironment{theindex}{%
856   \if@twocolumn
857     \@restonecolfalse
858   \else
859     \@restonecoltrue
860   \fi
861   \columnseprule \z@
862   \columnsep 35\p@
863   \twocolumn[\section*{\indexname}]%
864   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
865   \thispagestyle{plain}\parindent\z@
866   \parskip\z@ \@plus .3\p@\relax
867   \let\item\@idxitem
868   }{%
869   \if@restonecol\onecolumn\else\clearpage\fi}
870 \renewcommand*\@regtocline[3]{%
871   \ifnum #1>\c@tocdepth
872   \else
873     \vskip\z@\@plus.2\p@
874     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
875       \if@RTL\righskip\else\leftskip\fi\unitindent
876       \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
877       \parfillskip\z@
878       \@tempdima\unitindent
879       \advance\@tempdima by \othermargin
880       \parindent\z@
881       \leavevmode
882       \hbox{} \hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
883       \hskip 1em \nobreak{\slshape #3}\par
884     }%
885   \fi}
886 \if@oldtoc
887 \renewcommand*\l@section[2]{%

```



```

888 \addpenalty\@secpenalty
889 \addvspace{1.0em \@plus\p@}%
890 \setlength\@tempdima{1.5em}%
891 \beginingroup
892 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
893 \parfillskip -\@pnumwidth
894 \leavevmode \bfseries
895 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
896 \hskip -\if@RTL\rightskip\else\leftskip\fi
897 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
898 \endgroup}
899 \else
900 \renewcommand*\l@section{\@regtocline{1}}
901 \fi
902 \if@oldtoc
903 \renewcommand*\l@part[2]{%
904 \ifnum \c@tocdepth >-2\relax
905 \addpenalty\@secpenalty
906 \addvspace{2.25em \@plus\p@}%
907 \beginingroup
908 \setlength\@tempdima{3em}%
909 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
910 \parfillskip -\@pnumwidth
911 {\leavevmode
912 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
913 \nobreak
914 \if@compatibility
915 \global\@nobreaktrue
916 \everypar{\global\@nobreakfalse\everypar{}}%
917 \fi
918 \endgroup
919 \fi}
920 \else
921 \renewcommand*\l@part{%
922 \ifnum \c@tocdepth >-2\relax
923 \addpenalty\@secpenalty
924 \addvspace{2.25em \@plus \p@}%
925 \@regtocline{0}%
926 \fi}
927 \fi
928 \renewcommand*\head@style{%
929 \interlinepenalty \@M
930 \hyphenpenalty=\@M \exhyphenpenalty=\@M
931 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsizel\relax}
932 \if@titlepage
933 \renewenvironment{abstract}{%
934 \titlepage
935 \null\vfil
936 \section*{\SectFont\abstractname}%
937 \noindent\ignorespaces}
938 {\par\vfil\null\endtitlepage}
939 \else
940 \renewenvironment{abstract}{%
941 \if@twocolumn

```



```

942     \section*{\abstractname}%
943 \else
944     \section*{\hskip\unitindent\small\SectFont\abstractname}%
945     \list*{\setlength\listparindent{\unitindent}%
946           \setlength\parindent    {\z@}%
947           \setlength\leftmargin   {\unitindent}%
948           \setlength\rightmargin  {\unitindent}%
949           \setlength\parsep      {\z@}}%
950     \item[]%
951 \fi}
952 {\if@twocolumn\else\par\endlist\fi}
953 \fi
954 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
955 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
956 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
957 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
958 \renewcommand*\left@footnoterule{%
959   \kern-3\p@
960   \hrule\@width 3\unitindent
961   \kern 2.6\p@
962 }
963 \renewcommand*\right@footnoterule{%
964   \kern-3\p@
965   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
966   \kern 2.6\p@}
967 \renewenvironment{thebibliography}[1]
968   {\section*{\refname}%
969     \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
970     \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
971     \bidi@thebibliography@font@hook%
972     \list{\@biblabel{\@arabic\c@enumiv}}%
973           {\settowidth\labelwidth{\@biblabel{#1}}%
974           \leftmargin\labelwidth
975           \advance\leftmargin\labelsep
976           \@openbib@code
977           \usecounter{enumiv}}%
978           \let\p@enumiv@empty
979           \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
980     \sloppy\clubpenalty4000\widowpenalty4000%
981     \sfcode`. \@m}
982   {\def\@noitemerr
983     {\@latex@warning{Empty `thebibliography' environment}}%
984     \endlist}
985 \if@titlepage
986 \renewcommand*\TitleFont{\rmfamily}
987 \renewcommand*\maketitle{%
988   \begin{titlepage}%
989     \let\footnotesize\small
990     \let\right@footnoterule\relax
991     \let\left@footnoterule\relax
992     \let\textwidth@footnoterule\relax
993     \let \footnote \thanks
994     \long\def\@makefntext##1{\parindent\z@
995       \def\labelitemi{\textendash}\@revlabeltrue

```



```

996         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
997     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
998     \ifcompatibility\setcounter{page}{0}\fi
999     \null\vfil
1000     \vskip 60\p@
1001     \begin{center}%
1002         \TitleFont
1003         {\LARGE \def\{\{\penalty -\@M}
1004         \if@allcaps
1005             \expandafter\uc@nothanks\@title\thanks\relax
1006         \else
1007             \@title
1008             \fi\par}%
1009     \vskip 3em%
1010     {\large
1011         \lineskip .75em \parindent\z@
1012         \begin{tabular}[t]{c}%
1013             \if@allcaps
1014                 \expandafter\uc@authornothanks\@author\and\relax
1015             \else
1016                 \@author
1017             \fi
1018         \end{tabular}\par}%
1019     \vskip 1.5em%
1020     {\large
1021         \if@allcaps
1022             \uppercase\expandafter{\@date}%
1023         \else
1024             \@date
1025         \fi\par}%
1026     \end{center}\par
1027     \@thanks
1028     \vfil\null
1029     \end{titlepage}%
1030     \setcounter{footnote}{0}%
1031     \global\let\thanks\relax
1032     \global\let\maketitle\relax
1033     \global\let\@thanks\@empty
1034     \global\let\@author\@empty
1035     \global\let\@title\@empty
1036     \global\let\@date\@empty
1037     \global\let\title\relax
1038     \global\let\author\relax
1039     \global\let\date\relax
1040     \global\let\and\relax
1041 }
1042 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1043 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1044     \futurelet\@tempa\uc@ax}
1045 \def\uc@ax{%
1046     \ifx\@tempa\relax
1047     \else
1048         \ \andname \ \ \expandafter\uc@authornothanks
1049     \fi}

```



```

1050 \def\uc@tx{\ifx\@tempa\relax
1051     \else \expandafter\uc@ty \fi}
1052 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1053 \else
1054 \renewcommand*\maketitle{\par
1055 \begingroup
1056     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1057     \long\def\@makefntext##1{\parindent\z@
1058         \def\labelitemi{\textendash}%
1059         \leavevmode\hb@xt@.5\unitindent{%
1060             \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1061     \if@twocolumn
1062         \ifnum \col@number=\@ne
1063             \@maketitle
1064         \else
1065             \twocolumn[\@maketitle]%
1066         \fi
1067     \else
1068         \newpage
1069         \global\@topnum\z@
1070         \@maketitle
1071     \fi
1072     \thispagestyle{plain}\@thanks
1073 \endgroup
1074 \setcounter{footnote}{0}%
1075 \global\let\thanks\relax
1076 \global\let\maketitle\relax
1077 \global\let\@maketitle\relax
1078 \global\let\@thanks\@empty
1079 \global\let\@author\@empty
1080 \global\let\@title\@empty
1081 \global\let\@date\@empty
1082 \global\let\title\relax
1083 \global\let\author\relax
1084 \global\let\date\relax
1085 \global\let\and\relax
1086 }
1087 \def\@maketitle{%
1088     \newpage
1089     \null
1090     \vskip 2em%
1091     \begin{center}%
1092         \let \footnote \thanks
1093         {\LARGE \TitleFont \@title \par}%
1094         \vskip 1.5em%
1095         {\large \TitleFont
1096             \lineskip .5em%
1097             \begin{tabular}[t]{c}%
1098                 \@author
1099             \end{tabular}\par}%
1100         \vskip 1em%
1101         {\large \TitleFont \@date}%
1102     \end{center}%
1103     \par

```



```

1104 \vskip 1.5em}
1105 \fi

```

12 File artikel3-xetex-bidi.def

```

1106 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class f
1107 \renewenvironment{theindex}{%
1108 \if@twocolumn
1109 \@restonecolfalse
1110 \else
1111 \@restonecoltrue
1112 \fi
1113 \columnseprule \z@
1114 \columnsep 35\p@
1115 \twocolumn[\section*{\indexname}]%
1116 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1117 \thispagestyle{plain}\parindent\z@
1118 \parskip\z@ \@plus .3\p@\relax
1119 \let\item\@idxitem
1120 }{%
1121 \if@restonecol\onecolumn\else\clearpage\fi}
1122 \renewcommand*{\head@style}{%
1123 \interlinepenalty \@M
1124 \hyphenpenalty=\@M \exhyphenpenalty=\@M
1125 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1126 \renewcommand*{\regtocline}[3]{%
1127 \ifnum #1>\c@tocdepth
1128 \else
1129 \vskip\z@\@plus.2\p@
1130 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
1131 \if@RTL\rightskip\else\leftskip\fi\unitindent
1132 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
1133 \parfillskip\z@
1134 \@tempdima\unitindent
1135 \parindent\z@
1136 \leavevmode
1137 \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1138 \hskip 1em \nobreak{\slshape #3}\par
1139 }%
1140 \fi}
1141 \if@oldtoc
1142 \renewcommand*\l@part[2]{%
1143 \ifnum \c@tocdepth >-2\relax
1144 \addpenalty\@secpenalty
1145 \addvspace{2.25em \@plus\p@}%
1146 \begingroup
1147 \setlength\@tempdima{3em}%
1148 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1149 \parfillskip -\@pnumwidth
1150 {\leavevmode
1151 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
1152 \nobreak
1153 \if@compatibility
1154 \global\@nobreaktrue

```



```

1155     \everypar{\global\@nbreakfalse\everypar{}}%
1156     \fi
1157   \endgroup
1158 \fi}
1159 \else
1160   \renewcommand*\l@part{%
1161     \ifnum \c@tocdepth >-2\relax
1162     \addpenalty\@secpenalty
1163     \addvspace{2.25em \@plus \p@}%
1164     \@regtocline{0}%
1165     \fi}
1166 \fi
1167
1168 \if@oldtoc
1169 \renewcommand*\l@section[2]{%
1170   \addpenalty\@secpenalty
1171   \addvspace{1.0em \@plus \p@}%
1172   \setlength\@tempdima{1.5em}%
1173   \begingroup
1174   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1175   \parfillskip -\@pnumwidth
1176   \leavevmode \bfseries
1177   \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
1178   \hskip -\if@RTL\rightskip\else\leftskip\fi
1179   #1\nobreak\hbfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1180   \endgroup}
1181 \else
1182   \renewcommand*\l@section{\@regtocline{1}}
1183 \fi
1184 \if@titlepage
1185   \renewenvironment{abstract}{%
1186     \titlepage
1187     \null\vfil
1188     \section*\SectFont\abstractname}%
1189     \noindent\ignorespaces}
1190     {\par\vfil\null\endtitlepage}
1191 \else
1192   \renewenvironment{abstract}{%
1193     \if@twocolumn
1194       \section*\abstractname}%
1195     \else
1196       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1197       \section*\small\SectFont\abstractname}%
1198       \noindent\ignorespaces
1199     \fi}
1200     {\if@twocolumn\else\par\egroup\fi}
1201 \fi
1202 \renewcommand*\left@footnoterule{%
1203   \kern-3\p@
1204   \kern.5\baselineskip
1205   \hrule\@width\unitindent
1206   \kern.4\baselineskip
1207 }
1208 \renewcommand*\right@footnoterule{%

```



```

1209 \kern-3\p@
1210 \kern.5\baselineskip
1211 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1212 \kern.4\baselineskip}
1213 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
1214 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1215 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1216 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1217 \renewenvironment{thebibliography}[1]
1218     {\section*\refname}%
1219     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1220     \ifRTL\ifLTRbibitems\RTLfalse\else\fi\else\ifRTLbibitems\RTLtrue\else\fi\fi
1221     \bidi@thebibliography@font@hook%
1222     \list{\@biblabel{\@arabic\c@enumiv}}%
1223         {\setto\width\labelwidth{\@biblabel{#1}}%
1224         \leftmargin\labelwidth
1225         \advance\leftmargin\labelsep
1226         \@openbib@code
1227         \usecounter{enumiv}%
1228         \let\p@enumiv\@empty
1229         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
1230     \sloppy\clubpenalty4000\widowpenalty4000%
1231     \sfcode`. \@m}
1232     {\def\@noitemerr
1233     {\@latex@warning{Empty `thebibliography' environment}}}%
1234     \endlist}
1235 \if@titlepage
1236 \renewcommand*\TitleFont{\rmfamily}
1237 \renewcommand*\maketitle{%
1238 \begin{titlepage}%
1239     \let\footnotesize\small
1240     \let\right@footnoterule\relax
1241     \let\left@footnoterule\relax
1242     \let\textwidth@footnoterule\relax
1243     \let \footnote \thanks
1244     \long\def\@makefn\text##1{\parindent\z@
1245     \def\labelitemi{\textendash}\@revlabeltrue
1246     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1247     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1248     \if@compatibility\setcounter{page}{0}\fi
1249     \null\vfil
1250     \vskip 60\p@
1251     \begin{center}%
1252         \TitleFont
1253         {\LARGE \def\{\penalty -\@M}
1254         \if@allcaps
1255         \expandafter\uc@nothanks\@title\thanks\relax
1256         \else
1257         \@title
1258         \fi\par}%
1259     \vskip 3em%
1260     {\large
1261     \lineskip .75em \parindent\z@
1262     \begin{tabular}[t]{c}%

```



```

1263         \if@allcaps
1264         \expandafter\uc@authornothanks \@author\and\relax
1265         \else
1266         \@author
1267         \fi
1268     \end{tabular}\par}%
1269 \vskip 1.5em%
1270 {\large
1271     \if@allcaps
1272     \uppercase\expandafter{\@date}%
1273     \else
1274     \@date
1275     \fi\par}%
1276 \end{center}\par
1277 \@thanks
1278 \vfil\null
1279 \end{titlepage}%
1280 \setcounter{footnote}{0}%
1281 \global\let\thanks\relax
1282 \global\let\maketitle\relax
1283 \global\let\@thanks\@empty
1284 \global\let\@author\@empty
1285 \global\let\@title\@empty
1286 \global\let\@date\@empty
1287 \global\let\title\relax
1288 \global\let\author\relax
1289 \global\let\date\relax
1290 \global\let\and\relax
1291 }
1292 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1293 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1294     \futurelet\@tempa\uc@ax}
1295 \def\uc@ax{%
1296     \ifx\@tempa\relax
1297     \else
1298     \ \andname \ \ \expandafter\uc@authornothanks
1299     \fi}
1300 \def\uc@tx{\ifx\@tempa\relax
1301     \else \expandafter\uc@ty \fi}
1302 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1303 \else
1304 \renewcommand*\maketitle{\par
1305     \begingroup
1306     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1307     \def\@makefnmark{\rlap{%
1308         \@textsuperscript{\normalfont\@thefnmark}}}%
1309     \long\def\@makefnmark{\@xmakefnmark}%
1310     \@textsuperscript{\normalfont\@thefnmark}}}%
1311     \iftwocolumn
1312     \ifnum \col@number=\@ne
1313     \@maketitle
1314     \else
1315     \twocolumn[\@maketitle]%
1316     \fi

```



```

1317 \else
1318 \newpage
1319 \global\@topnum\z@
1320 \@maketitle
1321 \fi
1322 \thispagestyle{plain}\@thanks
1323 \endgroup
1324 \setcounter{footnote}{0}%
1325 \global\let\thanks\relax
1326 \global\let\maketitle\relax
1327 \global\let\@maketitle\relax
1328 \global\let\@thanks\@empty
1329 \global\let\@author\@empty
1330 \global\let\@title\@empty
1331 \global\let\@date\@empty
1332 \global\let\title\relax
1333 \global\let\author\relax
1334 \global\let\date\relax
1335 \global\let\and\relax
1336 }
1337 \def\@maketitle{%
1338 \newpage
1339 \null
1340 \vskip 2em%
1341 \if@titlecentered
1342 \begin{center}%
1343 \let \footnote \thanks
1344 {\LARGE \TitleFont \@title \par}%
1345 \vskip 1.5em%
1346 {\large \TitleFont
1347 \lineskip .5em%
1348 \begin{tabular}[t]{c}%
1349 \@author
1350 \end{tabular}\par}%
1351 \vskip 1em%
1352 {\large \TitleFont \@date}%
1353 \end{center}%
1354 \else
1355 {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1356 {\large \TitleFont \lineskip .5em \tabcolsep\z@
1357 \def\and{%% \begin{tabular} has already started
1358 \end{tabular}\hskip 1em plus .17fil
1359 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabular}
1360 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}
1361 \vskip 1em {\large \TitleFont \@date}
1362 \fi
1363 \par
1364 \vskip 1.5em}
1365 \fi

```

13 File arydshln-xetex-bidi.def

```

1366 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package]
1367 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTL\begin{array}\endR\egroup\fi\egroup

```



```

1368 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
1369 \expandafter\let\csname endtabular*\endcsname\endtabular
1370 \let\adl@array\@array
1371 \def\@array{\adl@everyvbox\everyvbox
1372     \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1373     \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1374     \let\adl@noalign\noalign
1375     \adl@array}
1376 \ifadl@usingarypkg
1377 \def\@testpach{\@chclass
1378 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1379 \ifnum \@lastchclass=7 5 \else
1380 \ifnum \@lastchclass=8 \tw@ \else
1381 \ifnum \@lastchclass=9 \thr@@
1382 \else \z@
1383 \ifnum \@lastchclass = 10 \else
1384 \edef\@nextchar{\expandafter\string\@nextchar}%
1385 \@chnum
1386 \if \@nextchar c\z@ \else
1387 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1388 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1389 \z@ \@chclass
1390 \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1391 \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
1392 \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
1393 \if \@nextchar !6 \else
1394 \if \@nextchar @7 \else
1395 \if \@nextchar <8 \else
1396 \if \@nextchar >9 \else
1397 10
1398 \@chnum
1399 \if \@nextchar m\thr@@\else
1400 \if \@nextchar p4 \else
1401 \if \@nextchar b5 \else
1402 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
1403 \fi \fi}
1404
1405 \def\@classz{\@classx
1406     \@tempcnta \count@
1407     \prepnext@tok
1408     \@addtopreamble{\ifcase \@chnum
1409         \hfil
1410         \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1411         \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1412         \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1413         \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1414         \adl@endmbox\or
1415         \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1416         \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1417     \fi}\prepnext@tok}
1418 \def\adl@class@start{4}
1419 \def\adl@class@iiiorvii{7}
1420
1421 \else

```



```

1422 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1423     \ifnum \@lastchclass=\thr@@ 5\relax \else
1424         \z@ \if #1c\@chnum \z@ \else
1425             \if \if@RTLtab#1r\else#1l\fi\@chnum \@one \else
1426             \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1427         \@chclass
1428             \if #1|\@one \let\@arrayrule\adl@arrayrule \else
1429             \if #1:\@one \let\@arrayrule\adl@arraydashrule \else
1430             \if #1;\@one \let\@arrayrule\adl@argarraydashrule \else
1431             \if #1\@tw@ \else
1432             \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1433     \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1434
1435 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1436     \or \or \@addamp \or
1437     \@acolampacol \or \@firstampfalse \@acol \fi
1438     \edef\@preamble{\@preamble
1439         \ifcase \@chnum
1440             \hfil\adl@putlrc{\$relax\@sharp$}\hfil
1441             \or \adl@putlrc{\$relax\@sharp$}\hfil
1442             \or \hfil\adl@putlrc{\$relax\@sharp$}\fi}}
1443 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1444     \or \or \@addamp \or
1445     \@acolampacol \or \@firstampfalse \@acol \fi
1446     \edef\@preamble{\@preamble
1447         \ifcase \@chnum
1448             \hfil\adl@putlrc{\@sharp\unskip}\hfil
1449             \or \adl@putlrc{\@sharp\unskip}\hfil
1450             \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1451 \def\adl@class@start{6}
1452 \def\adl@class@iiiorvii{3}
1453 \fi
1454 \ifpackageloaded{colortbl}{%
1455 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1456 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1457     \let\@endpbox\adl@org@endpbox}
1458 \let\adl@CT@setup\CT@setup
1459 \def\CT@setup{\adl@CT@setup
1460     \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1461     \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1462     \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1463 \let\adl@act@CT@setup\CT@setup
1464 \def\@classz{\@classx
1465     \@tempcnta\count@ \prepnext@tok
1466     \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1467     \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1468     \expandafter\adl@extract@drsc
1469         \the\toks\@tempcnta\doubleulesepcolor!\@nil
1470     \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
1471     \@addtopreamble{\if@RTL\beginL\fi%
1472         \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
1473         \ifcase \@chnum
1474             \hskip\stretch{.5}\kern\z@
1475             \dollarbegin

```



```

1476         \insert@column
1477         \d@llarend\hskip\stretch{.5}%
1478     \or \d@llarbegin \insert@column \d@llarend \hfill
1479     \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1480     \or $\vcenter
1481         \@startpbox{\@nextchar}\insert@column \@endpbox $%
1482     \or \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
1483     \or \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1484     \fi
1485     \if@RTL\endR\fi\egroup\egroup
1486     \begin@group
1487         \CT@setup
1488         \CT@column@color
1489         \CT@row@color
1490         \CT@cell@color
1491         \CT@do@color
1492     \end@group
1493     \@tempdima\ht\z@
1494     \advance\@tempdima\minrowclearance
1495     \vrule\@height\@tempdima\@width\z@
1496     \unhbox\z@\if@RTL\endL\fi}%
1497     \prepnext@tok}
1498 \let\adl@act@classz\@classz
1499 \let\adl@org@classz\@classz
1500 }{}

```

14 File beamer-xetex-bidi.def

```

1501 \ProvidesFile{beamer-xetex-bidi.def}[2022/06/07 v0.3 bidi adaptations for beamer class for Xe
1502 \AtBeginDocument{%
1503     \if@RTLmain
1504         \raggedleft
1505     \else
1506         \raggedright
1507     \fi
1508 }
1509
1510 \renewcommand*{\bidi@beamer@ragged}{%
1511     \if@RTL
1512         \raggedleft
1513     \else
1514         \raggedright
1515     \fi
1516 }
1517
1518

```

15 File beamerbaseauxtemplates-xetex-bidi.def

```

1519 \ProvidesFile{beamerbaseauxtemplates-xetex-bidi.def}[2022/06/06 v0.2 bidi adaptations for be
1520 \bidi@csundef{beamer@tmpop@section in toc@circle}
1521
1522 \bidi@csundef{beamer@tmpop@subsection in toc@circle}
1523

```



```

1524 \bidi@csundef{beamer@@tmpop@subsubsection in toc@circle}
1525
1526 \defbeamertemplate{section in toc}{circle}
1527 {\leavevmode\bidi@beamer@leftskip=2ex%
1528 \llap{%
1529 \usebeamerfont*{section number projected}%
1530 \usebeamercolor{section number projected}%
1531 \begin{pgfpicture}{-1ex}{0ex}{1ex}{2ex}
1532 \color{bg}
1533 \pgfpathcircle{\pgfpoint{0pt}{.75ex}}{1.2ex}
1534 \pgfusepath{fill}
1535 \pgftext[base]{\color{fg}\inserttocsectionnumber}
1536 \end{pgfpicture}\kern1.25ex%
1537 }%
1538 \inserttocsection\par}
1539
1540 \defbeamertemplate{subsection in toc}{circle}
1541 {\leavevmode\bidi@beamer@leftskip=2em\inserttocsubsection\par}
1542
1543 \defbeamertemplate{subsubsection in toc}{circle}
1544 {\leavevmode\normalsize\usebeamerfont{subsection in
1545 toc}\bidi@beamer@leftskip=3em\usebeamerfont{subsubsection in toc}%
1546 \inserttocsubsubsection\par}
1547
1548 \bidi@csundef{beamer@@tmpop@section in toc@square}
1549
1550 \bidi@csundef{beamer@@tmpop@subsection in toc@square}
1551
1552 \bidi@csundef{beamer@@tmpop@subsubsection in toc@square}
1553
1554 \bidi@csundef{beamer@@tmpop@enumerate item@square}
1555
1556 \bidi@csundef{beamer@@tmpop@enumerate subitem@square}
1557
1558 \bidi@csundef{beamer@@tmpop@enumerate subsubitem@square}
1559
1560 \bidi@csundef{beamer@@tmpop@enumerate mini template@square}
1561
1562 \defbeamertemplate{section in toc}{square}
1563 {\leavevmode\bidi@beamer@leftskip=1.75ex%
1564 \llap{%
1565 \usebeamerfont*{section number projected}%
1566 \usebeamercolor[bg]{section number projected}%
1567 \if@RTL
1568 \else
1569 \vrule width2.25ex height1.85ex depth.4ex%
1570 \hskip-2.25ex%
1571 \fi
1572 \hbox to2.25ex{{\hfil\color{fg}\inserttocsectionnumber\hfil}}%
1573 \if@RTL
1574 \hskip-2.25ex%
1575 \vrule width2.25ex height1.85ex depth.4ex%
1576 \fi
1577 }}%

```



```

1578 \kern1.25ex\inserttocsection\par}
1579
1580 \defbeamerteremplate{subsection in toc}{square}
1581 {\leavevmode\bidibeamer@leftskip=5ex\llap{%
1582   \usebeamercolor[bg]{subsection number projected}%
1583   \vrule width1ex height1ex\kern1ex}}\inserttocsubsection\par}
1584
1585 \defbeamerteremplate{subsubsection in toc}{square}
1586 {\leavevmode\normalsize\usebeamerfont{subsection in
1587   toc}\bidibeamer@leftskip=7ex\usebeamerfont{subsubsection in toc}%
1588   \llap{%
1589     \usebeamercolor[bg]{subsubsection number projected}%
1590     \vrule width0.75ex height0.75ex\kern1ex}}\inserttocsubsubsection\par}
1591
1592 \defbeamerteremplate{enumerate item}{square}
1593 {
1594   \hbox{%
1595     \usebeamerfont*{item projected}%
1596     \usebeamercolor[bg]{item projected}%
1597     \if@RTL
1598     \else
1599       \vrule width2.25ex height1.85ex depth.4ex%
1600       \hskip-2.25ex%
1601     \fi
1602     \hbox to2.25ex{%
1603       \hfil%
1604       \color{fg}\insertenumlabel%
1605       \hfil}}%
1606     \if@RTL
1607       \hskip-2.25ex%
1608       \vrule width2.25ex height1.85ex depth.4ex%
1609     \fi
1610   }%
1611 }
1612 [action]
1613 {\setbeamerfont{item projected}{size=\scriptsize}}
1614
1615 \defbeamerteremplate{enumerate subitem}{square}
1616 {
1617   \hbox{%
1618     \usebeamerfont*{subitem projected}%
1619     \usebeamercolor[bg]{subitem projected}%
1620     \if@RTL
1621     \else
1622       \vrule width2.25ex height1.85ex depth.4ex%
1623       \hskip-2.25ex%
1624     \fi
1625     \hbox to2.25ex{%
1626       \hfil%
1627       \color{fg}\insertsubenumlabel%
1628       \hfil}}%
1629     \if@RTL
1630       \hskip-2.25ex%
1631       \vrule width2.25ex height1.85ex depth.4ex%

```



```

1632     \fi
1633   }}%
1634 }
1635
1636 \defbeamertemplate{enumerate subsubitem}{square}
1637 {
1638   \hbox{%
1639     \usebeamerfont*{subitem projected}%
1640     \usebeamercolor[bg]{subsubitem projected}%
1641     \if@RTL
1642     \else
1643       \vrule width2.25ex height1.85ex depth.4ex%
1644       \hskip-2.25ex%
1645     \fi
1646     \hbox to2.25ex{%
1647       \hfil%
1648       \color{fg}\insertsubsubenumlabel%
1649       \hfil}}%
1650     \if@RTL
1651       \hskip-2.25ex%
1652       \vrule width2.25ex height1.85ex depth.4ex%
1653     \fi
1654   }}%
1655 }
1656
1657 \defbeamertemplate{enumerate mini template}{square}
1658 {
1659   \hbox{%
1660     \usebeamerfont*{\beameritemnestingprefix item projected}%
1661     \usebeamercolor[bg]{\beameritemnestingprefix item projected}%
1662     \if@RTL
1663     \else
1664       \vrule width2.25ex height1.85ex depth.4ex%
1665       \hskip-2.25ex%
1666     \fi
1667     \hbox to2.25ex{%
1668       \hfil%
1669       \color{fg}\insertenumlabel%
1670       \hfil}}%
1671     \if@RTL
1672       \hskip-2.25ex%
1673       \vrule width2.25ex height1.85ex depth.4ex%
1674     \fi
1675   }}%
1676 }
1677
1678 \bidi@csundef{beamer@@tmpop@section in toc@ball}
1679
1680 \bidi@csundef{beamer@@tmpop@subsection in toc@ball}
1681
1682 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball}
1683
1684 \defbeamertemplate{section in toc}{ball}
1685 {\leavevmode\bidi@beamer@leftskip=2.75ex%

```



```

1686 \llap{%
1687   \normalsize%
1688   \begin{pgfpicture}{-1ex}{-0.7ex}{1ex}{1ex}
1689     \pgftext{\beamer@usesphere{section number projected}{tocsphere}}
1690     \pgftext{%
1691       \usebeamerfont*{section number projected}%
1692       \usebeamerfont*{section number projected}%
1693       \color{fg!90!bg}%
1694       \inserttocsectionnumber}
1695   \end{pgfpicture}%
1696   \kern1.25ex}%
1697 \inserttocsection\par
1698 }
1699 [action]
1700 {\setbeamerfont{section number projected}{size=\scriptsize}}
1701
1702 \defbeamertemplate{subsection in toc}{ball}
1703 {\leavevmode\ bidi@beamer@leftskip=5ex%
1704   \llap{\raise0.1ex\beamer@usesphere{subsection number projected}{bigsphere}\kern1ex}%
1705   \inserttocsubsection\par%
1706 }
1707
1708 \defbeamertemplate{subsubsection in toc}{ball}
1709 {\leavevmode\normalsize\usebeamerfont{subsection in
1710   toc}\ bidi@beamer@leftskip=7ex\usebeamerfont{subsubsection in toc}%
1711   \llap{\beamer@usesphere{subsubsection number projected}{bigsphere}\kern0.75ex}%
1712   \inserttocsubsubsection\par%
1713 }
1714
1715 \bidi@csundef{beamer@@tmpop@block begin@rounded}
1716
1717 \bidi@csundef{beamer@@tmpop@block alerted begin@rounded}
1718
1719 \bidi@csundef{beamer@@tmpop@block example begin@rounded}
1720
1721 \defbeamertemplate{block begin}{rounded}[1][shadow=false]
1722 {%
1723   \par\vskip\medskipamount%
1724   \begin{beamerboxesrounded}[upper=block title,lower=block body,#1]%
1725     {\raggedright\usebeamerfont*{block title}\insertblocktitle}%
1726     \bidi@beamer@ragged%
1727     \usebeamerfont{block body}%
1728   }
1729
1730 \defbeamertemplate{block alerted begin}{rounded}[1][shadow=false]
1731 {%
1732   \par\vskip\medskipamount%
1733   \begin{beamerboxesrounded}[upper=block title alerted,lower=block body alerted,#1]%
1734     {\raggedright\usebeamerfont*{block title alerted}\insertblocktitle}%
1735     \bidi@beamer@ragged%
1736     \usebeamerfont{block body alerted}%
1737   }%
1738
1739 \defbeamertemplate{block example begin}{rounded}[1][shadow=false]

```



```

1740 {%
1741   \par\vskip\medskipamount%
1742   \begin{beamerboxesrounded}[upper=block title example,lower=block body example,#1]
1743     {\raggedright\usebeamerfont*{block title example}\insertblocktitle}%
1744     \bidi@beamer@ragged%
1745     \usebeamerfont{block body example}%
1746 }%
1747

```

16 File beamerbaseboxes-xetex-bidi.def

```

1748 \ProvidesFile{beamerbaseboxes-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for beamerbas
1749 \renewcommand\beamerboxesrounded[2] [] {%
1750   \global\let\beamer@firstlineitemizeunskip=\relax%
1751   \vbox\bgroup%
1752   \setkeys{beamerboxes}{upper=block title,lower=block body,width=\textwidth,shadow=false}%
1753   \setkeys{beamerboxes}{#1}%
1754   {%
1755     \usebeamercolor{\bmb@lower}%
1756     \globalcolorstrue%
1757     \colorlet{lower.bg}{bg}%
1758   }%
1759   {%
1760     \usebeamercolor{\bmb@upper}%
1761     \globalcolorstrue%
1762     \colorlet{upper.bg}{bg}%
1763   }%
1764   %
1765   % Typeset head
1766   %
1767   \vskip4bp
1768   \setbox\bmb@box=\hbox{%
1769     \begin{minipage}[b]{\bmb@width}%
1770       \usebeamercolor{fg}{\bmb@upper}%
1771       #2%
1772     \end{minipage}}%
1773   \ifdim\wd\bmb@box=0pt%
1774     \setbox\bmb@box=\hbox{}%
1775     \ht\bmb@box=1.5pt%
1776     \bmb@prevheight=-4.5pt%
1777   \else%
1778     \wd\bmb@box=\bmb@width%
1779     \bmb@temp=\dp\bmb@box%
1780     \ifdim\bmb@temp<1.5pt%
1781       \bmb@temp=1.5pt%
1782     \fi%
1783     \setbox\bmb@box=\hbox{\raise\bmb@temp\hbox{\box\bmb@box}}%
1784     \dp\bmb@box=0pt%
1785     \bmb@prevheight=\ht\bmb@box%
1786   \fi%
1787   \bmb@temp=\bmb@width%
1788   \bmb@dima=\bmb@temp\advance\bmb@dima by2.2bp%
1789   \bmb@dimb=\bmb@temp\advance\bmb@dimb by4bp%
1790   \hbox{%

```



```

1791 \begin{pgfpicture}{0bp}{+-\ht\bmb@box}{0bp}{+-\ht\bmb@box}
1792 \ifdim\wd\bmb@box=0pt%
1793 \color{lower.bg}%
1794 \else%
1795 \color{upper.bg}%
1796 \fi%
1797 \pgfpathmoveto{-4bp}{-1bp}
1798 \pgfpathcurveto{-4bp}{1.2bp}{-2.2bp}{3bp}{0bp}{3bp}
1799 \pgfpathlineto{\pgfpoint{\bmb@temp}{3bp}}
1800 \pgfpathcurveto%
1801 {\pgfpoint{\bmb@dima}{3bp}}%
1802 {\pgfpoint{\bmb@dimb}{1.2bp}}%
1803 {\pgfpoint{\bmb@dimb}{-1bp}}%
1804 \bmb@dima=-\ht\bmb@box%
1805 \advance\bmb@dima by-2pt%
1806 \pgfpathlineto{\pgfpoint{\bmb@dimb}{\bmb@dima}}
1807 \pgfpathlineto{\pgfpoint{-4bp}{\bmb@dima}}
1808 \pgfusepath{fill}
1809 \end{pgfpicture}%
1810 \copy\bmb@box%
1811 }%
1812 \nointerlineskip%
1813 \vskip-1pt%
1814 \ifdim\wd\bmb@box=0pt%
1815 \else%
1816 \hbox{%
1817 \begin{pgfpicture}{0pt}{0pt}{\bmb@width}{6pt}
1818 \bmb@dima=\bmb@width%
1819 \advance\bmb@dima by8bp%
1820 \pgfpathrectangle{\pgfpoint{-4bp}{-1bp}}{\pgfpoint{\bmb@dima}{8bp}}
1821 \pgfusepath{clip}
1822 {\pgftransformshift{\pgfpoint{-4bp}{0bp}}\pgftext[left,base]{\pgfuseshading{\bmb@transi
1823 \end{pgfpicture}%
1824 }%
1825 \nointerlineskip%
1826 \vskip-0.5pt%
1827 \fi%
1828 \setbox\bmb@colorbox=\hbox{\pgfpicturetrue\pgfsetcolor{lower.bg}}%
1829 \setbox\bmb@box=\hbox\bgroup\begin{minipage}[b]{\bmb@width}%
1830 \vskip2pt%
1831 \usebeamercolor[fg]{\bmb@lower}%
1832 \colorlet{beamerstructure}{upper.bg}%
1833 \colorlet{structure}{upper.bg}%
1834 %\color{.}%
1835 \@bidi@list@minipage@parboxfalse
1836 }
1837
1838 \bidi@patchcmd{\endbeamerboxesrounded}{\begingroup}{%
1839 \begingroup
1840 \@RTLfalse
1841 }{}{}
1842
1843

```



17 File beamerbasecolor-xetex-bidi.def

```
1844 \ProvidesFile{beamerbasecolor-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for beamerbas
1845 \renewenvironment{beamercolbox}[2] []{%
1846   \def\beamer@vmode{\leavevmode}%
1847   \setkeys{beamercolbox}{wd=\textwidth,ht={},dp={},%
1848     leftskip=0pt,rightskip=0pt plus1fil,%
1849     sep=0pt,colsep=0pt,colsep*=0pt,%
1850     shadow=false,rounded=false,ignorebg=false}%
1851   \if@RTL
1852     \setkeys{beamercolbox}{rightskip=0pt,leftskip=0pt plus1fil}%
1853   \else
1854     \setkeys{beamercolbox}{leftskip=0pt,rightskip=0pt plus1fil}%
1855   \fi
1856   \setkeys{beamercolbox}{#1}%
1857   \ifbeamercoloreempty[bg]{#2}{\@tempswafalse}{\@tempswatruel}%
1858   \ifbeamer@colbox@ignorebg\@tempswafalse\fi%
1859   \def\beamer@colbox@color{#2}%
1860   \setbox\beamer@tempbox=\hbox\bgroup\color@begingroup
1861     \ifbeamer@colbox@ignorebg%
1862       \colorlet{beamer@temp@color}{bg}%
1863       \usebeamercolor[fg]{#2}%
1864       \colorlet{bg}{beamer@temp@color}%
1865     \else%
1866       \usebeamercolor[fg]{#2}%
1867     \fi%
1868     \beginL
1869     \vbox\bgroup%
1870     \hsize=\beamer@colbox@wd%
1871     \@arrayparboxrestore%
1872     \leftskip=\beamer@colbox@ls%
1873     \ifdim\beamer@colbox@sep>\z@\advance\leftskip\beamer@colbox@sep\fi%
1874     \rightskip=\beamer@colbox@rs%
1875     \ifdim\beamer@colbox@sep>\z@\advance\rightskip\beamer@colbox@sep\fi%
1876     \if@tempswa\ifdim\beamer@colbox@colsep>\z@%
1877       \advance\leftskip by\beamer@colbox@colsep%
1878       \advance\rightskip by\beamer@colbox@colsep%
1879       \vskip\beamer@colbox@colsep%
1880     \fi%
1881     \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
1882     \fi%
1883     \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
1884     \beamer@vmode\ignorespaces}{%
1885     \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
1886     \if@tempswa
1887       \ifdim\beamer@colbox@colsep>\z@\vskip\beamer@colbox@colsep\fi%
1888       \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
1889     \fi%
1890   \egroup\endL\color@endgroup\egroup%
1891   \wd\beamer@tempbox=\beamer@colbox@wd%
1892   \ifx\beamer@colbox@ht\empty\else\ht\beamer@tempbox=\beamer@colbox@ht\fi%
1893   \ifx\beamer@colbox@dp\empty\else\dp\beamer@tempbox=\beamer@colbox@dp\fi%
1894   \ifbeamer@colbox@rounded%
1895     \if@tempswa%
```



```

1896 \begin{beamerboxesrounded}[%
1897   shadow=\beamer@colbox@shadow,%
1898   lower=\beamer@colbox@color,%
1899   upper=normal text,%
1900   width=\beamer@colbox@wd]{}%
1901   \box\beamer@tempbox%
1902 \end{beamerboxesrounded}%
1903 \else%
1904   \ifdim\wd\beamer@tempbox>\textwidth%
1905     \setbox\beamer@tempbox=\hbox to\textwidth{\hss\box\beamer@tempbox\hss}%
1906   \fi%
1907   \box\beamer@tempbox%
1908   \fi%
1909 \else%
1910   \if@tempswa\setbox\beamer@tempbox=\hbox{%
1911     \usebeamercolor{\beamer@colbox@color}%
1912     \hskip-\beamer@colbox@colseps%
1913     \fboxsep=\z@\colorbox{bg}{}%
1914     \hskip\beamer@colbox@colseps%
1915     \box\beamer@tempbox%
1916     \hskip\beamer@colbox@colseps%
1917   }%
1918   \hskip-\beamer@colbox@colseps%
1919   }\fi%
1920   \ifdim\wd\beamer@tempbox>\textwidth%
1921     \setbox\beamer@tempbox=\hbox to\textwidth{\hskip0pt minus\beamer@leftmargin\relax\box\beamer@tempbox}%
1922   \fi%
1923   \box\beamer@tempbox%
1924 \fi%
1925 }
1926
1927

```

18 File beamerbaseframecomponents-xetex-bidi.def

```

1928 \ProvidesFile{beamerbaseframecomponents-xetex-bidi.def}[2022/06/09 v0.3 bidi adaptations for
1929 \renewcommand{\setbeamerfont}[1]{%
1930   \beamer@dogeometryfalse%
1931   \setkeys{beamer@margin}{#1}%
1932   \ifbeamer@dogeometry%
1933     % Reset left margin now
1934     \beamer@tempdim=\beamer@leftmargin%
1935     \advance\beamer@tempdim by\beamer@leftsidebar%
1936     \if@RTLmain
1937       \geometry{right=\the\beamer@tempdim}%
1938     \else
1939       \geometry{left=\the\beamer@tempdim}%
1940     \fi
1941     % Reset right margin now
1942     \beamer@tempdim=\beamer@rightmargin%
1943     \advance\beamer@tempdim by\beamer@rightsidebar%
1944     \if@RTLmain
1945       \geometry{left=\the\beamer@tempdim}%
1946     \else

```



```

1947     \geometry{right=\the\beamer@tempdim}%
1948     \fi
1949 \fi%
1950 }
1951
1952 \newcommand*\bidi@beamer@Gm@lmargin}{%
1953   \ifRTLmain
1954     \Gm@rmargin
1955   \else
1956     \Gm@lmargin
1957   \fi
1958 }
1959
1960 \newcommand*\bidi@beamer@Gm@rmargin}{%
1961   \ifRTLmain
1962     \Gm@lmargin
1963   \else
1964     \Gm@rmargin
1965   \fi
1966 }
1967
1968 \def\ps@navigation{
1969   \def\@oddhead{%
1970     \begingroup%
1971     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti
1972     \beamer@tempdim=\ht\beamer@tempbox%
1973     \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
1974     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
1975     \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
1976     \beamer@tempdim=\ht\@tempboxa%
1977     \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}}%
1978     \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
1979     \vbox{\hbox{\hskip-\bidi@beamer@Gm@lmargin\box\beamer@tempbox\box\@tempboxa}}%
1980     \hbox{%
1981       {%
1982         \setbox\beamer@tempbox=\hbox{\hskip-\bidi@beamer@Gm@lmargin%
1983         \ifRTLmain
1984           {%
1985             \vbox to \sidebarheight{%
1986               \usebeamertemplate***{sidebar left}}%
1987             \vfil%
1988           }}%
1989         \@ifpackageloaded{beamerinnerthemeinmargin}{}%
1990         \hskip-\textwidth
1991       }%
1992     \fi
1993     {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
1994       \usebeamercolor*{sidebar left}}%
1995       \usebeamertemplate{sidebar canvas left}}%
1996     \vss%
1997     }}%
1998     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
1999     \box\beamer@tempbox}%
2000   \ifRTLmain

```



```

2001         \else
2002         {%
2003         \vbox to \sidebarheight{%
2004         \usebeamertemplate***{sidebar left}%
2005         \vfil%
2006         }}\fi}%
2007         \beamer@tempdim=\ht\beamer@tempbox%
2008         \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
2009         \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2010         \box\beamer@tempbox%
2011     }%
2012     {% print right sidebar first, since it should be overwritten by headline
2013     \setbox\beamer@tempbox=\hbox{\hskip\textwidth\hskip\beamer@rightmargin%
2014     \if@RTLmain
2015         {%
2016         \vbox to \sidebarheight{%
2017         \usebeamertemplate***{sidebar right}%
2018         \vfil%
2019         }}%
2020         \hskip-\textwidth
2021         \fi
2022         {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
2023         \usebeamercolor*{sidebar right}%
2024         \usebeamertemplate{sidebar canvas right}%
2025         \vss%
2026         }}%
2027         \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2028         \box\beamer@tempbox}%
2029         \if@RTLmain
2030         \else
2031         {%
2032         \vbox to \sidebarheight{%
2033         \usebeamertemplate***{sidebar right}%
2034         \vfil%
2035         }}\fi}%
2036         \beamer@tempdim=\ht\beamer@tempbox%
2037         \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
2038         \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2039         \box\beamer@tempbox%
2040     }%
2041     \beamer@typesetheadorfoot{headline}%
2042 }%
2043 \hfil}%
2044 \endgroup}
2045 \def\@oddfoot{%
2046 \vbox{\offinterlineskip\hbox{\beamer@typesetheadorfoot{footline}%
2047 \hfil}\hbox{}}\hfil
2048 }%
2049 \let\@evenhead\@oddhead
2050 \let\@evenfoot\@oddfoot}
2051
2052 \AtBeginDocument{%
2053 \pagestyle{navigation}%
2054 }

```



```

2055
2056 \def\beamer@typesetheadorfoot#1{% typeset the head or footline
2057   {\parskip0pt\offinterlineskip%
2058     \hbox{%
2059       \hskip-\bidi@beamer@Gm@lmargin%
2060       \hbox{%
2061         \vbox{%
2062           \@tempdima=\textwidth%
2063           \textwidth=\paperwidth%
2064           \hspace=\textwidth%
2065           \def\{,%
2066             \usebeamertemplate***{#1}%
2067           }%
2068           \hskip-\bidi@beamer@Gm@rmargin%
2069         }\hfill%
2070 }
2071
2072 \renewcommand<>\beamer@columncom[2][\beamer@colmode]{%
2073   \beamer@colclose%
2074   \def\beamer@colclose{\end{minipage}\hfill\end{actionenv}\ignorespaces}%
2075 \begin{actionenv}#3%
2076   \setkeys{beamer@col}{#1}%
2077   \begin{minipage}[\beamer@colalign]{#2}%
2078     \leavevmode\bidi@beamer@ragged\beamer@colheadskip\ignorespaces}
2079
2080 \renewenvironment<>{columns}[1][]{%
2081   \begin{actionenv}#2%
2082     \ifbeamer@onlytextwidth
2083       \def\beamer@colentrycode{\hbox to\textwidth\bgroup\ignorespaces}%
2084       \def\beamer@colexitcode{\unskip\egroup}
2085     \else%
2086       \def\beamer@colentrycode{%
2087         \hbox to\textwidth\bgroup%
2088         \leavevmode%
2089         \hskip-\beamer@leftmargin%
2090         \nobreak%
2091         \beamer@tempdim=\textwidth%
2092         \advance\beamer@tempdim by\beamer@leftmargin%
2093         \advance\beamer@tempdim by\beamer@rightmargin%
2094         \hbox to\beamer@tempdim\bgroup%
2095         \hbox{} \hfill\ignorespaces}%
2096       \def\beamer@colexitcode{\egroup%
2097         \nobreak%
2098         \hskip-\beamer@rightmargin\egroup}%
2099     \fi%
2100     \ifbeamer@centered\setkeys{beamer@col}{c}\else\setkeys{beamer@col}{t}\fi%
2101     \setkeys{beamer@col}{#1}%
2102     \par%
2103     \leavevmode
2104     \beamer@colentrycode%
2105     \def\beamer@colclose{\ignorespaces}%
2106     {\beamer@colclose\def\beamer@colclose{\beamer@colexitcode\end{actionenv}}}%
2107
2108

```



```

2109 \def\@makeRTLfntext#1{%
2110   \def\insertfootnotetext{#1}%
2111   \def\insertfootnotemark{\@makefnmark}%
2112   \usebeamertemplate***{RTLfootnote}}
2113
2114 \def\@makeLTRfntext#1{%
2115   \def\insertfootnotetext{#1}%
2116   \def\insertfootnotemark{\@makefnmark}%
2117   \usebeamertemplate***{LTRfootnote}}
2118
2119 \renewcommand<>\beamer@framefootnotetext[1]{%
2120   \global\setbox\beamer@footins\vbox{%
2121     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
2122     \hsize\framewidth
2123     \textwidth\hsize
2124     \columnwidth\hsize
2125     \unvbox\beamer@footins
2126     \reset@font
2127     \bidi@@footnotetext@font
2128     \@parboxrestore
2129     \protected@edef\@currentlabel
2130       {\csname p@footnote\endcsname\@thefnmark}%
2131     \color@begingroup
2132       \uncover#2{\@makefntext{%
2133         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2134     \color@endgroup}}
2135
2136 \renewcommand<>\beamer@frameRTLfootnotetext[1]{%
2137   \global\setbox\beamer@footins\vbox{%
2138     \@RTLtrue
2139     \hsize\framewidth
2140     \textwidth\hsize
2141     \columnwidth\hsize
2142     \unvbox\beamer@footins
2143     \reset@font
2144     \bidi@@RTLfootnotetext@font
2145     \@parboxrestore
2146     \protected@edef\@currentlabel
2147       {\csname p@footnote\endcsname\@thefnmark}%
2148     \color@begingroup
2149       \uncover#2{\@makeRTLfntext{%
2150         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2151     \color@endgroup}}
2152
2153 \renewcommand<>\beamer@frameLTRfootnotetext[1]{%
2154   \global\setbox\beamer@footins\vbox{%
2155     \@RTLfalse
2156     \hsize\framewidth
2157     \textwidth\hsize
2158     \columnwidth\hsize
2159     \unvbox\beamer@footins
2160     \reset@font
2161     \bidi@@LTRfootnotetext@font
2162     \@parboxrestore

```



```

2163 \protected@edef\@currentlabel
2164     {\csname p@footnote\endcsname\@thefnmark}%
2165 \color@begingroup
2166     \uncover#2{\@makeLTRfntext{%
2167         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2168 \color@endgroup}}
2169
2170 \renewcommand<>\@mpfootnotetext[1]{%
2171 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoter
2172 \global\setbox\@mpfootins\vbox{%
2173     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
2174     \unvbox\@mpfootins
2175     \reset@font
2176     \bidi@@footnotetext@font
2177     \hsize\columnwidth
2178     \@parboxrestore
2179     \protected@edef\@currentlabel
2180         {\csname p@mpfootnote\endcsname\@thefnmark}%
2181     \color@begingroup
2182         \uncover#2{\@makefntext{%
2183             \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2184     \color@endgroup}}
2185
2186 \renewcommand<>\@mpRTLfootnotetext[1]{%
2187 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footno
2188 \global\setbox\@mpfootins\vbox{%
2189     \@RTLtrue
2190     \unvbox\@mpfootins
2191     \reset@font
2192     \bidi@@RTLfootnotetext@font
2193     \hsize\columnwidth
2194     \@parboxrestore
2195     \protected@edef\@currentlabel
2196         {\csname p@mpfootnote\endcsname\@thefnmark}%
2197     \color@begingroup
2198         \uncover#2{\@makeRTLfntext{%
2199             \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2200     \color@endgroup}}
2201
2202 \renewcommand<>\@mpLTRfootnotetext[1]{%
2203 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footno
2204 \global\setbox\@mpfootins\vbox{%
2205     \@RTLfalse
2206     \unvbox\@mpfootins
2207     \reset@font
2208     \bidi@@LTRfootnotetext@font
2209     \hsize\columnwidth
2210     \@parboxrestore
2211     \protected@edef\@currentlabel
2212         {\csname p@mpfootnote\endcsname\@thefnmark}%
2213     \color@begingroup
2214         \uncover#2{\@makeLTRfntext{%
2215             \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2216     \color@endgroup}}

```



```

2217
2218 \let\@footnotetext=\beamer@framefootnotetext
2219 \let\@RTLfootnotetext=\beamer@frameRTLfootnotetext
2220 \let\@LTRfootnotetext=\beamer@frameLTRfootnotetext
2221
2222 \footdir@temp\footdir@ORG@bidi@beamer@footnotetext\@footnotetext{\bidi@footdir@footnote}%
2223 \footdir@temp\footdir@ORG@bidi@beamer@RTLfootnotetext\@RTLfootnotetext{R}%
2224 \footdir@temp\footdir@ORG@bidi@beamer@LTRfootnotetext\@LTRfootnotetext{L}%
2225
2226 \renewcommand<>{\footnote}[1] [] {%
2227   \let\beamer@footnotetext=\@footnotetext%
2228   \let\beamer@mpfn=\@mpfn%
2229   \let\beamer@thempfn=\thempfn%
2230   \let\beamer@kvorig=\KV@errx%
2231   \let\beamer@xkvorig=\XKV@err
2232   \def\beamer@footarg{}%
2233   \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2234   \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2235   \setkeys{beamerfootnote}{#1}%
2236   \let\KV@errx=\beamer@kvorig%
2237   \let\XKV@errx=\beamer@xkvorig
2238   \ifx\beamer@footarg\@empty%
2239     \def\beamer@next{\stepcounter\beamer@mpfn
2240       \protected@xdef\@thefnmark{\beamer@thempfn}%
2241       \@footnotemark\beamer@footnotetext#2}%
2242   \else%
2243     \def\beamer@next{%
2244       \begingroup
2245         \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2246         \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2247       \endgroup
2248       \@footnotemark\beamer@footnotetext#2}%
2249   \fi%
2250   \beamer@next}
2251
2252 \renewcommand<>{\RTLfootnote}[1] [] {%
2253   \let\beamer@RTLfootnotetext=\@RTLfootnotetext%
2254   \let\beamer@mpfn=\@mpfn%
2255   \let\beamer@thempfn=\thempfn%
2256   \let\beamer@kvorig=\KV@errx%
2257   \let\beamer@xkvorig=\XKV@err
2258   \def\beamer@footarg{}%
2259   \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2260   \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2261   \setkeys{beamerfootnote}{#1}%
2262   \let\KV@errx=\beamer@kvorig%
2263   \let\XKV@errx=\beamer@xkvorig
2264   \ifx\beamer@footarg\@empty%
2265     \def\beamer@next{\stepcounter\beamer@mpfn
2266       \protected@xdef\@thefnmark{\beamer@thempfn}%
2267       \@footnotemark\beamer@RTLfootnotetext#2}%
2268   \else%
2269     \def\beamer@next{%
2270       \begingroup

```



```

2271         \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2272         \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2273     \endgroup
2274     \@footnotemark\beamer@RTLfootnotetext#2}%
2275 \fi%
2276 \beamer@next}
2277
2278 \renewcommand<>{\LTRfootnote}[1][ ]{%
2279     \let\beamer@LTRfootnotetext=\@LTRfootnotetext%
2280     \let\beamer@mpfn=\@mpfn%
2281     \let\beamer@thempfn=\thempfn%
2282     \let\beamer@kvorig=\KV@errx%
2283     \let\beamer@xkvorig=\XKV@err
2284     \def\beamer@footarg{}%
2285     \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2286     \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2287     \setkeys{beamerfootnote}{#1}%
2288     \let\KV@errx=\beamer@kvorig%
2289     \let\XKV@errx=\beamer@xkvorig
2290     \ifx\beamer@footarg\@empty%
2291         \def\beamer@next{\stepcounter\beamer@mpfn
2292             \protected@xdef\@thefnmark{\beamer@thempfn}%
2293             \@footnotemark\beamer@LTRfootnotetext#2}%
2294     \else%
2295         \def\beamer@next{%
2296             \begingroup
2297                 \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2298                 \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2299             \endgroup
2300             \@footnotemark\beamer@LTRfootnotetext#2}%
2301     \fi%
2302 \beamer@next}
2303
2304

```

19 File beamerbaselocalstructure-xetex-bidi.def

```

2305 \ProvidesFile{beamerbaselocalstructure-xetex-bidi.def}[2022/05/24 v0.1 bidi adaptations for
2306 \def\beamer@enum@{%
2307     \beamer@computepref\@itemdepth% sets \beameritemnestingprefix
2308     \usebeamerfont{itemize/enumerate \beameritemnestingprefix body}%
2309     \bgroup
2310     \usebeamerfont[fg]{itemize/enumerate \beameritemnestingprefix body}%
2311     \usebeamertemplate{itemize/enumerate \beameritemnestingprefix body begin}%
2312     \egroup
2313     \expandafter
2314         \list
2315         {\usebeamertemplate{\beamer@enumtempl}}
2316         {\usecounter\@enumctr%
2317             \def\makelabel##1{\hss\llap{%
2318                 \usebeamerfont*{enumerate \beameritemnestingprefix item}%
2319                 \usebeamerfont[fg]{enumerate \beameritemnestingprefix item}##1}}}}%
2320 \beamer@cramped%
2321 \bidi@beamer@ragged%

```



```

2322 \beamer@firstlineitemizeunskip%
2323 }
2324
2325 \renewcommand{\itemize}[1][\]{%
2326 \ifblank{#1}{\def\beamer@defaultospec{#1}}%
2327 \ifnum \@itemdepth >2\relax\@toodeep\else
2328 \advance\@itemdepth\@ne
2329 \beamer@compute\pref\@itemdepth% sets \beameritemnestingprefix
2330 \usebeamerfont{itemize/enumerate \beameritemnestingprefix body}%
2331 \bgroup
2332 \usebeamercolor[fg]{itemize/enumerate \beameritemnestingprefix body}%
2333 \usebeamertemplate{itemize/enumerate \beameritemnestingprefix body begin}%
2334 \egroup
2335 \list
2336 {\usebeamertemplate{itemize \beameritemnestingprefix item}}
2337 {\def\makelabel##1{%
2338   {%
2339     \hss\llap{%
2340       \usebeamerfont*{itemize \beameritemnestingprefix item}%
2341       \usebeamercolor[fg]{itemize \beameritemnestingprefix item}##1}}%
2342     }%
2343   }%
2344 }
2345 \fi%
2346 \beamer@cramped%
2347 \bidi@beamer@ragged%
2348 \beamer@firstlineitemizeunskip%
2349 }
2350
2351 \def\@@description{%
2352 \advance\beamer@descdefault by \labelsep%
2353 \usebeamerfont{description body}%
2354 \bgroup
2355 \usebeamercolor[fg]{description body}%
2356 \usebeamertemplate{description body begin}%
2357 \egroup
2358 \list
2359 {}
2360 {\labelwidth\beamer@descdefault\leftmargin\beamer@descdefault\let\makelabel\beamer@descrip
2361 \beamer@cramped%
2362 \bidi@beamer@ragged
2363 \beamer@firstlineitemizeunskip%
2364 }
2365
2366 \renewenvironment{thebibliography}[1]
2367 {%\leavevmode\unskip%
2368 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2369 \bidi@thebibliography@font@hook%
2370 \list{\@biblabel{\@arabic\c@enumiv}}%
2371   {\settowidth\labelwidth{\beamer@biblabeltemplate{\@biblabel{#1}}}%
2372   \leftmargin\labelwidth
2373   \advance\leftmargin\labelsep
2374   \itemsep=0pt%
2375   \partopsep=0pt%

```



```

2376         \topsep=0pt%
2377         \usecounter{enumiv}%
2378         \let\p@enumiv\@empty
2379         \renewcommand\theenumiv{\@arabic\c@enumiv}
2380         \let\makelabel\beamer@biblabeltemplate}%
2381     \sloppy\bidibeamer@ragged
2382     \clubpenalty10000
2383     \@clubpenalty \clubpenalty
2384     \widowpenalty10000%
2385     \sfcode`. \@m}
2386     {\def\@noitemerr
2387      {\@latex@warning{Empty `thebibliography' environment}}}%
2388     \ifhmode\unskip\fi\endlist}
2389
2390

```

20 File beamerbasenavigation-xetex-bidi.def

```

2391 \ProvidesFile{beamerbasenavigation-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beam
2392 \def\slideentry#1#2#3#4#5#6{%
2393 %section number, subsection number, slide number, first/last frame, page number, part numb
2394 \ifnum#6=\c@part\ifnum#1>0\ifnum#3>0%
2395     \ifbeamer@compress%
2396         \advance\beamer@xpos by1\relax%
2397     \else%
2398         \ifnum#2=0%
2399             \beamer@ypos@offset=1\relax%
2400         \fi
2401         \beamer@xpos=#3\relax%
2402         \beamer@ypos=#2\relax%
2403         \advance\beamer@ypos by \beamer@ypos@offset\relax
2404     \fi%
2405 \hbox to 0pt{%
2406     \beamer@tempdim=-\beamer@vboxoffset%
2407     \advance\beamer@tempdim by-\beamer@boxsize%
2408     \multiply\beamer@tempdim by\beamer@ypos%
2409     \advance\beamer@tempdim by -.05cm%
2410     \raise\beamer@tempdim\hbox{%
2411         \beamer@tempdim=\beamer@boxsize%
2412         \multiply\beamer@tempdim by\beamer@xpos%
2413         \advance\beamer@tempdim by -\beamer@boxsize%
2414         \advance\beamer@tempdim by 1pt%
2415         \kern\beamer@tempdim
2416         \global\beamer@section@min@dim\beamer@tempdim
2417         \hbox{\beamer@link(#4){%
2418             \usebeamerfont{mini frame}%
2419             \ifnum\c@section=#1%
2420                 \ifnum\c@subsection=#2%
2421                     \usebeamerfont{fg}{mini frame}%
2422                     \ifnum\c@subsectionslide=#3%
2423                         \usebeamertemplate{mini frame}%\beamer@minislidehighlight%
2424                     \else%
2425                         \usebeamertemplate{mini frame in current subsection}%\beamer@minisliderowhil
2426                 \fi%

```



```

2427         \else%
2428             \usebeamercolor{mini frame}%
2429             %\color{fg!50!bg}%
2430             \usebeamertemplate{mini frame in other subsection}%\beamer@minislide%
2431         \fi%
2432     \else%
2433         \usebeamercolor{mini frame}%
2434         %\color{fg!50!bg}%
2435         \usebeamertemplate{mini frame in other subsection}%\beamer@minislide%
2436     \fi%
2437 }}}}\hskip-10cm plus 1fil%
2438 }\fi\fi%
2439 \else%
2440 \fakeslideentry{#1}{#2}{#3}{#4}{#5}{#6}%
2441 \fi\ignorespaces
2442 }
2443

```

21 File beamerbaseoverlay-xetex-bidi.def

```

2448 \ProvidesFile{beamerbaseoverlay-xetex-bidi.def}[2022/06/10 v0.1 bidi adaptations for beamer]
2449 \renewcommand<>{\color}{\alt#1{\beameroriginal{\color}}{\beamer@gobbleoptionalinsp}}
2446
2447

```

22 File beamerinnerthemedefault-xetex-bidi.def

```

2448 \ProvidesFile{beamerinnerthemedefault-xetex-bidi.def}[2022/06/10 v0.5 bidi adaptations for beamer]
2449 \newcommand*{\bidi@beamer@leftskip}{%
2450 \ifRTL
2451 \rightskip
2452 \else
2453 \leftskip
2454 \fi
2455 }
2456
2457 \newcommand*{\bidi@beamer@rightskip}{%
2458 \ifRTL
2459 \leftskip
2460 \else
2461 \rightskip
2462 \fi
2463 }
2464
2465 \bidi@csundef{beamer@tmpop@subsection in toc@default}
2466
2467 \bidi@csundef{beamer@tmpop@subsubsection in toc@default}
2468
2469 \defbeamertemplate*{subsection in toc}{default}
2470 {\leavevmode\bidi@beamer@leftskip=1.5em\inserttocsubsection\par}
2471
2472 \defbeamertemplate*{subsubsection in toc}{default}
2473 {\leavevmode\normalsize\usebeamerfont{subsection in toc}\bidi@beamer@leftskip=3em%
2474 \usebeamerfont{subsubsection in toc}\inserttocsubsubsection\par}

```



```

2475
2476 \newcommand*\bidi@beamer@blacktriangle}{%
2477   \if@RTL
2478     $\blacktriangleleft$%
2479   \else
2480     $\blacktriangleright$%
2481   \fi
2482 }
2483
2484 \bidi@csundef{beamer@@tmpop@itemize item@default}
2485
2486 \bidi@csundef{beamer@@tmpop@itemize subitem@default}
2487
2488 \bidi@csundef{beamer@@tmpop@itemize subsubitem@default}
2489
2490 \defbeamertemplate*{itemize item}{default}{\usebeamerfont*{itemize item}\raise1.25pt\hbox{\d
2491 \defbeamertemplate*{itemize subitem}{default}{\usebeamerfont*{itemize subitem}\raise1.5pt\hb
2492 \defbeamertemplate*{itemize subsubitem}{default}{\usebeamerfont*{itemize subsubitem}\raise1.
2493
2494 \bidi@undef\beamer@@tmpop@footnote@default
2495
2496 \defbeamertemplate*{footnote}{default}
2497 {
2498   \parindent 1em\noindent%
2499   \bidi@beamer@ragged
2500   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2501 }
2502
2503 \defbeamertemplate*{RTLfootnote}{default}
2504 {
2505   \parindent 1em\noindent%
2506   \raggedleft
2507   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2508 }
2509
2510 \defbeamertemplate*{LTRfootnote}{default}
2511 {
2512   \parindent 1em\noindent%
2513   \raggedright
2514   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2515 }
2516
2517 \bidi@undef\beamer@@tmpop@caption@default
2518
2519 \defbeamertemplate*{caption}{default}
2520 {%
2521   \bidi@beamer@ragged
2522   {%
2523     \leavevmode
2524     \usebeamercolor[fg]{caption name}%
2525     \usebeamerfont*{caption name}%
2526     \insertcaptionname
2527     \usebeamertemplate{caption label separator}%
2528   }%

```



```

2529 \insertcaption\par
2530 }
2531
2532 \bidi@csundef{beamer@@tmpop@block begin@default}
2533
2534 \bidi@csundef{beamer@@tmpop@block alerted begin@default}
2535
2536 \bidi@csundef{beamer@@tmpop@block example begin@default}
2537
2538 \defbeamer*template*{block begin}{default}
2539 {
2540 \par\vskip\medskipamount%
2541 \begin{beamer*colorbox}[colsep*=.75ex]{block title}
2542 \usebeamer*font*{block title}\insertblock*title%
2543 \end{beamer*colorbox}%
2544 {\parskip0pt\par}%
2545 \ifbeamer*colore*empty[bg]{block title}
2546 {}
2547 {\ifbeamer*colore*empty[bg]{block body}{}\{\nointer*lineskip\vskip-0.5pt}\}%
2548 \usebeamer*font*{block body}%
2549 \begin{beamer*colorbox}[colsep*=.75ex,vmode]{block body}%
2550 \ifbeamer*colore*empty[bg]{block body}{\vskip-.25ex}{\leavev*mode\vskip-\dimexpr.75ex+\basel}
2551 }
2552
2553 \defbeamer*template*{block alerted begin}{default}
2554 {
2555 \par\vskip\medskipamount%
2556 \begin{beamer*colorbox}[colsep*=.75ex]{block title alerted}
2557 \usebeamer*font*{block title alerted}\insertblock*title%
2558 \end{beamer*colorbox}%
2559 {\parskip0pt\par}%
2560 \ifbeamer*colore*empty[bg]{block title alerted}
2561 {}
2562 {\ifbeamer*colore*empty[bg]{block body alerted}{}\{\nointer*lineskip\vskip-0.5pt}\}%
2563 \usebeamer*font*{block body alerted}%
2564 \begin{beamer*colorbox}[colsep*=.75ex,vmode]{block body alerted}%
2565 \ifbeamer*colore*empty[bg]{block body alerted}{\vskip-.25ex}{\leavev*mode\vskip-\dimexpr.75ex+\basel}
2566 }
2567
2568 \defbeamer*template*{block example begin}{default}
2569 {
2570 \par\vskip\medskipamount%
2571 \begin{beamer*colorbox}[colsep*=.75ex]{block title example}
2572 \usebeamer*font*{block title example}\insertblock*title%
2573 \end{beamer*colorbox}%
2574 {\parskip0pt\par}%
2575 \ifbeamer*colore*empty[bg]{block title example}
2576 {}
2577 {\ifbeamer*colore*empty[bg]{block body example}{}\{\nointer*lineskip\vskip-0.5pt}\}%
2578 \usebeamer*font*{block body example}%
2579 \begin{beamer*colorbox}[colsep*=.75ex,vmode]{block body example}%
2580 \ifbeamer*colore*empty[bg]{block body example}{\vskip-.25ex}{\leavev*mode\vskip-\dimexpr.75ex+\basel}
2581 }
2582

```



```

2583 \bidi@csundef{beamer@@tmpop@abstract begin@default}
2584
2585 \defbeamertemplate*{abstract begin}{default}
2586 {\beamercolorbox[vmode]{abstract}\bidi@beamer@leftskip2em\bidi@beamer@rightskip2em plus 1fil}
2587

```

23 File beamerinnerthemecircles-xetex-bidi.def

```

2588 \ProvidesFile{beamerinnerthemecircles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for b
2589 \setbeamertemplate{sections/subsections in toc}[circle]
2590

```

24 File beamerinnerthemeinmargin-xetex-bidi.def

```

2591 \ProvidesFile{beamerinnerthemeinmargin-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for
2592 \AtBeginDocument{%
2593   \setbeamerwidth{sidebar width left=.25\paperwidth}%
2594 }
2595
2596 \bidi@csundef{beamer@@tmpop@section in toc@inmargin}
2597
2598 \bidi@csundef{beamer@@tmpop@title page@inmargin}
2599
2600 \bidi@csundef{beamer@@tmpop@block begin@inmargin}
2601
2602 \bidi@csundef{beamer@@tmpop@block end@inmargin}
2603
2604 \bidi@csundef{beamer@@tmpop@block alerted begin@inmargin}
2605
2606 \bidi@csundef{beamer@@tmpop@block alerted end@inmargin}
2607
2608 \bidi@csundef{beamer@@tmpop@block example begin@inmargin}
2609
2610 \bidi@csundef{beamer@@tmpop@block example end@inmargin}
2611
2612 \defbeamertemplate*{section in toc}{inmargin}
2613 {\leavevmode
2614   \beamer@putleft{\usebeamercolor[fg]{section in toc}\inserttocsection}\strut}{2.5ex}}
2615
2616 \defbeamertemplate*{title page}{inmargin}
2617 {
2618   \begin{block}{\inserttitleindicator}
2619     \bgroup\usebeamercolor[fg]{title}\usebeamerfont{title}\inserttitle\egroup\par
2620     \usebeamercolor[fg]{subtitle}\usebeamerfont{subtitle}\insertsubtitle
2621   \end{block}
2622   \vfill
2623   \ifx\insertauthor\@empty
2624     \else
2625     \begin{block}{\insertauthorindicator}
2626       \bgroup\usebeamercolor[fg]{author}\usebeamerfont{author}\insertauthor\egroup\par
2627     \end{block}
2628   \fi
2629   \ifx\insertinstitute\@empty
2630     \else

```



```

2631 \begin{block}{\insertinstituteindicator}
2632   \bgroup\usebeamercolor[fg]{institute}\usebeamerfont{institute}\insertinstitute\egroup\par
2633 \end{block}
2634 \fi
2635 \ifx\insertdate\@empty
2636 \else
2637 \begin{block}{\insertdateindicator}
2638   \bgroup\usebeamercolor[fg]{date}\usebeamerfont{date}\insertdate\egroup\par
2639 \end{block}
2640 \fi
2641 }
2642
2643 \defbeamerteremplate*{block begin}{inmargin}
2644 {
2645   \par\vskip\medskipamount%
2646   \leavevmode%
2647   \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title}\usebeamerfont*{block title}\i
2648   \beginL\beamer@putright
2649   %\usebeamercolor[fg]{block body}% to be done!
2650 }
2651
2652 \defbeamerteremplate*{block end}{inmargin}
2653 {\endbeamer@putright\endL\vskip\smallskipamount}
2654
2655 \defbeamerteremplate*{block alerted begin}{inmargin}
2656 {
2657   \par\vskip\medskipamount%
2658   \leavevmode%
2659   \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title alerted}\usebeamerfont*{block
2660   \beginL\beamer@putright
2661   %\usebeamercolor[fg]{block body alerted}% to be done!
2662 }
2663
2664 \defbeamerteremplate*{block alerted end}{inmargin}
2665 {\endbeamer@putright\endL\vskip\smallskipamount}
2666
2667 \defbeamerteremplate*{block example begin}{inmargin}
2668 {
2669   \par\vskip\medskipamount%
2670   \leavevmode%
2671   \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title example}\usebeamerfont*{block
2672   \beginL\beamer@putright
2673   %\usebeamercolor[fg]{block body example}% to be done
2674 }
2675
2676 \defbeamerteremplate*{block example end}{inmargin}
2677 {\endbeamer@putright\endL\vskip\smallskipamount}
2678
2679 \bidi@AfterFile{beamerinnerthemerectangles-xetex-bidi.def}{%
2680   \setbeamerteremplate{section in toc}[inmargin]%
2681   \setbeamerteremplate{subsection in toc}[inmargin]%
2682   \setbeamerteremplate{subsubsection in toc}[inmargin]%
2683 }
2684

```



2685

25 File beamerinnerthemerectangles-xetex-bidi.def

```
2686 \ProvidesFile{beamerinnerthemerectangles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for
2687 \setbeamertemplate{sections/subsections in toc}[square]
2688 \setbeamertemplate{items}[square]
2689
```

26 File beamerinnerthemeroounded-xetex-bidi.def

```
2690 \ProvidesFile{beamerinnerthemeroounded-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for b
2691 \setbeamertemplate{blocks}[rounded] [shadow=\beamer@themeroounded@shadow]
2692 \setbeamertemplate{items}[ball]
2693 \setbeamertemplate{sections/subsections in toc}[ball]
2694
```

27 File beamerouterthemedefault-xetex-bidi.def

```
2695 \ProvidesFile{beamerouterthemedefault-xetex-bidi.def}[2022/06/07 v0.1 bidi adaptations for b
2696 \def\beamer@fteleft{\if@RTLmain\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightskip by1.
2697
2698 \def\beamer@fteright{\if@RTLmain\else\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightski
2699
2700 \AtBeginDocument{%
2701   \if@RTLmain
2702     \setbeamertemplate{frametitle}[default][right]
2703   \fi
2704 }
2705
2706
```

28 File beamerouterthemeinfolines-xetex-bidi.def

```
2707 \ProvidesFile{beamerouterthemeinfolines-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for
2708 \bidi@csundef{beamer@tmpop@footline@infolines theme}
2709
2710 \defbeamertemplate*{footline}{infolines theme}
2711 {%
2712   \leavevmode%
2713   \hbox{%
2714     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,center]{author in head/foot}
2715       \usebeamerfont{author in head/foot}\insertshortauthor\expandafter\ifblank\expandafter{\b
2716     \end{beamercolorbox}%
2717     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,center]{title in head/foot}%
2718       \usebeamerfont{title in head/foot}\insertshorttitle
2719     \end{beamercolorbox}%
2720     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,leftskip=2ex,rightskip=2ex,s
2721       \hfill%
2722       \usebeamerfont{date in head/foot}%
2723       \insertshortdate{}%
2724       \hfill%
2725       \bgroup
2726       \usebeamercolor[fg]{page number in head/foot}%
```



```

2727 \usebeamerfont{page number in head/foot}%
2728 \usebeamertemplate{page number in head/foot}%
2729 \egroup
2730 \end{beamercolorbox}}%
2731 \vskip0pt%
2732 }
2733
2734 \bidi@csundef{beamer@tmpop@headline@infolines theme}
2735
2736 \defbeamertemplate*{headline}{infolines theme}
2737 {%
2738 \leavevmode%
2739 \hbox{%
2740 \if@RTL
2741 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{section in head/foot}%
2742 \else
2743 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{section in head/foot}%
2744 \fi
2745 \usebeamerfont{section in head/foot}\insertsectionhead\hspace*{2ex}
2746 \end{beamercolorbox}}%
2747 \if@RTL
2748 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{subsection in head/foot}%
2749 \else
2750 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{subsection in head/foot}%
2751 \fi
2752 \usebeamerfont{subsection in head/foot}\hspace*{2ex}\insertsubsectionhead
2753 \end{beamercolorbox}}%
2754 \vskip0pt%
2755 }
2756
2757 \bidi@AfterFile{beamerouterthememiniframes-xetex-bidi.def}{%
2758 \setbeamertemplate{footline}[infolines theme]%
2759 }
2760

```

29 File beamerouterthememiniframes-xetex-bidi.def

```

2761 \ProvidesFile{beamerouterthememiniframes-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
2762 \bidi@csundef{beamer@tmpop@headline@miniframes theme}
2763
2764 \defbeamertemplate*{headline}{miniframes theme}
2765 {%
2766 \begin{beamercolorbox}[colsep=1.5pt]{upper separation line head}
2767 \end{beamercolorbox}
2768 \begin{beamercolorbox}{section in head/foot}
2769 \vskip2pt\if@RTL\beginR\fi\insertnavigation{\paperwidth}\if@RTL\endR\fi\vskip2pt
2770 \end{beamercolorbox}}%
2771 \ifbeamer@theme@subsection%
2772 \begin{beamercolorbox}[colsep=1.5pt]{middle separation line head}
2773 \end{beamercolorbox}
2774 \if@RTL
2775 \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
2776 rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
2777 \else

```



```

2778 \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
2779 leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/footer}
2780 \fi
2781 \usebeamerfont{subsection in head/footer}\insertsubsectionhead
2782 \end{beamercolorbox}%
2783 \fi%
2784 \begin{beamercolorbox}[colsep=1.5pt]{lower separation line head}
2785 \end{beamercolorbox}
2786 }
2787
2788

```

30 File beamerouterthemesidebar-xetex-bidi.def

```

2789 \ProvidesFile{beamerouterthemesidebar-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for b
2790 \bidi\csundef{beamer@tmpop@frametitle@sidebar theme}
2791
2792 \bidi\csundef{beamer@tmpop@headline@sidebar theme}
2793
2794 \bidi\csundef{beamer@tmpop@sidebar left@sidebar theme}
2795
2796 \bidi\csundef{beamer@tmpop@sidebar right@sidebar theme}
2797
2798 \ifdim\beamer@headheight>0pt
2799
2800 \defbeamer*template*{frametitle}{sidebar theme}
2801 {%
2802 \nointerlineskip%
2803 \ifbeamer@plainframe%
2804 \hbox{\usebeamercolor[bg]{frametitle}%
2805 \@tempdima\paperwidth\advance\@tempdima-\beamer@sidebarwidth
2806 \hskip-\beamer@leftmargin\vrule height\beamer@headheight width\@tempdima\hskip-\beame
2807 \nointerlineskip%
2808 \fi%
2809 \vskip-\beamer@headheight%
2810 \vbox to \beamer@headheight{%
2811 \vfil
2812 \bidi@beamer@leftskip=-\beamer@leftmargin%
2813 \advance\bidi@beamer@leftskip by0.3cm%
2814 \bidi@beamer@rightskip=-\beamer@rightmargin%
2815 \advance\bidi@beamer@rightskip by0.3cm plus1fil%
2816 {\usebeamercolor[fg]{frametitle}\usebeamerfont{frametitle}\strut\insertframetitle\par}
2817 \ifx\insertframesubtitle\@empty\else%
2818 {\usebeamercolor[fg]{framesubtitle}\usebeamerfont{framesubtitle}\strut\insertframesu
2819 \fi%
2820 \vbox{}%
2821 \vskip-1em%
2822 \vfil
2823 }%
2824 }
2825
2826 \AtBeginDocument{%
2827 \setbeamer*template{frametitle}{sidebar theme}%
2828 }

```



```

2829
2830 \defbeamertheme*{headline}{sidebar theme}
2831 {%
2832 \begin{beamercolorbox}[wd=\paperwidth]{frametitle}
2833 \ifx\beamer@sidebarside\beamer@lefttext%
2834 \else%
2835 \hfill%
2836 \fi%
2837 \ifdim\beamer@sidebarwidth>Opt%
2838 \bgroup
2839 \usebeamercolor[bg]{logo}%
2840 \if@RTLmain
2841 \else
2842 \vrule width\beamer@sidebarwidth height \beamer@headheight%
2843 \hskip-\beamer@sidebarwidth%
2844 \fi
2845 \hbox to \beamer@sidebarwidth{\hss\vbox to
2846 \beamer@headheight{\vss\hbox{\color{fg}\insertlogo}\vss}\hss}%
2847 \if@RTLmain
2848 \hskip-\beamer@sidebarwidth%
2849 \vrule width\beamer@sidebarwidth height \beamer@headheight%
2850 \fi
2851 \egroup
2852 \else%
2853 \vrule widthOpt height \beamer@headheight%
2854 \fi%
2855 \end{beamercolorbox}
2856 }
2857 \fi
2858
2859 \def\beamer@sidebarformat#1#2#3{%
2860 \if@RTL
2861 \begin{beamercolorbox}[wd=\beamer@sidebarwidth,rightskip=#1,leftskip=1ex plus1fil,vmode]{#
2862 \else
2863 \begin{beamercolorbox}[wd=\beamer@sidebarwidth,leftskip=#1,rightskip=1ex plus1fil,vmode]{#
2864 \fi
2865 \vbox{%
2866 #3\par%
2867 \vbox{%
2868 \vskip-1.5ex%
2869 \end{beamercolorbox}
2870 }
2871
2872 \ifdim\beamer@sidebarwidth>Opt
2873
2874 \AtBeginDocument{%
2875 \setbeamersize{sidebar width \beamer@sidebarside=\beamer@sidebarwidth}%
2876 }
2877
2878 \defbeamertheme*{sidebar \beamer@sidebarside}{sidebar theme}
2879 {
2880 \beamer@tempdim=\beamer@sidebarwidth%
2881 \advance\beamer@tempdim by -6pt%
2882 {\usebeamerfont{title in sidebar}%

```



```

2883     \vskip1.5em%
2884     \hskip3pt%
2885     \bgroup
2886     \usebeamercolor[fg]{title in sidebar}%
2887     \insertshorttitle[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
2888     \vskip1.25em%
2889   }%
2890   {%
2891     \hskip3pt%
2892     \bgroup
2893     \usebeamercolor[fg]{author in sidebar}%
2894     \usebeamerfont{author in sidebar}%
2895     \insertshortauthor[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
2896     \vskip1.25em%
2897   }%
2898   \insertverticalnavigation{\beamer@sidebarwidth}%
2899   \vfill
2900   \ifx\beamer@sidebarside\beamer@lefttext%
2901   \else%
2902     \usebeamercolor{normal text}%
2903     \llap{\usebeamertemplate***{navigation symbols}\hskip0.1cm}%
2904     \vskip2pt%
2905   \fi%
2906 }%
2907 \fi
2908

```

31 File beamerouterthemesplit-xetex-bidi.def

```

2909 \ProvidesFile{beamerouterthemesplit-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for bea
2910 \bidi\csundef{beamer@tmpop@footline@split theme}
2911
2912 \defbeamertemplate*{footline}{split theme}
2913 {%
2914   \leavevmode%
2915   \hbox{\if@RTL\begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm pl
2916 \else
2917 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm plus1fill,rightski
2918 \fi
2919   \usebeamerfont{author in head/foot}\insertshortauthor
2920   \end{beamercolorbox}}%
2921 \if@RTL
2922   \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm,leftskip=.3cm
2923 \else
2924   \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm,rightskip=.3cm p
2925 \fi
2926   \usebeamerfont{title in head/foot}\insertshorttitle\nobreak\hfill\bgroup\usebeamercolor[
2927   \end{beamercolorbox}}}%
2928   \vskip0pt%
2929 }
2930
2931

```



32 File beamerouterthemeshadow-xetex-bidi.def

```
2932 \ProvidesFile{beamerouterthemeshadow-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for be
2933 \bidi@csundef{beamer@tmpop@frametitle@shadow theme}
2934
2935 \defbeamer*template*{frametitle}{shadow theme}
2936 {%
2937   \nointerlineskip%
2938   \vskip-2pt%
2939   \hbox{\leavevmode
2940     \advance\beamer@leftmargin by -12bp%
2941     \advance\beamer@rightmargin by -12bp%
2942     \beamer@tempdim=\textwidth%
2943     \advance\beamer@tempdim by \beamer@leftmargin%
2944     \advance\beamer@tempdim by \beamer@rightmargin%
2945     \hskip-\Gm@lmargin\hbox{%
2946       \setbox\beamer@tempbox=\hbox{\begin{minipage}[b]{\paperwidth}%
2947         \vbox{\vskip-.75ex%
2948           \bidi@beamer@leftskip0.3cm%
2949           \bidi@beamer@rightskip0.3cm plusfil\leavevmode
2950           \bgroupercolor{fg}{frametitle}\usebeamerfont{frametitle}\strut\insertframe
2951           \ifx\insertframesubtitle\empty\else%
2952             {\usebeamerfont*{framesubtitle}{\usebeamercolor{fg}{framesubtitle}\insertframesu
2953             \fi%
2954             \nointerlineskip
2955             \vbox{}%
2956             \end{minipage}}%
2957       \beamer@tempdim=\ht\beamer@tempbox%
2958       \advance\beamer@tempdim by 2pt%
2959       \begin{pgfpicture}{0pt}{0pt}{\paperwidth}{\beamer@tempdim}
2960         \begin{pgfscope}
2961           \pgfsetfillcolor{black}%
2962           \pgfpathrectangle{\pgfpoint{0pt}{-4pt}}{\pgfpoint{\paperwidth}{8pt}}%
2963           \pgfsetfading{beamer@topshadowmask}{}%
2964           \pgfusepath{fill}%
2965         \end{pgfscope}
2966         \begin{pgfscope}
2967           \usebeamercolor{frametitle right}%
2968           \pgfpathrectangle{\pgfpointorigin}{\pgfpoint{\paperwidth}{\beamer@tempdim}}%
2969           \pgfusepath{clip}%
2970           \pgftext[left,base]{\pgfuseshading{beamer@frametitleshade}}%
2971         \end{pgfscope}
2972       \end{pgfpicture}
2973       \hskip-\paperwidth%
2974       \box\beamer@tempbox%
2975     }%
2976     \hskip-\Gm@rmargin%
2977   }%
2978   \vskip-2pt
2979 }
2980
2981 \AtBeginDocument{%
2982   \setbeamer*template*{frametitle}[shadow theme]%
2983 }
```



2984
2985

33 File beamerouterthemessmoothbars-xetex-bidi.def

```
2986 \ProvidesFile{beamerouterthemessmoothbars-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
2987 \bidi@csundef{beamer@tmpop@headline@smoothbars theme}
2988
2989 \bidi@csundef{beamer@tmpop@frametitle@smoothbars theme}
2990
2991 \defbeamer*template*{headline}{smoothbars theme}
2992 {%
2993   \pgfuses shading{beamer@barshade}%
2994   \vskip-0.05ex%
2995   \begin{beamer colorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
2996   \begin{pgfpicture}
2997     \begin{pgfscope}%
2998       \ifbeamer@sb@subsection%
2999         \pgfsetfillcolor{subsection in head/foot.bg}%
3000       \else%
3001         \pgfsetfillcolor{section in head/foot.bg}%
3002       \fi%
3003       \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3004       \pgfsetfading{beamer@belowframetitlemask}{}%
3005       \pgfusepath{fill}%
3006     \end{pgfscope}%
3007   \end{pgfpicture}%
3008   \end{beamer colorbox}%
3009   \ifbeamer@sb@subsection%
3010     \vskip-9.75ex%
3011   \else%
3012     \vskip-6.85ex%
3013   \fi%
3014   \begin{beamer colorbox}[ignorebg,ht=2.25ex,dp=3.75ex]{section in head/foot}
3015     \insertnavigation{\paperwidth}
3016   \end{beamer colorbox}%
3017   \ifbeamer@sb@subsection%
3018   \if@RTL
3019     \begin{beamer colorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3020       rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3021     \else
3022     \begin{beamer colorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3023       leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3024     \fi
3025     \usebeamerfont{subsection in head/foot}\insertsubsectionhead
3026   \end{beamer colorbox}%
3027   \fi%
3028 }%
3029
3030 \defbeamer*template*{frametitle}{smoothbars theme}
3031 {%
3032   \nointerlineskip%
3033   \vskip-0.19ex%
3034   \usebeamerfont{headline}%
```



```

3035 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=1ex,vmode]{empty}
3036   \pgfuses shading{beamer@aboveframetitle}%
3037 \end{beamercolorbox}%
3038 \vskip-1ex%
3039 \nointerlineskip%
3040 \if@RTL
3041 \begin{beamercolorbox}[wd=\paperwidth,rightskip=.3cm,leftskip=.3cm plus1fil,vmode]{frameti
3042 \else
3043 \begin{beamercolorbox}[wd=\paperwidth,leftskip=.3cm,rightskip=.3cm plus1fil,vmode]{frameti
3044 \fi
3045   \vskip0.5ex%
3046   \usebeamerfont*{frametitle}\strut\insertframetitle%
3047   \ifx\insertframesubtitle\@empty%
3048     \strut\par%
3049   \else
3050     \par{\usebeamerfont*{framesubtitle}\usebeamercolor[fg]{framesubtitle}\strut\insertf
3051   \fi%%
3052   \usebeamerfont{headline}%
3053   \vskip0.05ex%
3054 \end{beamercolorbox}%
3055 \nointerlineskip%
3056 \vskip-0.05ex%
3057 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3058 \begin{pgfpicture}
3059   \begin{pgfscope}%
3060     \pgfsetfillcolor{frametitle.bg}%
3061     \pgfpathrectangle{\pgfpoint{- .5\paperwidth}{- .5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3062     \pgfsetfading{beamer@belowframetitlemask}{}%
3063     \pgfusepath{fill}%
3064   \end{pgfscope}%
3065 \end{pgfpicture}%
3066 \end{beamercolorbox}%
3067 }
3068
3069 \AtBeginDocument{%
3070   \setbeamertemplate{frametitle}[smoothbars theme]%
3071 }
3072
3073

```

34 File beamerouterthemesmoothtree-xetex-bidi.def

```

3074 \ProvidesFile{beamerouterthemesmoothtree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3075 \bidi@csundef{beamer@tmpop@headline@smoothtree theme}
3076
3077 \bidi@csundef{beamer@tmpop@frametitle@smoothtree theme}
3078
3079 \defbeamertemplate*{headline}{smoothtree theme}
3080 {%
3081   \pgfuses shading{beamer@treeshade}%
3082   \vskip-0.05ex%
3083   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3084   \begin{pgfpicture}
3085     \begin{pgfscope}%

```



```

3086     \pgfsetfillcolor{subsection in head/foot.bg}%
3087     \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3088     \pgfsetfading{beamer@belowframetitlemask}{}%
3089     \pgfusepath{fill}%
3090     \end{pgfscope}%
3091 \end{pgfpicture}%
3092 \end{beamercolorbox}%
3093 \vskip-9.15ex%
3094 \if@RTL
3095 \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3096   rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3097 \else
3098 \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3099   leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3100   \fi
3101   \usebeamerfont{title in head/foot}\insertshorttitle
3102 \end{beamercolorbox}
3103 \if@RTL
3104 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3105   rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3106 \else
3107 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3108   leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}
3109   \fi
3110   \usebeamerfont{section in head/foot}%
3111   \hskip6pt\insertsectionhead
3112 \end{beamercolorbox}
3113 \if@RTL
3114 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3115   rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3116 \else
3117 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3118   leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3119   \fi
3120   \usebeamerfont{subsection in head/foot}%
3121   \hskip12pt\insertsubsectionhead
3122 \end{beamercolorbox}
3123 \vskip-0.4ex%
3124 }
3125
3126 \defbeamertemplate*{frametitle}{smoothtree theme}
3127 {%
3128   \nointerlineskip%
3129   \vskip-0.05ex%
3130   \usebeamerfont{headline}%
3131   \begin{beamercolorbox}[wd=\paperwidth,ht=0.85ex,dp=0ex]{empty}
3132     \pgfuses shading{beamer@aboveframetitle}%
3133   \end{beamercolorbox}
3134   \nointerlineskip%
3135   \if@RTL
3136     \begin{beamercolorbox}[wd=\paperwidth,rightskip=.935cm,leftskip=.3cm plus1fil]{frametitle}
3137   \else
3138     \begin{beamercolorbox}[wd=\paperwidth,leftskip=.935cm,rightskip=.3cm plus1fil]{frametitle}
3139     \fi

```



```

3140 \vskip-1.2ex%
3141 \usebeamerfont*{frametitle}\strut\insertframetitle%
3142 \ifx\insertframesubtitle\@empty%
3143 \strut\par%
3144 \else
3145 \par{\usebeamerfont*{framesubtitle}{\usebeamercolor[fg]{framesubtitle}\strut\insertframesubtitle}%
3146 \fi}%
3147 \usebeamerfont{headline}%
3148 \end{beamercolorbox}%
3149 \nointerlineskip
3150 \vskip-0.2ex%
3151 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3152 \begin{pgfpicture}
3153 \begin{pgfscope}%
3154 \pgfsetfillcolor{frametitle.bg}%
3155 \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3156 \pgfsetfading{beamer@belowframetitlemask}{}%
3157 \pgfusepath{fill}%
3158 \end{pgfscope}%
3159 \end{pgfpicture}%
3160 \end{beamercolorbox}%
3161 }
3162
3163
3164 \AtBeginDocument{%
3165 \setbeamertemplate{frametitle}[smoothtree theme]%
3166 }
3167
3168

```

35 File beamerouterthemetree-xetex-bidi.def

```

3169 \ProvidesFile{beamerouterthemetree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beamer]
3170 \bidi@csundef{beamer@tmpop@headline@tree theme}
3171
3172 \defbeamertemplate*{headline}{tree theme}
3173 {%
3174 \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{upper separation line head}
3175 \end{beamercolorbox}
3176 \if@RTL
3177 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3178 rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3179 \else
3180 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3181 leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3182 \fi
3183 \usebeamerfont{title in head/foot}\insertshorttitle
3184 \end{beamercolorbox}
3185 \if@RTL
3186 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3187 rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3188 \else
3189 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3190 leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}

```



```

3191 \fi
3192 \usebeamerfont{section in head/foot}%
3193 \ifbeamer@tree@showhooks
3194 \setbox\beamer@tempbox=\hbox{\insertsectionhead}%
3195 \ifdim\wd\beamer@tempbox>1pt%
3196 \hskip2pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height0.
3197 \hskip1pt%
3198 \fi%
3199 \else%
3200 \hskip6pt%
3201 \fi%
3202 \insertsectionhead
3203 \end{beamercolorbox}
3204 \if@RTL
3205 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3206 rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3207 \else
3208 \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3209 leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3210 \fi
3211 \usebeamerfont{subsection in head/foot}%
3212 \ifbeamer@tree@showhooks
3213 \setbox\beamer@tempbox=\hbox{\insertsubsectionhead}%
3214 \ifdim\wd\beamer@tempbox>1pt%
3215 \hskip9.4pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height
3216 \hskip1pt%
3217 \fi%
3218 \else%
3219 \hskip12pt%
3220 \fi%
3221 \insertsubsectionhead
3222 \end{beamercolorbox}
3223 \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{lower separation line head}
3224 \end{beamercolorbox}
3225 }
3226
3227

```

36 File beamerthemeHannover-xetex-bidi.def

```

3228 \ProvidesFile{beamerthemeHannover-xetex-bidi.def}[2022/06/07 v0.1 bidi adaptations for beame
3229 \AtBeginDocument{%
3230 \if@RTLmain
3231 \setbeamertemplate{frametitle}[default][left]%
3232 \else
3233 \setbeamertemplate{frametitle}[default][right]%
3234 \fi
3235 }
3236
3237

```

37 File beamerthemeSingapore-xetex-bidi.def

```

3238 \ProvidesFile{beamerthemeSingapore-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beam

```



```

3239 \addtoheadtemplate{\pgfuses shading{beamer@headfade}\vskip-1.25cm}{ }
3240
3241 \beamertemplatedotitem
3242
3243 \AtBeginDocument{%
3244   \setbeamertemplate{frametitle}[default][center]%
3245 }
3246
3247

```

38 File bidi.sty

```

3248 \NeedsTeXFormat{LaTeX2e}
3249 \def\bididate{2022/06/10}
3250 \def\bidi@version{37.9}
3251 \ProvidesPackage{bidi}[\bididate\space v\bidi@version\space
3252 Bidirectional typesetting in plain TeX and LaTeX]
3253 \edef\@bidi@info{*****^J%
3254 * ^J%
3255 * bidi package (Bidirectional typesetting in^J%
3256 * plain TeX and LaTeX, using XeTeX engine)^J%
3257 * ^J%
3258 * Description: A convenient interface for^J%
3259 * typesetting bidirectional texts in plain TeX^J%
3260 * and LaTeX. The package includes adaptations^J%
3261 * for use with many other commonly-used packages.^J%
3262 * ^J%
3263 * Copyright (c) 2007--2022 Vafa Khalighi^J%
3264 * Copyright (c) 2018--2020 bidi-tex GitHub organization^J%
3265 * ^J%
3266 * v\bidi@version, \bididate^J%
3267 * ^J%
3268 * License: LaTeX Project Public License, version^J%
3269 * 1.3c or higher (your choice)^J%
3270 * ^J%
3271 * Location on CTAN: /macros/xetex/latex/bidi^J%
3272 * ^J%
3273 * Issue tracker: https://github.com/kvafa/bidi/issues^J%
3274 * ^J%
3275 * Discussions: https://github.com/kvafa/bidi/discussions^J%
3276 * ^J%
3277 * Primary author of bidi package: Vafa Khalighi.^J%
3278 * ^J%
3279 *****}
3280 \typeout{\@bidi@info}
3281 \edef\bidi@everyjob{\the\everyjob}
3282 \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
3283 \newcommand*\bidi@version{\ensurermath\bidi@version}
3284 \newcommand*\IfbidiPackageVersionLater[1]{%
3285   \ifdim\bidi@version pt > #1 pt %
3286     \expandafter\@firstoftwo
3287   \else
3288     \expandafter\@secondoftwo
3289   \fi}

```



```

3290 \newcommand*\IfbidiPackageVersionBefore}[1]{%
3291   \ifdim\bidi@version pt < #1 pt %
3292     \expandafter\@firstoftwo
3293   \else
3294     \expandafter\@secondoftwo
3295   \fi}
3296 \newcommand*\IfbidiPackageVersion}[1]{%
3297   \ifdim\bidi@version pt = #1 pt %
3298     \expandafter\@firstoftwo
3299   \else
3300     \expandafter\@secondoftwo
3301   \fi}
3302 \RequirePackage{iftex}
3303 \RequireXeTeX
3304 \RequirePackage{bidiutils}
3305 \RequirePackage{zref-abspage}
3306 \RequirePackage{auxhook}
3307 \RequirePackage{ltxcmds}
3308 \RequirePackage{xkeyval}
3309 \eqnewif{\if@RTLmain}{\if@rlmain}
3310 \eqnewif{\if@RTL}{\if@rl}
3311 \newif\if@nonlatin
3312 \newif\if@bidi@perpage@footnote
3313 \newcommand*\setlatin{\@nonlatinfalse}
3314 \newcommand*\setnonlatin{\@nonlatintrue}
3315 \eqnewif{\if@RTLtab}{\if@tab@rl}
3316 \newif\if@hboxRconstruct
3317 \newif\if@bidi@pdfencrypt
3318 \newcommand*\setRTLtable{\@RTLtabtrue}
3319 \newcommand*\setLTRtable{\@RTLtabfalse}
3320 \newif\if@bidi@pdfm@mark
3321 \newif\if@RTLMarginpar
3322 \newif\if@LTRmarginpar
3323 \newif\if@LTRbibitems
3324 \newif\if@RTLbibitems
3325 \newif\if@extrafootnotefeatures
3326 \newif\if@RTLcolumnfootnotes
3327 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
3328 \newif\if@bidi@list@minipage@parbox
3329 \newif\if@bidi@list@minipage@parbox@not@nob
3330 \newcommand*\@bidi@pdfcreator}{%
3331   The bidi package, v\bidi@version, \bididate
3332 }
3333 \newcommand*\@bidi@pdfproducer}{%
3334   The bidi package, v\bidi@version, \bididate
3335 }
3336 \newcommand*\@bidi@pdfcustomproperties}{%
3337   This is the bidi package, Version \bidi@version,
3338   Released June 10, 2022.
3339 }
3340 \newcommand*\bidi@beamer@ragged}{
3341   \@RTLmainfalse
3342   \AtBeginDocument{%
3343     \if@RTLmain\else

```



```

3344 \if@RTL\@RTLmaintrue%
3345 \else\@RTLmainfalse%
3346 \fi%
3347 \fi%
3348 }
3349 \let\n@xt=\
3350 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
3351 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
3352 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
3353 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
3354 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
3355 \errmessage{Missing left brace has been substituted}\fi \bgroup}
3356 \newinsert\@bidi@copyins@
3357 \skip\@bidi@copyins@=12\p@
3358 \dimen\@bidi@copyins@=40pc
3359 \count\@bidi@copyins@=1000
3360 \newcommand*{\@bidi@inslogo@}{\insert\@bidi@copyins@{\@bidi@logo@}}
3361 \newcommand*{\@bidi@logo@hb@xt@columnwidth}{%
3362 \if@RTLmain
3363 \if@twocolumn
3364 \hboxR to \columnwidth
3365 \else
3366 \hboxR to \textwidth
3367 \fi
3368 \else
3369 \if@twocolumn
3370 \hboxL to \columnwidth
3371 \else
3372 \hboxL to \textwidth
3373 \fi
3374 \fi
3375 }
3376 \newcommand*{\@bidi@logo}[1]{%
3377 \toks@{%
3378 \setbox\z@\hbox{%
3379 \special{%
3380 pdf:image width 50pt height 50pt (#1)%
3381 }
3382 }%
3383 \dp\z@\z@
3384 \ht\z@=50pt
3385 \wd\z@=50pt
3386 \beginL
3387 \lower20pt\box\z@
3388 \endL
3389 }%
3390 \the\toks@
3391 }
3392 \newcommand*{\@bidi@logo@}{%
3393 \@bidi@logo@hb@xt@columnwidth
3394 {\hss\LRE{\bfseries Typeset by the \textsf{bidi}
3395 package\quad\@bidi@logo{bidi-logo.pdf}}}}
3396 \define@key{bidi@pdfencrypt}{userpassword}[]{}%
3397 \def\bidi@pdfencrypt@userpassword{#1}%

```



```

3398 }
3399 \define@key{bidi@pdfencrypt}{ownerpassword}[]{%
3400   \def\bidi@pdfencrypt@ownerpassword{#1}%
3401 }
3402 \define@key{bidi@pdfencrypt}{keylength}[128]{%
3403   \def\bidi@pdfencrypt@keylength{#1}%
3404 }
3405 \define@key{bidi@pdfencrypt}{permissionflags}[2052]{%
3406   \def\bidi@pdfencrypt@permissionflags{#1}%
3407 }
3408 \newcommand*{\pdfencryptsetup}{\setkeys{bidi@pdfencrypt}}
3409 \onlypreamble\pdfencryptsetup
3410 \input{latex-xetex-bidi.def}
3411 \input{loadingorder-xetex-bidi.def}
3412 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
3413   \ifcase\bidi@tempb\relax
3414     \RTLtrue
3415   \or
3416     \RTLfalse
3417   \fi}
3418 \define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}
3419 \ifcase\bidi@tempb\relax
3420   \RTLtrue
3421 \or
3422   \RTLfalse
3423 \fi}
3424 \define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}
3425 \ifcase\bidi@tempb\relax
3426   \RTLtabtrue
3427 \or
3428   \RTLtabfalse
3429 \fi}
3430 \define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
3431   \ifcase\bidi@tempb\relax
3432     \nonlatinfalse
3433   \or
3434     \nonlatintrue
3435   \fi}
3436 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
3437   \ifcase\bidi@tempb\relax
3438     \RTLtrue
3439   \or
3440     \RTLfalse
3441   \fi}
3442 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split}
3443 \ifcase\bidi@tempb\relax
3444   \autofootnoterule
3445 \or
3446   \leftfootnoterule
3447 \or
3448   \rightfootnoterule
3449 \or
3450   \SplitFootnoteRule
3451 \or

```



```

3452 \textwidthfootnoterule
3453 \fi}
3454 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}
3455 \ifcase\bidi@tempb\relax
3456 \@RTL@footnotetrue
3457 \or
3458 \@RTL@footnotefalse
3459 \fi}
3460 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
3461 \ifcase\bidi@tempb\relax
3462 \footdir@debugtrue
3463 \or
3464 \footdir@debugfalse
3465 \fi}
3466 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
3467 \ifcase\bidi@tempb\relax
3468 \@extrafootnotefeaturestrue
3469 \or
3470 \@extrafootnotefeaturesfalse
3471 \fi}
3472
3473 \define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
3474 \ifcase\bidi@tempb\relax
3475 \def\bidi@firstcolumn@status@write{%
3476 \protected@write\@auxout{%
3477 {\string\bidi@column@status
3478 {1}}}%
3479 \def\bidi@lastcolumn@status@write{%
3480 \protected@write\@auxout{%
3481 {\string\bidi@column@status{2}}}%
3482 \or
3483 \let\bidi@firstcolumn@status@write\relax
3484 \let\bidi@lastcolumn@status@write\relax
3485 \fi}
3486
3487 \define@choicekey{bidi.sty}{logo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
3488 \ifcase\bidi@tempb\relax
3489 \AtBeginDocument{\@bidi@inslogo}%
3490 \or
3491 \let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty
3492 \fi}
3493
3494 \define@choicekey{bidi.sty}{pdfinfo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
3495 \ifcase\bidi@tempb\relax
3496 \@bidi@pdfm@marktrue
3497 \or
3498 \@bidi@pdfm@markfalse
3499 \fi}
3500
3501 % The `perpagefootnote' option is documented in UK TeX FAQ at
3502 % <https://texfaq.org/FAQ-footnpp> (see last paragraph)
3503
3504 \define@choicekey{bidi.sty}{perpagefootnote}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
3505 \ifcase\bidi@tempb\relax

```



```

3506     \@bidi@perpage@footnotetrue
3507 \or
3508     \@bidi@perpage@footnotefalse
3509 \fi}
3510
3511 \ExecuteOptionsX{%
3512     DetectColumn=off%
3513 }
3514
3515 \ProcessOptionsX
3516
3517 \pdfencryptsetup{%
3518     userpassword,%
3519     ownerpassword,%
3520     keylength,%
3521     permissionflags%
3522 }
3523
3524 \if@extrafootnotefeatures
3525     \input{extrafootnotefeatures-xetex-bidi.def}
3526 \fi
3527 \newcount\bidi@digits
3528 \XeTeXinterchartokenstate=\@ne
3529 \newXeTeXintercharclass\bidi@digits@charclass
3530 \newXeTeXintercharclass\bidi@sepmark@charclass
3531 \XeTeXcharclass`\.\ \bidi@sepmark@charclass
3532 \XeTeXcharclass`\- \bidi@sepmark@charclass
3533 \bidi@digits=\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
3534 \bidi@digits=\ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
3535 \bidi@digits=\ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
3536 \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterCh
3537 \newcommand*{\DigitsDotDashInterCharToks}{\ifnonlatin\char"200F \fi}
3538 \bidi@AtEndPreamble{%
3539     \if@bidi@perpage@footnote
3540         \RequirePackage{bidi-perpage}%
3541         \ResetCounterPerPage{footnote}%
3542     \fi
3543     \ifx\bidi@pdfencrypt@ownerpassword\bidi@empty
3544         \ifx\bidi@pdfencrypt@userpassword\bidi@empty
3545             \@bidi@pdfencryptfalse
3546         \else
3547             \@bidi@pdfencrypttrue
3548         \fi
3549     \else
3550         \@bidi@pdfencrypttrue
3551     \fi
3552     \if@bidi@pdfencrypt
3553         \special{pdf:encrypt
3554             userpw (\bidi@pdfencrypt@userpassword)
3555             ownerpw (\bidi@pdfencrypt@ownerpassword)
3556             length \bidi@pdfencrypt@keylength
3557             perm \bidi@pdfencrypt@permissionflags
3558         }%
3559     \fi

```



```

3560 }
3561 \AtEndDocument{%
3562   \special{pdf:%
3563     docinfo<<%
3564     \if@bidi@pdfm@mark
3565       /Creator(\@bidi@pdfcreator)%
3566       /Producer(\@bidi@pdfproducer)%
3567     \fi
3568     /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
3569     \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
3570       /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
3571     }{}%
3572     >>%
3573   }%
3574 }

```

39 File bidi.tex

```

3575 \def\bididate{2022/06/10}
3576 \catcode`@=11
3577 \def\bidi@version{37.9}
3578 \let \protect \relax
3579 \newlinechar`^^J
3580 \edef\@bidi@info{*****^^J%
3581 * ^^J%
3582 * bidi package (Bidirectional typesetting in^^J%
3583 * plain TeX and LaTeX, using XeTeX engine)^^J%
3584 * ^^J%
3585 * Description: A convenient interface for^^J%
3586 * typesetting bidirectional texts in plain TeX^^J%
3587 * and LaTeX. The package includes adaptations^^J%
3588 * for use with many other commonly-used packages.^^J%
3589 * ^^J%
3590 * Copyright (c) 2007--2022 Vafa Khalighi^^J%
3591 * Copyright (c) 2018--2020 bidi-tex GitHub organization^^J%
3592 * ^^J%
3593 * v\bidi@version, \bididate^^J%
3594 * ^^J%
3595 * License: LaTeX Project Public License, version^^J%
3596 * 1.3c or higher (your choice)^^J%
3597 * ^^J%
3598 * Location on CTAN: /macros/xetex/latex/bidi^^J%
3599 * ^^J%
3600 * Issue tracker: https://github.com/kvafa/bidi/issues^^J%
3601 * ^^J%
3602 * Discussions: https://github.com/kvafa/bidi/discussions^^J%
3603 * ^^J%
3604 * Primary author of bidi package: Vafa Khalighi.^^J%
3605 * ^^J%
3606 *****}
3607 \message{\@bidi@info}
3608 \edef\bidi@everyjob{\the\everyjob}
3609 \everyjob{\bidi@everyjob\message{\@bidi@info}}
3610 \def\bidi@version{%

```



```

3611 \relax
3612 \ifmode
3613   \bidi@version
3614 \else
3615   $\bidi@version$
3616 \fi
3617 }
3618 \input iftex.sty
3619 \RequireXeTeX
3620 \newif\if@bidi@pdfm@mark
3621 \newif\if@RTLmain
3622 \newif\if@RTL
3623 \newif\if@hboxRconstruct
3624 \newif\if@sendlr
3625 \newif\if@RTL@footnote
3626 \@RTLmainfalse
3627 \def\setRTLmain{%
3628   \if@RTLmain\else
3629     \if@RTL\@RTLmaintrue%
3630     \else\@RTLmainfalse%
3631     \fi%
3632 \fi%
3633 }
3634 \let\n@xt=\
3635 \protected\def\LRE{\protect\pLRE}%
3636 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
3637 \protected\def\RLE{\protect\pRLE}
3638 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
3639 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
3640 \errmessage{Missing left brace has been substituted}\fi \bgroup}
3641 \newinsert\@bidi@copyins@
3642 \skip\@bidi@copyins@=12\p@
3643 \dimen\@bidi@copyins@=40pc
3644 \count\@bidi@copyins@=1000
3645 \def\@bidi@inslogo@{\insert\@bidi@copyins@{\@bidi@logo@}}
3646 \def\@bidi@logo@hb@xt@{%
3647   \if@RTLmain
3648     \hboxR to
3649   \else
3650     \hboxL to
3651   \fi
3652 }
3653 \def\@bidi@logo#1{%
3654   \toks@{%
3655     \setbox\z@\hbox{%
3656       \special{%
3657         pdf:image width 50pt height 50pt (#1)%
3658       }
3659     }%
3660     \dp\z@\z@
3661     \ht\z@=50pt
3662     \wd\z@=50pt
3663     \beginL
3664     \lower20pt\box\z@

```



```

3665   \endL
3666   }%
3667   \the\toks@
3668 }
3669 \def\@bidi@logo@{\@bidi@logo@hb@xt@\hsize{\hss\LRE{\bf Typeset by the bidi package\quad\@bidi@
3670 \def\nobidilogo{\let\@bidi@logo@\empty \let\@bidi@inslogo@\empty}
3671 \def\@bidi@pdfcreator{%
3672   The bidi package, v\@bidi@version, \bididate
3673 }
3674 \def\@bidi@pdfproducer{%
3675   The bidi package, v\@bidi@version, \bididate
3676 }
3677 \def\@bidi@pdfcustomproperties{%
3678   This is the bidi package, Version \@bidi@version,
3679   Released June 10, 2022.
3680 }
3681 \def\@bidi@pdfm@mark{%
3682   \special{pdf:
3683     docinfo<<%
3684     \if\@bidi@pdfm@mark
3685       /Creator(\@bidi@pdfcreator)%
3686       /Producer(\@bidi@pdfproducer)%
3687       \fi
3688       /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
3689     >>%
3690   }%
3691 }
3692 \def\bidipdfinfoon{\@bidi@pdfm@marktrue}
3693 \def\bidipdfinfooff{\@bidi@pdfm@markfalse}
3694 \input plain-xetex-bidi.def
3695 \@bidi@inslogo@
3696 \outer\def\bye{\par\vfill\supereject\@bidi@pdfm@mark\end}
3697 \catcode`@=12
3698 \bidipdfinfoon

```

40 File bidi2in1.sty

```

3699 \NeedsTeXFormat{LaTeX2e}
3700 \ProvidesPackage{bidi2in1}
3701 \pagestyle{plain}
3702 \newcount\evenpage
3703 \newcount\oddpages
3704 \twocolumn
3705 \def\@oddfont{\evenpage=\thepage%
3706 \multiply\evenpage by 2%
3707 \oddpages=\the\evenpage%
3708 \advance\oddpages by -1%
3709 \hfil\the\evenpage\hfil\hfil\the\oddpages\hfil}%
3710 \def\@evenfont{\evenpage=\thepage%
3711 \multiply\evenpage by 2%
3712 \oddpages=\the\evenpage%
3713 \advance\oddpages by -1%
3714 \hfil\the\oddpages\hfil\hfil\the\evenpage\hfil}%
3715 \textwidth 9.49in

```



```

3716 \textheight 6.7in
3717 \columnsep 0.9in
3718 \columnseprule 0.125pt
3719 \headheight 0cm
3720 \topmargin 0in
3721 \marginparwidth 0in
3722 \marginparsep 0in
3723 \hoffset 0.05in % Corrected
3724 \voffset -0.5in %top margin space is 1.0in by default
3725 \oddsidemargin 0in
3726 \evensidemargin 0in
3727 \headsep 0cm
3728 \topskip 0cm
3729 \parskip 0.15in %
3730 \headsep 0pt
3731 \special{papersize=11.69in,8.26in}
3732 \renewcommand\maketitle{\par
3733 \begingroup
3734 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
3735 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
3736 \long\def\@makefntext##1{\parindent 1em\noindent
3737 \hb@xt@1.8em{%
3738 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
3739 \@maketitle
3740 \@thanks
3741 \endgroup
3742 \setcounter{footnote}{0}%
3743 \global\let\thanks\relax
3744 \global\let\maketitle\relax
3745 \global\let\@maketitle\relax
3746 \global\let\@thanks\@empty
3747 \global\let\@author\@empty
3748 \global\let\@date\@empty
3749 \global\let\@title\@empty
3750 \global\let\title\relax
3751 \global\let\author\relax
3752 \global\let\date\relax
3753 \global\let\and\relax
3754 }

```

41 File bidicode.sty

```

3755 \NeedsTeXFormat{LaTeX2e}
3756 \ProvidesPackage{bidicode}
3757 \RequirePackage{xcolor}
3758 \RequirePackage{showexpl}
3759 \definecolor{hellgelb}{rgb}{1,1,0.85}
3760 \definecolor{colKeys}{rgb}{0,0,1}
3761 \definecolor{colIdentifier}{rgb}{0,0,0}
3762 \definecolor{colComments}{rgb}{1,0,0}
3763 \definecolor{colString}{rgb}{0,0.5,0}
3764 \lstset{
3765     language=[LaTeX]TEX,
3766     float=hbp,

```



```

3767     basicstyle=\ttfamily\small,
3768     identifierstyle=\color{colIdentifier},
3769     keywordstyle=\color{colKeys},
3770     stringstyle=\color{colString},
3771     commentstyle=\color{colComments},
3772     backgroundcolor=\color{hellgelb},
3773     columns=flexible,
3774     tabsize=4,
3775     extendedchars=true,
3776     showspaces=false,
3777     showstringspaces=false,
3778     numbers=left,
3779     numbersep=0.9em,
3780     numberstyle=\tiny, %
3781     frame=single,
3782     captionpos=b,
3783     xleftmargin=1em,
3784     breaklines=true,
3785     breakautoindent=false,
3786     breakindent=0pt,
3787     escapeinside=**,
3788     pos=r,
3789     explpreset={%
3790     xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
3791     morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
3792 }
3793 \newcommand\HLON{%
3794   \gdef\lst@alloverstyle##1{%
3795     \fboxrule=0pt
3796     \fboxsep=0pt
3797     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
3798 }}
3799 \newcommand\HLOFF{%
3800   \xdef\lst@alloverstyle##1{##1}%
3801 }
3802 \newcommand\Larg [1]{\{\normalfont\itshape#1\}/}
3803 \newcommand\Larga[1]{\$\langle$\Larg{#1}\rangle$}
3804 \newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
3805 \newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
3806 \newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
3807 \newcommand\LBEG[1]{\{\normalfont\ttfamily\bs}\begin\lcb#1\rcb}
3808 \newcommand\LEND[1]{\{\normalfont\ttfamily\bs}\end\lcb#1\rcb}
3809
3810 \DeclareRobustCommand\bs{\{\normalfont\ttfamily\symbol{92}\}}
3811 \DeclareRobustCommand\lcb{\{\normalfont\ttfamily\char`}\}}
3812 \DeclareRobustCommand\rcb{\{\normalfont\ttfamily\char`}\}}
3813 \DeclareRobustCommand\lsb{\{\normalfont\ttfamily[]}\}}
3814 \DeclareRobustCommand\rsb{\{\normalfont\ttfamily[]}\}}
3815 \DeclareRobustCommand\lrb{\{\normalfont\ttfamily{} \}}
3816 \DeclareRobustCommand\rrb{\{\normalfont\ttfamily{} \}}
3817
3818 \def\Lcs#1{\nxLcs{#1}}
3819 \def\LcsStar#1{\nxLcs{#1}\OptArg*{}}
3820 \def\nxLcs#1{\texttt{\symbol{92}#1}}

```



```

3821
3822 \def\Coordx#1{\$x_{#1}\$}
3823 \def\Coordy#1{\$y_{#1}\$}
3824 \def\Coordz#1{\$z_{#1}\$}
3825 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
3826 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
3827 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
3828 \def\CAny{\Coordx{}}
3829 \def\CIIIAny{\Coordx{}}
3830 \def\coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
3831 \def\coordin{\Coordx{n},\kern 1pt\Coordy{n}}
3832 \def\coordiii#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
3833 \def\coordx#1{\$x_{#1}\$}
3834 \def\coordy#1{\$y_{#1}\$}
3835 \def\coordz#1{\$z_{#1}\$}
3836 \def\cAny{\Coordx{}}
3837 \def\ciiiiAny{\Coordx{}}
3838
3839 \newsavebox{\boxdef}
3840 \newenvironment{BDef}
3841   {\begin{lrbox}\boxdef
3842     \def\arraystretch{1.0}
3843     \begin{tabular}{@{}l@{}l@{}l@{}}
3844   }
3845   {\end{tabular}\end{lrbox}}
3846
3847   {\BCmd\fbbox{\usebox\boxdef}\endBCmd}
3848   \aftergroup\@afterindentfalse\aftergroup\@afterheading
3849 }
3850
3851 \newenvironment{BDef*}
3852   {\begin{lrbox}\boxdef
3853     \def\arraystretch{1.0}
3854     \begin{tabular}{@{}l@{}l@{}l@{}}
3855   }
3856   {\end{tabular}\end{lrbox}}
3857   {\begin{BCmd*}\fbbox{\usebox\boxdef}\end{BCmd*}}
3858   \aftergroup\@afterindentfalse\aftergroup\@afterheading
3859 }
3860 \newenvironment{BCmd}{
3861   \@beginparpenalty-\@lowpenalty
3862   \topsep\BDefaboveskip
3863   \fboxsep3pt
3864   \flushleft}
3865   {\@endparpenalty\@M
3866   \topsepadd\BDefbelowskip
3867   \endflushleft}
3868
3869 \newenvironment{BCmd*}{
3870   \@beginparpenalty\@M
3871   \topsep\BDefinlineskip
3872   \fboxsep3pt
3873   \flushleft}
3874   {\@endparpenalty5000

```



```

3875 \endflushleft}
3876
3877 \newskip\BDefaboveskip
3878 \newskip\BDefbelowskip
3879 \newskip\BDefinlineskip
3880 \setlength\BDefaboveskip{10pt plus 4pt}
3881 \setlength\BDefbelowskip{6pt}
3882 \setlength\BDefinlineskip{6pt}
3883
3884 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
3885 \def\OptArg{\@ifnextchar*\OptArgi{\OptArgii*}}
3886 \def\OptArgi*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
3887 \def\OptArgii*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}

```

42 File bidiftnxtra.sty

```

3888 \NeedsTeXFormat{LaTeX2e}
3889 \ProvidesPackage{bidiftnxtra}
3890 \newtoks\bidip@ftn
3891 \let\FN@sf@@footnote\footnote
3892 \let\FN@sf@LTRfootnote\LTRfootnote
3893 \let\FN@sf@RTLfootnote\RTLfootnote
3894 \def\footnote{\ifx\protect\@typeset@protect
3895   \expandafter\FN@sf@@footnote
3896   \else
3897     \expandafter\FN@sf@gobble@opt
3898   \fi
3899 }
3900 \def\LTRfootnote{\ifx\protect\@typeset@protect
3901   \expandafter\FN@sf@LTRfootnote
3902   \else
3903     \expandafter\FN@sf@gobble@opt
3904   \fi
3905 }
3906 \def\RTLfootnote{\ifx\protect\@typeset@protect
3907   \expandafter\FN@sf@RTLfootnote
3908   \else
3909     \expandafter\FN@sf@gobble@opt
3910   \fi
3911 }
3912 \edef\FN@sf@gobble@opt{\noexpand\protect
3913   \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
3914 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
3915   \@ifnextchar[%]
3916     \FN@sf@gobble@twobrace
3917     \@gobble
3918 }
3919 \def\FN@sf@gobble@twobrace[#1]#2{}
3920 \let\FN@sf@@footnotemark\footnotemark
3921 \def\footnotemark{\ifx\protect\@typeset@protect
3922   \expandafter\FN@sf@@footnotemark
3923   \else
3924     \expandafter\FN@sf@gobble@optonly
3925   \fi

```



```

3926 }
3927 \edef\FN@sf@gobble@optonly{\noexpand\protect
3928 \expandafter\noexpand\csname FN@sf@gobble@optonly \endcsname}
3929 \expandafter\def\csname FN@sf@gobble@optonly \endcsname{%
3930 \@ifnextchar[%]
3931 \FN@sf@gobble@bracket
3932 }%
3933 }
3934 \def\FN@sf@gobble@bracket[#1]{%
3935 \def\@tabular{%
3936 \leavevmode \hbox \bgroup
3937 \let\@footnotetext\@bidi@p@ftntext
3938 \let\@LTRfootnotetext\@bidi@p@LTRftntext
3939 \let\@RTLfootnotetext\@bidi@p@RTLftntext
3940 \let\@xfootnotenext\@bidi@p@xftntext
3941 \let\@xfootnote\@bidi@p@xfootnote
3942 \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
3943 \let\@xLTRfootnote\@bidi@p@xLTRfootnote
3944 \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
3945 \let\@xRTLfootnote\@bidi@p@xRTLfootnote
3946 \if@RTLtab\beginR \fi
3947 $\let\@acol\@tabacol
3948 \let\@classz\@tabclassz
3949 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
3950 \def\endtabular{\@crr\egroup\if@RTLtab\egroup\endR\fi\egroup
3951 \egroup $\if@RTLtab\endR\fi\egroup
3952 \ifx\@capttype\@undefined
3953 \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn\fi}
3954 \long\def\@bidi@p@ftntext#1{%
3955 \edef\@tempy{\the\@bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
3956 \global\@bidi@p@ftn\expandafter{\@tempy{#1}}}%
3957 \long\def\@bidi@p@LTRftntext#1{%
3958 \edef\@tempyi{\the\@bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
3959 \global\@bidi@p@ftn\expandafter{\@tempyi{#1}}}%
3960 \long\def\@bidi@p@RTLftntext#1{%
3961 \edef\@tempyii{\the\@bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
3962 \global\@bidi@p@ftn\expandafter{\@tempyii{#1}}}%
3963
3964
3965 \long\def\@bidi@p@xftntext[#1]#2{%
3966 \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\footnotetext[#1]{#2}}}
3967
3968 \long\def\@bidi@p@xLTRftntext[#1]#2{%
3969 \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\LTRfootnotetext[#1]{#2}}}
3970
3971 \long\def\@bidi@p@xRTLftntext[#1]#2{%
3972 \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\RTLfootnotetext[#1]{#2}}}
3973
3974
3975 \def\@bidi@p@xfootnote[#1]{%
3976 \begingroup
3977 \csname c@\@mpfn\endcsname #1\relax
3978 \unrestored@protected@xdef\@thefnmark{\thempfn}%
3979 \endgroup

```



```

3980 \@footnotemark\@bidi@p@xftntext[#1]}
3981
3982
3983 \def\@bidi@p@xLTRfootnote[#1]{%
3984 \begingroup
3985 \csname c@\@mpfn\endcsname #1\relax
3986 \unrestored@protected@xdef\@thefnmark{\thempfn}%
3987 \endgroup
3988 \@footnotemark\@bidi@p@xLTRftntext[#1]}
3989
3990
3991 \def\@bidi@p@xRTLfootnote[#1]{%
3992 \begingroup
3993 \csname c@\@mpfn\endcsname #1\relax
3994 \unrestored@protected@xdef\@thefnmark{\thempfn}%
3995 \endgroup
3996 \@footnotemark\@bidi@p@xRTLftntext[#1]}
3997
3998 \def\@xfloat #1[#2]{%
3999 \@nodocument
4000 \def \@capttype {#1}%
4001 \def \@fps {#2}%
4002 \@onelevel@sanitize \@fps
4003 \def \reserved@b {!}%
4004 \ifx \reserved@b \@fps
4005 \@fpsadddefault
4006 \else
4007 \ifx \@fps \@empty
4008 \@fpsadddefault
4009 \fi
4010 \fi
4011 \ifhmode
4012 \@bsphack
4013 \@floatpenalty -\@Mii
4014 \else
4015 \@floatpenalty-\@Miii
4016 \fi
4017 \ifinner
4018 \@parmoderr\@floatpenalty\z@
4019 \else
4020 \@next\@currbox\@freelist
4021 {%
4022 \@tempcnta \sixt@n
4023 \expandafter \@tfor \expandafter \reserved@a
4024 \expandafter :\expandafter =\@fps
4025 \do
4026 {%
4027 \if \reserved@a h%
4028 \ifodd \@tempcnta
4029 \else
4030 \advance \@tempcnta \@ne
4031 \fi
4032 \fi
4033 \if \reserved@a t%

```



```

4034         \@setfpsbit \tw@
4035         \fi
4036         \if \reserved@a b%
4037             \@setfpsbit 4%
4038         \fi
4039         \if \reserved@a p%
4040             \@setfpsbit 8%
4041         \fi
4042         \if \reserved@a !%
4043             \ifnum \@tempcnta>15
4044                 \advance\@tempcnta -\sixt@n\relax
4045             \fi
4046         \fi
4047     }%
4048     \@tempcntb \csname ftype@\@capttype \endcsname
4049     \multiply \@tempcntb \@xxxii
4050     \advance \@tempcnta \@tempcntb
4051     \global \count\@currbox \@tempcnta
4052 }%
4053 \@fltovf
4054 \fi
4055 \global \setbox\@currbox
4056     \color@vbox
4057     \normalcolor
4058     \vbox \bgroup
4059     \let\@footnotetext\@bidi@p@ftntext
4060     \let\@LTRfootnotetext\@bidi@p@LTRftntext
4061     \let\@RTLfootnotetext\@bidi@p@RTLftntext
4062     \let\@xfootnotenext\@bidi@p@xftntext
4063     \let\@xfootnote\@bidi@p@xfootnote
4064     \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
4065     \let\@xLTRfootnote\@bidi@p@xLTRfootnote
4066     \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
4067     \let\@xRTLfootnote\@bidi@p@xRTLfootnote
4068     \hsize\columnwidth
4069     \@parboxrestore
4070     \@floatboxreset
4071 }
4072 \def \@endfloatbox{%
4073     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
4074     \@minipagefalse
4075     \outer@nobreak
4076     \egroup                %% end of vbox
4077     \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn
4078     \color@endbox
4079 }

```

43 File bidimoderncv.cls

```

4080 \NeedsTeXFormat{LaTeX2e}
4081 \ProvidesClass{bidimoderncv}
4082 \newif\if@DEBUG\@DEBUGfalse
4083 \DeclareOption{a4paper}{
4084     \setlength\paperheight{297mm}

```



```

4085 \setlength\paperwidth{210mm}}
4086 \DeclareOption{a5paper}{
4087 \setlength\paperheight{210mm}
4088 \setlength\paperwidth{148mm}}
4089 \DeclareOption{b5paper}{
4090 \setlength\paperheight{250mm}
4091 \setlength\paperwidth{176mm}}
4092 \DeclareOption{letterpaper}{
4093 \setlength\paperheight{11in}
4094 \setlength\paperwidth{8.5in}}
4095 \DeclareOption{legalpaper}{
4096 \setlength\paperheight{14in}
4097 \setlength\paperwidth{8.5in}}
4098 \DeclareOption{executivepaper}{
4099 \setlength\paperheight{10.5in}
4100 \setlength\paperwidth{7.25in}}
4101 \DeclareOption{landscape}{
4102 \setlength\@tempdima{\paperheight}
4103 \setlength\paperheight{\paperwidth}
4104 \setlength\paperwidth{\@tempdima}}
4105 \newcommand\@ptsize{}
4106 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
4107 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}
4108 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
4109 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
4110 \DeclareOption{final}{\setlength\overfullrule{0pt}}
4111 \newif\if@colour\@colourtrue
4112 \DeclareOption{nocolour}{\@colourfalse}
4113 \ExecuteOptions{a4paper,11pt,colour,final}
4114 \ProcessOptions\relax
4115 \input{size1\@ptsize.clo}
4116 \RequirePackage{color}
4117 \RequirePackage{graphicx}
4118 \RequirePackage{ifthen}
4119 \RequirePackage{marvosym}
4120 \addtolength{\oddsidemargin}{-54pt}
4121 \addtolength{\textwidth}{109pt}
4122 \addtolength{\topmargin}{-70pt}
4123 \addtolength{\textheight}{122pt}
4124 \addtolength{\marginparsep}{-5pt}
4125 \addtolength{\marginparwidth}{-10pt}
4126 \RequirePackage{url}
4127 \RequirePackage{hyperref}
4128 \hypersetup{
4129 breaklinks,
4130 baseurl = http://,%
4131 pdfborder = 0 0 0,%
4132 pdfpagemode = UseNone,%
4133 pdfstartpage = 1}
4134 \AtEndOfClass{
4135 \AtBeginDocument{
4136 \hypersetup{
4137 pdfauthor = \@firstname-\@familyname,%
4138 pdftitle = \@title,%

```



```

4139 pdfsubject = \@firstname-\@familyname,%
4140 pdfkeywords = \@resumename-\@firstname-\@familyname}}
4141 \urlstyle{tt}
4142 \RequirePackage{fancyhdr}
4143 \fancypagestyle{plain}{%
4144 \renewcommand{\headrulewidth}{0pt}
4145 \renewcommand{\footrulewidth}{0pt}
4146 \fancyhf{}}
4147 \pagestyle{plain}
4148 \setlength\lineskip{1\p@}
4149 \setlength\normallineskip{1\p@}
4150 \renewcommand\baselinestretch{}
4151 \setlength{\parindent}{0pt}
4152 \setlength{\parskip}{0pt}
4153 \setlength\columnsep{10\p@}
4154 \setlength\columnseprule{0\p@}
4155 \pagestyle{empty}
4156 \pagenumbering{arabic}
4157 \raggedbottom
4158 \onecolumn
4159 \providecommand*\listitemsymbol{\textbullet}
4160 \providecommand*\addresssymbol{}
4161 \providecommand*\mobilesymbol{\Mobilefone}
4162 \providecommand*\phonesymbol{\Telefon}
4163 \providecommand*\faxsymbol{\FAX}
4164 \providecommand*\emailsymbol{\Letter}
4165 \definecolor{firstnamecolor}{rgb}{0,0,0}
4166 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
4167 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
4168 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
4169 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
4170 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
4171 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
4172 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
4173 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
4174 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
4175 \providecommand*\firstnamefont{}
4176 \providecommand*\familynamefont{}
4177 \providecommand*\titlefont{}
4178 \providecommand*\addressfont{}
4179 \providecommand*\quotefont{}
4180 \providecommand*\sectionfont{}
4181 \providecommand*\subsectionfont{}
4182 \providecommand*\hintfont{\small}
4183 \providecommand*\firstnamestyle[1]{\{\@firstnamefont\@firstnamecolour#1}}
4184 \providecommand*\familynamestyle[1]{\{\@familynamefont\@familynamecolour#1}}
4185 \providecommand*\titlestyle[1]{\{\@titlefont\@titlecolour#1}}
4186 \providecommand*\addressstyle[1]{\{\@addressfont\@addresscolour#1}}
4187 \providecommand*\quotestyle[1]{\{\@quotefont\@quotecolour#1}}
4188 \providecommand*\sectionstyle[1]{\{\@sectionfont\@sectiontitlecolour#1}}
4189 \providecommand*\subsectionstyle[1]{\{\@subsectionfont\@subsectioncolour#1}}
4190 \providecommand*\hintstyle[1]{\{\@hintfont\@hintcolour#1}}
4191 \newcommand*{cvtheme}[2][{}
4192 \def\@cvtheme{#2}

```



```

4193 \def\@cvthemeoptions{#1}}
4194 \cvtheme{bidi-casual}
4195 \AtBeginDocument{\RequirePackage[@cvthemeoptions]{cvtheme\@cvtheme}}
4196 \newcommand*\resumename[1]{\def\@resumename{#1}}
4197 \newcommand*\firstname[1]{\def\@firstname{#1}}
4198 \newcommand*\familyname[1]{\def\@familyname{#1}}
4199 \renewcommand*\title[1]{\def\@title{#1}}
4200 \newcommand*\address[1]{\def\@address{#1}}
4201 \newcommand*\mobile[1]{\def\@mobile{#1}}
4202 \newcommand*\phone[1]{\def\@phone{#1}}
4203 \renewcommand*\fax[1]{\def\@fax{#1}}
4204 \newcommand*\email[1]{\def\@email{#1}}
4205 \newcommand*\extrainfo[1]{\def\@extrainfo{#1}}
4206 \def\@photowidth{0pt}
4207 \newcommand*\photo[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
4208 \newcommand*\quote[1]{\def\@quote{#1}}
4209 \newlength{\quotewidth}
4210 \newlength{\hintscolumnwidth}
4211 \newlength{\separatorcolumnwidth}
4212 \setlength{\separatorcolumnwidth}{0.025\textwidth}
4213 \newlength{\maincolumnwidth}
4214 \newlength{\doubleitemmaincolumnwidth}
4215 \newlength{\listitemsymbolwidth}
4216 \settowidth{\listitemsymbolwidth}{\listitemsymbol{}}
4217 \newlength{\listitemmaincolumnwidth}
4218 \newlength{\listdoubleitemmaincolumnwidth}
4219 \newcommand*\recomputethemelengths{}
4220 \newcommand*\recomputelengths{%
4221 \setlength{\quotewidth}{0.65\textwidth}%
4222 \setlength{\maincolumnwidth}{\textwidth}%
4223 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
4224 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
4225 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
4226 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
4227 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
4228 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
4229 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
4230 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
4231 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
4232 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
4233 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
4234 \renewcommand{\headwidth}{\textwidth}%
4235 \recomputethemelengths}
4236 \setlength{\hintscolumnwidth}{0.15\textwidth}
4237 \recomputelengths
4238 \title{}
4239 \renewcommand*\maketitle{}
4240 \newcommand*\section[1]{%
4241 \vspace*{2.5ex \@plus 1ex \@minus .2ex}%
4242 \phantomsection}%
4243 \addcontentsline{toc}{part}{#1}%
4244 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangle}
4245 \hspace{\separatorcolumnwidth}%
4246 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\ll[1ex]}

```



```

4247 \newcommand*\subsection}[1]{%
4248   \cvline[0.45em]{\subsectionstyle{#1}}
4249 \newcommand*\cvline}[3][.25em]{%
4250   \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}}
4251     \bidi@raggedleft\hintfont{#2} &{#3}%
4252   \end{tabular}\[\#1]}
4253 \newcommand*\cvdoubleitem}[4]{%
4254   \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
4255   \hfill%
4256   \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\%
4257 \newcommand*\cvlistitem}[2][\listitemsymbol]{%
4258   \cvline[0pt]{\#1-\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}
4259 \newcommand*\cvlistdoubleitem}[3][\listitemsymbol]{%
4260   \cvline[0pt]{\#1-\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}}%
4261   \hfill%
4262   \ifthenelse{\equal{#3}{}}%
4263     {}%
4264     {\#1-\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}
4265 \newcommand*\cventry}[6]{%
4266   \cvline{#1}{%
4267     {\bfseries#2}%
4268     \ifx#3\else{, {\slshape#3}}\fi%
4269     \ifx#4\else{, #4}\fi%
4270     \ifx#5\else{, #5}\fi%
4271     .%
4272     \ifx#6\else{\newline}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
4273   }%
4274 \newcommand*\cvlanguage}[3]{%
4275   \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{
4276 \newcommand*\cvcomputer}[4]{%
4277   \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
4278 \newcommand*\link}[2][ ]{%
4279   \ifthenelse{\equal{#1}{}}%
4280     {\href{#2}{#2}}%
4281     {\href{#2}{#1}}}
4282 \newcommand*\httplink}[2][ ]{%
4283   \ifthenelse{\equal{#1}{}}%
4284     {\href{http://#2}{#2}}%
4285     {\href{http://#2}{#1}}}
4286 \newcommand*\emailink}[2][ ]{%
4287   \ifthenelse{\equal{#1}{}}%
4288     {\href{mailto:#2}{#2}}%
4289     {\href{mailto:#2}{#1}}}
4290 \newif\if@displaypagenumbers\@displaypagenumberstrue
4291 \newcommand*\nopagenumbers{\@displaypagenumbersfalse}
4292 \AtBeginDocument{%
4293   \if@displaypagenumbers%
4294     \@ifundefined{r@lastpage}{}{%
4295       \ifthenelse{\pageref{lastpage} > 1}{%
4296         \fancypagestyle{plain}{%
4297           \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL\endL\pag
4298         \pagestyle{plain}}}%
4299   \AtEndDocument{\label{lastpage}}%
4300 \fi}

```



```

4301 \newlength{\bibindent}
4302 \setlength{\bibindent}{1.5em}
4303 \newcommand*{\bibliographyitemlabel}{\includegraphics{bidi-bibitem.pdf}}
4304 \newenvironment{thebibliography}[1]%
4305   {%
4306     \section{\refname}%
4307     \small%
4308     \if@RTL\if@LTRbibitems@RTLfalse\else\fi\else\if@RTLbibitems@RTLtrue\else\fi\fi
4309     \bidi@thebibliography@font@hook%
4310     \begin{list}{\bibliographyitemlabel}%
4311       {%
4312         \setlength{\topsep}{0pt}%
4313         \setlength{\labelwidth}{\hintscolumnwidth}%
4314         \setlength{\labelsep}{\separatorcolumnwidth}%
4315         \leftmargin\labelwidth%
4316         \advance\leftmargin\labelsep%
4317         \@openbib@code%
4318         \usecounter{enumiv}%
4319         \let\p@enumiv\@empty%
4320         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
4321       \sloppy\clubpenalty4000\widowpenalty4000%
4322     }%
4323   {%
4324     \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
4325     \end{list}%
4326   }
4327 \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
4328 \let\@openbib@code\@empty

```

44 File bidi-perpage.sty

```

4329 \NeedsTeXFormat{LaTeX2e}
4330 \ProvidesPackage{bidi-perpage}[2018/10/04 v0.4 Reset counter(s) on every page]
4331 \newcount\bidi@page@count
4332 \bidi@page@count\@ne
4333 \newcommand*{\ResetCounterPerPage}[2][\z@]{%
4334   \if@bidi@csundef{bidi@stepcounterhook@#2}{%
4335     \expandafter\gdef\csname bidi@stepcounterhook@#2\endcsname{}%
4336   }{}%
4337   \if@bidi@csundef{if@bidi@reset@#2@rerun}{%
4338     \expandafter\newif\csname if@bidi@reset@#2@rerun\endcsname
4339   }{}%
4340   \if@bidi@csundef{bidi@#2@count}{%
4341     \expandafter\newcount\csname bidi@#2@count\endcsname
4342   }{}%
4343   \csname bidi@#2@count\endcsname\z@
4344   \if@bidi@csundef{bidi@previous@page@#2@count}{%
4345     \expandafter\newcount\csname
4346       bidi@previous@page@#2@count\endcsname
4347   }{}%
4348   \csname bidi@previous@page@#2@count\endcsname\z@
4349   \if@bidi@csundef{bidi@reset@#2@perpage}{%
4350     \bidi@AfterEndDocumentCheckLabelsRerun{%
4351       \csname if@bidi@reset@#2@rerun\endcsname

```



```

4352     \PackageWarningNoLine{bidi-perpage}{%
4353         Counter `#2' may not have been reset per page.
4354         Rerun to reset counter `#2' per page%
4355     }%
4356     \fi
4357 }%
4358 }{}%
4359 \expandafter\gdef\csname bidi@reset@#2@perpage\endcsname{%
4360     \global\advance\csname bidi@#2@count\endcsname\@ne
4361     \if@filesw
4362         \edef\@tempa{%
4363             \write\@auxout{%
4364                 \string\bidi@counter@page{#2}%
4365                 {\number\csname bidi@#2@count\endcsname}%
4366                 {\noexpand\number\noexpand\bidi@page@count}%
4367             }%
4368         }%
4369         \@tempa
4370     \fi
4371 \begingroup\expandafter\expandafter\expandafter\endgroup
4372 \expandafter\ifx\csname bidi@#2@@\number\csname
4373     bidi@#2@count\endcsname\endcsname\relax
4374     \global\csname @bidi@reset@#2@reruntrue\endcsname
4375 \else
4376     \global\csname @bidi@reset@#2@rerunfalse\endcsname
4377 \expandafter\@tempcnta\csname bidi@#2@@\number
4378     \csname bidi@#2@count\endcsname\endcsname\relax
4379     \ifnum\@tempcnta=\csname
4380     bidi@previous@page@@#2@count\endcsname
4381     \else
4382         \global\csname
4383         bidi@previous@page@@#2@count\endcsname\@tempcnta
4384         \global\csname c@#2\endcsname#1\relax
4385     \fi
4386 \fi
4387 }%
4388 \expandafter\bidi@gappto\csname
4389     bidi@stepcounterhook@@#2\endcsname{%
4390     \csname bidi@reset@#2@perpage\endcsname
4391 }%
4392 }
4393 \def\bidi@counter@page#1#2#3{\bidi@namegdef\bidi@#1@@#2-#3}
4394 \bidi@AtEndOutputPage{%
4395     \global\advance\bidi@page@count\@ne
4396 }

```

45 File `biditools.sty`

```

4397 \NeedsTeXFormat{LaTeX2e}
4398 \ProvidesPackage{biditools}[2022/06/06 v2.2 Programming tools for bidi package]
4399 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\\relax
4400     \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
4401     \ifx\@tempa\@tempb \global\let#2#1%
4402     \else

```



```

4403 \edef\@tempb{\meaning#2}%
4404 \ifx\@tempa\@tempb
4405 \else
4406 \latexerror{Unable to properly define \string#2; primitive
4407 \noexpand#1no longer primitive}\@eha
4408 \fi
4409 \fi
4410 \endgroup}
4411 \newtoks\@bidi@envbody
4412 \newtoks\@bidi@emptytoks
4413 \def\@bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
4414 \def\@bidi@collect@body#1{%
4415 \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
4416 \edef\@bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currentenv}}%
4417 \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
4418 \begingroup
4419 \expandafter\let\csname\@currentenv\endcsname\@bidi@collect@@body
4420 \edef\@bidi@process@envbody{\expandafter\noexpand\csname\@currentenv\endcsname}%
4421 \@bidi@process@envbody
4422 }
4423 \def\@bidi@push@begins#1\begin#2{%
4424 \ifx\end#2\else b\expandafter\@bidi@push@begins\fi
4425 }
4426 \def\@bidi@collect@@body#1\end#2{%
4427 \edef\begin@bidi@stack{\@bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}
4428 \ifx\@empty\begin@bidi@stack
4429 \endgroup
4430 \@checkend{#2}%
4431 \@bidi@addto@envbody{#1}%
4432 \else
4433 \@bidi@addto@envbody{#1\end{#2}}%
4434 \fi
4435 \@bidi@process@envbody % A little tricky! Note the grouping
4436 }
4437 \long\def\@bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
4438 \long\def\@bidi@collect@long@body#1{%
4439 \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
4440 \edef\@bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currentenv}}%
4441 \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
4442 \begingroup
4443 \expandafter\let\csname\@currentenv\endcsname\@bidi@collect@long@@body
4444 \edef\@bidi@process@envbody{\expandafter\noexpand\csname\@currentenv\endcsname}%
4445 \@bidi@process@envbody
4446 }
4447 \long\def\@bidi@push@long@begins#1\begin#2{%
4448 \ifx\end#2\else b\expandafter\@bidi@push@long@begins\fi
4449 }
4450 \long\def\@bidi@collect@long@@body#1\end#2{%
4451 \edef\begin@bidi@stack{\@bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}
4452 \ifx\@empty\begin@bidi@stack
4453 \endgroup
4454 \@checkend{#2}%
4455 \@bidi@addto@long@envbody{#1}%
4456 \else

```



```

4457 \bidi@addto@long@envbody{#1\end{#2}}%
4458 \fi
4459 \bidi@process@envbody % A little tricky! Note the grouping
4460 }
4461 \long\def\bidi@new@ifnextchar#1#2#3{%
4462 \let\reserved@d= #1%
4463 \def\reserved@a{#2}\def\reserved@b{#3}%
4464 \futurelet\@let@token\bidi@new@ifnch
4465 }
4466 \def\bidi@new@ifnch{%
4467 \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
4468 \reserved@b
4469 }
4470 \def\bidi@matrix@check#1{%
4471 \expandafter\ifx\csname\@currenvir\endcsname#1%
4472 \else\bidi@matrix@error#1%
4473 \expandafter\@gobble
4474 \fi
4475 }
4476 \def\bidi@matrix@error#1{%
4477 \PackageError{biditools}{%
4478 Old form '\string#1' should be \string\begin{\expandafter\@gobble\string#1}%
4479 }{%
4480 '\string#1{...}' is old bidi package syntax whose use is
4481 ill-advised in the old versions of bidi package.%
4482 }%
4483 }
4484 \def\@tagsextension{clo}
4485 \def\@definitionfileextension{def}
4486 \def\@texfileextension{tex}
4487 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
4488 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
4489 \def\@iftexfileloaded{\@ifl@aded\@texfileextension}
4490 \def\eqnewif#1#2{%
4491 \count@\escapechar \escapechar@m@ne
4492 \let#1\iffalse
4493 \let#2\iffalse
4494 \eq@if#1#2\iftrue
4495 \eq@if#1#2\iffalse
4496 \escapechar\count@}
4497 \def\eq@if#1#2#3{%
4498 \expandafter\def\csname\expandafter\@gobbletwo\string#1%
4499 \expandafter\@gobbletwo\string#3\endcsname
4500 {\let#1#3%
4501 \let#2#3}%
4502 \expandafter\def\csname\expandafter\@gobbletwo\string#2%
4503 \expandafter\@gobbletwo\string#3\endcsname
4504 {\let#2#3%
4505 \let#1#3}}
4506 \newcommand*{\SetBoolean}[2]{%
4507 \lowercase{\def\@tempa{#2}}%
4508 \@ifundefined{\@tempswa\@tempa}%
4509 {\PackageError{biditools}{%
4510 {You can only set a boolean to `true' or `false'}\@ehc}%

```



```

4511   {\@ifundefined{#1\@tempa}%
4512     {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
4513     {\csname#1\@tempa\endcsname}}}
4514 \newcommand*\GlobalSetBoolean}[2]{%
4515   \lowercase{\def\@tempa{#2}}%
4516   \@ifundefined{@tempswa\@tempa}%
4517     {\PackageError{biditools}%
4518       {You can only set a boolean to `true' or `false'}\@ehc}%
4519     {\@ifundefined{#1\@tempa}%
4520       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
4521       {\global\csname#1\@tempa\endcsname}}}
4522 \newcommand*\SetatBoolean}[2]{%
4523   \lowercase{\def\@tempa{#2}}%
4524   \@ifundefined{@tempswa\@tempa}%
4525     {\PackageError{biditools}%
4526       {You can only set a boolean to `true' or `false'}\@ehc}%
4527     {\@ifundefined{@#1\@tempa}%
4528       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
4529       {\csname @#1\@tempa\endcsname}}}
4530 \newcommand*\GlobalSetatBoolean}[2]{%
4531   \lowercase{\def\@tempa{#2}}%
4532   \@ifundefined{@tempswa\@tempa}%
4533     {\PackageError{biditools}%
4534       {You can only set a boolean to `true' or `false'}\@ehc}%
4535     {\@ifundefined{@#1\@tempa}%
4536       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
4537       {\global\csname @#1\@tempa\endcsname}}}
4538 \def\@bidi@removefromreset#1#2{%
4539   \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
4540   \def\@elt##1{%
4541     \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
4542     \else
4543       \noexpand\@elt{##1}%
4544     \fi}%
4545   \expandafter\xdef\csname cl@#2\endcsname{%
4546     \csname cl@#2\endcsname}}}
4547 \newcommand*\ifRtoL{%
4548   \if@RTL
4549     \expandafter\@firstoftwo
4550   \else
4551     \expandafter\@secondoftwo
4552   \fi}
4553 \newcommand*\ifLtoR{%
4554   \if@RTL
4555     \expandafter\@secondoftwo
4556   \else
4557     \expandafter\@firstoftwo
4558   \fi}
4559 \newcommand*\ifRtoLtable{%
4560   \if@RTLtab
4561     \expandafter\@firstoftwo
4562   \else
4563     \expandafter\@secondoftwo
4564   \fi}

```



```

4565 \newcommand*\ifLtoRtable}{%
4566   \if@RTLtab
4567     \expandafter\@secondoftwo
4568   \else
4569     \expandafter\@firstoftwo
4570   \fi}
4571 \newcommand*\ifRtoLhboxconstruct}{%
4572   \if@hboxRconstruct
4573     \expandafter\@firstoftwo
4574   \else
4575     \expandafter\@secondoftwo
4576   \fi}
4577 \newcommand*\ifLtoRhboxconstruct}{%
4578   \if@hboxRconstruct
4579     \expandafter\@secondoftwo
4580   \else
4581     \expandafter\@firstoftwo
4582   \fi}
4583 \newcommand*\iflatin}{%
4584   \if@nonlatin
4585     \expandafter\@secondoftwo
4586   \else
4587     \expandafter\@firstoftwo
4588   \fi}
4589 \newcommand*\ifnonlatin}{%
4590   \if@nonlatin
4591     \expandafter\@firstoftwo
4592   \else
4593     \expandafter\@secondoftwo
4594   \fi}
4595
4596 \newcommand*\bidi@convert@dimen@t@unit}[2]{%
4597   \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
4598
4599 \newcommand*\bidi@convert@dimen@t@pt}[1]{%
4600   \dimexpr #1*65536/\dimexpr 1pt\relax}
4601
4602 \newcommand*\if@bidi@csdef}[1]{%
4603   \ifcsname#1\endcsname
4604     \expandafter\@firstoftwo
4605   \else
4606     \expandafter\@secondoftwo
4607   \fi}
4608 \newcommand*\if@bidi@csundef}[1]{%
4609   \ifcsname#1\endcsname
4610     \expandafter\ifx\csname#1\endcsname\relax
4611     \expandafter\expandafter
4612     \expandafter\@firstoftwo
4613   \else
4614     \expandafter\expandafter
4615     \expandafter\@secondoftwo
4616   \fi
4617 \else
4618   \expandafter\@firstoftwo

```



```

4619 \fi}
4620 \newcommand{\if@bidi@def}[1]{%
4621 \ifdefined#1%
4622 \expandafter\@firstoftwo
4623 \else
4624 \expandafter\@secondoftwo
4625 \fi}
4626 \newcommand{\if@bidi@undef}[1]{%
4627 \ifdefined#1%
4628 \ifx#1\relax
4629 \expandafter\expandafter
4630 \expandafter\@firstoftwo
4631 \else
4632 \expandafter\expandafter
4633 \expandafter\@secondoftwo
4634 \fi
4635 \else
4636 \expandafter\@firstoftwo
4637 \fi}
4638 \newcommand{\if@bidi@blank}[1]{% from url.sty
4639 \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
4640 \long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
4641 \newcommand{\bidi@notblank}[1]{%
4642 \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
4643 \newcommand{\if@bidi@defmacro}{%
4644 \long\edef\if@bidi@defmacro#1{%
4645 \noexpand\expandafter\noexpand\bidi@ifdefmacro
4646 \noexpand\meaning#1\detokenize{macro}:&}
4647 \edef\bidi@ifdefmacro{%
4648 \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
4649 \bidi@ifdefmacro{\bidi@notblank{#2}}
4650 \newcommand*{\if@bidi@csmacro}[1]{%
4651 \if@bidi@csdef{#1}
4652 {\expandafter\if@bidi@defmacro\csname#1\endcsname}
4653 {\@secondoftwo}}
4654 \newcommand{\if@bidi@defprimitive}[1]{%
4655 \ifprimitive#1%
4656 \expandafter\@firstoftwo
4657 \else
4658 \expandafter\@secondoftwo
4659 \fi}
4660 \newcommand{\if@bidi@csprimitive}[1]{%
4661 \begingroup\expandafter\expandafter\expandafter\endgroup%
4662 \expandafter\ifprimitive\csname#1\endcsname%
4663 \expandafter\@firstoftwo
4664 \else
4665 \expandafter\@secondoftwo
4666 \fi}
4667 \newcommand*{\bidi@csdefcs}[2]{%
4668 \expandafter\@ifdefinable \csname#1\endcsname{%
4669 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}}
4670 \newcommand*{\bidi@csletcs}[2]{%
4671 \expandafter\@ifdefinable \csname#1\endcsname{%
4672 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}

```



```

4673 \newcommand*{\bidi@cslet}[2]{%
4674 \expandafter\@ifdefinable \csname#1\endcsname{%
4675 \expandafter\let\csname#1\endcsname#2}}
4676 \newcommand{\bidi@namelongdef}[1]{%
4677 \long\expandafter\def\csname #1\endcsname}
4678 \newcommand{\bidi@namelonggdef}[1]{%
4679 \long\expandafter\gdef\csname #1\endcsname}
4680 \newcommand{\bidi@namelongedef}[1]{%
4681 \long\expandafter\edef\csname #1\endcsname}
4682 \newcommand{\bidi@namelongxdef}[1]{%
4683 \long\expandafter\xdef\csname #1\endcsname}
4684 \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
4685 \def\bidi@ensure@new@command#1{%
4686 \begingroup \escapechar\m@ne\xdef\@tempa{\string#1}\endgroup
4687 \expandafter\if@bidi@csundef\@tempa
4688 {\new@command#1}{\relax%
4689 \let\@ifdefinable\@rc@ifdefinable%
4690 \new@command#1}}
4691 \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}
4692
4693 \protected\def\bidi@error{\PackageError{bidi}}
4694 \protected\def\bidi@warning{\PackageWarning{bidi}}
4695 \protected\def\bidi@info{\PackageInfo{bidi}}
4696
4697 \def\bidi@pos#1#2#3#4{\bidi@namegdef{bidi@#1pos@@#2@#3}{#4}}
4698
4699 \newcount\bidi@poscount
4700
4701 \newcommand*{\WriteStartXPostoaux}{%
4702 \global\advance\bidi@poscount\@ne
4703 \edef\@tempa{%
4704 \write\@auxout{%
4705 \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
4706 }%
4707 }%
4708 \ifvmode
4709 \leavevmode
4710 \fi
4711 \if@RTL
4712 \if@filesw
4713 \@tempa
4714 \fi
4715 \pdfsavepos
4716 \else
4717 \pdfsavepos
4718 \if@filesw
4719 \@tempa
4720 \fi
4721 \fi
4722 \if@bidi@csundef{bidi@xpos@@start@\number\bidi@poscount}{%
4723 \PackageWarningNoLine{biditools}{%
4724 The start x position '\number\bidi@poscount' is not known yet.
4725 Rerun to get this x position%
4726 }%

```



```

4727 }{}%
4728 }
4729
4730 \newcommand*\WriteEndXPostoaux}{%
4731     \edef\@tempa{%
4732         \write\@auxout{%
4733             \string\@bidi@pos{x}{end}{\number\@bidi@poscount}{\noexpand\number\noexpand\pdflastx}
4734         }%
4735     }%
4736 \ifRTL
4737     \if@filesw
4738         \@tempa
4739     \fi
4740 \pdfsavepos
4741 \else
4742 \pdfsavepos
4743 \if@filesw
4744     \@tempa
4745 \fi
4746 \fi
4747 \if@bidi@csundef\@bidi@xpos@end@\number\@bidi@poscount}{%
4748     \PackageWarningNoLine{biditools}{%
4749         The end x position `'\number\@bidi@poscount' is not known yet.
4750         Rerun to get this x position%
4751     }%
4752 }{}%
4753 }
4754
4755 \newcommand*\WriteStartYPostoaux}{%
4756 \global\advance\@bidi@poscount\@ne
4757     \edef\@tempa{%
4758         \write\@auxout{%
4759             \string\@bidi@pos{y}{start}{\number\@bidi@poscount}{\noexpand\number\noexpand\pdflasty}
4760         }%
4761     }%
4762 \ifvmode
4763     \leavevmode
4764 \fi
4765 \ifRTL
4766     \if@filesw
4767         \@tempa
4768     \fi
4769 \pdfsavepos
4770 \else
4771 \pdfsavepos
4772 \if@filesw
4773     \@tempa
4774 \fi
4775 \fi
4776 \if@bidi@csundef\@bidi@ypos@start@\number\@bidi@poscount}{%
4777     \PackageWarningNoLine{biditools}{%
4778         The start y position `'\number\@bidi@poscount' is not known yet.
4779         Rerun to get this y position%
4780     }%

```



```

4781 }{}%
4782 }
4783
4784 \newcommand*\WriteEndYPostoaux}{%
4785     \edef\@tempa{%
4786         \write\@auxout{%
4787             \string\bidipos{y}{end}{\number\bidiposcount}{\noexpand\number\noexpand\pdflastx
4788         }%
4789     }%
4790 \ifRTL
4791     \if@filesw
4792     \@tempa
4793 \fi
4794 \pdfsavepos
4795 \else
4796 \pdfsavepos
4797 \if@filesw
4798     \@tempa
4799 \fi
4800 \fi
4801 \if@bidi@csundef{bidi@ypos@end@\number\bidiposcount}{%
4802     \PackageWarningNoLine{biditools}{%
4803         The end y position ` \number\bidiposcount' is not known yet.
4804         Rerun to get this y position%
4805     }%
4806 }{}%
4807 }
4808
4809 \newcommand*\WriteStartXYPostoaux}{%
4810 \global\advance\bidiposcount\@ne
4811     \edef\@tempa{%
4812         \write\@auxout{%
4813             \string\bidipos{x}{start}{\number\bidiposcount}{\noexpand\number\noexpand\pdflastx
4814         }%
4815         \write\@auxout{%
4816             \string\bidipos{y}{start}{\number\bidiposcount}{\noexpand\number\noexpand\pdflastx
4817         }%
4818     }%
4819 \ifvmode
4820     \leavevmode
4821 \fi
4822 \ifRTL
4823     \if@filesw
4824     \@tempa
4825 \fi
4826 \pdfsavepos
4827 \else
4828 \pdfsavepos
4829 \if@filesw
4830     \@tempa
4831 \fi
4832 \fi
4833 \if@bidi@csundef{bidi@xpos@start@\number\bidiposcount}{%
4834     \PackageWarningNoLine{biditools}{%

```



```

4835         The start x position `\

```



```

4889 \endcsname sp\relax
4890 \else
4891 \dimexpr \csname bidi@xpos@@start@\number\bidi@poscount
4892 \endcsname sp - \csname bidi@xpos@@end@\number\bidi@poscount
4893 \endcsname sp\relax
4894 \fi
4895 }%
4896 }
4897
4898 \newcommand*\currentposyheight}{%
4899 \if@bidi@csundef\bidi@ypos@@end@\number\bidi@poscount}{\z@}
4900 {%
4901 \dimexpr \csname bidi@ypos@@start@\number\bidi@poscount
4902 \endcsname sp - \csname bidi@ypos@@end@\number\bidi@poscount
4903 \endcsname sp\relax
4904 }%
4905 }
4906
4907
4908
4909 \newcommand*\setbaselineskip}[1]{%
4910 \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax}
4911 \selectfont
4912 }
4913
4914
4915 \newcommand*\bidi@newrobustcmd}{%
4916 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
4917
4918 \def\bidi@new@command#1{\@testopt\bidi@newcommand#1}0}
4919
4920 \def\bidi@newcommand#1[#2]{%
4921 \@ifnextchar[%]
4922 {\bidi@xargdef#1[#2]}
4923 {\ifx\l@ngrel@x\relax
4924 \let\l@ngrel@x\protected
4925 \else
4926 \protected\def\l@ngrel@x{\protected\long}%
4927 \fi
4928 \@argdef#1[#2]}}
4929
4930 \long\def\bidi@xargdef#1[#2][#3]#4{%
4931 \@ifdefinable#1{%
4932 \expandafter\protected
4933 \expandafter\def
4934 \expandafter#1%
4935 \expandafter{%
4936 \expandafter\@testopt
4937 \csname\string#1\endcsname{#3}}}%
4938 \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}
4939
4940 \bidi@newrobustcmd*\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}
4941
4942 \def\bidi@renew@command#1{%

```



```

4943 \if@bidi@undef{#1}
4944   {\bidi@error{\string#1 undefined}\@ehc}
4945   }%
4946 \let\@ifdefinable\@rc@ifdefinable
4947 \bidi@new@command#1}
4948
4949
4950
4951 \bidi@newrobustcmd*\bidi@providerobustcmd{\@star@or@long\bidi@provide@command}
4952
4953 \def\bidi@provide@command#1{%
4954 \if@bidi@undef{#1}
4955   {\def\reserved@a{\bidi@new@command#1}}
4956   {\def\reserved@a{\bidi@renew@command\reserved@a}}%
4957 \reserved@a}
4958
4959 \newcommand*\bidi@csuse}[1]{%
4960 \ifcsname#1\endcsname
4961   \csname#1\expandafter\endcsname
4962 \fi}
4963
4964 \newcommand{\bidi@expandonce}[1]{%
4965 \unexpanded\expandafter{#1}}
4966
4967 \def\bidi@protected{%
4968 \let\@@protect\protect
4969 \let\protect\@unexpandable@protect
4970 \afterassignment\restore@protect}
4971
4972 \bidi@newrobustcmd{\bidi@appto}[2]{%
4973 \if@bidi@undef{#1}
4974   {\edef#1{\unexpanded{#2}}}
4975   {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
4976 \bidi@newrobustcmd{\bidi@eappto}[2]{%
4977 \if@bidi@undef{#1}
4978   {\edef#1{#2}}
4979   {\edef#1{\bidi@expandonce#1#2}}}
4980 \bidi@newrobustcmd{\bidi@gappto}[2]{%
4981 \if@bidi@undef{#1}
4982   {\xdef#1{\unexpanded{#2}}}
4983   {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
4984 \bidi@newrobustcmd{\bidi@xappto}[2]{%
4985 \if@bidi@undef{#1}
4986   {\xdef#1{#2}}
4987   {\xdef#1{\bidi@expandonce#1#2}}}
4988
4989 \bidi@newrobustcmd*\bidi@protected@eappto{\bidi@protected\bidi@eappto}
4990 \bidi@newrobustcmd*\bidi@protected@xappto{\bidi@protected\bidi@xappto}
4991
4992
4993
4994 \bidi@newrobustcmd{\bidi@preto}[2]{%
4995 \if@bidi@undef{#1}
4996   {\edef#1{\unexpanded{#2}}}

```



```

4997     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}
4998 \bidi@newrobustcmd{\bidi@epreto}[2]{%
4999   \if@bidi@undef{#1}
5000     {\edef#1{#2}}
5001     {\edef#1{#2\bidi@expandonce#1}}
5002 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
5003   \if@bidi@undef{#1}
5004     {\xdef#1{\unexpanded{#2}}}
5005     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}
5006 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
5007   \if@bidi@undef{#1}
5008     {\xdef#1{#2}}
5009     {\xdef#1{#2\bidi@expandonce#1}}
5010
5011 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
5012 \bidi@newrobustcmd*{\bidi@protected@gpreto}{\bidi@protected\bidi@gpreto}
5013
5014
5015
5016 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
5017 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
5018 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
5019 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
5020 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
5021 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
5022
5023
5024
5025 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
5026 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
5027 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
5028 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
5029 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
5030 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
5031
5032
5033
5034 \bidi@newrobustcmd{\if@bidi@patchable}{%
5035   \bidi@dbg@trce\if@bidi@patchable
5036   \begingroup
5037   \@makeother\#,
5038   \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
5039
5040 \long\def\bidi@ifpatchable#1#2{%
5041   \endgroup
5042   \bidi@dbg@init#1%
5043   \if@bidi@undef{#1}
5044     {\bidi@dbg@fail{def}\@secondoftwo}
5045     {\bidi@dbg@info{def}%
5046       \if@bidi@defmacro{#1}
5047         {\bidi@dbg@info{mac}%
5048           \bidi@ifscanable{#1}
5049           {\bidi@ifhashcheck{#2}
5050             {\bidi@dbg@info{tok}%

```



```

5051         \bidi@ifpattern#1{#2}
5052             {\bidi@dbg@info{pat}%
5053                 \bidi@dbg@info{pos}\@firstoftwo}
5054             {\bidi@dbg@fail{pat}\@secondoftwo}}
5055         {\bidi@dbg@fail{hsh}\@secondoftwo}}
5056         {\bidi@dbg@fail{tok}\@secondoftwo}}
5057         {\bidi@dbg@fail{mac}\@secondoftwo}}}}
5058
5059 \long\def\bidi@ifpatchable#1{%
5060 \endgroup
5061 \bidi@dbg@init#1%
5062 \if@bidi@undef{#1}
5063     {\bidi@dbg@fail{def}\@secondoftwo}
5064     {\bidi@dbg@info{def}%
5065         \if@bidi@defmacro{#1}
5066             {\bidi@dbg@info{mac}%
5067                 \if@bidi@defparam{#1}
5068                     {\bidi@dbg@info{prm}%
5069                         \bidi@ifscanable{#1}
5070                         {\bidi@dbg@info{tok}%
5071                             \bidi@dbg@info{pos}\@firstoftwo}
5072                             {\bidi@dbg@fail{tok}\@secondoftwo}}
5073                         {\bidi@dbg@info{prl}%
5074                             \if@bidi@defprotected{#1}
5075                                 {\bidi@dbg@info{pro}}
5076                                 {}%
5077                             \bidi@dbg@info{pos}\@firstoftwo}}
5078                         {\bidi@dbg@fail{mac}\@secondoftwo}}}}
5079
5080 \bidi@newrobustcmd*{\bidi@patchcmd}{%
5081 \bidi@dbg@trce\bidi@patchcmd
5082 \begingroup
5083 \@makeother\#%
5084 \bidi@@patchcmd}
5085
5086 \newcommand{\bidi@@patchcmd}[4][#####1]{%
5087 \bidi@ifpatchable#2{#3}
5088     {\bidi@dbg@succ{ret}%
5089         \begingroup
5090         \edef\bidi@resrvda{%
5091             \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
5092                 #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
5093             \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
5094                 ####1\detokenize{#4}####2}%
5095             \edef\noexpand\bidi@resrvda{%
5096                 \noexpand\bidi@resrvda\meaning#2&}}%
5097         \bidi@resrvda
5098         \bidi@patchcmd@scantoks\bidi@resrvda
5099         \let#2\bidi@resrvda
5100         \bidi@undef\bidi@resrvda
5101         \@firstoftwo}
5102     {\@secondoftwo}}
5103
5104 \def\bidi@patchcmd@scantoks#1{%

```



```

5105 \edef\bidiresrvda{\endgroup
5106   \unexpanded{\makeatletter\scantokens}{#1}%
5107   \catcode\number`\@=\the\catcode`\@relax}%
5108 \bidiresrvda}
5109
5110 \newcommand\bidisisloaded[2] []{
5111   \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
5112   \expandafter\newif\csname if@bidi@#2loaded@\endcsname
5113   \fi
5114   \@ifpackageloaded{#2}
5115   {\csname @bidi@#2loaded@true\endcsname #1}
5116   {\csname @bidi@#2loaded@false\endcsname}}
5117
5118 \protected\def\bidifscanable#1{%
5119   \begingroup
5120   \edef\bidiresrvda{%
5121     \def\noexpand\bidiresrvda####1\detokenize{macro}:####2->####3&{%
5122       ####1\def\string\bidiresrvda####2{####3}}%
5123     \edef\noexpand\bidiresrvda{\noexpand\bidiresrvda\meaning#1&}}%
5124   \bidiresrvda
5125   \makeatletter
5126   \scantokens\expandafter{\bidiresrvda}%
5127   \expandafter\endgroup\ifx#1\bidiresrvda
5128     \expandafter\@firstoftwo
5129   \else
5130     \expandafter\@secondoftwo
5131   \fi}
5132
5133
5134 \protected\long\def\bidifhashcheck#1{%
5135   \begingroup
5136   \edef\bidiresrvda{\detokenize{#1}}%
5137   \expandafter\endgroup
5138   \expandafter\bidifhashcheck@i\meaning\bidiresrvda&}
5139
5140 \edef\bidifhashcheck@i#1{%
5141   \noexpand\expandafter
5142   \noexpand\bidifhashcheck@ii
5143   \noexpand\strip@prefix#1\string#\string#&}
5144
5145 \edef\bidifhashcheck@ii{%
5146   \def\noexpand\bidifhashcheck@ii##1\string#\string###2&}
5147 \bidifhashcheck@ii{\if@bidi@blank{#2}}
5148
5149
5150 \protected\long\def\bidifpattern#1#2{%
5151   \begingroup
5152   \edef\bidiresrvda{%
5153     \def\noexpand\bidiresrvda####1\detokenize{#2}####2&{%
5154       \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
5155     \edef\noexpand\bidiresrvda{\noexpand\bidiresrvda
5156       \expandafter\strip@prefix\meaning#1\detokenize{#2}&}}%
5157   \noexpand\bidiresrvda}
5158 \bidiresrvda\@secondoftwo\@firstoftwo}

```



```

5159
5160
5161 \newcommand{\if@bidi@defparam}{}
5162 \long\edef\if@bidi@defparam#1{%
5163   \noexpand\expandafter\noexpand\bidi@ifdefparam
5164   \noexpand\meaning#1\detokenize{macro}:->&}
5165 \edef\bidi@ifdefparam{%
5166   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
5167 \bidi@ifdefparam{\bidi@notblank{#2}}
5168
5169
5170 \newcommand{\if@bidi@defprotected}{}
5171 \long\edef\if@bidi@defprotected#1{%
5172   \noexpand\expandafter\noexpand\bidi@ifdefprotected
5173   \noexpand\meaning#1\string\protected&}
5174 \edef\bidi@ifdefprotected{%
5175   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
5176 \bidi@ifdefprotected{\bidi@notblank{#2}}
5177
5178
5179 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
5180 \bidi@newrobustcmd{\bidi@csundef}[1]{%
5181   \expandafter\let\csname #1\endcsname\bidi@undefined
5182 }
5183
5184 \let\bidi@dbg@trce@gobble
5185 \let\bidi@dbg@init@gobble
5186 \let\bidi@dbg@info@gobble
5187 \let\bidi@dbg@succ@gobble
5188 \let\bidi@dbg@fail@gobble
5189
5190
5191
5192 \bidi@newrobustcmd*{\bidi@apptocmd}{%
5193   \bidi@dbg@trce\bidi@apptocmd
5194   \begingroup
5195   \@makeother\#%
5196   \bidi@hooktocmd\bidi@append}
5197
5198
5199
5200 \bidi@newrobustcmd*{\bidi@pretocmd}{%
5201   \bidi@dbg@trce\bidi@pretocmd
5202   \begingroup
5203   \@makeother\#%
5204   \bidi@hooktocmd\bidi@prepend}
5205
5206 \long\def\bidi@hooktocmd#1#2#3{%
5207   \endgroup
5208   \bidi@dbg@init#2%
5209   \if@bidi@undef{#2}
5210     {\bidi@dbg@fail{def}\@secondoftwo}
5211     {\bidi@dbg@info{def}}%
5212   \if@bidi@defmacro{#2}

```



```

5213     {\bidi@dbg@info{mac}}%
5214     \if@bidi@defparam{#2}
5215     {\bidi@dbg@info{prm}}%
5216     \bidi@ifscanable{#2}
5217     {\bidi@ifhashcheck{#3}
5218     {\bidi@dbg@info{tok}}%
5219     \bidi@dbg@succ{ret}}%
5220     \bidi@hooktocmd@i#1#2{#3}}%
5221     \@firstoftwo}
5222     {\bidi@dbg@fail{hsh}\@secondoftwo}}
5223     {\bidi@dbg@fail{tok}\@secondoftwo}}
5224     {\bidi@dbg@info{prl}}%
5225     \if@bidi@defprotected{#2}
5226     {\bidi@dbg@info{pro}}%
5227     \bidi@dbg@succ{red}}%
5228     \protected}
5229     {\bidi@dbg@succ{red}}}%
5230     \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
5231     \@firstoftwo}}
5232     {\bidi@dbg@fail{mac}\@secondoftwo}}}}
5233
5234 \long\def\bidi@hooktocmd@i#1#2#3{%
5235 \begingroup
5236 \edef\bidi@resrvda{%
5237   \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
5238     ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
5239   \edef\noexpand\bidi@resrvda{%
5240     \noexpand\bidi@resrvda\meaning#2&}}%
5241   \bidi@resrvda
5242   \bidi@patchcmd@scantoks\bidi@resrvda
5243   \let#2\bidi@resrvda
5244   \bidi@undef\bidi@resrvda}
5245
5246 \long\def\bidi@append#1#2{#1#2}
5247 \long\def\bidi@prepend#1#2{#2#1}
5248
5249 %\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
5250 %\newcommand*{\bidi@endpreamblehook}{}
5251
5252 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\AddToHook{begindocument/before}}%
5253
5254 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipout}
5255 \newcommand*{\bidi@beforeoutputpageshipouthook}{}
5256
5257 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
5258 \newcommand*{\bidi@beforeheaderhook}{}
5259
5260 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutput}
5261 \newcommand*{\bidi@beforeoutputboxoutputpagehook}{}
5262
5263 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutput}
5264 \newcommand*{\bidi@afteroutputboxoutputpagehook}{}
5265
5266 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}

```



```

5267 \newcommand*{\bidi@beforefooterhook}{}
5268
5269 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
5270 \newcommand*{\bidi@afterfooterhook}{}
5271
5272
5273 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook}
5274 \newcommand*{\bidi@afteroutputpageshipouthook}{}
5275
5276 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
5277 \newcommand*{\bidi@atendoutputpagehook}{}
5278
5279 %\bidi@preto\document{%
5280 % \endgroup
5281 % \let\bidi@AtEndPreamble\@firstofone
5282 % \bidi@endpreamblehook
5283 % \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
5284 % \bidi@undef\bidi@endpreamblehook
5285 % \begingroup}
5286
5287 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
5288 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
5289
5290 %\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
5291 %\newcommand*{\bidi@afterendpreamblehook}{}
5292
5293 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\AddToHook{begindocument/end}}%
5294
5295 %\bidi@appto\document{%
5296 % \let\bidi@AfterEndPreamble\@firstofone
5297 % \bidi@afterendpreamblehook
5298 % \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
5299 % \bidi@undef\bidi@afterendpreamblehook
5300 % \ignorespaces}
5301
5302 \bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocumentchecklabelsrerunhook}
5303 \newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}
5304
5305 \bidi@patchcmd\enddocument
5306 {\fi}
5307 {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
5308 \bidi@afterenddocumentchecklabelsrerunhook
5309 \fi}
5310 {}
5311 {\PackageWarning{biditools}{Patching `string\enddocument' failed}}
5312
5313 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
5314
5315 \bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
5316 \newcommand*{\bidi@afterlastshipouthook}{}
5317
5318 \bidi@patchcmd\enddocument
5319 {\clearpage}
5320 {\clearpage}

```



```

5321 \let\bid@AfterLastShipout\@firstofone
5322 \bid@afterlastshipouthook}
5323 {}
5324 {\let\bid@clearpage\clearpage
5325 \def\clearpage{%
5326 \bid@clearpage
5327 \let\bid@AfterLastShipout\@firstofone
5328 \bid@afterlastshipouthook}}
5329
5330 %\bid@newrobustcmd*\bid@AfterEndDocument}\bid@gappto\bid@afterenddocumenthook}
5331 %\newcommand*\bid@afterenddocumenthook}{
5332
5333 \bid@newrobustcmd*\bid@AfterEndDocument}\AddToHook{enddocument/end}}%
5334
5335 %\bid@patchcmd\enddocument
5336 % {\deadcycles}
5337 % {\let\bid@AfterEndDocument\@firstofone
5338 % \bid@afterenddocumenthook
5339 % \deadcycles}
5340 % {}
5341 % {\let\bid@@end\@@end
5342 % \def\@@end{%
5343 % \let\bid@AfterEndDocument\@firstofone
5344 % \bid@afterenddocumenthook
5345 % \bid@@end}}
5346
5347 \bid@newrobustcmd*\bid@AtBeginEnvironment}[1]{%
5348 \bid@csgappto{@bid@begin@#1@hook}}
5349
5350 % Patch \begin<space> and \end<space> in newer LaTeX releases
5351 % \begin and \end in older ones.
5352 \expandafter\bid@patchcmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
5353 {\csname #1\endcsname}
5354 {\bid@csuse{@bid@begin@#1@hook}}%
5355 \csname #1\endcsname}
5356 {}
5357 {\bid@warning{%
5358 Patching '\string\begin' failed!\MessageBreak
5359 '\string\bid@AtBeginEnvironment' will not work@gobble}}
5360
5361
5362
5363 \bid@newrobustcmd*\bid@AtEndEnvironment}[1]{%
5364 \bid@csgappto{@bid@end@#1@hook}}
5365
5366 \expandafter\bid@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
5367 {\csname end#1\endcsname}
5368 {\bid@csuse{@bid@end@#1@hook}}%
5369 \csname end#1\endcsname}
5370 {}
5371 {\bid@warning{%
5372 Patching '\string\end' failed!\MessageBreak
5373 '\string\bid@AtEndEnvironment' will not work@gobble}}
5374

```



```

5375
5376
5377 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
5378   \bidi@csgappto{@bidi@beforebegin@#1@hook}}
5379
5380 \expandafter\bidi@pretocmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
5381   {\bidi@csuse{@bidi@beforebegin@#1@hook}}
5382   {}
5383   {\bidi@warning{%
5384     Patching '\string\begin' failed!\MessageBreak
5385     '\string\bidi@BeforeBeginEnvironment' will not work@gobble}}
5386
5387 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
5388   \bidi@csgappto{@bidi@afterend@#1@hook}}
5389
5390 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
5391   {\if@ignore}
5392   {\bidi@csuse{@bidi@afterend@#1@hook}%
5393     \if@ignore}
5394   {}
5395   {\bidi@warning{%
5396     Patching '\string\end' failed!\MessageBreak
5397     '\string\bidi@AfterEndEnvironment' will not work@gobble}}
5398
5399 \def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}
5400 \def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}
5401 \def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}
5402 \def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}
5403
5404 % From David Carlisle:
5405 % The \stpelt redefinition below belongs to Heiko Oberdiek
5406 % See also https://github.com/ho-tex/oberdiek/issues/26
5407
5408 \let\bidi@stepcounter\stepcounter
5409 \let\bidi@stpelt\stpelt
5410
5411 \def\bidi@stpelt#1{%
5412   \ifcsname bidi@reset@#1@perpage\endcsname
5413     \begingroup
5414       \let\stepcounter\bidi@stepcounter
5415       \@bidi@stpelt{#1}%
5416     \endgroup
5417   \expandafter@gobbletwo
5418   \fi
5419   \@bidi@stpelt{#1}%
5420 }
5421
5422 \bidi@pretocmd\stepcounter
5423   {%
5424     \if@bidi@csundef{bidi@stepcounterhook@#1}{-}{%
5425       \csname bidi@stepcounterhook@#1\endcsname
5426     }%
5427   }-}%
5428 {\PackageWarning{biditools}{Patching '\string\stepcounter' failed}}

```



```

5429
5430 \chardef\bidi@backslash`\\
5431 \def\bidics#1{\texttt{\char\bidi@backslash#1}}
5432
5433 % anonymous control sequences
5434 \newcount\bidi@tempcountb
5435 \newtoks\bidi@temptoksa
5436 \newtoks\bidi@temptoksb
5437
5438 % Catcode (re)storing
5439 %
5440 \def\bidi@storecatcode#1%
5441   {\escapechar@m@ne
5442    \bidi@csarg\edef\bidi@restorecatcode\string#1}%
5443    {\catcode`\string#1=
5444     \the\catcode\expandafter`\string#1}%
5445    \catcode\expandafter`\string#1=12\relax
5446    \escapechar`\\relax}
5447 \def\bidi@restorecatcode#1%
5448   {\escapechar@m@ne
5449    \csname bidi@restorecatcode\string#1\endcsname
5450    \escapechar`\\relax}
5451
5452 % Construct a control sequence inside \edef
5453 %
5454 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
5455
5456 % Construct a control sequence out of #2, and give it to #1
5457 %
5458 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
5459
5460 % Pick an escapecharacter
5461 % this presumes that its argument is a character.
5462 %
5463 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
5464
5465 % Equality of strings.
5466 % the fast approach: does not work in expansion-only environment.
5467 %
5468 \def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
5469   \ifx\bidi@eqs@a\bidi@eqs@b}
5470
5471 % Test by expansion only
5472 %
5473 \def\bidi@EqualStringX#1#2{00\fi
5474   \csname if\@bidi@EqualStringX#1&#2&\$ \endcsname}
5475 \def\@bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
5476   \ifx#1&true\else\bidi@hop@ES\@bidi@EqualStringX#2$#4$\fi
5477   \else false\fi}
5478 \def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}
5479
5480 % Lexicographic ordering
5481 % note the use of \def
5482 % also note the characters 0,127,255 that are used,

```



```

5483 % these are not supposed to appear in the strings
5484 %
5485 {\catcode0=12 \catcode255=12 \catcode127=12
5486 \gdef\bid@StringBeforeNC#1#2{00\fi
5487 \bid@CharsBefore#1^^@^^?#2^^ff^^?}
5488 \gdef\bid@CharsBeforeNC#1#2^^?#3#4^^?{%
5489 \ifcat#1\relax\def\bid@next{\bid@CharsBefore#2^^@^^?#3#4^^ff^^?}%
5490 \else\ifcat#3\relax\def\bid@next{\bid@CharsBefore#1#2^^@^^?#4^^ff^^?}%
5491 \else\ifnum\lccode`#1<\lccode`#3
5492 \def\bid@next{\csname iftrue\endcsname}%
5493 \else\ifnum\lccode`#1>\lccode`#3
5494 \def\bid@next{\csname iffalse\endcsname}%
5495 \else\def\bid@next{\bid@CharsBefore#2^^?#4^^?}%
5496 \fi \fi \fi \fi
5497 \bid@next}
5498 \gdef\bid@StringBefore#1#2{00\fi
5499 \bid@CharsBefore#1^^@^^?#2^^ff^^?}
5500 \gdef\bid@CharsBefore#1#2^^?#3#4^^?{%
5501 \ifnum`#1<`#3
5502 \def\bid@next{\csname iftrue\endcsname}%
5503 \else\ifnum`#1>`#3
5504 \def\bid@next{\csname iffalse\endcsname}%
5505 \else\def\bid@next{\bid@CharsBefore#2^^?#4^^?}%
5506 \fi\fi
5507 \bid@next}
5508 }
5509
5510 % Null argument test
5511 %
5512 \def\bid@empty{}
5513 \def\bid@ifempty#1{00\fi\expandafter\ifx\csname bid@#1@null\endcsname\bid@@null}
5514 \def\bid@ifEmptyX#1{\expandafter\ifx\csname bid@#1@null\endcsname\bid@@null}
5515 \def\bid@ifEmpty#1{\def\bid@cs@a{#1}\ifx\bid@cs@a\bid@empty}
5516 \def\bid@IsEmptyList#1{00\fi\def\bid@cs@a{#1}\ifx\cs@a\bid@empty}
5517
5518 % Next character test
5519 %
5520 \def\bid@NextChar#1#2#3{00\fi
5521 \let\bid@nxt@ch#1\def\bid@nxt@a{#2}\def\bid@nxt@b{#3}%
5522 \futurelet\bid@nxt@c\@bid@ifnxtc}
5523 \def\bid@ifNextChar#1#2#3{%
5524 \let\bid@nxt@ch#1\def\bid@nxt@a{#2}\def\bid@nxt@b{#3}%
5525 \futurelet\bid@nxt@c\@bid@ifnxtc}
5526 \def\@bid@ifnxtc{\ifx\bid@nxt@ch\bid@nxt@c \expandafter\bid@nxt@a
5527 \else \expandafter\bid@nxt@b \fi}
5528
5529 % Test for defined-ness of string as control sequence.
5530 % works inside \edef
5531 %
5532 \def\bid@undefinedcs#1{00\fi\bid@csarg\ifx{#1}\relax}
5533
5534 % Define uniquely defined dummy macros,
5535 % usually to serve as bumper blocks at the end of a list
5536 %

```



```

5537 \newcount\bididummies
5538 \def\DefNewDummy#1{
5539     \if\bidid@undefinedcs{#1}\bidid@csarg\edef{#1}{bidid@dum\the\bidid@dummies}
5540         \advance\bidid@dummies\@ne
5541     \else
5542         \bidid@error{Attempt at second definition of `#1'}
5543     \fi}
5544
5545 % string case statement
5546 % use: \bidid@switch \iftest{...} in:
5547 %     item1 action1
5548 %     ...
5549 %     itemn actionn
5550 %     default defaultaction [optional]
5551 %     \endbidid@switch
5552 % inspired by Jonathan Fine: Some Basic Control Macros
5553 % Tugboat 12 #4
5554 %
5555 \let\@bidid@fi\fi \let\endbidid@switch\relax \DefNewDummy{bidid@default}
5556 \def\bidid@switch@exit #1 \@bidid@fi #2 \endbidid@switch {\fi #1}
5557 \def\bidid@switch #1#2#3{\bidid@csarg\ifx{#2}\bidid@default\bidid@switch@exit #3 \@bidid@fi
5558 #1{#2}\bidid@switch@exit #3 \@bidid@fi
5559 \bidid@switch {#1}
5560 }
5561 % this version puts the test object in {}
5562 \def\bidid@oswitch #1 in: #2 #3; {\bidid@csarg\ifx{#2}\bidid@default\bidid@switch@exit #3 \@bidid@fi
5563 #1{#2}\bidid@switch@exit #3 \@bidid@fi
5564 \bidid@switch #1 in:
5565 }
5566 % this version assumes that the test object is just one character
5567 \def\bidid@cswitch #1 in: #2 #3; {\bidid@csarg\ifx{#2}\bidid@default\bidid@switch@exit #3 \@bidid@fi
5568 #1#2\bidid@switch@exit #3 \@bidid@fi
5569 \bidid@cswitch #1 in:
5570 }
5571 % this version assumes that the test object can have an optional space
5572 \def\bidid@bswitch #1 in: #2 #3; {\bidid@csarg\ifx{#2}\bidid@default\bidid@switch@exit #3 \@bidid@fi
5573 #1#2 \bidid@switch@exit #3 \@bidid@fi
5574 \bidid@bswitch #1 in:
5575 }
5576 % this version can cope with significant spaces at the start of #3;
5577 % #2 is macro argument
5578 \def\bidid@mswitch #1 in: #2:#3; {\bidid@csarg\ifx{#2}\bidid@default\bidid@switch@exit #3 \@bidid@fi
5579 #1{#2}\bidid@switch@exit #3 \@bidid@fi
5580 \bidid@mswitch #1 in:
5581 }
5582 % idem; #2 does not have to be enclosed in braces
5583 \def\bidid@fswitch #1 in: #2:#3; {\bidid@csarg\ifx{#2}\bidid@default\bidid@switch@exit #3 \@bidid@fi
5584 #1#2 \bidid@switch@exit #3 \@bidid@fi
5585 \bidid@fswitch #1 in:
5586 }
5587
5588 % Routines for taking the value of a string:
5589 % if the string is defined as control sequence
5590 % take the value of that, otherwise take the string itself

```



```

5591
5592 % String or value of control sequence
5593 %
5594 \def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
5595
5596 % String or control sequence
5597 %
5598 \def\@bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
5599
5600 % String or \noexpand-ed control sequence;
5601 % for use in \edef
5602 %
5603 \newif\ifbidi@in@label
5604 \def\@bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
5605     \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
5606 \newtoks\bidi@are@these@correct
5607 \def\bidi@t@w@w#1{%
5608     \if\bidi@undefinedcs{#1}#1%
5609     \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 } \fi
5610     \else
5611     \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
5612
5613 % List Manipulation .....
5614 % this assumes that #1 is a list of tokens, #2 is the name of a list
5615 %
5616 % Names of lists (and of items to pop into) are given as strings;
5617 % not as control sequences.
5618 %
5619 \newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
5620 % basic append/prepend macro
5621 \long\def\@bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
5622     \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@lista}
5623 \long\def\@bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
5624     \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista}
5625 \def\@bidi@append@to@list{\bidi@csarg\@bidi@append@to@cslist}
5626 \def\@bidi@prepend@to@list{\bidi@csarg\@bidi@prepend@to@cslist}
5627 % variations:
5628 \long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{#2}}
5629 \long\def\bidi@prepend@to@list#1#2{\@bidi@prepend@to@list{#1}{#2}}
5630 \def\bidi@append@list@to@list#1#2{%
5631     \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2}
5632 \def\bidi@prepend@list@to@list#1#2{%
5633     \@bidi@prepend@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2}
5634 \def\bidi@append@cslist@to@cslist#1#2{%
5635     \@bidi@append@to@cslist{#1}\expandafter{\the#2}}
5636 \def\bidi@prepend@cslist@to@cslist#1#2{%
5637     \@bidi@prepend@to@cslist{#1}\expandafter{\the#2}}
5638 \def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}
5639 \def\bidi@prepend@toks@cs@to@list#1#2{\@bidi@prepend@to@list{#1}\expandafter{\the#2}}
5640
5641 \let\bidi@willbeunhskip\unhskip
5642
5643 % A few list macros for the user
5644 \def\NewTokenList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}

```



```

5645 \def\EmptyTokenList:#1 {\global\csname#1\endcsname{}}
5646 \long\def\AppendToTokenList:#1=#2 {\@bidi@append@to@list{#1}{#2}}
5647 \long\def\PrependToTokenList:#1=#2 {\@bidi@prepend@to@list{#1}{#2}}
5648 \def\TheTokenList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\empty
5649   \if\bidi@undefinedcs{#1}\bidi@error{Token List <#1> undefined}
5650   \else\bidi@csarg\the{#1}\fi
5651   \let\bidi@willbeunhskip\bidi@oldwbuskip}
5652
5653 \def\bidi@del@tok@from@list#1#2{\begingroup
5654   \long\def\bidi@cs@liste##1#2##2\bidi@tok@SM
5655     {\bidi@toks@lista{##1}\bidi@toks@listb{##2}}%
5656     \edef\bidi@cs@listb{\global\bidi@csname{#1}=
5657       {\the\bidi@toks@lista\the\bidi@toks@listb}}%
5658     \bidi@cs@listb}%
5659   \edef\bidi@cs@lista{\noexpand\bidi@cs@liste}\expandafter\the\csname#1\endcsname\noexpand
5660   \bidi@cs@lista \endgroup}
5661 \def\bidi@in@front@of@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
5662   \bidi@in@front@of@cslist\bidi@cs@lista}
5663 \long\def\bidi@in@front@of@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
5664   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@list
5665   \endgroup}
5666 \long\def\bidi@local@in@front@of@list#1#2{\bidi@toks@lista={#2}%
5667   \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter
5668     {\expandafter\expandafter\expandafter\the\expandafter\expandafter\expandafter
5669     \expandafter\the\csname#1\endcsname}%
5670   }
5671 \def\bidi@set@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
5672   \bidi@set@cslist\bidi@cs@lista}
5673 \long\def\bidi@set@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
5674   \global#1=\expandafter{\the\bidi@toks@lista}\endgroup}
5675
5676 %%%%%%%%%%%%%%% Stack macros
5677 %
5678 % push in terms of prepending of lists
5679 \def\bidi@push@cs@onto@cs#1#2{\@bidi@prepend@to@cslist#1\expandafter{\expandafter\expandafter
5680 \def\bidi@push@onto#1{\bidi@csarg\bidi@push@onto@cs{#1}}
5681 \def\bidi@push@onto@cs#1#2{\@bidi@prepend@to@cslist#1}{\{#2}}
5682 \def\bidi@local@push@onto#1#2{\let\=\relax
5683   \bidi@local@in@front@of@list{#1}{\{#2}}
5684 % pop via auxiliary macro: #1 is result, #2 is stack
5685 % two cs arguments
5686 \def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
5687   {\noexpand\@bidi@popinto\noexpand#1\noexpand#2\the#2\noexpand\@bidi@pop}\bidi@cs@e}
5688 % two string arguments
5689 \def\bidi@pop@into#1#2{\edef\bidi@cs@e
5690   {\noexpand\@bidi@popinto\bidi@csname{#1}\bidi@csname{#2}\bidi@csarg\the{#2}\noexpand\@bidi@pop}
5691 \long\def\@bidi@popinto#1#2\#3#4\@bidi@pop{#1{#3}#2{#4}}
5692 \def\bidi@copy@stacktop#1#2{%
5693   \edef\bidi@cs@e{\noexpand\@bidi@copy@stacktop
5694     {#1}\bidi@csarg\the{#2}\noexpand\@bidi@pop}%
5695   \bidi@cs@e}
5696 \def\@bidi@copy@stacktop#1\#2#3\@bidi@pop{\csname#1\endcsname#2\relax}
5697 \newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\{\}}
5698 \def\bidi@length@of@stack#1{\bidi@csarg\bidi@length@of@csstack{#1}}

```



```

5699 \def\bidilengthof@csstack#1{\def\##1{\advance\bidistack@length\@ne}%
5700 \bidistack@length\m@ne \the#1}
5701 % turn a stack upside down
5702 \def\bidinvert@csstack#1{\bidilengthof@csstack{#1}%
5703 \biditempcountb\z@ \biditemptoksa\bidiepty@stack
5704 \loop\ifnum\biditempcountb<\bidistack@length
5705 \bidipop@cs@into\biditemptoksb#1\advance\bidistack@length\m@ne
5706 \bidipush@cs@onto@cs\biditemptoksa\biditemptoksb
5707 % \bidipush@cs@onto@cs\biditemptoksa\biditemptoksb% append a to b
5708 % \biditemptoksa\biditemptoksb
5709 \repeat% copy b to a
5710 #1\biditemptoksa \biditemptoksa\bidiepty@toks}
5711 % invert a stack into a list
5712 \def\bidix@stack@to@list#1{\bidilengthof@stack{#1}%
5713 \biditempcountb\z@ \biditemptoksa\bidiepty@toks
5714 \loop\ifnum\biditempcountb<\bidistack@length
5715 \bidipop@into\biditemptoksb{#1}\advance\bidistack@length\m@ne
5716 \bidipush@list@to@list\biditemptoksb{\biditemptoksa}\repeat
5717 \csname#1\endcsname\biditemptoksa \biditemptoksa\bidiepty@toks}
5718
5719
5720 % General loop macro:
5721 % \looprepeat
5722 % \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>}
5723 % \untilcondition{<cond>} \whilecondition{<cond>}
5724 % \doloopbody { <loop body> }
5725 % where all control sequences in between \looprepeat and \doloopbody are optional.
5726 %
5727 % var: characters to form a control sequence;
5728 % after \forvariable{index} you can access the loop counter as \index.
5729 % This is a count register; to print it use \number\index.
5730 % start,step,end: integers with obvious relations to the loop counter;
5731 % start and step have a default value of 1
5732 % cond: (sequence of commands ending in) any TeX \if... test.
5733 %
5734 % Count down instead of up with \downtovalue; the increment given in \bystep
5735 % is always positive, and is added or subtracted accordingly.
5736 %
5737 % Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
5738 % at the beginning of the loop body.
5739 %
5740 % Exit from middle of loop: \breaklooprepeat
5741 % use this at any place in the loop; in case of a conditional use
5742 % \ifsomething ... \expandafter \breaklooprepeat \fi
5743 %
5744 % Note that the line ends do not cause spaces in the output.
5745 %
5746 % Technical details:
5747 % The loop body is not executed in a group: the braces are those
5748 % of a token list.
5749 % The `forvariable' variable is \let to a \count register.
5750
5751
5752

```



```

5753 % Auxiliary stuff
5754 \def\ bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
5755 \def\ bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\ bidi@looprepeat@depth\endcsname}
5756 \def\ bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\ bidi@looprepe
5757
5758 \newcount\ bidi@looprepeat@depth
5759 \let\endlooprepeat\relax \def\ bidi@csprotect{}
5760 % Trace switches may later be defined by PAC_utils
5761 \let\ bidi@looprepeat@traceinit\relax \let\ bidi@looprepeat@traceexit\relax
5762
5763 % Main repeatloop macro
5764 % - go to next level and allocate unique counter/toks if this is the
5765 % first time we visit this level
5766 % - setup: gather bounds and termination conditions
5767 % - scoop up body in token list; after the assignment define and
5768 % execute body
5769 \def\ looprepeat#1\do loopbody{\ bidi@looprepeat@traceinit % exit in \breakrepeatloop
5770 \advance\ bidi@looprepeat@depth@ne\relax
5771 \ bidi@looprepeat@csargromannumeral\ ifx{ \ bidi@looprepeat@count}\relax
5772 \ bidi@looprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}{ \ bidi@looprepe
5773 \ bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{ \ bidi@looprepea
5774 \ bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{ \ bidi@looprepea
5775 \ bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{ \ bidi@looprepea
5776 \fi \ bidi@looprepeat@zero \def\ bidi@looprepeat@sign{} \def\ bidi@looprepeat@comp{>}\ bidi@loop
5777 \edef\ bidi@looprepeat@tmp
5778 {\def\ bidi@looprepeat@csargromannumeral\noexpand{ \ bidi@looprepeat@looprepeat}{ \ bidi@loop
5779 \afterassignment\ bidi@looprepeat@dxbody\ bidi@looprepeat@csromannumeral{ \ bidi@looprepeat@tok
5780
5781 % Define and execute loop body
5782 % This is done with an \edef to construct the actual sequence
5783 \def\ bidi@looprepeat@dxbody{\ bidi@looprepeat@csargromannumeral\edef{ \ bidi@looprepeat@body}{%
5784 \ bidi@looprepeat@csargromannumeral\the{ \ bidi@looprepeat@wtest}%
5785 \noexpand\the\ bidi@looprepeat@csargromannumeral\noexpand{ \ bidi@looprepeat@toks}%
5786 \ bidi@looprepeat@csargromannumeral\the{ \ bidi@looprepeat@utest}%
5787 \global\ bidi@looprepeat@csargromannumeral\advance{ \ bidi@looprepeat@count} by \ bidi@loopre
5788 \noexpand\endlooprepeat
5789 \ bidi@looprepeat@csargromannumeral\noexpand{ \ bidi@looprepeat@looprepeat}}%
5790 \ bidi@looprepeat@csromannumeral{ \ bidi@looprepeat@body}\ignorespaces}
5791
5792 % Stop test
5793 %% In order to stop, issue a
5794 % \breaklooprepeat which scoops up the rest of the body and exits
5795 \def\ breaklooprepeat#1\endlooprepeat{\ bidi@looprepeat@zero\ bidi@looprepeat@csargromannumeral
5796 \advance\ bidi@looprepeat@depth@m@ne \ bidi@looprepeat@traceexit
5797 }
5798
5799
5800 % Setup
5801 % gather bounds and termination conditions
5802 \def\ bidi@looprepeat@setup#1{%
5803 \begingroup
5804 \def\ forvariable##1{%
5805 \edef\ bidi@looprepeat@tmp{%
5806 \global\let\ bidi@looprepeat@csarg\noexpand{##1}\ bidi@looprepeat@csromannumeral{ \ bidi@

```



```

5807     \bidi@looprepeat@tmp}%
5808 \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global\bidi@looprepeat@count}##1\ig
5809 \def\tovalue##1{%
5810     \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loop
5811     {\bidi@looprepeat@csargromannumeral\the\bidi@looprepeat@wtest}%
5812     \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand\bidi@looprepeat@count}\bi
5813     \noexpand\expandafter \noexpand\breaklooprepeat
5814     \noexpand\fi}\ignorespaces}%
5815     \bidi@looprepeat@tmp}%
5816 \def\downtovalue##1{%
5817     \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
5818 \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}
5819     \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc}{-##1}\else
5820     \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc}{##1}\fi\ignoresp
5821 \def\untilcondition##1{%
5822     \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loop
5823     {\noexpand##1\relax
5824     \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
5825     \bidi@looprepeat@tmp}%
5826 \def\whilecondition##1{%
5827     \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loop
5828     {\noexpand##1\relax \noexpand\else
5829     \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
5830     \bidi@looprepeat@tmp}%
5831     \fromvalue{\@ne}\bystep{\@ne}#1%
5832 \endgroup}
5833 \def\bidi@looprepeat@zero
5834     {\bidi@looprepeat@csromannumeral\bidi@looprepeat@toks}{\bidi@looprepeat@csromannumeral{b
5835     \bidi@looprepeat@csargromannumeral\def\bidi@looprepeat@body}{}}
5836
5837 %\tracingmacros2
5838 %\newcount\tmpcount % used in some examples below
5839
5840 %\looprepeat \forvariable{i}
5841 %     \bystep{2}
5842 % \doloopbody {%
5843 %     \ifnum i=13 \expandafter\breaklooprepeat \fi
5844 %     \number{i} } %
5845 %}%
5846
5847 %\looprepeat \forvariable{iii}
5848 %     \tovalue{8}
5849 % \doloopbody {}
5850 %After loop: \number{iii}%
5851
5852 %\looprepeat \forvariable{i}
5853 %     \fromvalue{10}
5854 %     \bystep{2}
5855 %     \downtovalue{0}
5856 % \doloopbody {\number{i} }
5857
5858 %\looprepeat \forvariable{x} \whilecondition{\ifnum x<7}
5859 % \doloopbody {\number{x} }
5860

```



```

5861%\looprepeat \tovalue{3} \doloopbody {Hello world! }
5862
5863%\looprepeat \forvariable{j}
5864%      \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
5865% \doloopbody {\number\j} }
5866
5867%\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
5868% {\looprepeat \forvariable{j} \fromvalue{i} \bystep{3} \tovalue{18}
5869% \doloopbody {(\number{i}.\number{j}) }
5870% }
5871
5872% infinite loop
5873%\looprepeat \doloopbody {}
5874
5875\renewcommand{\InputIfFileExists}[2]{%
5876 \begingroup\expandafter\expandafter\expandafter\endgroup
5877 \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
5878   \expandafter\@secondoftwo
5879 \else
5880   \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
5881   \expandafter\@firstoftwo
5882 \fi
5883 }%
5884   \expandafter\InputIfFileExists\expandafter{\csname
5885   #1-@bidi@alias\endcsname}{#2}%
5886 }%
5887 {\IfFileExists{#1}{%
5888   \bidi@load@hook{before}{#1}%
5889   #2\@addtofilelist{#1}%
5890   \@@input \@filef@und
5891   \bidi@load@hook{after}{#1}%
5892   }}%
5893 }
5894
5895\newcommand*{\bidi@loadwithoptions}{}
5896\newcommand*{\bidi@loadwithoptions}{}
5897\let\bidi@loadwithoptions\@loadwithoptions
5898
5899\renewcommand*{\@loadwithoptions}[3]{%
5900 \begingroup\expandafter\expandafter\expandafter\endgroup
5901 \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
5902   \def\bidi@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
5903 \else
5904   \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
5905   \def\bidi@loadwithoptions{%
5906     \@loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
5907   }%
5908 \fi
5909 \bidi@@loadwithoptions
5910 }
5911
5912\newcommand*{\bidi@onefilewithoptions}{}
5913\let\bidi@onefilewithoptions\@onefilewithoptions
5914\def\@onefilewithoptions#1[#2][#3]#4{%

```



```

5915 \begingroup\expandafter\expandafter\expandafter\endgroup
5916 \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
5917   \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
5918 \else
5919   \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
5920   \edef\bidi@onefilewithoptions{%
5921     \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
5922 \fi
5923 \bidi@onefilewithoptions[#{2}][#{3}]{#4}%
5924 \bidi@load@hook{lateafter}{#1.#4}%
5925 }
5926
5927 \newcommand*\bidi@ReplaceInput}[2]{%
5928   \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
5929 }
5930
5931 \newcommand*\bidi@UnReplaceInput}[1]{%
5932   \ifcsname #1-@bidi@alias\endcsname
5933     \expandafter\let\csname #1-@bidi@alias\endcsname\relax
5934   \fi
5935 }
5936
5937 \newcommand*\@bidi@replacefilewithext}[3]{%
5938   \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
5939 }
5940 \newcommand*\bidi@ReplacePackage}[2]{%
5941   \@bidi@replacefilewithext{#1}{#2}\@pkgextension
5942 }
5943 \newcommand*\bidi@ReplaceClass}[2]{%
5944   \@bidi@replacefilewithext{#1}{#2}\@clsextension
5945 }
5946 \newcommand*\@bidi@unreplacefilewithext}[2]{%
5947   \ifcsname #1.#2-@bidi@aliasname\endcsname
5948     \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
5949   \fi
5950 }
5951 \newcommand*\bidi@UnReplacePackage}[1]{%
5952   \@bidi@unreplacefilewithext{#1}\@pkgextension
5953 }
5954 \newcommand*\bidi@UnReplaceClass}[1]{%
5955   \@bidi@unreplacefilewithext{#1}\@clsextension
5956 }
5957 \newcommand*\bidi@replacefile@msg}[2]{%
5958   \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
5959 }
5960
5961 \newcommand*\bidi@load@hook}[2]{%
5962   \ifundefined{#2-@#1}{-%
5963     \@nameuse{#2-@#1}%
5964     \expandafter\let\csname #2-@#1\endcsname=\relax}}
5965 \newcommand*\bidi@set@load@hook}[2]{%
5966   \ifundefined{#2-@#1}{\@namedef{#2-@#1}{}}{-%
5967     \expandafter\g@addto@macro\csname #2-@#1\endcsname}
5968 \newcommand*\bidi@BeforeFile}{\bidi@set@load@hook{before}}

```



```

5969 \newcommand*\bidi@AfterFile{\bidi@set@load@hook{after}}
5970 \newcommand*\bidi@BeforeClass}[1]{%
5971   \bidi@set@load@hook{before}{#1.\@clsextension}}
5972 \newcommand*\bidi@AfterClass{%
5973   \@ifstar {\@s@bidi@AfterClass}{%
5974     \ifnextchar +\@@bidi@AfterClass{%
5975       \ifnextchar !\@@@bidi@AfterClass\bidi@AfterClass
5976     }%
5977   }%
5978 }
5979
5980 \newcommand*\@@@bidi@AfterClass}[2]{%
5981   \begingroup\ifx\csname #2.\@clsextension-h@k\endcsname\relax
5982     \aftergroup\@s@bidi@AfterClass
5983   \else
5984     \aftergroup\bidi@AfterAtEndOfClass
5985   \fi
5986   \endgroup{#2}%
5987 }
5988
5989 \newcommand*\bidi@AfterAtEndOfClass}[1]{%
5990   \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
5991 \newcommand*\@@@bidi@AfterClass}[2]{%
5992   \begingroup
5993     \expandafter\ifx\csname #2.\@clsextension-h@k\endcsname\relax
5994       \aftergroup\@s@bidi@AfterClass
5995     \else
5996       \aftergroup\bidi@AfterClass
5997     \fi
5998   \endgroup{#2}%
5999 }
6000
6001 \newcommand*\@bidi@AfterClass}[1]{%
6002   \bidi@set@load@hook{after}{#1.\@clsextension}}
6003 \newcommand*\@s@bidi@AfterClass}[1]{%
6004   \begingroup
6005     \@ifclassloaded{#1}{%
6006       \aftergroup\@secondoftwo
6007     }{%
6008       \aftergroup\bidi@AfterClass
6009     }%
6010   \endgroup
6011   {#1}%
6012 }
6013
6014
6015 \newcommand*\bidi@BeforePackage}[1]{%
6016   \bidi@set@load@hook{before}{#1.\@pkgextension}}
6017 \newcommand*\bidi@AfterPackage{%
6018   \@ifstar {\@s@bidi@AfterPackage}{%
6019     \ifnextchar +\@@bidi@AfterPackage{%
6020       \ifnextchar !\@@@bidi@AfterPackage\bidi@AfterPackage
6021     }%
6022   }%

```



```

6023 }
6024 \newcommand*{\@@@bidi@AfterPackage}[2]{%
6025   \begingroup\ifx\csname #2.\@pkgextension-h@k\endcsname\relax
6026     \aftergroup\@s@bidi@AfterPackage
6027   \else
6028     \aftergroup\@bidi@AfterAtEndOfPackage
6029   \fi
6030 \endgroup{#2}%
6031 }
6032 \newcommand*{\@bidi@AfterAtEndOfPackage}[1]{%
6033   \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
6034 \newcommand*{\@@@bidi@AfterPackage}[2]{%
6035   \begingroup
6036     \expandafter\ifx\csname #2.\@pkgextension-h@k\endcsname\relax
6037       \aftergroup\@s@bidi@AfterPackage
6038     \else
6039       \aftergroup\@bidi@AfterPackage
6040     \fi
6041   \endgroup{#2}%
6042 }
6043 \newcommand*{\@bidi@AfterPackage}[1]{%
6044   \bidi@set@load@hook{after}{#1.\@pkgextension}}
6045 \newcommand*{\@s@bidi@AfterPackage}[1]{%
6046   \begingroup
6047     \@ifpackageloaded{#1}{%
6048       \aftergroup\@secondoftwo
6049     }{%
6050       \aftergroup\@bidi@AfterPackage
6051     }%
6052   \endgroup
6053   {#1}%
6054 }
6055
6056 \newcommand*{\@bidi@excludedpackages}{}
6057 \let\@bidi@excludedpackages\@empty
6058 \newcommand*{\@bidi@saved@RequirePackage}{}
6059 \newcommand*{\@bidi@PreventPackageFromLoading}{%
6060   \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
6061           {\@bidi@PreventPackageFromLoading\PackageWarning}%
6062 }
6063 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
6064   \@ifnextchar [%]
6065     {\@bidi@PreventPackageFromLoading#1}{\@bidi@PreventPackageFromLoading#1 []}%
6066 }
6067 \newcommand*{\@@@bidi@PreventPackageFromLoading}{}
6068
6069 \def\@@@bidi@PreventPackageFromLoading#1[#2]#3{%
6070   \edef\reserved@b{\zap@space#3 \@empty}%
6071   \ifx \reserved@b\@empty
6072     #1{biditools}{%
6073       \string\@bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
6074       argument ignored%
6075     }%
6076   \else

```



```

6077 \ifx\ bidi@excludedpackages \@empty
6078 \let\ bidi@sav ed@RequirePackage\RequirePackage
6079 \let\RequirePackage\ bidi@RequirePackage
6080 \def\reserved@a##1##{%
6081 \ @latex@error
6082 {\noexpand \usepackage before \string\documentclass}%
6083 {\noexpand \usepackage may only appear in the document
6084 preamble, i.e.,\MessageBreak
6085 between \noexpand\documentclass and
6086 \string\begin{document}.}%
6087 \@gobble}%
6088 \ifx\reserved@a\usepackage\else
6089 \ifx\usepackage\ bidi@sav ed@RequirePackage\else
6090 \PackageWarning{biditools}{%
6091 Maybe serious problem: unexpected definition of\MessageBreak
6092 \string\usepackage
6093 }%
6094 \fi
6095 \let\usepackage\RequirePackage
6096 \fi
6097 \fi
6098 \expandafter \@for \expandafter\reserved@a\expandafter:\expandafter=%
6099 \reserved@b\do {%
6100 \ifx\reserved@a \@empty
6101 #1{biditools}{%
6102 empty package argument for
6103 \string\ bidi@PreventPackageFromLoading\MessageBreak
6104 ignored%
6105 }%
6106 \else
6107 \expandafter \@ifpackageloaded\expandafter{\reserved@a}{%
6108 #1{biditools}{%
6109 package ` \reserved@a' already loaded.\MessageBreak
6110 Cannot prevent it from beeing loaded%
6111 }%
6112 }{%
6113 \edef\ bidi@excludedpackages{\ bidi@excludedpackages,%
6114 \reserved@a}%
6115 \if\relax\detokenize{#2}\relax\else
6116 \@ifundefined{bidi@exclude@package@\reserved@a @do}{%
6117 \ @namedef{bidi@exclude@package@\reserved@a @do}{%
6118 }{%
6119 \expandafter\def
6120 \csname bidi@exclude@package@\reserved@a
6121 @do\expandafter\expandafter\expandafter\endcsname
6122 \expandafter\expandafter\expandafter{%
6123 \csname bidi@exclude@package@\reserved@a @do\endcsname
6124 #2%
6125 }%
6126 \fi
6127 }%
6128 \fi
6129 }%
6130 \ifx\ bidi@excludedpackages \@empty

```



```

6131     \bidi@ResetPreventPackageFromLoading
6132     \fi
6133 \fi
6134 }
6135
6136 \@onlypreamble\bidi@PreventPackageFromLoading
6137 \newcommand*{\bidi@ResetPreventPackageFromLoading}{%
6138 \let\bidi@excludedpackages\@empty
6139 \ifx\RequirePackage\bidi@RequirePackage
6140 \ifx\usepackage\RequirePackage
6141 \let\usepackage\bidi@saved@RequirePackage
6142 \fi
6143 \let\RequirePackage\bidi@saved@RequirePackage
6144 \fi
6145 }
6146 \@onlypreamble\bidi@ResetPreventPackageFromLoading
6147 \newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
6148 \let#1\bidi@excludedpackages
6149 }
6150 \@onlypreamble\bidi@StorePreventPackageFromLoading
6151 \newcommand*{\bidi@UnPreventPackageFromLoading}{%
6152 \ifstar {\@tempswatrue\bidi@UnPreventPackageFromLoading}%
6153         {\@tempswafalse\bidi@UnPreventPackageFromLoading}%
6154 }
6155
6156 \newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
6157 \edef\reserved@b{\zap@space#1 \@empty}%
6158 \if@tempswa
6159 \for\reserved@a=\reserved@b\do {%
6160 \ifx\reserved@a\@empty \else
6161 \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
6162 \expandafter\let
6163 \csname bidi@exclude@package@\reserved@a @do\endcsname
6164 \undefined
6165 \fi
6166 \fi
6167 }%
6168 \fi
6169 \ifcsname bidi@excludedpackages\endcsname
6170 \let\reserved@a\bidi@excludedpackages
6171 \let\bidi@excludedpackages\@empty
6172 \expandafter\for\expandafter\reserved@c
6173 \expandafter:\expandafter=\reserved@a
6174 \do{%
6175 \ifx\reserved@c\@empty\else
6176 \@expandtwoargs\in@{,\reserved@c,}{,\reserved@b,}%
6177 \ifin@
6178 \else
6179 \edef\bidi@excludedpackages{%
6180 \bidi@excludedpackages,\reserved@c
6181 }%
6182 \fi
6183 \fi
6184 }%

```



```

6185 \ifx\bidid@excludedpackages\@empty\bidid@ResetPreventPackageFromLoading\fi
6186 \fi
6187 }
6188
6189
6190 \newcommand*{\bidid@RequirePackage}[2][\]{%
6191 \let\reserved@c\@empty
6192 \let\reserved@d\@empty
6193 \edef\reserved@b{\zap@space#2 \@empty}%
6194 \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
6195 \do {%
6196 \begingroup
6197 \@tempswatru
6198 \@for\reserved@a:=\bidid@excludedpackages\do {%
6199 \ifx\reserved@a\reserved@b
6200 \@tempswafalse
6201 \fi
6202 }%
6203 \if@tempswa
6204 \xdef\reserved@c{\reserved@c,\reserved@b}%
6205 \else
6206 \ifx\reserved@b\@empty\else
6207 \PackageInfo{biditools}{Excluding package `'\reserved@b'\MessageBreak
6208 from loading}%
6209 \@ifundefined{bidid@exclude@package@\reserved@b @do}{%
6210 }{%
6211 \expandafter\g@addto@macro\expandafter\reserved@d
6212 \csname bidid@exclude@package@\reserved@b @do\endcsname
6213 }%
6214 \fi
6215 \fi
6216 \endgroup
6217 }%
6218 \ifx\reserved@c\@empty
6219 \let\reserved@a\bidid@gobbleopt
6220 \else
6221 \edef\reserved@a{\noexpand\bidid@saved@RequirePackage[#1]{%
6222 \expandafter\@gobble\reserved@c\@empty}}%
6223 \fi
6224 \expandafter\reserved@d
6225 \reserved@a
6226 }
6227
6228 \newcommand{\bidid@gobbleopt}[1][\]{%
6229 \AtEndDocument{%
6230 \let\bidid@saved@checkend=\@checkend
6231 \renewcommand*{\@checkend}[1]{%
6232 \def\reserved@a{#1}\def\reserved@b{document}%
6233 \bidid@saved@checkend{#1}%
6234 \ifx\reserved@a\reserved@b
6235 \let\bidid@saved@clearpage=\clearpage
6236 \renewcommand*{\clearpage}{\bidid@saved@clearpage
6237 \bidid@hook@bcma
6238 \bidid@restore@newpage

```



```

6239     \let\clearpage=\bidi@saved@clearpage}%
6240     \fi%
6241     \let\bidi@saved@dofilelist@dofilelist
6242     \def@dofilelist{%
6243       \bidi@hook@acma
6244       \let@dofilelist\bidi@saved@dofilelist
6245       \bidi@saved@dofilelist
6246     }%
6247 }%
6248 }
6249
6250
6251 \newcommand*\bidi@saved@checkend{}
6252 \newcommand*\bidi@saved@dofilelist{}
6253 \newcommand*\bidi@redefine@newpage{%
6254   \let\bidi@saved@newpage\newpage
6255   \def\bidi@restore@newpage{%
6256     \renewcommand*\newpage{%
6257       \PackageWarningNoLine{%
6258         biditools%
6259       }{%
6260         \string\newpage\space at main aux file!\MessageBreak
6261         You have output material at the main aux file.\MessageBreak
6262         Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
6263         are processed before the output from aux file%
6264       }%
6265       \let\newpage\bidi@saved@newpage
6266       \newpage
6267     }%
6268   }%
6269   \renewcommand*\newpage{%
6270     \PackageError{%
6271       biditools%
6272     }{%
6273       \string\newpage\space at \string\bidi@BeforeClosingMainAux
6274     }{%
6275       You should never use \string\newpage\space or
6276       \string\clear(double)page or other output material at the\MessageBreak
6277       argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
6278       If you'll continue, the \string\newpage\space will be ignored to
6279       avoid corruption of\MessageBreak
6280       every prior use of \string\bidi@BeforeClosingMainAux.
6281     }%
6282   }%
6283 }
6284
6285 \newcommand*\bidi@restore@newpage{}
6286 \newcommand*\bidi@hook@bcma{}
6287 \newcommand*\bidi@hook@acma{}
6288 \newcommand*\bidi@BeforeClosingMainAux{}%
6289 \ifx\bidi@hook@bcma\empty
6290   \gdef\bidi@hook@bcma{%
6291     \renewcommand*\bidi@BeforeClosingMainAux}[1]{###1}%
6292   \let\protected@write\bidi@protected@immediate@write

```



```

6293     \bidi@redefine@newpage
6294   }%
6295   \fi
6296   \g@addto@macro\bidi@hook@bcma%
6297 }
6298
6299 \newcommand*{\bidi@AfterReadingMainAux}{%
6300   \ifx\bidi@hook@acma\@empty
6301     \gdef\bidi@hook@acma{%
6302       \renewcommand*{\bidi@AfterReadingMainAux}[1]{###1}%
6303       \let\protected@write\bidi@protected@immediate@write
6304     }%
6305   \fi
6306   \g@addto@macro\bidi@hook@acma%
6307 }
6308
6309 \long\def\bidi@protected@immediate@write#1#2#3{%
6310   \begingroup
6311     #2%
6312     \let\protect\@unexpandable@protect
6313     \edef\reserved@a{\immediate\write#1{#3}}%
6314     \reserved@a
6315   \endgroup
6316   \if@nobreak\ifvmode\nobreak\fi\fi
6317 }
6318
6319 \def\bidi@patch@counter{0}%
6320 \if@bidi@csundef{numexpr}{%
6321   \def\bidi@patch@stepcounter{%
6322     \begingroup
6323       \count@\bidi@patch@counter\relax
6324       \advance\count@\@ne\relax
6325     \edef\x{\endgroup
6326       \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
6327     }%
6328     \x
6329   }%
6330 }{%
6331   \def\bidi@patch@stepcounter{%
6332     \edef\bidi@patch@counter{%
6333       \the\numexpr\bidi@patch@counter+\@ne\relax
6334     }%
6335   }%
6336 }
6337 \def\bidi@patch@list{}
6338 \def\bidi@patch@Add{%
6339   \bidi@appto\bidi@patch@list
6340 }
6341 \def\bidi@patch@AfterPackage#1{%
6342   \@ifpackageloaded{#1}{%
6343     \@firstofone
6344   }{%
6345     \@bidi@patch@AfterPackage{#1}%
6346   }%

```



```

6347 }
6348 \def\@bidi@patch@AfterPackage#1{%
6349 \edef\bidi@patch@temp{#1}%
6350 \bidi@patch@stepcounter
6351 \expandafter\bidi@patch@@AfterPackage
6352 \csname @bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
6353 \bidi@patch@temp
6354 }%
6355 }
6356 \def\bidi@patch@@AfterPackage#1#2#3{%
6357 \begingroup
6358 \toks@{#3}%
6359 \xdef\bidi@patch@gtemp{%
6360 \noexpand\@ifpackageloaded{#2}{%
6361 \noexpand\let\noexpand#1\noexpand\relax
6362 \the\toks@
6363 }{}}%
6364 }%
6365 \endgroup
6366 \let#1\bidi@patch@gtemp
6367 \bidi@patch@Add#1%
6368 \bidi@patch@try{\bidi@AfterPackage}{#2}#1%
6369 }
6370
6371 \def\bidi@patch@try#1#2#3{%
6372 \if@bidi@csundef{#1}{-%
6373 \csname #1\endcsname{#2}{#3}%
6374 }%
6375 }
6376
6377 \AtBeginDocument{\bidi@patch@list}
6378
6379 \bidi@AtEndPreamble{\bidi@patch@list}%
6380
6381 \bidi@AfterEndPreamble{%
6382 \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
6383 \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
6384 \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
6385 \let\bidi@patch@OrgIfClassLater\@ifclasslater
6386 \bidi@patch@list
6387 \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
6388 \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
6389 \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
6390 \let\@ifclasslater\bidi@patch@OrgIfClassLater
6391 }%

```

46 File `bidituftefloat.sty`

```

6392 \NeedsTeXFormat{LaTeX2e}
6393 \ProvidesPackage{bidituftefloat}[2017/05/19 v0.2
6394 bidi implementation of tufte float]
6395 \RequirePackage{xifthen}
6396 \newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
6397 \newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}

```



```

6398 \newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bid
6399 \newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{@bidituftefloat@pkgname}{#1@gobble}}
6400 \newboolean{@bidituftefloat@reversegeometry}
6401 \setboolean{@bidituftefloat@reversegeometry}{false}
6402 \DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
6403 \newboolean{@bidituftefloat@a4paper}
6404 \DeclareOption{a4paper}{\setboolean{@bidituftefloat@a4paper}{true}}
6405 \newboolean{@bidituftefloat@b5paper}
6406 \DeclareOption{b5paper}{\setboolean{@bidituftefloat@b5paper}{true}}
6407 \newboolean{@bidituftefloat@symmetric}
6408 \newboolean{@bidituftefloat@twoside}
6409 \DeclareOption{twoside}{%
6410 \@twoside>true \mparswitchtrue%
6411 \setboolean{@bidituftefloat@twoside}{true}%
6412 \setboolean{@bidituftefloat@symmetric}{true}%
6413 }
6414 \DeclareOption{oneside}{%
6415 \@twosidefalse \mparswitchfalse%
6416 \setboolean{@bidituftefloat@twoside}{false}%
6417 \setboolean{@bidituftefloat@symmetric}{false}%
6418 }
6419 \@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
6420 \newboolean{@bidituftefloat@debug}
6421 \newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodete
6422 \ProcessOptions
6423 %% Globally sets the length
6424 \newcommand*{\gsetlength}[2]{%
6425 \setlength{#1}{#2}%
6426 \global#1=#1\relax%
6427 }
6428
6429 %% Set the font sizes and baselines to match bidituftefloat's books
6430 \renewcommand\normalsize{%
6431 \@setfontsize\normalsize\@xpt{14}%
6432 \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
6433 \abovedisplayshortskip \z@ \@plus3\p@
6434 \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
6435 \belowdisplayskip \abovedisplayskip
6436 \let\@listi\@listI}
6437 \normalbaselineskip=14pt
6438 \normalsize
6439 \renewcommand\footnotesize{%
6440 \@setfontsize\footnotesize\@viipt{10}%
6441 \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
6442 \abovedisplayshortskip \z@ \@plus\p@
6443 \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
6444 \def\@listi{\leftmargin\leftmarginI
6445 \topsep 3\p@ \@plus\p@ \@minus\p@
6446 \parsep 2\p@ \@plus\p@ \@minus\p@
6447 \itemsep \parsep}%
6448 \belowdisplayskip \abovedisplayskip
6449 }
6450 %% Paragraph indentation and separation for marginal text
6451 \newcommand{\@bidituftefloat@margin@par}{%

```



```

6452 \setlength{\RaggedRightParindent}{0.5pc}%
6453 \setlength{\JustifyingParindent}{0.5pc}%
6454 \setlength{\parindent}{0.5pc}%
6455 \setlength{\parskip}{Opt}%
6456 }
6457 \RequirePackage{ragged2e}
6458 \ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
6459 \RequirePackage[letterpaper, right=1in, top=1in, headsep=2\baselineskip, textwidth=26pc, marginpar
6460 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}
6461 {\geometry{a4paper, right=24.8mm, top=27.4mm, headsep=2\baselineskip, textwidth=107mm, marginpar
6462 {}
6463 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
6464 {\geometry{paperwidth=176mm, paperheight=250mm, right=14.66mm, top=13.88mm, textwidth=102.66mm
6465 {}}}{%
6466 \RequirePackage[letterpaper, left=1in, top=1in, headsep=2\baselineskip, textwidth=26pc, marginpar
6467 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}
6468 {\geometry{a4paper, left=24.8mm, top=27.4mm, headsep=2\baselineskip, textwidth=107mm, marginpar
6469 {}
6470 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
6471 {\geometry{paperwidth=176mm, paperheight=250mm, left=14.66mm, top=13.88mm, textwidth=102.66mm,
6472 {}}}
6473 \ifthenelse{\boolean{@bidituftefloat@symmetric}}
6474 {}
6475 {\geometry{asymmetric}}% forces internal LaTeX `twoside'
6476 \setlength\marginparpush{10pt}
6477 %% Font for margin items
6478 \newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
6479 \newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
6480 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
6481 \newcommand{\@bidituftefloat@justification}{\justifying}%
6482 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
6483 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
6484 \newboolean{@bidituftefloat@changepage}
6485 \IfFileExists{changepage.sty}{%
6486 \bidituftefloatDebugInfoNL{Found changepage.sty}
6487 \RequirePackage[strict]{changepage}
6488 \setboolean{@bidituftefloat@changepage}{true}
6489 }{%
6490 \bidituftefloatDebugInfoNL{Found chngpage.sty}
6491 \RequirePackage[strict]{chngpage}
6492 \setboolean{@bidituftefloat@changepage}{false}
6493 }
6494 \newboolean{@bidituftefloat@odd@page}
6495 \setboolean{@bidituftefloat@odd@page}{true}
6496 \newcommand*{\@bidituftefloat@checkoddpage}{%
6497 \checkoddpage%
6498 \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
6499 \ifoddpage%
6500 \setboolean{@bidituftefloat@odd@page}{true}%
6501 \else%
6502 \setboolean{@bidituftefloat@odd@page}{false}%
6503 \fi%
6504 }{%
6505 \ifcpoddpage%

```



```

6506     \setboolean{@biditytfloat@odd@page}{true}%
6507     \else%
6508     \setboolean{@biditytfloat@odd@page}{false}%
6509     \fi%
6510 }%
6511 }
6512 \newlength{@biditytfloat@overhang}% used by the fullwidth environment and the running head
6513 \newlength{@biditytfloat@fullwidth}
6514 \newlength{@biditytfloat@caption@fill}
6515 \newcommand{\biditytfloatRecalculate}{%
6516   \setlength{@biditytfloat@overhang}{\marginparwidth}
6517   \addtolength{@biditytfloat@overhang}{\marginparsep}
6518 }
6519 \setlength{@biditytfloat@fullwidth}{\textwidth}
6520 \addtolength{@biditytfloat@fullwidth}{\marginparsep}
6521 \addtolength{@biditytfloat@fullwidth}{\marginparwidth}
6522 }
6523 \setlength{@biditytfloat@caption@fill}{\textwidth}
6524 \addtolength{@biditytfloat@caption@fill}{\marginparsep}
6525 }
6526 \AtBeginDocument{\biditytfloatRecalculate}
6527 \RequirePackage{optparams}% provides multiple optional arguments for commands
6528 \RequirePackage{placeins}
6529 \newsavebox{@biditytfloat@margin@floatbox}
6530 \newenvironment{@biditytfloat@margin@float}[2][1.2ex]{%
6531   {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order}
6532   \begin{lrbox}{@biditytfloat@margin@floatbox}%
6533   \begin{minipage}{\marginparwidth}%
6534     \@biditytfloat@caption@font%
6535     \def\capttype{#2}%
6536     \hbox{} \vspace*{#1}%
6537     \@biditytfloat@caption@justification%
6538     \@biditytfloat@margin@par%
6539     \noindent%
6540   }
6541   {\end{minipage}}%
6542   \end{lrbox}}%
6543   \marginpar{usebox{@biditytfloat@margin@floatbox}}%
6544 }
6545 \newenvironment{marginfigure}[1][1.2ex]{%
6546   {\begin{@biditytfloat@margin@float}[#1]{figure}}
6547   {\end{@biditytfloat@margin@float}}
6548 \newenvironment{marginfigure}[1][1.2ex]{%
6549   {\begin{@biditytfloat@margin@float}[#1]{table}}
6550   {\end{@biditytfloat@margin@float}}
6551 \newcommand*{@biditytfloat@justification@autodetect}{\justifying}%
6552 }
6553 \newcommand{@biditytfloat@float@debug@info}{}% contains debug info generated as the float is processed
6554 \newcommand{@biditytfloat@float@debug}[1]{% adds debug info to the queue for output
6555   \ifthenelse{equal{@biditytfloat@float@debug@info}}{}}%
6556   {\def@biditytfloat@float@debug@info{#1}}%
6557   {\g@addto@macro@biditytfloat@float@debug@info{\MessageBreak#1}}%
6558 }
6559 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)

```



```

6560 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@biditytfloat@float@debug
6561 \newboolean{@biditytfloat@float@recto}
6562 \newcommand{\forcerectofloat}{\GlobalSetBoolean{@biditytfloat@float@recto}{true}\@bidityt
6563 \newcommand{\forceversofloat}{\GlobalSetBoolean{@biditytfloat@float@recto}{false}\@bidityt
6564 \newsavebox{\@biditytfloat@figure@box}
6565 \newsavebox{\@biditytfloat@caption@box}
6566 \let\@biditytfloat@orig@float\@float
6567 \let\@biditytfloat@orig@endfloat\end@float
6568 \newlength{\@biditytfloat@caption@vertical@offset}
6569 \setlength{\@biditytfloat@caption@vertical@offset}{0pt}
6570 \newcommand{\@biditytfloat@stored@shortcaption}{}
6571 \newcommand{\@biditytfloat@stored@caption}{}
6572 \newcommand{\@biditytfloat@stored@label}{}
6573 \long\def\@biditytfloat@caption[#1][#2]#3{%
6574   \ifthenelse{\isempty{#1}}%
6575     {\gdef\@biditytfloat@stored@shortcaption{#3}}%
6576     {\gdef\@biditytfloat@stored@shortcaption{#1}}%
6577   \gsetlength{\@biditytfloat@caption@vertical@offset}{-#2}% we want a positive offset to l
6578   \gdef\@biditytfloat@stored@caption{#3}%
6579 }
6580 \newcommand{\@biditytfloat@label}[1]{%
6581   \gdef\@biditytfloat@stored@label{#1}%
6582 }
6583 \newcommand{\@biditytfloat@fps}{}
6584 \newboolean{@biditytfloat@float@star}
6585 \newlength{\@biditytfloat@float@contents@width}
6586 \newenvironment{@biditytfloat@float}[3][htbp]%
6587   {% begin @biditytfloat@float
6588     % Should this float be full-width or just text-width?
6589     \ifthenelse{\equal{#3}{star}}%
6590       {\GlobalSetBoolean{@biditytfloat@float@star}{true}}%
6591       {\GlobalSetBoolean{@biditytfloat@float@star}{false}}%
6592     % Check page side (recto/verso) and store detected value -- can be overridden in environm
6593     \@biditytfloat@checkoddpage%
6594     \ifthenelse{\boolean{@biditytfloat@odd@page}}%
6595       {\GlobalSetBoolean{@biditytfloat@float@recto}{true}\@biditytfloat@float@debug{Dete
6596       {\GlobalSetBoolean{@biditytfloat@float@recto}{false}\@biditytfloat@float@debug{Dete
6597     % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages
6598     \renewcommand{\@biditytfloat@fps}{#1}%
6599     \@biditytfloat@float@debug{Allowed positions: [#1]}%
6600     \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
6601       {\renewcommand{\floatalignment}{b}\@biditytfloat@float@debug{Presumed position: [bot
6602       {\renewcommand{\floatalignment}{t}\@biditytfloat@float@debug{Presumed position: [top
6603     % Capture the contents of the \caption and \label commands to use later
6604     \global\let\@biditytfloat@orig@caption\caption%
6605     \global\let\@biditytfloat@orig@label\label%
6606     \renewcommand{\caption}{\optparams{\@biditytfloat@caption}{[ [Opt]}}%
6607     \renewcommand{\label}[1]{\@biditytfloat@label{##1}}%
6608     % Handle subfigure package compatibility
6609     \ifthenelse{\boolean{@biditytfloat@packages@subfigure}}{%
6610       \bidi@patchcmd{\subfigure}{%
6611         \let\subfig@oldlabel=\label
6612       }{%
6613         \let\subfig@oldlabel=\@biditytfloat@orig@label

```



```

6614     }
6615     {}
6616     {}
6617     \let\subtable=\subfigure
6618 }{}% subfigure package is not loaded
6619 \@biditytfloat@orig@float{#2}[#1]%
6620 \ifthenelse{\boolean{@biditytfloat@float@star}}%
6621   {\setlength{@biditytfloat@float@contents@width}{@biditytfloat@fullwidth}}%
6622   {\setlength{@biditytfloat@float@contents@width}{\textwidth}}%
6623 \begin{lrbox}{@biditytfloat@figure@box}%
6624 \begin{minipage}[floatalignment]{@biditytfloat@float@contents@width}\hbox{}%
6625 }{}% end @biditytfloat@float
6626 \par\hbox{}% \vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% a
6627 \end{minipage}%
6628 \end{lrbox}%
6629 % build the caption box
6630 \begin{lrbox}{@biditytfloat@caption@box}%
6631 \begin{minipage}[floatalignment]{\marginparwidth}\hbox{}%
6632   \ifthenelse{\NOT\equal{@biditytfloat@stored@caption}}{@biditytfloat@orig@cap
6633   \ifthenelse{\NOT\equal{@biditytfloat@stored@label}}{@biditytfloat@orig@label
6634   \par\vspace{-\prevdepth}}% TODO: DOUBLE-CHECK FOR SAFETY
6635 \end{minipage}%
6636 \end{lrbox}%
6637 % now typeset the stored boxes
6638 \begin{fullwidth}%
6639 \begin{minipage}[floatalignment]{\linewidth}%
6640   \ifthenelse{\boolean{@biditytfloat@float@star}}%
6641     {@biditytfloat@float@fullwidth[\@biditytfloat@caption@vertical@offset]{@bidi
6642     {@biditytfloat@float@textwidth[\@biditytfloat@caption@vertical@offset]{@bidi
6643   \end{minipage}%
6644 \end{fullwidth}%
6645 \@biditytfloat@orig@endfloat% end original LaTeX float environment
6646 % output debug info
6647 \ifthenelse{\boolean{@biditytfloat@debug}}{}%
6648 \typeout{^^J^^J----- biditytfloat package float information -----}%
6649 \ifthenelse{\equal{@biditytfloat@stored@label}}{}%
6650   {\typeout{Warning: Float unlabeled!}}%
6651   {\typeout{Float label: [\@biditytfloat@stored@label]}}%
6652 \typeout{Page number: [\thepage]}%
6653 \def\MessageBreak{^^J}%
6654 \typeout{@biditytfloat@float@debug@info}%
6655 \ifthenelse{\boolean{@biditytfloat@symmetric}}%
6656   {\typeout{Symmetric: [true]}}%
6657   {\typeout{Symmetric: [false]}}%
6658 \typeout{-----^^J^^J}%
6659 }{}%
6660 % reset commands and temp boxes and captions
6661 \gdef\biditytfloat@float@debug@info{}%
6662 \let\caption\biditytfloat@orig@caption%
6663 \let\label\biditytfloat@orig@label%
6664 \begin{lrbox}{@biditytfloat@figure@box}\hbox{}\end{lrbox}%
6665 \begin{lrbox}{@biditytfloat@caption@box}\hbox{}\end{lrbox}%
6666 \gdef\biditytfloat@stored@shortcaption{}%
6667 \gdef\biditytfloat@stored@caption{}%

```



```

6668 \gdef\@biditytfloat@stored@label{%
6669 \gsetlength{\@biditytfloat@caption@vertical@offset}{0pt}% reset caption offset
6670 }
6671 \newcommand{\@biditytfloat@float@textwidth}[3] [Opt]{%
6672 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}\OR\boolean{@biditytfloat@float@recto}}
6673 % asymmetric or page is odd, so caption is on the right
6674 \hbox{%
6675 \usebox{#2}%
6676 \hspace{\marginparsep}%
6677 \smash{\raisebox{#1}{\usebox{#3}}}%
6678 }
6679 \@biditytfloat@float@debug{Caption position: [right]}%
6680 }{% symmetric pages and page is even, so caption is on the left
6681 \hbox{%
6682 \smash{\raisebox{#1}{\usebox{#3}}}%
6683 \hspace{\marginparsep}%
6684 \usebox{#2}%
6685 }
6686 \@biditytfloat@float@debug{Caption position: [left]}%
6687 }%
6688 }
6689 \newcommand{\@biditytfloat@float@fullwidth}[3] [Opt]{%
6690 \ifthenelse{\equal{\float@alignment}{b}}%
6691 {% place caption above figure
6692 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}\OR\boolean{@biditytfloat@float@recto}}
6693 {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@biditytfloat@float@debug
6694 {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@biditytfloat@float@debug
6695 }% place caption below figure
6696 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}\OR\boolean{@biditytfloat@float@recto}}
6697 {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@biditytfloat@float@debug
6698 {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@biditytfloat@float@debug
6699 }%
6700 }
6701 \renewenvironment{figure}[1] [htbp]%
6702 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{}}
6703 {\end{@biditytfloat@float}}
6704 \renewenvironment{table}[1] [htbp]
6705 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{}}
6706 {\end{@biditytfloat@float}}
6707 \renewenvironment{figure*}[1] [htbp]%
6708 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{star}}
6709 {\end{@biditytfloat@float}}
6710 \renewenvironment{table*}[1] [htbp]%
6711 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{star}}
6712 {\end{@biditytfloat@float}}
6713 \newenvironment{fullwidth}
6714 {\ifthenelse{\boolean{@biditytfloat@symmetric}}%
6715 {\ifthenelse{\boolean{@biditytfloat@change page}}{\begin{adjustwidth*}{- \@biditytfloat@overhang}}%
6716 {\begin{adjustwidth*}{- \@biditytfloat@overhang}}%
6717 }%
6718 {\ifthenelse{\boolean{@biditytfloat@symmetric}}%
6719 {\ifthenelse{\boolean{@biditytfloat@change page}}{\end{adjustwidth*}}{\end{adjustwidth}}%
6720 {\end{adjustwidth}}%
6721 }

```



```

6722 \long\def\@caption#1[#2]#3{%
6723   \par%
6724   \addcontentsline{\csname ext@#1\endcsname}{#1}%
6725     {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
6726   \begingroup%
6727     \@parboxrestore%
6728     \if@minipage%
6729       \setminipage%
6730     \fi%
6731     \@biditytfloat@caption@font\@biditytfloat@caption@justification%
6732     \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
6733     %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
6734   \endgroup}
6735 %%
6736 % Turns newlines into spaces. Based on code from the `titlesec' package.
6737 \DeclareRobustCommand{\@biditytfloat@newlinetospace}{%
6738   \@ifstar{\@biditytfloat@newlinetospace@i}{\@biditytfloat@newlinetospace@i}%
6739 }
6740 \def\@biditytfloat@newlinetospace@i{%
6741   \ifdim\lastskip>\z@ \else\space\fi
6742   \ignorespaces%
6743 }
6744 \DeclareRobustCommand{\newlinetospace}[1]{%
6745   \let\@biditytfloat@orig@cr\\% save the original meaning of \\
6746   \def\\{\@biditytfloat@newlinetospace}% turn \\ and \\* into \space
6747   \let\newline\\% turn \newline into \space
6748   #1%
6749   \let\\ \@biditytfloat@orig@cr% revert to original meaning of \\
6750 }
6751 \RequirePackage{fancyhdr}
6752 \pagestyle{fancy}
6753 \AtBeginDocument{%
6754   \ifthenelse{\boolean{@biditytfloat@symmetric}}
6755     {\fancyhfoffset[LE,RO]{\@biditytfloat@overhang}}
6756     {\fancyhfoffset[RE,RO]{\@biditytfloat@overhang}}
6757 }
6758 % The running heads/feet don't have rules
6759 \renewcommand{\headrulewidth}{0pt}
6760 \renewcommand{\footrulewidth}{0pt}
6761 % The 'fancy' page style is the default style for all pages.
6762 \fancyhf{} % clear header and footer fields
6763   \ifthenelse{\boolean{@biditytfloat@symmetric}}
6764     {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
6765     \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
6766     {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
6767 % The `plain' page style is used on chapter opening pages.
6768 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
6769 % bottom of pages -- the folios are unexpressed.
6770 \fancypagestyle{plain}{
6771   \fancyhf{} % clear header and footer fields
6772   % Uncomment the following five lines of code if you want the opening page
6773   % of the chapter to express the folio in the lower outside corner.
6774   % \ifthenelse{\boolean{@biditytfloat@symmetric}}
6775   %   {\fancyfoot[LE,RO]{\thepage}}

```



```

6776 % {\fancyfoot[RE,R0]{\thepage}}
6777 }
6778 % The `empty' page style suppresses all headers and footers.
6779 % It's used on title pages and `intentionally blank' pages.
6780 \fancypagestyle{empty}{
6781 \fancyhf{} % clear header and footer fields
6782 }
6783 \def\morefloats{% provides a total of 52 floats
6784 \ifthenelse{\isundefined{\bx@S}}{%
6785 \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
6786 \newinsert\bx@S
6787 \newinsert\bx@T
6788 \newinsert\bx@U
6789 \newinsert\bx@V
6790 \newinsert\bx@W
6791 \newinsert\bx@X
6792 \newinsert\bx@Y
6793 \newinsert\bx@Z
6794 \newinsert\bx@a
6795 \newinsert\bx@b
6796 \newinsert\bx@c
6797 \newinsert\bx@d
6798 \newinsert\bx@e
6799 \newinsert\bx@f
6800 \newinsert\bx@g
6801 \newinsert\bx@h
6802 \newinsert\bx@i
6803 \newinsert\bx@j
6804 \newinsert\bx@k
6805 \newinsert\bx@l
6806 \newinsert\bx@m
6807 \newinsert\bx@n
6808 \newinsert\bx@o
6809 \newinsert\bx@p
6810 \newinsert\bx@q
6811 \newinsert\bx@r
6812 \newinsert\bx@s
6813 \newinsert\bx@t
6814 \newinsert\bx@u
6815 \newinsert\bx@v
6816 \newinsert\bx@w
6817 \newinsert\bx@x
6818 \newinsert\bx@y
6819 \newinsert\bx@z
6820 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
6821 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
6822 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
6823 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
6824 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
6825 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
6826 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
6827 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
6828 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
6829 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r

```



```

6830         \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
6831         \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
6832 }{% we've already added another 34 floats, so we'll add 26 more, but that's it!
6833 \ifthenelse{isundefined{\bx@AA}}{t}%
6834 \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
6835 \newinsert\bx@AA
6836 \newinsert\bx@BB
6837 \newinsert\bx@CC
6838 \newinsert\bx@DD
6839 \newinsert\bx@EE
6840 \newinsert\bx@FF
6841 \newinsert\bx@GG
6842 \newinsert\bx@HH
6843 \newinsert\bx@II
6844 \newinsert\bx@JJ
6845 \newinsert\bx@KK
6846 \newinsert\bx@LL
6847 \newinsert\bx@MM
6848 \newinsert\bx@NN
6849 \newinsert\bx@OO
6850 \newinsert\bx@PP
6851 \newinsert\bx@QQ
6852 \newinsert\bx@RR
6853 \newinsert\bx@SS
6854 \newinsert\bx@TT
6855 \newinsert\bx@UU
6856 \newinsert\bx@VV
6857 \newinsert\bx@WW
6858 \newinsert\bx@XX
6859 \newinsert\bx@YY
6860 \newinsert\bx@ZZ
6861 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
6862         \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
6863         \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
6864         \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
6865         \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
6866         \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
6867         \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
6868         \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
6869         \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
6870         \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
6871         \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
6872         \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
6873         \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
6874         \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
6875         \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
6876         \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
6877         \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
6878         \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
6879 }{%
6880 \bidituftefloatError{You may only call \string\morefloats\space twice. See the\Message
6881 {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or
6882 }%
6883 }%

```



```

6884 }
6885 \newboolean{@biditytfloat@packages@subfigure}
6886 \setboolean{@biditytfloat@packages@subfigure}{false}
6887 \AtBeginDocument{%
6888   \@ifpackageloaded{subfigure}
6889     {\GlobalSetBoolean{@biditytfloat@packages@subfigure}{true}}
6890     {\GlobalSetBoolean{@biditytfloat@packages@subfigure}{false}}%
6891 }
6892 \AtBeginDocument{%
6893   \@ifpackageloaded{float}{%
6894     % Save the redefined float environment (instead of the LaTeX float environment)
6895     \let@biditytfloat@orig@float\float
6896     \let@biditytfloat@orig@endfloat\endfloat
6897
6898     % Define Tuftian float styles (with the caption in the margin)
6899     \newcommand{\floatc@biditytfloatplain}[2]{%
6900       \begin{lrbox}{\@biditytfloat@caption@box}%
6901         \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
6902           \@biditytfloat@caption@font{\@fs@cfont #1:} #2\par%
6903         \end{minipage}%
6904       \end{lrbox}%
6905       \smash{\hspace{\@biditytfloat@caption@fill}}\usebox{\@biditytfloat@caption@box}}%
6906   }
6907   \newcommand{\fs@biditytfloatplain}{%
6908     \def\@fs@cfont{\@biditytfloat@caption@font}%
6909     \let\@fs@capt\floatc@biditytfloatplain%
6910     \def\@fs@pre{}%
6911     \def\@fs@post{}%
6912     \def\@fs@mid{}%
6913     \let\@fs@iftopcapt\iftrue%
6914   }
6915   \let\fs@biditytfloatplaintop=\fs@biditytfloatplain
6916   \let\floatc@biditytfloatplaintop=\floatc@biditytfloatplain
6917   \newcommand\floatc@biditytfloatruled[2]{%
6918     {\@fs@cfont #1} #2\par%
6919   }
6920   \newcommand\fs@biditytfloatruled{%
6921     \def\@fs@cfont{\@biditytfloat@caption@font}%
6922     \let\@fs@capt\floatc@biditytfloatplain%
6923     \def\@fs@pre{\hrule height .8pt depth 0pt width \textwidth \kern 2pt}%
6924     \def\@fs@post{\kern 2pt\hrule width \textwidth \relax}%
6925     \def\@fs@mid{}%
6926     \let\@fs@iftopcapt\iftrue%
6927   }
6928   \newcommand\fs@biditytfloatboxed{%
6929     \def\@fs@cfont{}%
6930     \let\@fs@capt\floatc@biditytfloatplain%
6931     \def\@fs@pre{%
6932       \setbox\@currbox\ vbox{\hbadness 10000
6933         \moveleft 3.4pt\ vbox{\advance\hsize by 6.8pt
6934           \hrule \hbox to \hsize{\vrule\kern 3pt
6935             \vbox{\kern 3pt\ box\@currbox\kern 3pt}\kern 3pt\vrule}\hrule}}
6936     }%
6937     \def\@fs@mid{\kern 2pt}%

```



```

6938     \def\@fs@post{ }%
6939     \let\@fs@iftopcapt\iftrue%
6940   }
6941 }{%
6942   % Nothing to do
6943 }
6944 }
6945 \AtBeginDocument{%
6946   \ifpackageloaded{algorithm}{%
6947     % Set the float style to the Tuftian version
6948     \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@floatstyle}{list}}{\@fs@post}{%
6949       \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak to \ALG@floatstyle}%
6950       \floatstyle{\bidituftefloat\ALG@floatstyle}%
6951       \restylefloat{algorithm}%
6952     }{}%
6953 }{%
6954   % Nothing to do
6955 }
6956 }
6957 \PassOptionsToPackage{caption=false}{subfig}

```

47 File bidituftesidenote.sty

```

6958 \NeedsTeXFormat{LaTeX2e}
6959 \ProvidesPackage{bidituftesidenote}[2017/08/09 v0.4
6960 bidi implementation of tufte sidenote]
6961 \RequirePackage{xifthen}
6962 \RequirePackage{ragged2e}
6963 \RequirePackage{setspace}
6964 \RequirePackage{biditools}
6965 \def\bidituftesidenotemarginpar{%
6966   \ifhmode
6967     \@bsphack
6968     \@floatpenalty -\@Mii
6969   \else
6970     \@floatpenalty -\@Miii
6971   \fi
6972   \ifinner
6973     \@parmoderr
6974     \@floatpenalty \z@
6975   \else
6976     \@next\@currbox\@freelist{}{}%
6977     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
6978     {\@floatpenalty\z@
6979       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
6980   \fi
6981   \@ifnextchar [\@bidituftesidenotexmpar\@bidituftesidenoteympar}
6982 \long\def\@bidituftesidenotexmpar[#1]#2{%
6983   \@bidituftesidenotesavemarbox\@marbox{#1}%
6984   \@bidituftesidenotesavemarbox\@currbox{#2}%
6985   \@xympar}
6986 \long\def\@bidituftesidenoteympar#1{%
6987   \@bidituftesidenotesavemarbox\@marbox{#1}%
6988   \global\setbox\@currbox\copy\@marbox

```



```

6989 \@xympar}
6990 \long\def \@bidityftesidenotesavemarbox #1#2{%
6991 \global\setbox #1%
6992 \color@vbox
6993 \vtop{%
6994 \hsize\marginparwidth
6995 \@parboxrestore
6996 \@bidityftesidenotemarginparreset
6997 #2%
6998 \@minipagefalse
6999 \outer@nobreak
7000 }%
7001 \color@endbox
7002 }
7003 \def \@bidityftesidenotemarginparreset {%
7004 \reset@font
7005 \normalsize
7006 \@minipagetrue
7007 \everypar{\@minipagefalse\everypar{}}\if@RTL@footnote\beginR\else\beginL\fi}%
7008 }
7009 \def \LTRbidityftesidenotemarginpar{%
7010 \ifhmode
7011 \bsphack
7012 \@floatpenalty -\@Mii
7013 \else
7014 \@floatpenalty-\@Miii
7015 \fi
7016 \ifinner
7017 \@parmoderr
7018 \@floatpenalty\z@
7019 \else
7020 \@next\@currbox\@freelist{}{}%
7021 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7022 {\@floatpenalty\z@
7023 \fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7024 \fi
7025 \@ifnextchar [\@LTRbidityftesidenotexmpar\@LTRbidityftesidenoteympar}
7026 \long\def \@LTRbidityftesidenotexmpar[#1]#2{%
7027 \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
7028 \@LTRbidityftesidenotesavemarbox\@currbox{#2}%
7029 \@xympar}
7030 \long\def \@LTRbidityftesidenoteympar#1{%
7031 \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
7032 \global\setbox\@currbox\copy\@marbox
7033 \@xympar}
7034 \long\def \@LTRbidityftesidenotesavemarbox #1#2{%
7035 \global\setbox #1%
7036 \color@vbox
7037 \vtop{%
7038 \hsize\marginparwidth
7039 \@parboxrestore
7040 \@LTRbidityftesidenotemarginparreset
7041 #2%
7042 \@minipagefalse

```



```

7043     \outer@nobreak
7044     }%
7045     \color@endbox
7046 }
7047 \def \LTRbidityftesidenotemarginparreset {%
7048     \reset@font
7049     \normalsize
7050     \@minipagetrue
7051     \everypar{\@minipagefalse\everypar}\beginL}%
7052 }
7053 \def \RTLbidityftesidenotemarginpar{%
7054     \ifhmode
7055         \bsphack
7056         \@floatpenalty -\@Mii
7057     \else
7058         \@floatpenalty-\@Miii
7059     \fi
7060     \ifinner
7061         \@parmoderr
7062         \@floatpenalty\z@
7063     \else
7064         \@next\@currbox\@freelist{}{}%
7065         \@next\@marbox\@freelist{\global\count\@marbox\@mone}%
7066         {\@floatpenalty\z@
7067         \fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7068     \fi
7069     \@ifnextchar [\@RTLbidityftesidenotexmpar\@RTLbidityftesidenoteympar]
7070 \long\def \@RTLbidityftesidenotexmpar[#1]#2{%
7071     \@RTLbidityftesidenotesavemarbox\@marbox{#1}%
7072     \@RTLbidityftesidenotesavemarbox\@currbox{#2}%
7073     \@xympar}
7074 \long\def \@RTLbidityftesidenoteympar#1{%
7075     \@RTLbidityftesidenotesavemarbox\@marbox{#1}%
7076     \global\setbox\@currbox\copy\@marbox
7077     \@xympar}
7078 \long\def \@RTLbidityftesidenotesavemarbox #1#2{%
7079     \global\setbox #1%
7080         \color@vbox
7081         \vtop{%
7082             \hsize\marginparwidth
7083             \@parboxrestore
7084             \@RTLbidityftesidenotemarginparreset
7085             #2%
7086             \@minipagefalse
7087             \outer@nobreak
7088             }%
7089     \color@endbox
7090 }
7091 \def \@RTLbidityftesidenotemarginparreset {%
7092     \reset@font
7093     \normalsize
7094     \@minipagetrue
7095     \everypar{\@minipagefalse\everypar}\beginR}%
7096 }

```



```

7097 \newcommand*{\@bidityftesidenote@marginfont}{\normalfont\footnotesize}
7098 \newcommand*{\@bidityftesidenote@LTRmarginfont}{\normalfont\footnotesize}
7099 \newcommand*{\@bidityftesidenote@RTLmarginfont}{\normalfont\footnotesize}
7100 \newcommand*{\@bidityftesidenote@sidenote@font}{\@bidityftesidenote@marginfont}
7101 \newcommand*{\@bidityftesidenote@LTRsidenote@font}{\@bidityftesidenote@LTRmarginfont}
7102 \newcommand*{\@bidityftesidenote@RTLSidenote@font}{\@bidityftesidenote@RTLmarginfont}
7103 \newcommand*{\@bidityftesidenote@marginnote@font}{\@bidityftesidenote@marginfont}
7104 \newcommand*{\@bidityftesidenote@LTRmarginnote@font}{\@bidityftesidenote@LTRmarginfont}
7105 \newcommand*{\@bidityftesidenote@RTLmarginnote@font}{\@bidityftesidenote@RTLmarginfont}
7106 \newcommand*{\@bidityftesidenote@citation@font}{\@bidityftesidenote@marginfont}
7107 \newcommand*{\@bidityftesidenote@LTRcitation@font}{\@bidityftesidenote@LTRmarginfont}
7108 \newcommand*{\@bidityftesidenote@RTLCitation@font}{\@bidityftesidenote@RTLmarginfont}
7109 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidityftesidenote@sidenote@font}{#1}}
7110 \newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidityftesidenote@LTRsidenote@font}{#1}}
7111 \newcommand*{\setRTLSidenotefont}[1]{\renewcommand*{\@bidityftesidenote@RTLSidenote@font}{#1}}
7112 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@marginnote@font}{#1}}
7113 \newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@LTRmarginnote@font}{#1}}
7114 \newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@RTLmarginnote@font}{#1}}
7115 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidityftesidenote@citation@font}{#1}}
7116 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidityftesidenote@LTRcitation@font}{#1}}
7117 \newcommand*{\setRTLCitationfont}[1]{\renewcommand*{\@bidityftesidenote@RTLCitation@font}{#1}}
7118 \newcommand*{\@bidityftesidenote@sidenote@justification}{\@bidityftesidenote@justification@margin}
7119 \newcommand*{\@bidityftesidenote@marginnote@justification}{\@bidityftesidenote@justification@margin}
7120 \newcommand*{\@bidityftesidenote@citation@justification}{\@bidityftesidenote@justification@margin}
7121 \newcommand*{\@bidityftesidenote@justification@autodetect}{\justifying}%
7122 \newcommand{\@bidityftesidenote@margin@par}{%
7123   \setlength{\RaggedRightParindent}{0.5pc}%
7124   \setlength{\JustifyingParindent}{0.5pc}%
7125   \setlength{\parindent}{0.5pc}%
7126   \setlength{\parskip}{Opt}%
7127 }
7128 %%
7129 % Globally sets the length
7130 \@ifundefined{gsetlength}{%
7131 \newcommand*{gsetlength}[2]{%
7132   \setlength{#1}{#2}%
7133   \global#1=#1\relax%
7134 }%
7135 }{}
7136
7137 %%
7138 % A function that removes leading and trailing spaces from the supplied macro.
7139 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
7140 % Executing \@bidityftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
7141 % being trimmed of leading and trailing white space.
7142 \catcode`\Q=3
7143 \def\@bidityftesidenote@trim@spaces#1{%
7144   % Use grouping to emulate a multi-token afterassignment queue
7145   \beginngroup%
7146   % Put ``\toks 0 {' into the afterassignment queue
7147   \aftergroup\toks\aftergroup0\aftergroup{%
7148   % Apply \trimb to the replacement text of #1, adding a leading
7149   % \noexpand to prevent brace stripping and to serve another purpose
7150   % later.

```



```

7151 \expandafter\@bidityftesidenote@trim@b\expandafter\noexpand#1Q Q}%
7152 % Transfer the trimmed text back into #1.
7153 \edef#1{\the\toks0}%
7154 }
7155 % \trimb removes a trailing space if present, then calls \@bidityftesidenote@trim@c to
7156 % clean up any leftover bizarre Qs, and trim a leading space. In
7157 % order for \trimc to work properly we need to put back a Q first.
7158 \def\@bidityftesidenote@trim@b#1 Q{\@bidityftesidenote@trim@c#1Q}
7159 % Execute \vfuzz assignment to remove leading space; the \noexpand
7160 % will now prevent unwanted expansion of a macro or other expandable
7161 % token at the beginning of the trimmed text. The \endgroup will feed
7162 % in the \aftergroup tokens after the \vfuzz assignment is completed.
7163 \def\@bidityftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
7164 \catcode\Q=11
7165 %%
7166 % Citations should go in the margin as sidenotes
7167
7168 \RequirePackage{natbib}
7169 \RequirePackage{bibentry} % allows bibitems to be typeset outside thebibliography env
7170 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
7171 \renewcommand\BR@b@bibitem[2] [] {%
7172 \ifthenelse{\isempty{#1}}{%
7173 {\BR@bibitem{#2}}%
7174 {\BR@bibitem[#1]{#2}}%
7175 \BR@c@bibitem{#2}}%
7176 }
7177 \bidi@AtEndPreamble{\nobibliography*} % pre-loads the bibliography keys
7178 %%
7179 % Normal \cite behavior
7180 \newcounter{@bidityftesidenote@num@bibkeys}%
7181 \newcommand{\@bidityftesidenote@normal@cite}[2] [Opt] {%
7182 % Snag the last bibentry in the list for later comparison
7183 \let\@temp@last@bibkey\@empty%
7184 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
7185 \sidenote[] [#1] {%
7186 % Loop through all the bibentries, separating them with semicolons and spaces
7187 \normalsize\normalfont\@bidityftesidenote@citation@font%
7188 \setcounter{@bidityftesidenote@num@bibkeys}{0}%
7189 \@for\@temp@bibkeyx:=#2\do{%
7190 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
7191 {\ifthenelse{\equal{\value{@bidityftesidenote@num@bibkeys}}{0}}{-}{and\ }}%
7192 \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7193 \bibentry{\@temp@bibkeyx}}%
7194 {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7195 \bibentry{\@temp@bibkeyx};\ }%
7196 \stepcounter{@bidityftesidenote@num@bibkeys}%
7197 }%
7198 }%
7199 }
7200 \newcommand{\@bidityftelTRSidenote@normal@cite}[2] [Opt] {%
7201 % Snag the last bibentry in the list for later comparison
7202 \let\@temp@last@bibkey\@empty%
7203 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
7204 \LTRsidenote[] [#1] {%

```



```

7205 % Loop through all the bibentries, separating them with semicolons and spaces
7206 \normalsize\normalfont\@bidityftesidenote@LTRcitation@font%
7207 \setcounter{@bidityftesidenote@num@bibkeys}{0}%
7208 \@for\@temp@bibkeyx:=#2\do{%
7209   \ifthenelse{equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
7210     {\ifthenelse{equal{value{@bidityftesidenote@num@bibkeys}}{0}}{and\ }%
7211     \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7212     \bibentry{\@temp@bibkeyx}}%
7213     {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7214     \bibentry{\@temp@bibkeyx};\ }%
7215   \stepcounter{@bidityftesidenote@num@bibkeys}%
7216   }%
7217 }%
7218 }
7219 \newcommand{\@bidityfteRTLsidenote@normal@cite}[2][Opt]{%
7220 % Snag the last bibentry in the list for later comparison
7221 \let\@temp@last@bibkey\@empty%
7222 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
7223 \RTLsidenote[#1]{%
7224 % Loop through all the bibentries, separating them with semicolons and spaces
7225 \normalsize\normalfont\@bidityftesidenote@citation@font%
7226 \setcounter{@bidityftesidenote@num@bibkeys}{0}%
7227 \@for\@temp@bibkeyx:=#2\do{%
7228   \ifthenelse{equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
7229     {\ifthenelse{equal{value{@bidityftesidenote@num@bibkeys}}{0}}{and\ }%
7230     \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7231     \bibentry{\@temp@bibkeyx}}%
7232     {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7233     \bibentry{\@temp@bibkeyx};\ }%
7234   \stepcounter{@bidityftesidenote@num@bibkeys}%
7235   }%
7236 }%
7237 }
7238 %%
7239 % Macros for holding the list of cite keys until after the \sidenote
7240 \gdef\@bidityftesidenote@citations{}% list of cite keys
7241 \newcommand\@bidityftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
7242 \ifx\@bidityftesidenote@citations\@empty\else
7243   \g@addto@macro\@bidityftesidenote@citations{,%} separate by commas
7244 \fi
7245 \g@addto@macro\@bidityftesidenote@citations{#1}
7246 }
7247 \newcommand{\@bidityftesidenote@print@citations}[1][Opt]{% puts the citations in a margin
7248 % Snag the last bibentry in the list for later comparison
7249 \let\@temp@last@bibkey\@empty%
7250 \@for\@temp@bibkey:=\@bidityftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
7251 \marginpar{%
7252   \hbox{\vspace*{#1}}%
7253   \@bidityftesidenote@citation@font%
7254   \@bidityftesidenote@citation@justification%
7255   \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
7256   \vspace*{-1\baselineskip}}%
7257 % Loop through all the bibentries, separating them with semicolons and spaces
7258 \setcounter{@bidityftesidenote@num@bibkeys}{0}%

```



```

7259 \for\@temp@bibkeyx:=\@bidityftesidenote@citations\do{%
7260 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
7261   {\ifthenelse{\equal{\value{\@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
7262     \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7263     \bibentry{\@temp@bibkeyx}}%
7264     {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7265     \bibentry{\@temp@bibkeyx};\ }%
7266     \stepcounter{\@bidityftesidenote@num@bibkeys}%
7267   }%
7268 }%
7269 }
7270 %%
7271 % \cite behavior when executed within a sidenote
7272 \newcommand{\@bidityftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
7273 \newcommand{\@bidityftesidenote@infootnote@cite}[1]{%
7274   \@bidityftesidenote@add@citation{#1}
7275 }
7276 %%
7277 % Set the default \cite style. This is set and reset by the \sidenote command.
7278 \let\cite\@bidityftesidenote@normal@cite
7279 \let\LTRcite\@bidityftesidenote@normal@cite
7280 \let\RTLcite\@bidityftesidenote@normal@cite
7281 %%
7282 % Transform existing \footnotes into \sidenotes
7283 % Sidenote: ``Where God meant footnotes to go.''' ---bidityftesidenote
7284 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional argu
7285 \providecommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote
7286 \renewcommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote
7287 % Override footmisc's definition to set the sidenote marks (numbers) inside the
7288 % sidenote's text block.
7289 \bidi@patch@AfterPackage{bidi}{\long\def\@makefnmark#1{\@textsuperscript{\@bidityftesidenote
7290 % Set the in-text footnote mark in the same typeface as the body text itself.
7291 \bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnote
7292 \providecommand*\multiplefootnotemarker}{3sp}
7293 \providecommand*\multfootsep}{,}
7294 \bidi@patch@AfterPackage{bidi}{%
7295 \renewcommand{\@footnotemark}{%
7296   \leavevmode%
7297   \ifhmode%
7298     \edef\@x@sf{\the\spacefactor}%
7299     \@bidityftesidenote@check@multiple@sidenotes%
7300     \nobreak%
7301     \fi%
7302     \@makefnmark%
7303     \ifhmode\spacefactor\@x@sf\fi%
7304     \relax%
7305 }%
7306 }
7307 \newcommand{\@bidityftesidenote@check@multiple@sidenotes}{%
7308   \ifdim\lastkern=\multiplefootnotemarker\relax%
7309     \edef\@x@sf{\the\spacefactor}%
7310     \unkern%
7311     \textsuperscript{\multfootsep}%
7312     \spacefactor\@x@sf\relax%

```



```

7313 \fi
7314 }
7315 \bidi@patch@AfterPackage{bidi}{%
7316 \renewcommand\@footnotetext[2][Opt]{%
7317 \bidityftesidenotemarginpar{%
7318 \hbox{ }\vspace*{#1}%
7319 \def\baselinestretch {\setspaces@spacespace}%
7320 \reset@font%
7321 \bidi@@footnotetext@font% \reset@font\footnotesize%
7322 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
7323 \vspace*{-1\baselineskip}\noindent%
7324 \protected@edef\@currentlabel{%
7325 \csname p@footnote\endcsname\@thefnmark%
7326 }%
7327 \color@begingroup%
7328 \@makefntext{%
7329 \ignorespaces#2%
7330 }%
7331 \color@endgroup%
7332 }%
7333 }%
7334 \renewcommand\@LTRfootnotetext[2][Opt]{%
7335 \LTRbidityftesidenotemarginpar{%
7336 \hbox{ }\vspace*{#1}%
7337 \def\baselinestretch {\setspaces@spacespace}%
7338 \reset@font%
7339 \bidi@@LTRfootnotetext@font% \reset@font\footnotesize%
7340 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
7341 \vspace*{-1\baselineskip}\noindent%
7342 \protected@edef\@currentlabel{%
7343 \csname p@footnote\endcsname\@thefnmark%
7344 }%
7345 \color@begingroup%
7346 \@makefntext{%
7347 \ignorespaces#2%
7348 }%
7349 \color@endgroup%
7350 }%
7351 }%
7352 \renewcommand\@RTLfootnotetext[2][Opt]{%
7353 \RTLbidityftesidenotemarginpar{%
7354 \hbox{ }\vspace*{#1}%
7355 \def\baselinestretch {\setspaces@spacespace}%
7356 \reset@font%
7357 \bidi@@RTLfootnotetext@font% \reset@font\footnotesize%
7358 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
7359 \vspace*{-1\baselineskip}\noindent%
7360 \protected@edef\@currentlabel{%
7361 \csname p@footnote\endcsname\@thefnmark%
7362 }%
7363 \color@begingroup%
7364 \@makefntext{%
7365 \ignorespaces#2%
7366 }%

```



```

7367 \color@endgroup%
7368 }%
7369 }%
7370 }
7371 %
7372 % Define \sidenote command. Can handle \cite.
7373 \newlength{\@bidityftesidenote@sidenote@vertical@offset}
7374 \setlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}
7375 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
7376 \long\def\@bidityftesidenote@sidenote[#1][#2]#3{%
7377 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
7378 \gdef\@bidityftesidenote@citations{}% clear out any old citations
7379 \ifthenelse{\NOT\isempty{#2}}{%
7380 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
7381 }{%
7382 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
7383 }%
7384 \ifthenelse{\isempty{#1}}{%
7385 % no specific footnote number provided
7386 \stepcounter\@mpfn%
7387 \protected@xdef\@thefnmark{\thempfn}%
7388 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
7389 }{%
7390 % specific footnote number provided
7391 \begingroup%
7392 \csname c@\@mpfn\endcsname #1\relax%
7393 \unrestored@protected@xdef\@thefnmark{\thempfn}%
7394 \endgroup%
7395 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
7396 }%
7397 \@bidityftesidenote@print@citations% print any citations
7398 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite comm
7399 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
7400 \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTL
7401 \unskip\ignorespaces% remove extra white space
7402 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
7403 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
7404 }
7405 \long\def\@LTRbidityftesidenote@sidenote[#1][#2]#3{%
7406 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
7407 \gdef\@bidityftesidenote@citations{}% clear out any old citations
7408 \ifthenelse{\NOT\isempty{#2}}{%
7409 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
7410 }{%
7411 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
7412 }%
7413 \ifthenelse{\isempty{#1}}{%
7414 % no specific footnote number provided
7415 \stepcounter\@mpfn%
7416 \protected@xdef\@thefnmark{\thempfn}%
7417 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
7418 }{%
7419 % specific footnote number provided
7420 \begingroup%

```



```

7421     \csname c@\mpfn\endcsname #1\relax%
7422     \unrestored@protected@xdef\@thefnmark{\thempfn}%
7423     \endgroup%
7424     \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
7425 }%
7426 \@bidityftesidenote@print@citations%           print any citations
7427 \let\cite\@bidityftesidenote@normal@cite%       go back to using normal in-text \cite comm
7428 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
7429 \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTL
7430 \unskip\ignorespaces%                          remove extra white space
7431 \kern-\multiplefootnotemarker%                 remove \kern left behind by sidenote
7432 \kern\multiplefootnotemarker\relax%            add new \kern here to replace the one we yanked
7433 }
7434 \long\def\@RTLbidityftesidenote@sidenote[#1][#2]#3{%
7435   \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
7436   \gdef\@bidityftesidenote@citations{}%        clear out any old citations
7437   \ifthenelse{\NOT\isempty{#2}}{%
7438     \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
7439   }{%
7440     \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
7441   }%
7442   \ifthenelse{\isempty{#1}}{%
7443     % no specific footnote number provided
7444     \stepcounter\mpfn%
7445     \protected@xdef\@thefnmark{\thempfn}%
7446     \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
7447   }{%
7448     % specific footnote number provided
7449     \begingroup%
7450       \csname c@\mpfn\endcsname #1\relax%
7451       \unrestored@protected@xdef\@thefnmark{\thempfn}%
7452       \endgroup%
7453       \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
7454     }%
7455     \@bidityftesidenote@print@citations%           print any citations
7456     \let\cite\@bidityftesidenote@normal@cite%       go back to using normal in-text \cite comm
7457     \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
7458     \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTL
7459     \unskip\ignorespaces%                          remove extra white space
7460     \kern-\multiplefootnotemarker%                 remove \kern left behind by sidenote
7461     \kern\multiplefootnotemarker\relax%            add new \kern here to replace the one we yanked
7462   }
7463 \newcommand{\sidenote}{\optparams{\@bidityftesidenote@sidenote}{[ ] [Opt]}}
7464 \newcommand{\LTRsidenote}{\optparams{\@LTRbidityftesidenote@sidenote}{[ ] [Opt]}}
7465 \newcommand{\RTLSidenote}{\optparams{\@RTLbidityftesidenote@sidenote}{[ ] [Opt]}}
7466 \bidi@patch@AfterPackage{bidi}{%
7467 \renewcommand{\footnote}{\optparams{\@bidityftesidenote@sidenote}{[ ] [Opt]}}%
7468 \renewcommand{\LTRfootnote}{\optparams{\@LTRbidityftesidenote@sidenote}{[ ] [Opt]}}%
7469 \renewcommand{\RTLfootnote}{\optparams{\@RTLbidityftesidenote@sidenote}{[ ] [Opt]}}%
7470 }
7471 %%
7472 % Sidenote without the footnote mark
7473 \newcommand\marginnote[2] [Opt] {%
7474   \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command

```



```

7475 \gdef\@bidityftesidenote@citations{%          clear out any old citations
7476 \bidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidityft
7477 \@bidityftesidenote@print@citations%          print any citations
7478 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comm
7479 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
7480 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
7481 }
7482 \newcommand\LTRmarginnote[2][Opt]{%
7483 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
7484 \gdef\@bidityftesidenote@citations{%          clear out any old citations
7485 \LTRbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@LTRmarginnote@font\@
7486 \@bidityftesidenote@print@citations%          print any citations
7487 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comm
7488 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
7489 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
7490 }
7491 \newcommand\RTLmarginnote[2][Opt]{%
7492 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
7493 \gdef\@bidityftesidenote@citations{%          clear out any old citations
7494 \RTLbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@RTLmarginnote@font\@
7495 \@bidityftesidenote@print@citations%          print any citations
7496 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comm
7497 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
7498 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
7499 }

```

48 File bidityftetoc.sty

```

7500 \NeedsTeXFormat{LaTeX2e}
7501 \ProvidesPackage{bidityftetoc}[2011/06/17 v0.1
7502 bidi implementation of tufte toc]
7503 \RequirePackage{titlesec,titletoc,xifthen,biditytools}
7504 \newcommand{\@bidityftetoc@pkgname}{bidityftetoc}
7505 \newcommand{\@bidityftetocError}[2]{\PackageError{\@bidityftetoc@pkgname}{#1}{#2}}
7506 %%
7507 % Turn off section numbering
7508 \setcounter{secnumdepth}{-1}
7509 \newboolean{@bidityftetoc@toc}
7510 \setboolean{@bidityftetoc@toc}{true}
7511 \DeclareOption{notoc}{\setboolean{@bidityftetoc@toc}{false}}
7512 \DeclareOption{toc}{\setboolean{@bidityftetoc@toc}{true}}
7513 \ProcessOptions
7514 %%
7515 % Make Tufte-style section headings and TOC formatting
7516 \bidi@patch@AfterPackage{bidi}{%
7517 \titleformat{chapter}%
7518 [display]% shape
7519 {\relax\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\begin{fullwidth}}{}}% format
7520 {\itshape\huge\thechapter}% label
7521 {Opt}% horizontal separation between label and title body
7522 {\huge\rmfamily\itshape}% before the title body
7523 [\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\end{fullwidth}}{}}% after the title
7524 \titleformat{\section}%
7525 [hang]% shape

```



```

7526 {\normalfont\Large\itshape}% format applied to label+text
7527 {\thesection}% label
7528 {1em}% horizontal separation between label and title body
7529 {}% before the title body
7530 []% after the title body
7531 \titleformat{\subsection}%
7532 [hang]% shape
7533 {\normalfont\large\itshape}% format applied to label+text
7534 {\thesubsection}% label
7535 {1em}% horizontal separation between label and title body
7536 {}% before the title body
7537 []% after the title body
7538 \titleformat{\paragraph}%
7539 [runin]% shape
7540 {\normalfont\itshape}% format applied to label+text
7541 {\theparagraph}% label
7542 {1em}% horizontal separation between label and title body
7543 {}% before the title body
7544 []% after the title body
7545 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
7546 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
7547 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus.2ex}
7548 }
7549 % Subsubsection and following section headings shouldn't be used.
7550 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
7551 \renewcommand\subsubsection{%
7552 \bidityftetocError{\noexpand\subsubsection is undefined by this class.%
7553 \MessageBreak See Robert Bringhurst's _The Elements of
7554 \MessageBreak Typographic Style_, section 4.2.2.
7555 \MessageBreak \noexpand\subsubsection was used}
7556 {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
7557 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
7558 \MessageBreak related threads on Ask E.T. at http://www.edwardbidityftetoc.com/.}
7559 }
7560 \renewcommand\subparagraph{%
7561 \bidityftetocError{\noexpand\subparagraph is undefined by this class.%
7562 \MessageBreak See Robert Bringhurst's _The Elements of
7563 \MessageBreak Typographic Style_, section 4.2.2.
7564 \MessageBreak \noexpand\subparagraph was used}
7565 {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
7566 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
7567 \MessageBreak related threads on Ask E.T. at http://www.edwardbidityftetoc.com/.}
7568 }
7569 % Formatting for main TOC (printed in front matter)
7570 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
7571 \ifthenelse{\boolean{@bidityftetoc@toc}}{%
7572 \bidi@patch@AfterPackage{bidi}{%
7573 \titlecontents{part}% FIXME
7574 [0em] % distance from left margin
7575 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
7576 {\contentslabel{2em}} % before w/label (label = ``II'')
7577 {} % before w/o label
7578 {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
7579 [\end{fullwidth}] % after

```



```

7580 \titlecontents{chapter}%
7581 [0em] % distance from left margin
7582 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format)
7583 {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
7584 {\hspace*{0em}} % before w/o label
7585 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
7586 [\end{fullwidth}] % after
7587 \titlecontents{section}% FIXME
7588 [0em] % distance from left margin
7589 {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format)
7590 {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
7591 {\hspace*{2em}} % before w/o label
7592 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
7593 [\end{fullwidth}] % after
7594 \titlecontents{subsection}% FIXME
7595 [0em] % distance from left margin
7596 {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format)
7597 {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
7598 {\hspace*{4em}} % before w/o label
7599 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
7600 [\end{fullwidth}] % after
7601 \titlecontents{paragraph}% FIXME
7602 [0em] % distance from left margin
7603 {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global format)
7604 {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
7605 {\hspace*{6em}} % before w/o label
7606 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
7607 [\end{fullwidth}] % after
7608 }%
7609 }{}
7610 %%
7611 % Format lists of figures/tables
7612 \renewcommand\listoffigures{%
7613 \ifundefined{chapter}%
7614 {\section*{\listfigurename}}%
7615 {\chapter*{\listfigurename}}%
7616 % \begin{fullwidth}%
7617 % \starttoc{lof}%
7618 % \end{fullwidth}%
7619 }
7620 \renewcommand\listoftables{%
7621 \ifundefined{chapter}%
7622 {\section*{\listtablename}}%
7623 {\chapter*{\listtablename}}%
7624 % \begin{fullwidth}%
7625 % \starttoc{lot}%
7626 % \end{fullwidth}%
7627 }
7628 \newcommand{\@biditytetoc@lof@line}[2]{%
7629 % #1 is the figure/table number and its caption text
7630 % #2 is the page number on which the figure/table appears
7631 \leftskip 0.0em
7632 \rightskip 0em
7633 \parfillskip 0em plus 1fil

```



```

7634 \parindent 0.0em
7635 \@afterindenttrue
7636 \interlinepenalty\@M
7637 \leavevmode
7638 \@tempdima 2.0em
7639 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
7640 \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
7641 {#1}\nobreak\quad\nobreak#2%
7642 \par%
7643 }
7644 \renewcommand*\l@figure{\@bidiuftetoc@lof@line}
7645 \let\l@table\l@figure

```

49 File `bidituftegeneralstructure.sty`

```

7646 \NeedsTeXFormat{LaTeX2e}
7647 \ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
7648 bidi implementation of tufte general structure]
7649 \renewcommand\small{%
7650   \@setfontsize\small\@ixpt{12}%
7651   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
7652   \abovedisplayshortskip \z@ \@plus2\p@
7653   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
7654   \def\@listi{\leftmargin\leftmargini
7655             \topsep 4\p@ \@plus2\p@ \@minus2\p@
7656             \parsep 2\p@ \@plus\p@ \@minus\p@
7657             \itemsep \parsep}%
7658   \belowdisplayskip \abovedisplayskip
7659 }
7660 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viipt}
7661 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vpt}
7662 \renewcommand\large{\@setfontsize\large\@xipt{15}}
7663 \renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
7664 \renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
7665 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
7666 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
7667 \setlength\leftmargini {1pc}
7668 \setlength\leftmarginii {1pc}
7669 \setlength\leftmarginiii {1pc}
7670 \setlength\leftmarginiv {1pc}
7671 \setlength\leftmarginv {1pc}
7672 \setlength\leftmarginvi {1pc}
7673 \setlength\labelsep {0.5pc}
7674 \setlength\labelwidth {\leftmargini}
7675 \addtolength\labelwidth{-\labelsep}
7676 \setlength{\parindent}{1.0pc}%
7677 \setlength{\parskip}{0pt}%
7678 \RequirePackage{ragged2e}
7679 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
7680 % Paragraph indentation and separation for normal text
7681 \newcommand{\@bidiuftegeneralstructure@reset@par}{%
7682   \setlength{\RaggedRightParindent}{1.0pc}%
7683   \setlength{\JustifyingParindent}{1.0pc}%
7684   \setlength{\parindent}{1pc}%

```



```

7685 \setlength{\parskip}{0pt}%
7686 }
7687 \@bidityftegeneralstructure@reset@par
7688 % Require paralist package for tighter lists
7689 \RequirePackage{paralist}
7690 % Add rightmargin to compactenum
7691 \def\@compactenum@{%
7692 \expandafter\list\csname label\@enumctr\endcsname{%
7693 \usecounter{\@enumctr}%
7694 \rightmargin=2em% added this
7695 \parsep\plparsep
7696 \itemsep\plitemsep
7697 \topsep\pltopsep
7698 \partopsep\plpartopsep
7699 \def\makelabel##1{\hss\llap{##1}}}}
7700 %%
7701 % An environment for paragraph-style section
7702 \providecommand\newthought[1]{%
7703 \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
7704 \noindent\textbf{#1}}%
7705 }
7706 %%
7707 % Redefine the display environments (quote, quotation, etc.)
7708 \renewenvironment{verse}
7709 {\let\\\@centercr
7710 \list{}{\itemsep \z@
7711 \itemindent -1pc%
7712 \listparindent\itemindent
7713 \rightmargin \leftmargin
7714 \advance\leftmargin 1pc}%
7715 \small%
7716 \item\relax}
7717 {\endlist}
7718 \renewenvironment{quotation}
7719 {\list{}{\listparindent 1pc%
7720 \itemindent \listparindent
7721 \rightmargin \leftmargin
7722 \parsep \z@ \@plus\p@}%
7723 \small%
7724 \item\relax\noindent\ignorespaces}
7725 {\endlist}
7726 \renewenvironment{quote}
7727 {\list{}{\rightmargin\leftmargin}%
7728 \small%
7729 \item\relax}
7730 {\endlist}
7731 % Italicize description run-in headings (instead of the default bold)
7732 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
7733 %%
7734 % Redefine \bibsection to not mark the running heads.
7735 % (Code modified from natbib.sty.)
7736 \@ifundefined{chapter}%
7737 {\renewcommand\bibsection{\section*{\refname}}}
7738 {\@ifundefined{NAT@sectionbib}%

```



```

7739     {\renewcommand\bibsection{\chapter{\bibname}}}
7740     {\renewcommand\bibsection{\section*{\bibname}}}}
7741 \RequirePackage{multicol}
7742 \renewenvironment{theindex}{%
7743 \@ifundefined{chapter}%
7744     {\section*{\indexname}}%
7745     {\chapter{\indexname}}%
7746 \begin{fullwidth}%
7747 \small%
7748 \parskip0pt%
7749 \parindent0pt%
7750 \let\item\@idxitem%
7751 \begin{multicols}{3}%
7752 }{%
7753 \end{multicols}%
7754 \end{fullwidth}%
7755 }
7756 \AtBeginDocument{%
7757 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
7758 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
7759 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
7760 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
7761 \newcommand{\lettergroup}[1]{% swallow the letter heading in the index

```

50 File `bidituftehyperref.sty`

```

7762 \NeedsTeXFormat{LaTeX2e}
7763 \ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
7764 bidi implementation of tufte hyperref]
7765 %%
7766 % Color
7767 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
7768 \newboolean{@bidituftehyperref@loadhyper}
7769 \setboolean{@bidituftehyperref@loadhyper}{true}
7770 \DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
7771 \DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
7772 \ProcessOptions
7773 %% Loads the hyperref package and sets some default options.
7774 \newcommand{\bidituftehyperrefLoadHyperref}{%
7775 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
7776 \hypersetup{%
7777     bookmarksdepth = section,
7778     citecolor = DarkGreen,
7779     linkcolor = DarkBlue,
7780 %     pagecolor = DarkBlue,
7781     urlcolor = DarkGreen,
7782 }%
7783 }
7784 \ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
7785 \bidituftehyperrefLoadHyperref%
7786 }{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
7787 \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
7788 }

```



51 File `bidituftetitle.sty`

```
7789 \NeedsTeXFormat{LaTeX2e}
7790 \ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
7791 bidi implementation of tufte title]
7792 \RequirePackage{biditools}
7793 %%
7794 % `titlepage' option -- creates a full title page with \maketitle
7795 \newboolean{@bidituftetitle@titlepage}
7796 \DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
7797 \DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
7798 % Default `book' and `handout' options
7799 \@ifclassloaded{book}{%
7800 \ExecuteOptions{titlepage}}{%
7801 \@ifclassloaded{article}{%
7802 \ExecuteOptions{notitlepage}}%
7803 {}}
7804 \ProcessOptions
7805 %%
7806 % Modified \title, \author, and \date commands. These store the
7807 % (footnote-less) values in \plaintitle, \plainauthor, and \thedata, respectively.
7808 \newcommand{\plaintitle}{}% plain-text-only title
7809 \newcommand{\plainauthor}{}% plain-text-only author
7810 \newcommand{\plainpublisher}{}% plain-text-only publisher
7811 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
7812 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
7813 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
7814 \newcommand{\@publisher}{}% full publisher with \thanks{}
7815 \newcommand{\thedata}{\today}
7816 \bidi@patch@AfterPackage{bidi}{%
7817 \renewcommand{\thanks}[1]{\footnote{#1}}
7818 \renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
7819 \renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
7820 }
7821 \renewcommand{\title}[2][]{%
7822 \gdef@title{#2}%
7823 \begingroup%
7824 % TODO store contents of \thanks command
7825 \renewcommand{\thanks}[1]{}% swallow \thanks contents
7826 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
7827 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
7828 \protected@xdef\thanklesstitle{#2}%
7829 \endgroup%
7830 \ifthenelse{\isempty{#1}}%
7831 {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
7832 {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
7833 \@ifundefined{hypersetup}%
7834 {}% hyperref is not loaded; do nothing
7835 {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
7836 }
7837 \let\@author\@empty% suppress default latex.ltx ``no author'' warning
7838 \renewcommand{\author}[2][]{%
7839 \ifthenelse{\isempty{#2}}{\gdef\@author{#2}}%
7840 \begingroup%
```



```

7841 % TODO store contents of \thanks command
7842 \renewcommand{\thanks}[1]{}% swallow \thanks contents
7843 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
7844 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
7845 \protected@xdef\thanklessauthor{#2}%
7846 \endgroup%
7847 \ifthenelse{\isempty{#1}}%
7848 {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
7849 {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
7850 \@ifundefined{hypersetup}%
7851 {}% hyperref is not loaded; do nothing
7852 {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
7853 }
7854 \renewcommand{\date}[1]{%
7855 \gdef\@date{#1}%
7856 \begingroup%
7857 % TODO store contents of \thanks command
7858 \renewcommand{\thanks}[1]{}% swallow \thanks contents
7859 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
7860 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
7861 \protected@xdef\thedata{#1}%
7862 \endgroup%
7863 }
7864 %%
7865 % Provides a \publisher command to set the publisher
7866 \newcommand{\publisher}[2] []{%
7867 \gdef\@publisher{#2}%
7868 \begingroup%
7869 \renewcommand{\thanks}[1]{}% swallow \thanks contents
7870 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
7871 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
7872 \protected@xdef\thanklesspublisher{#2}%
7873 \endgroup%
7874 \ifthenelse{\isempty{#1}}
7875 {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
7876 {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
7877 }
7878 %%
7879 % Produces a full title page
7880 \newcommand{\maketitlepage}[0]{%
7881 \cleardoublepage%
7882 {%
7883 \bfseries%
7884 \begin{fullwidth}%
7885 \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
7886 \vspace{11.5pc}%
7887 \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
7888 \vfill%
7889 \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
7890 \end{fullwidth}%
7891 }
7892 \thispagestyle{empty}%
7893 \clearpage%
7894 }

```



```

7895 %%
7896 % Title block
7897 \bidi@AfterEndPreamble{%
7898 \renewcommand{\maketitle}{%
7899   \newpage%
7900   \global\@topnum\z@% prevent floats from being placed at the top of the page
7901   \begingroup%
7902     \setlength{\parindent}{0pt}%
7903     \setlength{\parskip}{4pt}%
7904     \let\@title\@empty%
7905     \let\@author\@empty%
7906     \let\@date\@empty%
7907     \gdef\@title{\LARGE\itshape\@title\par}%
7908     \gdef\@author{\Large\itshape\@author\par}%
7909     \gdef\@date{\Large\itshape\@date\par}%
7910     \@title%
7911     \@author%
7912     \@date%
7913   \endgroup%
7914   \thispagestyle{plain}% suppress the running head
7915 }%
7916 }
7917 %%
7918 % Title page (if the `titlepage' option was passed to the biditytetitle-handout
7919 % class.)
7920 \bidi@AfterEndPreamble{%
7921 \ifthenelse{\boolean{@biditytetitle@titlepage}}
7922   {\renewcommand{\maketitle}{\maketitlepage}}
7923   {}
7924 }
7925 %%
7926 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
7927 % without headers and footers
7928 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
7929   \hbox{}
7930   %\vspace*{\fill}
7931   %\begin{center}
7932   % This page intentionally contains only this sentence.
7933   %\end{center}
7934   %\vspace{\fill}
7935   \thispagestyle{empty}
7936   \newpage
7937   \if@twocolumn\hbox{} \newpage\fi\fi\fi}

```

52 File bidityfte-handout.cls

```

7938 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
7939 \ProvidesClass{bidityfte-handout}[2011/06/18 v0.1 bidityfte-handout class]
7940 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
7941 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidityftefloat}}
7942 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidityftetoc}}
7943 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidityftehyperref}}
7944 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidityftetitle}}
7945 \ProcessOptions\relax

```



```

7946 \LoadClass{article}
7947 \RequirePackage{bidiutfefloat}
7948 \RequirePackage{bidiuftesidenote}
7949 \RequirePackage{bidiuftetoc}
7950 \RequirePackage{bidiuftegeneralstructure}
7951 \RequirePackage{bidiuftehyperref}
7952 \RequirePackage{bidiuftetitle}
7953 \renewenvironment{abstract}
7954   {\begin{quotation}}
7955   {\end{quotation}}
7956 \AtBeginDocument{%
7957 \IfFileExists{bidiufte-handout.cfg}
7958   {\input{bidiufte-handout.cfg}
7959   \ClassInfo{bidiufte-handout}{Loading bidiufte-handout configuration file \@gobble}}
7960   }%
7961 }

```

53 File bidiufte-book.cls

```

7962 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
7963 \ProvidesClass{bidiufte-book}[2011/06/18 v0.1 bidiufte-book class]
7964 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
7965 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidiuftefloat}}
7966 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidiuftetoc}}
7967 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidiuftehyperref}}
7968 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidiuftetitle}}
7969 \ProcessOptions\relax
7970 \LoadClass{book}
7971 \RequirePackage{bidiuftefloat}
7972 \RequirePackage{bidiuftesidenote}
7973 \RequirePackage{bidiuftetoc}
7974 \RequirePackage{bidiuftegeneralstructure}
7975 \RequirePackage{bidiuftehyperref}
7976 \RequirePackage{bidiuftetitle}
7977 %%
7978 % Set up any book-specific stuff now
7979 %%
7980 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
7981 % to the opening page of Chapter 1. The running heads, when they appear,
7982 % contain only the (arabic) page number in the outside corner.
7983 %\newif\if@mainmatter \@mainmattertrue
7984 \renewcommand\frontmatter{%
7985   \cleardoublepage%
7986   \@mainmatterfalse%
7987   \pagenumbering{arabic}%
7988   %\pagestyle{plain}%
7989   \fancyhf{}%
7990   \ifthenelse{\boolean{@bidiuftefloat@twoside}}%
7991     {\fancyhead[LE,RO]{\thepage}}%
7992     {\fancyhead[RE,RO]{\thepage}}%
7993 }
7994 %%
7995 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
7996 % numbering---it continues where it left off in the front matter.

```



```

7997 \renewcommand\mainmatter{%
7998 \cleardoublepage%
7999 \@mainmattertrue%
8000 \fancyhf{}%
8001 \ifthenelse{\boolean{@biditytuftefloat@twoside}}%
8002     {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
8003     \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
8004     \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}% chapter title
8005     {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
8006 }
8007 %%
8008 % The back matter contains appendices, indices, glossaries, endnotes,
8009 % bibliographies, list of contributors, illustration credits, etc.
8010 \renewcommand\backmatter{%
8011     \if@openright%
8012         \cleardoublepage%
8013     \else%
8014         \clearpage%
8015     \fi%
8016 \@mainmatterfalse%
8017 }
8018 %%
8019 % Only show the chapter titles in the table of contents
8020 \setcounter{tocdepth}{0}
8021 \AtBeginDocument{%
8022 \IfFileExists{biditytufte-book.cfg}
8023     {\input{biditytufte-book.cfg}
8024     \ClassInfo{biditytufte-book}{Loading biditytufte-book configuration file \@gobble}}
8025     {}%
8026 }

```

54 File bidipoem.sty

```

8027 \NeedsTeXFormat{LaTeX2e}
8028 \ProvidesPackage{bidipoem}%
8029 [2019/03/03 v1.0 Environments for typesetting Persian traditional and modern poems]
8030
8031 % Usage:
8032 %
8033 % \Setversedim #1#2 % define the layout (within a group):
8034 % #1 = length of both half-verses
8035 % #2 = separation distance = length of a connection, if present
8036 % Variant:
8037 % \Setversedim #1[#2]#3 % for half-verses of unequal length
8038 % #1 = length of first (=right) half-verse
8039 % #2 = length of second (=left) half-verse
8040 % #3 = separation distance = length of a connection, if present
8041 %
8042 % \traditionalhalfverses #1#2 % typeset two separated half-verses
8043 % #1 = text of first (=right) half-verse
8044 % #2 = text of second (=left) half-verse
8045 % Variant:
8046 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
8047 % #1 = text of first (=right) half-verse

```



```

8048 % #2 = text of connection
8049 % #3 = text of second (=left) half-verse
8050 %
8051 % Alternative (if preferred):
8052 %
8053 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
8054
8055
8056 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
8057
8058 % define the layout, verses will be centered
8059
8060 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
8061 \newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen
8062
8063 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
8064 \bidipoem@hvind \textwidth
8065 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
8066 \ifx [#2\def \bidipoem@next {\bidipoem@set@verseI []}\else
8067 \bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@
8068
8069 \def \bidipoem@set@verseI [#1]{% optional parameter
8070 \bidipoem@@hvlen #1\relax \bidipoem@set@@verse }
8071
8072 \newcommand*{\bidipoem@set@@verse}[1]{% separation
8073 \advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
8074 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
8075
8076 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
8077 \ifdim Opt > \bidipoem@hvind %
8078 \bidipoem@spreadbox \bidipoem@hvlen {#1}\ \hfill % first block
8079 \else
8080 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
8081 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
8082 \bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
8083 \par }
8084
8085 % macro for two half verses
8086 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
8087 \ifx [#2\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]}%
8088 \else\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
8089 \bidipoem@half@verses@next}
8090
8091 \def \bidipoem@half@verses #1[#2]#3{% first[mid]second
8092 \traditionalconnverses {#1}{#2}{#3}}
8093
8094
8095 {\catcode\^^M=\active % these lines must end with %
8096 \gdef\traditionalpoem@obeylines{\catcode\^^M\active \let^^M\traditionalpoem@par}%
8097 \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
8098 {\catcode\^^M=\active % these lines must end with %
8099 \gdef\modernpoem@obeylines{\catcode\^^M\active \let^^M\modernpoem@par}%
8100 \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
8101 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}

```



```

8102 \def\poemmarginskip{1em plus 1fil minus 1em}
8103 \def\poemextrabaselineskip{0\baselineskip}
8104 \def\poemskip{\medskip}
8105 \newcommand{\bidipoem@openbox}{\leavevmode
8106   \hbox to.77778em{%
8107     \hfil\vrule
8108     \vbox to.675em{\hrule width.6em\vfil\hrule}}%
8109   \vrule\hfil}}
8110 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
8111 \newdimen\versewidth
8112 \newtoks\bidipoem@p@ftn
8113 \def\poem@verse#1{%
8114   \ifdim\wd#1>\new@poem@width
8115   \xdef\new@poem@width{\the\wd#1}%
8116   \ifdim\new@poem@width>\poem@width
8117   \xdef\poem@width{\new@poem@width}%
8118   \global\let\poem@needrun\relax
8119   \fi
8120   \fi
8121   \hbox to\poem@width{\unhbox#1}%
8122   \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
8123 }
8124 \def\poem@linebegin{\vadjust{\hskip\@flushglue\hskip\poemmarginskip\relax}
8125 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
8126 \def\poem@lineversesep{%
8127 \nobreak
8128 \hskip\z@ plus 1filll%
8129 \penalty600%
8130 \hskip\poemcolsepskip
8131 \hskip\z@ plus -2filll%
8132 \vadjust{}}%
8133 \nobreak
8134 \hskip\z@ plus 1filll%
8135 }
8136 \def\poem@lineparsebegin{%
8137 \halign\bgroup
8138 \global\setbox\verse@i=\hbox{%
8139 \let\@footnotetext\bidipoem@p@ftntext%
8140 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
8141 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
8142 \let\@xfootnotenext\bidipoem@p@xftntext%
8143 \let\@xfootnote\bidipoem@p@xfootnote%
8144 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
8145 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
8146 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
8147 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
8148 \ignorespaces##\unskip}&&
8149 \global\setbox\verse@ii=\hbox{%
8150 \let\@footnotetext\bidipoem@p@ftntext%
8151 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
8152 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
8153 \let\@xfootnotenext\bidipoem@p@xftntext%
8154 \let\@xfootnote\bidipoem@p@xfootnote%
8155 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%

```



```

8156 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
8157 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
8158 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
8159 \ignorespaces##\unskip}
8160 \cr
8161 }
8162 \def\poem@lineparseend{%
8163 \crcr\egroup
8164 \vskip-\baselineskip
8165 }
8166 \def\traditionalpoem@cr{%
8167 \cr\poem@line
8168 }
8169 \newbox\verse@i
8170 \newbox\verse@ii
8171 \newif\ifpoem@started
8172
8173 \def\poem@line{%
8174 \poem@lineparseend
8175 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
8176 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
8177 \ifpoem@started
8178 \ifdim\wd\verse@ii>\z@\else
8179 \nopagebreak[3]
8180 \fi
8181 \leavevmode
8182 \poem@linebegin
8183 \poem@verse\verse@i
8184 \ifdim\wd\verse@ii>\z@
8185 \poem@lineversesep
8186 \poem@verse\verse@ii
8187 \fi
8188 \poem@lineend
8189 % \nopagebreak
8190 \par
8191 \vskip\poemextrabaseskip
8192 \fi
8193 \poem@lineparsebegin
8194 }
8195 \def\@traditionalpoem{%
8196 \stepcounter{poem@no}
8197 \ifnum\max@poem@no<\number\c@poem@no%
8198 \xdef\poem@width{\z@}%
8199 \else
8200 \xdef\poem@width{\poem@prop{poem@width}}%
8201 \fi
8202 \xdef\new@poem@width{\z@}%
8203 \global\versewidth=\poem@width
8204 \poemskip\par
8205 \begingroup
8206 \tabskip=\z@
8207 \parskip=\z@
8208 \parindent=\z@
8209 \parfillskip=\z@

```



```

8210 \rightskip=\z@
8211 \leftskip=\z@
8212 \widowpenalty=10000% No break between verses of the same line.
8213 \clubpenalty=10000% Same as above. Not really needed.
8214 \def\newblock{\hfil\poemblocksep\hfil\null}%
8215 \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
8216 \def\{\global\poem@startedtrue\traditionalpoem@cr}%
8217 \global\poem@startedfalse
8218 \csname poem@obeylines\endcsname
8219 \let\poem@obeylines\relax
8220 \poem@lineparsebegin
8221 }
8222 \def\@endtraditionalpoem{%
8223 \cr
8224 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
8225 \noalign{%
8226 \skip0=\poemextrabaselineskip
8227 \vskip-\skip0
8228 \vskip-\baselineskip
8229 }%
8230 \fi\fi
8231 \poem@lineparseend
8232 \endgroup
8233 \par
8234 \vskip\baselineskip
8235 \poemskip
8236 \ifdim\new@poem@width<\poem@width
8237 \global\let\poem@needrun\relax
8238 \fi
8239 \poem@write@aux{\poem@width@romannumeral\c@poem@no}{\new@poem@width}%
8240 \ifx\AtEndDocument\undefined\poem@finish\fi
8241 \@endparenv
8242 }
8243
8244
8245 \long\def\bidipoem@p@ftntext#1{%
8246 \edef\@temp{the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\mpfn\endcsname]}}%
8247 \global\bidipoem@p@ftn\expandafter{\@temp{#1}}}%
8248 \long\def\bidipoem@p@LTRftntext#1{%
8249 \edef\@tempxi{the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\mpfn\endcsname]}}%
8250 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
8251 \long\def\bidipoem@p@RTLftntext#1{%
8252 \edef\@tempxii{the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\mpfn\endcsname]}}%
8253 \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%
8254
8255 \long\def\bidipoem@p@xftntext[#1]#2{%
8256 \global\bidipoem@p@ftn\expandafter{the\bidipoem@p@ftn\footnotetext[#1]{#2}}}}
8257
8258 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
8259 \global\bidipoem@p@ftn\expandafter{the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}}
8260
8261 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
8262 \global\bidipoem@p@ftn\expandafter{the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}}
8263

```



```

8264 \def\bidipoem@p@xfootnote[#1]{%
8265   \begingroup
8266     \csname c@\@mpfn\endcsname #1\relax
8267     \unrestored@protected@xdef\@thefnmark{\thempfn}%
8268   \endgroup
8269   \@footnotemark\bidipoem@p@xftntext[#1]}
8270
8271 \def\bidipoem@p@xLTRfootnote[#1]{%
8272   \begingroup
8273     \csname c@\@mpfn\endcsname #1\relax
8274     \unrestored@protected@xdef\@thefnmark{\thempfn}%
8275   \endgroup
8276   \@footnotemark\bidipoem@p@xLTRftntext[#1]}
8277
8278 \def\bidipoem@p@xRTLfootnote[#1]{%
8279   \begingroup
8280     \csname c@\@mpfn\endcsname #1\relax
8281     \unrestored@protected@xdef\@thefnmark{\thempfn}%
8282   \endgroup
8283   \@footnotemark\bidipoem@p@xRTLftntext[#1]}
8284
8285
8286
8287 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
8288 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obey
8289 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
8290 \def\poem@finish{%
8291 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
8292 \ifx\poem@needrun\relax
8293 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
8294 \global\let\poem@needrun\undefined
8295 \fi
8296 }
8297 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
8298 \newcounter{poem@no}\setcounter{poem@no}{\z@}
8299 \ifx\max@poem@no\undefined
8300     \def\max@poem@no{0}%
8301 \fi
8302 \newcommand{\poem@prop}[1]{\@nameuse{#1\romannumeral\c@poem@no}}
8303 \newcommand{\poem@write@aux}[2]{%
8304     \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
8305     \@x
8306 }
8307 \def\@modernpoem{%
8308 \par
8309 \begingroup
8310 \parskip=\z@
8311 \parindent=\z@
8312 \def\[{ \@settab\@tabplus\ignorespaces}%
8313 \def\]\{ \@tabminus\ignorespaces}%
8314 \def\newblock{\poemblocksep}%
8315 \let\newpoem@tabcr\@tabcr
8316 \def\modernpoem@par{% Redefine \par for possible \obeylines
8317 \ifpoem@started\else

```



```

8318 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
8319 \@stopfield
8320 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
8321 \@contfield
8322 \fi
8323 \fi
8324 \ifpoem@started\newpoem@tabcr\fi}%
8325 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
8326 \global\poem@startedfalse
8327 \csname poem@obeylines\endcsname
8328 \let\poem@obeylines\relax
8329 \begin{tabbing}%
8330 }
8331 \def\@endmodernpoem{%
8332 \global\poem@startedfalse
8333 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
8334 \@stopfield
8335 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
8336 \@contfield
8337 \fi
8338 \ifpoem@started\else\let\@stopline\@stopfield\fi
8339 \end{tabbing}%
8340 \endgroup
8341 \par
8342 \if@nparlist \else
8343 \ifdim\lastskip >\z@
8344 \@tempskipa\lastskip \vskip -\lastskip
8345 \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
8346 \vskip\@tempskipa
8347 \fi
8348 \@endparenv
8349 \fi
8350 }
8351 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
8352 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\mode
8353 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
8354 \gdef\@startfield{%
8355 \global\setbox\@curfield\hbox\bgroup%
8356 \let\@footnotetext\bidipoem@p@ftntext%
8357 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
8358 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
8359 \let\@xfootnotenext\bidipoem@p@xftntext%
8360 \let\@xfootnote\bidipoem@p@xfootnote%
8361 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
8362 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
8363 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
8364 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
8365 \color@begingroup}
8366 \gdef\@stopfield{%
8367 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
8368 \gdef\@contfield{%
8369 \global\setbox\@curfield\hbox\bgroup%
8370 \let\@footnotetext\bidipoem@p@ftntext%
8371 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%

```



```

8372 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
8373 \let\@xfootnotenext\bidipoem@p@xftntext%
8374 \let\@xfootnote\bidipoem@p@xfootnote%
8375 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
8376 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
8377 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
8378 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
8379 \color@begingroup\unhbox\@curfield}

```

55 File boek3-xetex-bidi.def

```

8380 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeT
8381 \renewenvironment{theindex}{%
8382   \if@twocolumn
8383     \@restonecolfalse
8384   \else
8385     \@restonecoltrue
8386   \fi
8387   \columnseprule \z@
8388   \columnsep 35\p@
8389   \twocolumn[\@makeschapterhead{\indexname}]%
8390   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
8391   \thispagestyle{plain}\parindent\z@
8392   \parskip\z@ \@plus .3\p@\relax
8393   \let\item\@idxitem
8394 }{%
8395   \if@restonecol\onecolumn\else\clearpage\fi}
8396 \renewcommand*\head@style{%
8397   \interlinepenalty \@M
8398   \hyphenpenalty=\@M \exhyphenpenalty=\@M
8399   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
8400 \renewcommand*\@regtocline[3]{%
8401   \ifnum #1>\c@tocdepth
8402   \else
8403     \vskip\z@\@plus.2\p@
8404     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
8405     \if@RTL\rightskip\else\leftskip\fi\unitindent
8406     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
8407     \parfillskip\z@
8408     \@tempdima\unitindent
8409     \parindent\z@
8410     \leavevmode
8411     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
8412     \hskip 1em \nobreak{\slshape #3}\par
8413   }%
8414   \fi}
8415 \if@oldtoc
8416 \renewcommand*\l@part[2]{%
8417   \ifnum \c@tocdepth >-2\relax
8418     \addpenalty{-\@highpenalty}%
8419     \addvspace{2.25em \@plus\p@}%
8420     \begingroup
8421     \setlength\@tempdima{3em}%
8422     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth

```



```

8423     \parfillskip -\@pnumwidth
8424     {\leavevmode
8425       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
8426       \nobreak
8427       \global\@nobreaktrue
8428       \everypar{\global\@nobreakfalse\everypar{}}%
8429     \endgroup
8430 \fi}
8431 \else
8432   \renewcommand*\l@part{%
8433     \ifnum \c@tocdepth >-2\relax
8434     \addpenalty{-\@highpenalty}%
8435     \addvspace{2.25em \@plus \p@}%
8436     \regtocline{0}%
8437     \fi}
8438 \fi
8439 \if@oldtoc
8440 \renewcommand*\l@chapter[2]{%
8441   \addpenalty{-\@highpenalty}%
8442   \vskip 1.0em \@plus \p@
8443   \setlength\@tempdima{1.5em}%
8444   \begingroup
8445   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8446   \parfillskip -\@pnumwidth
8447   \leavevmode \bfseries
8448   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
8449   \hskip -\if@RTL\rightskip\else\leftskip\fi
8450   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
8451   \penalty\@highpenalty
8452   \endgroup}
8453 \else
8454   \renewcommand*\l@chapter{\@regtocline{0}}
8455 \fi
8456 \renewenvironment{abstract}{%
8457   \titlepage
8458   \null\vfil
8459   \section*\SectFont \abstractname}
8460   \noindent\ignorespaces}
8461   {\par\vfil\null\endtitlepage}
8462 \renewenvironment{thebibliography}[1]
8463   {\chapter*\bibname}%
8464   \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
8465   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
8466   \bidi@thebibliography@font@hook%
8467   \list{\@biblabel{\@arabic\c@enumiv}}%
8468     {\settowidth\labelwidth{\@biblabel{#1}}%
8469     \leftmargin\labelwidth
8470     \advance\leftmargin\labelsep
8471     \@openbib@code
8472     \usecounter{enumiv}%
8473     \let\p@enumiv\@empty
8474     \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
8475   \sloppy\clubpenalty4000\widowpenalty4000%
8476   \sfcode`..\@m}

```



```

8477     {\def\@noitemerr
8478         {\@latex@warning{Empty `thebibliography' environment}}}%
8479         \endlist}
8480 \renewcommand*\left@footnoterule{%
8481     \kern-3\p@
8482     \kern.5\baselineskip
8483     \hrule\@width\unitindent
8484     \kern.4\baselineskip
8485 }
8486 \renewcommand*\right@footnoterule{%
8487     \kern-3\p@
8488     \kern.5\baselineskip
8489     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
8490     \kern.4\baselineskip}
8491 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
8492 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
8493 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
8494 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
8495 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
8496 \renewcommand*\theequation{%
8497     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
8498 \renewcommand*\thefigure{%
8499     \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
8500 \renewcommand*\thetable{%
8501     \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
8502 \renewcommand*\maketitle{%
8503     \begin{titlepage}%
8504         \let\footnotesize\small
8505         \let\right@footnoterule\relax
8506         \let\left@footnoterule\relax
8507         \let\textwidth\footnoterule\relax
8508         \let \footnote \thanks
8509         \long\def\@makefnmark##1{\parindent\z@
8510             \def\labelitemi{\textendash}\@revlabeltrue
8511             \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
8512         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
8513         \if@compatibility\setcounter{page}{0}\fi
8514         \null\vfil
8515         \vskip 60\p@
8516         \begin{center}%
8517             \TitleFont
8518             {\LARGE \def\{\{\penalty -\@M}
8519                 \if@allcaps
8520                     \expandafter\uc@nothanks\@title\thanks\relax
8521                 \else
8522                     \@title
8523                 \fi\par}%
8524             \vskip 3em%
8525             {\large
8526                 \lineskip .75em \parindent\z@
8527                 \begin{tabular}[t]{c}%
8528                     \if@allcaps
8529                         \expandafter\uc@author\@author\and\relax
8530                     \else

```



```

8531         \@author
8532         \fi
8533         \end{tabular}\par}%
8534     \vskip 1.5em%
8535     {\large
8536     \if@allcaps
8537     \uppercase\expandafter{\@date}%
8538     \else
8539     \@date
8540     \fi\par}%
8541     \end{center}\par
8542     \@thanks
8543     \vfil\null
8544 \end{titlepage}%
8545 \setcounter{footnote}{0}%
8546 \global\let\thanks\relax
8547 \global\let\maketitle\relax
8548 \global\let\@thanks\@empty
8549 \global\let\@author\@empty
8550 \global\let\@title\@empty
8551 \global\let\@date\@empty
8552 \global\let\title\relax
8553 \global\let\author\relax
8554 \global\let\date\relax
8555 \global\let\and\relax
8556 }

```

56 File boek-xetex-bidi.def

```

8557 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX]
8558 \renewenvironment{theindex}{%
8559     \if@twocolumn
8560     \@restonecolfalse
8561     \else
8562     \@restonecoltrue
8563     \fi
8564     \columnseprule \z@
8565     \columnsep 35\p@
8566     \twocolumn[\@makeschapterhead{\indexname}]%
8567     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
8568     \thispagestyle{plain}\parindent\z@
8569     \parskip\z@ \@plus .3\p@\relax
8570     \let\item\@idxitem
8571 }{%
8572     \if@restonecol\onecolumn\else\clearpage\fi}
8573 \renewcommand*{\head@style}{%
8574     \interlinepenalty \@M
8575     \hyphenpenalty=\@M \exhyphenpenalty=\@M
8576     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
8577 \renewcommand*\@regtocline[3]{%
8578     \ifnum #1>\c@tocdepth
8579     \else
8580     \vskip\z@\@plus.2\p@
8581     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M

```



```

8582 \if@RTL\righskip\else\leftskip\fi\unitindent
8583 \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
8584 \parfillskip\z@
8585 \@tempdima\unitindent
8586 \parindent\z@
8587 \leavevmode
8588 \hbox{} \hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
8589 \hskip 1em \nobreak{\slshape #3}\par
8590 }%
8591 \fi}
8592 \if@oldtoc
8593 \renewcommand*\l@part[2]{%
8594 \ifnum \c@tocdepth >-2\relax
8595 \addpenalty{-\@highpenalty}%
8596 \addvspace{2.25em \@plus\p@}%
8597 \begingroup
8598 \setlength\@tempdima{3em}%
8599 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
8600 \parfillskip -\@pnumwidth
8601 {\leavevmode
8602 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
8603 \nobreak
8604 \global\@nobreaktrue
8605 \everypar{\global\@nobreakfalse\everypar{}}%
8606 \endgroup
8607 \fi}
8608 \else
8609 \renewcommand*\l@part{%
8610 \ifnum \c@tocdepth >-2\relax
8611 \addpenalty{-\@highpenalty}%
8612 \addvspace{2.25em \@plus \p@}%
8613 \@regtocline{0}%
8614 \fi}
8615 \fi
8616 \if@oldtoc
8617 \renewcommand*\l@chapter[2]{%
8618 \addpenalty{-\@highpenalty}%
8619 \vskip 1.0em \@plus\p@
8620 \setlength\@tempdima{1.5em}%
8621 \begingroup
8622 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
8623 \parfillskip -\@pnumwidth
8624 \leavevmode \bfseries
8625 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
8626 \hskip -\if@RTL\righskip\else\leftskip\fi
8627 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
8628 \penalty\@highpenalty
8629 \endgroup}
8630 \else
8631 \renewcommand*\l@chapter{\@regtocline{0}}
8632 \fi
8633 \renewcommand*\left@footnoterule{%
8634 \kern-3\p@
8635 \kern.5\baselineskip

```



```

8636 \hrule\@width\unitindent
8637 \kern.4\baselineskip
8638 }
8639 \renewcommand*\right@footnoterule{%
8640 \kern-3\p@
8641 \kern.5\baselineskip
8642 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
8643 \kern.4\baselineskip}
8644 \renewenvironment{abstract}{%
8645 \titlepage
8646 \null\vfil
8647 \section*\SectFont \abstractname}
8648 \noindent\ignorespaces}
8649 {\par\vfil\null\endtitlepage}
8650 \renewenvironment{thebibliography}[1]
8651 {\chapter*\bibname}%
8652 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
8653 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
8654 \bidi@thebibliography@font@hook%
8655 \list{\@biblabel{\@arabic\c@enumiv}}%
8656 {\settowidth\labelwidth{\@biblabel{#1}}%
8657 \leftmargin\labelwidth
8658 \advance\leftmargin\labelsep
8659 \@openbib@code
8660 \usecounter{enumiv}}%
8661 \let\p@enumiv\@empty
8662 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
8663 \sloppy\clubpenalty4000\widowpenalty4000%
8664 \sfcode\.\@m}
8665 {\def\@noitemerr
8666 {\@latex@warning{Empty `thebibliography' environment}}}%
8667 \endlist}
8668 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
8669 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
8670 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
8671 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
8672 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
8673 \renewcommand*\theequation{%
8674 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
8675 \renewcommand*\thefigure{%
8676 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
8677 \renewcommand*\thetable{%
8678 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
8679 \renewcommand*\maketitle{%
8680 \begin{titlepage}%
8681 \let\footnotesize\small
8682 \let\right@footnoterule\relax
8683 \let\left@footnoterule\relax
8684 \let\textwidth\footnoterule\relax
8685 \let \footnote \thanks
8686 \long\def\@makefnctext##1{\parindent\z@
8687 \def\labelitemi{\textendash}\@revlabeltrue
8688 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
8689 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%

```



```

8690 \ifcompatibility\setcounter{page}{0}\fi
8691 \null\vfil
8692 \vskip 60\p@
8693 \begin{center}%
8694 \TitleFont
8695 {\LARGE \def\{\{\penalty -\@M}
8696 \if@allcaps
8697 \expandafter\uc@nothanks\@title\thanks\relax
8698 \else
8699 \@title
8700 \fi\par}%
8701 \vskip 3em%
8702 {\large
8703 \lineskip .75em \parindent\z@
8704 \begin{tabular}[t]{c}%
8705 \if@allcaps
8706 \expandafter\uc@authornothanks\@author\and\relax
8707 \else
8708 \@author
8709 \fi
8710 \end{tabular}\par}%
8711 \vskip 1.5em%
8712 {\large
8713 \if@allcaps
8714 \uppercase\expandafter{\@date}%
8715 \else
8716 \@date
8717 \fi\par}%
8718 \end{center}\par
8719 \@thanks
8720 \vfil\null
8721 \end{titlepage}%
8722 \setcounter{footnote}{0}%
8723 \global\let\thanks\relax
8724 \global\let\maketitle\relax
8725 \global\let\@thanks\@empty
8726 \global\let\@author\@empty
8727 \global\let\@title\@empty
8728 \global\let\@date\@empty
8729 \global\let\title\relax
8730 \global\let\author\relax
8731 \global\let\date\relax
8732 \global\let\and\relax
8733 }

```

57 File bookest-xetex-bidi.def

```

8734 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
8735 \def\@makechapterhead#1{%
8736 \vspace*{20\p@}
8737 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8738 \ifnum \c@secnumdepth >\m@ne
8739 \if@mainmatter
8740 {\colorA\huge\scshape \@chapapp\space \thechapter}

```



```

8741         \par\nobreak
8742         \vskip 10\p@
8743     \fi
8744 \fi
8745 \interlinepenalty\@M
8746 {\colorB\hrule}
8747 \vskip 15\p@
8748 \if@RTL\begin{flushleft}\else\begin{flushright}\fi
8749     {\colorA\Huge \bfseries #1}\par\nobreak
8750 \if@RTL\end{flushleft}\else\end{flushright}\fi
8751 \vskip 5\p@
8752 {\colorB\hrule}
8753 \vskip 30\p@
8754 }}
8755 \def\@makeschapterhead#1{%
8756 \vspace*{20\p@}
8757 {\parindent \z@ \raggedright \normalfont
8758 {\colorB\hrule}
8759 \vskip 15\p@
8760 \begin{center}
8761     {\colorA\Huge \bfseries #1}\par\nobreak
8762 \end{center}
8763 \vskip 5\p@
8764 {\colorB\hrule}
8765 \vskip 30\p@
8766 }}

```

58 File book-xetex-bidi.def

```

8767 \ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class]
8768 \renewenvironment{theindex}
8769     {\if@twocolumn
8770         \@restonecolfalse
8771         \else
8772             \@restonecoltrue
8773         \fi
8774         \columnseprule \z@
8775         \columnsep 35\p@
8776         \twocolumn[\@makeschapterhead{\indexname}]%
8777         \@mkboth{\MakeUppercase\indexname}%
8778                 {\MakeUppercase\indexname}%
8779         \thispagestyle{plain}\parindent\z@
8780         \parskip\z@ \@plus .3\p@\relax
8781         \let\item\@idxitem}
8782     {\if@restonecol\onecolumn\else\clearpage\fi}
8783 \@ifclassloaded{bookest}{-}{%
8784 \if@titlepage
8785 \renewcommand\maketitle{\begin{titlepage}%
8786 \let\footnotesize\small
8787 \let\right@footnoterule\relax
8788 \let\left@footnoterule\relax
8789 \let\textwidth@footnoterule\relax
8790 \let \footnote \thanks
8791 \let \LTRfootnote \LTRthanks

```



```

8792 \let \RTLfootnote \RTLthanks
8793 \null\vfil
8794 \vskip 60\p@
8795 \begin{center}%
8796   {\LARGE \@title \par}%
8797   \vskip 3em%
8798   {\large
8799     \lineskip .75em%
8800     \begin{tabular}[t]{c}%
8801       \@author
8802     \end{tabular}\par}%
8803   \vskip 1.5em%
8804   {\large \@date \par}%           % Set date in \large size.
8805 \end{center}\par
8806 \@thanks
8807 \vfil\null
8808 \end{titlepage}%
8809 \setcounter{footnote}{0}%
8810 \global\let\thanks\relax
8811 \global\let\LTRthanks\relax
8812 \global\let\RTLthanks\relax
8813 \global\let\maketitle\relax
8814 \global\let\@thanks\@empty
8815 \global\let\@author\@empty
8816 \global\let\@date\@empty
8817 \global\let\@title\@empty
8818 \global\let\title\relax
8819 \global\let\author\relax
8820 \global\let\date\relax
8821 \global\let\and\relax
8822 }
8823 \else
8824 \renewcommand\maketitle{\par
8825   \begingroup
8826     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
8827     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8828     \long\def\@makefnmark#1{\parindent 1em\noindent
8829       \hb@xt@1.8em{%
8830         \hss\@textsuperscript{\normalfont\@thefnmark}}#1}%
8831     \if@twocolumn
8832       \ifnum \col@number=\@ne
8833         \@maketitle
8834       \else
8835         \twocolumn[\@maketitle]%
8836       \fi
8837     \else
8838       \newpage
8839       \global\@topnum\z@   % Prevents figures from going at top of page.
8840       \@maketitle
8841     \fi
8842     \thispagestyle{plain}\@thanks
8843   \endgroup
8844   \setcounter{footnote}{0}%
8845   \global\let\thanks\relax

```



```

8846 \global\let\LTRthanks\relax
8847 \global\let\RTLthanks\relax
8848 \global\let\maketitle\relax
8849 \global\let\@maketitle\relax
8850 \global\let\@thanks\@empty
8851 \global\let\@author\@empty
8852 \global\let\@date\@empty
8853 \global\let\@title\@empty
8854 \global\let\title\relax
8855 \global\let\author\relax
8856 \global\let\date\relax
8857 \global\let\and\relax
8858 }
8859 \def\@maketitle{%
8860 \newpage
8861 \null
8862 \vskip 2em%
8863 \begin{center}%
8864 \let \footnote \thanks
8865 \let \LTRfootnote \LTRthanks
8866 \let \RTLfootnote \RTLthanks
8867 {\LARGE \@title \par}%
8868 \vskip 1.5em%
8869 {\large
8870 \lineskip .5em%
8871 \begin{tabular}[t]{c}%
8872 \@author
8873 \end{tabular}\par}%
8874 \vskip 1em%
8875 {\large \@date}%
8876 \end{center}%
8877 \par
8878 \vskip 1.5em}
8879 \fi}
8880 \renewcommand*\l@part[2]{%
8881 \ifnum \c@tocdepth >-2\relax
8882 \addpenalty{-\@highpenalty}%
8883 \addvspace{2.25em \@plus\p@}%
8884 \setlength\@tempdima{3em}%
8885 \begingroup
8886 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8887 \parfillskip -\@pnumwidth
8888 {\leavevmode
8889 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
8890 \nobreak
8891 \global\@nobreaktrue
8892 \everypar{\global\@nobreakfalse\everypar{}}%
8893 \endgroup
8894 \fi}
8895 \renewcommand*\l@chapter[2]{%
8896 \ifnum \c@tocdepth >\m@ne
8897 \addpenalty{-\@highpenalty}%
8898 \vskip 1.0em \@plus\p@
8899 \setlength\@tempdima{1.5em}%

```



```

8900   \begingroup
8901   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8902   \parfillskip -\@pnumwidth
8903   \leavevmode \bfseries
8904   \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
8905   \hskip -\if@RTL\rightskip\else\leftskip\fi
8906   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
8907   \penalty\@highpenalty
8908   \endgroup
8909   \fi}
8910 \renewcommand\left@footnoterule{%
8911   \kern-3\p@
8912   \hrule\@width.4\columnwidth
8913   \kern2.6\p@}
8914 \renewcommand\right@footnoterule{%
8915   \kern-3\p@
8916   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
8917   \kern2.6\p@}
8918 \renewcommand\theequation
8919   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
8920 \renewcommand \thefigure
8921   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
8922 \renewcommand \thetable
8923   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
8924 \renewcommand \thechapter {\@arabic\c@chapter}
8925 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
8926 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
8927 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
8928 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
8929 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
8930 \def\@makechapterhead#1{%
8931   \vspace*{50\p@}%
8932   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8933     \ifnum \c@secnumdepth >\m@ne
8934       \if@mainmatter
8935         \huge\bfseries \@chapapp\space \thechapter
8936         \par\nobreak
8937         \vskip 20\p@
8938       \fi
8939     \fi
8940     \interlinepenalty\@M
8941     \Huge \bfseries #1\par\nobreak
8942     \vskip 40\p@
8943   }}
8944 \def\@makeschapterhead#1{%
8945   \vspace*{50\p@}%
8946   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8947     \normalfont
8948     \interlinepenalty\@M
8949     \Huge \bfseries #1\par\nobreak
8950     \vskip 40\p@
8951   }}
8952 \renewcommand\backmatter{%
8953   \if@openright

```



```

8954 \cleardoublepage
8955 \else
8956 \clearpage
8957 \fi
8958 \@mainmatterfalse}
8959 \renewenvironment{thebibliography}[1]
8960 {\chapter*{\bibname}%
8961 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
8962 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
8963 \bidi@thebibliography@font@hook%
8964 \list{\@biblabel{\@arabic\c@enumiv}}%
8965 {\settowidth\labelwidth{\@biblabel{#1}}%
8966 \leftmargin\labelwidth
8967 \advance\leftmargin\labelsep
8968 \@openbib@code
8969 \usecounter{enumiv}%
8970 \let\p@enumiv\@empty
8971 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
8972 \sloppy
8973 \clubpenalty4000
8974 \@clubpenalty \clubpenalty
8975 \widowpenalty4000%
8976 \sfcode`..\@m}
8977 {\def\@noitemerr
8978 {\@latex@warning{Empty `thebibliography' environment}}%
8979 \endlist}

```

59 File breqn-xetex-bidi.def

```

8980 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for X
8981 \def\@dmath[#1]{\ifRTL\@RTLfalse\fi%
8982 \everydisplay\expandafter{\the\everydisplay \display@setup}%
8983 \ifnoskipsec \leavevmode \fi
8984 \if\inlabel \leavevmode \global\@inlabelfalse \fi
8985 \if\eq@group\else\eq@prelim\fi
8986 \setkeys{breqn}{#1}%
8987 \the\eqstyle
8988 \eq@setnumber
8989 \begingroup
8990 \eq@setup@a
8991 \eq@startup
8992 }
8993 \def\@dgroup[#1]{\ifRTL\@RTLfalse\fi%
8994 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
8995 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
8996 \global\let\GRP@label\@empty
8997 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
8998 \global\grp@linewidth\z@\global\grp@wdNum\z@
8999 \global\let\grp@eqs@numbered\@False
9000 \global\let\grp@aligned\@True
9001 \global\let\grp@shiftnumber\@False
9002 \eq@prelim
9003 \setkeys{breqn}{#1}%
9004 \if\grp@hasNumber \grp@setnumber \fi

```



```

9005 }
9006 \def\dseries[#1]{\if@RTL\@RTLfalse\fi%
9007 \let\display@setup\dseries@display@setup
9008 % Question: should this be the default for dseries???
9009 \global\eq@wdCond\z@
9010 \@dmath[layout={M},#1]%
9011 \mathsurround\z@\@math \penalty\@Mi
9012 \let\endmath\ends@math
9013 \def\premath{%
9014 \ifdim\lastskip<.3em \unskip
9015 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
9016 }%
9017 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
9018 \ignorespaces
9019 }
9020 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
9021 \renewenvironment{dsuspend}{%
9022 \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \@parboxrestore
9023 \parshape 1 \displayindent \displaywidth\relax
9024 \hsize=\columnwidth \noindent\ignorespaces
9025 }{%
9026 \par\egroup
9027 \global\setbox\GRP@box\vbox{%
9028 \hbox{\copy\EQ@box\top{\unvbox\EQ@box}}%
9029 \unvbox\GRP@box
9030 }%
9031 \global\GRP@queue\@xp{\the\GRP@queue
9032 \@elt{\let\eq@isIntertext\@True}}%
9033 }%
9034 }

```

60 File cals-xetex-bidi.def

```

9035 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTeX]
9036 \renewcommand\cals@setup@alignment[1]{%
9037 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
9038 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
9039 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
9040 }
9041 \renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
9042 \renewenvironment{calstable}[1][\cals@table@alignment]{%
9043 \if@RTLtab\cals@activate@rtl\fi
9044 \let\cals@thead@tokens=\relax
9045 \let\cals@tfoot@tokens=\relax
9046 \let\cals@tbody@tokens=\relax
9047 \cals@tfoot@height=0pt \relax
9048 \let\cals@last@context=n%
9049 \let\cals@current@context=b%
9050 \parindent=0pt \relax%
9051 \cals@setup@alignment{#1}%
9052 \cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
9053 %% Alignment inside is independent on center/flushright outside
9054 \parfillskip=0pt plus1fil\relax
9055 \let\cals@borderL=\relax

```



```

9056 \let\cals@borderR=\relax
9057 \let\cals@borderT=\relax
9058 \let\cals@borderB=\relax
9059 \setbox\cals@backup@row=\box\voidb@x\relax
9060 \cals@AtBeginTable
9061 }{% End of the table
9062 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
9063 \renewcommand\alignL{%
9064 \if@RTLtab
9065 \cals@vfillAdd\cals@paddingL
9066 \else
9067 \cals@vfillDrop\cals@paddingL
9068 \fi
9069 \cals@vfillDrop\cals@paddingR}
9070 \renewcommand\alignR{%
9071 \if@RTLtab
9072 \cals@vfillDrop\cals@paddingL
9073 \else
9074 \cals@vfillAdd\cals@paddingL
9075 \fi
9076 \cals@vfillDrop\cals@paddingR}

```

61 File caption-xetex-bidi.def

```

9077 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package f
9078 \let\@makecaption\caption@makecaption

```

62 File caption3-xetex-bidi.def

```

9079 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package
9080 \renewcommand*\caption@par{%
9081 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

63 File colortbl-xetex-bidi.def

```

9082 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package
9083 \def\CT@setup{%
9084 \@tempdimb\col@sep
9085 \@tempdimc\col@sep
9086 \def\CT@color{%
9087 \global\let\CT@do@color\CT@@do@color
9088 \bidicolor}}
9089 \def\@classz{\@classx
9090 \@tempcnta \count@
9091 \prepnext@tok
9092 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
9093 \@addtopreamble{\if@RTLtab\beginL\fi%
9094 \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
9095 \ifcase \@chnum
9096 \hskip\stretch{.5}\kern\z@
9097 \d@llarbegin
9098 \insert@column
9099 \d@llarend\hskip\stretch{.5}\or
9100 \d@llarbegin \insert@column \d@llarend \hfill \or

```



```

9101     \hfill\kern\z@ \dollarbegin \insert@column \dollarend \or
9102     $\vcenter
9103     \@startpbox{\@nextchar}\insert@column \@endpbox $\or
9104     \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
9105     \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
9106     \fi
9107     \if@RTLtab\endR\fi\egroup\egroup
9108     \begingroup
9109     \CT@setup
9110     \CT@column@color
9111     \CT@row@color
9112     \CT@cell@color
9113     \CT@do@color
9114     \endgroup
9115     \@tempdima\ht\z@
9116     \advance\@tempdima\minrowclearance
9117     \vrule\@height\@tempdima\@width\z@
9118     \unhbox\z@\if@RTLtab\endL\fi}%
9119     \prepnext@tok}

```

64 File color-xetex-bidi.def

```

9120 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for X
9121 \long\def\color@b@x#1#2#3{%
9122 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
9123 \setbox\z@\hbox{\kern\fbboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
9124 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
9125 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
9126 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
9127 \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
9128 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
9129 \DeclareRobustCommand\color{%
9130 \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor]
9131 \def\@declaredcolor#1{%
9132 \@ifundefined{\string\color @#1}%
9133 {\c@lor@error{`#1'}}%
9134 {\expandafter\let\expandafter\current@color
9135 \csname\string\color @#1\endcsname
9136 \set@color}%
9137 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
9138 \def\@undeclaredcolor[#1]#2{%
9139 \@ifundefined{color@#1}%
9140 {\c@lor@error{model `#1'}}%
9141 {\csname color@#1\endcsname\current@color{#2}%
9142 \set@color}%
9143 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
9144 \DeclareRobustCommand\bicolor{%
9145 \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor]
9146 \def\@bidiundeclaredcolor[#1]#2{%
9147 \@ifundefined{color@#1}%
9148 {\c@lor@error{model `#1'}}%
9149 {\csname color@#1\endcsname\current@color{#2}%
9150 \set@color}%
9151 \ignorespaces}

```



```

9152 \def\@bidideclaredcolor#1{%
9153   \@ifundefined{string\color @#1}%
9154     {\color@error{`#1'}}%
9155     {\expandafter\let\expandafter\current@color
9156       \csname\string\color @#1\endcsname
9157       \set@color}%
9158   \ignorespaces}
9159 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
9160 \def\color@fbox#1#2#3{%
9161   \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
9162 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

65 File combine-xetex-bidi.def

```

9163 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
9164 \renewcommand{\c@ll@chapsecii}[2]{%
9165   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
9166   \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
9167   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9168 }
9169 \renewcommand{\c@ll@chapseci}{%
9170   \setlength\@tempdima{0em}%
9171   \begingroup
9172     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9173     \parfillskip -\@pnumwidth
9174     \leavevmode
9175 }
9176 \renewenvironment{tocindent}[1]{%
9177   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{

```

66 File crop-xetex-bidi.def

```

9178 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeT
9179 \renewcommand*\CROP@ulc{%
9180   \if@RTLmain%
9181     \begin{picture}(0,0)
9182       \unitlength\p@\thinlines
9183       \put(-40,0){\circle{10}}
9184       \put(-30,-5){\line(0,1){10}}
9185       \put(-35,0){\line(1,0){30}}
9186       \put(-10,30){\circle{10}}
9187       \put(-5,30){\line(1,0){10}}
9188       \put(0,35){\line(0,-1){30}}
9189     \end{picture}%
9190   \else%
9191     \begin{picture}(0,0)
9192       \unitlength\p@\thinlines
9193       \put(-30,0){\circle{10}}
9194       \put(-30,-5){\line(0,1){10}}
9195       \put(-35,0){\line(1,0){30}}
9196       \put(0,30){\circle{10}}
9197       \put(-5,30){\line(1,0){10}}
9198       \put(0,35){\line(0,-1){30}}
9199     \end{picture}%

```



```

9200     \fi%
9201 }
9202 \renewcommand*\CROP@urc{%
9203     \if@RTLmain%
9204         \begin{picture}(0,0)
9205             \unitlength\p@\thinlines
9206             \put(20,0){\circle{10}}
9207             \put(30,-5){\line(0,1){10}}
9208             \put(35,0){\line(-1,0){30}}
9209             \put(-10,30){\circle{10}}
9210             \put(-5,30){\line(1,0){10}}
9211             \put(0,35){\line(0,-1){30}}
9212         \end{picture}%
9213     \else%
9214         \begin{picture}(0,0)
9215             \unitlength\p@\thinlines
9216             \put(30,0){\circle{10}}
9217             \put(30,-5){\line(0,1){10}}
9218             \put(35,0){\line(-1,0){30}}
9219             \put(0,30){\circle{10}}
9220             \put(-5,30){\line(1,0){10}}
9221             \put(0,35){\line(0,-1){30}}
9222         \end{picture}%
9223     \fi%
9224 }
9225 \renewcommand*\CROP@llc{%
9226     \if@RTLmain%
9227         \begin{picture}(0,0)
9228             \unitlength\p@\thinlines
9229             \put(-40,0){\circle{10}}
9230             \put(-30,-5){\line(0,1){10}}
9231             \put(-35,0){\line(1,0){30}}
9232             \put(-10,-30){\circle{10}}
9233             \put(-5,-30){\line(1,0){10}}
9234             \put(0,-35){\line(0,1){30}}
9235         \end{picture}%
9236     \else%
9237         \begin{picture}(0,0)
9238             \unitlength\p@\thinlines
9239             \put(-30,0){\circle{10}}
9240             \put(-30,-5){\line(0,1){10}}
9241             \put(-35,0){\line(1,0){30}}
9242             \put(0,-30){\circle{10}}
9243             \put(-5,-30){\line(1,0){10}}
9244             \put(0,-35){\line(0,1){30}}
9245         \end{picture}%
9246     \fi%
9247 }
9248 \renewcommand*\CROP@lrc{%
9249     \if@RTLmain%
9250         \begin{picture}(0,0)
9251             \unitlength\p@\thinlines
9252             \put(20,0){\circle{10}}
9253             \put(30,-5){\line(0,1){10}}

```



```

9254     \put(35,0){\line(-1,0){30}}
9255     \put(-10,-30){\circle{10}}
9256     \put(-5,-30){\line(1,0){10}}
9257     \put(0,-35){\line(0,1){30}}
9258 \end{picture}%
9259 \else%
9260 \begin{picture}(0,0)
9261     \unitlength\p@\thinlines
9262     \put(30,0){\circle{10}}
9263     \put(30,-5){\line(0,1){10}}
9264     \put(35,0){\line(-1,0){30}}
9265     \put(0,-30){\circle{10}}
9266     \put(-5,-30){\line(1,0){10}}
9267     \put(0,-35){\line(0,1){30}}
9268 \end{picture}%
9269 \fi%
9270 }
9271 \@ifpackagewith{crop}{cam}{%
9272 \CROP@execopt{cam}%
9273 }{}

```

67 File cutwin-xetex-bidi.def

```

9274 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
9275 \renewcommand*{\c@twcompctr}[2]{%
9276   \def\c@twfirst{1}
9277   \loop\advance\c@twwinlines\m@ne
9278   \setbox\c@twslicea=\vsplit#1 to\baselineskip
9279   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
9280   \c@twprune{\c@twslicea}{\c@twlftside}%
9281   \c@twprune{\c@twsliceb}{\c@twrtside}%
9282   \ifnum\c@twfirst=\@ne
9283     \setbox#2=\vbox{\unvbox#2\hbox
9284       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@tw
9285     \else
9286       \setbox#2=\vbox{\unvbox#2\hbox
9287         to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box
9288     \fi
9289   \def\c@twfirst{2}
9290   \ifnum\c@twwinlines>\z@\repeat}
9291 \renewcommand*{\c@twcompodctr}[2]{%
9292   \def\c@twrounds{1}
9293   \def\c@twfirst{1}
9294   \@for\c@twlspec:=\c@twb\do{%
9295     \ifnum\c@twrounds=1
9296       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
9297       \c@twprune{\c@twslicea}{\c@twlspec}%
9298       \def\c@twrounds{2}
9299     \else
9300       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
9301       \c@twprune{\c@twsliceb}{\c@twlspec}%
9302       \ifnum\c@twfirst=1
9303         \setbox#2=\vbox{\unvbox#2\hbox
9304         to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\

```



```

9305     \def\c@twfirst{2}
9306     \else
9307         \setbox#2=\vbox{\unvbox#2\hbox
9308             to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\el
9309         \fi
9310     \def\c@twrounds{1}
9311     \fi}}

```

68 File cuted-xetex-bidi.def

```

9312 \ProvidesFile{cuted-xetex-bidi.def}[2022/02/18 v0.7 bidi adaptations for cuted package for X
9313
9314 \def\RTL@outputdblcol{%
9315     \if@firstcolumn
9316         \global\@firstcolumnfalse
9317         \global\setbox\@leftcolumn\copy\@outputbox
9318         \splitmaxdepth\maxdimen
9319         \vbadness\maxdimen
9320         \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
9321         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
9322         \toks@\expandafter{\topmark}%
9323         \xdef\@firstcoltopmark{\the\toks@}%
9324         \toks@\expandafter{\splitfirstmark}%
9325         \xdef\@firstcolfirstmark{\the\toks@}%
9326         \ifx\@firstcolfirstmark\@empty
9327             \global\let\@setmarks\relax
9328         \else
9329             \gdef\@setmarks{%
9330                 \let\firstmark\@firstcolfirstmark
9331                 \let\topmark\@firstcoltopmark}%
9332         \fi
9333     \else
9334         \global\@firstcolumntrue
9335         \setbox\@outputbox\vbox{%
9336             \hb@xt@\textwidth{%
9337                 \hskip \columnwidth
9338                 \hfil
9339                 {\normalcolor\vrule \@width\columnseprule}%
9340                 \hfil
9341                 \hb@xt@\columnwidth{%
9342                     \bidi@firstcolumn@status@write%
9343                     \box\@leftcolumn \hss}%
9344                 \hskip -\textwidth
9345                 \hb@xt@\columnwidth{%
9346                     \bidi@lastcolumn@status@write%
9347                     \box\@outputbox \hss}%
9348                 \hskip \columnsep
9349                 \hskip \columnwidth }}%
9350         \ifvoid\hold@viper
9351         \else
9352             \setbox\@outputbox \vbox to\textheight{%
9353                 \box\hold@viper
9354                 \box\@outputbox
9355                 \vss

```



```

9356                                     }%
9357     \fi
9358 \@combinedblfloats
9359     \@setmarks
9360     \@outputpage
9361     \begingroup
9362         \@dblfloatplacement
9363         \@startdblcolumn
9364         \@whiles\if@colmade \fi{\@outputpage
9365         \@startdblcolumn}%
9366         \ifvoid@viper
9367         \else
9368             \global\setbox@viper\vbox{%
9369                 \vskip-\stripsep
9370                 \unvbox@viper
9371             }%
9372         \@viperoutput
9373     \fi
9374     \endgroup
9375 \fi}%
9376
9377 \def\LTR@outputdblcol{%
9378     \if@firstcolumn
9379         \global\@firstcolumnfalse
9380         \global\setbox@leftcolumn\copy@outputbox
9381         \splitmaxdepth\maxdimen
9382         \vbadness\maxdimen
9383         \setbox@outputbox\vbox{\unvbox@outputbox\unskip}%
9384         \setbox@outputbox\vsplit@outputbox to\maxdimen
9385         \toks@\expandafter{\topmark}%
9386         \xdef\@firstcoltopmark{\the\toks@}%
9387         \toks@\expandafter{\splitfirstmark}%
9388         \xdef\@firstcolfirstmark{\the\toks@}%
9389         \ifx\@firstcolfirstmark\@empty
9390             \global\let\@setmarks\relax
9391         \else
9392             \gdef\@setmarks{%
9393                 \let\firstmark\@firstcolfirstmark
9394                 \let\topmark\@firstcoltopmark}%
9395         \fi
9396     \else
9397         \global\@firstcolumntrue
9398         \setbox@outputbox\vbox{%
9399             \hb@xt@\textwidth{%
9400                 \hb@xt@\columnwidth{%
9401                     \bidi@firstcolumn@status@write%
9402                     \box@leftcolumn \hss}%
9403                 \hfil
9404                 {\normalcolor\vrule \@width\columnseprule}%
9405                 \hfil
9406                 \hb@xt@\columnwidth{%
9407                     \bidi@lastcolumn@status@write%
9408                     \box@outputbox \hss}}}%
9409         \ifvoid\hold@viper

```



```

9410     \else
9411         \setbox\@outputbox \vbox to\textheight{%
9412             \box\hold@viper
9413             \box\@outputbox
9414             \vss
9415         }%
9416     \fi
9417 \@combinedblfloats
9418     \@setmarks
9419     \@outputpage
9420     \beginingroup
9421         \@dblfloatplacement
9422         \@startdblcolumn
9423         \@whiles\if@fcolmade \fi{\@outputpage
9424         \@startdblcolumn}%
9425         \ifvoid\@viper
9426         \else
9427             \global\setbox\@viper\vbox{%
9428                 \vskip-\stripsep
9429                 \unvbox\@viper
9430             }%
9431         \@viperoutput
9432     \fi
9433     \endgroup
9434 \fi}%
9435
9436 \def\@addviper{%
9437     \@insertfalse
9438     \def\var@@thecol@num{2}%
9439     \if@firstcolumn
9440         \def\var@@thecol@num{1}%
9441         \@reqcolroom=.5\@pageht
9442         \ht@viper=\@reqcolroom
9443         \advance\@reqcolroom by\ht\@viper
9444         \advance\@reqcolroom by\stripsep
9445     \else
9446         \@reqcolroom=\@colht
9447         \advance\@reqcolroom by\@pageht
9448         \ht@viper.5\@reqcolroom
9449         \@reqcolroom=\ht@viper
9450         \advance\@reqcolroom by\ht\@viper
9451         \advance\@reqcolroom by\stripsep
9452         \global\setbox\@holdpg\vbox{%
9453             \setbox\cuted@@tempbox@a\vbox{%
9454                 \aftergroup\unvbox
9455                 \unvcopy\@leftcolumn
9456                 \unskip\unkern\unpenalty
9457                 \setbox\@tempbox>a\lastbox
9458                 \ifdim\dimexpr\ht\@tempbox+a\wd\@tempbox+a\dp\@tempbox>\z@
9459                 %% keeps lastbox
9460                 \aftergroup\@leftcolumn
9461             \else
9462                 %% removes lastbox
9463                 \aftergroup\cuted@@tempbox@a

```



```

9464         \fi
9465         }%
9466         \unskip\unkern\unpenalty
9467         \on@stripcols@break
9468         \the\At@ViperColsBreak
9469         \unvbox\@holdpg
9470         }%
9471         \global\At@ViperColsBreak{}%
9472         \ht@viper=.5\ht\@holdpg
9473         \ifdim\ht@viper>\@colht
9474         \ht@viper=\@colht
9475         \fi
9476     \fi
9477     %%
9478     %% calculations for breaking
9479     %%
9480     \ifvoid\hold@viper
9481         \ht@hold@viper=\z@
9482     \else
9483         \ht@hold@viper=\ht\hold@viper
9484     \fi
9485     \cuted@@tempdim@b\ht@viper
9486     \set@split@topskip@to\topskip
9487     \loop
9488         \xdef\saved@tempdim@b{\the\cuted@@tempdim@b}%
9489         \setbox\cuted@@varbox@a\copy\@holdpg
9490         \setbox\cuted@@tempbox@a\vsplit\cuted@@varbox@a to\cuted@@tempdim@b
9491         %% set leftcolumn boxes
9492         \setbox\cuted@@tempbox@c\vbox{\unvbox\cuted@@tempbox@a}%
9493         \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{\unvcopy\cuted@@tempbox@c}%
9494         \xdef\var@@leftcolumn@badness{\the\badness}%
9495         %% set rightcolumn boxes
9496         \setbox\cuted@@varbox@c\vbox{\unvbox\cuted@@varbox@a}%
9497         \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{\unvcopy\cuted@@varbox@c}%
9498         \xdef\var@@rightcolumn@badness{\the\badness}%
9499         %% analyzing split goodness
9500         \cuted@@tempdim@spread=\ht\cuted@@tempbox@c
9501         \advance\cuted@@tempdim@spread by\dp\cuted@@tempbox@c
9502         \advance\cuted@@tempdim@spread by-\ht\cuted@@varbox@c
9503         \advance\cuted@@tempdim@spread by-\dp\cuted@@varbox@c
9504         \cuted@@wlog@debug{CUTED [----]}%
9505         ^^JLeft: \the\ht\cuted@@tempbox@c
9506         +\the\dp\cuted@@tempbox@c\space/\var@@leftcolumn@badness
9507         ^^JRight: \the\ht\cuted@@varbox@c
9508         +\the\dp\cuted@@varbox@c\space/\var@@rightcolumn@badness
9509         ^^JSplit: \the\cuted@@tempdim@b
9510         ^^JExtra height: \the\cuted@@tempdim@spread
9511         }%
9512         \ifnum\var@@leftcolumn@badness<\cuted@@column@badness
9513         \ifnum\var@@rightcolumn@badness<\cuted@@column@badness
9514             \cuted@@tempdim@spread=\z@
9515         \fi
9516     \fi
9517     \ifdim\cuted@@tempdim@spread<\z@

```



```

9518         \if@left@column@spread
9519             \if@right@column@shrink
9520                 \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink>\z@
9521                     \cuted@@tempdim@a=\dimexpr\ht\cuted@@tempbox@c-0.5\cuted@@tempdim@spread
9522                 \else
9523                     \cuted@@tempdim@a=-\dimexpr\cuted@@tempdim@spread+.5\pageshrink\relax
9524                 \fi
9525                 \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@tempbox@c}
9526                 \ifnum\badness<\cuted@@column@badness
9527                     \cuted@@tempdim@b=\cuted@@tempdim@a
9528                     \cuted@@tempdim@spread=\z@
9529                 \fi
9530                 \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness\space on \the\ht}
9531                 \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@varbox@c}
9532                 \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness\space on \the\ht}
9533             \else
9534                 \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{
9535                     \unvcopy\cuted@@tempbox@c
9536                 }%
9537                 \ifnum\badness<\cuted@@column@badness
9538                     \@tempdimb=\ht\cuted@@varbox@c
9539                     \cuted@@tempdim@spread=\z@
9540                 \fi
9541                 \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness on \the\ht}
9542                 \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{
9543                     \unvcopy\cuted@@varbox@c
9544                 }%
9545                 \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness on \the\ht}
9546             \fi
9547         \else
9548             \if@right@column@shrink
9549                 \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink<\z@
9550                     \else
9551                         \cuted@@tempdim@b=\ht\cuted@@tempbox@c
9552                         \cuted@@tempdim@spread=\z@
9553                     \fi
9554             \fi
9555         \fi
9556     \else
9557         \ifdim\cuted@@tempdim@spread>\z@
9558             \ifdim\dimexpr\@tempdimb+p@\relax>\@colht
9559                 \cuted@@tempdim@b=\@colht
9560                 \cuted@@tempdim@spread=\z@
9561             \fi
9562         \fi
9563     \fi
9564     \ifdim\cuted@@tempdim@spread<\z@
9565         \advance\cuted@@tempdim@b 1\p@
9566     \repeat
9567     \wlog{CUTED [- LAST -]}
9568     ^^JExtra skip:\the\cuted@@tempdim@spread
9569     ^^JLeft:\the\ht\cuted@@tempbox@c/\the\dp\cuted@@tempbox@c
9570     ^^JRight:\the\ht\cuted@@varbox@c/\the\dp\cuted@@varbox@c
9571     ^^JSplit:\saved@tempdimb

```



```

9572      ^^JOutput:\the\cuted@@tempdim@b
9573      ^^JPageshrink:\the\pageshrink
9574      ^^JPagestretch:\the\pagestretch
9575      ^^J@colht:\the\colht
9576      }%
9577      %%
9578      %% final construction of the cuted page above strip
9579      %%
9580      \setbox\cuted@@tempbox@c\vsplit\@holdpg to\saved@tempdim@b
9581      \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{%
9582          \cuted@@tempdim@a=\dimexpr
9583              \cuted@@tempdim@b-\ht\cuted@@tempbox@c
9584              \relax
9585          \cuted@@tempdim@spread=\dp\cuted@@tempbox@c
9586          \unvbox\cuted@@tempbox@c
9587          \ifdim\cuted@@tempdim@spread>\dp\strutbox
9588          \else
9589              \vskip-\cuted@@tempdim@spread
9590          \fi
9591          \prevdepth\z@
9592          \hrule\@height\cuted@@page@rule width\textwidth
9593          \vskip-\cuted@@page@rule
9594          \ifdim\cuted@@tempdim@a>\z@
9595              \if@left@column@spread
9596              \else
9597                  \vss
9598              \fi
9599          \else
9600              \ifdim\cuted@@tempdim@a<\z@
9601                  \if@left@column@shrink
9602                  \else
9603                      \vss
9604                  \fi
9605              \fi
9606          \fi
9607      }%
9608      \wlog{CUTED [output]: \the\cuted@@tempdim@b
9609      ^^JCUTED [leftcolumn badness]: \number\badness
9610      }%
9611      \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{%
9612          \cuted@@tempdim@a=\dimexpr
9613              \cuted@@tempdim@b-\ht\@holdpg
9614              \relax
9615          \unvbox\@holdpg
9616          \ifdim\cuted@@tempdim@a>\z@
9617              \if@right@column@spread
9618              \else
9619                  \vss
9620              \fi
9621          \else
9622              \ifdim\cuted@@tempdim@a<\z@
9623                  \if@right@column@shrink
9624                  \else
9625                      \vss

```



```

9626         \fi
9627     \fi
9628     \fi
9629     }%
9630     \wlog{CUTED [rightcolumn badness]: \number\badness}%
9631     \setbox\cuted@@tempbox@var\vbox{%
9632         \hb@xt@\textwidth{%
9633             \if@RTLmain
9634                 \hskip \columnwidth
9635                 \hfil
9636                 {\normalcolor\vrule \@width\columnseprule}%
9637                 \hfil
9638                 \hb@xt@\columnwidth{%
9639                     \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}}%
9640                 \hss
9641             }%
9642             \hskip -\textwidth
9643             \hb@xt@\columnwidth{%
9644                 \vbox to\ht@viper{\box\cuted@@varbox@a\vss}}%
9645             \hss
9646             }%
9647             \hskip \columnsep
9648             \hskip \columnwidth
9649         \else
9650             \hb@xt@\columnwidth{%
9651                 \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}}%
9652             \hss
9653             }%
9654             \hfil
9655             {\normalcolor\vrule \@width\columnseprule}%
9656             \hfil
9657             \hb@xt@\columnwidth{%
9658                 \vbox to\ht@viper{\box\cuted@@varbox@a\vss}}%
9659             \hss
9660             }%
9661         \fi
9662     }%
9663 }%
9664 %%
9665 %% finalize cuted page
9666 %%
9667 \ifvoid\hold@viper
9668     \global\setbox\hold@viper\vbox{%
9669         \unvbox\cuted@@tempbox@var
9670         \penalty\interlinepenalty
9671         \vskip\stripsep
9672         \the\preCutedStrip
9673         \ifnum\outputpenalty<-\@Mii
9674             \vskip -\parskip
9675         \fi
9676         \outputpenalty\z@
9677     }%
9678 \else
9679     \global\setbox\hold@viper\vbox{%

```



```

9680         \unvbox\hold@viper
9681         \cuted@@tempbox@var
9682         \penalty\interlinepenalty
9683         \vskip\stripsep
9684         \the\preCutedStrip
9685         \ifnum\outputpenalty<-\@Mii
9686             \vskip -\parskip
9687         \fi
9688         \outputpenalty\z@
9689     }%
9690 \fi
9691 \ifdim\@colht>\@reqcolroom
9692     \global\setbox\hold@viper\vbox{%
9693         \unvbox\hold@viper
9694         \box\@viper
9695         \penalty\interlinepenalty
9696         \the\postCutedStrip
9697         \vskip\stripsep
9698         \ifnum\outputpenalty<-\@Mii
9699             \vskip -\parskip
9700         \fi
9701         \outputpenalty\z@
9702     }%
9703 \@inserttrue
9704 \global\@firstcolumntrue
9705 \advance\ht@hold@viper by-\ht\hold@viper
9706 \global\advance\@colht by\ht@hold@viper
9707 \ifdim\@colht<2.5\baselineskip
9708     \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
9709                             too tall on page \thepage (\var@@thecol@num column)}%
9710     \@emptycol
9711     \if@firstcolumn
9712     \else
9713         \@emptycol
9714     \fi
9715     \global\@lastvipertrue
9716 \else
9717     \global\vsizel\@colht
9718     \global\@colroom\@colht
9719     \check@floats\cuted@@tempdim@a
9720     \ifdim\cuted@@tempdim@a>\z@
9721         \global\advance\@colroom by-\cuted@@tempdim@a
9722     \fi
9723     \ifdim\@colroom<\z@
9724         \global\@colroom1\p@
9725         \ifdim\cuted@@tempdim@a>\@colht
9726             \@latex@warning@no@line{TOP and/or BOT FLOAT's
9727                                     to large on \thepage (\var@@thecol@num column)}%
9728         \fi
9729         \@emptycol
9730         \if@firstcolumn
9731         \else
9732             \@emptycol
9733         \fi

```



```

9734         \global\@lastvipertrue
9735     \fi
9736 \fi
9737 \fi
9738 \if@insert
9739 \else
9740     \advance\ht@hold@viper by-\ht\hold@viper
9741     \global\advance\@colht by\ht@hold@viper
9742     \global\setbox\hold@viper\ vbox{%
9743         \unvbox\hold@viper
9744         \set@split@topskip@to{\z@ plus2\p@}%
9745         \vsplit\@viper to\@colht
9746         \vss
9747     }%
9748 \vbox}%
9749 \global\@firstcolumnfalse
9750 \newpage
9751 \fi
9752 }

```

69 File cvthemebidicasual.sty

```

9753 \NeedsTeXFormat{LaTeX2e}
9754 \ProvidesPackage{cvthemebidicasual}
9755 \DeclareOption{blue}{}
9756 \newif\if@colourorange\@colourorangefalse
9757 \DeclareOption{orange}{\@colourorange true}
9758 \newif\if@colourgreen\@colourgreenfalse
9759 \DeclareOption{green}{\@colourgreent true}
9760 \newif\if@colouredred\@colouredredfalse
9761 \DeclareOption{red}{\@colouredred true}
9762 \newif\if@colourgrey\@colourgreyfalse
9763 \DeclareOption{grey}{\@colourgrey true}
9764 \DeclareOption*{
9765     \PackageWarning{cvthemebidicasual}{Unknown option ‘\CurrentOption’}}
9766 \ExecuteOptions{colour}
9767 \ProcessOptions\relax
9768 \renewcommand*\@listitemsymbol{\textbullet}
9769 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
9770 \familynamecolour{808080}
9771 \firstnamecolour{A9A9A9}
9772 \quotecolour{696969}
9773 \addresscolour{696969}
9774 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
9775 \sectiontitlecolour{1E90FF}
9776 \subsectioncolour{4682B4}
9777 \definecolor{rulecolour}{gray}{0.6}
9778 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
9779 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
9780 \if@colourorange
9781     \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
9782     \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
9783     \sectiontitlecolour{FF8C00}
9784     \subsectioncolour{FF8C00}

```



```

9785 \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
9786 \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
9787 \if@colougreen
9788 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
9789 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
9790 \sectiontitlecolour{008000}
9791 \subsectioncolour{008000}
9792 \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
9793 \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
9794 \if@coloured
9795 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
9796 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
9797 \sectiontitlecolour{FF0000}
9798 \subsectioncolour{FF0000}
9799 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
9800 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
9801 \if@colourgrey
9802 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
9803 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
9804 \sectiontitlecolour{808080}
9805 \subsectioncolour{808080}
9806 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
9807 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
9808 \renewcommand*{\ttdefault}{pcr}
9809 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
9810 \renewcommand*{\familynamefont}{\firstnamefont}
9811 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
9812 \renewcommand*{\quote font}{\large\slshape}
9813 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
9814 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
9815 \renewcommand*{\maketitle}{%
9816   {%
9817     \ifthenelse{\isundefined{\@photo}}{%
9818       {}%
9819       {\color{firstnamecolor}\framebox{\includegraphics [width=\@photowidth]{\@photo}}}%
9820       \hfill%
9821       \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\[-.35em]}%
9822       {\color{firstnamecolor}\rule{\textwidth}{.25ex}\[2.5em]}%
9823     \ifthenelse{\isundefined{\@quote}}{%
9824       {}%
9825       {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\}
9826     }%
9827 \newif\if@firstfooterelement\@firstfooterelementtrue
9828 \providecommand*{\footersymbol}{}
9829 \renewcommand*{\footersymbol}{%
9830 \if@firstfooterelement%
9831 \else%
9832 { ~-\color{footersymbolcolor}\textbullet~~}\fi}
9833 \providecommand*{\makefooter}{}
9834 \renewcommand*{\makefooter}{%
9835 \fancypagestyle{plain}{%
9836 \fancyfoot [c]{%
9837 \parbox{0.8\textwidth}{%
9838 \centering%

```



```

9839     \addressfont\@addresscolour%
9840     \ifthenelse{\isundefined{\@address}}{-}{%
9841         \addresssymbol~\@address\%
9842         \@firstfooterelementfalse}%
9843     \ifthenelse{\isundefined{\@mobile}}{-}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
9844     \ifthenelse{\isundefined{\@phone}}{-}{\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse}%
9845     \ifthenelse{\isundefined{\@fax}}{-}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfalse}%
9846     \ifthenelse{\isundefined{\@email}}{-}{\footersymbol\emailsymbol~\emailink{\@email}\@firstfooterelementfalse}%
9847     \ifthenelse{\isundefined{\@extrainfo}}{-}{\footersymbol\extrainfo\@firstfooterelementfalse}%
9848 }%
9849 \pagestyle{plain}}
9850 \AtBeginDocument{\makefooter}

```

70 File cvthemebidiclassic.sty

```

9851 \NeedsTeXFormat{LaTeX2e}
9852 \ProvidesPackage{cvthemebidiclassic}
9853 \DeclareOption{blue}{}
9854 \newif\if@colourorange\@colourorangefalse
9855 \DeclareOption{orange}{\@colourorange>true}
9856 \newif\if@colourgreen\@colourgreenfalse
9857 \DeclareOption{green}{\@colourgreen>true}
9858 \newif\if@coloured\@colouredfalse
9859 \DeclareOption{red}{\@coloured>true}
9860 \newif\if@colourgrey\@colourgreyfalse
9861 \DeclareOption{grey}{\@colourgrey>true}
9862 \DeclareOption*{
9863     \PackageWarning{cvthemebidiclassic}{Unknown option ‘\CurrentOption’}}
9864 \ExecuteOptions{colour}
9865 \ProcessOptions\relax
9866 \renewcommand*{\listitemsymbol}{\textbullet}
9867 \firstnamecolour{}
9868 \familynamecolour{}
9869 \titlecolour{808080}
9870 \quotecolour{696969}
9871 \addresscolour{696969}
9872 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
9873 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
9874 \sectiontitlecolour{1E90FF}
9875 \subsectioncolour{4682B4}
9876 \if@colourorange
9877     \addresscolour{FF8C00}
9878     \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
9879     \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
9880     \sectiontitlecolour{FF8C00}
9881     \subsectioncolour{FF8C00}\fi
9882 \if@colourgreen
9883     \addresscolour{008000}
9884     \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
9885     \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
9886     \sectiontitlecolour{008000}
9887     \subsectioncolour{008000}\fi
9888 \if@coloured
9889     \addresscolour{FF0000}

```



```

9890 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
9891 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
9892 \sectiontitlecolour{FF0000}
9893 \subsectioncolour{FF0000}\fi
9894 \if@colourgrey
9895 \addresscolour{808080}
9896 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
9897 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
9898 \sectiontitlecolour{808080}
9899 \subsectioncolour{808080}\fi
9900 \renewcommand*{\ttdefault}{pcr}
9901 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
9902 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
9903 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
9904 \renewcommand*{\familynamefont}{\firstnamefont}
9905 \renewcommand*{\quoteftfont}{\large\slshape}
9906 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
9907 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
9908 \newlength{\maketitlemaxwidth}
9909 \setlength{\maketitlemaxwidth}{.525\textwidth}
9910 \newlength{\maketitlefullwidth}
9911 \settowidth{\maketitlefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyname}}
9912 \newlength{\maketitlewidth}
9913 \ifnum\maketitlemaxwidth<\maketitlefullwidth\setlength{\maketitlewidth}{\maketitlefullwidth}
9914 \newlength{\maketitlepicturewidth}
9915 \setlength{\maketitlepicturewidth}{\@photowidth}
9916 \newlength{\maketitledetailwidth}
9917 \renewcommand*{\recomputethemelengths}{%
9918 \setlength{\maketitledetailwidth}{\textwidth}%
9919 \addtolength{\maketitledetailwidth}{-\maketitlewidth}%
9920 \addtolength{\maketitledetailwidth}{-\separatorcolumnwidth}%
9921 \addtolength{\maketitledetailwidth}{-\maketitlepicturewidth}}
9922 \recomputethemelengths
9923 \newif\if@firstdetailselement\@firstdetailselementtrue
9924 \newcommand*{\maketitledetailsnewline}{
9925 \if@firstdetailselement%
9926 \@firstdetailselementfalse%
9927 \else%
9928 \\.2em}\fi}
9929 \renewcommand*{\maketitle}{%
9930 % name and title
9931 \begin{minipage}[b]{\maketitlewidth}%
9932 \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
9933 \ifthenelse{\equal{\@title}{}}{\}\{\}\[1.25em\titlestyle{\@title}}%
9934 \end{minipage}%
9935 % optional data
9936 \begin{minipage}[b]{\maketitledetailwidth}%
9937 \bidi@raggedleft\addressfont\@addresscolour%
9938 \ifthenelse{\isundefined{\@address}}{\}\{\}%
9939 \maketitledetailsnewline%
9940 \addresssymbol~\@\address}%
9941 \ifthenelse{\isundefined{\@mobile}}{\}\{\}\maketitledetailsnewline\mobilesymbol~\@mobile}%
9942 \ifthenelse{\isundefined{\@phone}}{\}\{\}\maketitledetailsnewline\phonesymbol~\@phone}%
9943 \ifthenelse{\isundefined{\@fax}}{\}\{\}\maketitledetailsnewline\faxsymbol~\@fax}%

```



```

9944 \ifthenelse{\isundefined{\@email}}{-}{\maketitledetailsnewline\emailsymbol~\emailink{\@e
9945 \ifthenelse{\isundefined{\@extrainfo}}{-}{\maketitledetailsnewline\@extrainfo}%
9946 \end{minipage}%
9947 % optional photo
9948 \ifthenelse{\isundefined{\@photo}}{
9949   }{
9950   {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=
9951 % optional quote
9952 \ifthenelse{\isundefined{\@quote}}{
9953   }{
9954   {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\
9955   }

```

71 File dblfnote-xetex-bidi.def

```

9956 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package
9957 \let\autofooterule\relax
9958 \let\rightfootnoterule\relax
9959 \let\leftfootnoterule\relax
9960 \let\textwidthfootnoterule\relax
9961 \let\LRfootnoterule\relax
9962 \def\footnoterule{\kern-3\p@
9963 \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
9964 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
9965 \let\@footnotetext\dfn@footnotetext}
9966 \long\def\dfn@LTRfootnotetext#1{\setbox\dfn@boxa\vbox{
9967   \let\insert\dfn@gobble
9968   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
9969   \def\@makefnmark{\smash{\dfn@makefnmark}}
9970   \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
9971   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
9972   \ifdim\dfn@dima>z@\else
9973     \dfn@dima1sp\relax
9974     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
9975   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
9976     \ifvoid\dfn@ins\else
9977       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
9978     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
9979   \setbox\dfn@boxa\copy\dfn@ins
9980   \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
9981   \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
9982   \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
9983   \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
9984   \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
9985 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
9986 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
9987 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
9988   \let\insert\dfn@gobble
9989   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
9990   \def\@makefnmark{\smash{\dfn@makefnmark}}
9991   \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
9992   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
9993   \ifdim\dfn@dima>z@\else
9994     \dfn@dima1sp\relax

```



```

9995         \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
9996 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
9997         \ifvoid\dfn@ins\else
9998             \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
9999         \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10000 \setbox\dfn@boxa\copy\dfn@ins
10001 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10002 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10003 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10004 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
10005 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
10006 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
10007 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
10008 \def\dfn@RTLmakecol{{\ifvoid\footins\else
10009     \dfn@dima\ht\footins
10010     \@tempcnta\z@ \dfn@countins
10011     \@tempdima\z@ \let\@elt\dfn@elt@getht
10012     \dfn@list\@nil
10013     \ifdim\@tempdima=\z@\else
10014     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
10015     \global\setbox\dfn@ins\box\dfn@ins
10016     \@tempswatru
10017     \ifdfn@trysingle
10018         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
10019         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
10020         \advance\@tempdima-\skip\footins
10021         \advance\@tempdima-\ht\dfn@boxa
10022         \ifdim\@tempdima<\z@\else \@tempswafalse
10023             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10024                 \footnoterule \unvbox\dfn@boxa}\fi\fi
10025     \if@tempswa
10026     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10027     \global\setbox\footins\vbox{\hbox{%
10028         \hskip \DFNcolumnwidth
10029         \hskip\DFNcolumnsep
10030         \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
10031             \unvbox\dfn@boxb\vss}\hss}
10032         \hskip -\textwidth
10033         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
10034             \vbox to\@tempdima{
10035                 \setbox\@tempboxa\vbox{\footnoterule}
10036                 \ifdfn@ruleboth \unvbox\@tempboxa
10037                 \else \@tempdima\ht\@tempboxa
10038                     \advance\@tempdima\dp\@tempboxa
10039                     \vskip\@tempdima
10040                     \prevdepth\dp\@tempboxa \fi
10041                 \unvbox\dfn@boxa\vss}\fi\hss}
10042                 \hskip \DFNcolumnsep
10043                 \hskip \DFNcolumnwidth}}}\fi\fi
10044     \global\dfn@fnht\z@
10045     \ifx\dfn@list\@empty\else
10046         \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
10047         \dfn@list \global\advance\dfn@fnht\dfn@dimb
10048         \let\@elt\relax

```



```

10049         \ifdim\dfn@dimb>\z@
10050             \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
10051             \insert\footins{\floatingpenalty\@MM
10052                 \vbox to\dfn@dimb{}}\fi
10053         \ifdim\dfn@fnht>\@tempdima
10054             \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
10055             \global\dfn@fnht\@tempdima
10056             \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
10057             \xdef\dfn@afteroutput{\insert\footins{
10058                 \floatingpenalty\@MM
10059                 \vbox to\number\@tempdimb sp{}}%
10060                 \global\let\noexpand\dfn@afteroutput\relax}%
10061         \fi\fi
10062     \fi}%
10063     \let\footnoterule\relax \dfn@latex@makecol
10064     \let\footnoterule\dfn@footnoterule}
10065 \def\dfn@LTRmakecol{{\ifvoid\footins\else
10066     \dfn@dima\ht\footins
10067     \@tempcnta\z@ \dfn@countins
10068     \@tempdima\z@ \let\@elt\dfn@elt@getht
10069     \dfn@list\@nil
10070     \ifdim\@tempdima=\z@\else
10071     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
10072     \global\setbox\dfn@ins\box\dfn@ins
10073     \@tempswatrue
10074     \ifdfn@trysingle
10075         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
10076         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
10077         \advance\@tempdima-\skip\footins
10078         \advance\@tempdima-\ht\dfn@boxa
10079         \ifdim\@tempdima<\z@\else \@tempswafalse
10080             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10081                 \footnoterule \unvbox\dfn@boxa}\fi\fi
10082     \if@tempswa
10083     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10084     \global\setbox\footins\vbox{\hbox{%
10085         \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
10086             \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
10087         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
10088             \vbox to\@tempdima{
10089                 \setbox\@tempboxa\vbox{\footnoterule}
10090                 \ifdfn@ruleboth \unvbox\@tempboxa
10091                 \else \@tempdima\ht\@tempboxa
10092                 \advance\@tempdima\dp\@tempboxa
10093                 \vskip\@tempdima
10094                 \prevdepth\dp\@tempboxa \fi
10095                 \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
10096     \global\dfn@fnht\z@
10097     \ifx\dfn@list\@empty\else
10098         \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
10099         \dfn@list \global\advance\dfn@fnht\dfn@dimb
10100         \let\@elt\relax
10101     \ifdim\dfn@dimb>\z@
10102         \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%

```



```

10103             \insert\footins{\floatingpenalty\MM
10104                 \vbox to\dfn@dimb{}}\fi
10105         \ifdim\dfn@fnht>\@tempdima
10106             \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
10107             \global\dfn@fnht\@tempdima
10108             \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
10109             \xdef\dfn@afteroutput{\insert\footins{
10110                 \floatingpenalty\MM
10111                 \vbox to\number\@tempdimb sp{}}}%
10112             \global\let\noexpand\dfn@afteroutput\relax}%
10113         \fi\fi
10114     \fi}%
10115     \let\footnoterule\relax \dfn@latex@makecol
10116     \let\footnoterule\dfn@footnoterule}
10117 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
10118 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
10119 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
10120 \DFNalwaysdouble

```

72 File diagbox-xetex-bidi.def

```

10121 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package]
10122 \bidi@patchcmd{\diagbox@double}{%
10123     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}}
10124 }{\bidi@@diagbox@double@ii}{-}{-}
10125 \bidi@patchcmd{\diagbox@double}{%
10126     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepl}}
10127 }{\bidi@@diagbox@double@iii}{-}{-}
10128 \newcommand*{\bidi@@diagbox@double@ii}{%
10129     \if@RTL
10130     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepl}}
10131     \else
10132     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}}
10133     \fi
10134 }
10135 \newcommand*{\bidi@@diagbox@double@iii}{%
10136     \if@RTL
10137     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}}
10138     \else
10139     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepl}}
10140     \fi
10141 }
10142 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10143     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}}
10144 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{-}{-}
10145 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10146     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}}
10147 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{-}{-}
10148 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10149     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepl}}
10150 }{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{-}{-}
10151 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
10152     \if@RTL
10153     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepl}}

```



```

10154 \else
10155   \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
10156   \fi}
10157 \newcommand*{\bidi@diagbox@triple@setbox@NW@tabular@iii}{%
10158   \if@RTL
10159     \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
10160     \else
10161       \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
10162       \fi}
10163 \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
10164 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10165   \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}%
10166 }{\bidi@diagbox@triple@setbox@SE@tabular@i}{-}{-}
10167 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10168   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
10169 }{\bidi@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
10170 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10171   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
10172 }{\bidi@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
10173 \newcommand*{\bidi@diagbox@triple@setbox@SE@tabular@i}{%
10174   \if@RTL
10175     \begin{tabular}{@{}r@{\hspace{\diagbox@insepl}}}
10176     \else
10177       \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}
10178       \fi
10179   }
10180 \newcommand*{\bidi@diagbox@triple@setbox@SE@tabular@ii@iii}{%
10181   \if@RTL
10182     \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
10183     \else
10184       \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}
10185       \fi
10186   }
10187 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
10188 \bidi@patchcmd{\diagbox@double@pict@SE}{%
10189   \diagbox@setlinecolor
10190   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
10191 }{%
10192   {\diagbox@setlinecolor
10193   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
10194 }{-}{-}
10195 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
10196 \bidi@patchcmd{\diagbox@double@pict@NE}{%
10197   \diagbox@setlinecolor
10198   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
10199 }{%
10200   {\diagbox@setlinecolor
10201   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
10202 }{-}{-}
10203 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
10204 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
10205   \diagbox@setlinecolor
10206   \Line(0,\yym)(\x,0)
10207   \Line(\xm,\y)(\x,0)%

```



```

10208 }{%
10209   {\diagbox@setlinecolor
10210     \Line(0,\yym)(\x,0)
10211     \Line(\xm,\y)(\x,0)}%
10212 }{}{}
10213 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
10214   \diagbox@setlinecolor
10215   \Line(0,0)(\xxm,\y)
10216   \Line(0,0)(\x,\yym)}%
10217 }{%
10218   {\diagbox@setlinecolor
10219     \Line(0,0)(\xxm,\y)
10220     \Line(0,0)(\x,\yym)}%
10221 }{}{}
10222 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
10223   \diagbox@setlinecolor
10224   \Line(0,\ym)(\x,\y)
10225   \Line(\xm,0)(\x,\y)}%
10226 }{%
10227   {\diagbox@setlinecolor
10228     \Line(0,\ym)(\x,\y)
10229     \Line(\xm,0)(\x,\y)}%
10230 }{}{}
10231 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
10232   \diagbox@setlinecolor
10233   \Line(0,\y)(\xxm,0)
10234   \Line(0,\y)(\x,\ym)}%
10235 }{%
10236   {\diagbox@setlinecolor
10237     \Line(0,\y)(\xxm,0)
10238     \Line(0,\y)(\x,\ym)}%
10239 }{}{}

```

73 File draftwatermark-xetex-bidi.def

```

10240 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwater
10241 \renewcommand\SetWatermarkText[1]{%
10242   \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

74 File eso-pic-xetex-bidi.def

```

10243 \ProvidesFile{eso-pic-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for eso-pic package f
10244 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
10245   \put(\if@RTLmain\paperwidth\else 0\fi,-\paperheight){#1}}
10246
10247 \ESO@isMEMOIR{%
10248   \renewcommand\AtTextUpperLeft[1]{%
10249     \begingroup
10250       \ifodd\c@page
10251         \if@RTLmain
10252           \ESO@tempdima=\paperwidth
10253           \advance\ESO@tempdima-\textwidth
10254           \advance\ESO@tempdima-\spinmargin
10255         \else

```



```

10256         \ESO@tempdima=\spinemargin
10257     \fi
10258 \else
10259     \if@RTLmain
10260         \ESO@tempdima=\spinemargin
10261     \else
10262         \ESO@tempdima=\paperwidth
10263         \advance\ESO@tempdima-\textwidth
10264         \advance\ESO@tempdima-\spinemargin
10265     \fi
10266 \fi
10267 \ESO@tempdimb=-\uppermargin
10268 \AtPageUpperLeft{%
10269     \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
10270 }%
10271 \endgroup
10272 }
10273 }{%
10274 \renewcommand\AtTextUpperLeft[1]{%
10275     \begingroup
10276         \ESO@tempdima=1in\relax
10277         \if@twoside
10278             \ifodd\c@page
10279                 \if@RTLmain
10280                     \advance\ESO@tempdima\evensidemargin
10281                 \else
10282                     \advance\ESO@tempdima\oddsidemargin
10283                 \fi
10284             \else
10285                 \if@RTLmain
10286                     \advance\ESO@tempdima\oddsidemargin
10287                 \else
10288                     \advance\ESO@tempdima\evensidemargin
10289                 \fi
10290             \fi
10291         \else
10292             \advance\ESO@tempdima\oddsidemargin
10293         \fi
10294         \ESO@tempdimb=-1in\relax
10295         \advance\ESO@tempdimb-\topmargin
10296         \advance\ESO@tempdimb-\headheight
10297         \advance\ESO@tempdimb-\headsep
10298         \AtPageUpperLeft{%
10299             \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
10300         }%
10301     \endgroup
10302 }
10303 }

```

75 File empheq-xetex-bidi.def

```

10304 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for
10305 \MHInternalSyntaxOn
10306 \def\EQ_tag_plus_endmark:{%

```



```

10307 \iftagsleft@
10308   \gdef\maketag@@@##1{%
10309     \hfuzz\displaywidth
10310     \if@RTL\makebox[\widthof{##1}] [r]{%
10311       \hbox to \displaywidth{\m@th\normalfont##1\hss
10312         \raisebox{-\dp\EQ_mathdisplay_box
10313           -\depthof{\EQ_outerbox: {}}
10314           {\PotEndMark{\hss}}}}
10315     \else\makebox[\widthof{##1}] [l]{%
10316       \hbox to \displaywidth{\m@th\normalfont##1\hss
10317         \raisebox{-\dp\EQ_mathdisplay_box
10318           -\depthof{\EQ_outerbox: {}}
10319         {\PotEndMark{\hss}}}}\fi}%
10320 \MH_else:
10321   \gdef\maketag@@@##1{%
10322     \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
10323       \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}%
10324       \MH_addtolength:dn \@tempdima
10325       {\g_EQ_bottomtag_depth_dim+\mintagvsep}
10326       \setlength{\@tempdimb}
10327       {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox: {}}
10328        +\depthof{\EQ_innerbox: {}}}
10329       \MH_if_dim:w \@tempdima>\@tempdimb
10330       \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
10331        -\@tempdima+\g_EQ_bottomrow_depth_dim}
10332       \addtolength{\@tempdima}{\depthof{\EQ_innerbox: {}}}%
10333       \def\EQ_next: {\raisebox{\@tempdima}}%
10334       \MH_else:
10335       \def\EQ_next: {
10336         \raisebox{-\dp\EQ_mathdisplay_box
10337           -\depthof{\EQ_outerbox: {}}}%
10338       \MH_fi:\EQ_next:}}}%
10339   \MH_fi:}
10340 \def\EQ_post_process: {%
10341   \EQ_initialize:
10342   \EQ_begin_equation:
10343   \MH_if_boolean:nT {outer_mult}{
10344     \setkeys{MT_options_name:}{
10345       firstline-afterskip=0pt,
10346       lastline-preskip=0pt,
10347       multlined-width=0pt,
10348     }
10349     \ifodd \l_EQ_alignmentmode_int
10350       \setkeys{MT_options_name:}{multlined-pos=b}
10351     \MH_else:
10352       \setkeys{MT_options_name:}{multlined-pos=t}
10353     \MH_fi:
10354     \g@addto@macro\EQ_complete_mathdisplay: {
10355       \begin{MTmultlined}\relax}
10356   }
10357   \g@addto@macro\EQ_complete_mathdisplay: \EQ_mathbody:
10358   \MH_if_boolean:nT {outer_mult}{
10359     \g@addto@macro\EQ_complete_mathdisplay: {\end{MTmultlined}}
10360   }

```



```

10361 \EQ_end_equation:
10362 \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
10363 \savecounters@
10364 \EQ_typeset_tags:
10365 \edef\l_EQ_equation_fint{\number\c@equation}
10366 \restorecounters@
10367 \Hy@linkcounter=\EQ_hyperref_link_fint
10368 \settowidth\l_EQ_totalwidth_dim{%
10369   $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
10370 \MH_if_boolean:nTF {outer_mult}
10371   { \def\EQ_next:{_mult} }
10372   { \def\EQ_next:{} }
10373 \@nameuse{EQ_modify_linewidth_
10374   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
10375 \EQ_typeset_display:
10376 \@nameuse{EQ_find_displaywidth_
10377   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
10378 \MH_addtlength:dn
10379   \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
10380 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
10381   $\EQ_left_side:
10382   \EQ_innerbox:{%
10383     \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
10384     \makebox[\l_EQ_displaywidth_dim][c]
10385     {\usebox{\EQ_mathdisplay_box}}%
10386   \MH_or:
10387     \makebox[\l_EQ_displaywidth_dim][c]
10388     {\usebox{\EQ_mathdisplay_box}}%
10389   \MH_or:
10390     \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
10391       \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
10392         \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
10393         \kern-\@mathmargin
10394       \MH_fi:
10395     \MH_fi:
10396     \usebox{\EQ_mathdisplay_box}}%
10397   \else\makebox[\l_EQ_displaywidth_dim][l]{%
10398     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
10399     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
10400     \kern-\@mathmargin
10401     \MH_fi:
10402     \MH_fi:
10403     \usebox{\EQ_mathdisplay_box}}\fi%
10404   \MH_or:
10405     \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
10406       \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
10407       \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
10408       \kern-\@mathmargin
10409       \MH_fi:
10410     \MH_fi:
10411     \usebox{\EQ_mathdisplay_box}}
10412   \else\makebox[\l_EQ_displaywidth_dim][l]{%
10413     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
10414     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:

```



```

10415         \kern-\@mathmargin
10416         \MH_fi:
10417         \MH_fi:
10418         \usebox{\EQ_mathdisplay_box}}\fi%
10419     \MH_fi:}%
10420     \EQ_right_side:$}%
10421 \begin{AmSequation*}
10422 \@nameuse{EQ_place_display_
10423     \romannumeral\l_EQ_equationtype_int\EQ_next: :}
10424 \MH_if_dim:w \g_EQ_widesttag_dim>\z@
10425 \MH_set_boolean_T:n {show_manual_tags}
10426 \MH_if_case:w \l_EQ_alignmentmode_int
10427 \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %\#1
10428 \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %\#2
10429 \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %\#3
10430 \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %\#4
10431 \MH_fi:
10432 \MH_fi:
10433 \end{AmSequation*}
10434 \global\c@equation=\l_EQ_equation_fint\relax
10435 }
10436 \AtBeginDocument{%
10437 \ifpackageloaded{fancybox}{%
10438 \ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
10439 {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
10440 \renewcommand*\shadowbox{%
10441 \ifstar{\MH_set_boolean_T:n {shadowbox_star}
10442     \VerbBox\EQ_shadowbox:n}
10443     {\MH_set_boolean_F:n {shadowbox_star}
10444     \VerbBox\EQ_shadowbox:n}}
10445 \def\EQ_shadowbox:n #1{%
10446 \sbox{\z@}{\fbox{#1}}%
10447 \MH_if_boolean:nTF {shadowbox_star}{
10448     \MH_setlength:dn \@tempdima{\z@}%
10449     }{
10450     \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
10451     }
10452 \raisebox{\@tempdima}{%
10453     \if@RTL\makebox[\z@] [r]{%
10454         \kern\shadowsize \textcolor{shadowcolor}{%
10455             \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
10456         }%
10457     \else\makebox[\z@] [l]{%
10458         \kern\shadowsize \textcolor{shadowcolor}{%
10459             \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
10460         }\fi%
10461     \usebox\z@\textcolor{shadowcolor}{%
10462         \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}%
10463     }-}%
10464 }
10465 \MHInternalSyntaxOff

```

76 File extarticle-xetex-bidi.def



```

10466 \ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle cla
10467 \renewcommand*\l@section[2]{%
10468   \ifnum \c@tocdepth >\z@
10469     \addpenalty\@secpenalty
10470     \addvspace{1.0em \@plus\p@}%
10471     \setlength\@tempdima{1.5em}%
10472     \begingroup
10473     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
10474     \parfillskip -\@pnumwidth
10475     \leavevmode \bfseries
10476     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
10477     \hskip -\if@RTL\rightskip\else\leftskip\fi
10478     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
10479   \endgroup
10480 \fi}
10481 \renewcommand*\l@part[2]{%
10482 \ifnum \c@tocdepth >-2\relax
10483   \addpenalty\@secpenalty
10484   \addvspace{2.25em \@plus\p@}%
10485   \begingroup
10486     \setlength\@tempdima{3em}%
10487     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
10488     \parfillskip -\@pnumwidth
10489     {\leavevmode
10490     \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
10491     \nobreak
10492   \endgroup
10493 \fi}
10494 \def\@part[#1]#2{%
10495   \ifnum \c@secnumdepth >\m@ne
10496     \refstepcounter{part}%
10497     \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
10498   \else
10499     \addcontentsline{toc}{part}{#1}%
10500   \fi
10501   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
10502   \interlinepenalty \@M
10503   \normalfont
10504   \ifnum \c@secnumdepth >\m@ne
10505     \Large\bfseries \partname~\thepart
10506     \par\nobreak
10507   \fi
10508   \huge \bfseries #2%
10509   \markboth{}{\par}%
10510   \nobreak
10511   \vskip 3ex
10512   \@afterheading}
10513 \def\@spart#1{%
10514   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
10515   \interlinepenalty \@M
10516   \normalfont
10517   \huge \bfseries #1\par}%
10518   \nobreak
10519   \vskip 3ex

```



```

10520     \@afterheading}
10521 \renewenvironment{thebibliography}[1]
10522     {\section*{\refname
10523         \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
10524         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
10525         \bidi@thebibliography@font@hook%
10526         \list{\@biblabel{\@arabic\c@enumiv}}%
10527         {\settowidth\labelwidth{\@biblabel{#1}}%
10528         \leftmargin\labelwidth
10529         \advance\leftmargin\labelsep
10530         \@openbib@code
10531         \usecounter{enumiv}}%
10532         \let\p@enumiv\@empty
10533         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
10534     \sloppy\clubpenalty4000\widowpenalty4000%
10535     \sfcode\.\@m}
10536     {\def\@noitemerr
10537         {\@latex@warning{Empty `thebibliography' environment}}}%
10538     \endlist}
10539 \renewcommand\left@footnoterule{%
10540     \kern-3\p@
10541     \hrule\@width.4\columnwidth
10542     \kern2.6\p@}
10543 \renewcommand\right@footnoterule{%
10544     \kern-3\p@
10545     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
10546     \kern2.6\p@}
10547     \if@titlepage
10548     \renewcommand\maketitle{\begin{titlepage}%
10549     \let\footnotesize\small
10550     \let\right@footnoterule\relax
10551     \let\left@footnoterule\relax
10552     \let\textwidth\footnoterule\relax
10553     \let \footnote \thanks
10554     \null\vfil
10555     \vskip 60\p@
10556     \begin{center}%
10557         {\LARGE \@title \par}%
10558         \vskip 3em%
10559         {\large
10560         \lineskip .75em%
10561         \begin{tabular}[t]{c}%
10562             \@author
10563             \end{tabular}\par}%
10564         \vskip 1.5em%
10565         {\large \@date \par}%           % Set date in \large size.
10566     \end{center}\par
10567     \@thanks
10568     \vfil\null
10569     \end{titlepage}%
10570     \setcounter{footnote}{0}%
10571     \global\let\thanks\relax
10572     \global\let\maketitle\relax
10573     \global\let\@thanks\@empty

```



```

10574 \global\let\@author\@empty
10575 \global\let\@date\@empty
10576 \global\let\@title\@empty
10577 \global\let\title\relax
10578 \global\let\author\relax
10579 \global\let\date\relax
10580 \global\let\and\relax
10581 }
10582 \else
10583 \renewcommand\maketitle{\par
10584 \begingroup
10585 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
10586 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
10587 \long\def\@makefntext##1{\parindent 1em\noindent
10588 \hb@xt@1.8em{%
10589 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
10590 \iftwocolumn
10591 \ifnum \col@number=\@ne
10592 \@maketitle
10593 \else
10594 \twocolumn[\@maketitle]%
10595 \fi
10596 \else
10597 \newpage
10598 \global\@topnum\z@ % Prevents figures from going at top of page.
10599 \@maketitle
10600 \fi
10601 \thispagestyle{plain}\@thanks
10602 \endgroup
10603 \setcounter{footnote}{0}%
10604 \global\let\thanks\relax
10605 \global\let\maketitle\relax
10606 \global\let\@maketitle\relax
10607 \global\let\@thanks\@empty
10608 \global\let\@author\@empty
10609 \global\let\@date\@empty
10610 \global\let\@title\@empty
10611 \global\let\title\relax
10612 \global\let\author\relax
10613 \global\let\date\relax
10614 \global\let\and\relax
10615 }
10616 \def\@maketitle{%
10617 \newpage
10618 \null
10619 \vskip 2em%
10620 \begin{center}%
10621 \let \footnote \thanks
10622 {\LARGE \@title \par}%
10623 \vskip 1.5em%
10624 {\large
10625 \lineskip .5em%
10626 \begin{tabular}[t]{c}%
10627 \@author

```



```

10628     \end{tabular}\par}%
10629     \vskip 1em%
10630     {\large \@date}%
10631 \end{center}%
10632 \par
10633 \vskip 1.5em}
10634 \fi
10635 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
10636 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
10637 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
10638 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%

```

77 File extbook-xetex-bidi.def

```

10639 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for
10640 \if@titlepage
10641 \renewcommand\maketitle{\begin{titlepage}%
10642 \let\footnotesize\small
10643 \let\right@footnoterule\relax
10644 \let\left@footnoterule\relax
10645 \let\textwidth@footnoterule\relax
10646 \let \footnote \thanks
10647 \let \LTRfootnote \LTRthanks
10648 \let \RTLfootnote \RTLthanks
10649 \null\vfil
10650 \vskip 60\p@
10651 \begin{center}%
10652   {\LARGE \@title \par}%
10653   \vskip 3em%
10654   {\large
10655     \lineskip .75em%
10656     \begin{tabular}[t]{c}%
10657       \@author
10658     \end{tabular}\par}%
10659     \vskip 1.5em%
10660     {\large \@date \par}%           % Set date in \large size.
10661 \end{center}\par
10662 \@thanks
10663 \vfil\null
10664 \end{titlepage}%
10665 \setcounter{footnote}{0}%
10666 \global\let\thanks\relax
10667 \global\let\LTRthanks\relax
10668 \global\let\RTLthanks\relax
10669 \global\let\maketitle\relax
10670 \global\let\@thanks\@empty
10671 \global\let\@author\@empty
10672 \global\let\@date\@empty
10673 \global\let\@title\@empty
10674 \global\let\title\relax
10675 \global\let\author\relax
10676 \global\let\date\relax
10677 \global\let\and\relax
10678 }

```



```

10679 \else
10680 \renewcommand\maketitle{\par
10681   \begingroup
10682     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
10683     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
10684     \long\def\@makefntext##1{\parindent 1em\noindent
10685       \hb@xt@1.8em{%
10686         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
10687     \if@twocolumn
10688       \ifnum \col@number=\@ne
10689         \@maketitle
10690       \else
10691         \twocolumn[\@maketitle]%
10692       \fi
10693     \else
10694       \newpage
10695       \global\@topnum\z@ % Prevents figures from going at top of page.
10696       \@maketitle
10697     \fi
10698     \thispagestyle{plain}\@thanks
10699   \endgroup
10700   \setcounter{footnote}{0}%
10701   \global\let\thanks\relax
10702   \global\let\LTRthanks\relax
10703   \global\let\RTLthanks\relax
10704   \global\let\maketitle\relax
10705   \global\let\@maketitle\relax
10706   \global\let\@thanks\@empty
10707   \global\let\@author\@empty
10708   \global\let\@date\@empty
10709   \global\let\@title\@empty
10710   \global\let\title\relax
10711   \global\let\author\relax
10712   \global\let\date\relax
10713   \global\let\and\relax
10714 }
10715 \def\@maketitle{%
10716   \newpage
10717   \null
10718   \vskip 2em%
10719   \begin{center}%
10720     \let \footnote \thanks
10721     \let \LTRfootnote \LTRthanks
10722     \let \RTLfootnote \RTLthanks
10723     {\LARGE \@title \par}%
10724     \vskip 1.5em%
10725     {\large
10726       \lineskip .5em%
10727       \begin{tabular}[t]{c}%
10728         \@author
10729       \end{tabular}\par}%
10730     \vskip 1em%
10731     {\large \@date}%
10732   \end{center}%

```



```

10733 \par
10734 \vskip 1.5em}
10735 \fi
10736 \renewcommand*\l@part[2]{%
10737 \ifnum \c@tocdepth >-2\relax
10738 \addpenalty{-\@highpenalty}%
10739 \addvspace{2.25em \@plus\p@}%
10740 \begingroup
10741 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
10742 \parfillskip -\@pnumwidth
10743 {\leavevmode
10744 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
10745 \nobreak
10746 \global\@nobreaktrue
10747 \everypar{\global\@nobreakfalse\everypar{}}%
10748 \endgroup
10749 \fi}
10750 \renewcommand\theequation
10751 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
10752 \renewcommand \thefigure
10753 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
10754 \renewcommand \thetable
10755 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
10756 \renewcommand \thechapter {\@arabic\c@chapter}
10757 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
10758 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
10759 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
10760 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
10761 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
10762 \def\@makechapterhead#1{%
10763 \vspace*{50\p@}%
10764 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
10765 \ifnum \c@secnumdepth >\m@ne
10766 \if@mainmatter
10767 \huge\bfseries \@chapapp\space \thechapter
10768 \par\nobreak
10769 \vskip 20\p@
10770 \fi
10771 \fi
10772 \interlinepenalty\@M
10773 \Huge \bfseries #1\par\nobreak
10774 \vskip 40\p@
10775 }}
10776
10777 \def\@makeschapterhead#1{%
10778 \vspace*{50\p@}%
10779 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
10780 \normalfont
10781 \interlinepenalty\@M
10782 \Huge \bfseries #1\par\nobreak
10783 \vskip 40\p@
10784 }}
10785 \renewcommand\backmatter{%
10786 \if@openright

```



```

10787 \cleardoublepage
10788 \else
10789 \clearpage
10790 \fi
10791 \@mainmatterfalse}
10792 \renewenvironment{thebibliography}[1]
10793   {\chapter*{\bibname
10794     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}}%
10795   {\ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
10796   \bidi@thebibliography@font@hook%
10797   \list{\@biblabel{\@arabic\c@enumiv}}%
10798     {\settowidth\labelwidth{\@biblabel{#1}}%
10799     \leftmargin\labelwidth
10800     \advance\leftmargin\labelsep
10801     \@openbib@code
10802     \usecounter{enumiv}%
10803     \let\p@enumiv\@empty
10804     \renewcommand\theenumiv{\@arabic\c@enumiv}}}%
10805   \sloppy
10806   \clubpenalty4000
10807   \@clubpenalty \clubpenalty
10808   \widowpenalty4000%
10809   \sfcode`.\@m}
10810   {\def\@noitemerr
10811     {\@latex@warning{Empty `thebibliography' environment}}}%
10812   \endlist}

```

78 File extletter-xetex-bidi.def

```

10813 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class]
10814 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
10815   \thispagestyle{firstpage}%
10816   {\ifRTL\raggedright\else\raggedleft\fi\@date\par}%
10817 \else % home address
10818   \thispagestyle{empty}%
10819   {\ifRTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignore
10820   \fromaddress \*[2\parskip]%
10821   \@date \end{tabular}\par}%
10822 \fi
10823 \vspace{2\parskip}%
10824 {\ifRTL\raggedleft\else\raggedright\fi \toname \ \ toaddress \par}%
10825 \vspace{2\parskip}%
10826 #1\par\nobreak}
10827 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
10828 \stopbreaks
10829 \noindent
10830 \ifx\@empty\fromaddress\else
10831 \hspace*{\longindentation}\fi
10832 \parbox{\indentedwidth}{\ifRTL\raggedleft\else\raggedright\fi
10833   \ignorespaces #1\ [6\medskipamount]%
10834   \ifx\@empty\fromsig
10835     \fromname
10836   \else \fromsig \fi\strut}%
10837 \par}

```



```

10838 \renewcommand\left@footnoterule{%
10839   \kern-\p@
10840   \hrule \@width .4\columnwidth
10841   \kern .6\p@}
10842 \renewcommand\right@footnoterule{%
10843   \kern-\p@
10844   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
10845   \kern .6\p@}

```

79 File extrafootnotefeatures-xetex-bidi.def

```

10846 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2018/10/11 v1.7 bidi extra footnote feat
10847 \newif\if@bidi@void@footins
10848 \newif\if@bidi@void@mpfootins
10849 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
10850 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
10851 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
10852 \ifHy@hyperfootnotes
10853   \let\@H@footnotetext\@footnotetext
10854   \let\@HLTR@LTRfootnotetext\@LTRfootnotetext
10855   \let\@HRTL@RTLfootnotetext\@RTLfootnotetext
10856   \let\@H@mpfootnotetext\@mpfootnotetext
10857   \let\@HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
10858   \let\@HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
10859 \fi
10860 }%
10861 }%
10862 }
10863 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
10864 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
10865 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
10866 \ifHy@hyperfootnotes
10867   \let\H@footnotetext\@footnotetext
10868   \let\@footnotetext\@H@footnotetext
10869   \let\HLTR@LTRfootnotetext\@LTRfootnotetext
10870   \let\@LTRfootnotetext\@HLTR@LTRfootnotetext
10871   \let\HRTL@RTLfootnotetext\@RTLfootnotetext
10872   \let\@RTLfootnotetext\@HRTL@RTLfootnotetext
10873   \let\H@mpfootnotetext\@mpfootnotetext
10874   \let\@mpfootnotetext\@H@mpfootnotetext
10875   \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
10876   \let\@mpLTRfootnotetext\@HLTR@mpLTRfootnotetext
10877   \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
10878   \let\@mpRTLfootnotetext\@HRTL@mpRTLfootnotetext
10879 \fi
10880 }%
10881 }%
10882 }
10883 \let\autofootnoterule\relax
10884 \let\rightfootnoterule\relax
10885 \let\leftfootnoterule\relax
10886 \let\textwidthfootnoterule\relax
10887 \let\LRfootnoterule\relax
10888 \def\footnoterule{\kern-3\p@

```



```

10889 \hrule \@width \columnwidth \kern 2.6\p@}
10890 \newcommand{\@preamnormalfmt}{%
10891 \parindent 1em%
10892 \noindent
10893 }
10894 \newcommand{\@normalfootfmt}[1]{%
10895 \@preamnormalfmt
10896 \footfootmark
10897 \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
10898 \@finalstrut\strutbox
10899 }
10900 \newcommand{\@normalRTLfootfmt}[1]{%
10901 \@preamnormalfmt
10902 \RTLfootfootmark
10903 \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
10904 \@finalstrut\strutbox
10905 }
10906 \newcommand{\@normalLTRfootfmt}[1]{%
10907 \@preamnormalfmt
10908 \LTRfootfootmark
10909 \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
10910 \@finalstrut\strutbox
10911 }
10912 \renewcommand{\@footnotetext}[1]{%
10913 \insert\footins{%
10914 \if@RTL@footnote@RTLtrue\else@RTLfalse\fi%
10915 \def\baselinestretch{\m@m@footnote@spacing}%
10916 \reset@font
10917 \foottextfont
10918 \@preamfntext
10919 \hsize\columnwidth
10920 \protected@edef\@currentlabel{%
10921 \csname p@footnote\endcsname\@thefnmark}%
10922 \color@begingroup
10923 \@normalfootfmt{#1}%
10924 \color@endgroup}%
10925 \m@mmf@prepare}
10926 \renewcommand{\@RTLfootnotetext}[1]{%
10927 \insert\footins{%
10928 \@RTLtrue%
10929 \def\baselinestretch{\m@m@footnote@spacing}%
10930 \reset@font
10931 \RTLfoottextfont
10932 \@preamfntext
10933 \hsize\columnwidth
10934 \protected@edef\@currentlabel{%
10935 \csname p@footnote\endcsname\@thefnmark}%
10936 \color@begingroup
10937 \@normalRTLfootfmt{#1}%
10938 \color@endgroup}%
10939 \m@mmf@prepare}
10940 \renewcommand{\@LTRfootnotetext}[1]{%
10941 \insert\footins{%
10942 \@RTLfalse%

```



```

10943 \def\baselinestretch{\m@m@footnote@spacing}%
10944 \reset@font
10945 \LTRfoottextfont
10946 \@preamftext
10947 \hsize\columnwidth
10948 \protected@edef\@currentlabel{%
10949   \csname p@footnote\endcsname\@thefnmark}%
10950 \color@begingroup
10951   \@normalLTRfootfmt{#1}%
10952 \color@endgroup}%
10953 \m@mmf@prepare}
10954 \renewcommand{\@mpfootnotetext}[1]{%
10955   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10956     \unvbox\@mpfootins
10957     \def\baselinestretch{\m@m@footnote@spacing}%
10958     \reset@font%
10959     \foottextfont \hsize\columnwidth \@parboxrestore
10960     \protected@edef\@currentlabel{%
10961       \csname p@mpfootnote\endcsname\@thefnmark}%
10962     \color@begingroup
10963     \@normalfootfmt{#1}%
10964     \color@endgroup}}
10965 \renewcommand{\@mpLTRfootnotetext}[1]{%
10966   \global\setbox\@mpfootins\vbox{\@RTLfalse%
10967     \unvbox\@mpfootins
10968     \def\baselinestretch{\m@m@footnote@spacing}%
10969     \reset@font%
10970     \LTRfoottextfont \hsize\columnwidth \@parboxrestore
10971     \protected@edef\@currentlabel{%
10972       \csname p@mpfootnote\endcsname\@thefnmark}%
10973     \color@begingroup
10974     \@normalLTRfootfmt{#1}%
10975     \color@endgroup}}
10976 \renewcommand{\@mpRTLfootnotetext}[1]{%
10977   \global\setbox\@mpfootins\vbox{\@RTLtrue%
10978     \unvbox\@mpfootins
10979     \def\baselinestretch{\m@m@footnote@spacing}%
10980     \reset@font%
10981     \RTLfoottextfont \hsize\columnwidth \@parboxrestore
10982     \protected@edef\@currentlabel{%
10983       \csname p@mpfootnote\endcsname\@thefnmark}%
10984     \color@begingroup
10985     \@normalRTLfootfmt{#1}%
10986     \color@endgroup}}
10987 \let\m@mold@footnotetext\@footnotetext
10988 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
10989 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
10990 \let\m@mold@mpfootnotetext\@mpfootnotetext
10991 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
10992 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
10993 \bidi@ensure@newcommand{\normalfootnotes}{%
10994   \@bidi@before@Hy@hyperfootnotes
10995   \let\@footnotetext\m@mold@footnotetext
10996   \let\@LTRfootnotetext\m@mold@LTRfootnotetext

```



```

10997 \let\@RTLfootnotetext\m@mold@RTLfootnotetext
10998 \let\@mpfootnotetext\m@mold@mpfootnotetext
10999 \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
11000 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
11001 \@bidi@after@Hy@hyperfootnotes
11002 \@ifstar\@bidi@star@footmarkwidth\@bidi@normal@footmarkwidth
11003 }
11004 \@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{\}
11005 \bidi@ensure@newcommand*\@RTLcolumnfootnotes{\@RTLcolumnfootnotestruer}
11006 \bidi@ensure@newcommand*\@LTRcolumnfootnotes{\@RTLcolumnfootnotesfalse}
11007 \bidi@ensure@newcommand*\@setSingleSpace}[1]{%
11008   \def\m@m@singlespace{#1}%
11009   \def\m@m@footnote@spacing{#1}%
11010   \def\m@m@float@spacing{#1} %
11011 }
11012 \setSingleSpace{1}
11013 \bidi@ensure@newcommand*\@multiplefootnotemarker}{3sp}
11014 \bidi@ensure@newcommand*\@m@m@m@prepare}{%
11015   \kern-\@multiplefootnotemarker
11016   \kern\@multiplefootnotemarker\relax}
11017 \bidi@ensure@newlength{\footmarkwidth}
11018 \bidi@ensure@newcommand*\@footmarkstyle}[1]{\def\footscript##1{#1}}
11019 \bidi@ensure@newcommand*\@LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
11020 \bidi@ensure@newcommand*\@RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
11021 \bidi@ensure@newcommand{\footfootmark}{%
11022   \ifdim\footmarkwidth < \z@
11023     \llap{\hb@xt@ -\footmarkwidth{%
11024       \hss\normalfont\footscript{\@thefnmark}}%
11025       \hspace*{-\footmarkwidth}}%
11026   \else
11027     \ifdim\footmarkwidth = \z@
11028       {\normalfont\footscript{\@thefnmark}}%
11029     \else
11030       \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
11031     \fi
11032   \fi}
11033 \bidi@ensure@newcommand{\LTRfootfootmark}{%
11034   \ifdim\footmarkwidth < \z@
11035     \llap{\hb@xt@ -\footmarkwidth{%
11036       \hss\normalfont\LTRfootscript{\@thefnmark}}%
11037       \hspace*{-\footmarkwidth}}%
11038   \else
11039     \ifdim\footmarkwidth = \z@
11040       {\normalfont\LTRfootscript{\@thefnmark}}%
11041     \else
11042       \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
11043     \fi
11044   \fi}
11045 \bidi@ensure@newcommand{\RTLfootfootmark}{%
11046   \ifdim\footmarkwidth < \z@
11047     \llap{\hb@xt@ -\footmarkwidth{%
11048       \hss\normalfont\RTLfootscript{\@thefnmark}}%
11049       \hspace*{-\footmarkwidth}}%
11050   \else

```



```

11051 \ifdim\footmarkwidth = \z@
11052   {\normalfont\RTLfootscript{\@thefnmark}}%
11053   \else
11054     \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
11055   \fi
11056 \fi}
11057 \footmarkstyle{\textsuperscript{#1}}
11058 \LTRfootmarkstyle{\textsuperscript{#1}}
11059 \RTLfootmarkstyle{\textsuperscript{#1}}
11060 \newcommand*\bidi@normal@footmarkwidth}{%
11061   \setlength{\footmarkwidth}{1em plus .4em minus .4em}%
11062 }
11063 \newcommand*\bidi@star@footmarkwidth}{%
11064   \setlength{\footmarkwidth}{0em plus .4em minus .4em}%
11065 }
11066 \bidi@normal@footmarkwidth
11067 \bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
11068 \bidi@ensure@newcommand*\extrafeetins{%
11069   \setbox\@outputbox \vbox{%
11070     \boxmaxdepth \@maxdepth
11071     \unvbox\@outputbox
11072     \ifvoid\footinsv@r
11073       \ifvoid\footinsv@l
11074         \else
11075           \@footstartv@l
11076           \@LTRfootgroupv@l
11077         \fi
11078       \else
11079         \@footstartv@r
11080         \@footgroupv@r
11081         \ifvoid\footinsv@l
11082           \else
11083             @@footstart@@v@l
11084             \@LTRfootgroupv@l
11085           \fi
11086         \fi
11087       \ifvoid\@bidi@copyins@
11088         \else
11089           \vskip \skip\@bidi@copyins@
11090           \color@begingroup
11091             \normalcolor
11092             \unvbox \@bidi@copyins@
11093           \color@endgroup
11094         \fi
11095       \extrafeetinshook}}
11096 \bidi@ensure@newcommand{\extrafeetinshook}{}
11097 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
11098 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
11099 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
11100 \bidi@ensure@newlength{\footinsdim}
11101 \setlength{\footinsdim}{8in} % standard for \dimen\footins
11102 \bidi@ensure@newcommand{\@preamfntext}{%
11103   \interlinepenalty\interfootnotelinepenalty
11104   \floatingpenalty \@MM

```



```

11105 \splittopskip=\footnotesep
11106 \splitmaxdepth=\dp\strutbox
11107 \@parboxrestore}
11108 \bidi@ensure@newcommand{\m@doextrafeetmini}{%
11109 \extrafeetminihook}
11110 \bidi@ensure@newcommand{\extrafeetendmini}{%
11111 \ifvoid\@mpfootinsv@r
11112 \ifvoid\@mpfootinsv@l
11113 \else
11114 \vskip\skip\@mpfootins
11115 \normalcolor
11116 \if@bidi@void@\@mpfootins
11117 \footnoterule
11118 \fi
11119 \mp@LTRfootgroupv@l
11120 \fi
11121 \else
11122 \vskip\skip\@mpfootins
11123 \normalcolor
11124 \if@bidi@void@\@mpfootins
11125 \footnoterule
11126 \fi
11127 \mp@footgroupv@r
11128 \ifvoid\@mpfootinsv@l
11129 \else
11130 \vskip\skip\@mpfootins
11131 \normalcolor\mp@LTRfootgroupv@l
11132 \fi
11133 \fi
11134 \extrafeetendminihook}
11135 \bidi@ensure@newcommand{\extrafeetendminihook}{%}
11136 \bidi@ensure@newcommand{\m@doextrafeetendmini}{\extrafeetendmini}
11137 \def\endminipage{%
11138 \par
11139 \unskip
11140 \ifvoid\@mpfootins
11141 \global\@bidi@void@\@mpfootinstrue
11142 \else
11143 \global\@bidi@void@\@mpfootinsfalse
11144 \vskip\skip\@mpfootins
11145 \normalcolor
11146 \footnoterule
11147 \unvbox\@mpfootins
11148 \fi
11149 \m@doextrafeetendmini
11150 \@minipagefalse
11151 \color@endgroup
11152 \egroup
11153 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
11154 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
11155 \@namedef{@footstart#1}{%
11156 \bidi@mopfn@bottom
11157 \leftskip=\z@
11158 \rightskip=\z@

```



```

11159 \parindent=\z@
11160 \vskip\skip\footins
11161 \footnoterule}}
11162 \newinsert\footinsv@r
11163 \skip\footinsv@r\bigskipamount
11164 \count\footinsv@r=1000 % no magnification
11165 \dimen\footinsv@r=\footinsdim
11166 \make@footstart{v@r}
11167 \newinsert\footinsv@l
11168 \skip\footinsv@l\bigskipamount
11169 \bidi@ensure@newcommand{\@footgroupv@r}{}
11170 \newinsert\@mpfootinsv@r
11171 \newinsert\@mpfootinsv@l
11172 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
11173 \newcount\m@mk \newdimen\m@m@h
11174 \ifpackageloaded[multicol]{%
11175 \bidi@ensure@newcommand*{\m@r@rigidbalance}[3]{\setbox0=\box#1 \m@mk=#2 \m@m@h=#3
11176 \hsize\textwidth
11177 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
11178 \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
11179 }%
11180 \bidi@ensure@newcommand*{\m@r@rigidbalance}[3]{\setbox0=\box#1 \m@mk=#2 \m@m@h=#3
11181 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
11182 \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
11183 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@mk>0 \noalign{\hfil}\m@msplitoff
11184 \global\advance\m@mk-1\cr\m@mdosplits\fi}
11185 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
11186 \divide\dimen0 by\m@mk \advance\dimen0 by\m@m@h
11187 \setbox2 \vsplit0 to \dimen0
11188 \unvbox2 }
11189 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
11190 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
11191 \@bidi@before@Hy@hyperfootnotes
11192 \let\@footnotetext\@twocolfootnotetext
11193 \let\@LTRfootnotetext\@twocolLTRfootnotetext
11194 \let\@RTLfootnotetext\@twocolRTLfootnotetext
11195 \dimen\footinsv@r=2\footinsdim
11196 \count\footinsv@r=500\relax
11197 \make@twocol@footgroup{v@r}%
11198 \let\@footgroupv@r\@twocol@footgroupv@r
11199 \let\@mpfootnotetext\@mptwocolfootnotetext
11200 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
11201 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
11202 \@bidi@after@Hy@hyperfootnotes
11203 \make@mptwocol@footgroup{v@r}%
11204 \let\mp@footgroupv@r\@mptwocol@footgroupv@r
11205 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11206 }
11207 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
11208 \def\baselinestretch{\m@k@footnote@spacing}%
11209 \reset@font\foottextfont
11210 \@preamfntext
11211 \protected@edef\@currentlabel{%
11212 \csname p@footnote\endcsname\@thefnmark}%

```



```

11213 \color@begingroup
11214   \@twocolfootfmt{#1}%
11215 \color@endgroup}%
11216 \m@mmf@prepare}
11217 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote%
11218 \def\baselinestretch{\m@m@footnote@spacing}%
11219 \reset@font\LTRfoottextfont
11220 \@preamftext
11221 \protected@edef\@currentlabel{%
11222   \csname p@footnote\endcsname\@thefnmark}%
11223 \color@begingroup
11224   \@twocolLTRfootfmt{#1}%
11225 \color@endgroup}%
11226 \m@mmf@prepare}
11227 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
11228 \def\baselinestretch{\m@m@footnote@spacing}%
11229 \reset@font\RTLfoottextfont
11230 \@preamftext
11231 \protected@edef\@currentlabel{%
11232   \csname p@footnote\endcsname\@thefnmark}%
11233 \color@begingroup
11234   \@twocolRTLfootfmt{#1}%
11235 \color@endgroup}%
11236 \m@mmf@prepare}
11237 \bidi@ensure@newcommand{\@preamtwofmt}{%
11238 \hspace .45\hsize
11239 \parindent=\z@
11240 \tolerance=5000\relax
11241 \leavevmode}
11242 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
11243 \@preamtwofmt
11244 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
11245 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
11246 \@preamtwofmt
11247 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
11248 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
11249 \@preamtwofmt
11250 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
11251 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
11252 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11253   \unvbox\@mpfootinsv@r
11254   \def\baselinestretch{\m@m@footnote@spacing}%
11255   \reset@font\foottextfont
11256   \hspace\columnwidth \@parboxrestore
11257   \protected@edef\@currentlabel{%
11258     \csname p@mpfootnote\endcsname\@thefnmark}%
11259 \color@begingroup
11260   \@twocolfootfmt{#1}%
11261 \color@endgroup}%
11262 \m@mmf@prepare}
11263 \bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
11264 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
11265   \unvbox\@mpfootinsv@r
11266   \def\baselinestretch{\m@m@footnote@spacing}%

```



```

11267 \reset@font\LTRfoottextfont
11268 \hsize\columnwidth \@parboxrestore
11269 \if@RTLcolumnfootnotes\beginL\fi
11270 \protected@edef\@currentlabel{%
11271 \csname p@mpfootnote\endcsname\@thefnmark}%
11272 \color@begingroup
11273 \@twocolLTRfootfmt{#1}%
11274 \color@endgroup}%
11275 \m@mmf@prepare}
11276 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
11277 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
11278 \unvbox\@mpfootinsv@r
11279 \def\baselinestretch{\m@m@footnote@spacing}%
11280 \reset@font\RTLfoottextfont
11281 \hsize\columnwidth \@parboxrestore
11282 \protected@edef\@currentlabel{%
11283 \csname p@mpfootnote\endcsname\@thefnmark}%
11284 \color@begingroup
11285 \@twocolRTLfootfmt{#1}%
11286 \color@endgroup}%
11287 \m@mmf@prepare}
11288 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
11289 \@namedef{\twocol@footgroup#1}{%
11290 \def\baselinestretch{\m@m@footnote@spacing}%
11291 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11292 \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}%
11293 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
11294 \@namedef{\mptwocol@footgroup#1}{%
11295 \def\baselinestretch{\m@m@footnote@spacing}%
11296 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11297 \m@mrigidbalance{\@nameuse{mpfootins#1}}{\tw@}{\splittopskip}}}%
11298 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
11299 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
11300 \@bidi@before@Hy@hyperfootnotes
11301 \let\@footnotetext\@threecolfootnotetext
11302 \let\@LTRfootnotetext\@threecolLTRfootnotetext
11303 \let\@RTLfootnotetext\@threecolRTLfootnotetext
11304 \dimen\footinsv@r=3\footinsdim
11305 \count\footinsv@r=333\relax
11306 \m@make@threecol@footgroup{v@r}%
11307 \let\@footgroupv@r\@threecol@footgroupv@r
11308 \let\@mpfootnotetext\@mpthreecolfootnotetext
11309 \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
11310 \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
11311 \@bidi@after@Hy@hyperfootnotes
11312 \m@make@mpthreecol@footgroup{v@r}%
11313 \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
11314 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11315 }
11316 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTL
11317 \def\baselinestretch{\m@m@footnote@spacing}%
11318 \reset@font\foottextfont
11319 \@preamfntext
11320 \protected@edef\@currentlabel{%

```



```

11321 \csname p@footnote\endcsname\@thefnmark}%
11322 \color@begingroup
11323 \@threecolfootfmt{#1}%
11324 \color@endgroup}\m@mmf@prepare}
11325 \bidi@ensure@newcommand{\@threecolLTrfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootno
11326 \def\baselinestretch{\m@m@footnote@spacing}%
11327 \reset@font\LTrfoottextfont
11328 \@preamftext
11329 \protected@edef\@currentlabel{%
11330 \csname p@footnote\endcsname\@thefnmark}%
11331 \color@begingroup
11332 \@threecolLTrfootfmt{#1}%
11333 \color@endgroup}\m@mmf@prepare}
11334 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
11335 \def\baselinestretch{\m@m@footnote@spacing}%
11336 \reset@font\RTLfoottextfont
11337 \@preamftext
11338 \protected@edef\@currentlabel{%
11339 \csname p@footnote\endcsname\@thefnmark}%
11340 \color@begingroup
11341 \@threecolRTLfootfmt{#1}%
11342 \color@endgroup}\m@mmf@prepare}
11343 \bidi@ensure@newcommand{\@preamthreefmt}{%
11344 \hspace .3\hspace
11345 \parindent=\z@
11346 \tolerance=5000\relax
11347 \leavevmode}
11348 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
11349 \@preamthreefmt
11350 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
11351 \bidi@ensure@newcommand{\@threecolLTrfootfmt}[1]{%
11352 \@preamthreefmt
11353 {\LTrfootfootmark\strut {\LTrfoottextfont #1}\strut\par}\allowbreak}
11354 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
11355 \@preamthreefmt
11356 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
11357 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
11358 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11359 \unvbox\@mpfootinsv@r
11360 \def\baselinestretch{\m@m@footnote@spacing}%
11361 \reset@font\foottextfont
11362 \hspace\columnwidth \@parboxrestore
11363 \protected@edef\@currentlabel{%
11364 \csname p@mpfootnote\endcsname\@thefnmark}%
11365 \color@begingroup
11366 \@threecolfootfmt{#1}%
11367 \color@endgroup}\m@mmf@prepare}
11368 \bidi@ensure@newcommand{\@mpthreecolLTrfootnotetext}[1]{%
11369 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
11370 \unvbox\@mpfootinsv@r
11371 \def\baselinestretch{\m@m@footnote@spacing}%
11372 \reset@font\LTrfoottextfont
11373 \hspace\columnwidth \@parboxrestore
11374 \if@RTLcolumnfootnotes\beginL\fi

```



```

11375   \protected@edef\@currentlabel{%
11376     \csname p@mpfootnote\endcsname\@thefnmark}%
11377   \color@begingroup
11378     \@threecolLTRfootfmt{#1}%
11379   \color@endgroup}\m@mmf@prepare}
11380 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
11381   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
11382     \unvbox\@mpfootinsv@r
11383     \def\baselinestretch{\m@m@footnote@spacing}%
11384     \reset@font\RTLfoottextfont
11385     \hsize\columnwidth \@parboxrestore
11386     \protected@edef\@currentlabel{%
11387       \csname p@mpfootnote\endcsname\@thefnmark}%
11388     \color@begingroup
11389       \@threecolRTLfootfmt{#1}%
11390     \color@endgroup}\m@mmf@prepare}
11391 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
11392 \@namedef{\@threecol@footgroup#1}{%
11393   \def\baselinestretch{\m@m@footnote@spacing}%
11394   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11395   \m@Mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
11396 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
11397 \@namedef{\@mpthreecol@footgroup#1}{%
11398   \def\baselinestretch{\m@m@footnote@spacing}%
11399   \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11400   \m@Mrigidbalance{\@nameuse{mpfootins#1}}{\thr@@}{\splittopskip}}}}
11401 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
11402   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
11403   \@bidi@before@Hy@hyperfootnotes
11404   \let\@footnotetext\@fourcolfootnotetext
11405   \let\@LTRfootnotetext\@fourcolLTRfootnotetext
11406   \let\@RTLfootnotetext\@fourcolRTLfootnotetext
11407   \dimen\footinsv@r=4\footinsdim
11408   \count\footinsv@r=250\relax
11409   \m@make@fourcol@footgroup{v@r}%
11410   \let\@footgroupv@r\@fourcol@footgroupv@r
11411   \let\@mpfootnotetext\@mpfourcolfootnotetext
11412   \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
11413   \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
11414   \@bidi@after@Hy@hyperfootnotes
11415   \m@make@mpfourcol@footgroup{v@r}%
11416   \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
11417   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11418 }
11419 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
11420   \def\baselinestretch{\m@m@footnote@spacing}%
11421   \reset@font\foottextfont
11422   \@preamfntext
11423   \protected@edef\@currentlabel{%
11424     \csname p@footnote\endcsname\@thefnmark}%
11425   \color@begingroup
11426     \@fourcolfootfmt{#1}%
11427   \color@endgroup}%
11428   \m@mmf@prepare}

```



```

11429 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
11430 \def\baselinestretch{\m@m@footnote@spacing}%
11431 \reset@font\LTRfoottextfont
11432 \@preamfntext
11433 \protected@edef\@currentlabel{%
11434 \csname p@footnote\endcsname\@thefnmark}%
11435 \color@begingroup
11436 \@fourcolLTRfootfmt{#1}%
11437 \color@endgroup}%
11438 \m@mmf@prepare}
11439 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
11440 \def\baselinestretch{\m@m@footnote@spacing}%
11441 \reset@font\RTLfoottextfont
11442 \@preamfntext
11443 \protected@edef\@currentlabel{%
11444 \csname p@footnote\endcsname\@thefnmark}%
11445 \color@begingroup
11446 \@fourcolRTLfootfmt{#1}%
11447 \color@endgroup}%
11448 \m@mmf@prepare}
11449 \bidi@ensure@newcommand{\@preamfourfmt}{%
11450 \hspace .25\hspace
11451 \parindent=\z@
11452 \tolerance=5000\relax
11453 \leavevmode}
11454 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
11455 \@preamfourfmt
11456 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
11457 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
11458 \@preamfourfmt
11459 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
11460 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
11461 \@preamfourfmt
11462 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
11463 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
11464 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11465 \unvbox\@mpfootinsv@r
11466 \def\baselinestretch{\m@m@footnote@spacing}%
11467 \reset@font\foottextfont
11468 \hspace\columnwidth \@parboxrestore
11469 \protected@edef\@currentlabel{%
11470 \csname p@mpfootnote\endcsname\@thefnmark}%
11471 \color@begingroup
11472 \@fourcolfootfmt{#1}%
11473 \color@endgroup}%
11474 \m@mmf@prepare}
11475 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
11476 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
11477 \unvbox\@mpfootinsv@r
11478 \def\baselinestretch{\m@m@footnote@spacing}%
11479 \reset@font\LTRfoottextfont
11480 \hspace\columnwidth \@parboxrestore
11481 \if@RTLcolumnfootnotes\beginL\fi
11482 \protected@edef\@currentlabel{%

```



```

11483     \csname p@mpfootnote\endcsname\@thefnmark}%
11484 \color@begingroup
11485   \@fourcolLTRfootfmt{#1}%
11486 \color@endgroup}%
11487 \m@mmf@prepare}
11488 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
11489   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
11490     \unvbox\@mpfootinsv@r
11491     \def\baselinestretch{\m@m@footnote@spacing}%
11492     \reset@font\RTLfoottextfont
11493     \hsize\columnwidth \@parboxrestore
11494     \protected@edef\@currentlabel{%
11495       \csname p@mpfootnote\endcsname\@thefnmark}%
11496   \color@begingroup
11497     \@fourcolRTLfootfmt{#1}%
11498   \color@endgroup}%
11499   \m@mmf@prepare}
11500 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
11501   \@namedef{@fourcol@footgroup#1}{%
11502     \def\baselinestretch{\m@m@footnote@spacing}%
11503     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11504     \m@r rigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
11505 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
11506   \@namedef{@mpfourcol@footgroup#1}{%
11507     \def\baselinestretch{\m@m@footnote@spacing}%
11508     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11509     \m@r rigidbalance{\@nameuse{mpfootins#1}}{4}{\splittopskip}}}}
11510 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
11511   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
11512   \@bidi@before@Hy@hyperfootnotes
11513   \let\@footnotetext\@fivecolfootnotetext
11514   \let\@LTRfootnotetext\@fivecolLTRfootnotetext
11515   \let\@RTLfootnotetext\@fivecolRTLfootnotetext
11516   \dimen\footinsv@r=5\footinsdim
11517   \count\footinsv@r=200\relax
11518   \m@make@fivecol@footgroup{v@r}%
11519   \let\@footgroupv@r\@fivecol@footgroupv@r
11520   \let\@mpfootnotetext\@mpfivecolfootnotetext
11521   \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
11522   \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
11523   \@bidi@after@Hy@hyperfootnotes
11524   \m@make@mpfivecol@footgroup{v@r}%
11525   \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
11526   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11527 }
11528 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
11529   \def\baselinestretch{\m@m@footnote@spacing}%
11530   \reset@font\foottextfont
11531   \@preamfntext
11532   \protected@edef\@currentlabel{%
11533     \csname p@footnote\endcsname\@thefnmark}%
11534   \color@begingroup
11535     \@fivecolfootfmt{#1}%
11536   \color@endgroup}%

```



```

11537 \m@mmf@prepare}
11538 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\ifRTLcolumnfootnot
11539 \def\baselinestretch{\m@m@footnote@spacing}%
11540 \reset@font\LTRfoottextfont
11541 \@preamfntext
11542 \protected@edef\@currentlabel{%
11543 \csname p@footnote\endcsname\@thefnmark}%
11544 \color@begingroup
11545 \@fivecolLTRfootfmt{#1}%
11546 \color@endgroup}%
11547 \m@mmf@prepare}
11548 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
11549 \def\baselinestretch{\m@m@footnote@spacing}%
11550 \reset@font\RTLfoottextfont
11551 \@preamfntext
11552 \protected@edef\@currentlabel{%
11553 \csname p@footnote\endcsname\@thefnmark}%
11554 \color@begingroup
11555 \@fivecolRTLfootfmt{#1}%
11556 \color@endgroup}%
11557 \m@mmf@prepare}
11558 \bidi@ensure@newcommand{\@preamfivefmt}{%
11559 \hspace .2\hspace
11560 \parindent=\z@
11561 \tolerance=5000\relax
11562 \leavevmode}
11563 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
11564 \@preamfivefmt
11565 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
11566 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
11567 \@preamfivefmt
11568 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
11569 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
11570 \@preamfivefmt
11571 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
11572 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
11573 \global\setbox\@mpfootinsv@r\vbox{\ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11574 \unvbox\@mpfootinsv@r
11575 \def\baselinestretch{\m@m@footnote@spacing}%
11576 \reset@font\foottextfont
11577 \hspace\columnwidth \@parboxrestore
11578 \protected@edef\@currentlabel{%
11579 \csname p@mpfootnote\endcsname\@thefnmark}%
11580 \color@begingroup
11581 \@fivecolfootfmt{#1}%
11582 \color@endgroup}%
11583 \m@mmf@prepare}
11584 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
11585 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
11586 \unvbox\@mpfootinsv@r
11587 \def\baselinestretch{\m@m@footnote@spacing}%
11588 \reset@font\LTRfoottextfont
11589 \hspace\columnwidth \@parboxrestore
11590 \ifRTLcolumnfootnotes\beginL\fi

```



```

11591 \protected@edef\@currentlabel{%
11592 \csname p@mpfootnote\endcsname\@thefnmark}%
11593 \color@begingroup
11594 \@fivecolLTRfootfmt{#1}%
11595 \color@endgroup}%
11596 \m@mmf@prepare}
11597 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
11598 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
11599 \unvbox\@mpfootinsv@r
11600 \def\baselinestretch{\m@m@footnote@spacing}%
11601 \reset@font\RTLfoottextfont
11602 \hsize\columnwidth \@parboxrestore
11603 \protected@edef\@currentlabel{%
11604 \csname p@mpfootnote\endcsname\@thefnmark}%
11605 \color@begingroup
11606 \@fivecolRTLfootfmt{#1}%
11607 \color@endgroup}%
11608 \m@mmf@prepare}
11609 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
11610 \@namedef{@fivecol@footgroup#1}{%
11611 \def\baselinestretch{\m@m@footnote@spacing}%
11612 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11613 \m@mrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
11614 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
11615 \@namedef{@mpfivecol@footgroup#1}{%
11616 \def\baselinestretch{\m@m@footnote@spacing}%
11617 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11618 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{5}{\splittopskip}}}}
11619 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
11620 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
11621 \@bidi@before@Hy@hyperfootnotes
11622 \let\@footnotetext\@sixcolfootnotetext
11623 \let\@LTRfootnotetext\@sixcolLTRfootnotetext
11624 \let\@RTLfootnotetext\@sixcolRTLfootnotetext
11625 \dimen\footinsv@r=6\footinsdim
11626 \count\footinsv@r=166\relax
11627 \m@make@sixcol@footgroup{v@r}%
11628 \let\@footgroupv@r\@sixcol@footgroupv@r
11629 \let\@mpfootnotetext\@mpsixcolfootnotetext
11630 \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
11631 \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
11632 \@bidi@after@Hy@hyperfootnotes
11633 \m@make@mpsixcol@footgroup{v@r}%
11634 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
11635 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11636 }
11637 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
11638 \def\baselinestretch{\m@m@footnote@spacing}%
11639 \reset@font\foottextfont
11640 \@preamfntext
11641 \protected@edef\@currentlabel{%
11642 \csname p@footnote\endcsname\@thefnmark}%
11643 \color@begingroup
11644 \@sixcolfootfmt{#1}%

```



```

11645 \color@endgroup}%
11646 \m@mmf@prepare}
11647 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
11648 \def\baselinestretch{\m@m@footnote@spacing}%
11649 \reset@font\LTRfoottextfont
11650 \@preamftext
11651 \protected@edef\@currentlabel{%
11652 \csname p@footnote\endcsname\@thefnmark}%
11653 \color@begingroup
11654 \@sixcolLTRfootfmt{#1}%
11655 \color@endgroup}%
11656 \m@mmf@prepare}
11657 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
11658 \def\baselinestretch{\m@m@footnote@spacing}%
11659 \reset@font\RTLfoottextfont
11660 \@preamftext
11661 \protected@edef\@currentlabel{%
11662 \csname p@footnote\endcsname\@thefnmark}%
11663 \color@begingroup
11664 \@sixcolRTLfootfmt{#1}%
11665 \color@endgroup}%
11666 \m@mmf@prepare}
11667 \bidi@ensure@newcommand{\@preamsixfmt}{%
11668 \hspace .16\hspace
11669 \parindent=\z@
11670 \tolerance=5000\relax
11671 \leavevmode}
11672 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
11673 \@preamsixfmt
11674 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
11675 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
11676 \@preamsixfmt
11677 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
11678 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
11679 \@preamsixfmt
11680 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
11681 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse}
11682 \global\setbox\@mpfootinsv@r\vbox{%
11683 \unvbox\@mpfootinsv@r
11684 \def\baselinestretch{\m@m@footnote@spacing}%
11685 \reset@font\foottextfont
11686 \hspace\columnwidth \@parboxrestore
11687 \protected@edef\@currentlabel{%
11688 \csname p@mpfootnote\endcsname\@thefnmark}%
11689 \color@begingroup
11690 \@sixcolfootfmt{#1}%
11691 \color@endgroup}%
11692 \m@mmf@prepare}
11693 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse}
11694 \global\setbox\@mpfootinsv@r\vbox{%
11695 \unvbox\@mpfootinsv@r
11696 \def\baselinestretch{\m@m@footnote@spacing}%
11697 \reset@font\LTRfoottextfont
11698 \hspace\columnwidth \@parboxrestore

```



```

11699 \if@RTLcolumnfootnotes\begin\fi
11700 \protected@edef\@currentlabel{%
11701 \csname p@mpfootnote\endcsname\@thefnmark}%
11702 \color@begingroup
11703 \@sixcolLTRfootfmt{#1}%
11704 \color@endgroup}%
11705 \m@mmf@prepare}
11706 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
11707 \global\setbox\@mpfootinsv@r\vbox{%
11708 \unvbox\@mpfootinsv@r
11709 \def\baselinestretch{\m@m@footnote@spacing}%
11710 \reset@font\RTLfoottextfont
11711 \hsize\columnwidth \@parboxrestore
11712 \protected@edef\@currentlabel{%
11713 \csname p@mpfootnote\endcsname\@thefnmark}%
11714 \color@begingroup
11715 \@sixcolRTLfootfmt{#1}%
11716 \color@endgroup}%
11717 \m@mmf@prepare}
11718 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
11719 \@namedef{\@sixcol@footgroup#1}{%
11720 \def\baselinestretch{\m@m@footnote@spacing}%
11721 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11722 \m@mrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
11723 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
11724 \@namedef{\@mpsixcol@footgroup#1}{%
11725 \def\baselinestretch{\m@m@footnote@spacing}%
11726 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11727 \m@mrigidbalance{\@nameuse{\mpfootins#1}}{6}{\splittopskip}}}}
11728 \bidi@ensure@newcommand{\sevendcolumnfootnotes}{%
11729 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
11730 \@bidi@before@Hy@hyperfootnotes
11731 \let\@footnotetext\@sevendcolfootnotetext
11732 \let\@LTRfootnotetext\@sevendcolLTRfootnotetext
11733 \let\@RTLfootnotetext\@sevendcolRTLfootnotetext
11734 \dimen\footinsv@r=7\footinsdim
11735 \count\footinsv@r=142\relax
11736 \m@make@sevendcol@footgroup{v@r}%
11737 \let\@footgroupv@r\@sevendcol@footgroupv@r
11738 \let\@mpfootnotetext\@mpsevendcolfootnotetext
11739 \let\@mpLTRfootnotetext\@mpsevendcolLTRfootnotetext
11740 \let\@mpRTLfootnotetext\@mpsevendcolRTLfootnotetext
11741 \@bidi@after@Hy@hyperfootnotes
11742 \m@make@mpsevendcol@footgroup{v@r}%
11743 \let\mp@footgroupv@r\@mpsevendcol@footgroupv@r
11744 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11745 }
11746 \bidi@ensure@newcommand{\@sevendcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTL
11747 \def\baselinestretch{\m@m@footnote@spacing}%
11748 \reset@font\foottextfont
11749 \@preamfntext
11750 \protected@edef\@currentlabel{%
11751 \csname p@footnote\endcsname\@thefnmark}%
11752 \color@begingroup

```



```

11753   \@sevenscolfootfmt{#1}%
11754   \color@endgroup}%
11755   \m@mmf@prepare}
11756 \bidi@ensure@newcommand{\@sevenscolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootno
11757   \def\baselinestretch{\m@m@footnote@spacing}%
11758   \reset@font\LTRfoottextfont
11759   \@preamfntext
11760   \protected@edef\@currentlabel{%
11761     \csname p@footnote\endcsname\@thefnmark}%
11762   \color@begingroup
11763     \@sevenscolLTRfootfmt{#1}%
11764   \color@endgroup}%
11765   \m@mmf@prepare}
11766 \bidi@ensure@newcommand{\@sevenscolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
11767   \def\baselinestretch{\m@m@footnote@spacing}%
11768   \reset@font\RTLfoottextfont
11769   \@preamfntext
11770   \protected@edef\@currentlabel{%
11771     \csname p@footnote\endcsname\@thefnmark}%
11772   \color@begingroup
11773     \@sevenscolRTLfootfmt{#1}%
11774   \color@endgroup}%
11775   \m@mmf@prepare}
11776 \bidi@ensure@newcommand{\@preamsevenfmt}{%
11777   \hspace .142\hspace
11778   \parindent=\z@
11779   \tolerance=5000\relax
11780   \leavevmode}
11781 \bidi@ensure@newcommand{\@sevenscolfootfmt}[1]{%
11782   \@preamsevenfmt
11783   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
11784 \bidi@ensure@newcommand{\@sevenscolLTRfootfmt}[1]{%
11785   \@preamsevenfmt
11786   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
11787 \bidi@ensure@newcommand{\@sevenscolRTLfootfmt}[1]{%
11788   \@preamsevenfmt
11789   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
11790 \bidi@ensure@newcommand{\@mpsevenscolfootnotetext}[1]{\if@RTL@footnote@RTLtrue\else@RTLfalse%
11791   \global\setbox\@mpfootinsv@r\vbox{%
11792     \unvbox\@mpfootinsv@r
11793     \def\baselinestretch{\m@m@footnote@spacing}%
11794     \reset@font\foottextfont
11795     \hspace\columnwidth \@parboxrestore
11796     \protected@edef\@currentlabel{%
11797       \csname p@mpfootnote\endcsname\@thefnmark}%
11798     \color@begingroup
11799       \@sevenscolfootfmt{#1}%
11800     \color@endgroup}%
11801     \m@mmf@prepare}
11802 \bidi@ensure@newcommand{\@mpsevenscolLTRfootnotetext}[1]{\@RTLfalse%
11803   \global\setbox\@mpfootinsv@r\vbox{%
11804     \unvbox\@mpfootinsv@r
11805     \def\baselinestretch{\m@m@footnote@spacing}%
11806     \reset@font\LTRfoottextfont

```



```

11807 \hsize\columnwidth \@parboxrestore
11808 \if@RTLcolumnfootnotes\beginL\fi
11809 \protected@edef\@currentlabel{%
11810 \csname p@mpfootnote\endcsname\@thefnmark}%
11811 \color@begingroup
11812 \@sevenscolLTRfootfmt{#1}%
11813 \color@endgroup}%
11814 \m@mfmf@prepare}
11815 \bidi@ensure@newcommand{\@mpsevenscolRTLfootnotetext}[1]{\@RTLtrue%
11816 \global\setbox\@mpfootinsv@r\vbox{%
11817 \unvbox\@mpfootinsv@r
11818 \def\baselinestretch{\m@m@footnote@spacing}%
11819 \reset@font\RTLfoottextfont
11820 \hsize\columnwidth \@parboxrestore
11821 \protected@edef\@currentlabel{%
11822 \csname p@mpfootnote\endcsname\@thefnmark}%
11823 \color@begingroup
11824 \@sevenscolRTLfootfmt{#1}%
11825 \color@endgroup}%
11826 \m@mfmf@prepare}
11827 \bidi@ensure@newcommand{\m@make@sevenscol@footgroup}[1]{%
11828 \@namedef{sevenscol@footgroup#1}{%
11829 \def\baselinestretch{\m@m@footnote@spacing}%
11830 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11831 \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}
11832 \bidi@ensure@newcommand{\m@make@mpsevenscol@footgroup}[1]{%
11833 \@namedef{mpsevenscol@footgroup#1}{%
11834 \def\baselinestretch{\m@m@footnote@spacing}%
11835 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11836 \m@mrigidbalance{\@nameuse{mpfootins#1}}{7}{\splittopskip}}}}
11837 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
11838 \@namedef{foottextfontv@r}{\foottextfont}% \ [RS]
11839 \@bidi@before@Hy@hyperfootnotes
11840 \let\@footnotetext\@eightcolfootnotetext
11841 \let\@LTRfootnotetext\@eightcolLTRfootnotetext
11842 \let\@RTLfootnotetext\@eightcolRTLfootnotetext
11843 \dimen\footinsv@r=8\footinsdim
11844 \count\footinsv@r=125\relax
11845 \m@make@eightcol@footgroup{v@r}%
11846 \let\@footgroupv@r\@eightcol@footgroupv@r
11847 \let\@mpfootnotetext\@mpeightcolfootnotetext
11848 \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
11849 \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
11850 \@bidi@after@Hy@hyperfootnotes
11851 \m@make@mpeightcol@footgroup{v@r}%
11852 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
11853 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11854 }
11855 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTL
11856 \def\baselinestretch{\m@m@footnote@spacing}%
11857 \reset@font\foottextfont
11858 \@preamfntext
11859 \protected@edef\@currentlabel{%
11860 \csname p@footnote\endcsname\@thefnmark}%

```



```

11861 \color@begingroup
11862   \@eightcolfootfmt{#1}%
11863 \color@endgroup}%
11864 \m@mmf@prepare}
11865 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootno
11866 \def\baselinestretch{\m@m@footnote@spacing}%
11867 \reset@font\LTRfoottextfont
11868 \@preamftext
11869 \protected@edef\@currentlabel{%
11870   \csname p@footnote\endcsname\@thefnmark}%
11871 \color@begingroup
11872   \@eightcolLTRfootfmt{#1}%
11873 \color@endgroup}%
11874 \m@mmf@prepare}
11875 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
11876 \def\baselinestretch{\m@m@footnote@spacing}%
11877 \reset@font\RTLfoottextfont
11878 \@preamftext
11879 \protected@edef\@currentlabel{%
11880   \csname p@footnote\endcsname\@thefnmark}%
11881 \color@begingroup
11882   \@eightcolRTLfootfmt{#1}%
11883 \color@endgroup}%
11884 \m@mmf@prepare}
11885 \bidi@ensure@newcommand{\@preameightfmt}{%
11886 \hspace .125\hspace
11887 \parindent=\z@
11888 \tolerance=5000\relax
11889 \leavevmode}
11890 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
11891 \@preameightfmt
11892 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
11893 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
11894 \@preameightfmt
11895 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
11896 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
11897 \@preameightfmt
11898 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
11899 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
11900 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11901   \unvbox\@mpfootinsv@r
11902   \def\baselinestretch{\m@m@footnote@spacing}%
11903   \reset@font\foottextfont
11904   \hspace\columnwidth \@parboxrestore
11905   \protected@edef\@currentlabel{%
11906     \csname p@mpfootnote\endcsname\@thefnmark}%
11907 \color@begingroup
11908   \@eightcolfootfmt{#1}%
11909 \color@endgroup}%
11910 \m@mmf@prepare}
11911 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
11912 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
11913   \unvbox\@mpfootinsv@r
11914   \def\baselinestretch{\m@m@footnote@spacing}%

```



```

11915 \reset@font\LTRfoottextfont
11916 \hsize\columnwidth \@parboxrestore
11917 \if@RTLcolumnfootnotes\beginL\fi
11918 \protected@edef\@currentlabel{%
11919 \csname p@mpfootnote\endcsname\@thefnmark}%
11920 \color@begingroup
11921 \@eightcolLTRfootfmt{#1}%
11922 \color@endgroup}%
11923 \m@mmf@prepare}
11924 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
11925 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
11926 \unvbox\@mpfootinsv@r
11927 \def\baselinestretch{\m@m@footnote@spacing}%
11928 \reset@font\RTLfoottextfont
11929 \hsize\columnwidth \@parboxrestore
11930 \protected@edef\@currentlabel{%
11931 \csname p@mpfootnote\endcsname\@thefnmark}%
11932 \color@begingroup
11933 \@eightcolRTLfootfmt{#1}%
11934 \color@endgroup}%
11935 \m@mmf@prepare}
11936 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
11937 \@namedef{eightcol@footgroup#1}{%
11938 \def\baselinestretch{\m@m@footnote@spacing}%
11939 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11940 \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
11941 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
11942 \@namedef{mpeightcol@footgroup#1}{%
11943 \def\baselinestretch{\m@m@footnote@spacing}%
11944 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
11945 \m@mrigidbalance{\@nameuse{mpfootins#1}}{8}{\splittopskip}}}}
11946 \bidi@ensure@newcommand{\ninelcolumnfootnotes}{%
11947 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
11948 \@bidi@before@Hy@hyperfootnotes
11949 \let\@footnotetext\@ninelcolfootnotetext
11950 \let\@LTRfootnotetext\@ninelcolLTRfootnotetext
11951 \let\@RTLfootnotetext\@ninelcolRTLfootnotetext
11952 \dimen\footinsv@r=9\footinsdim
11953 \count\footinsv@r=111\relax
11954 \m@make@ninelcol@footgroup{v@r}%
11955 \let\@footgroupv@r\@ninelcol@footgroupv@r
11956 \let\@mpfootnotetext\@mpninelcolfootnotetext
11957 \let\@mpLTRfootnotetext\@mpninelcolLTRfootnotetext
11958 \let\@mpRTLfootnotetext\@mpninelcolRTLfootnotetext
11959 \@bidi@after@Hy@hyperfootnotes
11960 \m@make@mpninelcol@footgroup{v@r}%
11961 \let\mp@footgroupv@r\@mpninelcol@footgroupv@r
11962 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11963 }
11964 \bidi@ensure@newcommand{\@ninelcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
11965 \def\baselinestretch{\m@m@footnote@spacing}%
11966 \reset@font\foottextfont
11967 \@preamfntext
11968 \protected@edef\@currentlabel{%

```



```

11969   \csname p@footnote\endcsname\@thefnmark}%
11970   \color@begingroup
11971     \@ninecolfootfmt{#1}%
11972   \color@endgroup}%
11973   \m@mmf@prepare}
11974 \bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
11975   \def\baselinestretch{\m@m@footnote@spacing}%
11976   \reset@font\LTRfoottextfont
11977   \@preamfntext
11978   \protected@edef\@currentlabel{%
11979     \csname p@footnote\endcsname\@thefnmark}%
11980   \color@begingroup
11981     \@ninecolLTRfootfmt{#1}%
11982   \color@endgroup}%
11983   \m@mmf@prepare}
11984 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
11985   \def\baselinestretch{\m@m@footnote@spacing}%
11986   \reset@font\RTLfoottextfont
11987   \@preamfntext
11988   \protected@edef\@currentlabel{%
11989     \csname p@footnote\endcsname\@thefnmark}%
11990   \color@begingroup
11991     \@ninecolRTLfootfmt{#1}%
11992   \color@endgroup}%
11993   \m@mmf@prepare}
11994 \bidi@ensure@newcommand{\@preamninefmt}{%
11995   \hspace .1\hspace
11996   \parindent=\z@
11997   \tolerance=5000\relax
11998   \leavevmode}
11999 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
12000   \@preamninefmt
12001   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12002 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
12003   \@preamninefmt
12004   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12005 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
12006   \@preamninefmt
12007   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12008 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
12009   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12010     \unvbox\@mpfootinsv@r
12011     \def\baselinestretch{\m@m@footnote@spacing}%
12012     \reset@font\foottextfont
12013     \hspace\columnwidth \@parboxrestore
12014     \protected@edef\@currentlabel{%
12015       \csname p@mpfootnote\endcsname\@thefnmark}%
12016     \color@begingroup
12017       \@ninecolfootfmt{#1}%
12018     \color@endgroup}%
12019     \m@mmf@prepare}
12020 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
12021   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
12022     \unvbox\@mpfootinsv@r

```



```

12023 \def\baselinestretch{\m@m@footnote@spacing}%
12024 \reset@font\LTRfoottextfont
12025 \hsize\columnwidth \@parboxrestore
12026 \if@RTLcolumnfootnotes\beginL\fi
12027 \protected@edef\@currentlabel{%
12028 \csname p@mpfootnote\endcsname\@thefnmark}%
12029 \color@begingroup
12030 \@ninecolLTRfootfmt{#1}%
12031 \color@endgroup}%
12032 \m@mmf@prepare}
12033 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
12034 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
12035 \unvbox\@mpfootinsv@r
12036 \def\baselinestretch{\m@m@footnote@spacing}%
12037 \reset@font\RTLfoottextfont
12038 \hsize\columnwidth \@parboxrestore
12039 \protected@edef\@currentlabel{%
12040 \csname p@mpfootnote\endcsname\@thefnmark}%
12041 \color@begingroup
12042 \@ninecolRTLfootfmt{#1}%
12043 \color@endgroup}%
12044 \m@mmf@prepare}
12045 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
12046 \@namedef{@ninecol@footgroup#1}{%
12047 \def\baselinestretch{\m@m@footnote@spacing}%
12048 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12049 \m@r@rigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
12050 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
12051 \@namedef{@mpninecol@footgroup#1}{%
12052 \def\baselinestretch{\m@m@footnote@spacing}%
12053 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12054 \m@r@rigidbalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}}
12055 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
12056 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12057 \@bidi@before@Hy@hyperfootnotes
12058 \let\@footnotetext\@tencolfootnotetext
12059 \let\@LTRfootnotetext\@tencolLTRfootnotetext
12060 \let\@RTLfootnotetext\@tencolRTLfootnotetext
12061 \dimen\footinsv@r=10\footinsdim
12062 \count\footinsv@r=100\relax
12063 \m@make@tencol@footgroup{v@r}%
12064 \let\@footgroupv@r\@tencol@footgroupv@r
12065 \let\@mpfootnotetext\@mptencolfootnotetext
12066 \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
12067 \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
12068 \@bidi@after@Hy@hyperfootnotes
12069 \m@make@mptencol@footgroup{v@r}%
12070 \let\mp@footgroupv@r\@mptencol@footgroupv@r
12071 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12072 }
12073 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
12074 \def\baselinestretch{\m@m@footnote@spacing}%
12075 \reset@font\foottextfont
12076 \@preamfntext

```



```

12077 \protected@edef\@currentlabel{%
12078   \csname p@footnote\endcsname\@thefnmark}%
12079 \color@begingroup
12080   \@tencolfootfmt{#1}%
12081 \color@endgroup}%
12082 \m@mmf@prepare}
12083 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
12084 \def\baselinestretch{\m@m@footnote@spacing}%
12085 \reset@font\LTRfoottextfont
12086 \@preamfntext
12087 \protected@edef\@currentlabel{%
12088   \csname p@footnote\endcsname\@thefnmark}%
12089 \color@begingroup
12090   \@tencolLTRfootfmt{#1}%
12091 \color@endgroup}%
12092 \m@mmf@prepare}
12093 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12094 \def\baselinestretch{\m@m@footnote@spacing}%
12095 \reset@font\RTLfoottextfont
12096 \@preamfntext
12097 \protected@edef\@currentlabel{%
12098   \csname p@footnote\endcsname\@thefnmark}%
12099 \color@begingroup
12100   \@tencolRTLfootfmt{#1}%
12101 \color@endgroup}%
12102 \m@mmf@prepare}
12103 \bidi@ensure@newcommand{\@preamtenfmt}{%
12104 \hspace .1\hspace
12105 \parindent=\z@
12106 \tolerance=5000\relax
12107 \leavevmode}
12108 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
12109 \@preamtenfmt
12110 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12111 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
12112 \@preamtenfmt
12113 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12114 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
12115 \@preamtenfmt
12116 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12117 \bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
12118 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12119 \unvbox\@mpfootinsv@r
12120 \def\baselinestretch{\m@m@footnote@spacing}%
12121 \reset@font\foottextfont
12122 \hspace\columnwidth \@parboxrestore
12123 \protected@edef\@currentlabel{%
12124   \csname p@mpfootnote\endcsname\@thefnmark}%
12125 \color@begingroup
12126   \@tencolfootfmt{#1}%
12127 \color@endgroup}%
12128 \m@mmf@prepare}
12129 \bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
12130 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%

```



```

12131 \unvbox\@mpfootinsv@r
12132 \def\baselinestretch{\m@m@footnote@spacing}%
12133 \reset@font\LTRfoottextfont
12134 \hsize\columnwidth \@parboxrestore
12135 \if@RTLcolumnfootnotes\beginL\fi
12136 \protected@edef\@currentlabel{%
12137   \csname p@mpfootnote\endcsname\@thefnmark}%
12138 \color@begingroup
12139 \@tencolLTRfootfmt{#1}%
12140 \color@endgroup}%
12141 \m@mmf@prepare}
12142 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
12143 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
12144 \unvbox\@mpfootinsv@r
12145 \def\baselinestretch{\m@m@footnote@spacing}%
12146 \reset@font\RTLfoottextfont
12147 \hsize\columnwidth \@parboxrestore
12148 \protected@edef\@currentlabel{%
12149   \csname p@mpfootnote\endcsname\@thefnmark}%
12150 \color@begingroup
12151 \@tencolRTLfootfmt{#1}%
12152 \color@endgroup}%
12153 \m@mmf@prepare}
12154 \bidi@ensure@newcommand{\@mmake@tencol@footgroup}[1]{%
12155 \@namedef{\@tencol@footgroup#1}{%
12156 \def\baselinestretch{\m@m@footnote@spacing}%
12157 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12158 \m@mrigidbodybalance{\@nameuse{footins#1}}{10}{\splittopskip}}}%
12159 \bidi@ensure@newcommand{\@mmake@mptencol@footgroup}[1]{%
12160 \@namedef{\@mptencol@footgroup#1}{%
12161 \def\baselinestretch{\m@m@footnote@spacing}%
12162 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12163 \m@mrigidbodybalance{\@nameuse{\@mpfootins#1}}{10}{\splittopskip}}}%
12164 \bidi@ensure@newcommand{\@munvxh}[1]{%
12165 \setbox0=\vbox{\unvbox#1%
12166 \global\setbox1=\lastbox}%
12167 \unhbox1
12168 \unskip
12169 \unskip
12170 \unpenalty
12171 \hskip\m@mipn@skip}
12172 \bidi@ensure@newcommand{\@mungebox}{%
12173 \setbox0=\hbox{\@munvxh0}%
12174 \dp0=\z@
12175 \ht0=\footfudgefactor\wd0
12176 \box0
12177 \penalty0}
12178 \newskip\m@mipn@skip
12179 \bidi@ensure@newcommand*\@m@minterparanoteglu}[1]{%
12180 {\foottextfont\global\m@mipn@skip=#1\relax}}
12181 \m@minterparanoteglu{1em plus.4em minus.4em}
12182 \@ifpackageloaded{multicol}{%
12183 \bidi@ensure@newcommand*\@m@mmakehboxofhboxes}{%
12184 \hsize\textwidth%

```



```

12185 \setbox0=\hbox{}%
12186 \loop
12187   \unpenalty
12188   \setbox2=\lastbox
12189 \ifhbox2
12190   \setbox0=\hbox{\box2\unhbox0}
12191 \repeat}
12192 }{%
12193 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
12194 \setbox0=\hbox{}%
12195 \loop
12196   \unpenalty
12197   \setbox2=\lastbox
12198 \ifhbox2
12199   \setbox0=\hbox{\box2\unhbox0}
12200 \repeat}}
12201 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
12202 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
12203 \newcommand*AddExtraParaSkip[1]{%
12204 \if@bidi@csdef{footfudgefactor}{%
12205   \PackageError{bidi}{%
12206     The control sequence `string\AddExtraParaSkip`
12207     must be used before the control sequence
12208     `string\paragraphfootnotes' in the preamble%
12209   }\@ehc
12210 }{%
12211   \def\bidi@xparaskip{\advance\@tempdima#1\relax}%
12212 }%
12213 }
12214 \bidi@ensure@newcommand{\paragraphfootnotes}{%
12215 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12216 \@bidi@before@Hy@hyperfootnotes
12217 \let\@footnotetext\@parafootnotetext
12218 \let\@LTRfootnotetext\@paraLTRfootnotetext
12219 \let\@RTLfootnotetext\@paraRTLfootnotetext
12220 \dimen\footinsv@r=\footinsdim
12221 \count\footinsv@r=1000\relax
12222 \m@make@para@footgroup{v@r}%
12223 \m@make@para@footstart{v@r}%
12224 \let\@footgroupv@r\@para@footgroupv@r
12225 \let\@footstartv@r\@para@footstartv@r
12226 \dimen\footinsv@l=\footinsdim
12227 \count\footinsv@l=1000\relax
12228 \bidi@make@para@LTRfootgroup{v@l}%
12229 \m@make@para@footstart{v@l}%
12230 \bidi@make@para@footstart@{v@l}%
12231 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
12232 \let\@footstartv@l\@para@footstartv@l
12233 \let\@footstart@v@l\@para@footstart@v@l
12234 \let\@mpfootnotetext\@mpparafootnotetext
12235 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
12236 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
12237 \@bidi@after@Hy@hyperfootnotes
12238 \m@make@mppara@footgroup{v@r}%

```



```

12239 \bidi@make@mppara@LTRfootgroup{v@1}%
12240 \let\mp@footgroupv@r\@mppara@footgroupv@r
12241 \let\mp@LTRfootgroupv@1\@mppara@LTRfootgroupv@1
12242 \begingroup
12243 \def\baselinestretch{\m@m@footnote@spacing}%
12244 \foottextfont
12245 \@tempdima\footnotesep
12246 \advance\@tempdima -\ht\strutbox
12247 \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
12248 \advance\@tempdima.5\normalbaselineskip
12249 \bidi@xparaskip
12250 \xdef\bidi@paraskip{\the\@tempdima\relax}%
12251 \ifdim\skip\footinsv@r>\bigskipamount
12252 \else
12253 \global\advance\skip\footinsv@r\bidi@paraskip
12254 \fi
12255 \ifdim\skip\footinsv@1>\bigskipamount
12256 \else
12257 \global\advance\skip\footinsv@1\bidi@paraskip
12258 \fi
12259 \@tempdima\normalbaselineskip
12260 \multiply \@tempdima \cclvi
12261 \@tempdimb \columnwidth
12262 \divide \@tempdimb \@cclvi
12263 \divide \@tempdima \@tempdimb
12264 \xdef\footfudgefactor{\strip@pt\@tempdima}%
12265 \endgroup
12266 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12267 }
12268 \newcommand{\normalRTLparaLTRfootnotes}{%
12269 \@namedef{foottextfontv@r}{\foottextfont}%
12270 \@bidi@before@Hy@hyperfootnotes
12271 \if@RTL@footnote
12272 \let\@footnotetext\m@mold@footnotetext
12273 \else
12274 \let\@footnotetext\@parafootnotetext
12275 \fi
12276 \let\@LTRfootnotetext\@paraLTRfootnotetext
12277 \let\@RTLfootnotetext\m@mold@RTLfootnotetext
12278 \dimen\footinsv@r=\footinsdim
12279 \count\footinsv@r=1000\relax
12280 \m@make@para@footgroup{v@r}%
12281 \m@make@para@footstart{v@r}%
12282 \let\@footgroupv@r\@para@footgroupv@r
12283 \let\@footstartv@r\@para@footstartv@r
12284 \dimen\footinsv@1=\footinsdim
12285 \count\footinsv@1=1000\relax
12286 \bidi@make@para@LTRfootgroup{v@1}%
12287 \m@make@para@footstart{v@1}%
12288 \bidi@make@para@footstart@v@1%
12289 \let\@LTRfootgroupv@1\@para@LTRfootgroupv@1
12290 \let\@footstartv@1\@para@footstartv@1
12291 \let\@v@1\@para@footstart@v@1
12292 \if@RTL@footnote

```



```

12293 \let\@mpfootnotetext\m@mold@mpfootnotetext
12294 \else
12295 \let\@mpfootnotetext\@mpparafootnotetext
12296 \fi
12297 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
12298 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
12299 \@bidi@after@Hy@hyperfootnotes
12300 \m@make@mppara@footgroup{v@r}%
12301 \bidi@make@mppara@LTRfootgroup{v@l}%
12302 \let\mp@footgroupv@r\@mppara@footgroupv@r
12303 \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
12304 \begingroup
12305 \def\baselinestretch{\m@m@footnote@spacing}%
12306 \foottextfont
12307 \@tempdima\footnotesep
12308 \advance\@tempdima -\ht\strutbox
12309 \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
12310 \advance\@tempdima.5\normalbaselineskip
12311 \bidi@xparaskip
12312 \xdef\bidi@paraskip{\the\@tempdima\relax}%
12313 \ifdim\skip\footinsv@r>\bigskipamount
12314 \else
12315 \global\advance\skip\footinsv@r\bidi@paraskip
12316 \fi
12317 \ifdim\skip\footinsv@l>\bigskipamount
12318 \else
12319 \global\advance\skip\footinsv@l\bidi@paraskip
12320 \fi
12321 \@tempdima\normalbaselineskip
12322 \multiply \@tempdima \@cclvi
12323 \@tempdimb \columnwidth
12324 \divide \@tempdimb \@cclvi
12325 \divide \@tempdima \@tempdimb
12326 \xdef\footfudgefactor{\strip@pt\@tempdima}%
12327 \endgroup
12328 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12329 }
12330 \let\bidi@xparaskip\relax
12331 \@onlypreamble\AddExtraParaSkip
12332 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert
12333 \if@RTL@footnote
12334 \footinsv@r
12335 \else
12336 \footinsv@l
12337 \fi
12338 {%
12339 \let\bidi@RTL@everypar\@empty%
12340 \def\baselinestretch{\m@m@footnote@spacing}%
12341 \reset@font\foottextfont
12342 \@preamfntext
12343 \protected@edef\@currentlabel{%
12344 \csname p@footnote\endcsname\@thefnmark}%
12345 \setbox0=\vbox{\hsize=\maxdimen
12346 \color@begingroup

```



```

12347     \noindent \@parafootfmt{#1}%
12348     \color@endgroup}%
12349     \m@mungebox}\m@mmf@prepare}
12350 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@l{%
12351 \let\bidi@RTL@everypar\@empty%
12352 \def\baselinestretch{\m@m@footnote@spacing}%
12353 \reset@font\LTRfoottextfont
12354 \@preamfntext
12355 \protected@edef\@currentlabel{%
12356     \csname p@footnote\endcsname\@thefnmark}%
12357 \setbox0=\vbox{\hsize=\maxdimen
12358     \color@begingroup
12359     \noindent \@paraLTRfootfmt{#1}%
12360     \color@endgroup}%
12361 \m@mungebox}\m@mmf@prepare}
12362 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
12363 \let\bidi@RTL@everypar\@empty%
12364 \def\baselinestretch{\m@m@footnote@spacing}%
12365 \reset@font\RTLfoottextfont
12366 \@preamfntext
12367 \protected@edef\@currentlabel{%
12368     \csname p@footnote\endcsname\@thefnmark}%
12369 \setbox0=\vbox{\hsize=\maxdimen
12370     \color@begingroup
12371     \noindent \@paraRTLfootfmt{#1}%
12372     \color@endgroup}%
12373 \m@mungebox}\m@mmf@prepare}
12374 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
12375 \parindent=\z@
12376 \parfillskip=0pt \@plus 1fil
12377 {\footfootmark\strut {\foottextfont #1}\penalty-10}}
12378 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
12379 \parindent=\z@
12380 \parfillskip=0pt \@plus 1fil
12381 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
12382 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
12383 \parindent=\z@
12384 \parfillskip=0pt \@plus 1fil
12385 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
12386 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
12387 \global\setbox
12388 \if@RTL@footnote
12389     \@mpfootinsv@r
12390 \else
12391     \@mpfootinsv@l
12392 \fi
12393 \vbox{%
12394     \let\bidi@RTL@everypar\@empty%
12395     \def\baselinestretch{\m@m@footnote@spacing}%
12396     \unvbox
12397     \if@RTL@footnote
12398     \@mpfootinsv@r
12399     \else
12400     \@mpfootinsv@l

```



```

12401 \fi
12402 \reset@font\foottextfont
12403 \hsize\columnwidth \@parboxrestore
12404 \protected@edef\@currentlabel{%
12405 \csname p@mpfootnote\endcsname\@thefnmark}%
12406 \setbox0=\vbox{\hsize=\maxdimen
12407 \color@begingroup
12408 \noindent \@parafootfmt{#1}%
12409 \color@endgroup}%
12410 \m@ungebox}\m@mmf@prepare}
12411 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
12412 \global\setbox\@mpfootinsv@1\vbox{%
12413 \let\bidi@RTL@everypar\@empty%
12414 \def\baselinestretch{\m@m@footnote@spacing}%
12415 \unvbox\@mpfootinsv@1
12416 \reset@font\LTRfoottextfont
12417 \hsize\columnwidth \@parboxrestore
12418 \protected@edef\@currentlabel{%
12419 \csname p@mpfootnote\endcsname\@thefnmark}%
12420 \setbox0=\vbox{\hsize=\maxdimen
12421 \color@begingroup
12422 \noindent \@paraLTRfootfmt{#1}%
12423 \color@endgroup}%
12424 \m@ungebox}\m@mmf@prepare}
12425 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
12426 \global\setbox\@mpfootinsv@r\vbox{%
12427 \let\bidi@RTL@everypar\@empty%
12428 \def\baselinestretch{\m@m@footnote@spacing}%
12429 \unvbox\@mpfootinsv@r
12430 \reset@font\RTLfoottextfont
12431 \hsize\columnwidth \@parboxrestore
12432 \protected@edef\@currentlabel{%
12433 \csname p@mpfootnote\endcsname\@thefnmark}%
12434 \setbox0=\vbox{\hsize=\maxdimen
12435 \color@begingroup
12436 \noindent \@paraRTLfootfmt{#1}%
12437 \color@endgroup}%
12438 \m@ungebox}\m@mmf@prepare}
12439 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
12440 \@namedef{@para@footgroup#1}{%
12441 \unvbox\@nameuse{footins#1}
12442 \@RTLtrue
12443 \m@mmakehboxofhboxes
12444 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
12445 \@parboxrestore%
12446 \def\baselinestretch{\m@m@footnote@spacing}%
12447 \@nameuse{foottextfont#1}%
12448 \noindent\unhbox0\par}}
12449 \bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
12450 \@namedef{@para@LTRfootgroup#1}{%
12451 \unvbox\@nameuse{footins#1}
12452 \@RTLfalse
12453 \m@mmakehboxofhboxes
12454 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%

```



```

12455 \@parboxrestore%
12456 \def\baselinestretch{\m@m@footnote@spacing}%
12457 \@nameuse{foottextfont#1}%
12458 \noindent\unhbox0\par}}
12459 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
12460 \@namedef{@mppara@footgroup#1}{%
12461 \unvbox\@nameuse{@mpfootins#1}
12462 \@RTLtrue
12463 \m@mmakehboxofhboxes
12464 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
12465 \def\baselinestretch{\m@m@footnote@spacing}%
12466 \@nameuse{foottextfont#1}%
12467 \noindent\unhbox0\par}}
12468 \bidi@ensure@newcommand{\bidi@make@mppara@LTRfootgroup}[1]{%
12469 \@namedef{@mppara@LTRfootgroup#1}{%
12470 \unvbox\@nameuse{@mpfootins#1}
12471 \@RTLfalse
12472 \m@mmakehboxofhboxes
12473 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
12474 \def\baselinestretch{\m@m@footnote@spacing}%
12475 \@nameuse{foottextfont#1}%
12476 \noindent\unhbox0\par}}
12477 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
12478 \@namedef{@para@footstart#1}{%
12479 \if@bidi@void@footins
12480 \bidi@mopfn@bottom
12481 \fi
12482 \leftskip=\z@
12483 \rightskip=\z@
12484 \parindent=\z@
12485 \vskip\skip\footins
12486 \if@bidi@void@footins
12487 \footnoterule
12488 \fi}}
12489 \bidi@ensure@newcommand{\bidi@make@para@footstart@}[1]{%
12490 \@namedef{@para@footstart@#1}{%
12491 \leftskip=\z@
12492 \rightskip=\z@
12493 \parindent=\z@
12494 \vskip\skip\footins}}
12495 \bidi@ensure@newcommand*\m@m@makecolfloats}{%
12496 \xdef\@freelist{\@freelist\@midlist}%
12497 \global\let\@midlist\@empty
12498 \@combinefloats}
12499 \bidi@ensure@newcommand*\m@m@makecoltext}{%
12500 \ifvbox\@kludgeins
12501 \@makespecialcolbox
12502 \else
12503 \setbox\@outputbox \vbox to\@colht{%
12504 \@texttop
12505 \dimen@ \dp\@outputbox
12506 \unvbox \@outputbox
12507 \vskip -\dimen@
12508 \@textbottom}%

```



```

12509 \fi}
12510 \bidi@ensure@newcommand*{\m@m@makecolintro}{
12511 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{
12512 \boxmaxdepth\@maxdepth
12513 \@tempdima\dp\@cclv
12514 \unvbox\@cclv
12515 \vskip-\@tempdima
12516 \bidi@mopfn@bottom
12517 \vskip \skip\footins
12518 \color@begingroup
12519 \normalcolor
12520 \footnoterule
12521 \unvbox \footins
12522 \color@endgroup
12523 }%
12524 }
12525 \newcommand*{\bidi@mopfootnotebf}{
12526 \setbox\@outputbox \vbox{
12527 \boxmaxdepth\@maxdepth
12528 \unvbox\@outputbox
12529 \bidi@mopfn@bottom
12530 \vskip\skip\footins
12531 \color@begingroup
12532 \normalcolor
12533 \footnoterule
12534 \unvbox \footins
12535 \color@endgroup
12536 }%
12537 }
12538 \gdef\mem@makecol{
12539 \m@m@makecolintro
12540 \ifvoid\footins
12541 \global\@bidi@void@footinstrue
12542 \setbox\@outputbox \box\@cclv
12543 \else
12544 \global\@bidi@void@footinsfalse
12545 \m@mopfootnote
12546 \fi
12547 \m@m@doextrafeet
12548 \m@m@makecolfloats
12549 \m@m@makecoltext
12550 \global \maxdepth \@maxdepth}
12551 \gdef\bidi@makecolbf{
12552 \m@m@makecolintro
12553 \setbox\@outputbox \box\@cclv
12554 \m@m@makecolfloats
12555 \ifvoid\footins
12556 \global\@bidi@void@footinstrue
12557 \else
12558 \global\@bidi@void@footinsfalse
12559 \bidi@mopfootnotebf
12560 \fi
12561 \m@m@doextrafeet
12562 \m@m@makecoltext

```



```

12563 \global \maxdepth \@maxdepth}
12564 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem\@makecol}}
12565 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi\@makecolbf}}
12566 \newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
12567 \newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
12568 \FeetAboveFloat
12569 \FeetBelowRagged

```

80 File extreport-xetex-bidi.def

```

12570 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class]
12571 \renewcommand*\l@part[2]{%
12572 \ifnum \c@tocdepth >-2\relax
12573 \addpenalty{-\@highpenalty}%
12574 \addvspace{2.25em \@plus\p@}%
12575 \begingroup
12576 \setlength\@tempdima{3em}%
12577 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12578 \parfillskip -\@pnumwidth
12579 {\leavevmode
12580 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
12581 \nobreak
12582 \global\@nobreaktrue
12583 \everypar{\global\@nobreakfalse\everypar{}}%
12584 \endgroup
12585 \fi}
12586 \renewcommand*\l@chapter[2]{%
12587 \ifnum \c@tocdepth >\m@ne
12588 \addpenalty{-\@highpenalty}%
12589 \vskip 1.0em \@plus\p@
12590 \setlength\@tempdima{1.5em}%
12591 \begingroup
12592 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
12593 \parfillskip -\@pnumwidth
12594 \leavevmode \bfseries
12595 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
12596 \hskip -\if@RTL\rightskip\else\leftskip\fi
12597 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
12598 \penalty\@highpenalty
12599 \endgroup
12600 \fi}
12601 \def\@makechapterhead#1{%
12602 \vspace*{50\p@}%
12603 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
12604 \ifnum \c@secnumdepth >\m@ne
12605 \huge\bfseries \chapapp\space \thechapter
12606 \par\nobreak
12607 \vskip 20\p@
12608 \fi
12609 \interlinepenalty\@M
12610 \Huge \bfseries #1\par\nobreak
12611 \vskip 40\p@
12612 }}
12613 \def\@makeschapterhead#1{%

```



```

12614 \vspace*{50\p@}%
12615 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
12616 \normalfont
12617 \interlinepenalty\@M
12618 \Huge \bfseries #1\par\nobreak
12619 \vskip 40\p@
12620 }}
12621 \renewcommand\left@footnoterule{%
12622 \kern-3\p@
12623 \hrule\@width.4\columnwidth
12624 \kern2.6\p@}
12625 \renewcommand\right@footnoterule{%
12626 \kern-3\p@
12627 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
12628 \kern2.6\p@}
12629 \renewenvironment{thebibliography}[1]
12630 {\chapter*{\bibname
12631 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
12632 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12633 \bidi@thebibliography@font@hook%
12634 \list{\@biblabel{\@arabic\c@enumiv}}%
12635 {\settowidth\labelwidth{\@biblabel{#1}}%
12636 \leftmargin\labelwidth
12637 \advance\leftmargin\labelsep
12638 \@openbib@code
12639 \usecounter{enumiv}%
12640 \let\p@enumiv\@empty
12641 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
12642 \sloppy\clubpenalty4000\widowpenalty4000%
12643 \sfcode\.\@m}
12644 {\def\@noitemerr
12645 {\@latex@warning{Empty `thebibliography' environment}}%
12646 \endlist}
12647 \if@titlepage
12648 \renewcommand\maketitle{\begin{titlepage}%
12649 \let\footnotesize\small
12650 \let\right@footnoterule\relax
12651 \let\left@footnoterule\relax
12652 \let\textwidth@footnoterule\relax
12653 \let \footnote \thanks
12654 \null\vfil
12655 \vskip 60\p@
12656 \begin{center}%
12657 {\LARGE \@title \par}%
12658 \vskip 3em%
12659 {\large
12660 \lineskip .75em%
12661 \begin{tabular}[t]{c}%
12662 \@author
12663 \end{tabular}\par}%
12664 \vskip 1.5em%
12665 {\large \@date \par}% % Set date in \large size.
12666 \end{center}\par
12667 \@thanks

```



```

12668 \vfil\null
12669 \end{titlepage}%
12670 \setcounter{footnote}{0}%
12671 \global\let\thanks\relax
12672 \global\let\maketitle\relax
12673 \global\let\@thanks\@empty
12674 \global\let\@author\@empty
12675 \global\let\@date\@empty
12676 \global\let\@title\@empty
12677 \global\let\title\relax
12678 \global\let\author\relax
12679 \global\let\date\relax
12680 \global\let\and\relax
12681 }
12682 \else
12683 \renewcommand\maketitle{\par
12684 \begingroup
12685 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
12686 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
12687 \long\def\@makefntext##1{\parindent 1em\noindent
12688 \hb@xt@1.8em{%
12689 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
12690 \if@twocolumn
12691 \ifnum \col@number=\@ne
12692 \maketitle
12693 \else
12694 \twocolumn[\maketitle]%
12695 \fi
12696 \else
12697 \newpage
12698 \global\@topnum\z@ % Prevents figures from going at top of page.
12699 \maketitle
12700 \fi
12701 \thispagestyle{plain}\@thanks
12702 \endgroup
12703 \setcounter{footnote}{0}%
12704 \global\let\thanks\relax
12705 \global\let\maketitle\relax
12706 \global\let\@maketitle\relax
12707 \global\let\@thanks\@empty
12708 \global\let\@author\@empty
12709 \global\let\@date\@empty
12710 \global\let\@title\@empty
12711 \global\let\title\relax
12712 \global\let\author\relax
12713 \global\let\date\relax
12714 \global\let\and\relax
12715 }
12716 \def\@maketitle{%
12717 \newpage
12718 \null
12719 \vskip 2em%
12720 \begin{center}%
12721 \let \footnote \thanks

```



```

12722   {\LARGE \@title \par}%
12723   \vskip 1.5em%
12724   {\large
12725     \lineskip .5em%
12726     \begin{tabular}[t]{c}%
12727       \@author
12728     \end{tabular}\par}%
12729   \vskip 1em%
12730   {\large \@date}%
12731   \end{center}%
12732   \par
12733   \vskip 1.5em}
12734 \fi
12735 \renewcommand\thesection      {\thechapter\@SepMark\@arabic\c@section}
12736 \renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
12737 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
12738 \renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
12739 \renewcommand\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
12740 \renewcommand\theequation{%
12741   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
12742 \renewcommand\thefigure{%
12743   \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
12744 \renewcommand\thetable{%
12745   \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}

```

81 File fancybox-xetex-bidi.def

```

12746 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
12747 \def\fancy@oval#1#2#3{%
12748   \boxmaxdepth \maxdimen
12749   \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
12750   \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
12751   \@ovxx#1\relax
12752   \advance\@ovxx-\@wholewidth
12753   \@ovyy#2\relax
12754   \advance\@ovyy-\@wholewidth
12755   \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx \else \@ovyy \fi
12756   \advance\@tempdimb-2\p@
12757   \ifdim\@tempdimb>\the@cornersize\relax
12758     \@tempdimb=\the@cornersize
12759   \fi
12760   \@getcirc\@tempdimb
12761   \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
12762   \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
12763   \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
12764   \@circlefnt
12765   \setbox\@tempboxa\hbox{\beginL%
12766     \if@ovr \@ovvert32\kern -\@tempdima \fi
12767     \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
12768     \if@ovt \@ovhorz \kern -\@ovxx \fi
12769     \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
12770   \advance\@ovdx\@ovro
12771   \advance\@ovdy\@ovro
12772   \advance\@ovxx\@wholewidth

```



```

12773 \wd\@tempboxa=\@ovxx
12774 \dp\@tempboxa=\z@}

```

82 File fancyhdr-xetex-bidi.def

```

12775 \ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package]
12776
12777 \let\f@nch@everypar\everypar
12778
12779 \def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
12780   \f@nch@vbox\headheight{\hbox
12781     {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
12782     \parbox[b]{\headwidth}{\centering#3}\hfill
12783     \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}\headrule}}#5}
12784
12785 \def\f@nch@foot#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
12786   \f@nch@vbox\footskip{\footrule
12787     \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
12788     \parbox[t]{\headwidth}{\centering#3}\hfill
12789     \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}}#5}
12790

```

83 File fix2col-xetex-bidi.def

```

12791 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package]
12792 \def RTL@outputdblcol{%
12793   \if@firstcolumn
12794     \global\@firstcolumnfalse
12795     \global\setbox\@leftcolumn\copy\@outputbox
12796     \splitmaxdepth\maxdimen
12797     \vbadness\maxdimen
12798     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
12799     \toks@\expandafter{\topmark}%
12800     \xdef\@firstcoltopmark{\the\toks@}%
12801     \toks@\expandafter{\splitfirstmark}%
12802     \xdef\@firstcolfirstmark{\the\toks@}%
12803     \ifx\@firstcolfirstmark\@empty
12804       \global\let\@setmarks\relax
12805     \else
12806       \gdef\@setmarks{%
12807         \let\firstmark\@firstcolfirstmark
12808         \let\topmark\@firstcoltopmark}%
12809     \fi
12810 \else \global\@firstcolumntrue
12811 \setbox\@outputbox \vbox {\hbox to\textwidth {%
12812 \hskip \columnwidth
12813 \hfil \vrule width\columnseprule \hfil
12814 \hbox to\columnwidth {%
12815 \bidi@firstcolumn@status@write%
12816 \box\@leftcolumn \hss}%
12817 \hskip -\textwidth
12818 \hbox to\columnwidth{%
12819 \bidi@lastcolumn@status@write%
12820 \box\@outputbox \hss}%

```



```

12821 \hskip \columnsep
12822 \hskip \columnwidth }}%
12823 \@combinedblfloats \@setmarks \@outputpage
12824 \begingroup \@dblfloatplacement \@startdblcolumn
12825 \@whilesw@iffcolmade \fi
12826 {\@outputpage \@startdblcolumn }\endgroup
12827 \fi}
12828 \def\LTR@outputdblcol{%
12829   \if@firstcolumn
12830     \global\@firstcolumnfalse
12831     \global\setbox\@leftcolumn\copy\@outputbox
12832     \splitmaxdepth\maxdimen
12833     \vbadness\maxdimen
12834     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
12835     \toks@\expandafter{\topmark}%
12836     \xdef\@firstcoltopmark{\the\toks@}%
12837     \toks@\expandafter{\splitfirstmark}%
12838     \xdef\@firstcolfirstmark{\the\toks@}%
12839     \ifx\@firstcolfirstmark\@empty
12840       \global\let\@setmarks\relax
12841     \else
12842       \gdef\@setmarks{%
12843         \let\firstmark\@firstcolfirstmark
12844         \let\topmark\@firstcoltopmark}%
12845     \fi
12846   \else
12847     \global\@firstcolumntrue
12848     \setbox\@outputbox\vbox{%
12849       \hb@xt@\textwidth{%
12850         \hb@xt@\columnwidth{%
12851           \bidi@firstcolumn@status@write%
12852           \box\@leftcolumn \hss}%
12853         \hfil
12854         \vrule \@width\columnseprule
12855         \hfil
12856         \hb@xt@\columnwidth{%
12857           \bidi@lastcolumn@status@write%
12858           \box\@outputbox \hss}}}%
12859   \@combinedblfloats
12860   \@setmarks
12861   \@outputpage
12862   \begingroup
12863   \@dblfloatplacement
12864   \@startdblcolumn
12865   \@whilesw@iffcolmade \fi{\@outputpage\@startdblcolumn}%
12866   \endgroup
12867 \fi}

```

84 File fleqn-xetex-bidi.def

```

12868 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX]
12869 \renewcommand\[{ \relax
12870     \ifmmode\@badmath
12871     \else

```



```

12872         \begin{trivlist}%
12873         \@beginparpenalty\predisplaypenalty
12874         \@endparpenalty\postdisplaypenalty
12875         \item[]\leavevmode
12876         \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
12877         \hskip\mathindent\bgroup
12878         \fi}
12879 \renewcommand\{\relax
12880         \ifmmode
12881         \egroup $\hfil% $
12882         \endL\egroup
12883         \end{trivlist}%
12884         \else \@badmath
12885         \fi}
12886 \renewenvironment{equation}%
12887   {\@beginparpenalty\predisplaypenalty
12888   \@endparpenalty\postdisplaypenalty
12889   \refstepcounter{equation}%
12890   \trivlist \item[]\leavevmode
12891   \hb@xt@\linewidth\bgroup\beginL $\m@th% $
12892   \displaystyle
12893   \hskip\mathindent}%
12894   {$\hfil % $
12895   \displaywidth\linewidth\hbox{\@eqnnum}%
12896   \endL\egroup
12897   \endtrivlist}

```

85 File float-xetex-bidi.def

```

12898 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for X
12899 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
12900 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
12901   \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
12902 \def\float@newx#1[#2]{\ifundefined{c@#1}{\newcounter{#1}[#2]}%
12903   \expandafter\edef\csname the#1\endcsname{%
12904     \expandafter\noexpand\csname
12905       the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
12906   {\PackageWarning{float}{Can't redefine counter variable for #1.}}

```

86 File floatrow-xetex-bidi.def

```

12907 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package
12908 \renewcommand\flnew@within[1]{\addtoreset{\FB@captype}{#1}%
12909   \expandafter\edef\csname the\FB@captype\endcsname{%
12910     \expandafter\noexpand\csname
12911       the#1\endcsname\@SepMark\noexpand\arabic{\FB@captype}}}}

```

87 File flowfram-xetex-bidi.def

```

12912 \ProvidesFile{flowfram-xetex-bidi.def}[2018/09/29 v0.5 bidi adaptations for flowfram package
12913 \def\@outputdblcol{%
12914   \@nxtcol=\c@thisframe
12915   \c@curpg=\c@page
12916   \@g@tnextcol{\@nxtcol}%

```



```

12917 \iff@nwpg % next flow frame starts on new page
12918 \global\@firstcolumntrue
12919 \@setcolbox\c@thisframe
12920 \if@specialpage
12921 \global\@specialpagefalse
12922 \@nameuse{ps@\@specialstyle}\relax
12923 \fi
12924 \if@twoside
12925 \ifodd\count\z@
12926 \let\@thehead\@oddhead
12927 \let\@thefoot\@oddfoot
12928 \else
12929 \let\@thehead\@evenhead
12930 \let\@thefoot\@evenfoot
12931 \fi
12932 \else
12933 \let\@thehead\@oddhead
12934 \let\@thefoot\@oddfoot
12935 \fi
12936 \@begindvi
12937 \@dynamicthehead\@dynamicthefoot
12938 \vbadness=\@M
12939 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
12940 \@combinedblfloats
12941 \@outputpage
12942 \advance\c@curpg by -\c@page\relax
12943 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
12944 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
12945 \@outputpage}
12946 \begingroup
12947 \@dblfloatplacement
12948 \@startdblcolumn
12949 \@whilesw \iff@colmade \fi
12950 {\@outputpage \@startdblcolumn }\endgroup
12951 \@resetst@tics
12952 \@resetdyn@mics
12953 \else % still on same page, save contents of box255
12954 \global\@firstcolumnfalse
12955 \@setcolbox\c@thisframe
12956 \fi
12957 \global\c@thisframe=\@nxtcol
12958 \@setcol{\c@thisframe}\relax
12959 \global\@colht\vsiz
12960 }
12961 \def\@outputpage{%
12962 \begingroup
12963 \let\protect\noexpand
12964 \@resetactivechars
12965 \global\let\@if@newlist\if@newlist
12966 \global\@newlistfalse\@parboxrestore
12967 \global\let\@bidi@BeforeOutputPageShipOut\@firstofone
12968 \@bidi@beforeoutputpageshipouthook
12969 \shipout\vbox{\set@typeset@protect
12970 \aftergroup

```



```

12971 \endgroup
12972 \aftergroup
12973 \set@typeset@protect
12974 \reset@font\normalsize
12975 \bidi@font@@outputpage
12976 \normalsfcodes
12977 \let\label\@gobble
12978 \let\index\@gobble
12979 \let\glossary\@gobble
12980 \baselineskip\z@skip
12981 \lineskip\z@skip
12982 \lineskiplimit\z@
12983 \vskip\topmargin\moveright\@themargin
12984 \vbox{%
12985   \global\let\bidi@BeforeHeader\@firstofone
12986   \bidi@beforeheaderhook
12987   \vskip\headheight
12988   \vskip\headsep
12989   \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
12990   \bidi@beforeoutputboxoutputpagehook
12991   \box\@outputbox
12992   \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
12993   \bidi@afteroutputboxoutputpagehook
12994   }%
12995 \global\let\bidi@AfterOutputPageShipOut\@firstofone
12996 \bidi@afteroutputpageshipouthook
12997 \global\let\if@newlist\@if@newlist
12998 \stepcounter{page}%
12999 \setcounter{displayedframe}{0}%
13000 \let\firstmark\botmark
13001 \global\let\bidi@AtEndOutputPage\@firstofone
13002 \bidi@atendoutputpagehook
13003 }
13004
13005
13006 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{\}{%
13007 \expandafter\bidicolor\ff@txtcol}}
13008
13009 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
13010 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}
13011
13012
13013 \renewcommand*\@docolbox}[1]{%
13014 \edef\ff@frametype{%
13015 \csname @ff@frametype@\romannumeral#1\endcsname}%
13016 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
13017 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
13018 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
13019 \@ff@setoffset{#1}%
13020 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
13021 \ifthenelse{\boolean{columnframe\romannumeral#1}}{\}{%
13022 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
13023 {\csname colheight\romannumeral#1\endcsname}}{\}{%
13024 \expandafter\box\csname column\romannumeral#1\endcsname}}{\}

```



```

13025 \csname\ff@frametype\endcsname}%
13026 }{%
13027 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
13028 {\csname colheight\romannumeral#1\endcsname}%
13029 \expandafter\box\csname column\romannumeral#1\endcsname}%
13030 }}}
13031 \@ifclassloaded{book}{%
13032 \renewcommand\theequation
13033   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
13034 \renewcommand \thefigure
13035   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
13036 \renewcommand \thetable
13037   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
13038 \renewcommand \thechapter {\@arabic\c@chapter}
13039 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
13040 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
13041 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
13042 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
13043 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
13044 \@ifclassloaded{report}{%
13045 \renewcommand\theequation
13046   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
13047 \renewcommand \thefigure
13048   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
13049 \renewcommand \thetable
13050   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
13051 \renewcommand \thechapter {\@arabic\c@chapter}
13052 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
13053 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
13054 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
13055 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
13056 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
13057 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
13058 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}}%
13059 \else
13060 #2\relax
13061 \fi}

```

88 File footnote-xetex-bidi.def

```

13062 \ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine]
13063 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
13064 \newif\ifbidi@autofooterule
13065 \def\bidi@mpfootnoterule{\footnoterule}
13066 \newcounter{footdir@label}
13067 \renewcommand*{\thefootdir@label}{footdir@the\value{footdir@label}}
13068 \newcommand*{\footdir@write}{%
13069   \stepcounter{footdir@label}%
13070   \zref@labelbyprops{\thefootdir@label}{abspage}%
13071 }
13072 \newif\iffootdir@debug
13073 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
13074 \newtoks\footdir@toks
13075 \newcommand*{\footdir@debug}[1]{%

```



```

13076 \iffoutdir@debug
13077   \typeout{[outdir] #1}%
13078 \fi
13079 }
13080 %\@ifpackagelater{zref-abspage}{2012/10/27}{%
13081 % \newcommand*{\outdir@LeftRightElse}{%
13082 %   \ltx@ifundefined{outdir@the\value{zabspage}}{%
13083 %     \outdir@debug{abspage \the\value{zabspage}: else}%
13084 %     \ltx@thirdofthree
13085 %   }{%
13086 %     \if\csname outdir@the\value{zabspage}\endcsname L%
13087 %       \outdir@debug{abspage \the\value{zabspage}: left}%
13088 %       \expandafter\ltx@firstofthree
13089 %     \else
13090 %       \outdir@debug{abspage \the\value{zabspage}: right}%
13091 %       \expandafter\ltx@secondofthree
13092 %     \fi
13093 %   }%
13094 % }%
13095 %}{%
13096 \providecommand*{\c@zabspage}{\c@abspage}%
13097 \newcommand*{\outdir@LeftRightElse}{%
13098   \outdir@write
13099   \zifrefundefined{\theoutdir@label}{%
13100     \outdir@debug{abspage ??: else}%
13101     \ltx@thirdofthree
13102   }{%
13103     \edef\outdir@abspage{%
13104       \zref@extractdefault{\theoutdir@label}{abspage}{0}%
13105     }%
13106     \ltx@ifundefined{outdir@\outdir@abspage}{%
13107       \outdir@debug{\outdir@abspage: else}%
13108       \ltx@thirdofthree
13109     }{%
13110       \if\csname outdir@\outdir@abspage\endcsname L%
13111         \outdir@debug{\outdir@abspage: left}%
13112         \expandafter\ltx@firstofthree
13113       \else
13114         \outdir@debug{\outdir@abspage: right}%
13115         \expandafter\ltx@secondofthree
13116       \fi
13117     }%
13118   }%
13119 }%
13120 %}
13121 \newcommand*{\outdir@fntext}[1]{%
13122   \zifrefundefined{\theoutdir@label}{%
13123     }{%
13124       \edef\outdir@name{%
13125         \outdir@\zref@extractdefault{\theoutdir@label}{abspage}{0}%
13126       }%
13127       \@ifundefined{\outdir@name}{%
13128         \expandafter\gdef\csname\outdir@name\endcsname{#1}%
13129       }{}%

```



```

13130 }%
13131 }
13132
13133 \newcommand*{\footdir@temp}[3]{%
13134   \@ifdefinable{#1}{%
13135     \let#1#2%
13136     \renewcommand{#2}[1]{%
13137       \footdir@write
13138       \footdir@fntext{#3}%
13139       \stepcounter{footdir@label}%
13140       \footdir@fntext{#3}%
13141       \footdir@toks{##1}%
13142       \footdir@toks\expandafter{%
13143         \the\expandafter\footdir@toks
13144         \expandafter
13145         \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
13146       }%
13147       \expandafter#1\expandafter{\the\footdir@toks}%
13148     }%
13149 }%
13150 }
13151
13152 \def\right@footnoterule{%
13153   \kern-3\p@
13154   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
13155   \kern2.6\p@}
13156 \def\left@footnoterule{\kern-3\p@
13157   \hrule \@width .4\columnwidth \kern 2.6\p@}
13158 \def\textwidth@footnoterule{\kern-3\p@
13159   \hrule \@width \columnwidth \kern 2.6\p@}
13160 \def\leftfootnoterule{%
13161   \bidi@autofootnoterulefalse%
13162   \def\footnoterule{\left@footnoterule}}
13163 \let\LRfootnoterule=\leftfootnoterule
13164 \def\rightfootnoterule{%
13165   \bidi@autofootnoterulefalse%
13166   \def\footnoterule{\right@footnoterule}}
13167 \def\textwidthfootnoterule{%
13168   \bidi@autofootnoterulefalse%
13169   \def\footnoterule{\textwidth@footnoterule}}
13170
13171
13172
13173 \def\auto@footnoterule{%
13174   \footdir@LeftRightElse%
13175   \left@footnoterule%
13176   \right@footnoterule%
13177   \left@footnoterule%
13178 }
13179
13180
13181
13182 \def\autofootnoterule{%
13183   \bidi@autofootnoteruletrue%

```



```

13184 \def\footnoterule{\auto@footnoterule}%
13185 }
13186
13187 \newcommand*\SplitFootnoteRule}{%
13188   \gdef\split@prev{0}
13189   \let\pagefootnoterule\footnoterule
13190   \let\mpfootnoterule\footnoterule
13191   \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
13192   \def\footnoterule{\relax
13193     \ifx \@listdepth\@mplistdepth
13194       \mpfootnoterule
13195     \else
13196       \ifnum\split@prev=\z@
13197         \pagefootnoterule
13198       \else
13199         \splitfootnoterule
13200       \fi
13201       \xdef\split@prev{\the\insertpenalties}%
13202     \fi
13203   }%
13204 }
13205
13206
13207
13208
13209 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
13210   \protected@xdef\@thefnmark{\thempfn}%
13211   \@footnotemark\@RTLfootnotetext}}
13212 \def\@xRTLfootnote[#1]{%
13213   \begingroup
13214     \csname c@\@mpfn\endcsname #1\relax
13215     \unrestored@protected@xdef\@thefnmark{\thempfn}%
13216   \endgroup
13217   \@footnotemark\@RTLfootnotetext}
13218 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
13219   \protected@xdef\@thefnmark{\thempfn}%
13220   \@footnotemark\@LTRfootnotetext}}
13221 \def\@xLTRfootnote[#1]{%
13222   \begingroup
13223     \csname c@\@mpfn\endcsname #1\relax
13224     \unrestored@protected@xdef\@thefnmark{\thempfn}%
13225   \endgroup
13226   \@footnotemark\@LTRfootnotetext}
13227
13228
13229 \def\setfootnoteRL{\@RTL@footnotetrue}
13230 \def\unsetfootnoteRL{\@RTL@footnotefalse}
13231 \def\setfootnoteLR{\unsetfootnoteRL}
13232
13233 \newcommand*\bidi@footnotetext@font}{\footnotesize}
13234 \newcommand*\bidi@LTRfootnotetext@font}{\footnotesize}
13235 \newcommand*\bidi@RTLfootnotetext@font}{\footnotesize}
13236
13237 \long\def\@footnotetext#1{\insert\footins{%

```



```

13238 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13239 \reset@font%
13240 \bidi@footnotetext@font% \reset@font\footnotesize
13241 \interlinepenalty\interfootnotelinepenalty
13242 \splittopskip\footnotesep
13243 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
13244 \hsize\columnwidth \@parboxrestore
13245 \protected@edef\@currentlabel{%
13246 \csname p@footnote\endcsname\@thefnmark
13247 }%
13248 \color@begingroup
13249 \makefntext{%
13250 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
13251 \color@endgroup}}%
13252
13253
13254 \long\def\@RTLfootnotetext#1{\insert\footins{%
13255 \@RTLtrue%
13256 \reset@font%
13257 \bidi@RTLfootnotetext@font% \reset@font\footnotesize
13258 \interlinepenalty\interfootnotelinepenalty
13259 \splittopskip\footnotesep
13260 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
13261 \hsize\columnwidth \@parboxrestore
13262 \protected@edef\@currentlabel{%
13263 \csname p@footnote\endcsname\@thefnmark
13264 }%
13265 \color@begingroup
13266 \makefntext{%
13267 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
13268 \color@endgroup}}%
13269
13270 \long\def\@LTRfootnotetext#1{\insert\footins{%
13271 \@RTLfalse%
13272 \reset@font%
13273 \bidi@LTRfootnotetext@font% \reset@font\footnotesize
13274 \interlinepenalty\interfootnotelinepenalty
13275 \splittopskip\footnotesep
13276 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
13277 \hsize\columnwidth \@parboxrestore
13278 \protected@edef\@currentlabel{%
13279 \csname p@footnote\endcsname\@thefnmark
13280 }%
13281 \color@begingroup
13282 \makefntext{%
13283 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
13284 \color@endgroup}}%
13285
13286 \AtBeginDocument{%
13287 \if@RTL@footnote
13288 \newcommand*\bidi@footdir@footnote}{R}
13289 \else
13290 \newcommand*\bidi@footdir@footnote}{L}
13291 \fi%

```



```

13292 }
13293
13294 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
13295 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
13296 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
13297
13298 \long\def\@mpRTLfootnotetext#1{%
13299 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@foot
13300 \global\setbox\@mpfootins\vbox{\@RTLtrue%
13301 \unvbox\@mpfootins
13302 \reset@font%
13303 \bidi@RTLfootnotetext@font% \reset@font\footnotesize
13304 \hsize\columnwidth
13305 \@parboxrestore
13306 \protected@edef\@currentlabel
13307 {\csname p@mpfootnote\endcsname\@thefnmark}%
13308 \color@begingroup
13309 \makefntext{%
13310 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
13311 \color@endgroup}}
13312 \long\def\@mpLTRfootnotetext#1{%
13313 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footno
13314 \global\setbox\@mpfootins\vbox{\@RTLfalse%
13315 \unvbox\@mpfootins
13316 \reset@font%
13317 \bidi@LTRfootnotetext@font% \reset@font\footnotesize
13318 \hsize\columnwidth
13319 \@parboxrestore
13320 \protected@edef\@currentlabel
13321 {\csname p@mpfootnote\endcsname\@thefnmark}%
13322 \color@begingroup
13323 \makefntext{%
13324 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
13325 \color@endgroup}}
13326 \long\def\@mpfootnotetext#1{%
13327 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnot
13328 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13329 \unvbox\@mpfootins
13330 \reset@font%
13331 \bidi@footnotetext@font% \reset@font\footnotesize
13332 \hsize\columnwidth
13333 \@parboxrestore
13334 \protected@edef\@currentlabel
13335 {\csname p@mpfootnote\endcsname\@thefnmark}%
13336 \color@begingroup
13337 \makefntext{%
13338 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
13339 \color@endgroup}}
13340 \def\@iiminipage#1#2[#3]#4{%
13341 \leavevmode
13342 \@pboxswfalse
13343 \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
13344 \ifRTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi
13345 \setlength\@tempdima{#4}%

```



```

13346 \def\@mpargs{#1-#2[#3]#4}%
13347 \setbox\@tempboxa\vbox\bgroup
13348   \color@begingroup
13349   \hsize\@tempdima
13350   \textwidth\hsize \columnwidth\hsize
13351   \@parboxrestore
13352   \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
13353   \let\@footnotetext\@mpfootnotetext
13354   \let\@LTRfootnotetext\@mpLTRfootnotetext
13355   \let\@RTLfootnotetext\@mpRTLfootnotetext
13356   \let\@listdepth\@mplistdepth \@mplistdepth\z@
13357   \@minipagerestore
13358   \@setminipage}
13359 \def\endminipage{%
13360   \par
13361   \unskip
13362   \ifvoid\@mpfootins\else
13363     \vskip\skip\@mpfootins
13364     \normalcolor
13365     \bidi@mpfootnoterule
13366     \unvbox\@mpfootins
13367   \fi
13368   \@minipagefalse %% added 24 May 89
13369 \color@endgroup
13370 \egroup
13371 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
13372 \def\LTRthanks#1{\footnotemark
13373   \protected@xdef\@thanks{\@thanks
13374     \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
13375 }
13376 \def\LTRfootnotetext{%
13377   \@ifnextchar [\@xLTRfootnotenext
13378     {\protected@xdef\@thefnmark{\thempfn}%
13379     \@LTRfootnotetext}}
13380 \def\@xLTRfootnotenext[#1]{%
13381   \begingroup
13382     \csname c@\@mpfn\endcsname #1\relax
13383     \unrestored@protected@xdef\@thefnmark{\thempfn}%
13384   \endgroup
13385   \@LTRfootnotetext}
13386 \def\RTLthanks#1{\footnotemark
13387   \protected@xdef\@thanks{\@thanks
13388     \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
13389 }
13390 \let\@thanks\@empty
13391 \def\RTLfootnotetext{%
13392   \@ifnextchar [\@xRTLfootnotenext
13393     {\protected@xdef\@thefnmark{\thempfn}%
13394     \@RTLfootnotetext}}
13395 \def\@xRTLfootnotenext[#1]{%
13396   \begingroup
13397     \csname c@\@mpfn\endcsname #1\relax
13398     \unrestored@protected@xdef\@thefnmark{\thempfn}%
13399   \endgroup

```



```

13400 \@RTLfootnotetext}
13401 \leftfootnoterule

```

89 File footnotebackref-xetex-bidi.def

```

13402 \ProvidesFile{footnotebackref-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for footnoteb
13403 \LetLtxMacro{\BHFN@OldLTRFootnote}{\LTRfootnote}
13404 \LetLtxMacro{\BHFN@OldRTLFootnote}{\RTLfootnote}
13405
13406 \renewcommand*\LTRfootnote{%
13407   \refstepcounter{BackrefHyperFootnoteCounter}%
13408   \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
13409   \label{\BackrefFootnoteTag}%
13410   \@ifnextchar [\Backref@OptLTRHyperFootnote\Backref@HyperLTRFootnote}
13411
13412 \renewcommand*\RTLfootnote{%
13413   \refstepcounter{BackrefHyperFootnoteCounter}%
13414   \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
13415   \label{\BackrefFootnoteTag}%
13416   \@ifnextchar [\Backref@OptRTLHyperFootnote\Backref@HyperRTLFootnote}
13417 \newcommand\Backref@HyperLTRFootnote[1]{%
13418   \BHFN@OldLTRFootnote{\Backref@HyperSymbol#1}}
13419
13420 \newcommand\Backref@HyperRTLFootnote[1]{%
13421   \BHFN@OldRTLFootnote{\Backref@HyperSymbol#1}}
13422
13423 \newcommand\Backref@OptHyperLTRFootnote[2][\empty]{%
13424   \BHFN@OldLTRFootnote[#1]{\Backref@HyperSymbol#2}}
13425
13426 \newcommand\Backref@OptHyperRTLFootnote[2][\empty]{%
13427   \BHFN@OldRTLFootnote[#1]{\Backref@HyperSymbol#2}}
13428
13429 \bidi@AfterFile{extrafootnotefeatures-xetex-bidi.def}{%
13430 \ifFootnoteBackref@numberlinked
13431 \renewcommand{\footfootmark}{%
13432   \ifdim\footmarkwidth < \z@
13433     \llap{\hb@xt@ -\footmarkwidth{%
13434       \hss\normalfont\footscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
13435       \hspace*{-\footmarkwidth}}%
13436   \else
13437     \ifdim\footmarkwidth = \z@
13438       {\normalfont\footscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
13439     \else
13440       \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
13441     \fi
13442   \fi}
13443 \renewcommand{\LTRfootfootmark}{%
13444   \ifdim\footmarkwidth < \z@
13445     \llap{\hb@xt@ -\footmarkwidth{%
13446       \hss\normalfont\LTRfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
13447       \hspace*{-\footmarkwidth}}%
13448   \else
13449     \ifdim\footmarkwidth = \z@
13450       {\normalfont\LTRfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%

```



```

13451     \else
13452         \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@t
13453     \fi
13454 \fi}
13455 \renewcommand{\RTLfootfootmark}{%
13456 \ifdim\footmarkwidth < \z@
13457     \llap{\hb@xt@ -\footmarkwidth{
13458         \hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
13459         \hspace*{-\footmarkwidth}}%
13460 \else
13461     \ifdim\footmarkwidth = \z@
13462         {\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
13463     \else
13464         \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@t
13465     \fi
13466 \fi}
13467 \fi
13468 }

```

90 File framed-xetex-bidi.def

```

13469 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for
13470 \renewcommand\TitleBarFrame[3][\begingroup
13471 \ifx\delimiter#1\delimiter
13472     \let\TF@conlab\@empty
13473 \else
13474     \def\TF@conlab{% continuation label
13475     \nointerlineskip
13476     \smash{\rlap{\kern\wd\@tempboxa\kern\fbboxrule\kern\fbboxsep #1}}}%
13477 \fi
13478 %\let\TF@savecolor\current@color
13479 \textcolor{TFFrameColor}{%
13480 \CustomFBox
13481     {\TF@Title{#2}}{\TF@conlab}%
13482     \fbboxrule\fbboxrule\fbboxrule\fbboxrule
13483     %{\let\current@color\TF@savecolor\set@color #3}%
13484     {\normalcolor #3}%
13485 }\endgroup
13486 }
13487 \renewenvironment{titled-frame}[1]{%
13488 \def\FrameCommand{\fbboxsep8pt\fbboxrule2pt
13489 \TitleBarFrame{\textbf{#1}}}%
13490 \def\FirstFrameCommand{\fbboxsep8pt\fbboxrule2pt
13491 \TitleBarFrame[{\if@RTL\blacktriangleleft\else\blacktriangleright\fi}]{\textbf{#1}}}%
13492 \def\MidFrameCommand{\fbboxsep8pt\fbboxrule2pt
13493 \TitleBarFrame[{\if@RTL\blacktriangleleft\else\blacktriangleright\fi}]{\textbf{#1} (con
13494 \def\LastFrameCommand{\fbboxsep8pt\fbboxrule2pt
13495 \TitleBarFrame{\textbf{#1} (cont)}}}%
13496 \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
13497 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
13498 % could interfere with the width measurement.
13499 {\endMakeFramed}
13500 \chardef\FrameRestore=\catcode`\| % for debug
13501 \catcode`\|= \catcode`\% % (debug: insert space after backslash)

```



```

13502 \def\fb@put@frame#1#2{\relax
13503 \ifdim\pagegoal=\maxdimen \pagegoal\vszize \fi
13504 | \message{===== Entering putframe =====^^J
13505 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
13506 \ifinner
13507 \fb@putboxa#1%
13508 \fb@afterframe
13509 \else
13510 \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
13511 \ifdim\dimen@<2\baselineskip % Too little room on page
13512 | \message{Page has only \the\dimen@\space room left; eject. }%
13513 \eject \fb@adjheight \fb@put@frame#1#2%
13514 \else % there's appreciable room left on the page
13515 \fb@sizeofframe#1%
13516 | \message{\string\pagetotal=\the\pagetotal,
13517 | \string\pagegoal=\the\pagegoal,
13518 | \string\pagestretch=\the\pagestretch,
13519 | \string\pageshrink=\the\pageshrink,
13520 | \string\fb@frh=\the\fb@frh. \space}
13521 | \message{^^JBox of size \the\ht\@tempboxa\space}%
13522 \begingroup % temporarily set \dimen@ to be...
13523 \advance\dimen@.8\pageshrink % maximum space available on page
13524 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
13525 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
13526 \expandafter\endgroup
13527 % expand \ifdim, then restore \dimen@ to real room left on page
13528 \ifdim\dimen@>\ht\@tempboxa % whole box does fit
13529 | \message{fits in \the\dimen@. }%
13530 % ToDo: Change this to use vsplit anyway to capture the marks
13531 % MERGE THIS WITH THE else CLAUSE!!!
13532 \fb@putboxa#1%
13533 \fb@afterframe
13534 \else % box must be split
13535 | \message{must be split to fit in \the\dimen@. }%
13536 % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
13537 \fb@sizeofframe#2%
13538 \setbox\@tempboxa\vbox{% simulate frame and flexibility of the page:
13539 \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
13540 \kern137sp\kern-137sp\penalty-30
13541 \unvbox\@tempboxa}%
13542 \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
13543 \splittopskip\the\splittopskip}%
13544 \boxmaxdepth\z@ \splittopskip\z@
13545 | \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
13546 % Split box here
13547 \setbox\tw@\vsplit\@tempboxa to\dimen@
13548 | \toks99\expandafter{\splitfirstmark}%
13549 | \toks98\expandafter{\splitbotmark}%
13550 | \message{Marks are: \the\toks99, \the\toks98. }%
13551 \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
13552 | \message{Natural height of split box is \the\ht\tw@, leaving
13553 | \the\ht\@tempboxa\space remainder. }%
13554 % If the split-to size > (\vszize-\topskip), then set box to full size.
13555 \begingroup

```



```

13556 \advance\dimen@ \topskip
13557 \expandafter\endgroup
13558 \ifdim\dimen@>\pagegoal
13559 | \message{Frame is big -- Use up the full column. }%
13560 \dimen@ii\pagegoal
13561 \advance\dimen@ii -\topskip
13562 \advance\dimen@ii \FrameHeightAdjust\relax
13563 \else % suspect this is implemented incorrectly:
13564 % If the split-to size > feasible room_on_page, rebox it smaller.
13565 \advance\dimen@.8\pageshrink
13566 \ifdim\ht\tw@>\dimen@
13567 | \message{Box too tall; rebox it to \the\dimen@. }%
13568 \dimen@ii\dimen@
13569 \else % use natural size
13570 \dimen@ii\ht\tw@
13571 \fi
13572 \fi
13573 % Re-box contents to desired size \dimen@ii
13574 \advance\dimen@ii -\fb@frh
13575 \setbox\tw@\vbox to\dimen@ii \bgroup
13576 % remove simulated frame and page flexibility:
13577 \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
13578 \unvbox\tw@ \unpenalty\unpenalty
13579 \ifdim\lastkern=-137sp % whole box went to next page
13580 | \message{box split at beginning! }%
13581 % need work here???
13582 \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
13583 \fb@adjheight
13584 \fb@put@frame#1#2% INSERTED ???
13585 \else % Got material split off at the head
13586 \egroup \fb@resto@set
13587 \ifvoid\@tempboxa % it all fit after all
13588 | \message{box split at end! }%
13589 \setbox\@tempboxa\box\tw@
13590 \fb@putboxa#1%
13591 \fb@afterframe
13592 \else % it really did split
13593 | \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
13594 \ifdim\wd\tw@>\z@
13595 \wd\tw@\wd\@tempboxa
13596 \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
13597 \else
13598 | \message{Zero width means likely blank. Don't frame it (guess)}%
13599 \box\tw@
13600 \fi
13601 \hrule \@height\z@ \@width\hsize
13602 \eject
13603 \fb@adjheight
13604 \fb@put@frame\LastFrameCommand\MidFrameCommand
13605 \fi\fi\fi\fi\fi
13606 }
13607 \def\fb@putboxa#1{%
13608 \ifvoid\@tempboxa
13609 \PackageWarning{framed}{Boxa is void -- discard it. }%

```



```

13610 \else
13611 | \message{Frame and place boxa. }%
13612 | %{\showoutput\showbox\@tempboxa}%
13613 \centerline{#1{\hboxL{\box\@tempboxa}}}%
13614 \fi
13615 }
13616 \catcode`\|= \FrameRestore
13617 \def\FrameRestore{%
13618 \let\if@nbreak\iffalse
13619 \let\if@noskipsec\iffalse
13620 \let\-\@dischph
13621 \let'\@acci\let'\@accii\let\=\@acciii
13622 % \message{FrameRestore:
13623 % \totalleftmargin=\the \totalleftmargin,
13624 % \rightmargin=\the\rightmargin,
13625 % \listdepth=\the\listdepth. }%
13626 % Test if we are in a list (or list-like paragraph)
13627 \ifnum \ifdim\totalleftmargin>\z@ 1\fi
13628 \ifdim\rightmargin>\z@ 1\fi
13629 \ifnum\listdepth>\z@ 1\fi 0>\z@
13630 % \message{In a list: \linewidth=\the\linewidth, \totalleftmargin=\the\totalleftmargin,
13631 % \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
13632 % \labelwidth=\the\labelwidth. }%
13633 \@setminipage % snug fit around the item
13634 % Now try to propagate changes of width from \hsize to list parameters.
13635 % This is deficient, but a more advanced way to indicate modification to text
13636 % dimensions is not (yet) provided; in particular, no separate left/right
13637 % adjustment.
13638 \advance\linewidth-\columnwidth \advance\linewidth\hsize
13639 \parshape\@ne \@totalleftmargin \linewidth
13640 \else % Not in list
13641 \linewidth=\hsize
13642 %\message{No list, set \string\linewidth=\the\hsize. }%
13643 \fi
13644 \sloppy
13645 }

```

91 File `ftnright-xetex-bidi.def`

```

13646 \ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package]
13647
13648 \def\prepare@bidi@copyins{%
13649 \global\bidi@rcol@copyinsskip\skip\@bidi@copyins@
13650 \global\skip\@bidi@copyins@\z@
13651 \global\count\@bidi@copyins@\z@
13652 \global\dimen\@bidi@copyins@\textheight}
13653
13654 \newskip\bidi@rcol@copyinsskip
13655
13656 \def\LTR@outputdblcol{%
13657 \if@firstcolumn
13658 \global\@firstcolumnfalse
13659 \global\setbox\@leftcolumn\copy\@outputbox
13660 \global\count\footins\@m

```



```

13661 \global\skip\footins\rcol@footinsskip
13662 \global\count\@bidi@copyins@\@m
13663 \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
13664 \splitmaxdepth\maxdimen
13665 \vbadness\maxdimen
13666 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
13667 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
13668 \toks@\expandafter{\topmark}%
13669 \xdef\@firstcoltopmark{\the\toks@}%
13670 \toks@\expandafter{\splitfirstmark}%
13671 \xdef\@firstcolfirstmark{\the\toks@}%
13672 \ifx\@firstcolfirstmark\@empty
13673 \global\let\@setmarks\relax
13674 \else
13675 \gdef\@setmarks{%
13676 \let\firstmark\@firstcolfirstmark
13677 \let\topmark\@firstcoltopmark}%
13678 \fi
13679 \else
13680 \preparefootins
13681 \prepare@bidi@copyins
13682 \global\@firstcolumntrue
13683 \setbox\@outputbox\vbox{%
13684 \hb@xt@\textwidth{%
13685 \hb@xt@\columnwidth{%
13686 \bidi@firstcolumn@status@write%
13687 \box\@leftcolumn \hss}%
13688 \hfil
13689 {\normalcolor\vrule \@width\columnseprule}%
13690 \hfil
13691 \hb@xt@\columnwidth{%
13692 \bidi@lastcolumn@status@write%
13693 \box\@outputbox \hss}}}%
13694 \@combinedblfloats
13695 \@setmarks
13696 \@outputpage
13697 \begingroup
13698 \@dblfloatplacement
13699 \@startdblcolumn
13700 \@whilesw\if@fcolmade \fi{\@outputpage
13701 \@startdblcolumn}%
13702 \endgroup
13703 \fi}%
13704
13705 \def\RTL@outputdblcol{%
13706 \if@firstcolumn
13707 \global\@firstcolumnfalse
13708 \global\setbox\@leftcolumn\copy\@outputbox
13709 \global\count\footins\@m
13710 \global\skip\footins\rcol@footinsskip
13711 \global\count\@bidi@copyins@\@m
13712 \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
13713 \splitmaxdepth\maxdimen
13714 \vbadness\maxdimen

```



```

13715 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
13716 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
13717 \toks@\expandafter{\topmark}%
13718 \xdef\@firstcoltopmark{\the\toks@}%
13719 \toks@\expandafter{\splitfirstmark}%
13720 \xdef\@firstcolfirstmark{\the\toks@}%
13721 \ifx\@firstcolfirstmark\@empty
13722 \global\let\@setmarks\relax
13723 \else
13724 \gdef\@setmarks{%
13725 \let\firstmark\@firstcolfirstmark
13726 \let\topmark\@firstcoltopmark}%
13727 \fi
13728 \else
13729 \preparefootins
13730 \prepare@bidi@copyins
13731 \global\@firstcolumntrue
13732 \setbox\@outputbox\vbox{%
13733 \hb@xt@\textwidth{%
13734 \hskip \columnwidth
13735 \hfil
13736 {\normalcolor\vrule \@width\columnseprule}%
13737 \hfil
13738 \hb@xt@\columnwidth{%
13739 \bidi@firstcolumn@status@write%
13740 \box\@leftcolumn \hss}%
13741 \hskip -\textwidth
13742 \hb@xt@\columnwidth{%
13743 \bidi@lastcolumn@status@write%
13744 \box\@outputbox \hss}%
13745 \hskip \columnsep
13746 \hskip \columnwidth }}%
13747 \@combinedblfloats
13748 \@setmarks
13749 \@outputpage
13750 \begingroup
13751 \@dblfloatplacement
13752 \@startdblcolumn
13753 \@whilesw\if@colmade \fi{\@outputpage
13754 \@startdblcolumn}%
13755 \endgroup
13756 \fi}%
13757
13758 \def\@startcolumn{%
13759 \ifx\@deferlist\@empty
13760 \global\@fcolmadefalse
13761 \global\@colroom\@colht
13762 \else
13763 \ifvoid\footins\else
13764 \ftn@amount\ht\footins
13765 \advance\ftn@amount\dp\footins
13766 \advance\ftn@amount\skip\footins
13767 \fi
13768 \ifvoid\@bidi@copyins\@else

```



```

13769 \bidi@copyins@amount\ht\@bidi@copyins@
13770 \advance\bidi@copyins@amount\dp\@bidi@copyins@
13771 \advance\bidi@copyins@amount\skip\@bidi@copyins@
13772 \fi
13773 \global\advance\@colht-\ftn@amount
13774 \global\advance\@colht-\bidi@copyins@amount
13775 \global\@colroom\@colht
13776 \@xstartcol
13777 \global\advance\@colht\ftn@amount
13778 \global\advance\@colroom\ftn@amount
13779 \global\advance\@colht\bidi@copyins@amount
13780 \global\advance\@colroom\bidi@copyins@amount
13781 \fi
13782 \if@fcolmade
13783 \setbox\@cclv\box\@outputbox
13784 \@makecol
13785 \else
13786 \ifvoid\footins\else
13787 \insert\footins{\unvbox\footins}\fi
13788 \ifvoid\@bidi@copyins@\else
13789 \insert\@bidi@copyins@{\unvbox\@bidi@copyins@}\fi
13790 \fi}
13791
13792 \newdimen\bidi@copyins@amount
13793
13794 \def\@makecol{\if@firstcolumn
13795 \setbox\@outputbox\box\@cclv
13796 \if@twocolumn \else
13797 \ifvoid\footins \else
13798 \@latexerr{ftnright package
13799 used in one-column mode}}%
13800 {The ftnright package was designed to
13801 work with LaTeX's standard^^Jtwocolumn
13802 option. It does *not* work with the
13803 multicol package.^^JSo please specify
13804 `twocolumn' in the
13805 \noexpand\documentclass command.}%
13806 \shipout\box\footins \fi
13807 \ifvoid\@bidi@copyins@ \else
13808 \@latexerr{ftnright package
13809 used in one-column mode}}%
13810 {The ftnright package was designed to
13811 work with LaTeX's standard^^Jtwocolumn
13812 option. It does *not* work with the
13813 multicol package.^^JSo please specify
13814 `twocolumn' in the
13815 \noexpand\documentclass command.}%
13816 \shipout\box\@bidi@copyins@ \fi\fi
13817 \ifnum\insertpenalties>\z@
13818 \@latexerr{ftnright package
13819 scrambled footnotes}}%
13820 {There is too much footnote material in
13821 the first column and ftnright^^Jis
13822 unable to cope with this.^^JYou need

```



```

13823     to reduce the amount to get a properly
13824     formatted page.}%
13825 \fi
13826 \else
13827 \ifvoid\footins
13828   \ifvoid\@bidi@copyins@
13829     \setbox\@outputbox\box\@cclv
13830   \else
13831     \setbox\@outputbox\vbox
13832     {\ifvoid\@cclv \else
13833       \unvbox\@cclv
13834       \vskip \skip\@bidi@copyins@
13835     \fi
13836       \color@begingroup
13837       \normalcolor
13838       \unvbox \@bidi@copyins@
13839       \color@endgroup}%
13840 \fi
13841 \else
13842   \setbox\@outputbox\vbox
13843   {\ifvoid\@cclv \else
13844     \unvbox\@cclv
13845     \vskip\skip\footins\fi
13846     \color@begingroup
13847     \normalcolor
13848     \footnoterule\unvbox\footins
13849     \color@endgroup
13850     \ifvoid\@bidi@copyins@
13851     \else
13852       \vskip \skip\@bidi@copyins@
13853       \color@begingroup
13854       \normalcolor
13855       \unvbox \@bidi@copyins@
13856       \color@endgroup
13857     \fi
13858   }%
13859 \fi
13860 \fi
13861 \xdef\@freelist{\@freelist\@midlist}%
13862 \global \let \@midlist \@empty
13863 \@combinefloats
13864 \ifvbox\@kludgeins
13865   \@makespecialcolbox
13866 \else
13867   \setbox\@outputbox\vbox to\@colht
13868   {\boxmaxdepth\maxdepth
13869     \@texttop
13870     \@tempdima\dp\@outputbox
13871     \unvbox\@outputbox
13872     \vskip-\@tempdima
13873     \@textbottom}%
13874 \fi
13875 \global\maxdepth\@maxdepth}
13876

```



```

13877 \let\leftfootnoterule\@empty
13878 \let\rightfootnoterule\@empty
13879 \let\textwidthfootnoterule\@empty
13880 \let\autofootnoterule\@empty
13881 \let\footnoterule\@empty
13882 \long\def\@makefnctext#1{\parindent 1em
13883   \noindent\hbox to 2em{}}%
13884   \llap{\@thefnmark\hbox{.}\,\,}#1}
13885
13886 \setlength{\skip\@bidi@copyins@}
13887   {10pt plus 5pt minus 3pt}
13888 \AtBeginDocument{\prepare@bidi@copyins}

```

92 File graphicx-xetex-bidi.def

```

13889 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
13890 \def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
13891   \Grot@setangle{#1}%
13892   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\endR\fi}%
13893   \Grot@x\z@
13894   \Grot@y\z@
13895   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
13896 \long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
13897   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
13898   \Grot@x\width \divide\Grot@x\tw@
13899   \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
13900   \setkeys{Grot}{#1}%
13901   \setbox\z@\box\@tempboxa
13902   \Grot@setangle{#2}%
13903   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
13904   \@end@tempboxa}
13905 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
13906   \leavevmode
13907   \def\Gscale@x{#1}\def\Gscale@y{#2}%
13908   \setbox\z@\hbox{#3}%
13909   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
13910   \ifdim#2\p@<\z@
13911     \ht\tw@-#2\dp\z@
13912     \dp\tw@-#2\ht\z@
13913   \else
13914     \ht\tw@#2\ht\z@
13915     \dp\tw@#2\dp\z@
13916   \fi
13917   \ifdim#1\p@<\z@
13918     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
13919   \else
13920     \wd\tw@#1\wd\z@
13921     \box\tw@
13922   \fi\ifmmode\else\if@RTL\endL\fi\fi}
13923 \def\Gin@iii[#1,#2][#3,#4]#5{%
13924   \begingroup
13925   \ifmmode\else\if@RTL\beginL\fi\fi
13926   \Gin@bboxtrue
13927   \Gin@defaultbp\Gin@llx{#1}%

```



```

13928 \Gin@defaultbp\Gin@lly{#2}%
13929 \Gin@defaultbp\Gin@urx{#3}%
13930 \Gin@defaultbp\Gin@ury{#4}%
13931 \Gin@defaultbp\Gin@graphics{#5}%
13932 \ifmmode\else\if@RTL\endL\fi\fi
13933 \endgroup}
13934 \def\Gin@ii[#1]#2{%
13935   \def\@tempa{[]}\def\@tempb{#2}%
13936   \ifx\@tempa\@tempb
13937     \def\@tempa{\Gin@iii[#1] []}%
13938     \expandafter\@tempa
13939   \else
13940     \begingroup
13941       \ifmmode\else\if@RTL\beginL\fi\fi
13942       \@tempswafalse
13943       \toks@{\Gin@graphics{#2}}%
13944       \setkeys{Gin}{#1}%
13945       \Gin@esetsize
13946       \the\toks@
13947       \ifmmode\else\if@RTL\endL\fi\fi
13948     \endgroup
13949   \fi}
13950 \def\reflectbox{\bidiGscale@box-1[1]}
13951 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
13952   \leavevmode
13953   \def\Gscale@x{#1}\def\Gscale@y{#2}%
13954   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL
13955   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
13956   \ifdim#2\p@<\z@
13957     \ht\tw@-#2\dp\z@
13958     \dp\tw@-#2\ht\z@
13959   \else
13960     \ht\tw@#2\ht\z@
13961     \dp\tw@#2\dp\z@
13962   \fi
13963   \ifdim#1\p@<\z@
13964     \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
13965   \else
13966     \wd\tw@#1\wd\z@
13967     \box\tw@
13968   \fi\ifmmode\else\if@RTL\endL\fi\fi}
13969 \def\scalebox#1{%
13970   \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}
13971 \def\resizebox{%
13972   \leavevmode
13973   \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
13974 \def\bidiGscale@@box#1#2#3{%
13975   \let\@tempa\Gin@exclamation
13976   \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
13977   \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
13978   \ifx\@tempb\@tempa
13979     \ifx\@tempc\@tempa
13980       \toks@{\mbox}%
13981     \else

```



```

13982     \toks@{\bidiGscale@box@dd{#3}#1}%
13983     \fi
13984   \else
13985     \ifx\@tempc\@tempa
13986       \toks@{\bidiGscale@box@dd{#2}\width}%
13987     \else
13988       \toks@{\bidiGscale@box@ddd{#2}\width{#3}#1}%
13989     \fi
13990   \fi
13991   \the\toks@}
13992 \long\def\bidiGscale@box@dd#1#2#3{%
13993   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
13994   \setlength\@tempdima{#1}%
13995   \setlength\@tempdimb{#2}%
13996   \Gscale@div\@tempa\@tempdima\@tempdimb
13997   \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
13998   \@end@tempboxa}
13999 \long\def\bidiGscale@box@ddd#1#2#3#4#5{%
14000   \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@RTL\endR\fi}%
14001   \setlength\@tempdima{#1}%
14002   \setlength\@tempdimb{#2}%
14003   \Gscale@div\@tempa\@tempdima\@tempdimb
14004   \setlength\@tempdima{#3}%
14005   \setlength\@tempdimb{#4}%
14006   \Gscale@div\@tempb\@tempdima\@tempdimb
14007   \ifgin@iso
14008     \ifdim\@tempa\p>\@tempb\p@
14009       \let\@tempa\@tempb
14010     \else
14011       \let\@tempb\@tempa
14012     \fi
14013   \fi
14014   \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
14015   \@end@tempboxa}

```

93 File geometry-xetex-bidi.def

```

14016 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package]
14017 \renewcommand*\Gm@vrules@mpi{%
14018 \if@RTLmain%
14019     \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
14020     \llap{\Gm@vrule}\ignorespaces
14021     \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
14022     \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
14023   \else%
14024     \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
14025     \hskip \textwidth\Gm@vrule\hskip \marginparsep
14026     \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
14027 \renewcommand*\Gm@vrules@mpii{%
14028 \if@RTLmain%
14029     \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
14030     \hskip \textwidth\Gm@vrule\hskip \marginparsep
14031     \llap{\Gm@vrule}\hfil\Gm@vrule}%
14032 \else%

```



```

14033 \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
14034 \llap{\Gm@vrule}\ignorespaces
14035 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
14036 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
14037 \bidi@patchcmd{\Gm@pageframes}{%
14038 \ifodd\count\z@
14039 \let\@themargin\oddsidemargin
14040 \else
14041 \let\@themargin\evensidemargin
14042 \fi
14043 }{%
14044 \ifodd\count\z@
14045 \if@RTLmain
14046 \let\@themargin\evensidemargin
14047 \else
14048 \let\@themargin\oddsidemargin
14049 \fi
14050 \else
14051 \if@RTLmain
14052 \let\@themargin\oddsidemargin
14053 \else
14054 \let\@themargin\evensidemargin
14055 \fi
14056 \fi
14057 }{}{}

```

94 File hvfloat-xetex-bidi.def

```

14058 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package f
14059 \def\do@hvFloat[#1]#2#3{%
14060 \def\hv@shortCap{#1}
14061 \def\hv@longCap{#2}
14062 \def\hv@label{#3}
14063 %\newcommand*{\hvFloat}[5][[]]{%
14064 % [#1]: keyvalues
14065 % #2: type figure | table | ...
14066 % #3: float contents
14067 % [#4]: short caption
14068 % #5: caption
14069 % #6: label
14070 % \setDefault%
14071 % \def\@tempa{#1}%
14072 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
14073 \def\@tempa{90}%
14074 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
14075 \else \setlength{\hvMaxCapWidth}{\linewidth}
14076 \fi
14077 %
14078 % First we save the object in \hvObjectBox
14079 %
14080 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
14081 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
14082 \else
14083 \savebox{\hvObjectBox}{%

```



```

14084     \rotatebox{\hvSet@objectAngle}{%
14085     \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
14086 \fi
14087 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
14088 %
14089 % Now we save the caption with its defined \hvCapWidth
14090 %
14091 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
14092 \else
14093     \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
14094     \else
14095         \setlength{\hvCapWidth}{\hvObjectWidth}
14096         \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
14097         \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
14098         \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
14099 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
14100         \else
14101 \setlength{\hvCapWidth}{\hvMaxCapWidth}
14102         \fi
14103     \fi
14104 \fi
14105 %
14106 % now we have the object and the caption with the right
14107 % rotated angles saved in boxes
14108 %
14109 \def\fps@figure{\hvSet@floatPos}
14110 \ifhv@nonFloat\begin{group}% Start the nonfloat part
14111 \else \begin{\hv@floatType}% Start the floating environment
14112 \fi%
14113 \saveCaptionSkip% we put this space ourselves
14114 \ifx\hvSet@capAngle\hv@Width % need rotation?
14115     \sbox{\hvCaptionBox}{%
14116         \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
14117             \ifhv@nonFloat%
14118 \ifhv@onlyText#2%
14119             \else%
14120 \ifx\hv@floatType\hv@figure
14121 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[1]{#2}\fi
14122 \else
14123 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[1]{#2}\fi%
14124 \fi
14125 \fi
14126 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[1]{#2}\fi%
14127 \fi%
14128 \label{#3}%
14129     \end{minipage}%
14130     }%
14131 \else%
14132     \sbox{\hvCaptionBox}{%
14133         \rotatebox{\hvSet@capAngle}{%
14134             \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
14135 \ifhv@nonFloat%
14136 \ifhv@onlyText#2%
14137         \else%

```



```

14138 \ifx\hv@floatType\hv@figure
14139 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[1]{#2}\fi
14140 \else
14141 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[1]{#2}\fi%
14142 \fi
14143 \fi
14144 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[1]{#2}\fi%
14145 \fi%
14146 \label{#3}%
14147 \end{minipage}%
14148 }%
14149 }%
14150 \fi%
14151 %%
14152 \restoreCaptionSkip% save old values
14153 \ifx\hvSet@objectPos\hv@Right\bidiraggedleft%
14154 \else%
14155 \ifx\hvSet@objectPos\hv@Center
14156 \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
14157 \fi%
14158 \fi%
14159 %
14160 % to rotate object and caption together, we save all in another box
14161 % the caption comes first, if its on the left or the top
14162 %
14163 \savebox{\@tempboxa}{%
14164 \ifx\hvSet@capPos\hv@Left % caption on left side
14165 \if@RTL%
14166 \ifx\hvSet@capVPos\hv@Center%
14167 \ifhv@fbox
14168 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
14169 \else
14170 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
14171 \fi%
14172 \hspace{\hvSet@floatCapSep pt}%
14173 \ifhv@fbox
14174 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
14175 \else
14176 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
14177 \fi%
14178 \else%
14179 \ifx\hvSet@capVPos\hv@Top
14180 \ifhv@fbox
14181 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
14182 \else
14183 \raisebox{-\height}{\usebox{\hvObjectBox}}%
14184 \fi%
14185 \hspace{\hvSet@floatCapSep pt}%
14186 \ifhv@fbox
14187 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
14188 \else
14189 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
14190 \fi
14191 \else

```



```

14192 \ifhv@fbox
14193 \fbox{\usebox{\hvObjectBox}}%
14194 \else
14195 \usebox{\hvObjectBox}%
14196 \fi
14197 \hspace{\hvSet@floatCapSep pt}%
14198 \ifhv@fbox
14199 \fbox{\usebox{\hvCaptionBox}}%
14200 \else
14201 \usebox{\hvCaptionBox}%
14202 \fi%
14203 \fi%
14204 \fi%
14205 \else% not RTL
14206 \ifx\hvSet@capVPos\hv@Center%
14207 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
14208 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
14209 \fi%
14210 \hspace{\hvSet@floatCapSep pt}% capfloatsep
14211 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
14212 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
14213 \fi%
14214 \else%
14215 \ifx\hvSet@capVPos\hv@Top % caption at top
14216 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
14217 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
14218 \fi
14219 \hspace{\hvSet@floatCapSep pt}% capfloatsep
14220 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
14221 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
14222 \fi%
14223 \else% caption on bottom
14224 \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
14225 \else\usebox{\hvCaptionBox}
14226 \fi%
14227 \hspace{\hvSet@floatCapSep pt}%
14228 \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
14229 \else \usebox{\hvObjectBox}
14230 \fi%
14231 \fi%
14232 \fi% end of RTL
14233 \fi%
14234 \else
14235 \ifx\hvSet@capPos\hv@Top
14236 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
14237 \begin{minipage}{\wd\hvCaptionBox}
14238 \else
14239 \begin{minipage}{\wd\hvObjectBox}
14240 \fi
14241 \centering
14242 \ifhv@fbox
14243 \fbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
14244 \fbox{\usebox{\hvObjectBox}}
14245 \else

```



```

14246 \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
14247 \usebox{\hvObjectBox}
14248 \fi%
14249 \end{minipage}
14250 \else
14251 \ifx\hvSet@capPos\hv@Bottom
14252 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
14253 \begin{minipage}{\wd\hvCaptionBox}
14254 \else
14255 \begin{minipage}{\wd\hvObjectBox}
14256 \fi
14257 \centering
14258 \ifhv@fbox
14259 \fbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
14260 \fbox{\usebox{\hvCaptionBox}}
14261 \else
14262 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
14263 \usebox{\hvCaptionBox}
14264 \fi%
14265 \end{minipage}
14266 \else% the last option: put the caption on the right
14267 \if@RTL%
14268 \ifx\hvSet@capVPos\hv@Center%
14269 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
14270 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
14271 \fi%
14272 \hspace{\hvSet@floatCapSep pt}% capfloatsep
14273 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
14274 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
14275 \fi%
14276 \else%
14277 \ifx\hvSet@capVPos\hv@Top % caption at top
14278 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
14279 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
14280 \fi
14281 \hspace{\hvSet@floatCapSep pt}% capfloatsep
14282 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
14283 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
14284 \fi%
14285 \else% caption on bottom
14286 \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
14287 \else\usebox{\hvCaptionBox}
14288 \fi%
14289 \hspace{\hvSet@floatCapSep pt}%
14290 \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
14291 \else \usebox{\hvObjectBox}
14292 \fi%
14293 \fi%
14294 \fi%
14295 \else% not RTL
14296 \ifx\hvSet@capVPos\hv@Center%
14297 \ifhv@fbox
14298 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
14299 \else

```



```

14300 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
14301 \fi%
14302 \hspace{\hvSet@floatCapSep pt}%
14303 \ifhv@fbox
14304 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
14305 \else
14306 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
14307 \fi%
14308 \else%
14309 \ifx\hvSet@capVPos\hv@Top
14310 \ifhv@fbox
14311 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
14312 \else
14313 \raisebox{-\height}{\usebox{\hvObjectBox}}%
14314 \fi%
14315 \hspace{\hvSet@floatCapSep pt}%
14316 \ifhv@fbox
14317 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
14318 \else
14319 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
14320 \fi
14321 \else
14322 \ifhv@fbox
14323 \fbox{\usebox{\hvObjectBox}}%
14324 \else
14325 \usebox{\hvObjectBox}%
14326 \fi
14327 \hspace{\hvSet@floatCapSep pt}%
14328 \ifhv@fbox
14329 \fbox{\usebox{\hvCaptionBox}}%
14330 \else
14331 \usebox{\hvCaptionBox}%
14332 \fi%
14333 \fi%
14334 \fi
14335 \fi% end of RTL
14336 \fi
14337 \fi
14338 \fi
14339 }% End savebox Object and caption
14340 %
14341 % now we rotate the object and caption, if needed
14342 %
14343 \ifx\hvSet@rotAngle\hv@Zero
14344 \usebox{\@tempboxa}
14345 \else
14346 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
14347 \fi
14348 \ifhv@nonFloat
14349 \ifx\hvSet@objectPos\hv@Center
14350 \ifhv@nonFloat
14351 \hspace{\fill}
14352 \fi
14353 \fi

```



```

14354 \endgroup% End the nonfloat part
14355 \else
14356 \end{hv@floatType}% End the floating environment
14357 \fi
14358 }

```

95 File hyperref-xetex-bidi.def

```

14359 \ProvidesFile{hyperref-xetex-bidi.def}[2018/11/11 v1.1 bidi adaptations for hyperref package]
14360 \AtBeginDocument{%
14361 \def\contentsline#1#2#3#4{%
14362 \ifx\#4\%
14363 \csname l@#1\endcsname{#2}{#3}%
14364 \else
14365 \ifcase\Hy@linktoc % none
14366 \csname l@#1\endcsname{#2}{#3}%
14367 \or % section
14368 \csname l@#1\endcsname{%
14369 \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
14370 }{#3}%
14371 \or % page
14372 \csname l@#1\endcsname{#2}{#3}{%
14373 \hyper@linkstart{link}{#4}{#3}\hyper@linkend
14374 }%
14375 \else % all
14376 \csname l@#1\endcsname{%
14377 \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
14378 }{#3}{%
14379 \hyper@linkstart{link}{#4}{#3}\hyper@linkend
14380 }%
14381 \fi
14382 \fi
14383 }
14384 \ifHy@hyperfootnotes
14385 \let\H@@footnotetext\@footnotetext
14386 \let\HRTL@RTLfootnotetext\@RTLfootnotetext
14387 \let\HLTR@LTRfootnotetext\@LTRfootnotetext
14388 \def\@xfootnotenext[#1]{%
14389 \begingroup
14390 \csname c@\@mpfn\endcsname #1\relax
14391 \unrestored@protected@xdef\@thefnmark{\thempfn}%
14392 \endgroup
14393 \ifx\@footnotetext\@mpfootnotetext
14394 \expandafter\H@@mpfootnotetext
14395 \else
14396 \expandafter\H@@footnotetext
14397 \fi
14398 }%
14399 \def\@xRTLfootnotenext[#1]{%
14400 \begingroup
14401 \csname c@\@mpfn\endcsname #1\relax
14402 \unrestored@protected@xdef\@thefnmark{\thempfn}%
14403 \endgroup
14404 \ifx\@RTLfootnotetext\@mpRTLfootnotetext

```



```

14405     \expandafter\HRTL@mpRTLfootnotetext
14406     \else
14407     \expandafter\HRTL@RTLfootnotetext
14408     \fi
14409 }%
14410 \def\xLTRfootnotenext[#1]{%
14411 \begingroup
14412   \csname c@mpfn\endcsname #1\relax
14413   \unrestored@protected@xdef\@thefnmark{\thempfn}%
14414 \endgroup
14415 \ifx\LTRfootnotetext\mpLTRfootnotetext
14416 \expandafter\HLTR@mpLTRfootnotetext
14417 \else
14418 \expandafter\HLTR@LTRfootnotetext
14419 \fi
14420 }%
14421 \def\xfootnotemark[#1]{%
14422 \begingroup
14423   \c@footnote #1\relax
14424   \unrestored@protected@xdef\@thefnmark{\thefootnote}%
14425 \endgroup
14426 \H@footnotemark
14427 }%
14428 \let\H@mpfootnotetext\mpfootnotetext
14429 \let\HRTL@mpRTLfootnotetext\mpRTLfootnotetext
14430 \let\HLTR@mpLTRfootnotetext\mpLTRfootnotetext
14431 \long\def\mpfootnotetext#1{%
14432 \H@mpfootnotetext{%
14433   \ifHy@nesting
14434     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
14435   \else
14436     \Hy@raisedlink{%
14437       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
14438     }#1%
14439   \fi
14440 }%
14441 }%
14442 \long\def\mpRTLfootnotetext#1{%
14443 \HRTL@mpRTLfootnotetext{%
14444   \ifHy@nesting
14445     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
14446   \else
14447     \Hy@raisedlink{%
14448       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
14449     }#1%
14450   \fi
14451 }%
14452 }%
14453 \long\def\mpLTRfootnotetext#1{%
14454 \HLTR@mpLTRfootnotetext{%
14455   \ifHy@nesting
14456     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
14457   \else
14458     \Hy@raisedlink{%

```



```

14459         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
14460     }#1%
14461     \fi
14462 }%
14463 }%
14464 \long\def\@footnotetext#1{%
14465 \H@@footnotetext{%
14466     \ifHy@nesting
14467     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
14468     \else
14469     \Hy@raisedlink{%
14470     \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
14471     }%
14472     \let\@currentHlabel\Hy@footnote@currentHlabel
14473     \let\@currentHref\Hy@footnote@currentHref
14474     \let\@currentlabelname\@empty
14475     #1%
14476     \fi
14477 }%
14478 }%
14479 \long\def\@RTLfootnotetext#1{%
14480 \HRTL@@RTLfootnotetext{%
14481     \ifHy@nesting
14482     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
14483     \else
14484     \Hy@raisedlink{%
14485     \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
14486     }%
14487     \let\@currentHlabel\Hy@footnote@currentHlabel
14488     \let\@currentHref\Hy@footnote@currentHref
14489     \let\@currentlabelname\@empty
14490     #1%
14491     \fi
14492 }%
14493 }%
14494 \long\def\@LTRfootnotetext#1{%
14495 \HLTR@@LTRfootnotetext{%
14496     \ifHy@nesting
14497     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
14498     \else
14499     \Hy@raisedlink{%
14500     \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
14501     }%
14502     \let\@currentHlabel\Hy@footnote@currentHlabel
14503     \let\@currentHref\Hy@footnote@currentHref
14504     \let\@currentlabelname\@empty
14505     #1%
14506     \fi
14507 }%
14508 }%
14509 \ifpackageloaded{tabularx}{%
14510 \let\HyOrg@TX@endtabularx\TX@endtabularx
14511 \def\Hy@tabularx@hook{%
14512     \let\@footnotetext\H@@footnotetext

```



```

14513     \let\@LTRfootnotetext\HLTR@LTRfootnotetext
14514     \let\@RTLfootnotetext\HRTL@RTLfootnotetext
14515     \let\@footnotemark\H@footnotemark
14516     \let\@mpfootnotetext\H@mpfootnotetext
14517     \let\@mpLTRfootnotetext\HLTR@mpLTRfootnotetext
14518     \let\@mpRTLfootnotetext\HRTL@mpRTLfootnotetext
14519     }%
14520     \begingroup
14521     \toks@\expandafter{\TX@endtabularx}%
14522     \xdef\Hy@gtemp{%
14523         \noexpand\Hy@tabularx@hook
14524         \the\toks@
14525     }%
14526     \endgroup
14527     \let\TX@endtabularx\Hy@gtemp
14528 }-%
14529 \ifpackageloaded{longtable}{%
14530 \CheckCommand*\LT@p@LTRftntext}[1]{%
14531     \edef\@tempa{%
14532         \the\LT@p@ftn
14533         \noexpand\LTRfootnotetext[\the\c@footnote]}%
14534     }%
14535     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
14536 }%
14537 \long\def\LT@p@LTRftntext#1{%
14538     \edef\@tempa{%
14539         \the\LT@p@ftn
14540     \begingroup
14541         \noexpand\c@footnote=\the\c@footnote\relax
14542         \noexpand\protected@xdef\noexpand\@thefnmark{%
14543             \noexpand\thempfn
14544         }%
14545         \noexpand\Hy@LT@LTRfootnotetext{%
14546             \Hy@footnote@currentHref
14547         }%
14548     }%
14549     \global\LT@p@ftn\expandafter{%
14550         \@tempa{#1}%
14551     \endgroup
14552     }%
14553 }%
14554 \long\def\Hy@LT@LTRfootnotetext#1#2{%
14555     \HLTR@LTRfootnotetext{%
14556         \ifHy@nesting
14557             \hyper@@anchor{#1}{#2}%
14558         \else
14559             \Hy@raisedlink{%
14560                 \hyper@@anchor{#1}{\relax}%
14561             }%
14562             \def\@currentHref{#1}%
14563             \let\@currentlabelname\empty
14564             #2%
14565         \fi
14566     }%

```



```

14567 }%
14568 \CheckCommand*\LT@p@RTLftntext}[1]{%
14569   \edef\@tempa{%
14570     \the\LT@p@ftn
14571     \noexpand\RTLfootnotetext[\the\c@footnote]%
14572   }%
14573   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
14574 }%
14575 \long\def\LT@p@RTLftntext#1{%
14576   \edef\@tempa{%
14577     \the\LT@p@ftn
14578     \begingroup
14579       \noexpand\c@footnote=\the\c@footnote\relax
14580       \noexpand\protected@xdef\noexpand\@thefnmark{%
14581         \noexpand\thempfn
14582       }%
14583       \noexpand\Hy@LT@RTLfootnotetext{%
14584         \Hy@footnote@currentHref
14585       }%
14586     }%
14587     \global\LT@p@ftn\expandafter{%
14588       \@tempa{#1}%
14589     }\endgroup
14590   }%
14591 }%
14592 \long\def\Hy@LT@RTLfootnotetext#1#2{%
14593   \HRTL@RTLfootnotetext{%
14594     \ifHy@nesting
14595       \hyper@@anchor{#1}{#2}%
14596     \else
14597       \Hy@raisedlink{%
14598         \hyper@@anchor{#1}{\relax}%
14599       }%
14600       \def\@currentHref{#1}%
14601       \let\@currentlabelname\@empty
14602       #2%
14603     \fi
14604   }%
14605 }%
14606 }{}%
14607 \@ifpackageloaded{bidipoem}{%
14608 \long\def\bidipoem@p@ftntext#1{%
14609   \edef\@tempx{%
14610     \the\bidipoem@p@ftn
14611   }\begingroup
14612     \noexpand\c@name c@\@mpfn\endc@name=\the\c@name c@\@mpfn\endc@name\relax
14613     \noexpand\protected@xdef\noexpand\@thefnmark{%
14614       \noexpand\thempfn
14615     }%
14616     \noexpand\Hy@bidipoem@footnotetext{%
14617       \Hy@footnote@currentHref
14618     }%
14619   }%
14620   \global\bidipoem@p@ftn\expandafter{%

```



```

14621         \@tempx{#1}%
14622         \endgroup
14623     }%
14624 }%
14625 \long\def\Hy@bidipoem@footnotetext#1#2{%
14626     \H@@footnotetext{%
14627         \ifHy@nesting
14628         \hyper@@anchor{#1}{#2}%
14629     \else
14630         \Hy@raisedlink{%
14631             \hyper@@anchor{#1}{\relax}%
14632         }%
14633         \def\@currentHref{#1}%
14634         \let\@currentlabelname\@empty
14635         #2%
14636     \fi
14637 }%
14638 }%
14639     \long\def\bidipoem@p@LTRftntext#1{%
14640     \edef\@tempxi{%
14641         \the\bidipoem@p@ftn
14642     \begingroup
14643         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
14644         \noexpand\protected@xdef\noexpand\@thefnmark{%
14645             \noexpand\thempfn
14646         }%
14647         \noexpand\Hy@bidipoem@LTRfootnotetext{%
14648             \Hy@footnote@currentHref
14649         }%
14650     }%
14651     \global\bidipoem@p@ftn\expandafter{%
14652         \@tempxi{#1}%
14653     \endgroup
14654 }%
14655 }%
14656 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
14657     \HLTR@LTRfootnotetext{%
14658         \ifHy@nesting
14659         \hyper@@anchor{#1}{#2}%
14660     \else
14661         \Hy@raisedlink{%
14662             \hyper@@anchor{#1}{\relax}%
14663         }%
14664         \def\@currentHref{#1}%
14665         \let\@currentlabelname\@empty
14666         #2%
14667     \fi
14668 }%
14669 }%
14670     \long\def\bidipoem@p@RTLftntext#1{%
14671     \edef\@tempxii{%
14672         \the\bidipoem@p@ftn
14673     \begingroup
14674         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax

```



```

14675         \noexpand\protected@xdef\noexpand\@thefnmark{%
14676             \noexpand\thempfn
14677         }%
14678         \noexpand\Hy@bidipoem@RTLfootnotetext{%
14679             \Hy@footnote@currentHref
14680         }%
14681     }%
14682     \global\bidipoem@p@ftn\expandafter{%
14683         \@tempxi{#1}%
14684     \endgroup
14685     }%
14686 }%
14687 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
14688     \HRTL@RTLfootnotetext{%
14689         \ifHy@nesting
14690             \hyper@@anchor{#1}{#2}%
14691         \else
14692             \Hy@raisedlink{%
14693                 \hyper@@anchor{#1}{\relax}%
14694             }%
14695             \def\@currentHref{#1}%
14696             \let\@currentlabelname\@empty
14697             #2%
14698         \fi
14699     }%
14700 }%
14701 }-}%
14702 \let\HyOrg@maketitle\maketitle
14703 \def\maketitle{%
14704     \let\Hy@saved@footnotemark\@footnotemark
14705     \let\Hy@saved@footnotetext\@footnotetext
14706     \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
14707     \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
14708     \let\@footnotemark\H@@footnotemark
14709     \let\@footnotetext\H@@footnotetext
14710     \let\@RTLfootnotetext\HRTL@RTLfootnotetext
14711     \let\@LTRfootnotetext\HLTR@LTRfootnotetext
14712     \@ifnextchar[\Hy@maketitle@optarg{% ]
14713         \HyOrg@maketitle
14714         \Hy@maketitle@end
14715     }%
14716 }%
14717 \def\Hy@maketitle@optarg[#1]{%
14718     \HyOrg@maketitle[#{1}]%
14719     \Hy@maketitle@end
14720 }%
14721 \def\Hy@maketitle@end{%
14722     \ifx\@footnotemark\H@@footnotemark
14723         \let\@footnotemark\Hy@saved@footnotemark
14724     \fi
14725     \ifx\@footnotetext\H@@footnotetext
14726         \let\@footnotetext\Hy@saved@footnotetext
14727     \fi
14728     \ifx\@RTLfootnotetext\HRTL@RTLfootnotetext

```



```

14729     \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
14730     \fi
14731     \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
14732         \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
14733     \fi
14734 }%
14735 \def\realfootnote{%
14736     \@ifnextchar[\@xfootnote{%
14737         \stepcounter{\@mpfn}%
14738         \protected@xdef\@thefnmark{\thempfn}%
14739         \H@@footnotemark\H@@footnotetext
14740     }%
14741 }%
14742 \fi
14743 \def\Hy@BeginAnnot#1{%
14744     \ifmmode\else\beginL\fi%
14745     \global\advance\c@Hy@AnnotLevel\@ne
14746     \ifnum\c@Hy@AnnotLevel=\@ne
14747         #1%
14748     \fi
14749 }
14750 \def\Hy@endAnnot{%
14751     \ifnum\c@Hy@AnnotLevel=\@ne
14752         \Hy@endcolorlink
14753         \@pdfm@mark{eann}%
14754     \fi
14755     \global\advance\c@Hy@AnnotLevel\m@ne
14756     \ifmmode\else\endL\fi%
14757 }
14758 \def\hyper@link#1#2#3{%
14759     \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi%
14760 }
14761 \def\hyper@linkfile#1#2#3{%
14762     \leavevmode
14763     \Hy@BeginAnnot{%
14764         \def\Hy@pstringF{#2}%
14765         \Hy@CleanupFile\Hy@pstringF
14766         \Hy@pstringdef\Hy@pstringF\Hy@pstringF
14767         \Hy@pstringdef\Hy@pstringD{#3}%
14768         \Hy@MakeRemoteAction
14769         \@pdfm@mark{%
14770             bann<<%
14771             /Type/Annot%
14772             /Subtype/Link%
14773             \ifHy@pdfa /F 4\fi
14774             \Hy@setpdfborder
14775             \ifx\@filebordercolor\relax
14776                 \else
14777                 /C[\@filebordercolor]%
14778             \fi
14779             /A<<%
14780             /S/GoToR%
14781             /F(\Hy@pstringF)%
14782             /D%

```



```

14783         \ifx\#3\%
14784         [\Hy@href@page\@pdfremotestartview]%
14785         \else
14786         (\Hy@pstringD)%
14787         \fi
14788         \Hy@SetNewWindow
14789         \Hy@href@nextactionraw
14790         >>%
14791     >>%
14792 }%
14793 \Hy@colorlink\@filecolor
14794 }%
14795 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
14796 \Hy@EndAnnot
14797 }
14798 \def\@hyper@launch run:#1\#2#3{% filename, anchor text linkname
14799 \leavevmode
14800 \Hy@BeginAnnot{%
14801 \Hy@pstringdef\Hy@pstringF{#1}%
14802 \Hy@pstringdef\Hy@pstringP{#3}%
14803 \@pdfm@mark{%
14804     bann<<%
14805     /Type/Annot%
14806     /Subtype/Link%
14807     \ifHy@pdfa /F 4\fi
14808     \Hy@setpdfborder
14809     \ifx\@runbordercolor\relax
14810     \else
14811     /C[\@runbordercolor]%
14812     \fi
14813     /A<<%
14814     /F(\Hy@pstringF)%
14815     /S/Launch%
14816     \Hy@SetNewWindow
14817     \ifx\#3\%
14818     \else
14819     /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
14820     \fi
14821     \Hy@href@nextactionraw
14822     >>%
14823     >>%
14824     }%
14825     \Hy@colorlink\@runcolor
14826     }%
14827 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
14828 \Hy@EndAnnot
14829 }
14830 \def\hyper@linkurl#1#2{%
14831 \leavevmode
14832 \Hy@BeginAnnot{%
14833 \Hy@pstringdef\Hy@pstringURI{#2}%
14834 \@pdfm@mark{%
14835     bann<<%
14836     /Type/Annot%

```



```

14837     /Subtype/Link%
14838     \ifHy@pdfa /F 4\fi
14839     \Hy@setpdfborder
14840     \ifx\@urlbordercolor\relax
14841     \else
14842       /C[\@urlbordercolor]%
14843     \fi
14844     /A<<%
14845     /S/URI%
14846     /URI(\Hy@pstringURI)%
14847     \ifHy@href@ismap
14848       /IsMap true%
14849     \fi
14850     \Hy@href@nextactionraw
14851     >>%
14852   >>%
14853   }%
14854   \Hy@colorlink\@urlcolor
14855 }%
14856 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
14857 \Hy@EndAnnot
14858 }
14859 \def\Acrobatmenu#1#2{%
14860 \Hy@Acrobatmenu{#1}{#2}{%
14861   \Hy@BeginAnnot{%
14862     \EdefEscapeName\Hy@temp@menu{#1}%
14863     \@pdfm@mark{%
14864       bann<<%
14865       /Type/Annot%
14866       /Subtype/Link%
14867       \ifHy@pdfa /F 4\fi
14868       \Hy@setpdfborder
14869       \ifx\@menubordercolor\relax
14870       \else
14871         /C[\@menubordercolor]%
14872       \fi
14873       /A<<%
14874       /S/Named%
14875       /N/\Hy@temp@menu
14876       \Hy@href@nextactionraw
14877       >>%
14878     >>%
14879     }%
14880     \Hy@colorlink\@menucolor
14881   }%
14882   \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
14883   \Hy@EndAnnot
14884 }%
14885 }
14886 \def\hyper@natlinkstart#1{%
14887 \Hy@backout{#1}%
14888 \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
14889 \def\hyper@nat@current{#1}%
14890 }

```



```

14891 \def\hyper@natlinkend{%
14892   \if@RTL\endR\fi\hyper@linkend
14893 }
14894 \def\hyper@natlinkbreak#1#2{%
14895   \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
14896 }%
14897 }
14898 \pdfstringdefDisableCommands{%
14899 \let\LRE\@firstofone
14900 \let\LR\@firstofone
14901 \let\RLE\@firstofone
14902 \let\RL\@firstofone
14903 \def\XeTeX{Xe\TeX}%
14904 \def\XeLaTeX{Xe\LaTeX}%
14905 }
14906 \@ifpackageloaded{longtable}{%
14907   \begingroup
14908     \def\y{\LT@array}%
14909     \@ifundefined{scr@LT@array}{%
14910       \@ifundefined{adl@LT@array}{\def\y{\adl@LT@array}}%
14911     }{\def\y{\scr@LT@array}}%
14912     \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
14913       \expandafter\endgroup
14914       \expandafter\def\y[##1]##2{%
14915         \H@refstepcounter{#1}%
14916         \hyper@makecurrent{table}%
14917         \let\Hy@LT@currentHref\@currentHref
14918         #2\@sharp####4%
14919       }%
14920     }%
14921     \expandafter\expandafter\expandafter\x\y[##1]{##2}\@nil
14922     \begingroup
14923       \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
14924         \endgroup
14925         \def\LT@start{%
14926           #1%
14927           \ifvoid\LT@foot#2\fi
14928           \let\@currentHref\Hy@LT@currentHref
14929           \Hy@raisedlink{%
14930             \hyper@anchorstart{\@currentHref}\hyper@anchorend
14931           }%
14932           #3%
14933         }%
14934       }%
14935     \expandafter\x\LT@start\@nil
14936 }{}
14937 \bidi@patchcmd\@TextField{%
14938   \@pdfm@mark
14939 }{%
14940   \if@RTL
14941     \hskip\Fld@width
14942   \fi
14943   \@pdfm@mark
14944 }{}{}

```



```

14945 \bidi@patchcmd\@TextField{%
14946 \unhbox
14947 }{%
14948 \if@RTL
14949 \hskip-\Fld@width
14950 \fi
14951 \unhbox
14952 }{}{}
14953 \bidi@patchcmd\@@Radio{%
14954 \@pdfm@mark
14955 }{%
14956 \if@RTL
14957 \hskip\Fld@width
14958 \fi
14959 \@pdfm@mark
14960 }{}{}
14961 \bidi@patchcmd\@@Radio{%
14962 \unhcopy
14963 }{%
14964 \if@RTL
14965 \hskip-\Fld@width
14966 \fi
14967 \unhcopy
14968 }{}{}
14969 \bidi@patchcmd\@Submit{%
14970 \@pdfm@mark
14971 }{%
14972 \if@RTL
14973 \null
14974 \hskip\wd\pdfm@box
14975 \fi
14976 \@pdfm@mark
14977 }{}{}
14978 \bidi@patchcmd\@Submit{%
14979 \unhbox
14980 }{%
14981 \if@RTL
14982 \hskip-\wd\pdfm@box
14983 \fi
14984 \unhbox
14985 }{}{}
14986 \bidi@patchcmd\@Reset{%
14987 \@pdfm@mark
14988 }{%
14989 \if@RTL
14990 \null
14991 \hskip\wd\pdfm@box
14992 \fi
14993 \@pdfm@mark
14994 }{}{}
14995 \bidi@patchcmd\@Reset{%
14996 \unhbox
14997 }{%
14998 \if@RTL

```



```

14999   \hskip-\wd\pdfm@box
15000   \fi
15001   \unhbox
15002 }{}{}

```

96 File imspoc-xetex-bidi.def

```

15003 \ProvidesFile{imspoc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imspoc class for
15004 \newenvironment{thebibliography}[1]{%
15005   \@bibtitlestyle
15006   \normalfont\bibliofont\labelsep .5em\relax
15007   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
15008   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15009   \bidi@thebibliography@font@hook
15010   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
15011     \leftmargin\labelwidth \advance\leftmargin\labelsep
15012     \usecounter{enumiv}}%
15013   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
15014   \sfcode`.\=\@m
15015 }{}%
15016 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
15017 \endlist
15018 }
15019
15020 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
15021 \columnseprule\z@ \columnsep 35\p@
15022 \@indextitlestyle
15023 \thispagestyle{plain}%
15024 \let\item\@idxitem
15025 \parindent\z@ \parskip\z@\@plus.3\p@\relax
15026 \if@RTL\raggedleft\else\raggedright\fi
15027 \hyphenpenalty\@M
15028 \footnotesize}
15029 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
15030 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
15031 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
15032
15033 \def\right@footnoterule{%
15034   \kern-.4\p@
15035   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
15036   \kern11\p@\kern-\footnotesep}
15037 \def\left@footnoterule{\kern-.4\p@
15038   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
15039 \def\@makefnmark{%
15040   \leavevmode
15041   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}}%
15042 }
15043
15044 \def\part{\@startsection{part}{0}%
15045   \z@\{ \linespacing\@plus\linespacing}{.5\linespacing}%
15046   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
15047 \def\@tocline#1#2#3#4#5#6#7{\relax
15048   \ifnum #1>\c@tocdepth % then omit
15049   \else

```



```

15050 \par \addpenalty\@secpenalty\advvspace{#2}%
15051 \begingroup \hyphenpenalty\@M
15052 \@ifempty{#4}{%
15053   \@tempdima\csname r@tocindent\number#1\endcsname\relax
15054 }{%
15055   \@tempdima#4\relax
15056 }%
15057 \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\
15058 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
15059 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15060 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
15061 \nobreak
15062 \endgroup
15063 \fi}
15064 \renewcommand\thesubsection {\thesubsection \@SepMark\arabic{subsection}}
15065 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
15066 \renewcommand\theparagraph {\thesubsubsection \@SepMark\arabic{paragraph}}
15067 \renewcommand\thesubparagraph {\theparagraph \@SepMark\arabic{subparagraph}}
15068 \def\maketitle{\par
15069 \topnum\z@ % this prevents figures from falling at the top of page 1
15070 \setcopyright
15071 \thispagestyle{firstpage}% this sets first page specifications
15072 \uppercasenonmath\shorttitle
15073 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
15074 \else \andify\shortauthors
15075 \fi
15076 \@maketitle@hook
15077 \begingroup
15078 \@maketitle
15079 \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
15080 \toks4{\def\{\ \ignorespaces}}% defend against questionable usage
15081 \edef\@tempa{%
15082   \@nx\markboth{\the\toks4
15083     \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
15084 \@tempa
15085 \endgroup
15086 \c@footnote\z@
15087 \clearatopmattertags
15088 }

```

97 File leqno-xetex-bidi.def

```

15089 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX]
15090 \renewcommand\@eqnnum{\hb@xt@.01\p@{}}%
15091 \rlap{\hskip -\displaywidth
15092   {\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR}}

```

98 File letter-xetex-bidi.def

```

15093 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter class]
15094 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
15095   \thispagestyle{firstpage}%
15096   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
15097 \else % home address

```



```

15098 \thispagestyle{empty}%
15099 {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r{}}\else\begin{tabular}{l}
15100 \fromaddress \*[2\parskip]%
15101 \@date \end{tabular}\par}%
15102 \fi
15103 \vspace{2\parskip}%
15104 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ \toaddress \par}%
15105 \vspace{2\parskip}%
15106 #1\par\nobreak}
15107 \renewcommand\left@footnoterule{%
15108 \kern-\p@
15109 \hrule \@width .4\columnwidth
15110 \kern .6\p@}
15111 \renewcommand\right@footnoterule{%
15112 \kern-\p@
15113 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
15114 \kern .6\p@}

```

99 File lettrine-xetex-bidi.def

```

15115 \ProvidesFile{lettrine-xetex-bidi.def}[2019/05/01 v0.7 bidi adaptations for lettrine package]
15116 \def\@lettrine[#1]#2#3{%
15117 \def\l@initial{#2}\let\l@refstring\l@initial
15118 \setcounter{L@lines}{\value{DefaultLines}}%
15119 \setcounter{L@depth}{\value{DefaultDepth}}%
15120 \renewcommand*{\L@hang}{\DefaultLhang}%
15121 \renewcommand*{\L@oversize}{\DefaultLoversize}%
15122 \renewcommand*{\L@raise}{\DefaultLraise}%
15123 \renewcommand*{\L@ante}{}%
15124 \setlength{\L@Findent}{\DefaultFindent}%
15125 \setlength{\L@Nindent}{\DefaultNindent}%
15126 \setlength{\L@slope}{\DefaultSlope}%
15127 \setlength{\L@novskip}{\DiscardVskip}%
15128 \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
15129 \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
15130 \ifLettrineRealHeight\L@realhtrue\else\L@realhfalse\fi
15131 \ifLettrineSelfRef\L@selfreftrue\else\L@selfreffalse\fi
15132 \setkeys{L}{#1}%
15133 \sbox{\L@tbox}{\LettrineTextFont{\LettrineSecondString}}%
15134 \ifL@realh
15135 \def\@tempa{#3}%
15136 \ifx\@tempa\@empty
15137 \PackageWarning{lettrine.sty}%
15138 {Empty second argument,\MessageBreak
15139 ignoring option `realheight'};%
15140 \else
15141 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
15142 \fi
15143 \fi
15144 \if\DefaultOptionsFile\relax
15145 \else
15146 \begingroup
15147 \InputIfFileExists{\DefaultOptionsFile}%
15148 {}%

```



```

15149     {\PackageWarning{lettrine.sty}%
15150       {File \DefaultOptionsFile\space not found}%
15151     }%
15152     \def\color##1##{\l@color{##1}}%
15153     \let\l@color\@gobbletwo
15154     \def\textcolor##1##{\l@textcolor{##1}}%
15155     \def\l@textcolor##1##2##3{##3}%
15156     \expandafter\ifx\csname l@#2-keys\endcsname\relax
15157         \gdef\l@LOKeys{}%
15158     \else
15159         \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
15160     \fi
15161     \endgroup
15162     \def\KV@prefix{KV@L@}%
15163     \let\@tempc\relax
15164     \expandafter\KV@do\l@LOKeys,\relax,
15165     \setupL@lbox
15166     \setlength{\LettrineWidth}{\wd\L@lbox}%
15167     \def\KV@prefix{KV@L@}%
15168     \let\@tempc\relax
15169     \expandafter\KV@do\l@LOKeys,\relax,
15170     \setkeys{L}{#1}%
15171 \fi
15172 \setupL@lbox
15173 \setlength{\LettrineWidth}{\wd\L@lbox}%
15174 \setlength{\LettrineHeight}{\ht\L@lbox}%
15175 \setlength{\LettrineDepth}{\dp\L@lbox}%
15176 \begingroup
15177 \def\IeC##1{##1}%
15178 \@tempdima=\L@oversize pt\relax
15179 \PackageInfo{lettrine.sty}%
15180   {Targeted height = \the\L@target@tht\MessageBreak
15181     (no accent, loversize=0),\MessageBreak
15182     Lettrine height = \the\LettrineHeight\space (#2)%
15183     \ifdim\@tempdima=\z@\else\space loversize=\L@oversize\fi;%
15184     \MessageBreak reported}%
15185 \endgroup
15186 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
15187 \setlength{\L@first}{\LettrineHeight}%
15188 \setlength{\L@lraise}{\L@raise\L@target@tht}%
15189 \addtolength{\L@first}{\L@lraise}%
15190 \ifnum\value{L@lines}=1
15191   \addtolength{\L@first}{-\ht\L@tbox}%
15192 \else
15193   \addtolength{\L@first}{-\L@target@tht}%
15194   \addtolength{\L@lraise}{-\L@target@dp}%
15195 \fi
15196 \par
15197 \ifdim\L@first>\L@novskip
15198   \ifL@grid
15199     \@tempdima=\baselineskip
15200     \@tempdimb=\@tempdima
15201     \advance\@tempdimb by \L@novskip
15202     \@tempcnta=1

```



```

15203     \loop\ifdim\L@first>\@tempdimb
15204         \advance\@tempcnta by 1
15205         \advance\L@first by -\@tempdima
15206     \repeat
15207     \L@first=\@tempcnta\baselineskip
15208     \fi
15209     \vskip\L@first
15210 \fi
15211 \setlength{\L@Pindent}{\wd\L@lbox}%
15212 \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
15213 \settowidth{\L@first}{\L@ante}%
15214 \addtolength{\L@Pindent}{\L@first}%
15215 \addtolength{\L@Pindent}{\L@Findent}%
15216 \setlength{\L@first}{\linewidth}%
15217 \addtolength{\L@first}{-\L@Pindent}%
15218 \addtolength{\L@Nindent}{\L@Pindent}%
15219 \setlength{\L@next}{\linewidth}%
15220 \addtolength{\L@next}{-\L@Nindent}%
15221 \addtolength{\L@Pindent}{\@totalleftmargin}%
15222 \addtolength{\L@Nindent}{\@totalleftmargin}%
15223 \addtocounter{L@lines}{1}%
15224 \addtocounter{L@lines}{\value{L@depth}}%
15225 \if@RTL
15226     \def\L@parshape{\c@L@lines \z@ \the\L@first}%
15227 \else
15228     \def\L@parshape{\c@L@lines \the\L@Pindent \the\L@first}%
15229 \fi
15230 \@tempcnta=\tw@
15231 \@whilenum \@tempcnta<\c@L@lines\do{%
15232     \if@RTL
15233         \edef\L@parshape{\L@parshape \z@ \the\L@next}%
15234     \else
15235         \edef\L@parshape{\L@parshape \the\L@Nindent \the\L@next}%
15236     \fi
15237     \addtolength{\L@Nindent}{\L@slope}%
15238     \addtolength{\L@next}{-\L@slope}%
15239     \advance\@tempcnta\@ne}%
15240 \if@RTL
15241     \edef\L@parshape{\L@parshape \z@ \the\linewidth}%
15242 \else
15243     \edef\L@parshape{\L@parshape \@totalleftmargin \the\linewidth}%
15244 \fi
15245 \noindent
15246 \parshape=\L@parshape\relax
15247 \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}}%
15248     \hskip \the\L@Findent}}%
15249 \usebox{\L@tbox}%
15250 \ifnum\@listdepth>0 \Lreset@listparshape \fi
15251 }

```

100 File `lineno-xetex-bidi.def`

```

15252 \ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for
15253 \bidi@patchcmd{\MakeLineNo}{%

```



```

15254 \hb@xt@\z@\makeLineNumber}%
15255 }{%
15256 \hboxL to \z@\makeLineNumber}%
15257 }{}{}
15258
15259 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
15260 \ifRTL
15261 \hb@xt@\linenumberwidth{\LineNumber\hss}%
15262 \else
15263 \LineNumber
15264 \fi
15265 }{}{}
15266
15267 \bidi@patchcmd{\makeLineNumberRight}{%
15268 \hb@xt@\linenumberwidth{\hss\LineNumber}%
15269 }{%
15270 \ifRTL
15271 \LineNumber
15272 \else
15273 \hb@xt@\linenumberwidth{\hss\LineNumber}%
15274 \fi
15275 }{}{}
15276
15277 \bidi@AfterPreamble{%
15278 \ifRTLmain
15279 \rightlinenumber*
15280 \else
15281 \leftlinenumber*
15282 \fi
15283 \@ifpackagewith{lineno}{left}{%
15284 \leftlinenumber*
15285 }{}
15286 \@ifpackagewith{lineno}{right}{%
15287 \rightlinenumber*
15288 }{}
15289 }
15290

```

101 File listings-xetex-bidi.def

```

15291 \ProvidesFile{listings-xetex-bidi.def}[2018/09/15 v1.5 bidi adaptations for listings package]
15292 \lst@Key{captiondirection}{textdirection}{%
15293 \lstKV@SwitchCases{#1}%
15294 {textdirection:\%
15295 RTL:\chardef\bidi@lst@caption@direction\@ne\%
15296 LTR:\chardef\bidi@lst@caption@direction\z@%
15297 }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
15298
15299 \lst@Key{captionscript}{textscript}{%
15300 \lstKV@SwitchCases{#1}%
15301 {textscript:\%
15302 latin:\chardef\bidi@lst@caption@script\@ne\%
15303 nonlatin:\chardef\bidi@lst@caption@script\z@%
15304 }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

```



```

15305
15306 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
15307   \@ifundefined{bidi@lst@caption@direction}{}{%
15308     \ifnum\bidi@lst@caption@direction=\z@%
15309       #1%
15310     \else%
15311       \ifnum\bidi@lst@caption@direction=\@ne%
15312         #2%
15313       \fi%
15314     \fi%
15315 }}
15316
15317 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
15318   \@ifundefined{bidi@lst@caption@script}{}{%
15319     \ifnum\bidi@lst@caption@script=\z@%
15320       #1%
15321     \else%
15322       \ifnum\bidi@lst@caption@script=\@ne%
15323         #2%
15324       \fi%
15325     \fi%
15326 }}
15327
15328 \long\def\@bidi@lst@makecaption#1#2{%
15329   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
15330   \vskip\abovecaptionskip
15331   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
15332   \sbox\@tempboxa{%
15333     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
15334     #1: #2%
15335     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
15336   }%
15337   \ifdim \wd\@tempboxa >\hsize
15338     #1: #2\par
15339   \else
15340     \global \@minipagefalse
15341     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
15342   \fi
15343   \vskip\belowcaptionskip}%
15344 \def\lst@makecaption{\@bidi@lst@makecaption}
15345 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
15346 \bidi@AtEndPreamble{%
15347 \bidi@patchcmd{\lst@MakeCaption}{%
15348   \ifx #1%
15349     \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
15350       \expandafter\refstepcounter
15351     \fi {lstlisting}%
15352 }{%
15353   \ifx #1%
15354     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
15355     \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
15356       \expandafter\refstepcounter
15357     \fi {lstlisting}%
15358     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%

```



```

15359 }{}{}%
15360 \bidi@patchcmd{\lst@MakeCaption}{%
15361         \addcontentsline{lol}{\lstlisting}%
15362         {\protect\numberline{\thelstlisting}\lst@@caption}%
15363 }{}%
15364 \begingroup%
15365     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
15366     \addcontentsline{lol}{\lstlisting}%
15367     {\protect\numberline{\thelstlisting}\lst@@caption}%
15368 \endgroup%
15369 }{}{}%
15370 }
15371 \@ifpackageloaded{caption}{%
15372     \AtBeginCaption{%
15373         \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
15374         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
15375     }
15376     \let\@bidi@lst@makecaption\caption@makecaption%
15377     \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
15378     \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}%
15379 }{}%
15380 \AtBeginDocument{%
15381     \@ifundefined{captionlabelfalse}{}{}%
15382     \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
15383 \@ifundefined{caption@startrue}{}{}%
15384 \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
15385 }%
15386 }
15387 \AtBeginDocument{
15388     \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}
15389     \lst@ifnumberbychapter
15390         \gdef\thelstlisting%
15391             {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
15392     \else
15393         \gdef\thelstlisting{\@arabic\c@lstlisting}
15394     \fi}

```

102 File loadingorder-xetex-bidi.def

```

15395 \ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the las
15396 \bidi@isloaded{amsmath}
15397 \bidi@isloaded{amstext}
15398 \bidi@isloaded{amsthm}
15399 \bidi@isloaded{animate}
15400 \bidi@isloaded{breqn}
15401 \bidi@isloaded{cals}
15402 \bidi@isloaded{caption}
15403 \bidi@isloaded{crop}
15404 \bidi@isloaded{cuted}
15405 \bidi@isloaded{cutwin}
15406 \bidi@isloaded{color}
15407 \bidi@isloaded{dblfnote}
15408 \bidi@isloaded{diagbox}
15409 \bidi@isloaded{xcolor}

```



```

15410 \bidi@isloaded{colortbl}
15411 \bidi@isloaded{float}
15412 \bidi@isloaded{floatrow}
15413 \bidi@isloaded{flowfram}
15414 \bidi@isloaded{framed}
15415 \bidi@isloaded{ftnright}
15416 \bidi@isloaded{xltextra}
15417 \bidi@isloaded{xunicode}
15418 \bidi@isloaded{wrapfig}
15419 \bidi@isloaded{graphicx}
15420 \bidi@isloaded{geometry}
15421 \bidi@isloaded{hvfloat}
15422 \bidi@isloaded{mdframed}
15423 \bidi@isloaded{midfloat}
15424 \bidi@isloaded{ntheorem}
15425 \bidi@isloaded{ntheorem-hyper}
15426 \bidi@isloaded{hyperref}
15427 \bidi@isloaded{fancybox}
15428 \bidi@isloaded{fancyhdr}
15429 \bidi@isloaded{fix2col}
15430 \bidi@isloaded{draftwatermark}
15431 \bidi@isloaded{empheq}
15432 \bidi@isloaded{overpic}
15433 \bidi@isloaded{pdfpages}
15434 \bidi@isloaded{listings}
15435 \bidi@isloaded{lettrine}
15436 \bidi@isloaded{lineno}
15437 \bidi@isloaded{media9}
15438 \bidi@isloaded{pstricks}
15439 \bidi@isloaded{pgf}
15440 \bidi@isloaded{picinpar}
15441 \bidi@isloaded{quotchap}
15442 \bidi@isloaded{tikz}
15443 \bidi@isloaded{titlesec}
15444 \bidi@isloaded{titletoc}
15445 \bidi@isloaded{array}
15446 \bidi@isloaded{soul}
15447 \bidi@isloaded{stabular}
15448 \bidi@isloaded{subfig}
15449 \bidi@isloaded{subfigure}
15450 \bidi@isloaded{supertabular}
15451 \bidi@isloaded{xtab}
15452 \bidi@isloaded{longtable}
15453 \bidi@isloaded{arydshln}
15454 \bidi@isloaded{multicol}
15455 \bidi@isloaded{multienum}
15456 \bidi@isloaded{minitoc}
15457 \bidi@isloaded{natbib}
15458 \bidi@isloaded{newfloat}
15459 \bidi@isloaded{ragged2e}
15460 \bidi@isloaded{rotating}
15461 \bidi@isloaded{tabls}
15462 \bidi@isloaded{tabulary}
15463 \bidi@isloaded{tocbasic}

```



```

15464 \bidi@isloaded{tocstyle}
15465 \bidi@isloaded{tocbibind}
15466 \bidi@isloaded{fontspec}
15467 \bidi@isloaded{arabxetex}
15468 \bidi@isloaded{polyglossia}
15469 \bidi@isloaded{fancyvrb}
15470 \AtBeginDocument{
15471   \if@bidi@amsmathloaded@else
15472     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi packa
15473   \fi%
15474   \if@bidi@amstextloaded@else
15475     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi packa
15476   \fi%
15477   \if@bidi@amsthmloaded@else
15478     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi packa
15479   \fi%
15480   \if@bidi@animateloaded@else
15481     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi packa
15482   \fi%
15483   \if@bidi@breqnloaded@else
15484     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi packag
15485   \fi%
15486   \if@bidi@calsloaded@else
15487     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package
15488   \fi%
15489   \if@bidi@captionloaded@else
15490     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi packa
15491   \fi%
15492   \if@bidi@croploaded@else
15493     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package
15494   \fi%
15495   \if@bidi@colorloaded@else
15496     \@ifpackageloaded{hyperref}{}{%
15497       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi packag
15498     \fi%
15499   \if@bidi@cutwinloaded@else
15500     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi packa
15501   \fi%
15502   \if@bidi@cutedloaded@else
15503     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi packag
15504   \fi%
15505   \if@bidi@dblfnoteloaded@else
15506     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi pac
15507   \fi%
15508   \if@bidi@diagboxloaded@else
15509     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi pack
15510   \fi%
15511   \if@bidi@xcolorloaded@else
15512     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi packa
15513   \fi%
15514   \if@bidi@colortblloaded@else
15515     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi pac
15516   \fi%
15517   \if@bidi@floatloaded@else

```



```

15518 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi packag
15519 \fi%
15520 \if@bidi@floatrowloaded@else
15521 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi pac
15522 \fi%
15523 \if@bidi@flowframloaded@else
15524 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi pac
15525 \fi%
15526 \if@bidi@framedloaded@else
15527 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi packa
15528 \fi%
15529 \if@bidi@ftnrightloaded@else
15530 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi pac
15531 \fi%
15532 \if@bidi@xltxtraloaded@else
15533 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltextra after bidi pack
15534 \fi%
15535 \if@bidi@xunicodeloaded@else
15536 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi pac
15537 \fi%
15538 \if@bidi@wrapfigloaded@else
15539 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi pack
15540 \fi%
15541 \if@bidi@graphicxloaded@else
15542 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi pac
15543 \fi%
15544 \if@bidi@geometryloaded@else
15545 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi pac
15546 \fi%
15547 \if@bidi@hvfloatloaded@else
15548 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi pack
15549 \fi%
15550 \if@bidi@mdframedloaded@else
15551 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi pac
15552 \fi%
15553 \if@bidi@midfloatloaded@else
15554 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi pac
15555 \fi%
15556 \if@bidi@theoremloaded@else
15557 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi pac
15558 \fi%
15559 \if@bidi@hyperrefloaded@else
15560 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi pac
15561 \fi%
15562 \if@bidi@fancyboxloaded@else
15563 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi pac
15564 \fi%
15565 \if@bidi@fancyhdrloaded@else
15566 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi pac
15567 \fi%
15568 \if@bidi@draftwatermarkloaded@else
15569 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bi
15570 \fi%
15571 \if@bidi@empheqloaded@else

```



```

15572     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi packa
15573 \fi%
15574     \if@bidi@overpicloaded@else
15575     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi pack
15576 \fi%
15577 \if@bidi@pdfpagesloaded@else
15578     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi pac
15579 \fi%
15580 \if@bidi@letrineloaded@else
15581     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package letrine after bidi pac
15582 \fi%
15583 \if@bidi@linenoloaded@else
15584     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi packa
15585 \fi%
15586 \if@bidi@listingsloaded@else
15587     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi pac
15588 \fi%
15589 \csname if@bidi@media9loaded@endcsname\else
15590     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi packa
15591 \fi%
15592 \if@bidi@pstricksloaded@else
15593     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi pac
15594 \fi%
15595 \if@bidi@pgfloaded@else
15596     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.
15597 \fi%
15598 \if@bidi@picinparloaded@else
15599     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi pac
15600 \fi%
15601 \if@bidi@quotchaploaded@else
15602     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi pac
15603 \fi%
15604 \if@bidi@tikzloaded@else
15605     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package
15606 \fi%
15607 \if@bidi@titlesecloaded@else
15608     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi pac
15609 \fi%
15610 \if@bidi@titletocloaded@else
15611     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi pac
15612 \fi%
15613 \if@bidi@arrayloaded@else
15614     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi packag
15615 \fi%
15616 \if@bidi@stabularloaded@else
15617     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi pac
15618 \fi%
15619 \if@bidi@soulloaded@else
15620     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package
15621 \fi%
15622 \if@bidi@subfigloaded@else
15623     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi packa
15624 \fi%
15625 \if@bidi@subfigureloaded@else

```



```

15626     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pa
15627 \fi%
15628 \if@bidi@supertabularloaded@else
15629     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi
15630 \fi%
15631 \if@bidi@xtabloaded@else
15632     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package
15633 \fi%
15634 \if@bidi@longtableloaded@else
15635     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pa
15636 \fi%
15637 \if@bidi@arydshlnloaded@else
15638     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi pac
15639 \fi%
15640 \if@bidi@multicolloaded@else
15641     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi pac
15642 \fi%
15643 \if@bidi@multienumloaded@else
15644     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pa
15645 \fi%
15646 \if@bidi@minitocloaded@else
15647     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi pack
15648 \fi%
15649 \if@bidi@natbibloaded@else
15650     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi packa
15651 \fi%
15652 \if@bidi@newfloatloaded@else
15653     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi pac
15654 \fi%
15655 \csname if@bidi@ragged2loaded@endcsname else
15656     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi pac
15657 \fi%
15658 \if@bidi@rotatingloaded@else
15659     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi pac
15660 \fi%
15661 \if@bidi@tblsloaded@else
15662     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tbls after bidi packag
15663 \fi%
15664 \if@bidi@tabularyloaded@else
15665     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi pac
15666 \fi%
15667 \if@bidi@tocbasicloaded@else
15668     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi pac
15669 \fi%
15670 \if@bidi@tocstyleloaded@else
15671     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi pac
15672 \fi%
15673 \if@bidi@tocbibindloaded@else
15674     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pa
15675 \fi%
15676 \if@bidi@fontspecloaded@else
15677     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi pac
15678 \fi%
15679 \if@bidi@arabxetexloaded@else

```



```

15680   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi packa
15681   \fi%
15682   \if@bidi@polyglossialoaded@else
15683     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi
15684     \fi%
15685     \if@bidi@fancyvrbloaded@else
15686     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrbl after bidi packa
15687     \fi%
15688 }

```

103 File longtable-xetex-bidi.def

```

15689 \ProvidesFile{longtable-xetex-bidi.def}[2022/05/20 v0.6 bidi adaptations for longtable packa
15690 \def\LT@array[#1]#2{%
15691   \refstepcounter{table}\stepcounter{LT@tables}%
15692   \if l#1%
15693     \if@RTLtab\LTleft\fill \LTright\z@else\LTleft\z@ \LTright\fill\fi
15694   \else\if r#1%
15695     \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
15696   \else\if c#1%
15697     \LTleft\fill \LTright\fill
15698   \fi\fi\fi
15699   \let\LT@mcoll\multicolumn
15700   \let\LT@@tabarray\@tabarray
15701   \let\LT@@hl\hline
15702   \def\@tabarray{%
15703     \let\hline\LT@@hl
15704     \LT@@tabarray}%
15705   \let\\LT@tabularcr\let\tabularnewline\\
15706   \def\newpage{\noalign{\break}}%
15707   \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
15708   \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt\LT@no@pgbk4}%
15709   \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
15710   \@tempdima\ht\strutbox
15711   \let\@endpbox\LT@endpbox
15712   \ifx\extrarowheight\@undefined
15713     \let\@acol\@tabacol
15714     \let\@classz\@tabclassz \let\@classiv\@tabclassiv
15715     \def\@startpbox{\vtop\LT@startpbox}%
15716     \let\@@startpbox\@startpbox
15717     \let\@@endpbox\@endpbox
15718     \let\LT@LL@FM@cr\@tabularcr
15719   \else
15720     \advance\@tempdima\extrarowheight
15721     \col@sep\@tabcolsep
15722     \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
15723   \fi
15724   \setbox\@arstrutbox\hbox{\vrule
15725     \@height \arraystretch \@tempdima
15726     \@depth \arraystretch \dp \strutbox
15727     \@width \z@}%
15728   \let\@sharp#\let\protect\relax
15729   \begingroup
15730   \@mkpream{#2}%

```



```

15731 \xdef\LT@bchunk{%
15732 \global\advance\c@LT@chunks\@ne
15733 \global\LT@rows\z@\setbox\z@\vbox\bgroup
15734 \LT@setprevdepth
15735 \tabskip\LTleft \noexpand\halign to\hsize\bgroup
15736 \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
15737 \endgroup
15738 \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
15739 \LT@make@row
15740 \m@th\let\par\@empty
15741 \everycr{}\lineskip\z@\baselineskip\z@
15742 \LT@bchunk}
15743 \def\LT@makecaption#1#2#3{%
15744 \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
15745 \sbox\@tempboxa{\ifRTL\beginR\fi#1{#2: }#3\ifRTL\endR\fi}%
15746 \ifdim\wd\@tempboxa>\hsize
15747 #1{#2: }#3%
15748 \else
15749 \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
15750 \fi
15751 \endgraf\vskip\baselineskip}%
15752 \hss}}
15753 \@ifpackageloaded{caption}{%
15754 \renewcommand\LT@makecaption[3]{%
15755 \caption@LT@make{%
15756 \caption@LT@settype\LTcaptype
15757 \caption@LT@setup
15758 \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
15759 \caption@startrue#1\caption@starfalse
15760 \caption@prepare@stepcounter\LTcaptype
15761 \caption@begin\LTcaptype
15762 \caption@normalsize
15763 \vskip-\ht\strutbox
15764 \caption@ifdefined\FBifcapttop{%
15765 \let\caption@belowskip\@empty}{}%
15766 \caption@make@above
15767 \caption@@make{#2}{#3}\endgraf
15768 \caption@make@below
15769 \caption@end}}%
15770 }{}
15771 \def\LT@startpbox#1{%
15772 \bgroup\color@begingroup
15773 \let\@footnotetext\LT@p@ftntext
15774 \let\@LTRfootnotetext\LT@p@LTRftntext
15775 \let\@RTLfootnotetext\LT@p@RTLftntext
15776 \setlength\hsize{#1}%
15777 \@arrayparboxrestore
15778 \vrule \@height \ht\@arstrutbox \@width \z@}
15779 \def\LT@p@LTRftntext#1{%
15780 \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext [\the\c@footnote]}}%
15781 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
15782 \def\LT@p@RTLftntext#1{%
15783 \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext [\the\c@footnote]}}%
15784 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%

```



```

15785
15786
15787 \def\LT@output{%
15788   \ifnum\outputpenalty <-\@Mi
15789     \ifnum\outputpenalty > -\LT@end@pen
15790       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
15791     \else
15792       \setbox\z@\vbox{\unvbox\@cclv}%
15793       \ifdim \ht\LT@lastfoot>\ht\LT@foot
15794         \dimen@\pagegoal
15795         \advance\dimen@-\ht\LT@lastfoot
15796         \ifdim\dimen@<\ht\z@
15797           \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
15798           \@makecol
15799           \@outputpage
15800           \setbox\z@\vbox{\box\LT@head}%
15801         \fi
15802       \fi
15803       \global\@colroom\@colht
15804       \global\vsizel\@colht
15805       \vbox
15806         {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@fo
15807       \fi
15808     \else
15809       \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@fo
15810       \@makecol
15811       \@outputpage
15812       \global\vsizel\@colroom
15813       \copy\LT@head\nobreak
15814     \fi}

```

104 File `lscope-xetex-bidi.def`

```

15815 \ProvidesFile{lscope-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for lscope package for
15816 \bidi@patchcmd{\LS@rot}{\rotatebox{90}{\box\@outputbox}}{%
15817   \if@RTL
15818     \rotatebox[origin=br]{-90}{\box\@outputbox}%
15819   \else
15820     \rotatebox{90}{\box\@outputbox}%
15821   \fi
15822 }{}{}
15823 \g@addto@macro{\landscape}{%
15824   \let\left@footnoterule\left@footnoterule
15825   \let\right@footnoterule\right@footnoterule
15826   \def\left@footnoterule{%
15827     \if@RTL
15828       \bidi@right@footnoterule
15829     \else
15830       \bidi@left@footnoterule
15831     \fi
15832   }%
15833   \def\right@footnoterule{%
15834     \if@RTL
15835       \bidi@left@footnoterule

```



```

15836 \else
15837 \bidi@right@footnoterule
15838 \fi
15839 }%
15840 }

```

105 File mathtools-xetex-bidi.def

```

15841 \ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools packa
15842 \MHInternalSyntaxOn
15843 \def\MT_define_tagform:nwnn #1[#2]#3#4{
15844 \@namedef{MT_tagform_#1:n}##1
15845 {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2{##1}\unskip\@italiccorr#4}
15846 }
15847 \renewtagform{default}{(}{)}
15848 \MHInternalSyntaxOff

```

106 File mdframed-xetex-bidi.def

```

15849 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package
15850 \newif\if@bidi@mdf@RTL
15851 \def\mdf@lrbox#1{%
15852 \mdf@patchamsthm\patch amsthm
15853 \if@RTL\@bidi@mdf@RTLtrue\fi%
15854 \@RTLfalse%
15855 \setbox#1\vbox\bgroup%
15856 \color@begingroup%
15857 \if@bidi@mdf@RTL\@RTLtrue\fi%
15858 \mdf@horizontalmargin@equation%
15859 \columnwidth=\hsize%
15860 \textwidth=\hsize%
15861 \let\if@nobreak\iffalse%
15862 \let\if@noskipsec\iffalse%
15863 \let\par\@par%
15864 \let\-\@dischph%
15865 \let'\@acci\let`\@accii\let\=@acciii%
15866 \parindent\z@ \parskip\z@skip%
15867 \linewidth\hsize%
15868 \@totalleftmargin\z@%
15869 \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
15870 \parfillskip\@flushglue \lineskip\normallineskip%
15871 \baselineskip\normalbaselineskip%
15872 %% \sloppy%
15873 \let\\\@normalcr%
15874 \mdf@par@local%New feature to restore parskip/parindent local in save box
15875 \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
15876 \@afterindentfalse%
15877 %\@afterheading%
15878 }
15879 \renewrobustcmd\mdfframedtitleenv[1]{%
15880 \mdf@lrbox{\mdf@frametitlebox}%
15881 \mdf@frametitlealignment%
15882 \leavevmode{\color{\mdf@frametitlefontcolor}%
15883 \normalfont\mdf@frametitlefont{#1}

```



```

15884     \ifbool{mdf@ignorelastdescenders}%
15885     {%
15886     \par\strut\par
15887     \unskip\unskip\setbox0=\lastbox
15888     \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
15889     }{}}%
15890     \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%%
15891     \endmdf@lrbox\relax%
15892     \mdf@ignorevbadness%
15893     \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
15894     \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
15895     \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
15896     \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
15897     \mdfframetitleboxtotalheight=\dimexpr
15898         \ht\mdf@frametitlebox
15899         +\dp\mdf@frametitlebox%
15900         +\mdf@frametitleaboveskip@length
15901         +\mdf@frametitlebelowskip@length
15902         \relax%
15903 }
15904
15905 \renewrobustcmd*\mdf@footnoteoutput{%
15906     \ifvoid\@mpfootins\else%
15907     \nobreak%
15908     \vskip\mdf@footnotedistance@length%
15909     \normalcolor%
15910     \bidi@mpfootnoterule%
15911     \unvbox\@mpfootins%
15912     \fi%
15913 }
15914
15915
15916 \renewrobustcmd*\mdf@footnoteinput{%
15917     \def\@mpfn{mpfootnote}%
15918     \def\thempfn{\thempfootnote}%
15919     \c@mpfootnote\z@%
15920     \let\@footnotetext\@mpfootnotetext%
15921     \let\@LTRfootnotetext\@mpLTRfootnotetext%
15922     \let\@RTLfootnotetext\@mpRTLfootnotetext%
15923 }

```

107 File bidi-media9.sty

```

15924 \ProvidesExplPackage{bidi-media9}{2022/02/18}{0.4}
15925 {bidi fixes for media9 package for the XeTeX engine}
15926
15927 \keys_define:nn{media9/mbtn}{
15928   draft .code:n = {},
15929   final .code:n = {},
15930
15931   tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
15932   tooltip .value_required:n = {true},
15933
15934   overface .code:n = {

```



```

15935   \sbox\l_mix_poster_box{
15936     \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
15937     \mix_pdfxform:n{\l_mix_poster_box}
15938     \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
15939   },
15940   overface .value_required:n = {true},
15941
15942   downface .code:n = {
15943     \sbox\l_mix_poster_box{
15944       \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
15945       \mix_pdfxform:n{\l_mix_poster_box}
15946       \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
15947     },
15948     downface .value_required:n = {true},
15949
15950     3Dgotoview .code:n = {
15951       \tl_set:Nx\l_tmpa_tl{#1}           %extract ref
15952       \regex_replace_once:nnN{([\^:]+)??.*}{\1}\l_tmpa_tl
15953       \tl_trim_spaces:N\l_tmpa_tl
15954       \tl_if_exist:cTF{ann@\l_tmpa_tl}{
15955         \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
15956           \tl_set:Nx\l_tmpb_tl{#1}       %extract idx
15957           \regex_replace_once:nnN{([\^:]+:?)}{\1}\l_tmpb_tl
15958           \tl_trim_spaces:N\l_tmpb_tl
15959           \tl_if_blank:VF\l_tmpb_tl{
15960             \regex_match:nVTF{^[DFLNP]$}\l_tmpb_tl{
15961               \tl_set:Nx\l_mix_vidx_tl{/\l_tmpb_tl}
15962             }{
15963               \regex_match:nVTF{^\d+$}\l_tmpb_tl{
15964                 \tl_set:Nx\l_mix_vidx_tl{~\l_tmpb_tl}
15965               }{
15966                 \regex_replace_once:nnN{^\(\\s*\)}{\1}\l_tmpb_tl
15967                 \regex_replace_once:nnN{\\s*\)}{\1}\l_tmpb_tl
15968                 \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
15969               }
15970             }
15971           }
15972           \mix_pdfobj:nnn{}{dict}{
15973             /S/JavaScript/JS~(
15974               if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
15975               if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
15976                 annotRM['\l_tmpa_tl']=
15977                 this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
15978               }
15979               annotRM['\l_tmpa_tl'].activated=true;
15980             )
15981             \tl_if_blank:VF\l_tmpb_tl{
15982               /Next~<<
15983               /S/GoTo3DView
15984               /TA~\tl_use:c{ann@\l_tmpa_tl}
15985               /V\l_mix_vidx_tl
15986             >>
15987           }
15988         }

```



```

15989     \tl_gput_right:Nx\g_mix_btnactions_tl{-\mix_pdflastobj:}
15990   }
15991 }{
15992   \msg_warning:nx{media9}{undefined-reference}{\l_tmpa_tl}
15993   \cs_if_exist:NF\g_mix_refundefwarned_tl{
15994     \tl_new:N\g_mix_refundefwarned_tl
15995     \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
15996   }
15997 }
15998 },
15999 3Dgotoview .value_required:n = {true},
16000
16001 mediacommand .code:n = {
16002   \tl_set:Nx\l_tmpa_tl{#1}
16003   \regex_replace_once:nnN{([~:~]+)??.*}{\1}\l_tmpa_tl %extract ref
16004   \tl_trim_spaces:N\l_tmpa_tl
16005   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
16006     \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
16007       \tl_set:Nx\l_tmpb_tl{#1}
16008       \regex_replace_once:nnN{[~:~]+~?}{\1}\l_tmpb_tl
16009       \tl_trim_spaces:N\l_tmpb_tl
16010       \regex_replace_all:nnN{^{\|}\$}{\1}\l_tmpb_tl
16011       \tl_set:Nx\l_mix_cmd_tl{
16012         \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl []\q_stop}
16013       \tl_trim_spaces:N\l_mix_cmd_tl
16014       \tl_set:Nx\l_mix_arg_tl{
16015         \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl []\q_stop}
16016       \tl_trim_spaces:N\l_mix_arg_tl
16017       \mix_pdfobj:nnn{}{dict}{
16018         /S/JavaScript/JS~(
16019           if(typeof(annotRM)=='undefined'){annotRM=new-Array();}
16020           if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
16021             annotRM['\l_tmpa_tl']=
16022               this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
16023           }
16024           annotRM['\l_tmpa_tl'].activated=true;
16025         )
16026       \tl_if_blank:VF\l_mix_cmd_tl{
16027         /Next~<<
16028         /S/RichMediaExecute
16029         /TA~\tl_use:c{ann@\l_tmpa_tl}
16030         /TI~\tl_use:c{main@\l_tmpa_tl}
16031         /CMD~<<
16032         /C~(\l_mix_cmd_tl)
16033         \tl_if_blank:VF\l_mix_arg_tl{
16034           /A~[\l_mix_arg_tl]
16035         }
16036       >>
16037     >>
16038   }
16039 }
16040 \tl_gput_right:Nx\g_mix_btnactions_tl{-\mix_pdflastobj:}
16041 }
16042 }{

```



```

16043     \msg_warning:nx{media9}{undefined-reference}{\l_tmpa_tl}
16044     \cs_if_exist:NF\g_mix_refundefwarned_tl{
16045       \tl_new:N\g_mix_refundefwarned_tl
16046       \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
16047     }
16048   }
16049 },
16050 mediacommand .value_required:n = {true},
16051
16052 jsaction .code:n = {
16053   \tl_set:Nx\l_tmpa_tl{#1}
16054   \regex_match:nVTF{^[^:]+.*$}\l_tmpa_tl{
16055     \regex_replace_once:nnN{([\^:]+):??.*}{\1}\l_tmpa_tl %extract ref
16056     \tl_trim_spaces:N\l_tmpa_tl
16057   }{\tl_clear:N\l_tmpa_tl}
16058   \tl_set:Nx\l_tmpb_tl{#1}
16059   \tl_if_blank:VF\l_tmpa_tl{
16060     \tl_if_exist:cF{ann@\l_tmpa_tl}{
16061       \msg_warning:nx{media9}{undefined-reference}{\l_tmpa_tl}
16062       \cs_if_exist:NF\g_mix_refundefwarned_tl{
16063         \tl_new:N\g_mix_refundefwarned_tl
16064         \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
16065       }
16066     }
16067     \regex_replace_once:nnN{[\^:]+\:}{\}\l_tmpb_tl
16068   }
16069   \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
16070   \tl_trim_spaces:N\l_tmpb_tl
16071   \tl_if_blank:VF\l_tmpb_tl{
16072     \mix_pdfobj:nnn{}{dict}{
16073       /S/JavaScript/JS~(
16074         try{\l_tmpb_tl}catch(e){console.show();console.println(e)}}}
16075     \bool_lazy_and:nnT{
16076       \tl_if_exist_p:c{ann@\l_tmpa_tl}
16077     }{
16078       !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
16079     }{
16080       \mix_pdfobj:nnn{}{dict}{
16081         /S/JavaScript/JS~(
16082           if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
16083           if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
16084             annotRM['\l_tmpa_tl']=
16085             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
16086           }
16087           annotRM['\l_tmpa_tl'].activated=true;
16088         )
16089         \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
16090       }
16091     }
16092     \bool_if:nT{
16093       \bool_lazy_and_p:nn{
16094         \tl_if_exist_p:c{ann@\l_tmpa_tl}
16095       }{
16096         !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}

```



```

16097     }
16098     || !\tl_if_blank_p:V\l_tmpb_tl
16099   }{
16100     \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
16101   }
16102 },
16103 jsaction .value_required:n = {true},
16104
16105 unknown .code:n = {
16106   \msg_error:nx{media9}{unknown~option}{\l_keys_key_tl}
16107 }
16108 }
16109
16110 \RenewDocumentCommand\includemedia{0{}mm}{%#1 options, #2 text/image #3 media file
16111   \mix_uriend:
16112   \group_begin:
16113   \mix_beginLTR:
16114   \mode_leave_vertical:
16115   %empty stream as appearance dummy
16116   \cs_if_exist:NF\g_mix_appearance_tl{
16117     \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
16118     \mix_pdfxform:n{\l_mix_poster_box}
16119     \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
16120   }
16121   \mix_reset:
16122   \mix_uribegin: %treat URI characters correctly
16123   \keys_set:nn{media9/user}{#1}
16124   \mix_uriend:
16125   \tl_greplac_all:Nnn\g_mix_flashvars_tl{~&}{&}
16126   \tl_greplac_all:Nnn\g_mix_flashvars_tl{&~}{&}
16127   \tl_greplac_all:Nnn\g_mix_flashvars_tl{~=}={=}
16128   \tl_greplac_all:Nnn\g_mix_flashvars_tl{=~}{=}
16129   \tl_gtrim_spaces:N\g_mix_flashvars_tl
16130
16131   \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
16132
16133   %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
16134   %\hbox_set:Nn\l_mix_poster_box{#2}
16135   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
16136   \mix_scale:n{\l_mix_poster_box}
16137   \bool_if:nT{
16138     \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
16139     \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
16140   }{
16141     \tl_gset:Nn\g_mix_usrpbtn_tl{none}
16142   }
16143   \bool_if:NTF\g_mix_usrdraft_bool{
16144     \tl_if_empty:NF\g_mix_usrlabel_tl{
16145       \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
16146     }
16147     \tl_if_blank:oTF{#2}{
16148       \mix_uribegin: %treat URI characters correctly
16149       \mix_draftbox:n{\tl_to_str:n{#3}}
16150       \mix_uriend:

```



```

16151   }{
16152     \hbox_to_wd:nn{\g_mix_wd_tl}{
16153       \vrule-width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
16154       \box_use:N\l_mix_poster_box\hss
16155     }
16156   }
16157 }{
16158 \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
16159   %attach script that switches off play button overlay upon activation
16160   \mix_pdfobj:nnn{}{stream}{
16161     }{
16162       var~ocgs=host.getOCGs(host.pageNum);
16163       for(var~i=0;i<ocgs.length;i++){
16164         if(ocgs[i].name=='MediaPlayer\int_use:N\g_mix_rmcnt_int'){
16165           ocgs[i].state=false;
16166         }
16167       }
16168     }
16169   }
16170   \mix_pdfobj:nnn{}{dict}{
16171     /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
16172   }
16173   \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
16174   \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
16175   %enforce plain playbutton overlay for XeTeX
16176   \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
16177 }
16178 %embed main asset
16179 \mix_uribegin:
16180 \mix_embedasset:n{#3}
16181 \bool_if:nTF{
16182   \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
16183 }{
16184   \bool_gset_true:N\g_mix_iiid_bool
16185   \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
16186 }{
16187   \str_case_e:nnF{\l_mix_base_tl}{
16188     {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
16189     {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
16190     {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
16191     {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
16192     {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
16193   }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
16194 }
16195 \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
16196 \mix_uriend:
16197 %secondary assets (added by addresource)
16198 \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
16199 \seq_map_inline:Nn\g_mix_script_seq{
16200   \mix_embedasset:n{##1}
16201   \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
16202 }
16203 %attach 3D calculation script
16204 \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{

```



```

16205     \mix_embedasset:n{3Dmenu.js}
16206     \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
16207 }
16208 %create 3D views from file (option 3Dviews)
16209 \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
16210   \tl_set:Nn\l_mix_level_tl{-1}
16211   \int_zero:N\l_mix_viewcnt_int
16212   \int_zero:N\l_mix_lineno_int
16213
16214   \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
16215   \ior_map_inline:Nn\l_mix_vfile_stream{
16216     \int_incr:N\l_mix_lineno_int
16217     \keys_set:nn{media9/views}{##1} %process input line
16218   }
16219   \ior_close:N\l_mix_vfile_stream
16220 }
16221 \bool_if:nT{ %create default 3D view if required
16222   \g_mix_iiid_bool &&
16223   (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
16224 }{
16225   \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
16226   \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
16227   \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
16228   \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
16229   \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
16230   \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
16231   \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
16232
16233   \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
16234   \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
16235   \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
16236   \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
16237
16238   \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
16239   \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
16240   \tl_clear:N\l_mix_naarray_tl
16241
16242   \bool_if:NF\l_mix_ciiw_bool{
16243     \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
16244     \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
16245   }
16246
16247   \tl_clear:N\l_mix_naarray_tl
16248   \tl_clear:N\l_mix_saarray_tl
16249   \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
16250
16251   \mix_view:n{Default}
16252   \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
16253 }
16254
16255 \mix_pdfobj:nnn-{}{dict}{
16256   /Type/RichMediaInstance
16257   /Subtype/\g_mix_mainassetsub_tl
16258   /Asset~\g_mix_mainasset_tl

```



```

16259     \bool_if:NF\g_mix_iiid_bool{
16260         /Params~<<
16261         /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
16262             /Foreground
16263         }{
16264             /Background
16265         }
16266         \tl_if_blank:VF\g_mix_flashvars_tl{
16267             /FlashVars~(\g_mix_flashvars_tl)
16268         }
16269         >>
16270     }
16271 }
16272 \tl_if_empty:NF\g_mix_usrlabel_tl{
16273     \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
16274 }
16275 \mix_pdfobj:nnn{}{dict}{
16276     /Type/RichMediaConfiguration
16277     /Subtype/\g_mix_mainassetssub_tl
16278     /Instances~[\mix_pdflastobj:]
16279 }
16280 \mix_pdfobj:nnn{}{dict}{
16281     /Type/RichMediaContent
16282     /Assets~<</Names~[\g_mix_assets_tl]>>
16283     /Configurations~[\mix_pdflastobj:]
16284     \bool_if:nT{
16285         \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
16286     }{
16287         /Views~[\l_mix_iiidviewarray_tl]
16288     }
16289 }
16290 \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
16291 \bool_if:nT{
16292     \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
16293 }{
16294     \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
16295 }
16296 %determine floating window size
16297 \bool_if:NT\g_mix_opt_windowed_bool{
16298     \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
16299 }
16300 \mix_pdfobj:nnn{}{dict}{
16301     /Activation~<<
16302     /Condition\g_mix_act_tl
16303     \bool_if:nT{
16304         \g_mix_iiid_bool &&
16305         !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
16306     }{
16307         /Animation~<<
16308         /Subtype/\g_mix_playtpe_tl
16309         /PlayCount~\g_mix_playcnt_tl
16310         /Speed~\g_mix_playspd_tl
16311     }
16312 }

```



```

16313     \bool_if:nT{
16314         \g_mix_iiid_bool && (
16315             \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
16316         )
16317     }{/View~\l_mix_dfltview_tl}
16318     /Presentation~<<
16319     /Transparent~\g_mix_transp_tl
16320     \bool_if:NTF\g_mix_opt_windowed_bool{
16321         /Style/Windowed
16322         /Window~<<
16323             /Width~<</Default~\tl_mix_fltd>>
16324             /Height~<</Default~\tl_mix_flht>>
16325             /Position~<<
16326             /HOffset~0/VOffset~0
16327             \str_case_e:nnF{\g_mix_winpos_tl}{
16328                 {tl}{/VAlign/Near/HAlign/Near}
16329                 {cl}{/VAlign/Center/HAlign/Near}
16330                 {bl}{/VAlign/Far/HAlign/Near}
16331                 {bc}{/VAlign/Far/HAlign/Center}
16332                 {br}{/VAlign/Far/HAlign/Far}
16333                 {cr}{/VAlign/Center/HAlign/Far}
16334                 {tr}{/VAlign/Near/HAlign/Far}
16335                 {tc}{/VAlign/Near/HAlign/Center}
16336             }{/HAlign/Center/VAlign/Center}
16337         >>
16338     >>
16339     }{
16340         /Style/Embedded
16341     }
16342     \bool_if:NTF\g_mix_iiid_bool{
16343         /Toolbar~\g_mix_tools_tl
16344         /NavigationPane~\g_mix_nav_tl
16345     }{
16346         /PassContextClick~\g_mix_contextclick_tl
16347     }
16348     >>
16349     \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
16350     >>
16351     /Deactivation~<</Condition\g_mix_deact_tl>>
16352 }
16353 \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
16354 \tl_if_empty:NF\g_mix_usrlabel_tl{
16355     \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
16356 }
16357 % #1:width, #2:height, #3:depth, #4:content (key-value)
16358 \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
16359     /Subtype/RichMedia
16360     /F~4
16361     /BS~<</W~0/S/S>>
16362     /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
16363     /NM~(\g_mix_label_tl)
16364     /AP~<</N~\g_mix_appearance_tl>>
16365     /RichMediaSettings~\l_mix_settings_tl
16366     /RichMediaContent~\l_mix_content_tl

```



```

16367 }
16368 \tl_if_empty:NF\g_mix_usrlabel_tl{
16369   \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
16370   \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
16371     \noexpand\the\g@mix@page@int}
16372 }
16373 \mix_pdfobj:nnn{}{dict}{
16374   /S/JavaScript/JS~(
16375     try{
16376       if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
16377       if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
16378         annotRM['\g_mix_label_tl']=
16379           this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
16380       }
16381       \str_if_eq:eeF{\g_mix_usrpbtn_tl}{none}{
16382         if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
16383           var~ocgs=this.getOCGs(this.pageNum);
16384           for(var~i=0;i<ocgs.length;i++){
16385             if(ocgs[i].name=='MediaPlayerButton\int_use:N\g_mix_rmcnt_int'){
16386               var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
16387             }
16388           }
16389         }
16390         if(
16391           !annotRM['\g_mix_label_tl'].activated&&(
16392             app.viewerType=='Reader' ||
16393             app.viewerType=='Exchange' ||
16394             app.viewerType=='Exchange-Pro'
16395           )&&app.viewerVersion>=9
16396         ){
16397           ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
16398         }
16399       }
16400     }catch(e){}
16401     this.dirty=false;
16402   )
16403 }
16404 \mix_pdfannot:nnnn{Opt}{Opt}{Opt}{
16405   /Subtype/Widget
16406   /FT/Btn/Ff~65537/F~2
16407   /BS~<</W~0>>
16408   /T~(fd@\g_mix_label_tl)
16409   /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
16410 }
16411 \mix_appendtofields:n{\mix_pdflastann:}
16412 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
16413 \str_if_eq:eeTF{\g_mix_usrpbtn_tl}{none}{
16414   \hbox_to_wd:nn{\g_mix_wd_tl}{
16415     \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
16416   }
16417 }{%insert play button overlay
16418   \mix_insert_btnocg: %create OCG
16419   \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
16420   \group_begin:

```



```

16421     \cs_if_exist:NT\textdir{\textdir TLT}
16422     \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
16423     \box_move_down:nn{\g_mix_dp_tl}{
16424       \hbox_to_wd:nn{\g_mix_wd_tl}{
16425         \vbox_to_ht:nn{\g_mix_tt_tl}{
16426           \vss
16427           \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
16428           \box_use:N\l_mix_pbtn_box
16429           \ocgbase_oc_emc:
16430         }
16431       }
16432     }
16433     \group_end:
16434   }
16435   \int_gincr:N\g_mix_rmcnt_int
16436 }
16437 \mix_endLTR:
16438 \group_end:
16439 }
16440 \tl_set_eq:NN\l_mix_includemedia_tl\includemedia
16441 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}
16442
16443 \RenewDocumentCommand\mediabutton{0}{m}{%#1 options, #2 normal button text
16444   \mix_uribegin:
16445   \group_begin:
16446   \mix_beginLTR:
16447   \mode_leave_vertical:
16448   %reset various variables
16449   \tl_gclear:N\g_mix_overbtn_tl
16450   \tl_gclear:N\g_mix_downbtn_tl
16451   \tl_gclear:N\g_mix_btnactions_tl
16452   \tl_gclear:N\g_mix_tooltip_tl
16453   %process options
16454   \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
16455   \mix_uribegin: %treat URI characters correctly
16456   \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
16457   \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
16458   \mix_uribegin:
16459   %normal button appearance
16460   %\hbox_set:Nn\l_mix_poster_box{#2}
16461   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
16462   \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
16463   \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
16464   \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
16465   \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
16466     \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{
16467       \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
16468     \mix_pdfxform:n{\l_mix_poster_box}
16469     \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
16470     %insert widget annotation
16471     \mix_pdfannot:nnnn{\width}{\height}{\depth}{
16472       /Subtype/Widget
16473       /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
16474     \tl_if_empty:NF\g_mix_tooltip_tl{TU~(\g_mix_tooltip_tl)}

```



```

16475 /FT/Btn/Ff~65536
16476 \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
16477 /AP~<<
16478 /N~\g_mix_normalbtn_tl
16479 \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
16480 \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
16481 >>
16482 /MK~<<
16483 /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
16484 /I~\g_mix_normalbtn_tl
16485 \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
16486 \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
16487 >>
16488 /A~<<
16489 /S/JavaScript/JS~(app.focusRect=false;)
16490 %sequence of actions to perform
16491 \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
16492 >>
16493 }
16494 \mix_appendtofields:n{\mix_pdflastann:}
16495 \hbox_to_wd:nn{\width}{
16496 \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
16497 }
16498 \int_gincr:N\g_mix_mbtncnt_int
16499 }
16500 \mix_endLTR:
16501 \group_end:
16502 }
16503 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
16504 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
16505

```

108 File memoir-xetex-bidi.def

```

16506 \ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for X
16507 \renewcommand{\keepthetitle}{%
16508 \@bsmtitleempty
16509 \global\let\thanks\relax
16510 \global\let\LTRthanks\relax
16511 \global\let\RTLthanks\relax
16512 \global\let\and\relax
16513 \global\let\andnext\relax
16514 \global\let\@thanks\@empty
16515 \global\let\@title\@empty
16516 \global\let\@author\@empty
16517 \global\let\@date\@empty}
16518 \renewcommand{\maketitle}{\par
16519 \begingroup
16520 \@bsmarkseries
16521 \def\@makefnmark{\@textsuperscript{%
16522 \normalfont\@bsthanksheadpre \tmark \@bsthanksheadpost}}%
16523 \long\def\@makefntext##1{\makethanksmark ##1}
16524 \if@twocolumn
16525 \ifnum \col@number=\@ne

```



```

16526     \@maketitle
16527     \else
16528     \twocolumn[\@maketitle]%
16529     \fi
16530 \else
16531     \ifdim\pagetotal>\z@
16532     \newpage
16533     \fi
16534     \global\@topnum\z@
16535     \@maketitle
16536     \fi
16537     \thispagestyle{title}\@thanks
16538 \endgroup
16539 \@bscontmark % \setcounter{footnote}{0}%
16540 }
16541 \renewcommand*{\memRTLleftskip}{\if@RTL\righskip\else\leftskip\fi}
16542 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\righskip\fi}
16543 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
16544 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
16545 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
16546 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
16547 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
16548 \renewcommand*{\thesubsection}{%
16549     \thesection\@SepMark\@arabic\c@subsection}
16550 \renewcommand*{\thesubsubsection}{%
16551     \thesubsection\@SepMark\@arabic\c@subsubsection}
16552 \renewcommand*{\theparagraph}{%
16553     \thesubsubsection\@SepMark\@arabic\c@paragraph}
16554 \renewcommand*{\thesubparagraph}{%
16555     \theparagraph\@SepMark\@arabic\c@subparagraph}
16556 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
16557 \renewcommand{\theequation}{%
16558     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
16559 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
16560 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
16561 \ifartopt
16562     \chapterstyle{article}
16563     \counterwithout{figure}{chapter}
16564     \counterwithout{table}{chapter}
16565     \counterwithout{footnote}{chapter}
16566     \counterwithout{equation}{chapter}
16567     \renewcommand{\chaptername}{}
16568     \renewcommand{\maketitlehookb}{%
16569     \vskip -1.5\topsep\vskip -1.5\partopsep}
16570     \renewcommand{\maketitlehookc}{%
16571     \vskip -1.5\topsep\vskip -1.5\partopsep}
16572 \fi
16573 \long\def\@makecaption#1#2{\let\@memtempa\relax
16574 \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
16575 \else \def\@memtempa{\vbox to\topskip{}}\fi
16576 \let\@contfnote\footnote \renewcommand{\footnote}[2] [] {}
16577 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1] [] {}
16578 \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
16579 \let\footnote\@contfnote

```



```

16580 \let\footnotemark\@contfmark
16581 \ifdim\wd\@tempboxa<\linewidth \centering \fi
16582 \if@contcw
16583   \centering
16584   \parbox{\@contcwidth}{%
16585     \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
16586   \fi
16587 \ifdim\wd\@tempboxa<\linewidth
16588   \@contpre
16589   {\@contnfont #1\@contdelim}\@memtempa
16590   {\@contcshortstyle \@conttfont #2\@contfinal\par}
16591 \else
16592   \if@conthang
16593     \sbox\@tempboxa{\@contnfont #1\@contdelim}
16594     \@contpre%
16595     {\@contcstyle\hangindent=\wd\@tempboxa
16596      \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
16597   \else
16598     \if@contindent
16599       \@contpre%
16600       {\@contnfont #1\@contdelim}\@memtempa
16601       {\@contcstyle\hangindent=\@contindw
16602        \hangafter=\@one\@conttfont #2\@contfinal\par}% <- v1.4
16603     \else
16604       \@contpre%
16605       {\@contnfont #1\@contdelim}\@memtempa
16606       {\@contcstyle \@conttfont #2\@contfinal\par}
16607     \fi
16608   \fi
16609 \fi
16610 \@contpost
16611 \if@contcw
16612   \par
16613 } % end of the \parbox
16614 \fi
16615 \vskip\belowcaptionskip}
16616 \@ifpackageloaded{caption}{%
16617 \AtBeginPackage{caption}{
16618 \ClassWarningNoLine{memoir}{%
16619 You are using the caption package with the memoir \MessageBreak
16620 class. This may cause unexpected or inconsistent \MessageBreak
16621 results if you use any of memoir's captioning facilities}
16622
16623 \long\def\@makecaption##1##2{%
16624   \vskip\abovecaptionskip
16625   \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
16626   \ifdim \wd\@tempboxa >\hsize
16627     \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
16628   \else
16629     \global \@minipagefalse
16630     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
16631   \fi
16632   \vskip\belowcaptionskip}
16633

```



```

16634 \def\caption{%
16635   \ifx\@capttype\@undefined
16636     \@latex@error{\noexpand\caption outside float}\@ehd
16637     \expandafter\@gobble
16638   \else
16639     \refstepcounter\@capttype
16640     \expandafter\@firstofone
16641   \fi
16642   {\@dblarg{\@caption\@capttype}}%
16643 }
16644
16645 \long\def\@caption##1[##2]##3{%
16646   \par
16647   \addcontentsline{\csname ext###1\endcsname}{##1}%
16648     {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
16649   \begingroup
16650     \@parboxrestore
16651     \if@minipage
16652       \@setminipage
16653     \fi
16654     \normalsize
16655     \@makecaption{\csname fnum###1\endcsname}{\ignorespaces ##3}\par
16656   \endgroup}
16657 }}{}
16658 \renewenvironment{thebibliography}[1]{%
16659   \bibsection
16660   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16661   \bidi@thebibliography@font@hook%
16662   \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}

```

109 File midfloat-xetex-bidi.def

```

16663 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
16664 \def\RTL@outputdblcol{%
16665   \if@firstcolumn
16666     \global \@firstcolumnfalse
16667     \global\setbox\@leftcolumn\copy\@outputbox
16668     \splitmaxdepth\maxdimen
16669     \vbadness\maxdimen
16670     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
16671     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
16672     \toks@\expandafter{\topmark}%
16673     \xdef\@firstcoltopmark{\the\toks@}%
16674     \toks@\expandafter{\splitfirstmark}%
16675     \xdef\@firstcolfirstmark{\the\toks@}%
16676     \ifx\@firstcolfirstmark\@empty
16677       \global\let\@setmarks\relax
16678     \else
16679       \gdef\@setmarks{%
16680         \let\firstmark\@firstcolfirstmark
16681         \let\topmark\@firstcoltopmark}%
16682     \fi
16683     \global\c@colht\@colht\global\c@addvipersep\z@
16684     \ifnum\j@o@sk>0

```



```

16685     \remove@strip\juo@sar
16686     \global\@colht\the\juo@pr
16687     \ifdim\right@cor>\z@
16688         \global\advance\@colht by\right@cor
16689     \fi
16690     \global\advance\@colht by\cor@height
16691     \global\cor@height=0pt
16692 \fi
16693 \global \setbox\@rightcolumn \vbox{}%
16694 \else
16695     \ifdim\c@colht>\@colht
16696         \@tempdima\@colht
16697         \ifdim\@colht>\z@
16698             \global\setbox\@rightcolumn \vbox{%
16699                 \unvbox\@rightcolumn
16700                 \vbox to\@tempdima{%
16701                     \vskip\c@addvipersep\unvbox\@outputbox}%
16702                 \vskip\stripsep
16703                 \vrule height\the\juo@ht width 0pt depth 0pt
16704                 \vskip\stripsep
16705             }%
16706             \global\c@addvipersep\m@addvipersep
16707         \else
16708             \global\setbox\@rightcolumn \vbox{%
16709                 \unvbox\@rightcolumn
16710                 \vrule height\the\juo@ht width 0pt depth 0pt
16711                 \vskip\stripsep
16712             }%
16713         \fi
16714     \ifnum\juo@sk>0
16715         \remove@strip\juo@sar
16716         \global\@colht\the\juo@pr
16717         \global\advance\@colht by -\ht\@rightcolumn
16718         \global\advance\@colht by\cor@height
16719         \global\cor@height=0pt
16720     \else
16721         \global\advance\c@colht by-\ht\@rightcolumn
16722         \global\@colht\c@colht
16723     \fi
16724 \else
16725 \global\@firstcolumntrue
16726 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
16727     \unvbox\@rightcolumn
16728     \vskip\c@addvipersep
16729     \unvbox\@outputbox
16730 }%
16731 \setbox\@outputbox \vbox {%
16732     \hb@xt@\textwidth {%
16733         \hskip \columnwidth
16734         \hfil
16735         \vrule \@width\columnseprule
16736         \hfil
16737         \hb@xt@\columnwidth {%
16738             \bidi@firstcolumn@status@write%

```



```

16739         \box\@leftcolumn \hss}%
16740         \hskip-\textwidth
16741         \hb@xt@\columnwidth {%
16742         \bidi@lastcolumn@status@write%
16743         \box\@outputbox \hss}%
16744         \hskip\columnwidth
16745         \hskip\columnsep}%
16746         }%
16747     \@combinedblfloats
16748     \@setmarks
16749     \@outputpage
16750     \begingroup
16751         \@dblfloatplacement
16752         \@startdblcolumn
16753         \@whilesw@if@colmade \fi
16754         {\@outputpage
16755         \@startdblcolumn}%
16756     \endgroup
16757     \global\jua@sk=0\global\jua@sar={}%
16758     \global\cor@height\z@\global\c@advvipersep\z@
16759     \fi
16760 \fi
16761 }
16762
16763
16764 \def\LTR@outputdblcol{%
16765   \if@firstcolumn
16766     \global \@firstcolumnfalse
16767     \global\setbox\@leftcolumn\copy\@outputbox
16768     \splitmaxdepth\maxdimen
16769     \vbadness\maxdimen
16770     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
16771     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
16772     \toks@\expandafter{\topmark}%
16773     \xdef\@firstcoltopmark{\the\toks@}%
16774     \toks@\expandafter{\splitfirstmark}%
16775     \xdef\@firstcolfirstmark{\the\toks@}%
16776     \ifx\@firstcolfirstmark\@empty
16777       \global\let\@setmarks\relax
16778     \else
16779       \gdef\@setmarks{%
16780         \let\firstmark\@firstcolfirstmark
16781         \let\topmark\@firstcoltopmark}%
16782     \fi
16783     \global\c@colht\@colht\global\c@advvipersep\z@
16784     \ifnum\jua@sk>0
16785       \remove@strip\jua@sar
16786       \global\@colht\the\jua@pr
16787       \ifdim\right@cor>\z@
16788         \global\advance\@colht by\right@cor
16789       \fi
16790       \global\advance\@colht by\cor@height
16791       \global\cor@height=0pt
16792     \fi

```



```

16793   \global \setbox\@rightcolumn \vbox{%
16794 \else
16795   \ifdim\c@colht>\@colht
16796       \@tempdima\@colht
16797       \ifdim\@colht>\z@
16798       \global\setbox\@rightcolumn \vbox{%
16799           \unvbox\@rightcolumn
16800           \vbox to\@tempdima{%
16801               \vskip\c@addvipersep\unvbox\@outputbox}%
16802           \vskip\stripsep
16803           \vrule height\the\jua@ht width Opt depth Opt
16804           \vskip\stripsep
16805       }%
16806   \global\c@addvipersep\m@addvipersep
16807 \else
16808   \global\setbox\@rightcolumn \vbox{%
16809       \unvbox\@rightcolumn
16810       \vrule height\the\jua@ht width Opt depth Opt
16811       \vskip\stripsep
16812   }%
16813 \fi
16814 \ifnum\jua@sk>0
16815     \remove@strip\jua@sar
16816     \global\@colht\the\jua@pr
16817     \global\advance\@colht by -\ht\@rightcolumn
16818     \global\advance\@colht by\cor@height
16819     \global\cor@height=0pt
16820 \else
16821     \global\advance\c@colht by-\ht\@rightcolumn
16822     \global\@colht\c@colht
16823 \fi
16824 \else
16825   \global\@firstcolumntrue
16826   \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
16827       \unvbox\@rightcolumn
16828       \vskip\c@addvipersep
16829       \unvbox\@outputbox
16830   }%
16831   \setbox\@outputbox \vbox {%
16832       \hb@xt@\textwidth {%
16833           \hb@xt@\columnwidth {%
16834               \bidi@firstcolumn@status@write%
16835               \box\@leftcolumn \hss}%
16836           \hfil
16837           \vrule \@width\columnseprule
16838           \hfil
16839           \hb@xt@\columnwidth {%
16840               \bidi@lastcolumn@status@write%
16841               \box\@outputbox \hss}%
16842           }%
16843       }%
16844   \@combinedblfloats
16845   \@setmarks
16846   \@outputpage

```



```

16847 \begingroup
16848 \@dblfloatplacement
16849 \@startdblcolumn
16850 \@whilesw\if@colmade \fi
16851 {\@outputpage
16852 \@startdblcolumn}%
16853 \endgroup
16854 \global\jua@sk=0\global\jua@sar={}%
16855 \global\cor@height\z@\global\c@advipersep\z@
16856 \fi
16857 \fi
16858 }
16859
16860
16861 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
16862 \global\setbox\@viper\ vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi
16863 \hsize\textwidth
16864 \@parboxrestore
16865 \col@number \@ne
16866 \vrule height\topskip width0pt depth0pt
16867 }
16868
16869 \def\endstrip{%
16870 \egroup\egroup
16871 \if@firstcolumn
16872 \ifdim\pagetotal>\z@
16873 \vskip\stripsep
16874 \global\ht@strip\pagegoal
16875 \global\advance\ht@strip by-\pagetotal
16876 \global\advance\ht@strip by-\stripsep
16877 \global\advance\ht@strip by-\ht\@viper
16878 \global\advance\ht@strip by-\stripsep
16879 \global\jua@ht=\ht\@viper
16880 \else
16881 \global\ht@strip\z@
16882 \fi
16883 \ifdim\ht@strip>\z@
16884 \unvbox\@viper
16885 \vskip\stripsep
16886 \add@strip{\the\pagetotal}{\the\jua@ht}{\the\@tempdima}{\the\@tempdimb}%
16887 \global\advance\jua@sk by1
16888 \else
16889 \@latex@error{Strip needs more place!}\@ehc
16890 \if@vihproof
16891 \framebox[\columnwidth]{??? Strip ???}%
16892 \fi
16893 \fi
16894 \else
16895 \@latex@error{Strip is used only on left column!}\@ehc
16896 \if@vihproof
16897 \framebox[\columnwidth]{??? Strip ???}%
16898 \fi
16899 \fi
16900 }

```



110 File minitoc-xetex-bidi.def

```
16901 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package]
16902 \def\@undottedtoctline#1#2#3#4#5{%
16903   \ifnum #1>\c@tocdepth\relax \else
16904     \vskip \z@ plus.2\p@
16905     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocmargin
16906     \parindent #2\relax\@afterindenttrue
16907     \interlinepenalty\@M
16908     \leavevmode
16909     \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}}%
16910     \hskip -\if@RTL\rightskip\else\leftskip\fi
16911     #4\nobreak\hfill \nobreak
16912     \null\par}%
16913 \fi}
16914 \def\@Undottedtoctline#1#2#3#4#5{%
16915   \ifnum #1>\c@tocdepth\relax \else
16916     \vskip \z@ \@plus.2\p@
16917     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocmargin
16918     \parindent #2\relax\@afterindenttrue
16919     \interlinepenalty\@M
16920     \leavevmode
16921     \@tempdima #3\relax
16922     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
16923     {\coffee\font #4}\nobreak \nobreak\null
16924     \par}%
16925 \fi}
16926 \def\@Undottedtoctlinep#1#2#3#4#5{%
16927   \ifnum #1>\c@tocdepth\relax \else
16928     \vskip \z@ \@plus.2\p@
16929     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocmargin
16930     \parindent #2\relax\@afterindenttrue
16931     \interlinepenalty\@M
16932     \leavevmode
16933     \@tempdima #3\relax
16934     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
16935     {#4}\nobreak \hfill \nobreak\null
16936     \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
16937   \par}%
16938 \fi}
```

111 File multicol-xetex-bidi.def

```
16939 \ProvidesFile{multicol-xetex-bidi.def}[2022/02/01 v1.3 bidi adaptations for multicol package]
16940 \def\page@sofar{%
16941   \process@cols\mult@rightbox
16942     {\ifvoid\count@
16943       \setbox\count@\hbox to\hsize}%
16944   \else
16945     \wd\count@\hsize
16946   \fi}%
16947 \count@\col@number \advance\count@\m@ne
16948 \mult@info\z@
16949 {Column spec: \the\full@width\space = indent
```



```

16950             + columns + sep =\MessageBreak
16951             \the\multicol@leftmargin\space
16952             + \the\col@number\space
16953             x \the\hsize\space
16954             + \the\count@\space
16955             x \the\columnsep
16956         }%
16957 \ifvmode\else\errmessage{Multicol Error}\fi
16958     \nointerlineskip
16959     \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
16960     \moveright\multicol@leftmargin
16961     \hbox to\full@width{%
16962         \bidi@multicol@align@columns
16963         \rlap{\phantom p}%
16964     }%
16965 \prevdepth\z@
16966 \kern-\dimen\tw@
16967 \ifdim\dimen\tw@ > \mc@gridwarn
16968     \PackageWarning{multicol}%
16969     {Very deep columns!\MessageBreak
16970     Grid alignment might be broken}%
16971 \fi
16972 }
16973 \def\LTR@column@boxes{%
16974     \process@cols\mult@firstbox{%
16975         \ifdim\dp\count@>\dimen\tw@
16976             \global\dimen\tw@\dp\count@ \fi
16977         \mc@col@status@write
16978         \box\count@
16979         \hss{\columnseprulecolor\vrule
16980             \@width\columnseprule}\hss}%
16981     \ifdim\dp\mult@rightbox>\dimen\tw@
16982         \global\dimen\tw@\dp\mult@rightbox \fi
16983     \mc@lastcol@status@write
16984     \box\mult@rightbox
16985 }
16986
16987 \def\RTL@column@boxes{%
16988     \process@cols\mult@firstbox{%
16989         \hskip\hsize
16990         \hss{\columnseprulecolor\vrule
16991             \@width\columnseprule}\hss
16992     }%
16993     \hskip\hsize
16994     \process@cols\mult@firstbox{%
16995         \ifdim\dp\count@>\dimen\tw@
16996             \global\dimen\tw@\dp\count@ \fi
16997         \hskip-\hsize
16998         \mc@col@status@write
16999         \box\count@
17000         \hskip-\hsize
17001         \hskip-\columnsep
17002     }%
17003     \ifdim\dp\mult@rightbox>\dimen\tw@

```



```

17004     \global\dimen\tw@dp\mult@rightbox \fi
17005     \hskip-\hsize
17006     \mc@lastcol@status@write
17007     \box\mult@rightbox
17008     \hskip-\hsize
17009     \hskip\full@width
17010 }
17011
17012 \newcommand\RTLmulticolcolumns
17013   {\let\ bidi@multicol@align@columns
17014     \RTL@column@boxes}
17015 \newcommand\LTRmulticolcolumns
17016   {\let\ bidi@multicol@align@columns
17017     \LTR@column@boxes}
17018 \newcommand\ bidi@multicol@align@columns
17019   {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
17020 \ bidi@AtEndPreamble{%
17021   \if@ bidi@csdef{footinsv1}{%
17022     \def\footnoterule{\kern-3\p@
17023       \hrule \@width \textwidth \kern 2.6\p@}%
17024   }-}%
17025 }
17026 \def\multicols#1{\col@number#1\relax
17027   \ifnum\col@number<\tw@
17028     \PackageWarning{multicol}%
17029       {Using ` \number\col@number '
17030         columns doesn't seem a good idea.^^J
17031         I therefore use two columns instead}%
17032     \col@number\tw@ \fi
17033   \ifnum\col@number>20
17034     \PackageError{multicol}%
17035       {Too many columns}%
17036       {Current implementation doesn't
17037         support more than 20 columns.%
17038         \MessageBreak
17039         I therefore use 20 columns instead}%
17040     \col@number20 \fi
17041   \ifx\@footnotetext\mult@footnotetext
17042   \else
17043     \let\orig@footnotetext\@footnotetext
17044     \let\@footnotetext\mult@footnotetext
17045   \fi
17046   \ifx\@LTRfootnotetext\mult@LTRfootnotetext
17047   \else
17048     \let\orig@LTRfootnotetext\@LTRfootnotetext
17049     \let\@LTRfootnotetext\mult@LTRfootnotetext
17050   \fi
17051   \ifx\@RTLfootnotetext\mult@RTLfootnotetext
17052   \else
17053     \let\orig@RTLfootnotetext\@RTLfootnotetext
17054     \let\@RTLfootnotetext\mult@RTLfootnotetext
17055   \fi
17056   \@ifnextchar[\mult@cols{\mult@cols[]}]
17057 \long\def\mult@footnotetext#1{\begingroup

```



```

17058         \hsize\textwidth
17059         \columnwidth\textwidth
17060         \orig@footnotetext{#1}\endgroup}
17061 \long\def\mult@LTRfootnotetext#1{\begingroup
17062         \hsize\textwidth
17063         \columnwidth\textwidth
17064         \orig@LTRfootnotetext{#1}\endgroup}
17065 \long\def\mult@RTLfootnotetext#1{\begingroup
17066         \hsize\textwidth
17067         \columnwidth\textwidth
17068         \orig@RTLfootnotetext{#1}\endgroup}
17069 \def\right@footnoterule{%
17070 \kern-3\p@
17071 \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
17072 \kern2.6\p@}
17073 \def\textwidth@footnoterule{\kern-3\p@
17074 \hrule \@width \textwidth \kern 2.6\p@}
17075 \def\ bidi@leave@mult@copyins{%
17076 \advance\dimen@-\skip\@bidi@copyins@
17077 \advance\dimen@-\ht\@bidi@copyins@
17078 }
17079 \bidi@AtEndPreamble{%
17080 \if\@bidi@csdef{footinsv@1}{%
17081 \def\@bidi@leave@mult@footinsv@r{%
17082 \advance\dimen@-\skip\footinsv@r
17083 \advance\dimen@-\ht\footinsv@r
17084 }%
17085 \def\@bidi@leave@mult@footinsv@l{%
17086 \advance\dimen@-\skip\footinsv@l
17087 \advance\dimen@-\ht\footinsv@l
17088 }%
17089 \def\@bidi@init@mult@footinsv@r{%
17090 \multiply\count\footinsv@r\col@number
17091 \multiply\skip \footinsv@r\col@number
17092 }%
17093 \def\@bidi@init@mult@footinsv@l{%
17094 \multiply\count\footinsv@l\col@number
17095 \multiply\skip \footinsv@l\col@number
17096 }%
17097 \def\@bidi@reinsert@footnotesv@r{\ifvoid\footinsv@r\else
17098 \insert\footinsv@r{}\fi}%
17099 \def\@bidi@reinsert@footnotesv@l{\ifvoid\footinsv@l\else
17100 \insert\footinsv@l{}\fi}%
17101 \bidi@patchcmd{\prepare@multicols}{%
17102 \reinsert@footnotes
17103 }{%
17104 \reinsert@footnotes
17105 \bidi@init@mult@footinsv@r
17106 \bidi@reinsert@footnotesv@r
17107 \bidi@init@mult@footinsv@l
17108 \bidi@reinsert@footnotesv@l
17109 }{}{}%
17110 \bidi@patchcmd{\multi@column@out}{%
17111 \ifnum \c@tracingmulticols>\thr@@

```



```

17112 }{%
17113   \ifvoid\footinsv@r
17114     \ifvoid\footinsv@l
17115     \else
17116       \PackageWarning{multicol}%
17117         {I moved some lines to
17118           the next page.\MessageBreak
17119           Footnotes on page
17120           \thepage\space might be wrong}%
17121     \fi
17122   \else
17123     \PackageWarning{multicol}%
17124     {I moved some lines to
17125       the next page.\MessageBreak
17126       Footnotes on page
17127       \thepage\space might be wrong}%
17128   \fi
17129   \ifnum \c@tracingmulticols>\thr@@
17130 }{}{%
17131 \bidi@patchcmd{\endmulticols}{%
17132   \reinsert@footnotes
17133 }{%
17134   \reinsert@footnotes
17135   \bidi@reinsert@footnotesv@r
17136   \bidi@reinsert@footnotesv@l
17137 }{}{%
17138 \bidi@patchcmd{\speci@ls}{%
17139   \reinsert@footnotes
17140 }{%
17141   \reinsert@footnotes
17142   \bidi@reinsert@footnotesv@r
17143   \bidi@reinsert@footnotesv@l
17144 }{}{%
17145 \bidi@patchcmd{\speci@ls}{%
17146   \reinsert@footnotes
17147 }{%
17148   \reinsert@footnotes
17149   \bidi@reinsert@footnotesv@r
17150   \bidi@reinsert@footnotesv@l
17151 }{}{%
17152 }{}%
17153 \bidi@patchcmd{\multi@column@out}{%
17154   \ifvbox \@kludgeins
17155 }{%
17156   \if@bidi@csdef{footinsv@l}{%
17157     \divide\skip\footinsv@r\col@number
17158     \ifvoid\footinsv@r \else
17159       \bidi@leave@mult@footins@vr
17160     \fi
17161     \divide\skip\footinsv@l\col@number
17162     \ifvoid\footinsv@l \else
17163       \bidi@leave@mult@footins@vl
17164     \fi
17165   }{}%

```



```

17166 \ifvoid\@bidi@copyins@ \else
17167 \bidi@leave@mult@copyins
17168 \fi
17169 \ifvbox \@kludgeins
17170 }{}{}%
17171 }

```

112 File multienum-xetex-bidi.def

```

17172 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum packa
17173 \renewcommand{\itemx}[1]{\parbox[t]%
17174 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
17175 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
17176 \renewcommand{\itemxx}[2]{\parbox[t]%
17177 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17178 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
17179 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17180 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
17181 \renewcommand{\itemxxx}[3]{\parbox[t]%
17182 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
17183 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
17184 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
17185 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
17186 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
17187 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
17188 \renewcommand{\itemxxxx}[4]{\parbox[t]%
17189 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17190 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
17191 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17192 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
17193 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17194 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
17195 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17196 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
17197 \renewcommand{\itemxxxxx}[5]{\parbox[t]%
17198 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17199 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
17200 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17201 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
17202 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17203 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
17204 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17205 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
17206 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17207 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
17208 \renewcommand{\itemxox}[2]{\parbox[t]%
17209 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17210 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
17211 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17212 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
17213 \renewcommand{\itemxox}[2]{\parbox[t]%
17214 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17215 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
17216 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep

```



```

17217 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
17218 \renewcommand{\itemxox}[3]{\parbox[t]{
17219 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17220 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
17221 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17222 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
17223 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17224 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
17225 \renewcommand{\itemxox}[3]{\parbox[t]{
17226 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17227 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
17228 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17229 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
17230 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17231 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
17232 \renewcommand{\itemxxxo}[3]{\parbox[t]{
17233 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17234 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
17235 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17236 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
17237 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
17238 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

113 File natbib-xetex-bidi.def

```

17239 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for
17240 \renewenvironment{thebibliography}[1]{%
17241 \bibsection
17242 \parindent\z@
17243 \bibpreamble
17244 \bibfont
17245 \ifRTL\ifLTR\bibitems\RTLfalse\else\fi\else\ifRTL\bibitems\RTLtrue\else\fi\fi
17246 \bidi@@thebibliography@font@hook%
17247 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
17248 \ifNAT@openbib
17249 \renewcommand\newblock{\par}%
17250 \else
17251 \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
17252 \fi
17253 \sloppy\clubpenalty4000\widowpenalty4000
17254 \sfcode`\.\@m
17255 \let\NAT@bibitem@first@sw\@firstoftwo
17256 \let\citeN\cite \let\shortcite\cite
17257 \let\citeasnoun\cite
17258 }{%
17259 \bibitem@fin
17260 \bibpostamble
17261 \def\@noitemerr{%
17262 \PackageWarning{natbib}{Empty `thebibliography' environment}%
17263 }%
17264 \endlist
17265 \bibcleanup
17266 }%

```



114 File newfloat-xetex-bidi.def

```
17267 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
17268 \renewcommand*\newfloat@setwithin[2]{%
17269   \ifcsname c@chapter\endcsname
17270     \@removefromreset{#1}{chapter}%
17271   \fi
17272   \@removefromreset{#1}{section}%
17273   \edef\@tempa{#2}%
17274   \ifx\@tempa\@empty
17275     \def\@tempa{none}%
17276   \fi
17277   \def\@tempb{none}%
17278   \ifx\@tempa\@tempb
17279     \ifcsname c@chapter\endcsname
17280       \@chapterlistsgap@off{#1}%
17281     \fi
17282     \newfloat@@setwithin{#1}{-}{-}%
17283   \else
17284     \def\@tempb{chapter}%
17285     \ifx\@tempa\@tempb
17286       \@addtoreset{#1}{chapter}%
17287       \@chapterlistsgap@on{#1}%
17288       \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@S
17289     \else
17290       \def\@tempb{section}%
17291       \ifx\@tempa\@tempb
17292         \@addtoreset{#1}{section}%
17293         \ifcsname c@chapter\endcsname
17294           \@addtoreset{#1}{chapter}%
17295           \@chapterlistsgap@on{#1}%
17296           \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
17297         \else
17298           \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsectio
17299         \fi
17300       \else
17301         \newfloat@Error{Invalid value `#2' for option `within'}%
17302       \fi
17303     \fi
17304   \fi}
```

115 File ntheorem-xetex-bidi.def

```
17305 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package]
17306 \gdef\@thm#1#2#3{%
17307   \if@thmmarks
17308     \stepcounter{end\InTheoType ctr}%
17309   \fi
17310   \renewcommand{\InTheoType}{#1}%
17311   \if@thmmarks
17312     \stepcounter{curr#1ctr}%
17313     \setcounter{end#1ctr}{0}%
17314   \fi
17315   \refstepcounter{#2}%
```



```

17316 \theorem@prework
17317 \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
17318 \ifvmode \advance\thm@topsepadd\partopsep\fi
17319 \trivlist
17320 \@topsep \theorempreskipamount
17321 \@topsepadd \thm@topsepadd % used by \@endparenv
17322 \advance\linewidth -\theorem@indent
17323 \advance\@totalleftmargin \theorem@indent
17324 \if@RTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
17325 \ifnextchar [{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}]

```

116 File ntheorem-hyper-xetex-bidi.def

```

17326 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-h
17327 \gdef\@thm#1#2#3{%
17328 \if@thmmarks
17329 \stepcounter{end\InTheoType ctr}%
17330 \fi
17331 \renewcommand{\InTheoType}{#1}%
17332 \if@thmmarks
17333 \stepcounter{curr#1ctr}%
17334 \setcounter{end#1ctr}{0}%
17335 \fi
17336 \refstepcounter{#2}%
17337 \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
17338 \ifvmode \advance\thm@topsepadd\partopsep\fi
17339 \trivlist
17340 \@topsep \theorempreskipamount
17341 \@topsepadd \thm@topsepadd % used by \@endparenv
17342 \advance\linewidth -\theorem@indent
17343 \advance\@totalleftmargin \theorem@indent
17344 \if@RTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
17345 \ifnextchar [{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}]

```

117 File overpic-xetex-bidi.def

```

17346 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package f
17347 \renewenvironment{overpic}[2] []{%
17348 \sbox{z@}{\includegraphics[#1]{#2}}%
17349 \settodepth{\@tempcnta}{\usebox{z@}}%
17350 \settoheight{\@tempcntb}{\usebox{z@}}%
17351 \advance\@tempcntb\@tempcnta%
17352 \settowidth{\@tempcnta}{\usebox{z@}}%
17353 \setlength{\@tempdima}{\unitlength}%
17354 \count@=z@\Gin@gridfalse\setkeys{Gin}{#1}%
17355 %
17356 \OVP@calc%
17357 %
17358 \begin{picture}(\@tempcnta,\@tempcntb)%
17359 \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{z@}}}%
17360 \ifGin@grid%
17361 \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont%
17362 \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
17363 \fi\fi%

```



```

17364 % reset the graphics parameter
17365 \let\Gin@outer@scalex\relax
17366 \let\Gin@outer@scaley\relax
17367 \let\Gin@angle\relax
17368 \let\Gin@ewidth\Gin@exclamation
17369 \let\Gin@eheight\Gin@ewidth
17370 \def\Gin@scalex{1}
17371 \let\Gin@scaley\Gin@exclamation
17372 }{%
17373 \if@RTL\ifGin@grid%
17374 \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont%
17375 \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
17376 \fi%
17377 \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
17378 \end{picture}%
17379 }%

```

118 File pdfbase-xetex-bidi.def

```

17380 \ProvidesFile{pdfbase-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for pdfbase package f
17381 \ExplSyntaxOn
17382 \cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
17383 \cs_set_nopar:Npn\outputpage{
17384 \int_gincr:N\g_pbs_page_int
17385 \box_if_vertical:cTF{\outputbox}{
17386 \bool_set_true:N\l_pbs_is_vertical_bool
17387 }{
17388 \bool_set_false:N\l_pbs_is_vertical_bool
17389 }
17390 \hbox_set:Nn\@outputbox{
17391 %begin of page
17392 \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
17393 \box_use_drop:N\@outputbox
17394 %end of page
17395 \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
17396 }
17397 \bool_if:NT\l_pbs_is_vertical_bool{
17398 \vbox_set:Nn\@outputbox{\box_use_drop:N\@outputbox}
17399 }
17400 \pbs_outputpage_orig:
17401 }
17402 \ExplSyntaxOff

```

119 File pdfscape-xetex-bidi.def

```

17403 \ProvidesFile{pdfscape-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for pdfscape packa
17404 \bidi@patchcmd{\landscape}{\PLS@Rotate{90}}{%
17405 \if@RTL
17406 \PLS@Rotate{-90}%
17407 \else
17408 \PLS@Rotate{90}%
17409 \fi
17410 }{}{}

```



120 File pdfpages-xetex-bidi.def

```
17411 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
17412 \renewcommand*{\includepdf}[2] [] {%
17413   \begingroup
17414   \@RTLfalse
17415   \let\AM@threadname\relax
17416   \AM@split@options{pdfpages}{#1}%
17417   \edef\AM@temp{pdfpages}{\the\@temptokena}}%
17418   \expandafter\setkeys\AM@temp
17419   \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
17420     \let\AM@currentdocname\relax
17421     \renewcommand\includegraphics[2] [] {Survey in draft-mode}%
17422     \def\AM@pagecount{0}%
17423   }{%
17424     \AM@findfile{#2}%
17425     \if\AM@threadname\relax
17426       \def\AM@threadname{\AM@currentdocname}%
17427     \fi
17428   }%
17429   \ifAM@survey
17430     \def\AM@pagestemp{}%
17431     \@tempcnta=0
17432     \def\foo{%
17433       \ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
17434         {\let\foo\relax}
17435         {\expandafter\ifx\expandafter\\AM@pagestemp\\
17436           \edef\AM@pagestemp{%
17437             \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
17438           \else
17439             \edef\AM@pagestemp{\AM@pagestemp,%
17440               \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
17441           \fi
17442           \advance\@tempcnta 1\relax
17443         }%
17444       \foo
17445     }%
17446     \foo
17447     \expandafter\ifx\expandafter\\AM@pagestemp\\
17448     \def\AM@pagestemp{1}%
17449     \fi
17450   \fi
17451   \ifAM@output
17452     \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
17453     \AM@output{#1}%
17454   \fi
17455   \AM@CheckAtEnd
17456   \endgroup
17457   \AM@ClearShipoutPicture
17458 }
```

121 File pgfcorescopes.code-xetex-bidi.def

```
17459 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pa
```



```

17460 \def\pgfpicture{%
17461   \begingroup%
17462     \ifmmode\else\@RTLfalse\beginL\fi%
17463     \pgfpicturetrue%
17464     \global\advance\pgf@picture@serial@count by1\relax%
17465     \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
17466     \let\pgf@nodecallback=\pgfutil@gobble%
17467     \pgf@picmaxx=-16000pt\relax%
17468     \pgf@picminx=16000pt\relax%
17469     \pgf@picmaxy=-16000pt\relax%
17470     \pgf@picminy=16000pt\relax%
17471     \pgf@relevantforpicturesizetrue%
17472     \pgf@resetpathsizes%
17473     \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
17474 \def\endpgfpicture{%
17475   \ifpgfrememberpicturerepositiononpage%
17476     \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
17477     \fi%
17478     % ok, now let's position the box
17479     \ifdim\pgf@picmaxx=-16000pt\relax%
17480       % empty picture. make size 0.
17481       \global\pgf@picmaxx=0pt\relax%
17482       \global\pgf@picminx=0pt\relax%
17483       \global\pgf@picmaxy=0pt\relax%
17484       \global\pgf@picminy=0pt\relax%
17485     \fi%
17486     % Shift baseline outside:
17487     \pgf@relevantforpicturesizefalse%
17488     \pgf@process{\pgf@baseline}%
17489     \xdef\pgf@shift@baseline{\the\pgf@y}%
17490     %
17491     \pgf@process{\pgf@trimleft}%
17492     \global\advance\pgf@x by-\pgf@picminx
17493     % prepare \hskip\pgf@trimleft@final.
17494     % note that \pgf@trimleft@final is also queried
17495     % by the pgf image externalization.
17496     \xdef\pgf@trimleft@final{-\the\pgf@x}%
17497     %
17498     \pgf@process{\pgf@trimright}%
17499     \global\advance\pgf@x by-\pgf@picmaxx
17500     % prepare \hskip\pgf@trimright@final.
17501     % note that \pgf@trimright@final is also queried
17502     % by the pgf image externalization.
17503     \xdef\pgf@trimright@final{\the\pgf@x}%
17504     %
17505     \pgf@remember@layerlist@globally
17506     \endgroup%
17507     \hss%
17508     \egroup%
17509     \pgf@restore@layerlist@from@global
17510     \pgf@insertlayers%
17511     \endgroup%
17512     \pgfsys@discardpath%
17513     \endgroup%

```



```

17514     \pgfsys@endscope%
17515     \pgfsys@endpicture%
17516     \endgroup%
17517     \hss
17518 \egroup%
17519 \pgfsys@typesetpicturebox\pgfpic%
17520 \ifmode\else\endL\fi%
17521 \endgroup%
17522 }

```

122 File pgfsys.code-xetex-bidi.def

```

17523 \ProvidesFile{pgfsys.code-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for pgfsys.code.t
17524 \def\pgfsys@shadingoutsidepgfpicture#1{%
17525   \beginL#1\endL%
17526 }
17527
17528

```

123 File picinpar-xetex-bidi.def

```

17529 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package
17530 \long\def\@makewincaption#1#2{%
17531   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
17532   \ifdim\wd\@tempboxa>\picwd
17533     {\footnotesize{\bf #1:\enspace}{#2\par}}
17534   \else
17535     \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
17536   \fi}
17537 \def\endwindow{%
17538   \global\tcd=\tcdsav
17539   \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
17540   \vbadness=10000
17541   \splittopskip=0pt
17542 %
17543 % Typeset the lines above the window
17544 %
17545 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
17546 \tcn=\tcd
17547 \loop\advance\tcn -1
17548 \setbox\fslice=\vsplit\holder to\baselineskip
17549 \prune\fslice\linewidth
17550 \topheight=0pt
17551 \ifnum\dp\fslice>\dp\wstrutbox
17552   \advance\topheight-\dp\fslice
17553   \advance\topheight\dp\wstrutbox
17554   \advance\topheight\ilg\fi
17555 \hbox to\linewidth{\box\fslice}
17556 \vskip-\topheight
17557 \ifdim\ht\holder>0pt\repeat
17558 \fi
17559 %
17560 % Now we build the boxes beside the window
17561 %

```



```

17562 \global\topheight=\tcl\baselineskip
17563 \ifnum\cumpartcl>0\global\tcl=\cumtcl
17564     \global\topheight=\vpic
17565 \fi
17566 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
17567 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
17568 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
17569 \tcn=\tcl \na=0 \nb=0
17570 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
17571 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
17572 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
17573 \ifnum\na=0\ifnum\nb=0
17574     \setbox\waslice=\vbox to\vpic{\vss}
17575     \setbox\wbslice=\vbox to\vpic{\vss}
17576     \bl=1\br=1
17577     \vskip\ilg
17578 \fi\fi
17579 %
17580 % both sides
17581 %
17582 \ifnum\na>0 \ifnum\nb>0
17583 \loop\advance\nb -1
17584 \advance\na -1
17585 \if@RTL%
17586 \setbox\bslice=\vsplit\holder to\baselineskip
17587 \prune\bslice\rtside
17588 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
17589 to\rtside{\box\bslice\hfil}}
17590 \setbox\aslice=\vsplit\holder to\baselineskip
17591 \prune\aslice\lftside
17592 \setbox\waslice=\vbox{\unvbox\waslice\hbox
17593 to\lftside{\box\aslice\hfil}}
17594 \else%
17595 \setbox\aslice=\vsplit\holder to\baselineskip
17596 \prune\aslice\lftside
17597 \setbox\waslice=\vbox{\unvbox\waslice\hbox
17598 to\lftside{\box\aslice\hfil}}
17599 \setbox\bslice=\vsplit\holder to\baselineskip
17600 \prune\bslice\rtside
17601 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
17602 to\rtside{\box\bslice\hfil}}
17603 \fi%
17604 \ifnum\nb>0\repeat
17605 \fi\fi
17606 %
17607 % only text on the left side
17608 %
17609 \ifnum\na>0
17610     \loop\advance\na -1
17611     \setbox\aslice=\vsplit\holder to\baselineskip
17612     \prune\aslice\lftside
17613     \setbox\waslice=\vbox{\unvbox\waslice\hbox
17614     to\lftside{\box\aslice\hfil}}
17615     \ifdim\ht\holder>0pt\repeat

```



```

17616 \fi
17617 %
17618 % only text on the right side
17619 %
17620 \ifnum\nb>0
17621   \loop\advance\nb -1
17622   \setbox\bslice=\vsplit\holder to\baselineskip
17623   \prune\bslice\rtside
17624   \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
17625   to\rtside{\box\bslice\hfil}}
17626   \ifdim\ht\holder>0pt\repeat
17627 \fi
17628 %
17629 % fixing the dimensions of the window part
17630 %
17631 \ifnum\bl=0\topheight=\ht\wbslice
17632 \else\ifnum\br=0\topheight=\ht\waslice
17633   \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
17634   \else\topheight=\ht\wbslice\fi\fi\fi
17635 %
17636 % ship out the window material to the main vertical list
17637 %
17638 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
17639 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
17640 \fi\fi\fi
17641 \setbox>windowbox=\vbox{\hbox to\linewidth{%
17642 \ifnum\bl>0\box\waslice\hfill}\fi%
17643 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
17644 \vfill\unvbox\picbox%
17645 \ifnum\picwd>0\vfill}\fi%
17646 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
17647 \unvbox>windowbox%
17648 \loop
17649 \setbox\bslice=\vsplit\rawtext to\baselineskip
17650 \prune\bslice\linewidth
17651 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
17652 \unvbox\wbslice
17653 \ifdim\ht\rawtext>0pt
17654 \repeat
17655 }% FINITO

```

124 File plain-xetex-bidi.def

```

17656 \def\TeXeTOn{\TeXeTstate=1 }
17657 \def\TeXeTOff{\TeXeTstate=0 }
17658 \TeXeTOn
17659 \def\usebox#1{\leavevmode\copy #1\relax}
17660 \def\bidi@RTL@everypar{\setbox\z@ \lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebo
17661   \let\bidi@o@everypar=\everypar
17662   \newtoks\bidi@n@everypar
17663   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
17664   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
17665   \let\everypar=\bidi@n@everypar
17666 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}

```



```

17667 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
17668 \protected\def\hboxR{\hbox\bgroup
17669 \everyhbox{%
17670 \aftergroup\egroup
17671 \everyhbox{}}%
17672 \beginR
17673 \@hboxRconstructtrue
17674 \bgroup
17675 \aftergroup\endR
17676 \aftergroup\egroup
17677 }\hbox}
17678 \protected\def\hboxL{\hbox\bgroup
17679 \everyhbox{%
17680 \aftergroup\egroup
17681 \everyhbox{}}%
17682 \beginL
17683 \@hboxRconstructfalse
17684 \bgroup
17685 \aftergroup\endL
17686 \aftergroup\egroup
17687 }\hbox}
17688 \protected\def\vboxR{\vbox\bgroup
17689 \everyvbox{%
17690 \aftergroup\egroup
17691 \everyvbox{}}%
17692 \@RTLtrue
17693 \bgroup
17694 \aftergroup\egroup
17695 }\vbox}
17696 \protected\def\vboxL{\vbox\bgroup
17697 \everyvbox{%
17698 \aftergroup\egroup
17699 \everyvbox{}}%
17700 \@RTLfalse
17701 \bgroup
17702 \aftergroup\egroup
17703 }\vbox}
17704 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
17705 \def\endLTR{\par}
17706 \def\RTL{\par\@RTLtrue\@RTL@footnotettrue\hsize\linewidth\parshape\z@}
17707 \def\endRTL{\par}
17708 \def\setRTL{\@RTLtrue\@RTL@footnotettrue}
17709 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
17710 \let\unsetRTL=\setRTL
17711 \let\unsetLTR=\setLTR
17712 \let\LR=\LRE
17713 \let\RL=\RLE
17714 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
17715 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
17716 \let\@ensure@RL=\@ensure@RTL
17717 \let\@ensure@LR=\@ensure@LTR
17718 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
17719 \let\@ensure@maindir=\@ensure@dir
17720 \def\@@RTL{RTL}

```



```

17721 \def\@LTR{LTR}
17722 \def\save@dir{\ifRTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
17723 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi}
17724 \let\@TeX\TeX
17725 \def\TeX{\@ensure@LTR{\@TeX}}
17726 \def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
17727 \dimen@=\dp\@cclv \unvbox\@cclv % open up \box255
17728 \ifvoid\footins\else % footnote info is present
17729 \vskip\skip\footins
17730 \footnoterule
17731 \unvbox\footins\fi
17732 \ifr@ggedbottom \kern-\dimen@ \vfil \fi
17733 \ifvoid\@bidi@copyins@
17734 \else
17735 \vskip\skip\@bidi@copyins@
17736 \unvbox\@bidi@copyins@
17737 \fi
17738 }
17739 \long\def\bidi@reflect@box#1{%
17740 \leavevmode
17741 \setbox\z@\hbox{#1}}%
17742 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:gsstore
17743 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}}%
17744 }
17745 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
17746 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
17747 \let\setRL=\setRTL
17748 \let\setLR=\setLTR
17749 \let\unsetRL=\setLTR
17750 \let\bidi@saved@eqno=\eqno
17751 \let\bidi@saved@leqno=\leqno
17752 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
17753 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
17754 \def\centerline#1{\line{\hss\ifRTL\beginR\fi#1\ifRTL\endR\fi\hss}}
17755 \def\leftline#1{\line{\ifRTL\beginR\fi#1\ifRTL\endR\fi\hss}}
17756 \def\rightline#1{\line{\hss\ifRTL\beginR\fi#1\ifRTL\endR\fi}}

```

125 File pstricks-xetex-bidi.def

```

17757 \ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package]
17758 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
17759 \def\endpspicture{%
17760 \ifshowgrid\ifnum\showgridp@s>0
17761 \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
17762 \pst@killglue
17763 % \global\pst@shift=\pst@shift% in fact of the following endgroup
17764 \endgroup
17765 \egroup
17766 \ifdim\wd\pst@hbox=\z@\else
17767 %\@pstrickserr{Extraneous space in the pspicture environment}%
17768 %\Type \space <return> \space to proceed.}%
17769 \fi
17770 \ht\pst@hbox=\pst@dimd
17771 \dp\pst@hbox=-\pst@dimb

```



```

17772 \setbox\pst@hbox=\hbox{%
17773 \kern-\pst@dim
17774 % Orig version -----
17775 %\ifx\pst@tempa\@empty\else
17776 %\advance\pst@dimd-\pst@dim
17777 %\pst@dimd=\pst@tempa\pst@dim
17778 %\advance\pst@dimd\pst@dim
17779 %\lower\pst@dimd
17780 %\fi
17781 %----- end Orig
17782 \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}% shift=*
17783 \advance\pst@dimd-\pst@dim
17784 \pst@dimd=0.5\pst@dim
17785 \else\pst@dimd-\pst@shift\fi
17786 \advance\pst@dimd\pst@dim
17787 \lower\pst@dimd
17788 \box\pst@hbox
17789 \kern\pst@dimc}%
17790 \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
17791 \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
17792 \fboxsep=0pt
17793 \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
17794 \ifmmode\else\endL\fi
17795 \endgroup%
17796 \psset[pstricks]{shift=0}% reset value
17797 }

```

126 File quotchap-xetex-bidi.def

```

17798 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
17799 \renewcommand{\qauthor}[1]{%
17800 \par\smallskip
17801 {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\quad\hbox{}\par}\bigskip}
17802 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
17803 {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
17804 {\chapnumfont
17805 \ifnum \c@secnumdepth >\m@ne%
17806 \if@mainmatter\thechapter%
17807 \fi\fi
17808 \par\nobreak}}%
17809 {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi
17810 \nobreak\chapterheadendvskip}}
17811 \renewcommand*{\@iprintcites}{%
17812 \vbox to\z@{\leavevmode\copy\@quotebox\vss}
17813 \global\let\@printcites\relax}

```

127 File ragged2e-xetex-bidi.def

```

17814 \ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package]
17815 \renewcommand{\Centering}{%
17816 \ifx\\ \@raggedtwoe@savdcr
17817 \let\\ \@centercr
17818 \fi
17819 \let\@gnewline\@raggedtwoe@gnewline}

```



```

17820 \if@RTL\rightrightskip\else\leftskip\fi\CenteringLeftskip
17821 \@rightskip\CenteringRightskip
17822 \if@RTL\leftskip\else\rightskip\fi\@rightskip
17823 \parfillskip\CenteringParfillskip
17824 \parindent\CenteringParindent
17825 \@raggedtwo@spaceskiptrue
17826 \@raggedtwo@everyselectfont
17827 }
17828 \renewcommand{\RaggedLeft}{%
17829 \ifx\\ \@raggedtwo@savedcr
17830 \let\\ @centercr
17831 \fi
17832 \let@gnewline\@raggedtwo@gnewline
17833 \if@RTL\rightrightskip\else\leftskip\fi\RaggedLeftLeftskip
17834 \@rightskip\RaggedLeftRightskip
17835 \if@RTL\leftskip\else\rightskip\fi\@rightskip
17836 \parfillskip\RaggedLeftParfillskip
17837 \parindent\RaggedLeftParindent
17838 \@raggedtwo@spaceskiptrue
17839 \@raggedtwo@everyselectfont
17840 }
17841 \renewcommand{\RaggedRight}{%
17842 \ifx\\ \@raggedtwo@savedcr
17843 \let\\ @centercr
17844 \fi
17845 \let@gnewline\@raggedtwo@gnewline
17846 \if@RTL\rightrightskip\else\leftskip\fi\RaggedRightLeftskip
17847 \@rightskip\RaggedRightRightskip
17848 \if@RTL\leftskip\else\rightskip\fi\@rightskip
17849 \parfillskip\RaggedRightParfillskip
17850 \parindent\RaggedRightParindent
17851 \@raggedtwo@spaceskiptrue
17852 \@raggedtwo@everyselectfont
17853 }
17854 \renewcommand{\justifying}{%
17855 \let\\ \@raggedtwo@savedcr
17856 \let@gnewline\@raggedtwo@saved@gnewline
17857 \if@RTL\rightrightskip\else\leftskip\fi\z@
17858 \@rightskip\z@
17859 \if@RTL\leftskip\else\rightskip\fi\@rightskip
17860 \parfillskip\JustifyingParfillskip
17861 \parindent\JustifyingParindent
17862 \@raggedtwo@spaceskipfalse
17863 \@raggedtwo@everyselectfont
17864 }
17865 \def\@raggedtwo@raggedrightboxes@opt{%
17866 \renewcommand{\@arrayparboxrestore}{%
17867 \let\if@nbreak\iffalse
17868 \let\if@noskipsec\iffalse
17869 \let\par\@par
17870 \let\-\@dischyph
17871 \let'\@acci\let`\@accii\let\=\@acciii
17872 \parskip\z@skip
17873 \everypar{}}%

```



```

17874 \linewidth\hsize
17875 \@totalleftmargin\z@
17876 \if@RTL
17877 \RaggedLeft
17878 \else
17879 \RaggedRight
17880 \fi
17881 \lineskip\normallineskip
17882 \baselineskip\normalbaselineskip
17883 \sloppy}%
17884 \let\@raggedtwoe@raggedrightboxes@opt\relax
17885 }
17886 \def\@raggedtwoe@document@opt{%
17887 \AtBeginDocument{\@raggedtwoe@abdhook}%
17888 \@raggedtwoe@raggedrightboxes@opt
17889 \@raggedtwoe@footmisctrue
17890 \let\@raggedtwoe@document@opt\relax
17891 }
17892 \def\@raggedtwoe@abdhook{%
17893 \PackageInfo{ragged2e}{ABD: executing '\string\RaggedLeft' for
17894 right to left documents and '\string\RaggedRight' for left
17895 to right documents}%
17896 \if@RTL
17897 \RaggedLeft
17898 \else
17899 \RaggedRight
17900 \fi
17901 \@ifundefined{@tocrmarg}{\edef\@tocrmarg{\@tocrmarg plus 2em}}%
17902 \let\@raggedtwoe@abdhook\relax
17903 }
17904 \@ifpackagewith{ragged2e}{raggedrightboxes}{%
17905 \@raggedtwoe@raggedrightboxes@opt
17906 }{}
17907 \@ifpackagewith{ragged2e}{document}{%
17908 \@raggedtwoe@document@opt
17909 }{}
17910 \let\origin@RaggedLeft=\RaggedLeft
17911 \let\origin@RaggedRight=\RaggedRight
17912 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
17913 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

128 File rapport1-xetex-bidi.def

```

17914 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class f
17915 \renewenvironment{theindex}{%
17916 \if@twocolumn
17917 \@restonecolfalse
17918 \else
17919 \@restonecoltrue
17920 \fi
17921 \columnseprule \z@
17922 \columnsep 35\p@
17923 \twocolumn[\@makeschapterhead{\indexname}]%
17924 \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%

```



```

17925 \thispagestyle{plain}\parindent\z@
17926 \parskip\z@ \@plus .3\p@\relax
17927 \let\item\@idxitem
17928 }{%
17929 \if@restonecol\onecolumn\else\clearpage\fi}
17930 \renewcommand*\head@style{%
17931   \interlinepenalty \@M
17932   \hyphenpenalty=\@M \exhyphenpenalty=\@M
17933   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
17934 \if@titlepage
17935   \renewenvironment{abstract}{%
17936     \titlepage
17937     \null\vfil
17938     \section*{\SectFont\abstractname}%
17939     \noindent\ignorespaces}
17940   {\par\vfil\null\endtitlepage}
17941 \else
17942   \renewenvironment{abstract}{%
17943     \if@twocolumn
17944       \section*{\abstractname}%
17945     \else
17946       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
17947       \section*{\small\SectFont\abstractname}%
17948       \noindent\ignorespaces
17949     \fi}
17950   {\if@twocolumn\else\par\egroup\fi}
17951 \fi
17952 \renewcommand*\@regtocline[3]{%
17953   \ifnum #1>\c@tocdepth
17954   \else
17955     \vskip\z@\@plus.2\p@
17956     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
17957     \if@RTL\rightskip\else\leftskip\fi\unitindent
17958     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
17959     \parfillskip\z@
17960     \@tempdima\unitindent
17961     \parindent\z@
17962     \leavevmode
17963     \hbox{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
17964     \hskip 1em \nobreak{\slshape #3}\par
17965     }%
17966   \fi}
17967 \if@oldtoc
17968 \renewcommand*\l@part[2]{%
17969   \ifnum \c@tocdepth >-2\relax
17970     \addpenalty{-\@highpenalty}%
17971     \addvspace{2.25em \@plus\p@}%
17972     \begingroup
17973       \setlength\@tempdima{3em}%
17974       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
17975       \parfillskip -\@pnumwidth
17976       {\leavevmode
17977         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
17978       \nobreak

```



```

17979     \global\@nobeaktrue
17980     \everypar{\global\@nobeakfalse\everypar{}}%
17981   \endgroup
17982 \fi}
17983 \else
17984   \renewcommand*\l@part{%
17985     \ifnum \c@tocdepth >-2\relax
17986     \addpenalty{-\@highpenalty}%
17987     \addvspace{2.25em \@plus \p@}%
17988     \@regtocline{0}%
17989   \fi}
17990 \fi
17991 \if@oldtoc
17992 \renewcommand*\l@chapter[2]{%
17993   \addpenalty{-\@highpenalty}%
17994   \vskip 1.0em \@plus\p@
17995   \setlength\@tempdima{1.5em}%
17996   \begingroup
17997   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
17998   \parfillskip -\@pnumwidth
17999   \leavevmode \bfseries
18000   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
18001   \hskip -\if@RTL\rightskip\else\leftskip\fi
18002   #1\nobreak\hbfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
18003   \penalty\@highpenalty
18004   \endgroup}
18005 \else
18006   \renewcommand*\l@chapter{\@regtocline{0}}
18007 \fi
18008 \renewcommand*\left@footnoterule{%
18009   \kern-3\p@
18010   \kern.5\baselineskip
18011   \hrule\@width\unitindent
18012   \kern.4\baselineskip
18013 }
18014 \renewcommand*\right@footnoterule{%
18015   \kern-3\p@
18016   \kern.5\baselineskip
18017   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
18018   \kern.4\baselineskip}
18019 \renewenvironment{thebibliography}[1]
18020   {\chapter*{\bibname}%
18021     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
18022     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18023     \bidi@thebibliography@font@hook%
18024     \list{\@biblabel{\@arabic\c@enumiv}}%
18025       {\settowidth\labelwidth{\@biblabel{#1}}%
18026         \leftmargin\labelwidth
18027         \advance\leftmargin\labelsep
18028         \@openbib@code
18029         \usecounter{enumiv}%
18030         \let\p@enumiv\@empty
18031         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
18032     \sloppy\clubpenalty4000\widowpenalty4000%

```



```

18033     \sfcode`.\@m}
18034     {\def\@noitemerr
18035       {\@latex@warning{Empty `thebibliography' environment}}}%
18036     \endlist}
18037 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
18038 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
18039 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
18040 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
18041 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
18042 \renewcommand*\theequation{%
18043   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
18044 \renewcommand*\thefigure{%
18045   \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
18046 \renewcommand*\thetable{%
18047   \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
18048 \if@titlepage
18049 \renewcommand*\TitleFont{\rmfamily}
18050 \renewcommand*\maketitle{%
18051   \begin{titlepage}%
18052     \let\footnotesize\small
18053     \let\right@footnoterule\relax
18054     \let\left@footnoterule\relax
18055     \let\textwidth@footnoterule\relax
18056     \let \footnote \thanks
18057     \long\def\@makefnitem##1{\parindent\z@
18058       \def\labelitemi{\textendash}\@revlabeltrue
18059       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
18060     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
18061     \if@compatibility\setcounter{page}{0}\fi
18062     \null\vfil
18063     \vskip 60\p@
18064     \begin{center}%
18065       \TitleFont
18066       {\LARGE \def\{\{\penalty -\@M}
18067         \if@allcaps
18068           \expandafter\uc@nothanks\@title\thanks\relax
18069         \else
18070           \@title
18071           \fi\par}%
18072       \vskip 3em%
18073       {\large
18074         \lineskip .75em \parindent\z@
18075         \begin{tabular}[t]{c}%
18076           \if@allcaps
18077             \expandafter\uc@authornothanks\@author\and\relax
18078           \else
18079             \@author
18080           \fi
18081         \end{tabular}\par}%
18082       \vskip 1.5em%
18083       {\large
18084         \if@allcaps
18085           \uppercase\expandafter{\@date}%
18086         \else

```



```

18087         \@date
18088         \fi\par}%
18089     \end{center}\par
18090     \@thanks
18091     \vfil\null
18092 \end{titlepage}%
18093 \setcounter{footnote}{0}%
18094 \global\let\thanks\relax
18095 \global\let\maketitle\relax
18096 \global\let\@thanks\@empty
18097 \global\let\@author\@empty
18098 \global\let\@title\@empty
18099 \global\let\@date\@empty
18100 \global\let\title\relax
18101 \global\let\author\relax
18102 \global\let\date\relax
18103 \global\let\and\relax
18104 }
18105 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
18106 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
18107     \futurelet\@tempa\uc@ax}
18108 \def\uc@ax{%
18109     \ifx\@tempa\relax
18110     \else
18111         \\\andname \\\expandafter\uc@authornothanks
18112     \fi}
18113 \def\uc@tx{\ifx\@tempa\relax
18114     \else \expandafter\uc@ty \fi}
18115 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
18116 \else
18117 \renewcommand*\maketitle{\par
18118     \begingroup
18119     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
18120     \def\@makefnmark{\rlap{%
18121         \@textsuperscript{\normalfont\@thefnmark}}}%
18122     \long\def\@makefntext{\@xmakefntext{%
18123         \@textsuperscript{\normalfont\@thefnmark}}}%
18124     \if@twocolumn
18125         \ifnum \col@number=\@one
18126             \@maketitle
18127         \else
18128             \twocolumn[\@maketitle]%
18129         \fi
18130     \else
18131         \newpage
18132         \global\@topnum\z@
18133         \@maketitle
18134     \fi
18135     \thispagestyle{plain}\@thanks
18136 \endgroup
18137 \setcounter{footnote}{0}%
18138 \global\let\thanks\relax
18139 \global\let\maketitle\relax
18140 \global\let\@maketitle\relax

```



```

18141 \global\let\@thanks\@empty
18142 \global\let\@author\@empty
18143 \global\let\@title\@empty
18144 \global\let\@date\@empty
18145 \global\let\title\relax
18146 \global\let\author\relax
18147 \global\let\date\relax
18148 \global\let\and\relax
18149 }
18150 \def\@maketitle{%
18151 \newpage
18152 \null
18153 \vskip 2em%
18154 \begin{center}%
18155 \let \footnote \thanks
18156 {\LARGE \TitleFont \@title \par}%
18157 \vskip 1.5em%
18158 {\large \TitleFont
18159 \lineskip .5em%
18160 \begin{tabular}[t]{c}%
18161 \@author
18162 \end{tabular}\par}%
18163 \vskip 1em%
18164 {\large \TitleFont \@date}%
18165 \end{center}%
18166 \par
18167 \vskip 1.5em}
18168 \fi

```

129 File rapport3-xetex-bidi.def

```

18169 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class f
18170 \renewenvironment{theindex}{%
18171 \if@twocolumn
18172 \@restonecolfalse
18173 \else
18174 \@restonecoltrue
18175 \fi
18176 \columnseprule \z@
18177 \columnsep 35\p@
18178 \twocolumn[\@makeschapterhead{\indexname}]%
18179 \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
18180 \thispagestyle{plain}\parindent\z@
18181 \parskip\z@ \@plus .3\p@\relax
18182 \let\item\@idxitem
18183 }{%
18184 \if@restonecol\onecolumn\else\clearpage\fi}
18185 \if@titlepage
18186 \renewcommand*\TitleFont{\rmfamily}
18187 \renewcommand*\maketitle{%
18188 \begin{titlepage}%
18189 \let\footnotesize\small
18190 \let\right@footnoterule\relax
18191 \let\left@footnoterule\relax

```



```

18192 \let\textwidth@footnoterule\relax
18193 \let \footnote \thanks
18194 \let \LTRfootnote \LTRthanks
18195 \let \RTLfootnote \RTLthanks
18196 \long\def\@makefntext##1{\parindent\z@
18197 \def\labelitemi{\textendash}\@revlabeltrue
18198 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
18199 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
18200 \ifcompatibility\setcounter{page}{0}\fi
18201 \null\vfil
18202 \vskip 60\p@
18203 \begin{center}%
18204 \TitleFont
18205 {\LARGE \def\{\penalty -\@M}
18206 \if@allcaps
18207 \expandafter\uc@nothanks\@title\thanks\relax
18208 \else
18209 \@title
18210 \fi\par}%
18211 \vskip 3em%
18212 {\large
18213 \lineskip .75em \parindent\z@
18214 \begin{tabular}[t]{c}%
18215 \if@allcaps
18216 \expandafter\uc@authornothanks\@author\and\relax
18217 \else
18218 \@author
18219 \fi
18220 \end{tabular}\par}%
18221 \vskip 1.5em%
18222 {\large
18223 \if@allcaps
18224 \uppercase\expandafter{\@date}%
18225 \else
18226 \@date
18227 \fi\par}%
18228 \end{center}\par
18229 \@thanks
18230 \vfil\null
18231 \end{titlepage}%
18232 \setcounter{footnote}{0}%
18233 \global\let\thanks\relax
18234 \global\let\LTRthanks\relax
18235 \global\let\RTLthanks\relax
18236 \global\let\maketitle\relax
18237 \global\let\@thanks\@empty
18238 \global\let\@author\@empty
18239 \global\let\@title\@empty
18240 \global\let\@date\@empty
18241 \global\let\title\relax
18242 \global\let\author\relax
18243 \global\let\date\relax
18244 \global\let\and\relax
18245 }

```



```

18246 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
18247 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
18248     \futurelet\@tempa\uc@ax}
18249 \def\uc@ax{%
18250     \ifx\@tempa\relax
18251     \else
18252         \ \andname \ \expandafter\uc@authornothanks
18253     \fi}
18254 \def\uc@tx{\ifx\@tempa\relax
18255     \else \expandafter\uc@ty \fi}
18256 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
18257 \else
18258 \renewcommand*\maketitle{\par
18259     \begingroup
18260     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
18261     \def\@makefnmark{\rlap{%
18262         \@textsuperscript{\normalfont\@thefnmark}}}%
18263     \long\def\@makefntext{\@xmakefntext{%
18264         \@textsuperscript{\normalfont\@thefnmark}}}%
18265     \if@twocolumn
18266         \ifnum \col@number=\@ne
18267             \@maketitle
18268         \else
18269             \twocolumn[\@maketitle]%
18270         \fi
18271     \else
18272         \newpage
18273         \global\@topnum\z@
18274         \@maketitle
18275     \fi
18276     \thispagestyle{plain}\@thanks
18277 \endgroup
18278 \setcounter{footnote}{0}%
18279 \global\let\thanks\relax
18280 \global\let\LTRthanks\relax
18281 \global\let\RTLthanks\relax
18282 \global\let\maketitle\relax
18283 \global\let\@maketitle\relax
18284 \global\let\@thanks\@empty
18285 \global\let\@author\@empty
18286 \global\let\@title\@empty
18287 \global\let\@date\@empty
18288 \global\let\title\relax
18289 \global\let\author\relax
18290 \global\let\date\relax
18291 \global\let\and\relax
18292 }
18293 \def\@maketitle{%
18294     \newpage
18295     \null
18296     \vskip 2em%
18297 \if@titlecentered
18298     \begin{center}%
18299     \let \footnote \thanks

```



```

18300 \let \LTRfootnote \LTRthanks
18301 \let \RTLfootnote \RTLthanks
18302 {\LARGE \TitleFont \@title \par}%
18303 \vskip 1.5em%
18304 {\large \TitleFont
18305 \lineskip .5em%
18306 \begin{tabular}[t]{c}%
18307 \@author
18308 \end{tabular}\par}%
18309 \vskip 1em%
18310 {\large \TitleFont \@date}%
18311 \end{center}%
18312 \else
18313 {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
18314 {\large \TitleFont \lineskip .5em \tabcolsep\z@
18315 \def\and{%% \begin{tabular} has already started
18316 \end{tabular}\hskip 1em plus .17fil
18317 \ifRTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabu
18318 \ifRTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\
18319 \vskip 1em {\large \TitleFont \@date}
18320 \fi
18321 \par
18322 \vskip 1.5em}
18323 \fi
18324 \renewcommand*\@regtocline[3]{%
18325 \ifnum #1>\c@tocdepth
18326 \else
18327 \vskip\z@\@plus.2\p@
18328 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
18329 \ifRTL\rightskip\else\leftskip\fi\unitindent
18330 \ifRTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
18331 \parfillskip\z@
18332 \@tempdima\unitindent
18333 \parindent\z@
18334 \leavevmode
18335 \hbox{} \hskip -\ifRTL\rightskip\else\leftskip\fi\relax#2\nobreak
18336 \hskip 1em \nobreak{\slshape #3}\par
18337 }%
18338 \fi}
18339 \if@oldtoc
18340 \renewcommand*\l@part[2]{%
18341 \ifnum \c@tocdepth >-2\relax
18342 \addpenalty{-\@highpenalty}%
18343 \addvspace{2.25em \@plus\p@}%
18344 \begingroup
18345 \setlength\@tempdima{3em}%
18346 \parindent \z@ \ifRTL\leftskip\else\rightskip\fi \@pnumwidth
18347 \parfillskip -\@pnumwidth
18348 {\leavevmode
18349 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
18350 \nobreak
18351 \global\@nobreaktrue
18352 \everypar{\global\@nobreakfalse\everypar{}}%
18353 \endgroup

```



```

18354 \fi}
18355 \else
18356 \renewcommand*\l@part{%
18357 \ifnum \c@tocdepth >-2\relax
18358 \addpenalty{-\@highpenalty}%
18359 \addvspace{2.25em \@plus \p@}%
18360 \@regtocline{0}%
18361 \fi}
18362 \fi
18363 \if@oldtoc
18364 \renewcommand*\l@chapter[2]{%
18365 \addpenalty{-\@highpenalty}%
18366 \vskip 1.0em \@plus\p@
18367 \setlength\@tempdima{1.5em}%
18368 \begingroup
18369 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
18370 \parfillskip -\@pnumwidth
18371 \leavevmode \bfseries
18372 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
18373 \hskip -\if@RTL\rightskip\else\leftskip\fi
18374 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
18375 \penalty\@highpenalty
18376 \endgroup}
18377 \else
18378 \renewcommand*\l@chapter{\@regtocline{0}}
18379 \fi
18380 \renewcommand*\head@style{%
18381 \interlinepenalty \@M
18382 \hyphenpenalty=\@M \exhyphenpenalty=\@M
18383 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
18384 \if@titlepage
18385 \renewenvironment{abstract}{%
18386 \titlepage
18387 \null\vfil
18388 \section*{\SectFont\abstractname}%
18389 \noindent\ignorespaces}
18390 {\par\vfil\null\endtitlepage}
18391 \else
18392 \renewenvironment{abstract}{%
18393 \if@twocolumn
18394 \section*{\abstractname}%
18395 \else
18396 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
18397 \section*{\small\SectFont\abstractname}%
18398 \noindent\ignorespaces
18399 \fi}
18400 {\if@twocolumn\else\par\egroup\fi}
18401 \fi
18402 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
18403 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
18404 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
18405 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
18406 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
18407 \renewcommand*\thefigure{%

```



```

18408 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
18409 \renewcommand*\thetable{%
18410 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
18411 \renewcommand*\theequation{%
18412 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
18413 \renewenvironment{thebibliography}[1]
18414     {\chapter*{\bibname}%
18415      \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
18416      \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
18417      \bidi@thebibliography@font@hook%
18418      \list{\@biblabel{\@arabic\c@enumiv}}%
18419           {\settowidth\labelwidth{\@biblabel{#1}}%
18420            \leftmargin\labelwidth
18421            \advance\leftmargin\labelsep
18422            \@openbib@code
18423            \usecounter{enumiv}%
18424            \let\p@enumiv\@empty
18425            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
18426      \sloppy\clubpenalty4000\widowpenalty4000%
18427      \sfcode`..\@m}
18428      {\def\@noitemerr
18429       {\@latex@warning{Empty `thebibliography' environment}}}%
18430      \endlist}
18431 \renewcommand*\left@footnoterule{%
18432  \kern-3\p@
18433  \kern.5\baselineskip
18434  \hrule\@width\unitindent
18435  \kern.4\baselineskip
18436 }
18437 \renewcommand*\right@footnoterule{%
18438  \kern-3\p@
18439  \kern.5\baselineskip
18440  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
18441  \kern.4\baselineskip}
18442 \renewcommand*\head@style{%
18443  \interlinepenalty \@M
18444  \hyphenpenalty=\@M \exhyphenpenalty=\@M
18445  \ifRTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

130 File refrep-xetex-bidi.def

```

18446 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for X
18447 \if@titlepage
18448 \renewcommand\maketitle{\begin{titlepage}%
18449 \let\footnotesize\small
18450 \let\right@footnoterule\relax
18451 \let\left@footnoterule\relax
18452 \let\textwidth@footnoterule\relax
18453 \let\footnote\thanks
18454 \let\LTRfootnote\LTRthanks
18455 \let\RTLfootnote\RTLthanks
18456 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
18457 \def\@makefnmark%
18458     {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%

```



```

18459 \long\def\@makefntext##1{%
18460     \@setpar{\@par
18461         \@tempdima = \hsize
18462         \advance\@tempdima -1em
18463         \parshape \@ne 1em \@tempdima}%
18464     \par\parindent 1em \noindent
18465     \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
18466 \null\vfil
18467 \vskip 60\p@
18468 \begin{center}%
18469     {\LARGE \@title \par}%
18470     \vskip 3em%
18471     {\large
18472     \lineskip .75em%
18473     \begin{tabular}[t]{c}%
18474         \@author
18475     \end{tabular}\par}%
18476     \vskip 1.5em%
18477     {\large \@date \par}%           % Set date in \large size.
18478 \end{center}\par
18479 \@thanks
18480 \vfil\null
18481 \end{titlepage}%
18482 \setcounter{footnote}{0}%
18483 \global\let\thanks\relax
18484 \global\let\LTRthanks\relax
18485 \global\let\RTLthanks\relax
18486 \global\let\maketitle\relax
18487 \global\let\@thanks\@empty
18488 \global\let\@author\@empty
18489 \global\let\@date\@empty
18490 \global\let\@title\@empty
18491 \global\let\title\relax
18492 \global\let\author\relax
18493 \global\let\date\relax
18494 \global\let\and\relax
18495 }
18496 \else
18497 \renewcommand\maketitle{\par
18498     \begingroup
18499     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
18500     \def\@makefnmark%
18501         {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
18502     \long\def\@makefntext##1{%
18503         \@setpar{\@par
18504             \@tempdima = \hsize
18505             \advance\@tempdima -1em
18506             \parshape \@ne 1em \@tempdima}%
18507         \par\parindent 1em \noindent
18508         \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
18509     \if@twocolumn
18510         \ifnum \col@number=\@ne
18511             \@maketitle
18512         \else

```



```

18513         \twocolumn[\@maketitle]%
18514     \fi
18515     \else
18516         \newpage
18517         \global\@topnum\z@    % Prevents figures from going at top of page.
18518         \@maketitle
18519     \fi
18520     \thispagestyle{empty}\@thanks
18521 \endgroup
18522 \setcounter{footnote}{0}%
18523 \global\let\thanks\relax
18524 \global\let\LTRthanks\relax
18525 \global\let\RTLthanks\relax
18526 \global\let\maketitle\relax
18527 \global\let\@maketitle\relax
18528 \global\let\@thanks\@empty
18529 \global\let\@author\@empty
18530 \global\let\@date\@empty
18531 \global\let\@title\@empty
18532 \global\let\title\relax
18533 \global\let\author\relax
18534 \global\let\date\relax
18535 \global\let\and\relax
18536 }
18537 \def\@maketitle{%
18538     \newpage
18539     \null
18540     \longthickrule\vskip1.5em%
18541     \let \footnote \thanks
18542     \let \LTRfootnote \LTRthanks
18543     \let \RTLfootnote \RTLthanks
18544     {\secshape \parskip\z@ \parindent\z@
18545     \Large\bfseries \@title \par}%
18546     \vskip1.5em\longthickrule\vskip1.5em%
18547     {\normalsize
18548     \lineskip .5em%
18549     \begin{flushright}%
18550         {\slshape\@author\par}
18551         \vskip 1em%
18552         {\@date}%
18553     \end{flushright}\par}%
18554     \vskip 1.5em}
18555 \fi
18556 \renewcommand*\l@part[2]{%
18557     \ifnum \c@tocdepth >-2\relax
18558         \addpenalty{-\@highpenalty}%
18559         \addvspace{2.25em \@plus\p}%
18560     \begingroup
18561         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
18562         \parfillskip -\@pnumwidth
18563         {\leavevmode
18564         \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
18565         \nobreak
18566         \global\@nobreaktrue

```



```

18567         \everypar{\global\@nobeakfalse\everypar{}}%
18568     \endgroup
18569 \fi}
18570 \renewcommand*\l@chapter[2]{%
18571     \ifnum \c@tocdepth >\m@ne
18572         \addpenalty{-\@highpenalty}%
18573         \vskip 1.0em \@plus\p@
18574         \setlength\@tempdima{1.5em}%
18575         \begingroup
18576         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
18577         \parfillskip -\@pnumwidth
18578         \leavevmode \bfseries
18579         \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
18580         \hskip -\if@RTL\rightskip\else\leftskip\fi
18581         #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
18582         \penalty\@highpenalty
18583     \endgroup
18584 \fi}
18585 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
18586     \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
18587     \hyphenpenalty=2000}
18588 \renewcommand\left@footnoterule{%
18589     \kern-3\p@
18590     \hrule\@width.4\columnwidth
18591     \kern 2.6\p@}
18592 \renewcommand\right@footnoterule{%
18593     \kern-3\p@
18594     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
18595     \kern2.6\p@}
18596 \renewcommand\theequation
18597 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
18598 \renewcommand\thefigure
18599     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
18600 \renewcommand\thetable%
18601     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
18602 \renewcommand\thesection     {\thechapter\@SepMark\@arabic\c@section}
18603 \renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
18604 \renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
18605 \renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
18606 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
18607 \renewenvironment{thebibliography}[1]
18608     {\chapter*\bibname
18609         \@mkboth{\bibname}{\bibname}}%
18610     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18611     \bidi@thebibliography@font@hook%
18612     \list{\@biblabel{\@arabic\c@enumiv}}%
18613         {\settowidth\labelwidth{\@biblabel{#1}}%
18614         \leftmargin\labelwidth
18615         \advance\leftmargin\labelsep
18616         \openbib@code
18617         \usecounter{enumiv}}%
18618         \let\p@enumiv\@empty
18619         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
18620     \sloppy

```



```

18621         \clubpenalty4000
18622         \@clubpenalty \clubpenalty
18623         \widowpenalty4000%
18624     \sfcode`.\.=\@m}
18625     {\def\@noitemerr
18626       {\@latex@warning{Empty `thebibliography' environment}}}%
18627     \endlist}

```

131 File report-xetex-bidi.def

```

18628 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report cl
18629 \renewenvironment{theindex}
18630     {\if@twocolumn
18631       \@restonecolfalse
18632       \else
18633         \@restonecoltrue
18634       \fi
18635       \columnseprule \z@
18636       \columnsep 35\p@
18637       \twocolumn[\@makeschapterhead{\indexname}]%
18638       \@mkboth{\MakeUppercase\indexname}%
18639               {\MakeUppercase\indexname}%
18640       \thispagestyle{plain}\parindent\z@
18641       \parskip\z@ \@plus .3\p@\relax
18642       \let\item\@idxitem}
18643     {\if@restonecol\onecolumn\else\clearpage\fi}
18644 \if@titlepage
18645 \renewcommand\maketitle{\begin{titlepage}%
18646 \let\footnotesize\small
18647 \let\right@footnoterule\relax
18648 \let\left@footnoterule\relax
18649 \let\textwidth@footnoterule\relax
18650 \let \footnote \thanks
18651 \let \LTRfootnote \LTRthanks
18652 \let \RTLfootnote \RTLthanks
18653 \null\vfil
18654 \vskip 60\p@
18655 \begin{center}%
18656   {\LARGE \@title \par}%
18657   \vskip 3em%
18658   {\large
18659     \lineskip .75em%
18660     \begin{tabular}[t]{c}%
18661       \@author
18662     \end{tabular}\par}%
18663     \vskip 1.5em%
18664     {\large \@date \par}%           % Set date in \large size.
18665 \end{center}\par
18666 \@thanks
18667 \vfil\null
18668 \end{titlepage}%
18669 \setcounter{footnote}{0}%
18670 \global\let\thanks\relax
18671 \global\let\LTRthanks\relax

```



```

18672 \global\let\RTLthanks\relax
18673 \global\let\maketitle\relax
18674 \global\let\@thanks\@empty
18675 \global\let\@author\@empty
18676 \global\let\@date\@empty
18677 \global\let\@title\@empty
18678 \global\let\title\relax
18679 \global\let\author\relax
18680 \global\let\date\relax
18681 \global\let\and\relax
18682 }
18683 \else
18684 \renewcommand\maketitle{\par
18685 \begingroup
18686 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
18687 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
18688 \long\def\@makefntext##1{\parindent 1em\noindent
18689 \hb@xt@1.8em{%
18690 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
18691 \iftwocolumn
18692 \ifnum \col@number=\@ne
18693 \@maketitle
18694 \else
18695 \twocolumn[\@maketitle]%
18696 \fi
18697 \else
18698 \newpage
18699 \global\@topnum\z@ % Prevents figures from going at top of page.
18700 \@maketitle
18701 \fi
18702 \thispagestyle{plain}\@thanks
18703 \endgroup
18704 \setcounter{footnote}{0}%
18705 \global\let\thanks\relax
18706 \global\let\LTRthanks\relax
18707 \global\let\RTLthanks\relax
18708 \global\let\maketitle\relax
18709 \global\let\@maketitle\relax
18710 \global\let\@thanks\@empty
18711 \global\let\@author\@empty
18712 \global\let\@date\@empty
18713 \global\let\@title\@empty
18714 \global\let\title\relax
18715 \global\let\author\relax
18716 \global\let\date\relax
18717 \global\let\and\relax
18718 }
18719 \def\@maketitle{%
18720 \newpage
18721 \null
18722 \vskip 2em%
18723 \begin{center}%
18724 \let \footnote \thanks
18725 \let \LTRfootnote \LTRthanks

```



```

18726 \let \RTLfootnote \RTLthanks
18727     {\LARGE \@title \par}%
18728     \vskip 1.5em%
18729     {\large
18730      \lineskip .5em%
18731      \begin{tabular}[t]{c}%
18732        \@author
18733      \end{tabular}\par}%
18734     \vskip 1em%
18735     {\large \@date}%
18736 \end{center}%
18737 \par
18738 \vskip 1.5em}
18739 \fi
18740 \renewcommand*\l@part[2]{%
18741   \ifnum \c@tocdepth >-2\relax
18742     \addpenalty{-\@highpenalty}%
18743     \addvspace{2.25em \@plus\p@}%
18744     \setlength\@tempdima{3em}%
18745     \begingroup
18746     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
18747     \parfillskip -\@pnumwidth
18748     {\leavevmode
18749      \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
18750     \nobreak
18751     \global\@nobreaktrue
18752     \everypar{\global\@nobreakfalse\everypar{}}%
18753     \endgroup
18754   \fi}
18755 \renewcommand*\l@chapter[2]{%
18756   \ifnum \c@tocdepth >\m@ne
18757     \addpenalty{-\@highpenalty}%
18758     \vskip 1.0em \@plus\p@
18759     \setlength\@tempdima{1.5em}%
18760     \begingroup
18761     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
18762     \parfillskip -\@pnumwidth
18763     \leavevmode \bfseries
18764     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
18765     \hskip -\if@RTL\rightskip\else\leftskip\fi
18766     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
18767     \penalty\@highpenalty
18768     \endgroup
18769   \fi}
18770 \renewcommand\left@footnoterule{%
18771   \kern-3\p@
18772   \hrule\@width.4\columnwidth
18773   \kern2.6\p@}
18774 \renewcommand\right@footnoterule{%
18775   \kern-3\p@
18776   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
18777   \kern2.6\p@}
18778 \renewcommand\theequation
18779   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}

```



```

18780 \renewcommand \thefigure
18781     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
18782 \renewcommand \thetable
18783     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
18784 \renewcommand \thechapter {\@arabic\c@chapter}
18785 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
18786 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
18787 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
18788 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
18789 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
18790 \def\@makechapterhead#1{%
18791     \vspace*{50\p@}%
18792     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
18793         \ifnum \c@secnumdepth >\m@ne
18794             \huge\bfseries \@chapapp\space \thechapter
18795             \par\nobreak
18796             \vskip 20\p@
18797         \fi
18798         \interlinepenalty\@M
18799         \Huge \bfseries #1\par\nobreak
18800         \vskip 40\p@
18801     }}
18802 \def\@makeschapterhead#1{%
18803     \vspace*{50\p@}%
18804     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
18805         \normalfont
18806         \interlinepenalty\@M
18807         \Huge \bfseries #1\par\nobreak
18808         \vskip 40\p@
18809     }}
18810 \renewenvironment{thebibliography}[1]
18811     {\chapter*{\bibname}%
18812         \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
18813         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18814         \bidi@thebibliography@font@hook%
18815         \list{\@biblabel{\@arabic\c@enumiv}}%
18816             {\settowidth\labelwidth{\@biblabel{#1}}%
18817             \leftmargin\labelwidth
18818             \advance\leftmargin\labelsep
18819             \@openbib@code
18820             \usecounter{enumiv}%
18821             \let\p@enumiv\@empty
18822             \renewcommand\theenumiv{\@arabic\c@enumiv}}%
18823     \sloppy
18824     \clubpenalty4000
18825     \@clubpenalty \clubpenalty
18826     \widowpenalty4000%
18827     \sfcode\.\@m}
18828 {\def\@noitemerr
18829     {\@latex@warning{Empty `thebibliography' environment}}%
18830     \endlist}

```

132 File rotating-xetex-bidi.def



```

18831 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
18832 \def\end@rotfloat{%
18833   \end{minipage}\end{lrbox}%
18834   \stepcounter{r@tfl@t}%
18835   \rot@label{RF\ther@tfl@t}%
18836   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
18837   \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
18838   \rot@mess@toks\expandafter{\@tempa}
18839   \wd\rot@float@box\z@
18840   \ht\rot@float@box\z@
18841   \dp\rot@float@box\z@
18842   \vboxL to \textheight{%
18843     \setkeys{Grot}{units=360}%
18844     \if@rot@twoside
18845     \else
18846       \let\R@@page\rot@LR
18847     \fi
18848     \ifthenelse{\isodd{\R@@page}}{%
18849       \if@rot@twoside
18850         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
18851       \fi
18852       \vfill
18853       \@@line{%
18854         \hskip\rotFPtop
18855         \rotatebox{90}{\box\rot@float@box}%
18856         \hskip\rotFPbot
18857       }%
18858     }{%
18859       \if@rot@twoside
18860         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
18861       \fi
18862       \@@line{%
18863         \hskip\rotFPbot
18864         \rotatebox{-90}{\box\rot@float@box}%
18865         \hskip\rotFPtop
18866       }%
18867       \vfill
18868     }%
18869     \rot@message{\the\rot@mess@toks}
18870   }%
18871 \end@float
18872 }
18873 \let\endsidewaysfigure\end@rotfloat
18874 \let\endsidewaysstable\end@rotfloat
18875 \def\end@rotdblfloat{%
18876   \end{minipage}\end{lrbox}%
18877   \stepcounter{r@tfl@t}%
18878   \rot@label{RF\ther@tfl@t}%
18879   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
18880   \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
18881   \rot@mess@toks\expandafter{\@tempa}
18882   \@tempdima\ht\rot@float@box
18883   \advance\@tempdima by \dp\rot@float@box
18884   \wd\rot@float@box\z@

```



```

18885 \ht\rot@float@box\z@
18886 \dp\rot@float@box\z@
18887 \vboxL to \textheight{%
18888   \setkeys{Grot}{units=360}%
18889   \if@rot@twoside
18890   \else
18891     \let\R@@page\rot@LR
18892   \fi
18893   \ifthenelse{\isodd{\R@@page}}{%
18894     \ifrot@messages
18895       \if@rot@twoside
18896     \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
18897 \fi
18898   \fi
18899   \vfill
18900   \@@line{%
18901     \hskip\rotFPtop
18902     \rotatebox{90}{\box\rot@float@box}%
18903     \hskip\rotFPbot
18904   }%
18905 }{%
18906   \ifrot@messages
18907     \if@rot@twoside
18908   \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
18909 \fi
18910   \fi%
18911   \@@line{%
18912     \hskip\rotFPbot
18913     \rotatebox{-90}{\box\rot@float@box}%
18914     \hskip\rotFPtop
18915   }%
18916   \vfill
18917 }%
18918 \rot@message{\the\rot@mess@toks}%
18919 }%
18920 \end@dblfloat
18921 }
18922 \def\turn#1{%
18923   \Grot@setangle{#1}%
18924   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
18925 \def\endturn{%
18926   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
18927   \unskip\color@endbox
18928   \Grot@x\z@
18929   \Grot@y\z@
18930   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
18931 }
18932 \def\rotate#1{%
18933   \Grot@setangle{#1}%
18934   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
18935 \def\endrotate{%
18936   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
18937   \unskip\color@endbox
18938   \Grot@x\z@

```



```

18939 \Grot@y\z@
18940 \wd0\z@\dp0\z@\ht0\z@
18941 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
18942 }
18943 \def\turnbox#1#2{%
18944 \Grot@setangle{#1}%
18945 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi\fi}
18946 \Grot@x\z@\Grot@y\z@
18947 \wd0\z@\dp0\z@\ht0\z@
18948 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
18949 }
18950 \def\sideways{%
18951 \Grot@setangle{90}%
18952 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
18953 \def\endsideways{%
18954 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
18955 \unskip\color@endbox
18956 \Grot@x\z@
18957 \Grot@y\z@
18958 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
18959 }

```

133 File `scrartcl-xetex-bidi.def`

```

18960 \ProvidesFile{scrartcl-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrartcl class f
18961 \newcommand{\scr@saved@LTRfootnotetext}{}
18962 \newcommand{\scr@saved@RTLfootnotetext}{}
18963 \let\scr@saved@footnotetext\@footnotetext
18964 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
18965 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
18966 \renewcommand{\@footnotetext}[1]{%
18967 \scr@saved@footnotetext{#1}%
18968 \csname FN@mfb@prepare\endcsname
18969 }
18970 \renewcommand{\@LTRfootnotetext}[1]{%
18971 \scr@saved@LTRfootnotetext{#1}%
18972 \csname FN@mfb@prepare\endcsname
18973 }
18974 \renewcommand{\@RTLfootnotetext}[1]{%
18975 \scr@saved@RTLfootnotetext{#1}%
18976 \csname FN@mfb@prepare\endcsname
18977 }
18978 \renewcommand\deffootnote[4][1]{%
18979 \expandafter\ifnum\scr@v@is@ge{3.22}\relax
18980 \long\def\@makefntext##1{%
18981 \ExecuteDoHook{footnote/text/begin}%
18982 \raggedfootnote
18983 \if@RTL
18984 \rightskip
18985 \else
18986 \leftskip
18987 \fi
18988 #2
18989 \l@addto@macro\@trivlist{%

```



```

18990     \ifnum\@listdepth=\@ne
18991     \if@RTL
18992         \advance\rightmargin #2\relax
18993     \else
18994         \advance\leftmargin #2\relax
18995     \fi
18996 \fi
18997 }%
18998 \parindent #3\noindent
18999 \IfArgIsEmpty{#1}{}%
19000     \hskip \dimexpr #1-#2\relax
19001 }%
19002 \ftn@font\hbox to \z@\{\hss\@makefnmark}##1%
19003 \ExecuteDoHook{footnote/text/end}%
19004 }%
19005 \else
19006 \ClassInfo{\KOMAClassName}{%
19007     Using old \string\@makefnmark\space due to compatibility
19008     level\MessageBreak
19009     less than 3.22}%
19010 \long\def\@makefnmark##1{%
19011     \setlength{\@tempdimc}{#3}%
19012     \def\@tempa{#1}\ifx\@tempa\@empty
19013         \@setpar{\@par
19014             \@tempdima = \hspace
19015             \addtolength{\@tempdima}{-#2}%
19016             \if@RTL
19017                 \parshape \@ne \z@ \@tempdima
19018             \else
19019                 \parshape \@ne #2 \@tempdima
19020             \fi}%
19021     \else
19022         \addtolength{\@tempdimc}{#2}%
19023         \addtolength{\@tempdimc}{-#1}%
19024         \@setpar{\@par
19025             \@tempdima = \hspace
19026             \addtolength{\@tempdima}{-#1}%
19027             \@tempdimb = \hspace
19028             \addtolength{\@tempdimb}{-#2}%
19029             \if@RTL
19030                 \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
19031             \else
19032                 \parshape \tw@ #1 \@tempdima #2 \@tempdimb
19033             \fi
19034         }%
19035     \fi
19036 \par
19037 \parindent\@tempdimc\noindent
19038 \ftn@font\hbox to \z@\{\hss\@makefnmark}##1%
19039 }%
19040 \fi
19041 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
19042 }
19043 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}

```



```

19044 \renewcommand*\left@footnoterule{%
19045 \normalsize\ftn@rule@test@values
19046 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
19047 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
19048 {\usekomafont{footnoterule}{%
19049 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
19050 \kern 2.6\p@}
19051 \renewcommand*\right@footnoterule{%
19052 \normalsize\ftn@rule@test@values
19053 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
19054 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
19055 {\usekomafont{footnoterule}{%
19056 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
19057 \kern 2.6\p@}
19058 \renewcommand*\maketitle[1][1]{%
19059 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
19060 \else
19061 \def\and{%
19062 \end{tabular}%
19063 \hskip 1em \@plus.17fil%
19064 \begin{tabular}[t]{c}%
19065 }%
19066 \fi
19067 \if@titlepage
19068 \begin{titlepage}
19069 \setcounter{page}{%
19070 #1%
19071 }%
19072 \if@titlepageiscoverpage
19073 \edef\tITLEPAGE@restore{%
19074 \noexpand\endgroup
19075 \noexpand\global\noexpand\@colht\the\@colht
19076 \noexpand\global\noexpand\@colroom\the\@colroom
19077 \noexpand\global\vsizethe\vsizethe
19078 \noexpand\global\noexpand\@titlepageiscoverpagefalse
19079 \noexpand\let\noexpand\tITLEPAGE@restore\noexpand\relax
19080 }%
19081 \begingroup
19082 \topmargin=\dimexpr \coverpagetopmargin-1in\relax
19083 \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
19084 \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
19085 \textwidth=\dimexpr
19086 \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
19087 \textheight=\dimexpr
19088 \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
19089 \headheight=0pt
19090 \headsep=0pt
19091 \footskip=\baselineskip
19092 \@colht=\textheight
19093 \@colroom=\textheight
19094 \vsizethe\textheight
19095 \columnwidth=\textwidth
19096 \hsizethe\columnwidth
19097 \linewidth=\hsizethe

```



```

19098 \else
19099 \let\titlepage@restore\relax
19100 \fi
19101 \let\footnotesize\small
19102 \let\right@footnoterule\relax
19103 \let\left@footnoterule\relax
19104 \let\textwidth@footnoterule\relax
19105 \let\footnote\thanks
19106 \let\LTRfootnote\LTRthanks
19107 \let\RTLfootnote\RTLthanks
19108 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19109 \let\@oldmakefnmark\@makefnmark
19110 \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
19111 \ifx\@extratitle\@empty
19112 \ifx\@frontispiece\@empty
19113 \else
19114 \if@twoside\mbox{}\next@tpage\fi
19115 \noindent\@frontispiece\next@tdpage
19116 \fi
19117 \else
19118 \noindent\@extratitle
19119 \ifx\@frontispiece\@empty
19120 \else
19121 \next@tpage
19122 \noindent\@frontispiece
19123 \fi
19124 \next@tdpage
19125 \fi
19126 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
19127 \ifx\@titlehead\@empty \else
19128 \begin{minipage}[t]{\textwidth}%
19129 \usekomafont{titlehead}{\@titlehead\par}%
19130 \end{minipage}\par
19131 \fi
19132 \null\vfill
19133 \begin{center}
19134 \ifx\@subject\@empty \else
19135 {\usekomafont{subject}{\@subject\par}}%
19136 \vskip 3em
19137 \fi
19138 {\usekomafont{title}{\huge \@title\par}}%
19139 \vskip 1em
19140 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
19141 \vskip 2em
19142 {%
19143 \usekomafont{author}{%
19144 \lineskip 0.75em
19145 \begin{tabular}[t]{c}
19146 \@author
19147 \end{tabular}\par
19148 }%
19149 }%
19150 \vskip 1.5em
19151 {\usekomafont{date}{\@date \par}}%

```



```

19152     \vskip \z@ \@plus3fill
19153     {\usekomafont{publishers}{\@publishers \par}}%
19154     \vskip 3em
19155 \end{center}\par
19156 \@thanks\global\let\@thanks\@empty
19157 \vfill\null
19158 \if@twoside
19159     \@tempwatruer
19160     \expandafter\ifnum \@nameuse{scr@v03.12}>\scr@compatibility\relax
19161     \else
19162         \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
19163             \@tempwafalse
19164         \fi\fi
19165     \fi
19166     \if@tempswa
19167         \next@tpage
19168         \begin{minipage}[t]{\textwidth}
19169             \@uppertitleback
19170         \end{minipage}\par
19171         \vfill
19172         \begin{minipage}[b]{\textwidth}
19173             \@lowertitleback
19174         \end{minipage}\par
19175         \@thanks\global\let\@thanks\@empty
19176     \fi
19177 \else
19178     \ifx\@uppertitleback\@empty\else
19179         \ClassWarning{\KOMAClassName}{%
19180             non empty \string\uppertitleback\space ignored
19181             by \string\maketitle\MessageBreak
19182             in `twoside=false' mode%
19183         }%
19184     \fi
19185     \ifx\@lowertitleback\@empty\else
19186         \ClassWarning{\KOMAClassName}{%
19187             non empty \string\lowertitleback\space ignored
19188             by \string\maketitle\MessageBreak
19189             in `twoside=false' mode%
19190         }%
19191     \fi
19192 \fi
19193 \ifx\@dedication\@empty
19194 \else
19195     \next@tdpage\null\vfill
19196     {\centering\usekomafont{dedication}{\@dedication \par}}%
19197     \vskip \z@ \@plus3fill
19198     \@thanks\global\let\@thanks\@empty
19199     \cleardoubleemptypage
19200 \fi
19201 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
19202 \end{titlepage}
19203 \else
19204     \par
19205     \@tempcnta=%

```



```

19206 #1%
19207 \relax\ifnum \@tempcnta=1\else
19208 \ClassWarning{\KOMAClassName}{%
19209 Optional argument of \string\maketitle\space ignored\MessageBreak
19210 in `titlepage=false' mode%
19211 }%
19212 \fi
19213 \ifx \@uppertitleback \@empty\else
19214 \ClassWarning{\KOMAClassName}{%
19215 non empty \string\uppertitleback\space ignored
19216 by \string\maketitle\MessageBreak
19217 in `titlepage=false' mode%
19218 }%
19219 \fi
19220 \ifx \@lowertitleback \@empty\else
19221 \ClassWarning{\KOMAClassName}{%
19222 non empty \string\lowertitleback\space ignored
19223 by \string\maketitle\MessageBreak
19224 in `titlepage=false' mode%
19225 }%
19226 \fi
19227 \beginingroup
19228 \let\titlepage@restore\relax
19229 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19230 \let\@oldmakefnmark\@makefnmark
19231 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
19232 \next@tdpage
19233 \if@twocolumn
19234 \ifnum \col@number=\@one
19235 \ifx \@extratitle \@empty
19236 \ifx \@frontispiece \@empty\else\if@twoside\mbox{}\fi\fi
19237 \else
19238 \@makeextratitle
19239 \fi
19240 \ifx \@frontispiece \@empty
19241 \ifx \@extratitle \@empty\else\next@tdpage\fi
19242 \else
19243 \next@tpage
19244 \@makefrontispiece
19245 \next@tdpage
19246 \fi
19247 \@maketitle
19248 \else
19249 \ifx \@extratitle \@empty
19250 \ifx \@frontispiece \@empty\else\if@twoside\mbox{}\fi\fi
19251 \else
19252 \twocolumn[\@makeextratitle]%
19253 \fi
19254 \ifx \@frontispiece \@empty
19255 \ifx \@extratitle \@empty\else\next@tdpage\fi
19256 \else
19257 \next@tpage
19258 \twocolumn[\@makefrontispiece]%
19259 \next@tdpage

```



```

19260         \fi
19261         \twocolumn[\@maketitle]%
19262     \fi
19263 \else
19264     \ifx\@extratitle\@empty
19265     \ifx\@frontispiece\@empty\else \mbox{}\fi
19266     \else
19267     \@makeextratitle
19268     \fi
19269     \ifx\@frontispiece\@empty
19270     \ifx\@extratitle\@empty\else\next@tdpage\fi
19271     \else
19272     \next@tpage
19273     \@makefrontispiece
19274     \next@tdpage
19275     \fi
19276     \@maketitle
19277     \fi
19278     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
19279     \@thanks\global\let\@thanks\@empty
19280 \endgroup
19281 \fi
19282 \setcounter{footnote}{0}%
19283 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
19284     \let\thanks\relax
19285     \let\LTRthanks\relax
19286     \let\RTLthanks\relax
19287     \let\maketitle\relax
19288     \let\@maketitle\relax
19289     \global\let\@thanks\@empty
19290     \global\let\@author\@empty
19291     \global\let\@date\@empty
19292     \global\let\@title\@empty
19293     \global\let\@subtitle\@empty
19294     \global\let\@extratitle\@empty
19295     \global\let\@frontispiece\@empty
19296     \global\let\@titlehead\@empty
19297     \global\let\@subject\@empty
19298     \global\let\@publishers\@empty
19299     \global\let\@uppertitleback\@empty
19300     \global\let\@lowertitleback\@empty
19301     \global\let\@dedication\@empty
19302     \global\let\author\relax
19303     \global\let\title\relax
19304     \global\let\extratitle\relax
19305     \global\let\titlehead\relax
19306     \global\let\subject\relax
19307     \global\let\publishers\relax
19308     \global\let\uppertitleback\relax
19309     \global\let\lowertitleback\relax
19310     \global\let\dedication\relax
19311     \global\let\date\relax
19312 \fi
19313 \global\let\and\relax

```



```

19314 }%
19315 \def\raggedsection{\ifRTL\raggedleft\else\raggedright\fi}
19316 \def\raggedpart{\ifRTL\raggedleft\else\raggedright\fi}
19317 \renewcommand*{\autodot{\if@altsecnumformat\@SepMark\fi}
19318 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
19319 \renewcommand*{\thesubsubsection}{%
19320 \thesubsection\@SepMark\@arabic\c@subsubsection
19321 }
19322 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
19323 \renewcommand*{\thesubparagraph}{%
19324 \theparagraph\@SepMark\@arabic\c@subparagraph
19325 }
19326 \renewenvironment{thebibliography}[1]{%
19327 \if@bib@break@
19328 \bib@beginhook
19329 \else
19330 \bib@heading
19331 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
19332 \noindent\bibpreamble\par\nobreak
19333 \fi\fi
19334 \bib@beginhook
19335 \bib@before@hook
19336 \fi
19337 \renewcommand{\BreakBibliography}[1]{%
19338 \@bib@break
19339 \end{thebibliography}%
19340 \begingroup ##1\endgroup
19341 \begin{thebibliography}{#1}
19342 }%
19343 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
19344 \bidi@thebibliography@font@hook%
19345 \list{
19346 \@biblabel{\@arabic\c@enumiv}%
19347 }{
19348 \settowidth\labelwidth{\@biblabel{#1}}%
19349 \leftmargin\labelwidth
19350 \advance\leftmargin\labelsep
19351 \@openbib@code
19352 \if@bib@break@
19353 \edef\@tempa{%
19354 \noexpand\usecounter{enumiv}%
19355 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
19356 }\@tempa
19357 \no@bib@break
19358 \else
19359 \usecounter{enumiv}%
19360 \fi
19361 \let\p@enumiv\@empty
19362 \renewcommand*{\theenumiv}{\@arabic\c@enumiv}%
19363 }%
19364 \sloppy\clubpenalty4000 \widowpenalty4000
19365 \sfcode`\.=\@m
19366 }{
19367 \if@bib@break@

```



```

19368 \def\@noitemerr{%
19369 \@latex@warning{%
19370 \string\BreakBibliography\space at begin of `thebibliography'
19371 environment\MessageBreak
19372 or following \string\BreakBibliography}%
19373 }%
19374 \else
19375 \def\@noitemerr{%
19376 \@latex@warning{%
19377 Empty `thebibliography' environment or
19378 \string\BreakBibliography\MessageBreak
19379 before end of `thebibliography' environment}%
19380 }%
19381 \fi
19382 \endlist
19383 \if@bib@break@
19384 \else
19385 \bib@after@hook
19386 \let\bib@before@hook\@empty
19387 \let\bib@after@hook\@empty
19388 \fi
19389 \bib@endhook
19390 }
19391 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
19392 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
19393 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
19394 \renewcommand\marginline[1]{%
19395 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
19396 }
19397 \renewcommand{\@makecaption}[3]{%
19398 \cap@margin
19399 \begingroup
19400 \ifonelinecaptions
19401 \def\stepcounter##1{\advance\value{##1}\@ne}%
19402 \let\refstepcounter\stepcounter
19403 \let\label\@gobble
19404 \let\@footnotetext=\@gobble
19405 \let\@LTRfootnotetext=\@gobble
19406 \let\@RTLfootnotetext=\@gobble
19407 \let\hypertarget\@gobbletwo
19408 \edef\@xnewline{%
19409 \unexpanded{\ClassInfo{\KOMAClassName}}{%
19410 Workaround for not recommended usage of \string\ or\MessageBreak
19411 \string\newline in caption text
19412 }%
19413 \hspace*{\linewidth}\hspace{1sp}%
19414 }%
19415 \unexpanded\expandafter{\@xnewline}%
19416 }%
19417 \edef\@xcentercr{%
19418 \unexpanded{\ClassInfo{\KOMAClassName}}{%
19419 Workaround for not recommended usage of \string\ or\MessageBreak
19420 \string\newline in caption text
19421 }%

```



```

19422         \hspace*{\linewidth}\hspace{1sp}%
19423     }%
19424     \unexpanded\expandafter{\@xcentercr}%
19425 }%
19426 \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
19427 \ifdim\@tempdima>\cap@width
19428     \aftergroup\scr@makemultilinecaption
19429 \else
19430     \aftergroup\scr@makesinglelinecaption
19431 \fi
19432 \else
19433     \aftergroup\scr@makemultilinecaption
19434 \fi
19435 \endgroup
19436 {#1}{#2}{#3}%
19437 }
19438 \renewcommand{\scr@makesinglelinecaption}[3]{%
19439 {%
19440     \usefontofkomafont{caption}{%
19441         \hb@xt@{\hsizel%
19442             \cap@left
19443             \if@RTL
19444                 \beginR
19445                 \fi
19446             \scr@makesinglelinecaption{#1}{#2}{#3}%
19447             \if@RTL
19448                 \endR
19449             \fi
19450             \cap@right
19451         }\par\kern\dp\strutbox%
19452     }%
19453 } \kern-\dp\strutbox
19454 }
19455 \renewcommand{\@makecaption}[2]{%
19456 \if@captionabove
19457     \vskip\belowcaptionskip
19458 \else
19459     \vskip\abovecaptionskip
19460 \fi
19461 \@@makecaption\@firstofone{#1}{#2}%
19462 \if@captionabove
19463     \vskip\abovecaptionskip
19464 \else
19465     \vskip\belowcaptionskip
19466 \fi
19467 }
19468
19469 \renewcommand{\scr@makesinglelinecaption}[3]{%
19470     {\usekomafont{caption}{\strut\ignorespaces
19471         #1{\usekomafont{captionlabel}{#2\captionformat}}}%
19472         \ignorespaces #3\unskip}}%
19473 }
19474
19475 \renewcommand{\scr@makemultilinecaption}[3]{%

```



```

19476 {%
19477   \usefontofkomafont{caption}{%
19478     \hb@xt@\hsize{%
19479       \cap@left
19480       \vbox{\hsize\cap@width\linewidth\hsize
19481         \scr@ifundefinedorrelax{@capttype}{%
19482           \ClassWarning{\KOMAClassName}{%
19483             `string\caption' outside float.\MessageBreak
19484             Seems you are using `string\caption' outside a
19485             float.\MessageBreak
19486             Maybe you are using a package that uses
19487             `string\@makecaption'\MessageBreak
19488             without setting `string\@capttype' before.\MessageBreak
19489             Because I cannot detect the caption type, I'm using\MessageBreak
19490             the empty one.%
19491           }%
19492           \let\@capttype\@empty
19493         }{}%
19494         \scr@ifundefinedorrelax{ragged\@capttype caption}{\raggedcaption}{%
19495           \@nameuse{ragged\@capttype caption}%
19496         }%
19497         \ifdofullc@p
19498           \@hangfrom{%
19499             \strut
19500             \scr@smashdp{%
19501               #1{%
19502                 \usekomafont{caption}{%
19503                   \usekomafont{captionlabel}{#2\captionformat}%
19504                 }%
19505               }%
19506             }%
19507           }%
19508           {\usekomafont{caption}{#3\scr@endstrut}}\par}%
19509         \else
19510           \ifdim\cap@indent<\z@
19511             \strut
19512             #1{%
19513               {\usekomafont{caption}{%
19514                 \usekomafont{captionlabel}{#2\captionformat}%
19515               }%
19516             }\par}%
19517           \noindent{\usekomafont{caption}{%
19518             \hspace*{-\cap@indent}#3\scr@endstrut
19519           }}\par}%
19520         \else
19521           \if@capbreak
19522             \strut
19523             #1{%
19524               {\usekomafont{caption}{%
19525                 \usekomafont{captionlabel}{#2\captionformat}%
19526               }%
19527             }\par}%
19528           \noindent\@hangfrom{\hspace*{\cap@indent}}%
19529           {\usekomafont{caption}{#3\scr@endstrut}}\par}%

```



```

19530         \else
19531         \changefrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
19532         {%
19533         \hspace{-\cap@indent}%
19534         \scr@smashdp{%
19535         #1{\usekomafont{caption}}{%
19536         \usekomafont{captionlabel}{#2\captionformat}%
19537         }%
19538         }%
19539         }%
19540         {\usekomafont{caption}{#3\scr@endstrut}}\par}%
19541     }%
19542     \fi
19543     \fi
19544     \fi
19545     }%
19546     \cap@right
19547     }\par\kern\dp\strutbox
19548     }%
19549     }\kern-\dp\strutbox
19550 }
19551
19552 \bidi@AfterFile{longtable-xetex-bidi.def}{%
19553 \if@komalongtable
19554 \renewcommand{\LT@makecaption}[3]{%
19555 \noalign{%
19556 \if@captionabove
19557 \vskip\belowcaptionskip
19558 \else
19559 \vskip\abovecaptionskip
19560 \fi
19561 }%
19562 \LT@mcol\LT@cols c{%
19563 \hbox to\z@{\hss\parbox[t]\linewidth{%
19564 \def\@capytype{table}%
19565 \@makecaption{#1}{#2}{#3}%
19566 \endgraf
19567 \if@captionabove
19568 \vskip\abovecaptionskip
19569 \else
19570 \vskip\belowcaptionskip
19571 \fi
19572 }%
19573 \hss
19574 }%
19575 }%
19576 }%
19577 \renewcommand*{\scr@LT@array}{}%
19578 \let\scr@LT@array=\LT@array
19579 \renewcommand*{\LT@array}{%
19580 \let\scr@caption=\LT@caption
19581 \def\captionabove{\noalign{\global\@captionabovetrue}%
19582 \scr@caption}%
19583 \def\captionbelow{\noalign{\global\@captionabovetrue}%

```



```

19584     \scr@caption}%
19585     \if@tablecaptionabove
19586     \let\LT@caption=\captionabove
19587     \else
19588     \let\LT@caption=\captionbelow
19589     \fi
19590     \scr@LT@array
19591     }%
19592     \ClassInfo{\KOMAClassName}{%
19593     longtable captions redefined%
19594     }%
19595     \fi
19596 }
19597
19598 \CloneTOCEntryStyle{tocline}{part}
19599 \TOCEntryStyleStartInitCode{part}{%
19600 \expandafter\renewcommand%
19601 \csname scr@tso@#1@linefill\endcsname{\hfill}%
19602 \expandafter\renewcommand%
19603 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
19604 \expandafter\renewcommand%
19605 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
19606   {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
19607 \expandafter\renewcommand\expandafter*%
19608 \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
19609 }
19610
19611 \CloneTOCEntryStyle{tocline}{section}
19612 \TOCEntryStyleStartInitCode{section}{%
19613 \expandafter\renewcommand%
19614 \csname scr@tso@#1@linefill\endcsname{%
19615   \if@sectionentrywithdots
19616     {\usekomafont{sectionentrydots}{\TOCLineLeaderFill}}\relax
19617   \else
19618     \hfill
19619   \fi
19620 }%
19621 \expandafter\renewcommand%
19622 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
19623 \expandafter\renewcommand%
19624 \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{
19625 \expandafter\renewcommand\expandafter*%
19626 \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
19627 }
19628
19629 \CloneTOCEntryStyle{tocline}{subsection}
19630 \TOCEntryStyleStartInitCode{subsection}{%
19631 \expandafter\renewcommand%
19632 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
19633 \expandafter\renewcommand%
19634 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
19635   {\normalfont\normalcolor ##1}}%
19636 }
19637

```



```

19638 \CloneTOCEntryStyle{subsection}{default}
19639
19640 \DeclareSectionCommand[%
19641   style=section,%
19642   level=1,%
19643   indent=\z@,%
19644   beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
19645   afterskip=2.3ex \@plus .2ex,%
19646   tocstyle=section,%
19647   tocindent=0pt,%
19648   tocnumwidth=1.5em%
19649 ]{section}
19650 \DeclareSectionCommand[%
19651   style=part,%
19652   level=\z@,%
19653   tocstyle=part,%
19654   toplevel=\m@ne,%
19655   tocindent=\z@,%
19656   tocnumwidth=2em%
19657 ]{part}
19658 \DeclareSectionCommand[%
19659   style=section,%
19660   level=2,%
19661   indent=\z@,%
19662   beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
19663   afterskip=1.5ex \@plus .2ex,%
19664   tocstyle=subsection,%
19665   tocindent=1.5em,%
19666   tocnumwidth=2.3em%
19667 ]{subsection}
19668 \DeclareSectionCommand[%
19669   style=section,%
19670   level=3,%
19671   indent=\z@,%
19672   beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
19673   afterskip=1.5ex \@plus .2ex,%
19674   tocstyle=subsection,%
19675   tocindent=3.8em,%
19676   tocnumwidth=3.2em%
19677 ]{subsubsection}
19678 \DeclareSectionCommand[%
19679   style=section,%
19680   level=4,%
19681   indent=\z@,%
19682   beforekip=3.25ex \@plus 1ex \@minus .2ex,%
19683   afterskip=-1em,%
19684   tocstyle=subsection,%
19685   tocindentfollows=subsubsection,%
19686   tocindent=7.0em,%
19687   tocnumwidth=4.1em%
19688 ]{paragraph}
19689 \DeclareSectionCommand[%
19690   style=section,%
19691   level=5,%

```



```

19692 indent=\scr@parindent,%
19693 beforekip=3.25ex \@plus1ex \@minus .2ex,%
19694 afterskip=-1em,%
19695 tocstyle=subsection,%
19696 tocindent=10em,%
19697 tocnumwidth=5em%
19698 ]{subparagraph}

```

134 File scrbook-xetex-bidi.def

```

19699 \ProvidesFile{scrbook-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrbook class for
19700 \newcommand{\scr@saved@LTRfootnotetext}{}
19701 \newcommand{\scr@saved@RTLfootnotetext}{}
19702 \let\scr@saved@footnotetext\@footnotetext
19703 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
19704 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
19705 \renewcommand{\@footnotetext}[1]{%
19706   \scr@saved@footnotetext{#1}%
19707   \csname FN@mfb@prepare\endcsname
19708 }
19709 \renewcommand{\@LTRfootnotetext}[1]{%
19710   \scr@saved@LTRfootnotetext{#1}%
19711   \csname FN@mfb@prepare\endcsname
19712 }
19713 \renewcommand{\@RTLfootnotetext}[1]{%
19714   \scr@saved@RTLfootnotetext{#1}%
19715   \csname FN@mfb@prepare\endcsname
19716 }
19717 \renewcommand\deffootnote[4][1]{%
19718   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
19719     \long\def\@makefntext##1{%
19720       \ExecuteDoHook{footnote/text/begin}%
19721       \raggedfootnote
19722       \if@RTL
19723         \rightskip
19724       \else
19725         \leftskip
19726       \fi
19727       #2
19728       \l@addto@macro\@trivlist{%
19729         \ifnum\@listdepth=\@ne\advance
19730           \if@RTL
19731             \rightmargin #2\relax
19732           \else
19733             \leftmargin #2\relax
19734           \fi
19735         \fi
19736       }%
19737       \parindent #3\noindent
19738       \IfArgIsEmpty{#1}{}{%
19739         \hskip \dimexpr #1-#2\relax
19740       }%
19741       \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
19742       \ExecuteDoHook{footnote/text/end}%

```



```

19743 }%
19744 \else
19745 \ClassInfo{\KOMAClassName}{%
19746 Using old \string\@makefntext\space due to compatibility
19747 level\MessageBreak
19748 less than 3.22}%
19749 \long\def\@makefntext##1{%
19750 \setlength{\@tempdimc}{#3}%
19751 \def\@tempa{#1}\ifx\@tempa\@empty
19752 \setpar{\@par
19753 \@tempdima = \hspace
19754 \addtolength{\@tempdima}{-#2}%
19755 \if@RTL
19756 \parshape \@ne \z@ \@tempdima
19757 \else
19758 \parshape \@ne #2 \@tempdima
19759 \fi
19760 }%
19761 \else
19762 \addtolength{\@tempdimc}{#2}%
19763 \addtolength{\@tempdimc}{-#1}%
19764 \setpar{\@par
19765 \@tempdima = \hspace
19766 \addtolength{\@tempdima}{-#1}%
19767 \@tempdimb = \hspace
19768 \addtolength{\@tempdimb}{-#2}%
19769 \if@RTL
19770 \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
19771 \else
19772 \parshape \tw@ #1 \@tempdima #2 \@tempdimb
19773 \fi
19774 }%
19775 \fi
19776 \par
19777 \parindent\@tempdimc\noindent
19778 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
19779 }%
19780 \fi
19781 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
19782 }
19783 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
19784 \renewcommand*\left@footnoterule{%
19785 \normalsize\ftn@rule@test@values
19786 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
19787 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
19788 {\usekomafont{footnoterule}{%
19789 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
19790 \kern 2.6\p@}
19791 \renewcommand*\right@footnoterule{%
19792 \normalsize\ftn@rule@test@values
19793 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
19794 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
19795 {\usekomafont{footnoterule}{%
19796 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\

```



```

19797 \kern 2.6\p@}
19798 \renewcommand*\maketitle[1][1]{%
19799 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
19800 \else
19801 \def\and{%
19802 \end{tabular}%
19803 \hskip 1em \@plus.17fil%
19804 \begin{tabular}[t]{c}%
19805 }%
19806 \fi
19807 \if@titlepage
19808 \begin{titlepage}
19809 \setcounter{page}{%
19810 #1%
19811 }%
19812 \if@titlepageiscoverpage
19813 \edef\tITLEPAGE@restore{%
19814 \noexpand\endgroup
19815 \noexpand\global\noexpand\@colht\the\@colht
19816 \noexpand\global\noexpand\@colroom\the\@colroom
19817 \noexpand\global\vsizethe\vsizethe
19818 \noexpand\global\noexpand\@titlepageiscoverpagefalse
19819 \noexpand\let\noexpand\tITLEPAGE@restore\noexpand\relax
19820 }%
19821 \begingroup
19822 \topmargin=\dimexpr \coverpagetopmargin-1in\relax
19823 \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
19824 \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
19825 \textwidth=\dimexpr
19826 \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
19827 \textheight=\dimexpr
19828 \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
19829 \headheight=0pt
19830 \headsep=0pt
19831 \footskip=\baselineskip
19832 \@colht=\textheight
19833 \@colroom=\textheight
19834 \vsizethe\textheight
19835 \columnwidth=\textwidth
19836 \hsizethe\columnwidth
19837 \linewidth=\hsizethe
19838 \else
19839 \let\tITLEPAGE@restore\relax
19840 \fi
19841 \let\footnotesize\small
19842 \let\right@footnoterule\relax
19843 \let\left@footnoterule\relax
19844 \let\textwidth@footnoterule\relax
19845 \let\footnote\thanks
19846 \let\LTRfootnote\LTRthanks
19847 \let\RTLfootnote\RTLthanks
19848 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19849 \let\@oldmakefnmark\@makefnmark
19850 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%

```



```

19851 \ifx\@extratitle\@empty
19852 \ifx\@frontispiece\@empty
19853 \else
19854 \if@twoside\mbox{}\next@tpage\fi
19855 \noindent\@frontispiece\next@tdpage
19856 \fi
19857 \else
19858 \noindent\@extratitle
19859 \ifx\@frontispiece\@empty
19860 \else
19861 \next@tpage
19862 \noindent\@frontispiece
19863 \fi
19864 \next@tdpage
19865 \fi
19866 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
19867 \ifx\@titlehead\@empty \else
19868 \begin{minipage}[t]{\textwidth}%
19869 \usekomafont{titlehead}{\@titlehead\par}%
19870 \end{minipage}\par
19871 \fi
19872 \null\vfill
19873 \begin{center}
19874 \ifx\@subject\@empty \else
19875 {\usekomafont{subject}{\@subject\par}}%
19876 \vskip 3em
19877 \fi
19878 {\usekomafont{title}{\huge \@title\par}}%
19879 \vskip 1em
19880 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
19881 \vskip 2em
19882 {%
19883 \usekomafont{author}{%
19884 \lineskip 0.75em
19885 \begin{tabular}[t]{c}
19886 \@author
19887 \end{tabular}\par
19888 }%
19889 }%
19890 \vskip 1.5em
19891 {\usekomafont{date}{\@date \par}}%
19892 \vskip \z@ \@plus3fill
19893 {\usekomafont{publishers}{\@publishers \par}}%
19894 \vskip 3em
19895 \end{center}\par
19896 \@thanks\global\let\@thanks\@empty
19897 \vfill\null
19898 \if@twoside
19899 \@tempwattrue
19900 \expandafter\ifnum \@nameuse{scr@v@3.12}>\scr@compatibility\relax
19901 \else
19902 \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
19903 \@tempwafalse
19904 \fi\fi

```



```

19905     \fi
19906     \if@tempswa
19907         \next@tpage
19908         \begin{minipage}[t]{\textwidth}
19909             \uppertitleback
19910         \end{minipage}\par
19911         \vfill
19912         \begin{minipage}[b]{\textwidth}
19913             \lowertitleback
19914         \end{minipage}\par
19915         \@thanks\global\let\@thanks\@empty
19916     \fi
19917 \else
19918     \ifx\@uppertitleback\@empty\else
19919         \ClassWarning{\KOMAClassName}{%
19920             non empty \string\uppertitleback\space ignored
19921             by \string\maketitle\MessageBreak
19922             in `twoside=false' mode%
19923         }%
19924     \fi
19925     \ifx\@lowertitleback\@empty\else
19926         \ClassWarning{\KOMAClassName}{%
19927             non empty \string\lowertitleback\space ignored
19928             by \string\maketitle\MessageBreak
19929             in `twoside=false' mode%
19930         }%
19931     \fi
19932 \fi
19933 \ifx\@dedication\@empty
19934 \else
19935     \next@tdpage\null\vfill
19936     {\centering\usekomafont{dedication}{\@dedication \par}}%
19937     \vskip \z@ \@plus3fill
19938     \@thanks\global\let\@thanks\@empty
19939     \cleardoubleemptypage
19940 \fi
19941     \ifx\titlename@restore\relax\else\clearpage\titlename@restore\fi
19942 \end{titlepage}
19943 \else
19944     \par
19945     \@tempcnta=%
19946     #1%
19947     \relax\ifnum\@tempcnta=1\else
19948         \ClassWarning{\KOMAClassName}{%
19949             Optional argument of \string\maketitle\space ignored\MessageBreak
19950             in `titlepage=false' mode%
19951         }%
19952     \fi
19953     \ifx\@uppertitleback\@empty\else
19954         \ClassWarning{\KOMAClassName}{%
19955             non empty \string\uppertitleback\space ignored
19956             by \string\maketitle\MessageBreak
19957             in `titlepage=false' mode%
19958         }%

```



```

19959 \fi
19960 \ifx\@lowertitleback\@empty\else
19961 \ClassWarning{\KOMAClassName}{%
19962 non empty \string\lowertitleback\space ignored
19963 by \string\maketitle\MessageBreak
19964 in `titlepage=false' mode%
19965 }%
19966 \fi
19967 \begingroup
19968 \let\titlepage\restore\relax
19969 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19970 \let\@oldmakefnmark\@makefnmark
19971 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
19972 \next@tdpage
19973 \if@twocolumn
19974 \ifnum \col@number=\@ne
19975 \ifx\@extratitle\@empty
19976 \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
19977 \else
19978 \@makeextratitle
19979 \fi
19980 \ifx\@frontispiece\@empty
19981 \ifx\@extratitle\@empty\else\next@tdpage\fi
19982 \else
19983 \next@tpage
19984 \@makefrontispiece
19985 \next@tdpage
19986 \fi
19987 \@maketitle
19988 \else
19989 \ifx\@extratitle\@empty
19990 \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
19991 \else
19992 \twocolumn[\@makeextratitle]%
19993 \fi
19994 \ifx\@frontispiece\@empty
19995 \ifx\@extratitle\@empty\else\next@tdpage\fi
19996 \else
19997 \next@tpage
19998 \twocolumn[\@makefrontispiece]%
19999 \next@tdpage
20000 \fi
20001 \twocolumn[\@maketitle]%
20002 \fi
20003 \else
20004 \ifx\@extratitle\@empty
20005 \ifx\@frontispiece\@empty\else \mbox{}\fi
20006 \else
20007 \@makeextratitle
20008 \fi
20009 \ifx\@frontispiece\@empty
20010 \ifx\@extratitle\@empty\else\next@tdpage\fi
20011 \else
20012 \next@tpage

```



```

20013         \@makefrontispiece
20014         \next@tdpage
20015         \fi
20016         \@maketitle
20017         \fi
20018         \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
20019         \@thanks\global\let\@thanks\@empty
20020     \endgroup
20021 \fi
20022 \setcounter{footnote}{0}%
20023 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
20024     \let\thanks\relax
20025     \let\LTRthanks\relax
20026     \let\RTLthanks\relax
20027     \let\maketitle\relax
20028     \let\@maketitle\relax
20029     \global\let\@thanks\@empty
20030     \global\let\@author\@empty
20031     \global\let\@date\@empty
20032     \global\let\@title\@empty
20033     \global\let\@subtitle\@empty
20034     \global\let\@extratitle\@empty
20035     \global\let\@frontispiece\@empty
20036     \global\let\@titlehead\@empty
20037     \global\let\@subject\@empty
20038     \global\let\@publishers\@empty
20039     \global\let\@uppertitleback\@empty
20040     \global\let\@lowertitleback\@empty
20041     \global\let\@dedication\@empty
20042     \global\let\author\relax
20043     \global\let\title\relax
20044     \global\let\extratitle\relax
20045     \global\let\titlehead\relax
20046     \global\let\subject\relax
20047     \global\let\publishers\relax
20048     \global\let\uppertitleback\relax
20049     \global\let\lowertitleback\relax
20050     \global\let\dedication\relax
20051     \global\let\date\relax
20052 \fi
20053 \global\let\and\relax
20054 }%
20055 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
20056 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
20057 \renewcommand*\thesection{%
20058     \expandafter\ifnum\scr@v@is@gt{2.97d}%
20059         \if@mainmatter\thechapter\@SepMark\fi
20060     \else
20061         \thechapter\@SepMark%
20062     \fi
20063     \@arabic\c@section
20064 }
20065 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
20066 \renewcommand*{\thesubsubsection}{%

```



```

20067 \thesubsection\@SepMark\@arabic\c@subsubsection
20068 }
20069 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
20070 \renewcommand*\thesubparagraph{-%
20071 \theparagraph\@SepMark\@arabic\c@subparagraph
20072 }
20073 \expandafter\ifnum\scr@v@is@le{2.97d}%
20074 \renewcommand*\thefigure{\thechapter\@SepMark\@arabic\c@figure}
20075 \fi
20076 \expandafter\ifnum\scr@v@is@le{2.97d}%
20077 \renewcommand*\thetable{\thechapter\@SepMark\@arabic\c@table}
20078 \fi
20079 \renewcommand*\theequation{-%
20080 \expandafter\ifnum\scr@v@is@gt{2.97d}%
20081 \if@mainmatter\thechapter\@SepMark\fi
20082 \else
20083 \thechapter\@SepMark%
20084 \fi
20085 \@arabic\c@equation
20086 }
20087 \renewenvironment{thebibliography}[1]{-%
20088 \if@bib@break@
20089 \bib@beginhook
20090 \else
20091 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
20092 \setchapterpreamble{\bibpreamble}%
20093 \fi\fi
20094 \bib@heading
20095 \bib@beginhook
20096 \bib@before@hook
20097 \fi
20098 \renewcommand{\BreakBibliography}[1]{-%
20099 \@bib@break
20100 \end{thebibliography}%
20101 \begingroup ##1\endgroup
20102 \begin{thebibliography}{#1}
20103 }%
20104 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
20105 \bidi@thebibliography@font@hook%
20106 \list{-%
20107 \@biblabel{\@arabic\c@enumiv}%
20108 }{-%
20109 \settowidth\labelwidth{\@biblabel{#1}}%
20110 \leftmargin\labelwidth
20111 \advance\leftmargin\labelsep
20112 \@openbib@code
20113 \if@bib@break@
20114 \edef@tempa{-%
20115 \noexpand\usecounter{enumiv}%
20116 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
20117 }\@tempa
20118 \no@bib@break
20119 \else
20120 \usecounter{enumiv}%

```



```

20121 \fi
20122 \let\p@enumiv\@empty
20123 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
20124 }%
20125 \sloppy\clubpenalty4000 \widowpenalty4000
20126 \sfcode`\.=\@m
20127 }{%
20128 \if@bib@break@
20129 \def\@noitemerr{%
20130 \@latex@warning{%
20131 \string\BreakBibliography\space at begin of `thebibliography'
20132 environment\MessageBreak
20133 or following \string\BreakBibliography}%
20134 }%
20135 \else
20136 \def\@noitemerr{%
20137 \@latex@warning{%
20138 Empty `thebibliography' environment or
20139 \string\BreakBibliography\MessageBreak
20140 before end of `thebibliography' environment}%
20141 }%
20142 \fi
20143 \endlist
20144 \if@bib@break@
20145 \else
20146 \bib@after@hook
20147 \let\bib@before@hook\@empty
20148 \let\bib@after@hook\@empty
20149 \fi
20150 \bib@endhook
20151 }
20152 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
20153 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
20154 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
20155 \renewcommand\marginline[1]{%
20156 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
20157 }
20158 \renewcommand{\@makecaption}[3]{%
20159 \cap@margin
20160 \begingroup
20161 \ifonelinecaptions
20162 \def\stepcounter##1{\advance\value{##1}\@ne}%
20163 \let\refstepcounter\stepcounter
20164 \let\label\@gobble
20165 \let\@footnotetext=\@gobble
20166 \let\@LTRfootnotetext=\@gobble
20167 \let\@RTLfootnotetext=\@gobble
20168 \let\hypertarget\@gobbletwo
20169 \edef\@xnewline{%
20170 \unexpanded{\ClassInfo{\KOMAClassName}{%
20171 Workaround for not recommended usage of \string\\ or\MessageBreak
20172 \string\newline in caption text
20173 }%
20174 \hspace*{\linewidth}\hspace{1sp}}%

```



```

20175     }%
20176     \unexpanded\expandafter{\@xnewline}%
20177 }%
20178 \edef\@xcentercr{%
20179   \unexpanded{\ClassInfo{\KOMAClassName}{%
20180     Workaround for not recommended usage of \string\\ or\MessageBreak
20181     \string\newline in caption text
20182   }}%
20183   \hspace*{\linewidth}\hspace{1sp}%
20184 }%
20185 \unexpanded\expandafter{\@xcentercr}%
20186 }%
20187 \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
20188 \ifdim\@tempdima>\cap@width
20189   \aftergroup\scr@makemultilinecaption
20190 \else
20191   \aftergroup\scr@makesinglelinecaption
20192 \fi
20193 \else
20194   \aftergroup\scr@makemultilinecaption
20195 \fi
20196 \endgroup
20197 {#1}{#2}{#3}%
20198 }
20199 \renewcommand{\scr@makesinglelinecaption}[3]{%
20200   {%
20201     \usefontofkomafont{caption}{%
20202       \hb@xt@\hsize{%
20203         \cap@left
20204         \if@RTL
20205           \beginR
20206           \fi
20207         \scr@makesinglelinecaption{#1}{#2}{#3}%
20208         \if@RTL
20209           \endR
20210         \fi
20211         \cap@right
20212       }\par\kern\dp\strutbox%
20213     }}%
20214   }\kern-\dp\strutbox
20215 }
20216 \renewcommand{\@makecaption}[2]{%
20217   \if@captionabove
20218     \vskip\belowcaptionskip
20219   \else
20220     \vskip\abovecaptionskip
20221   \fi
20222   \@makecaption\@firstofone{#1}{#2}%
20223   \if@captionabove
20224     \vskip\abovecaptionskip
20225   \else
20226     \vskip\belowcaptionskip
20227   \fi
20228 }

```



```

20229
20230 \renewcommand{\scr@makesinglelinecaption}[3]{%
20231   {\usekomafont{caption}{\strut\ignorespaces
20232     #1{\usekomafont{captionlabel}{#2\captionformat}}}%
20233     \ignorespaces #3\unskip}}%
20234 }
20235
20236 \renewcommand{\scr@makemultilinecaption}[3]{%
20237   {%
20238     \usefontofkomafont{caption}{%
20239       \hb@xt@{hsize}{%
20240         \cap@left
20241         \vbox{\hsize\cap@width\linewidth\hsize
20242           \scr@ifundefinedorrelax{@capttype}{%
20243             \ClassWarning{\KOMAClassName}{%
20244               `string\caption' outside float.\MessageBreak
20245               Seems you are using `string\caption' outside a
20246               float.\MessageBreak
20247               Maybe you are using a package that uses
20248               `string@makecaption'\MessageBreak
20249               without setting `string@capttype' before.\MessageBreak
20250               Because I cannot detect the caption type, I'm using\MessageBreak
20251               the empty one.%
20252             }%
20253             \let@capttype\@empty
20254           }{}%
20255           \scr@ifundefinedorrelax[ragged@capttype caption]{\raggedcaption}{%
20256             \@nameuse{ragged@capttype caption}%
20257           }%
20258           \ifdoofullc@p
20259             \@hangfrom{%
20260               \strut
20261               \scr@smashdp{%
20262                 #1{%
20263                   \usekomafont{caption}{%
20264                     \usekomafont{captionlabel}{#2\captionformat}%
20265                   }%
20266                 }%
20267               }%
20268             }%
20269             {\usekomafont{caption}{#3\scr@endstrut}}\par}%
20270           \else
20271             \ifdim\cap@indent<\z@
20272               \strut
20273               #1{%
20274                 {\usekomafont{caption}{%
20275                   \usekomafont{captionlabel}{#2\captionformat}%
20276                 }%
20277               }\par}%
20278             \noindent{\usekomafont{caption}{%
20279               \hspace*{-\cap@indent}#3\scr@endstrut
20280             }}\par}%
20281           \else
20282             \if@capbreak

```



```

20283         \strut
20284         #1{%
20285             {\usekomafont{caption}}{%
20286                 \usekomafont{captionlabel}{#2\captionformat}}%
20287             }
20288         }\par}%
20289         \noindent\@hangfrom{\hspace*{\cap@indent}}%
20290         {\usekomafont{caption}{#3\scr@endstrut}}\par}%
20291     \else
20292         \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
20293         {%
20294             \hspace{-\cap@indent}%
20295             \scr@smashdp{%
20296                 #1{\usekomafont{caption}}{%
20297                     \usekomafont{captionlabel}{#2\captionformat}}%
20298                 }%
20299             }%
20300         }%
20301         {\usekomafont{caption}{#3\scr@endstrut}}\par}%
20302     }%
20303     \fi
20304     \fi
20305     \fi
20306     }%
20307     \cap@right
20308     }\par\kern\dp\strutbox
20309     }%
20310     }\kern-\dp\strutbox
20311 }
20312
20313
20314 \bidi@AfterFile{longtable-xetex-bidi.def}{%
20315     \if@komalongtable
20316         \renewcommand{\LT@makecaption}[3]{%
20317             \noalign{%
20318                 \if@captionabove
20319                     \vskip\belowcaptionskip
20320                 \else
20321                     \vskip\abovecaptionskip
20322                 \fi
20323             }%
20324             \LT@mcol\LT@cols c{%
20325                 \hbox to\z@{\hss\parbox[t]{\linewidth}{%
20326                     \def\@captype{table}%
20327                     \@makecaption{#1}{#2}{#3}%
20328                     \endgraf
20329                     \if@captionabove
20330                         \vskip\abovecaptionskip
20331                     \else
20332                         \vskip\belowcaptionskip
20333                     \fi
20334                 }%
20335                 \hss
20336             }%

```



```

20337     }%
20338   }%
20339   \renewcommand*{\scr@LT@array}{}%
20340   \let\scr@LT@array=\LT@array
20341   \renewcommand*{\LT@array}{%
20342     \let\scr@caption=\LT@caption
20343     \def\captionabove{\noalign{\global\@captionabovetrue}%
20344       \scr@caption}%
20345     \def\captionbelow{\noalign{\global\@captionabovefalse}%
20346       \scr@caption}%
20347     \if@tablecaptionabove
20348       \let\LT@caption=\captionabove
20349     \else
20350       \let\LT@caption=\captionbelow
20351     \fi
20352     \scr@LT@array
20353   }%
20354   \ClassInfo{\KOMAClassName}{%
20355     longtable captions redefined%
20356   }%
20357 \fi
20358 }
20359
20360 \CloneTOCEntryStyle{tocline}{part}
20361 \TOCEntryStyleStartInitCode{part}{%
20362   \expandafter\renewcommand%
20363   \csname scr@tso@#1@linefill\endcsname{\hfill}%
20364   \expandafter\renewcommand%
20365   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
20366   \expandafter\renewcommand%
20367   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20368     {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
20369   \expandafter\renewcommand\expandafter*%
20370   \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p}%
20371 }
20372
20373 \CloneTOCEntryStyle{tocline}{chapter}
20374 \TOCEntryStyleStartInitCode{chapter}{%
20375   \expandafter\renewcommand%
20376   \csname scr@tso@#1@linefill\endcsname{%
20377     \if@chapterentrywithdots
20378       {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
20379     \else
20380       \hfill
20381     \fi
20382   }%
20383   \expandafter\renewcommand%
20384   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
20385   \expandafter\renewcommand%
20386   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20387     {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
20388   \expandafter\renewcommand\expandafter*%
20389   \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p}%
20390 }

```



```

20391
20392 \CloneTOCEntryStyle{tocline}{section}
20393 \TOCEntryStyleStartInitCode{section}{%
20394   \expandafter\renewcommand%
20395   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
20396   \expandafter\renewcommand%
20397   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20398     {\normalfont\normalcolor ##1}}%
20399 }
20400
20401 \CloneTOCEntryStyle{section}{default}
20402
20403 \DeclareSectionCommand[%
20404   style=chapter,%
20405   level=\z@,%
20406   pagestyle=plain,%
20407   tocstyle=chapter,%
20408   tocindent=\z@,%
20409   tocnumwidth=1.5em%
20410 ]{chapter}
20411 \DeclareSectionCommand[%
20412   style=section,%
20413   level=1,%
20414   indent=\z@,%
20415   beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
20416   afterskip=2.3ex \@plus .2ex,%
20417   tocstyle=section,%
20418   tocindentfollows=chapter,%
20419   tocindent=1.5em,%
20420   tocnumwidth=2.3em%
20421 ]{section}
20422 \DeclareSectionCommand[%
20423   style=part,%
20424   level=\m@ne,%
20425   pagestyle=plain,%
20426   tocstyle=part,%
20427   toclevel=\m@ne,%
20428   tocindent=\z@,%
20429   tocnumwidth=2em%
20430 ]{part}
20431 \DeclareSectionCommand[%
20432   style=section,%
20433   level=2,%
20434   indent=\z@,%
20435   beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
20436   afterskip=1.5ex \@plus .2ex,%
20437   tocstyle=section,%
20438   tocindent=3.8em,%
20439   tocnumwidth=3.2em%
20440 ]{subsection}
20441 \DeclareSectionCommand[%
20442   style=section,%
20443   level=3,%
20444   indent=\z@,%

```



```

20445 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
20446 afterskip=1.5ex \@plus .2ex,%
20447 tocstyle=section,%
20448 tocindent=7.0em,%
20449 tocnumwidth=4.1em%
20450 ]{subsubsection}
20451 \DeclareSectionCommand[%
20452 style=section,%
20453 level=4,%
20454 indent=\z@,%
20455 beforekip=3.25ex \@plus1ex \@minus .2ex,%
20456 afterskip=-1em,%
20457 tocindentfollows=subsubsection,%
20458 tocstyle=section,%
20459 tocindent=10em,%
20460 tocnumwidth=5em%
20461 ]{paragraph}
20462 \DeclareSectionCommand[%
20463 style=section,%
20464 level=5,%
20465 indent=\scr@parindent,%
20466 beforekip=3.25ex \@plus1ex \@minus .2ex,%
20467 afterskip=-1em,%
20468 tocstyle=section,%
20469 tocindent=12em,%
20470 tocnumwidth=6em%
20471 ]{subparagraph}

```

135 File `scrreprt-xetex-bidi.def`

```

20472 \ProvidesFile{scrreprt-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrreprt class f
20473 \newcommand{\scr@saved@LTRfootnotetext}{}
20474 \newcommand{\scr@saved@RTLfootnotetext}{}
20475 \let\scr@saved@footnotetext\@footnotetext
20476 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
20477 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
20478 \renewcommand{\@footnotetext}[1]{%
20479   \scr@saved@footnotetext{#1}%
20480   \csname FN@mf@prepare\endcsname
20481 }
20482 \renewcommand{\@LTRfootnotetext}[1]{%
20483   \scr@saved@LTRfootnotetext{#1}%
20484   \csname FN@mf@prepare\endcsname
20485 }
20486 \renewcommand{\@RTLfootnotetext}[1]{%
20487   \scr@saved@RTLfootnotetext{#1}%
20488   \csname FN@mf@prepare\endcsname
20489 }
20490 \renewcommand\deffootnote[4][1]{%
20491   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
20492     \long\def\@makefntext##1{%
20493       \ExecuteDoHook{footnote/text/begin}%
20494       \raggedfootnote
20495     \if@RTL

```



```

20496     \rightskip
20497 \else
20498     \leftskip
20499 \fi
20500 #2
20501 \l@addto@macro\@trivlist{%
20502     \ifnum\@listdepth=\@ne
20503     \if@RTL
20504         \advance\rightmargin #2\relax
20505     \else
20506         \advance\leftmargin #2\relax
20507     \fi
20508     \fi
20509 }%
20510 \parindent #3\noindent
20511 \IfArgIsEmpty{#1}{-}{%
20512     \hskip \dimexpr #1-#2\relax
20513 }%
20514 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
20515 \ExecuteDoHook{footnote/text/end}%
20516 }%
20517 \else
20518 \ClassInfo{\KOMAClassName}{%
20519     Using old \string\@makefnmark\space due to compatibility
20520     level\MessageBreak
20521     less than 3.22}%
20522 \long\def\@makefnmark##1{%
20523     \setlength{\@tempdimc}{#3}%
20524     \def\@tempa{#1}\ifx\@tempa\@empty
20525     \setpar{\@par
20526         \@tempdima = \hspace
20527         \addtolength{\@tempdima}{-#2}%
20528     \if@RTL
20529         \parshape \@ne \z@ \@tempdima
20530     \else
20531         \parshape \@ne #2 \@tempdima
20532     \fi
20533     }%
20534 \else
20535     \addtolength{\@tempdimc}{#2}%
20536     \addtolength{\@tempdimc}{-#1}%
20537     \setpar{\@par
20538         \@tempdima = \hspace
20539         \addtolength{\@tempdima}{-#1}%
20540         \@tempdimb = \hspace
20541         \addtolength{\@tempdimb}{-#2}%
20542     \if@RTL
20543         \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
20544     \else
20545         \parshape \tw@ #1 \@tempdima #2 \@tempdimb
20546     \fi
20547     }%
20548 \fi
20549 \par

```



```

20550     \parindent\@tempdimc\noindent
20551     \ftn@font\hbox to \z@\{hss\@makefnmark\}##1%
20552   }%
20553   \fi
20554   \def\@makefnmark{\hbox{\ftnm@font{#4}}}%
20555 }
20556 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
20557 \renewcommand*\left@footnoterule{%
20558   \normalsize\ftn@rule@test@values
20559   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20560   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
20561   {\usekomafont{footnoterule}{%
20562     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
20563   \kern 2.6\p@}
20564 \renewcommand*\right@footnoterule{%
20565   \normalsize\ftn@rule@test@values
20566   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20567   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
20568   {\usekomafont{footnoterule}{%
20569     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
20570   \kern 2.6\p@}
20571 \renewcommand*\maketitle[1][1]{%
20572   \expandafter\ifnum \csgname scr@v@3.12\endcsname>\scr@compatibility\relax
20573   \else
20574     \def\and{%
20575       \end{tabular}}%
20576       \hskip 1em \@plus.17fil%
20577       \begin{tabular}[t]{c}%
20578     }%
20579   \fi
20580   \if@titlepage
20581     \begin{titlepage}
20582       \setcounter{page}{%
20583         #1%
20584       }%
20585     \if@titlepageiscoverpage
20586       \edef\titlepage@restore{%
20587         \noexpand\endgroup
20588         \noexpand\global\noexpand\@colht\the\@colht
20589         \noexpand\global\noexpand\@colroom\the\@colroom
20590         \noexpand\global\vsizethe\vsizethe
20591         \noexpand\global\noexpand\@titlepageiscoverpagefalse
20592         \noexpand\let\noexpand\titlepage@restore\noexpand\relax
20593       }%
20594       \begingroup
20595       \topmargin=\dimexpr \coverpagetopmargin-1in\relax
20596       \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
20597       \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
20598       \textwidth=\dimexpr
20599       \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
20600       \textheight=\dimexpr
20601       \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
20602       \headheight=0pt
20603       \headsep=0pt

```



```

20604     \footskip=\baselineskip
20605     \@colht=\textheight
20606     \@colroom=\textheight
20607     \vsize=\textheight
20608     \columnwidth=\textwidth
20609     \hsize=\columnwidth
20610     \linewidth=\hsize
20611     \else
20612       \let\titlepage@restore\relax
20613     \fi
20614     \let\footnotesize\small
20615     \let\right@footnoterule\relax
20616     \let\left@footnoterule\relax
20617     \let\textwidth@footnoterule\relax
20618     \let\footnote\thanks
20619     \let\LTRfootnote\LTRthanks
20620     \let\RTLfootnote\RTLthanks
20621     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20622     \let\@oldmakefnmark\@makefnmark
20623     \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
20624     \ifx\@extratitle\@empty
20625       \ifx\@frontispiece\@empty
20626       \else
20627         \if@twoside\mbox{}\next@tpage\fi
20628         \noindent\@frontispiece\next@tdpage
20629       \fi
20630     \else
20631       \noindent\@extratitle
20632       \ifx\@frontispiece\@empty
20633       \else
20634         \next@tpage
20635         \noindent\@frontispiece
20636       \fi
20637     \next@tdpage
20638   \fi
20639   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
20640   \ifx\@titlehead\@empty \else
20641     \begin{minipage}[t]{\textwidth}%
20642       \usekomafont{titlehead}{\@titlehead\par}%
20643     \end{minipage}\par
20644   \fi
20645   \null\vfill
20646   \begin{center}
20647     \ifx\@subject\@empty \else
20648       {\usekomafont{subject}{\@subject\par}}%
20649     \vskip 3em
20650   \fi
20651   {\usekomafont{title}{\huge \@title\par}}%
20652   \vskip 1em
20653   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
20654   \vskip 2em
20655   {%
20656     \usekomafont{author}{%
20657       \lineskip 0.75em

```



```

20658         \begin{tabular}[t]{c}
20659             \@author
20660         \end{tabular}\par
20661     }%
20662 }%
20663 \vskip 1.5em
20664 {\usekomafont{date}{\@date \par}}%
20665 \vskip \z@ \@plus3fill
20666 {\usekomafont{publishers}{\@publishers \par}}%
20667 \vskip 3em
20668 \end{center}\par
20669 \@thanks\global\let\@thanks\@empty
20670 \vfill\null
20671 \if@twoside
20672     \@tempwattrue
20673     \expandafter\ifnum \@nameuse{scr@v@3.12}>\scr@compatibility\relax
20674     \else
20675         \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
20676             \@tempwafalse
20677         \fi\fi
20678     \fi
20679     \if@tempswa
20680         \next@tpage
20681         \begin{minipage}[t]{\textwidth}
20682             \@uppertitleback
20683         \end{minipage}\par
20684         \vfill
20685         \begin{minipage}[b]{\textwidth}
20686             \@lowertitleback
20687         \end{minipage}\par
20688         \@thanks\global\let\@thanks\@empty
20689     \fi
20690 \else
20691     \ifx\@uppertitleback\@empty\else
20692         \ClassWarning{\KOMAClassName}{%
20693             non empty \string\uppertitleback\space ignored
20694             by \string\maketitle\MessageBreak
20695             in `twoside=false' mode%
20696         }%
20697     \fi
20698     \ifx\@lowertitleback\@empty\else
20699         \ClassWarning{\KOMAClassName}{%
20700             non empty \string\lowertitleback\space ignored
20701             by \string\maketitle\MessageBreak
20702             in `twoside=false' mode%
20703         }%
20704     \fi
20705 \fi
20706 \ifx\@dedication\@empty
20707 \else
20708     \next@tdpage\null\vfill
20709     {\centering\usekomafont{dedication}{\@dedication \par}}%
20710     \vskip \z@ \@plus3fill
20711     \@thanks\global\let\@thanks\@empty

```



```

20712     \cleardoubleemptypage
20713     \fi
20714     \ifx\titlename@restore\relax\else\clearpage\titlename@restore\fi
20715     \end{titlename}
20716 \else
20717     \par
20718     \@tempcnta=%
20719     #1%
20720     \relax\ifnum\@tempcnta=1\else
20721     \ClassWarning{\KOMAClassName}{%
20722     Optional argument of \string\maketitle\space ignored\MessageBreak
20723     in `titlename=false' mode%
20724     }%
20725     \fi
20726     \ifx\@uppertitleback\@empty\else
20727     \ClassWarning{\KOMAClassName}{%
20728     non empty \string\uppertitleback\space ignored
20729     by \string\maketitle\MessageBreak
20730     in `titlename=false' mode%
20731     }%
20732     \fi
20733     \ifx\@lowertitleback\@empty\else
20734     \ClassWarning{\KOMAClassName}{%
20735     non empty \string\lowertitleback\space ignored
20736     by \string\maketitle\MessageBreak
20737     in `titlename=false' mode%
20738     }%
20739     \fi
20740     \begingroup
20741     \let\titlename@restore\relax
20742     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20743     \let\@oldmakefnmark\@makefnmark
20744     \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
20745     \next@tdpage
20746     \if@twocolumn
20747     \ifnum \col@number=\@ne
20748     \ifx\@extratitle\@empty
20749     \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
20750     \else
20751     \@makeextratitle
20752     \fi
20753     \ifx\@frontispiece\@empty
20754     \ifx\@extratitle\@empty\else\next@tdpage\fi
20755     \else
20756     \next@tpage
20757     \@makefrontispiece
20758     \next@tdpage
20759     \fi
20760     \@maketitle
20761     \else
20762     \ifx\@extratitle\@empty
20763     \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
20764     \else
20765     \twocolumn[\@makeextratitle]%

```



```

20766     \fi
20767     \ifx\@frontispiece\@empty
20768         \ifx\@extratitle\@empty\else\next@tdpage\fi
20769     \else
20770         \next@tpage
20771         \twocolumn[\@makefrontispiece]%
20772         \next@tdpage
20773     \fi
20774     \twocolumn[\@maketitle]%
20775 \fi
20776 \else
20777     \ifx\@extratitle\@empty
20778         \ifx\@frontispiece\@empty\else \mbox{} \fi
20779     \else
20780         \@makeextratitle
20781     \fi
20782     \ifx\@frontispiece\@empty
20783         \ifx\@extratitle\@empty\else\next@tdpage\fi
20784     \else
20785         \next@tpage
20786         \@makefrontispiece
20787         \next@tdpage
20788     \fi
20789     \@maketitle
20790 \fi
20791     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
20792     \@thanks\global\let\@thanks\@empty
20793 \endgroup
20794 \fi
20795 \setcounter{footnote}{0}%
20796 \expandafter\ifnum \cscname scr@v@3.12\endcscname>\scr@compatibility\relax
20797     \let\thanks\relax
20798     \let\LTRthanks\relax
20799     \let\RTLthanks\relax
20800     \let\maketitle\relax
20801     \let\@maketitle\relax
20802     \global\let\@thanks\@empty
20803     \global\let\@author\@empty
20804     \global\let\@date\@empty
20805     \global\let\@title\@empty
20806     \global\let\@subtitle\@empty
20807     \global\let\@extratitle\@empty
20808     \global\let\@frontispiece\@empty
20809     \global\let\@titlehead\@empty
20810     \global\let\@subject\@empty
20811     \global\let\@publishers\@empty
20812     \global\let\@uppertitleback\@empty
20813     \global\let\@lowertitleback\@empty
20814     \global\let\@dedication\@empty
20815     \global\let\author\relax
20816     \global\let\title\relax
20817     \global\let\extratitle\relax
20818     \global\let\titlehead\relax
20819     \global\let\subject\relax

```



```

20820 \global\let\publishers\relax
20821 \global\let\uppertitleback\relax
20822 \global\let\lowertitleback\relax
20823 \global\let\dedication\relax
20824 \global\let\date\relax
20825 \fi
20826 \global\let\and\relax
20827 }%
20828 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
20829 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
20830 \renewcommand*\thesection{%
20831 \thechapter\@SepMark%
20832 \@arabic\c@section
20833 }
20834 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
20835 \renewcommand*\thesubsubsection{%
20836 \thesubsection\@SepMark\@arabic\c@subsubsection
20837 }
20838 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
20839 \renewcommand*\thesubparagraph{%
20840 \theparagraph\@SepMark\@arabic\c@subparagraph
20841 }
20842 \expandafter\ifnum\scr@v@is@le{2.97d}%
20843 \renewcommand*\thefigure{\thechapter\@SepMark\@arabic\c@figure}
20844 \fi
20845 \expandafter\ifnum\scr@v@is@le{2.97d}%
20846 \renewcommand*\thetable{\thechapter\@SepMark\@arabic\c@table}
20847 \fi
20848 \renewcommand*\theequation{%
20849 \thechapter\@SepMark%
20850 \@arabic\c@equation
20851 }
20852 \renewenvironment{thebibliography}[1]{%
20853 \if@bib@break@
20854 \bib@beginhook
20855 \else
20856 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
20857 \setchapterpreamble{\bibpreamble}%
20858 \fi\fi
20859 \bib@heading
20860 \bib@beginhook
20861 \bib@before@hook
20862 \fi
20863 \renewcommand{\BreakBibliography}[1]{%
20864 \@bib@break
20865 \end{thebibliography}%
20866 \begingroup ##1\endgroup
20867 \begin{thebibliography}{#1}
20868 }%
20869 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
20870 \bidi@thebibliography@font@hook%
20871 \list{%
20872 \@biblabel{\@arabic\c@enumiv}%
20873 }-%

```



```

20874 \settowidth\labelwidth{\@biblabel{#1}}%
20875 \leftmargin\labelwidth
20876 \advance\leftmargin\labelsep
20877 \@openbib@code
20878 \if@bib@break@
20879 \edef\@tempa{%
20880 \noexpand\usecounter{enumiv}}%
20881 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
20882 }\@tempa
20883 \no@bib@break
20884 \else
20885 \usecounter{enumiv}%
20886 \fi
20887 \let\p@enumiv\@empty
20888 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
20889 }%
20890 \sloppy\clubpenalty4000 \widowpenalty4000
20891 \sfcode`.\=@m
20892 }{%
20893 \if@bib@break@
20894 \def\@noitemerr{%
20895 \@latex@warning{%
20896 \string\BreakBibliography\space at begin of `thebibliography'
20897 environment\MessageBreak
20898 or following \string\BreakBibliography}%
20899 }%
20900 \else
20901 \def\@noitemerr{%
20902 \@latex@warning{%
20903 Empty `thebibliography' environment or
20904 \string\BreakBibliography\MessageBreak
20905 before end of `thebibliography' environment}%
20906 }%
20907 \fi
20908 \endlist
20909 \if@bib@break@
20910 \else
20911 \bib@after@hook
20912 \let\bib@before@hook\@empty
20913 \let\bib@after@hook\@empty
20914 \fi
20915 \bib@endhook
20916 }
20917 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
20918 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
20919 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
20920 \renewcommand\marginline[1]{%
20921 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
20922 }
20923 \renewcommand{\@makecaption}[3]{%
20924 \cap@margin
20925 \begingroup
20926 \ifonelinecaptions
20927 \def\stepcounter##1{\advance\value{##1}\@ne}%

```



```

20928 \let\refstepcounter\stepcounter
20929 \let\label@gobble
20930 \let@footnotetext=@gobble
20931 \let@LTRfootnotetext=@gobble
20932 \let@RTLfootnotetext=@gobble
20933 \let\hypertarget@gobbletwo
20934 \edef@xnewline{%
20935   \unexpanded{\ClassInfo{\KOMAClassName}{%
20936     Workaround for not recommended usage of \string\\ or\MessageBreak
20937     \string\newline in caption text
20938   }}%
20939   \hspace*{\linewidth}\hspace{1sp}%
20940 }%
20941 \unexpanded\expandafter{\@xnewline}%
20942 }%
20943 \edef@xcentercr{%
20944   \unexpanded{\ClassInfo{\KOMAClassName}{%
20945     Workaround for not recommended usage of \string\\ or\MessageBreak
20946     \string\newline in caption text
20947   }}%
20948   \hspace*{\linewidth}\hspace{1sp}%
20949 }%
20950 \unexpanded\expandafter{\@xcentercr}%
20951 }%
20952 \settowidth{@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
20953 \ifdim@tempdima>\cap@width
20954   \aftergroup\scr@makemultilinecaption
20955 \else
20956   \aftergroup\scr@makesinglelinecaption
20957 \fi
20958 \else
20959   \aftergroup\scr@makemultilinecaption
20960 \fi
20961 \endgroup
20962 {#1}{#2}{#3}%
20963 }
20964 \renewcommand{\scr@makesinglelinecaption}[3]{%
20965   {%
20966     \usefontofkomafont{caption}{%
20967       \hb@xt@\hsize{%
20968         \cap@left
20969         \if@RTL
20970           \beginR
20971           \fi
20972         \scr@makesinglelinecaption{#1}{#2}{#3}%
20973         \if@RTL
20974           \endR
20975         \fi
20976         \cap@right
20977       }\par\kern\dp\strutbox%
20978     }%
20979   }\kern-\dp\strutbox
20980 }
20981 \renewcommand{\@makecaption}[2]{%

```



```

20982 \if@captionabove
20983   \vskip\belowcaptionskip
20984 \else
20985   \vskip\abovecaptionskip
20986 \fi
20987 @@makecaption\@firstofone{#1}{#2}%
20988 \if@captionabove
20989   \vskip\abovecaptionskip
20990 \else
20991   \vskip\belowcaptionskip
20992 \fi
20993 }
20994
20995 \renewcommand{\scr@makesinglelinecaption}[3]{%
20996   {\usekomafont{caption}{\strut\ignorespaces
20997     #1{\usekomafont{captionlabel}{#2\captionformat}}}%
20998     \ignorespaces #3\unskip}}%
20999 }
21000
21001 \renewcommand{\scr@makemultilinecaption}[3]{%
21002   {%
21003     \usefontofkomafont{caption}{%
21004       \hb@xt@\hsize{%
21005         \cap@left
21006         \vbox{\hsize\cap@width\linewidth\hsize
21007           \scr@ifundefinedorrelax{@capytype}{%
21008             \ClassWarning{\KOMAClassName}{%
21009               `string\caption' outside float.\MessageBreak
21010               Seems you are using `string\caption' outside a
21011               float.\MessageBreak
21012               Maybe you are using a package that uses
21013               `string\@makecaption'\MessageBreak
21014               without setting `string\@capytype' before.\MessageBreak
21015               Because I cannot detect the caption type, I'm using\MessageBreak
21016               the empty one.%
21017             }%
21018             \let@capytype\@empty
21019           }{}%
21020           \scr@ifundefinedorrelax{ragged\@capytype caption}{\raggedcaption}{%
21021             \@nameuse{ragged\@capytype caption}%
21022           }%
21023           \ifdofullc@p
21024             \@hangfrom{%
21025               \strut
21026               \scr@smashdp{%
21027                 #1{%
21028                   \usekomafont{caption}{%
21029                     \usekomafont{captionlabel}{#2\captionformat}%
21030                   }%
21031                 }%
21032               }%
21033             }%
21034             {\usekomafont{caption}{#3\scr@endstrut}}\par}%
21035         \else

```



```

21036     \ifdim\cap@indent<\z@
21037         \strut
21038         #1{%
21039             {\usekomafont{caption}}{%
21040                 \usekomafont{captionlabel}{#2\captionformat}%
21041             }%
21042         }\par}%
21043     \noindent{\usekomafont{caption}}{%
21044         \hspace*{-\cap@indent}#3\scr@endstrut
21045     }\par}%
21046 \else
21047     \if@capbreak
21048         \strut
21049         #1{%
21050             {\usekomafont{caption}}{%
21051                 \usekomafont{captionlabel}{#2\captionformat}%
21052             }%
21053         }\par}%
21054     \noindent\@hangfrom{\hspace*{\cap@indent}}%
21055     {\usekomafont{caption}{#3\scr@endstrut}}\par}%
21056 \else
21057     \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
21058     {%
21059         \hspace{-\cap@indent}%
21060         \scr@smashdp{%
21061             #1{\usekomafont{caption}}{%
21062                 \usekomafont{captionlabel}{#2\captionformat}%
21063             }%
21064         }%
21065     }%
21066     {\usekomafont{caption}{#3\scr@endstrut}}\par}%
21067 }%
21068 \fi
21069 \fi
21070 \fi
21071 }%
21072 \cap@right
21073 }\par\kern\dp\strutbox
21074 }%
21075 }\kern-\dp\strutbox
21076 }
21077
21078
21079 \bidi@AfterFile{longtable-xetex-bidi.def}{%
21080 \if@komalongtable
21081     \renewcommand{\LT@makecaption}[3]{%
21082         \noalign{%
21083             \if@captionabove
21084                 \vskip\belowcaptionskip
21085             \else
21086                 \vskip\abovecaptionskip
21087             \fi
21088         }%
21089         \LT@mcol\LT@cols c{%

```



```

21090     \hbox to\z@\hss\parbox[t]\linewidth{%
21091         \def\@capytype{table}%
21092         \@makecaption{#1}{#2}{#3}%
21093         \endgraf
21094         \if@captionabove
21095             \vskip\abovecaptionskip
21096         \else
21097             \vskip\belowcaptionskip
21098         \fi
21099     }%
21100     \hss
21101 }%
21102 }%
21103 }%
21104 \renewcommand*\scr@LT@array{}%
21105 \let\scr@LT@array=\LT@array
21106 \renewcommand*\LT@array{}%
21107 \let\scr@caption=\LT@caption
21108 \def\captionabove{\noalign{\global\@captionabovetrue}%
21109     \scr@caption}%
21110 \def\captionbelow{\noalign{\global\@captionabovefalse}%
21111     \scr@caption}%
21112 \if@tablecaptionabove
21113     \let\LT@caption=\captionabove
21114 \else
21115     \let\LT@caption=\captionbelow
21116 \fi
21117 \scr@LT@array
21118 }%
21119 \ClassInfo{\KOMAClassName}{%
21120     longtable captions redefined%
21121 }%
21122 \fi
21123 }
21124
21125 \CloneTOCEntryStyle{tocline}{part}
21126 \TOCEntryStyleStartInitCode{part}{%
21127     \expandafter\renewcommand%
21128     \csname scr@tso@#1@linefill\endcsname{\hfill}%
21129     \expandafter\renewcommand%
21130     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
21131     \expandafter\renewcommand%
21132     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21133         {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
21134     \expandafter\renewcommand\expandafter*%
21135     \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
21136 }
21137
21138 \CloneTOCEntryStyle{tocline}{chapter}
21139 \TOCEntryStyleStartInitCode{chapter}{%
21140     \expandafter\renewcommand%
21141     \csname scr@tso@#1@linefill\endcsname{%
21142         \if@chapterentrywithdots
21143             {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax

```



```

21144     \else
21145         \hfill
21146     \fi
21147 }%
21148 \expandafter\renewcommand%
21149 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}}%
21150 \expandafter\renewcommand%
21151 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21152     {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}}%
21153 \expandafter\renewcommand\expandafter*%
21154 \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
21155 }
21156
21157 \CloneTOCEntryStyle{tocline}{section}
21158 \TOCEntryStyleStartInitCode{section}{%
21159     \expandafter\renewcommand%
21160     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
21161         \expandafter\renewcommand%
21162         \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21163             {\normalfont\normalcolor ##1}}}%
21164 }
21165
21166 \CloneTOCEntryStyle{section}{default}
21167
21168 \DeclareSectionCommand[%
21169     style=chapter,%
21170     level=\z@,%
21171     pagestyle=plain,%
21172     tocstyle=chapter,%
21173     tocindent=\z@,%
21174     tocnumwidth=1.5em%
21175 ]{chapter}
21176 \DeclareSectionCommand[%
21177     style=section,%
21178     level=1,%
21179     indent=\z@,%
21180     beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
21181     afterskip=2.3ex \@plus .2ex,%
21182     tocstyle=section,%
21183     tocindentfollows=chapter,%
21184     tocindent=1.5em,%
21185     tocnumwidth=2.3em%
21186 ]{section}
21187 \DeclareSectionCommand[%
21188     style=part,%
21189     level=\m@ne,%
21190     pagestyle=plain,%
21191     tocstyle=part,%
21192     toclevel=\m@ne,%
21193     tocindent=\z@,%
21194     tocnumwidth=2em%
21195 ]{part}
21196 \DeclareSectionCommand[%
21197     style=section,%

```



```

21198 level=2,%
21199 indent=\z@,%
21200 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
21201 afterskip=1.5ex \@plus .2ex,%
21202 tocstyle=section,%
21203 tocindent=3.8em,%
21204 tocnumwidth=3.2em%
21205 ]{subsection}
21206 \DeclareSectionCommand[%
21207 style=section,%
21208 level=3,%
21209 indent=\z@,%
21210 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
21211 afterskip=1.5ex \@plus .2ex,%
21212 tocstyle=section,%
21213 tocindent=7.0em,%
21214 tocnumwidth=4.1em%
21215 ]{subsubsection}
21216 \DeclareSectionCommand[%
21217 style=section,%
21218 level=4,%
21219 indent=\z@,%
21220 beforekip=3.25ex \@plus1ex \@minus .2ex,%
21221 afterskip=-1em,%
21222 tocindentfollows=subsubsection,%
21223 tocstyle=section,%
21224 tocindent=10em,%
21225 tocnumwidth=5em%
21226 ]{paragraph}
21227 \DeclareSectionCommand[%
21228 style=section,%
21229 level=5,%
21230 indent=\scr@parindent,%
21231 beforekip=3.25ex \@plus1ex \@minus .2ex,%
21232 afterskip=-1em,%
21233 tocstyle=section,%
21234 tocindent=12em,%
21235 tocnumwidth=6em%
21236 ]{subparagraph}

```

136 File sidecap-xetex-bidi.def

```

21237 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package f
21238 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
21239 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
21240 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
21241 \renewcommand*{\SC@justify@caption}{\if@RTL%
21242 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
21243 \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}

```

137 File soul-xetex-bidi.def

```

21244 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeT
21245 \long\def\SOUL@start#1{%

```



```

21246 \let\ bidi@RTL@everypar\@empty
21247 \let\<\SOUL@lowerthan
21248 \let\>\empty
21249 \def\soulomit{\noexpand\soulomit}%
21250 \gdef\SOUL@eventuallyexhyphen##1{%
21251 \let\SOUL@soeventuallyskip\relax
21252 \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@\font
21253 \@minus\fontdimen4\font
21254 \SOUL@ignorespacesfalse
21255 \leavevmode
21256 \SOUL@preamble
21257 \SOUL@lasttoken={}%
21258 \SOUL@word={}%
21259 \SOUL@minus\z@
21260 \SOUL@comma\z@
21261 \SOUL@apo\z@
21262 \SOUL@grave\z@
21263 \SOUL@do{#1}%
21264 \SOUL@postamble
21265 }}
21266 \def\SOUL@ulunderline#1{%
21267 \setbox\z@\hbox{#1}%
21268 \dimen@=\wd\z@
21269 \dimen@i=\SOUL@uloverlap
21270 \advance\dimen@2\dimen@i
21271 \if@RTL
21272 \unhcopy\z@
21273 \llap{%
21274 \null
21275 \kern-\dimen@i
21276 \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
21277 }%
21278 \else
21279 \rlap{%
21280 \null
21281 \kern-\dimen@i
21282 \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
21283 }%
21284 \unhcopy\z@
21285 \fi
21286 }}
21287 \def\ bidi@SOUL@ulleaders{%
21288 \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\n
21289 }
21290 \def\SOUL@uleveryspace#1{%
21291 \if@RTL
21292 #1%
21293 \ bidi@SOUL@ulleaders
21294 \hskip\spaceskip
21295 \else
21296 \SOUL@ulcolor{%
21297 #1%
21298 \SOUL@ulleaders
21299 \hskip\spaceskip

```



```

21300 }%
21301 \fi
21302 \null
21303 }

```

138 File stabular-xetex-bidi.def

```

21304 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
21305 \def\@stabular{%
21306   \leavevmode \bgroup \if@RTLtab\beginR \fi
21307   \let\@acol\@tabacol
21308   \let\@classz\@tabclassz
21309   \let\@classiv\@tabclassiv \let\\\@tabularcrr\@stabarray}
21310 \def\endstabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
21311   \egroup \if@RTLtab\endR\fi\egroup}
21312 \expandafter \let \csname endstabular*\endcsname = \endstabular
21313 \def\@sarray[#1]#2{%
21314   \bgroup
21315   \setbox\@arstrutbox\hbox{%
21316     \vrule \@height\arraystretch\ht\strutbox
21317     \@depth\arraystretch \dp\strutbox
21318     \@width\z@}%
21319   \@mkpream{#2}%
21320   \edef\@preamble{%
21321     \ialign \noexpand\@halignto
21322       \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
21323   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
21324   \let\@tabularnewline\%
21325   \let\@sharp##%
21326   \set@typeset@protect
21327   \lineskip\z@skip\baselineskip\z@skip
21328   \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\top \else \vbox \fi\bgroup\fi
21329   \@preamble}

```

139 File subfigure-xetex-bidi.def

```

21330 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure packa
21331 \AtBeginDocument{%
21332 \let\p@subfigure=\thefigure
21333 \let\p@subtable=\thetable%
21334 }

```

140 File tabs-xetex-bidi.def

```

21335 \ProvidesFile{tabs-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabs package for X
21336 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
21337
21338 \expandafter\let\csname endtabular*\endcsname=\endtabular
21339
21340 \def\endarray{\ifvmode\csname crr\endcsname % just do \crr if \ given
21341   \else \[\z@ \global\advance\@arstdepth-\@otarlinesep]%
21342   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}
21343
21344 \def\@array[#1]#2{% remember global variables to allow recursion:

```



```

21345 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
21346     \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
21347 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
21348 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
21349 \else \let\@tarlinesep\tablinesep \fi
21350 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
21351 \let\@seesize\relax \let\@rememsize\relax \mkpream{#2}%
21352 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
21353 \ifdim\@tarlinesep>z@ % (need \protect for \multicolumn)
21354     \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@@size
21355     \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
21356 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
21357     \vrule \@height\@tempdima \@depth\@tempdimb \@widthz@}%
21358 \let\protect\noexpand
21359 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
21360 \unhcopy\@arstrutbox \@preamble \tabskipz@skip &\@sharp \cr}%
21361 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
21362 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
21363 \bgroup \let\par\@empty
21364 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
21365 \advance\extrarulesep.5\arrayrulewidth
21366 \let\@sharp#\let\protect\relax \lineskipz@skip \baselineskipz@skip
21367 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
21368 \@preamble}

```

141 File tabularx-xetex-bidi.def

```

21369 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
21370 \def\TX@endtabularx{%
21371     \expandafter\expandafter\expandafter
21372     \TX@find@endtabularxa\csname end\TX@\endcsname
21373     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
21374     \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
21375     \let\verb\TX@verb
21376     \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
21377     \edef\TX@ckpt{\cl@ckpt}%
21378     \let\@elt\relax
21379     \TX@old@table\maxdimen
21380     \TX@col@width\TX@target
21381     \global\TX@cols\@ne
21382     \TX@typeout@
21383     {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
21384     \TX@trial{\def\NC@rewrite@X{%
21385         \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
21386     \loop
21387         \TX@arith
21388         \ifTX@
21389             \TX@trial{}%
21390     \repeat
21391     {\let\@footnotetext\TX@fnttext\let\@xfootnotenext\TX@xfnttext
21392     \let\@LTRfootnotetext\TX@LTRfnttext\let\@xLTRfootnotenext\TX@xLTRfnttext
21393     \let\@RTLfootnotetext\TX@RTLfnttext\let\@xRTLfootnotenext\TX@xRTLfnttext
21394     \csname tabular*\expandafter\endcsname\expandafter\TX@target
21395     \the\toks@

```



```

21396     \csname endtabular*\endcsname}%
21397 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
21398 \ifnum0=`{\fi}%
21399     \expandafter\expandafter\expandafter
21400     \TX@find@endtabularxbb
21401     \expandafter\end\expandafter{\TX@}%
21402     \endtabularx\TX@\endtabularx\TX@find@endtabularxb
21403 }
21404
21405 \def\TX@trial#1{%
21406     \setbox\@tempboxa\hbox{%
21407         #1\relax
21408     \let\@footnotetext\TX@trial@ftn
21409     \let\@LTRfootnotetext\TX@trial@ftn
21410     \let\@RTLfootnotetext\TX@trial@ftn
21411     \let\TX@vwarn\@empty
21412     \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
21413     \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
21414     \def\write{\begingroup
21415         \def\let{\afterassignment\endgroup\toks@}%
21416         \afterassignment\let\count@}%
21417     \hbadness\@M
21418     \hfuzz\maxdimen
21419     \let\hbadness\@tempcnta
21420     \let\hfuzz\@tempdima
21421     \expandafter\tabular\the\toks@
21422     \endtabular}%
21423 \TX@ckpt
21424 \TX@typeout@{\@spaces
21425     \expandafter\TX@align
21426     \the\wd\@tempboxa\space\space\space\space\space\@@
21427     \expandafter\TX@align
21428     \the\TX@col@width\space\space\space\space\space\@@
21429     \@spaces\the\TX@cols}}
21430
21431 \long\def\TX@LTRftntext#1{%
21432     \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
21433         [\the\csname c@\@mpfn\endcsname]}%
21434     \global\TX@ftn\expandafter{\@tempa{#1}}}%
21435 \long\def\TX@xLTRftntext[#1]#2{%
21436     \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
21437
21438 \long\def\TX@RTLftntext#1{%
21439     \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
21440         [\the\csname c@\@mpfn\endcsname]}%
21441     \global\TX@ftn\expandafter{\@tempa{#1}}}%
21442 \long\def\TX@xRTLftntext[#1]#2{%
21443     \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```

142 File tabulary-xetex-bidi.def

```

21444 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package]
21445 \def\@testpach{\@chclass
21446 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else

```



```

21447 \ifnum \@lastchclass=7 5 \else
21448 \ifnum \@lastchclass=8 \tw@ \else
21449 \ifnum \@lastchclass=9 \thr@@
21450 \else \z@
21451 \ifnum \@lastchclass = 10 \else
21452 \edef\@nextchar{\expandafter\string\@nextchar}%
21453 \@chnum
21454 \if \@nextchar c\z@ \else
21455 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
21456 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
21457 \if \@nextchar C7 \else
21458 \if \@nextchar L8 \else
21459 \if \@nextchar R9 \else
21460 \if \@nextchar J10 \else
21461 \z@ \@chclass
21462 \if\@nextchar |\@ne \else
21463 \if \@nextchar !6 \else
21464 \if \@nextchar @7 \else
21465 \if \@nextchar <8 \else
21466 \if \@nextchar >9 \else
21467 10
21468 \@chnum
21469 \if \@nextchar m\thr@@\else
21470 \if \@nextchar p4 \else
21471 \if \@nextchar b5 \else
21472 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi
21473 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi

```

143 File tc-xetex-bidi.def

```

21474 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for Xe
21475 \def\@cliptoboxdim#1{%
21476 \setbox#1=\hbox{%
21477 \Gin@defaultbp\WIDTH{\wd#1}%
21478 \Gin@defaultbp\DEPTH{\dp#1}%
21479 \@tempdima\ht#1%
21480 \advance\@tempdima\dp#1%
21481 \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
21482 \beginL\special{pdf:bcontent }%
21483 \special{%
21484 pdf:literal direct
21485 0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
21486 }%
21487 \special{pdf:literal direct W }%
21488 \special{pdf:literal direct n }%
21489 \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
21490 \special{pdf:econtent }\endL%
21491 }%
21492 }

```

144 File tcolorbox-xetex-bidi.def

```

21493 \ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox packa
21494 \let\endtcbox@lrbox=\endminipage

```



```

21495 \let\endtcbox@savebox=\endtcbox@lrbox
21496
21497 \bidi@patchcmd{\tcb@vbox}{%
21498   \let\@footnotetext\@mpfootnotetext%
21499 }{%
21500   \let\@footnotetext\@mpfootnotetext%
21501   \let\@LTRfootnotetext\@mpLTRfootnotetext%
21502   \let\@RTLfootnotetext\@mpRTLfootnotetext%
21503 }{}{}
21504
21505 \bidi@patchcmd{\endtcbox@vbox}{%
21506   \footnoterule%
21507 }{%
21508   \bidi@mpfootnoterule%
21509 }{}{}
21510 \bidi@apptocmd\tcb@icolorbox{%
21511   \@bidi@list@minipage@parboxfalse
21512 }{}{}

```

145 File titlesec-xetex-bidi.def

```

21513 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package]
21514 \renewcommand\filright{%
21515   \gdef\ttl@filleft##1{\hspace##1}%
21516   \gdef\ttl@filright##1{\hfill}%
21517   \let\\\@centercr
21518   \advance\rightskip\z@ \@plus 1fil
21519   \parfillskip\z@}
21520 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
21521   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
21522   \setlength\leftskip{#6}%
21523   \setlength\rightskip{#7}%
21524   \interlinepenalty\@M
21525   \ttl@changecentercr
21526   \ttl@beginlongest
21527   #1{\ifhmode\ttl@hmode@error\fi
21528     \ttl@glcmds
21529     \parindent\z@
21530     \leavevmode
21531     \begingroup
21532     \ifttl@label
21533       \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
21534       \ifRTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
21535       \llap{\box\z@}%
21536     \fi
21537     #4{#8}%
21538     \kern\z@\strut\@par
21539   \endgroup
21540   \nobreak\ttl@midlongest#5\@par}%
21541 \ttl@endlongest}

```

146 File titletoc-xetex-bidi.def

```

21542 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]

```



```

21543 \renewcommand\filright{%
21544   \gdef\ttl@filleft##1{\hskip##1}%
21545   \gdef\ttl@filright##1{\hfill}%
21546   \let\\\@centercr
21547   \advance\rightskip\z@ \@plus 1fil
21548 \parfillskip\z@}
21549 \renewcommand\contentspush[1]{%
21550   \sbox\z@{#1}%
21551   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
21552   \aftergroup\ttl@b
21553   \leavevmode\llap{\box\z@}}
21554 \def\ttl@outnoblock#1#2#3{%
21555   \begingroup
21556   \ifnum\ttl@b>\ttl@a
21557     \nobreak
21558   \else\ifnum\ttl@b<\ttl@a
21559     \addpenalty{\@secpenalty}%
21560   \else
21561     \addpenalty{\z@}%
21562   \fi\fi
21563   \ttl@contentsstretch
21564   \nobreak
21565   \ifcase#1\relax\else\interlinepenalty\M\fi
21566   \parindent\z@
21567   \ifx@nil#2%
21568     \PackageError{titletoc}{Unimplemented}%
21569     {The optional argument is currently mandatory}%
21570   \else
21571     \if@RTL\setlength\rightskip{#2}\else
21572     \setlength\leftskip{#2}\fi%
21573   \fi
21574   \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
21575   \let\contentsmargin\ttl@margin
21576   \def\ttl@makeline##1{##1}%
21577   #3%
21578   \addtolength{\parfillskip}{-\ttl@corr}%
21579   \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
21580   \let\ttl@leaders\leaders}
21581 \renewcommand\ttl@margin[2][\z@]{%
21582   \def\ttl@corr{#1}%
21583   \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
21584   \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
21585   \def\@pnumwidth{#2}}
21586 \let\ttl@savel@part\l@part
21587 \def\l@part{\ttl@lselect{part}}
21588
21589 \let\ttl@savel@chapter\l@chapter
21590 \def\l@chapter{\ttl@lselect{chapter}}

```

147 File tocbibind-xetex-bidi.def

```

21591 \ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind packa
21592 \if@dotocbib
21593   \@ifpackageloaded{natbib}{}{% natbib not loaded

```



```

21594 \renewcommand{\bibsection}{\t@cb@bchapsec}
21595 \renewenvironment{thebibliography}[1]{%
21596 \bibsection
21597 \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}
21598 \renewenvironment{thebibitemlist}[1]{
21599 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
21600 \bidi@thebibliography@font@hook%
21601 \list{\@biblabel{\@arabic\c@enumiv}}%
21602 {\settowidth\labelwidth{\@biblabel{#1}}%
21603 \leftmargin\labelwidth
21604 \advance\leftmargin\labelsep
21605 \@openbib@code
21606 \usecounter{enumiv}%
21607 \let\p@enumiv\@empty
21608 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
21609 \sloppy
21610 \clubpenalty4000
21611 \@clubpenalty \clubpenalty
21612 \widowpenalty4000%
21613 \sfcode`..\@m}
21614 {\def\@noitemerr
21615 {\@latex@warning{Empty `thebibliography' environment}}%
21616 \endlist}
21617
21618 \@ifpackagewith{chapterbib}{sectionbib}%
21619 {\renewcommand{\sectionbib}[2]{}%
21620 {}
21621
21622 \fi
21623 \if@inltxdoc\else
21624 \renewenvironment{theindex}%
21625 {\if@twocolumn
21626 \@restonecolfalse
21627 \else
21628 \@restonecoltrue
21629 \fi
21630 \if@bibchapter
21631 \if@donumindex
21632 \refstepcounter{chapter}
21633 \twocolumn[\vspace*{2\topskip}%
21634 \makechapterhead{\indexname}}%
21635 \addcontentsline{toc}{chapter}{\protect\numberline{thechapter}\indexname}
21636 \chaptermark{\indexname}
21637 \else
21638 \if@dotocind
21639 \twocolumn[\vspace*{2\topskip}%
21640 \makechapterhead{\indexname}}%
21641 \prw@mkboth{\indexname}
21642 \addcontentsline{toc}{chapter}{\indexname}
21643 \else
21644 \twocolumn[\vspace*{2\topskip}%
21645 \makechapterhead{\indexname}}%
21646 \prw@mkboth{\indexname}
21647 \fi

```



```

21648     \fi
21649   \else
21650     \if@donumindex
21651       \twocolumn[\vspace*{-1.5\topskip}%
21652         \nameuse{\@tocextra}{\indexname}]%
21653       \csname \@tocextra mark\endcsname{\indexname}
21654     \else
21655       \if@dotocind
21656         \twocolumn[\vspace*{-1.5\topskip}%
21657           \toc@headstar{\@tocextra}{\indexname}]%
21658         \prw@mkboth{\indexname}
21659         \addcontentsline{toc}{\@tocextra}{\indexname}
21660       \else
21661         \twocolumn[\vspace*{-1.5\topskip}%
21662           \toc@headstar{\@tocextra}{\indexname}]%
21663         \prw@mkboth{\indexname}
21664     \fi
21665   \fi
21666 \fi
21667 \thispagestyle{plain}\parindent\z@
21668 \parskip\z@ \@plus .3\p@\relax
21669 \let\item\@idxitem}
21670 {\if@restonecol\onecolumn\else\clearpage\fi}
21671 \fi

```

148 File `tocloft-xetex-bidi.def`

```

21672 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package f
21673 \let\cftdot\@SepMark
21674 \if@cfthaspart
21675 \renewcommand*{\l@part}[2]{
21676   \cftdopartfalse
21677   \ifnum \c@tocdepth >-2\relax
21678     \if@cfthaschapter
21679       \cftdoparttrue
21680     \fi
21681     \ifnum \c@tocdepth >\m@ne
21682       \if@cfthaschapter\else
21683         \cftdoparttrue
21684       \fi
21685     \fi
21686 \fi
21687 \if@cftdopart
21688   \if@cfthaschapter
21689     \addpenalty{-\@highpenalty}
21690   \else
21691     \addpenalty\@secpenalty
21692   \fi
21693   \addvspace{\cftbeforepartskip}
21694 \begingroup
21695   {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
21696   \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
21697   \parfillskip -\if@RTL\leftskip\else\rightskip\fi
21698   \parindent \cftpartindent\relax\@afterindenttrue

```



```

21699     \interlinepenalty\@M
21700     \leavevmode
21701     \@tempdima \cftpartnumwidth\relax
21702     \let\@cftbsnum \cftpartpresnum
21703     \let\@cftasnum \cftpartaftersnum
21704     \let\@cftasnumb \cftpartaftersnumb
21705     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
21706     {\cftpartfont \cftpartpresnum #1}
21707     \cftpartfillnum{#2}}
21708     \nobreak
21709     \if@cfthaschapter
21710         \global\@nobreaktrue
21711     \everypar{\global\@nobreakfalse\everypar{}}
21712     \else
21713         \if@compatibility
21714             \global\@nobreaktrue
21715         \everypar{\global\@nobreakfalse\everypar{}}
21716     \fi
21717 \fi
21718 \endgroup
21719 \fi}
21720 \fi
21721 \if@cfthaschapter
21722 \renewcommand*{\l@chapter}[2]{
21723     \ifnum \c@tocdepth >\m@ne
21724         \addpenalty{-\@highpenalty}
21725         \vskip \cftbeforechapskip
21726     {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
21727     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
21728     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
21729     \parindent \cftchapindent\relax\@afterindenttrue
21730     \interlinepenalty\@M
21731     \leavevmode
21732     \@tempdima \cftchapnumwidth\relax
21733     \let\@cftbsnum \cftchappresnum
21734     \let\@cftasnum \cftchapaftersnum
21735     \let\@cftasnumb \cftchapaftersnumb
21736     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
21737     {\cftchapfont #1}\nobreak
21738     \cftchapfillnum{#2}}
21739 \fi}
21740 \fi
21741 \renewcommand*{\l@section}[2]{%
21742     \ifnum \c@tocdepth >\z@
21743         \if@cfthaschapter
21744             \vskip \cftbeforesecskip
21745         \else
21746             \addpenalty\@secpenalty
21747             \addvspace{\cftbeforesecskip}
21748         \fi
21749     {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
21750     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
21751     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
21752     \parindent \cftsecindent\relax\@afterindenttrue

```



```

21753 \interlinepenalty\@M
21754 \leavevmode
21755 \@tempdima \cftsecnumwidth\relax
21756 \let\@cftbsnum \cftsecpresnum
21757 \let\@cftasnum \cftsecaftersnum
21758 \let\@cftasnumb \cftsecaftersnumb
21759 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
21760 {\cftsecfont #1}\nobreak
21761 \cftsecfillnum{#2}}
21762 \fi}
21763 \renewcommand*\l@section}[2]{%
21764 \ifnum \c@tocdepth >\@ne
21765 \vskip \cftbeforesubsecskip
21766 {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
21767 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
21768 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
21769 \parindent \cftsubsecindent\relax\@afterindenttrue
21770 \interlinepenalty\@M
21771 \leavevmode
21772 \@tempdima \cftsubsecnumwidth\relax
21773 \let\@cftbsnum \cftsubsecpresnum
21774 \let\@cftasnum \cftsubsecaftersnum
21775 \let\@cftasnumb \cftsubsecaftersnumb
21776 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
21777 {\cftsubsecfont #1}\nobreak
21778 \cftsubsecfillnum{#2}}
21779 \fi}
21780 \renewcommand*\l@subsection}[2]{%
21781 \ifnum \c@tocdepth >\tw@
21782 \vskip \cftbeforesubsubsecskip
21783 {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
21784 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
21785 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
21786 \parindent \cftsubsubsecindent\relax\@afterindenttrue
21787 \interlinepenalty\@M
21788 \leavevmode
21789 \@tempdima \cftsubsubsecnumwidth\relax
21790 \let\@cftbsnum \cftsubsubsecpresnum
21791 \let\@cftasnum \cftsubsubsecaftersnum
21792 \let\@cftasnumb \cftsubsubsecaftersnumb
21793 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
21794 {\cftsubsubsecfont #1}\nobreak
21795 \cftsubsubsecfillnum{#2}}
21796 \fi}
21797 \renewcommand*\l@paragraph}[2]{%
21798 \ifnum \c@tocdepth >3\relax
21799 \vskip \cftbeforeparaskip
21800 {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
21801 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
21802 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
21803 \parindent \cftparaindent\relax\@afterindenttrue
21804 \interlinepenalty\@M
21805 \leavevmode
21806 \@tempdima \cftparanumwidth\relax

```



```

21807 \let\@cftbsnum \cftparapresnum
21808 \let\@cftasnum \cftparaaftersnum
21809 \let\@cftasnumb \cftparaaftersnumb
21810 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
21811 {\cftparafont #1}\nobreak
21812 \cftparafillnum{#2}}
21813 \fi}
21814 \renewcommand*{\l@subparagraph}[2]{%
21815 \ifnum \c@tocdepth >4\relax
21816 \vskip \cftbeforesubparaskip
21817 {\if@RTL\righskip\else\leftskip\fi \cftsubparaindent\relax
21818 \if@RTL\leftskip\else\righskip\fi \@tocrmarg
21819 \parfillskip -\if@RTL\leftskip\else\righskip\fi
21820 \parindent \cftsubparaindent\relax\@afterindenttrue
21821 \interlinepenalty\@M
21822 \leavevmode
21823 \@tempdima \cftsubparanumwidth\relax
21824 \let\@cftbsnum \cftsubparapresnum
21825 \let\@cftasnum \cftsubparaaftersnum
21826 \let\@cftasnumb \cftsubparaaftersnumb
21827 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
21828 {\cftsubparafont #1}\nobreak
21829 \cftsubparafillnum{#2}}
21830 \fi}
21831 \renewcommand*{\l@figure}[2]{%
21832 \ifnum \c@lofdepth >\z@
21833 \vskip \cftbeforefigskip
21834 {\if@RTL\righskip\else\leftskip\fi \cftfigindent\relax
21835 \if@RTL\leftskip\else\righskip\fi \@tocrmarg
21836 \parfillskip -\if@RTL\leftskip\else\righskip\fi
21837 \parindent \cftfigindent\relax\@afterindenttrue
21838 \interlinepenalty\@M
21839 \leavevmode
21840 \@tempdima \cftfignumwidth\relax
21841 \let\@cftbsnum \cftfigpresnum
21842 \let\@cftasnum \cftfigaftersnum
21843 \let\@cftasnumb \cftfigaftersnumb
21844 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
21845 {\cftfigfont #1}\nobreak
21846 \cftfigfillnum{#2}}
21847 \fi
21848 }
21849 \renewcommand*{\l@table}[2]{%
21850 \ifnum \c@lotdepth >\z@
21851 \vskip \cftbeforetabskip
21852 {\if@RTL\righskip\else\leftskip\fi \cfttabindent\relax
21853 \if@RTL\leftskip\else\righskip\fi \@tocrmarg
21854 \parfillskip -\if@RTL\leftskip\else\righskip\fi
21855 \parindent \cfttabindent\relax\@afterindenttrue
21856 \interlinepenalty\@M
21857 \leavevmode
21858 \@tempdima \cfttabnumwidth\relax
21859 \let\@cftbsnum \cfttabpresnum
21860 \let\@cftasnum \cfttabaftersnum

```



```

21861 \let\@cftasnumb \cfttabaftersnumb
21862 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
21863 {\cfttabfont #1}\nobreak
21864 \cfttabfillnum{#2}}
21865 \fi
21866 }
21867 \renewcommand{\@cftl@subfig}{
21868 \renewcommand*\@l@subfigure}[2]{%
21869 \ifnum \c@lofdepth > \toclevel@subfigure
21870 \vskip \cftbeforesubfigskip
21871 {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
21872 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
21873 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
21874 \parindent \cftsubfigindent\relax\@afterindenttrue
21875 \interlinepenalty\@M
21876 \leavevmode
21877 \@tempdima \cftsubfignumwidth\relax
21878 \let\@cftbsnum \cftsubfigpresnum
21879 \let\@cftasnum \cftsubfigaftersnum
21880 \let\@cftasnumb \cftsubfigaftersnumb
21881 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
21882 {\cftsubfigfont ##1}\nobreak
21883 \cftsubfigfillnum{##2}}
21884 \fi
21885 }
21886 }
21887 \renewcommand{\@cftl@subtab}{
21888 \renewcommand*\@l@subtable}[2]{%
21889 \ifnum \c@lotdepth > \toclevel@subtable
21890 \vskip \cftbeforesubtabskip
21891 {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
21892 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
21893 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
21894 \parindent \cftsubtabindent\relax\@afterindenttrue
21895 \interlinepenalty\@M
21896 \leavevmode
21897 \@tempdima \cftsubtabnumwidth\relax
21898 \let\@cftbsnum \cftsubtabpresnum
21899 \let\@cftasnum \cftsubtabaftersnum
21900 \let\@cftasnumb \cftsubtabaftersnumb
21901 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
21902 {\cftsubtabfont ##1}\nobreak
21903 \cftsubtabfillnum{##2}}
21904 \fi
21905 }
21906 }
21907 \renewcommand{\newlistentry}[4][\@empty]{%
21908 \@ifundefined{c@#2}{% check & set the counter
21909 \ifx \@empty#1\relax
21910 \newcounter{#2}
21911 \else
21912 \@ifundefined{c@#1}{\PackageWarning{tocloft}%
21913 {#1 has no counter for use as a `within'}}
21914 \newcounter{#2}}%

```



```

21915     {\newcounter{#2}[#1]%
21916       \expandafter\edef\csname the#2\endcsname{%
21917         \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}
21918     \fi
21919     \setcounter{#2}{0}
21920   }
21921   {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
21922
21923   \@namedef{l@#2}##1##2{%
21924     \ifnum \@nameuse{c@#3depth} > #4\relax
21925       \vskip \@nameuse{cftbefore#2skip}
21926       {\ifRTL\righskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
21927       \ifRTL\leftskip\else\righskip\fi \@tocrmarg
21928       \parfillskip -\ifRTL\leftskip\else\righskip\fi
21929       \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
21930       \interlinepenalty\@M
21931       \leavevmode
21932       \@tempdima \@nameuse{cft#2numwidth}\relax
21933       \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
21934       \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
21935       \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
21936       \advance\ifRTL\righskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\ifRTL\righ
21937       {\@nameuse{cft#2font}##1}\nobreak
21938       \@nameuse{cft#2fillnum}{##2}}
21939     \fi
21940   } % end of l@#2
21941
21942   \expandafter\newlength\csname cftbefore#2skip\endcsname
21943     \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
21944   \expandafter\newlength\csname cft#2indent\endcsname
21945   \expandafter\newlength\csname cft#2numwidth\endcsname
21946   \ifcase #4\relax % 0
21947     \setlength{\@nameuse{cft#2indent}}{0em}
21948     \setlength{\@nameuse{cft#2numwidth}}{1.5em}
21949   \or % 1
21950     \setlength{\@nameuse{cft#2indent}}{1.5em}
21951     \setlength{\@nameuse{cft#2numwidth}}{2.3em}
21952   \or % 2
21953     \setlength{\@nameuse{cft#2indent}}{3.8em}
21954     \setlength{\@nameuse{cft#2numwidth}}{3.2em}
21955   \or % 3
21956     \setlength{\@nameuse{cft#2indent}}{7.0em}
21957     \setlength{\@nameuse{cft#2numwidth}}{4.1em}
21958   \else % anything else
21959     \setlength{\@nameuse{cft#2indent}}{10.0em}
21960     \setlength{\@nameuse{cft#2numwidth}}{5.0em}
21961   \fi
21962   \@namedef{cft#2font}{\normalfont}
21963   \@namedef{cft#2presnum}{}
21964   \@namedef{cft#2aftersnum}{}
21965   \@namedef{cft#2aftersnumb}{}
21966   \@namedef{cft#2dotsep}{\cftdotsep}
21967   \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
21968   \@namedef{cft#2pagefont}{\normalfont}

```



```

21969 \@namedef{cft#2afterpnum}{}
21970 \@namedef{toclevel@#2}{#4}
21971 \@namedef{cft#2fillnum}##1{%
21972   {\@nameuse{cft#2leader}}\nobreak
21973   \hb@xt@{\pnumwidth{\hfil\@nameuse{cft#2pagefont}}##1}\@nameuse{cft#2afterpnum}\par}
21974 } % end \newlistentry
21975 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
21976   {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
21977   \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
21978   \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
21979   \textit{#1}\protect\par}}}}

```

149 File tocbasic-xetex-bidi.def

```

21980 \ProvidesFile{tocbasic-xetex-bidi.def}[2022/05/27 v0.4 bidi adaptations for tocbasic package]
21981 \bidi@undef\scr@dte@def@1@undottedtocline
21982 \bidi@undef\scr@dte@undottedtocline@init
21983 \DeclareTOCEntryStyle{undottedtocline}[{%
21984   \DefineTOCEntryLengthOption{indent}%
21985   {scr@tso@}{@indent}{entry indent}%
21986   \DefineTOCEntryLengthOption{numwidth}%
21987   {scr@tso@}{@numwidth}{entry number width}%
21988   \@ifundefined{#1tocdepth}{%
21989     \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
21990       \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
21991         \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
21992           \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
21993             \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
21994               \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
21995                 \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
21996                   \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
21997                     \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
21998                       \expandafter\let\csname #1tocdepth\expandafter\endcsname
21999                       \csname #1numdepth\endcsname
22000                     }%
22001                   }%
22002                 }%
22003               }%
22004             }%
22005           }%
22006         }%
22007       }%
22008     }%
22009   }]{}%
22010 \@ifundefined{scr@tso@#1@indent}{%
22011   \@ifundefined{scr@#1@tocindent}{%
22012     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22013       \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22014         \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
22015           \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
22016             \scr@ifundefinedorrelax{1@chapter}{%
22017               \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
22018                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22019                   \Ifstr{#1}{subsubsection}{%

```



```

22020         \@namedef{scr@tso@#1@indent}{3.8em}%
22021     }{%
22022         \Ifstr{#1}{paragraph}{%
22023             \@namedef{scr@tso@#1@indent}{7em}%
22024         }{%
22025             \Ifstr{#1}{subparagraph}{%
22026                 \@namedef{scr@tso@#1@indent}{10em}%
22027             }{%
22028                 }%
22029             }%
22030         }%
22031     }%
22032 }%
22033 }{%
22034     \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22035         \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
22036             \Ifstr{#1}{subsubsection}{%
22037                 \@namedef{scr@tso@#1@indent}{7.0em}%
22038             }{%
22039                 \Ifstr{#1}{paragraph}{%
22040                     \@namedef{scr@tso@#1@indent}{10em}%
22041                 }{%
22042                     \Ifstr{#1}{subparagraph}{%
22043                         \@namedef{scr@tso@#1@indent}{12em}%
22044                     }{%
22045                         }%
22046                     }%
22047                 }%
22048             }%
22049         }%
22050     }%
22051 }%
22052 }%
22053 }%
22054 }%
22055 }{%
22056     \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
22057 }%
22058 }{}%
22059 \@ifundefined{scr@tso@#1@numwidth}{%
22060     \@ifundefined{scr@#1@tocnumwidth}{%
22061         \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
22062             \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
22063                 \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
22064                     \scr@ifundefinedorrelax{chapter}{%
22065                         \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
22066                             \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
22067                                 \Ifstr{#1}{subsubsection}{%
22068                                     \@namedef{scr@tso@#1@numwidth}{3.2em}%
22069                                 }{%
22070                                     \Ifstr{#1}{paragraph}{%
22071                                         \@namedef{scr@tso@#1@numwidth}{4.1em}%
22072                                     }{%
22073                                         \Ifstr{#1}{subparagraph}{%

```



```

22074         \@namedef{scr@tso@#1@numwidth}{5m}%
22075     }-%
22076     }%
22077     }%
22078     }%
22079     }%
22080     }%
22081 }-%
22082     \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
22083     \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
22084     \Ifstr{#1}{subsubsection}{%
22085     \@namedef{scr@tso@#1@numwidth}{3.1em}%
22086     }-%
22087     \Ifstr{#1}{paragraph}{%
22088     \@namedef{scr@tso@#1@numwidth}{5em}%
22089     }-%
22090     \Ifstr{#1}{subparagraph}{%
22091     \@namedef{scr@tso@#1@numwidth}{6em}%
22092     }-%
22093     }%
22094     }%
22095     }%
22096     }%
22097     }%
22098     }%
22099     }%
22100     }%
22101     }%
22102 }-%
22103     \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
22104     }%
22105 }-%
22106 }]{%
22107 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
22108     \ifnum \@nameuse{#1tocdepth}<\@ne
22109         \scr@ifundefinedorrelax{chapter}{%
22110             \addpenalty\@secpenalty
22111             \addvspace{1.0em \@plus\p@}%
22112         }{%
22113             \addpenalty{-\@highpenalty}%
22114             \vskip 1.0em \@plus\p@
22115         }%
22116     \else
22117         \addpenalty\@secpenalty
22118         \addvspace{1.0em \@plus\p@}%
22119     \fi
22120     \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
22121     \begingroup
22122     \parindent \z@ \bidi@rightskip \@pnumwidth
22123     \parfillskip -\@pnumwidth
22124     \leavevmode
22125     \bfseries
22126     \advance\bidi@leftskip\@tempdima
22127     \Iftocfeature{\@currentt}{noindent}{%

```



```

22128     \hskip -\bidi@leftskip
22129   }{%
22130     \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
22131     \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
22132   }%
22133   ##1%
22134   \nobreak
22135   \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
22136   \par
22137   \penalty\@highpenalty
22138   \endgroup
22139 \fi
22140 }
22141
22142 \bidi@undef\scr@dte@def@l@largetocline
22143 \bidi@undef\scr@dte@largetocline@init
22144 \DeclareTOCEntryStyle{largetocline}[{%
22145   \DefineTOCEntryLengthOption{indent}%
22146   {scr@tso@}{@indent}{entry indent}%
22147   \@ifundefined{#1tocdepth}{%
22148     \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
22149     \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
22150     \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
22151     \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
22152     \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
22153     \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
22154     \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
22155     \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
22156     \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
22157     \expandafter\let\csname #1tocdepth\expandafter\endcsname
22158     \csname #1numdepth\endcsname
22159     }%
22160     }%
22161     }%
22162     }%
22163     }%
22164     }%
22165     }%
22166     }%
22167     }%
22168   }{%
22169   \@ifundefined{scr@tso@#1@indent}{%
22170     \@ifundefined{scr@#1@tocindent}{%
22171       \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22172       \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22173       \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
22174       \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
22175       \scr@ifundefinedorrelax{l@chapter}{%
22176       \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{Opt}}{%
22177       \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22178       \Ifstr{#1}{subsubsection}{%
22179       \@namedef{scr@tso@#1@indent}{3.8em}}%
22180       }{%
22181       \Ifstr{#1}{paragraph}{%

```



```

22182         \@namedef{scr@tso@#1@indent}{7em}%
22183     }{%
22184         \Ifstr{#1}{subparagraph}{%
22185             \@namedef{scr@tso@#1@indent}{10em}%
22186         }{%
22187             }%
22188         }%
22189     }%
22190 }%
22191 }%
22192 }{%
22193     \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22194         \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
22195             \Ifstr{#1}{subsubsection}{%
22196                 \@namedef{scr@tso@#1@indent}{7.0em}%
22197             }{%
22198                 \Ifstr{#1}{paragraph}{%
22199                     \@namedef{scr@tso@#1@indent}{10em}%
22200                 }{%
22201                     \Ifstr{#1}{subparagraph}{%
22202                         \@namedef{scr@tso@#1@indent}{12em}%
22203                     }{%
22204                         }%
22205                     }%
22206                 }%
22207             }%
22208         }%
22209     }%
22210 }%
22211 }%
22212 }%
22213 }%
22214 }{%
22215     \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
22216 }%
22217 }{%
22218 }]{%
22219 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
22220     \ifnum \@nameuse{#1tocdepth}<\@ne
22221         \scr@ifundefinedorrelax{chapter}{%
22222             \addpenalty\@secpenalty
22223             \addvspace{2.25em \@plus\p@}%
22224         }{%
22225             \addpenalty{-\@highpenalty}%
22226             \addvspace{2.25em \@plus\p@}%
22227         }%
22228     \else
22229         \addpenalty\@secpenalty
22230         \addvspace{2.25em \@plus\p@}%
22231     \fi
22232     \setlength\@tempdima{3em}%
22233     \begingroup
22234         \parindent \z@ \bidi@rightskip \@pnumwidth
22235         \parfillskip -\@pnumwidth

```



```

22236 \leavevmode
22237 \large
22238 \bfseries
22239 \IfTocfeature{\@currentt}{noindent}{%
22240 }{%
22241 \advance\bid@leftskip\@nameuse{scr@tso@#1@indent}%
22242 }%
22243 ##1%
22244 \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
22245 \par
22246 \nobreak
22247 \ifnum 0=
22248 \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
22249 \global\@nobreaktrue
22250 \everypar{\global\@nobreakfalse\everypar{}}%
22251 \fi
22252 \endgroup
22253 \fi
22254 }
22255
22256 \renewcommand*{\scr@dte@tocline}[3]{%
22257 \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
22258 \else
22259 \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
22260 \addvspace{\@nameuse{scr@tso@#1@beforeskip}}\relax
22261 \@nameuse{Ifscr@tso@#1@dynindent}{%
22262 \expandafter\ifx\csname scr@tso@#1@indentfollows\endcsname\@empty
22263 \PackageWarning{tocbasic}{`dynindent' for `#1' not available}%
22264 \else
22265 \edef\reserved@a{\@nameuse{scr@tso@#1@indentfollows}}%
22266 \@for \reserved@a:=\reserved@a\do {%
22267 \scr@trim@spaces\reserved@a
22268 \ifx\reserved@a\@empty\else
22269 \scr@ifundefinedorrelax{\reserved@a tocdepth}{%
22270 }{%
22271 \ifnum \@nameuse{\reserved@a tocdepth}<\@nameuse{#1tocdepth}%
22272 \@tempdima\@nameuse{scr@tso@\reserved@a @indent}\relax
22273 \@nameuse{Ifscr@tso@\reserved@a @dynamwidth}{%
22274 \scr@ifundefinedorrelax
22275 {scr@dte@\reserved@a @lastmaxnumwidth}{%
22276 \advance\@tempdima
22277 \@nameuse{scr@tso@\reserved@a @numwidth}}\relax
22278 }{%
22279 \advance\@tempdima
22280 \@nameuse{scr@dte@\reserved@a @lastmaxnumwidth}}\relax
22281 }%
22282 }{%
22283 \advance\@tempdima
22284 \@nameuse{scr@tso@\reserved@a @numwidth}}\relax
22285 }%
22286 \ifdim \@tempdima>\@nameuse{scr@tso@#1@indent}\relax
22287 \expandafter\edef\csname scr@tso@#1@indent\endcsname
22288 {\the\@tempdima}%
22289 \fi

```



```

22290         \fi
22291     }%
22292     \fi
22293 }%
22294 \fi
22295 }{}%
22296 {%
22297     \Iftocfeature{\@currentx}{noindent}{%
22298         \bidi@leftskip \z@
22299     }{%
22300         \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
22301     }%
22302     \bidi@rightskip \@nameuse{scr@tso@#1@rightindent}\relax
22303     \parfillskip -\bidi@rightskip
22304     \@nameuse{Ifscr@tso@#1@raggedpage}{%
22305         \addtolength{\parfillskip}{\z@ \@plus 1fil}%
22306     }{}%
22307     \Iftocfeature{\@currentx}{noindent}{%
22308         \parindent \z@
22309     }{%
22310         \parindent \@nameuse{scr@tso@#1@indent}\relax
22311     }%
22312     \@afterindenttrue
22313     \interlinepenalty\M
22314     \expandafter\ifx\c@name ragged#1entry\endcsname\raggedright
22315         \addtolength\bidi@rightskip\@flushglue
22316     \else
22317         \def\reserved@a{\raggedright}%
22318         \expandafter\ifx\c@name ragged#1entry\endcsname\reserved@a
22319             \addtolength\bidi@rightskip\@flushglue
22320         \else
22321             \renewcommand\reserved@a{\raggedright}%
22322             \expandafter\ifx\c@name ragged#1entry\endcsname\reserved@a
22323                 \addtolength\bidi@rightskip\@flushglue
22324             \fi
22325         \fi
22326     \fi
22327     \leavevmode
22328     \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
22329     \@nameuse{Ifscr@tso@#1@dynnumwidth}{%
22330         \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{%
22331             \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
22332                 \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
22333             \fi
22334         }%
22335     }{}%
22336     \advance\bidi@leftskip \@tempdima
22337     \null\nobreak\hskip -\bidi@leftskip
22338     {%
22339         \usetocbasicnumberline
22340         \let\scr@dte@numberline@box\numberline@box
22341         \def\numberline@box##1{%
22342             \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
22343             \global\scr@dte@tocline@numberwidth

```



```

22344 \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
22345 \relax
22346 \ifdim \scr@dte@tocline@numberwidth
22347 >\@nameuse{scr@dte@#1@maxnumwidth}\relax
22348 \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
22349 \fi
22350 \@nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
22351 \ifdim \scr@dte@tocline@numberwidth
22352 >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
22353 +\@nameuse{scr@tso@#1@numsep}\relax\relax
22354 \PackageWarning{tocbasic}{%
22355 number width of #1 toc entries should be
22356 increased!\MessageBreak
22357 Currently used number width =
22358 \the\wd\scr@dte@tocline@numbox,\MessageBreak
22359 Wanted number separation
22360 \space\space\space =
22361 \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
22362 Reserved number width \space\space\space\space\space\space =
22363 \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
22364 }%
22365 \fi
22366 }%
22367 \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
22368 \@nameuse{Ifscr@tso@#1@breakafternumber}{%
22369 {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
22370 }{}%
22371 }%
22372 {\@nameuse{scr@tso@#1@entryformat}{%
22373 #2%
22374 \nobreak
22375 {%
22376 \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}}%
22377 \nobreak
22378 \expandafter\let\expandafter\scr@dte@pagenumberwidth
22379 \csname scr@tso@#1@pagenumberwidth\endcsname
22380 \@nameuse{scr@tso@#1@pagenumberbox}{%
22381 \@nameuse{scr@tso@#1@pagenumberformat}{#3}}%
22382 }%
22383 }%
22384 }}\@par
22385 }%
22386 }%
22387 \tocbasic@SetPenaltyByTOCLevel{#1}%
22388 \fi
22389 }
22390
22391
22392 \bidi@undef\scr@dte@def@1@tocline
22393 \bidi@undef\scr@dte@tocline@init
22394 \DeclareTOCEntryStyle{tocline}[{%
22395 \DefineTOCEntryLengthOption{beforeskip}}%
22396 {scr@tso@}{@beforeskip}{vertical skip before the entry}}%
22397 \DefineTOCEntryIfOption{breakafternumber}%

```



```

22398 {scr@tso@}{@breakafternumber}{line break after number flag}%
22399 \DefineTOCEntryIfOption{dynnumwidth}%
22400 {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
22401 \DefineTOCEntryListOption{indentfollows}%
22402 {scr@tso@}{@indentfollows}{list of levels that define the indent}%
22403 \DefineTOCEntryIfOption{dynindent}%
22404 {scr@tso@}{@dynindent}{dynamic indent width flag}%
22405 \DefineTOCEntryCommandOption{entryformat}%
22406 {scr@tso@}{@entryformat}[1]{entry format}%
22407 \DefineTOCEntryCommandOption{entrynumberformat}%
22408 {scr@tso@}{@numberformat}[1]{entry number format}%
22409 \DefineTOCEntryCommandOption{linefill}[1]{\TOCLineLeaderFill}%
22410 {scr@tso@}{@linefill}{filling between text and page number}%
22411 \DefineTOCEntryLengthOption{numsep}%
22412 {scr@tso@}{@numsep}{entry number separation}%
22413 \DefineTOCEntryCommandOption{onstarthigherlevel}%
22414 {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
22415 \DefineTOCEntryCommandOption{onstartlowerlevel}%
22416 {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
22417 \DefineTOCEntryCommandOption{onstartsamelevel}%
22418 {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
22419 \DefineTOCEntryCommandOption{pagenumberbox}%
22420 {scr@tso@}{@pagenumberbox}[1]{page number box}%
22421 \DefineTOCEntryCommandOption{pagenumberformat}%
22422 {scr@tso@}{@pagenumberformat}[1]{page number format}%
22423 \DefineTOCEntryLengthOption{pagenumberwidth}%
22424 {scr@tso@}{@pagenumberwidth}{width of page number box}%
22425 \DefineTOCEntryLengthOption{rightindent}%
22426 {scr@tso@}{@rightindent}{entry's text right indent}%
22427 \DefineTOCEntryOption{raggedentrytext}[true]{%
22428 \FamilySetBool{KOMArg}{raggedentrytext}{@tempswa}{##1}%
22429 \ifx\FamilyKeyState\FamilyKeyStateProcessed
22430 \if@tempswa
22431 \expandafter\let\csname ragged\scr@dte@current entry\endcsname
22432 \raggedright
22433 \else
22434 \expandafter\let\csname ragged\scr@dte@current entry\endcsname
22435 \relax
22436 \fi
22437 \fi
22438 }%
22439 \DefineTOCEntryIfOption{raggedpagenumber}%
22440 {scr@tso@}{@raggedpage}{page number ragged flag}%
22441 \DefineTOCEntryLengthOption{indent}%
22442 {scr@tso@}{@indent}{entry indent}%
22443 \DefineTOCEntryLengthOption{numwidth}%
22444 {scr@tso@}{@numwidth}{entry number width}%
22445 \scr@ifundefinedorrelax{#1tocdepth}{%
22446 \Ifstrstart{#1}{sub}{%
22447 \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{}{%
22448 \expandafter\edef\csname #1tocdepth\endcsname{%
22449 \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
22450 }%
22451 }%

```



```

22452   }{}%
22453 }{}%
22454 \@ifundefined{#1tocdepth}{%
22455   \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
22456   \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
22457   \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
22458   \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
22459   \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
22460   \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
22461   \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
22462   \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
22463   \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
22464   \expandafter\let\csname #1tocdepth\expandafter\endcsname
22465   \csname #1numdepth\endcsname
22466   }%
22467   }%
22468   }%
22469   }%
22470   }%
22471   }%
22472   }%
22473   }%
22474   }%
22475 }{}%
22476 \scr@ifundefinedorrelax{scr@tso@#1@indent}{%
22477   \@ifundefined{scr@#1@tocindent}{%
22478   \Ifstrstart{#1}{sub}{%
22479     \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
22480     \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}%
22481     \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
22482       \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}}%
22483     \relax
22484     }%
22485     }%
22486   }{%
22487     \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
22488     \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
22489       \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}}%
22490     \relax
22491     }%
22492   }{}%
22493   \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
22494     \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}}%
22495     +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}}%
22496   \relax
22497   }%
22498   }%
22499   }%
22500 }{}%
22501 }{}%
22502   \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
22503   }%
22504 }{}%
22505 \scr@ifundefinedorrelax{scr@tso@#1@pagenumberwidth}{%

```



```

22506 \Ifstrstart{#1}{sub}{%
22507 \scr@ifundefinedorrelax{scr@tso@scr@dte@nosub{#1}@pagenumberwidth}{%
22508 \@namedef{scr@tso@#1@pagenumberwidth}{\@pnumwidth}%
22509 }{%
22510 \expandafter\let
22511 \csname scr@tso@#1@pagenumberwidth\expandafter\endcsname
22512 \csname scr@tso@scr@dte@nosub{#1}@pagenumberwidth\endcsname
22513 }%
22514 }{%
22515 \@namedef{scr@tso@#1@pagenumberwidth}{\@pnumwidth}%
22516 }%
22517 }{%}
22518 \scr@ifundefinedorrelax{scr@tso@#1@rightindent}{%
22519 \Ifstrstart{#1}{sub}{%
22520 \scr@ifundefinedorrelax{scr@tso@scr@dte@nosub{#1}@rightindent}{%
22521 \@namedef{scr@tso@#1@rightindent}{\@tocrmarg}%
22522 }{%
22523 \expandafter\let
22524 \csname scr@tso@#1@rightindent\expandafter\endcsname
22525 \csname scr@tso@scr@dte@nosub{#1}@rightindent\endcsname
22526 }%
22527 }{%
22528 \@namedef{scr@tso@#1@rightindent}{\@tocrmarg}%
22529 }%
22530 }{%}
22531 \@ifundefined{scr@tso@#1@indent}{%
22532 \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22533 \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22534 \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
22535 \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
22536 \scr@ifundefinedorrelax{l@chapter}{%
22537 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{Opt}}{%
22538 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22539 \Ifstr{#1}{subsubsection}{%
22540 \@namedef{scr@tso@#1@indent}{3.8em}%
22541 }{%
22542 \Ifstr{#1}{paragraph}{%
22543 \@namedef{scr@tso@#1@indent}{7em}%
22544 }{%
22545 \Ifstr{#1}{subparagraph}{%
22546 \@namedef{scr@tso@#1@indent}{10em}%
22547 }{%
22548 }%
22549 }%
22550 }%
22551 }%
22552 }%
22553 }{%
22554 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22555 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
22556 \Ifstr{#1}{subsubsection}{%
22557 \@namedef{scr@tso@#1@indent}{7.0em}%
22558 }{%
22559 \Ifstr{#1}{paragraph}{%

```



```

22560         \@namedef{scr@tso@#1@indent}{10em}%
22561     }{%
22562         \Ifstr{#1}{subparagraph}{%
22563             \@namedef{scr@tso@#1@indent}{12em}%
22564         }{%
22565             }%
22566         }%
22567     }%
22568 }%
22569 }%
22570 }%
22571 }%
22572 }%
22573 }%
22574 }%
22575 }{}%
22576 \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
22577     \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
22578         \Ifstrstart{#1}{sub}{%
22579             \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}%
22580             \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
22581                 \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
22582                 +.9em}%
22583             \relax
22584         }%
22585     }%
22586 }{}%
22587 }{%
22588     \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
22589 }%
22590 }{}%
22591 \@ifundefined{scr@tso@#1@numwidth}{%
22592     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
22593     \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
22594     \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
22595     \scr@ifundefinedorrelax{chapter}{%
22596         \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
22597         \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
22598         \Ifstr{#1}{subsubsection}{%
22599             \@namedef{scr@tso@#1@numwidth}{3.2em}%
22600         }{%
22601             \Ifstr{#1}{paragraph}{%
22602                 \@namedef{scr@tso@#1@numwidth}{4.1em}%
22603             }{%
22604                 \Ifstr{#1}{subparagraph}{%
22605                     \@namedef{scr@tso@#1@numwidth}{5em}%
22606                 }{%
22607                     }%
22608                 }%
22609             }%
22610         }%
22611     }%
22612 }{}%
22613     \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%

```



```

22614         \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
22615         \Ifstr{#1}{subsubsection}{%
22616             \@namedef{scr@tso@#1@numwidth}{3.1em}%
22617         }{%
22618             \Ifstr{#1}{paragraph}{%
22619                 \@namedef{scr@tso@#1@numwidth}{5em}%
22620             }{%
22621                 \Ifstr{#1}{subparagraph}{%
22622                     \@namedef{scr@tso@#1@numwidth}{6em}%
22623                 }{%
22624                     }%
22625                 }%
22626             }%
22627         }%
22628     }%
22629 }%
22630 }%
22631 }%
22632 }%
22633 }-}%
22634 \expandafter\renewcommand%
22635 \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
22636 \expandafter\renewcommand%
22637 \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
22638 \expandafter\renewcommand%
22639 \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
22640 \@ifundefined{scr@tso@#1@beforeskip}{%
22641     \Ifstr{#1}{part}{%
22642         \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
22643     }{%
22644         \Ifstr{#1}{chapter}{%
22645             \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
22646         }{%
22647             \Ifstr{#1}{section}{%
22648                 \scr@ifundefinedorrelax[1]{chapter}{%
22649                     \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
22650                 }{}%
22651             }{}%
22652         }%
22653     }%
22654     \expandafter\renewcommand\expandafter*%
22655     \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
22656 }-}%
22657 \@ifundefined{scr@dte@#1@maxnumwidth}{%
22658     \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
22659     \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
22660 }-}%
22661 \renewcommand*{\scr@dte@donumwidth}{-}%
22662 \g@addto\macro{\scr@dte@donumwidth}{\do{#1}}%
22663 \expandafter\renewcommand\expandafter*%
22664 \csname scr@tso@#1@numsep\endcsname{.4em}%
22665 \expandafter\renewcommand%
22666 \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
22667 \Ifstr{#1}{part}{%

```



```

22668 \expandafter\providecommand%
22669 \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
22670 }{%
22671 \Ifstr{#1}{chapter}{%
22672 \expandafter\providecommand%
22673 \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
22674 }{%
22675 \scr@ifundefinedorrelax{1@chapter}{%
22676 \Ifstr{#1}{section}{%
22677 \expandafter\providecommand%
22678 \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
22679 }{%
22680 }{%
22681 \expandafter\providecommand%
22682 \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
22683 }%
22684 }%
22685 \expandafter\renewcommand
22686 \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
22687 \@ifundefined{scr@tso@#1@linefill}{%
22688 \Ifstr{#1}{part}{%
22689 \@namedef{scr@tso@#1@linefill}{\hfill}%
22690 }{%
22691 \Ifstr{#1}{chapter}{%
22692 \@namedef{scr@tso@#1@linefill}{\hfill}%
22693 }{%
22694 \scr@ifundefinedorrelax{1@chapter}{%
22695 \Ifstr{#1}{section}{%
22696 \@namedef{scr@tso@#1@linefill}{\hfill}%
22697 }{%
22698 }{%
22699 \expandafter\renewcommand%
22700 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
22701 }%
22702 }%
22703 }{%
22704 \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
22705 \Ifstr{#1}{part}{%
22706 \expandafter\providecommand%
22707 \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
22708 }{%
22709 \Ifstr{#1}{chapter}{%
22710 \expandafter\providecommand%
22711 \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
22712 }{%
22713 \scr@ifundefinedorrelax{1@chapter}{%
22714 \Ifstr{#1}{section}{%
22715 \expandafter\providecommand%
22716 \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
22717 }{%
22718 }{%
22719 \expandafter\providecommand%
22720 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22721 {\normalfont\normalcolor ##1}}%

```



```

22722 }%
22723 }%
22724 \expandafter\renewcommand%
22725 \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
22726 \hb@xt@{\nameuse{scr@dte@pagenumberwidth}}{\hfil ##1}}%
22727 \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
22728 \expandafter\renewcommand\csname Ifscr@tso@#1@dynindent\endcsname[2]{##2}%
22729 \scr@ifundefinedorrelax{scr@tso@#1@indentfollows}{%
22730 \Ifstrstart{#1}{sub}{%
22731 \expandafter\edef\csname scr@tso@#1@indentfollows\endcsname{%
22732 \scr@dte@nosub{#1}}%
22733 }%
22734 }{%
22735 \expandafter\let\csname scr@tso@#1@indentfollows\endcsname\empty
22736 }%
22737 }{}%
22738 }]}%
22739 \scr@dte@tocline{#1}{##1}{##2}%
22740 }
22741
22742 \renewcommand*{\scr@tso@figure@pagenumberformat}[1]{%
22743 {\normalfont\normalcolor #1}}%
22744 }
22745
22746 \renewcommand*{\scr@tso@table@pagenumberformat}[1]{%
22747 {\normalfont\normalcolor #1}}%
22748 }
22749

```

150 File tocstyle-xetex-bidi.def

```

22750 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
22751 \renewcommand*{\tocstyle@dottedtocline}[5]{%
22752 \let\numberline\tocstyle@numberline
22753 \ifnum #1>\c@tocdepth \else
22754 \if@tocstyle@penalties
22755 \begingroup
22756 \@tempcnta 20010
22757 \advance \@tempcnta by -#1
22758 \ifnum \@tempcnta>\lastpenalty
22759 \aftergroup\penalty\aftergroup\@lowpenalty
22760 \fi
22761 \endgroup
22762 \fi
22763 \edef\tocstyledepth{#1}}%
22764 \tocstyle@activate@features
22765 \ifx\tocstyle@feature@entryvskip\relax
22766 \vskip \z@ \@plus.2\p@
22767 \else
22768 \addvspace{\tocstyle@feature@entryvskip}%
22769 \fi
22770 {%
22771 \parskip \z@ \parindent \z@ \if@RTL\righskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
22772 \tocstyle@feature@raggedhook

```



```

22773 \@tempdima #3\relax
22774 \@tempdimb #2\relax
22775 \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
22776 \ifnum #1>\z@\relax
22777   \@tempcnta #1\relax \advance\@tempcnta \m@ne
22778   \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
22779     \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
22780       \@tempdimb
22781       \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
22782       \advance\@tempdimb
22783       \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
22784     \fi
22785   \fi
22786 \fi
22787 \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
22788 \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
22789   \ifdim \@tempdimb>
22790     \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
22791     \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
22792       @#1\endcsname{\the\@tempdimb}%
22793   \fi
22794 \else
22795   \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
22796     @#1\endcsname{\the\@tempdimb}%
22797 \fi
22798 \iftocstyle@autolength
22799   \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
22800     \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
22801     \relax
22802   \fi
22803   \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
22804     \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
22805     \relax
22806   \fi
22807   \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
22808   \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
22809 \else
22810   \@tempdimb #2\relax
22811   \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
22812 \fi
22813 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
22814   \ifdim \@tempdima>
22815     \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
22816     \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
22817       @\endcsname{\the\@tempdima}%
22818   \fi
22819 \else
22820   \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
22821     @\endcsname{\the\@tempdima}%
22822 \fi
22823 \ifcase\tocstyle@indentstyle\relax\else
22824   \@tempdimb \z@
22825   \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
22826     \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname

```



```

22827         \relax
22828     \fi
22829     \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
22830     \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
22831 \fi
22832 \advance\parindent \@tempdimb\@afterindenttrue
22833 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
22834 \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22835 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22836 \ifx\tocstyle@feature@parfillskip\relax\else
22837     \advance\parfillskip \tocstyle@feature@parfillskip\relax
22838 \fi
22839 \interlinepenalty\@M
22840 \leavevmode
22841 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
22842 \null\nobreak
22843 \iftocstyle@indentnotnumbered\else
22844     \hskip -\if@RTL\rightskip\else\leftskip\fi
22845 \fi
22846 \tocstyle@feature@entryhook
22847 {#4}\nobreak
22848 \ifx\tocstyle@feature@leaders\relax
22849     \leaders\hbox{$\m@th
22850         \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
22851         \mkern \@dotsep mu$}\hfill
22852 \else
22853     \tocstyle@feature@leaders
22854 \fi
22855 \nobreak
22856 \ifx\tocstyle@feature@pagenumberbox\relax
22857     \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
22858 \else
22859     \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
22860 \fi
22861 \par
22862 }%
22863 \iftocstyle@penalties
22864 \bgroup
22865     \@tempcnta 20009
22866     \advance\@tempcnta by -#1
22867     \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
22868     \reserved@a
22869 \fi
22870 \fi}
22871 \renewcommand*{\tocstyle@numberline}[1]{%
22872 \begingroup
22873     \ifx\tocstyle@feature@spaceafternumber\relax
22874         \settowidth\@tempdima{\tocstyle@numberline{#1}\enskip}%
22875     \else
22876         \settowidth\@tempdima{\tocstyle@numberline{#1}}%
22877         \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
22878     \fi
22879     \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
22880         \ifdim \@tempdima >

```



```

22881     \csname tocstyle@numwidth@tocstyleTOC @tocstyledepth\endcsname\relax
22882     \expandafter\xdef\csname tocstyle@numwidth@tocstyleTOC
22883     @tocstyledepth\endcsname{\the\@tempdima}%
22884     \fi
22885   \else
22886     \expandafter\xdef\csname tocstyle@numwidth@tocstyleTOC
22887     @tocstyledepth\endcsname{\the\@tempdima}%
22888     \fi
22889 \endgroup
22890 \iftocstyle@indentnotnumbered
22891   \hskip -\if@RTL\rightskip\else\leftskip\fi
22892 \fi
22893 \ifcase \tocstyle@indentstyle
22894   \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
22895 \or
22896   \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
22897 \else
22898   \ifx\tocstyle@feature@spaceafternumber\relax
22899     \hbox{\tocstyle@numberline{#1}\enskip}%
22900   \else
22901     \hbox{\tocstyle@numberline{#1}\hskip
22902     \tocstyle@feature@spaceafternumber\relax}%
22903   \fi
22904 \fi
22905 }
22906 \AtBeginDocument{%
22907   \ifcsname l@part\endcsname
22908     \ifcsname l@chapter\endcsname
22909       \setbox\@tempboxa\vbox{\hsize\maxdimen
22910       \l@part{\tocstyle@l@define{part}{-1}}{}}%
22911     \else
22912       \setbox\@tempboxa\vbox{\hsize\maxdimen
22913       \l@part{\tocstyle@l@define{part}{0}}{}}%
22914     \fi
22915   \fi
22916   \ifcsname l@chapter\endcsname
22917     \setbox\@tempboxa\vbox{\hsize\maxdimen
22918     \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
22919   \fi
22920   \ifcsname l@section\endcsname
22921     \setbox\@tempboxa\vbox{\hsize\maxdimen
22922     \l@section{\tocstyle@l@define{section}{1}}{}}%
22923   \fi
22924   \ifcsname l@subsection\endcsname
22925     \setbox\@tempboxa\vbox{\hsize\maxdimen
22926     \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
22927   \fi
22928   \ifcsname l@subsubsection\endcsname
22929     \setbox\@tempboxa\vbox{\hsize\maxdimen
22930     \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
22931   \fi
22932   \ifcsname l@paragraph\endcsname
22933     \setbox\@tempboxa\vbox{\hsize\maxdimen
22934     \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%

```



```

22935 \fi
22936 \ifcsname l@subparagraph\endcsname
22937   \setbox\@tempboxa\vbox{\hsize\maxdimen
22938     \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
22939 \fi
22940 \ifcsname l@table\endcsname
22941   \setbox\@tempboxa\vbox{\hsize\maxdimen
22942     \l@table{\tocstyle@l@define{table}{1}}{}}%
22943 \fi
22944 \ifcsname l@figure\endcsname
22945   \setbox\@tempboxa\vbox{\hsize\maxdimen
22946     \l@figure{\tocstyle@l@define{figure}{1}}{}}%
22947 \fi
22948 \def\@tempa#1#2#3#4#5{%
22949   \ifnum #1>\c@tocdepth \else
22950     \vskip \z@ \plus.2\p@
22951     {\ifRTL\righskip\else\leftskip\fi #2\relax \ifRTL\leftskip\else\righskip\fi \@ocr
22952     \parindent #2\relax\@afterindenttrue
22953     \interlinepenalty\@M
22954     \leavevmode
22955     \@tempdima #3\relax
22956     \advance\ifRTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\ifRTL\ri
22957     {#4}\nobreak
22958     \leaders\hbox{$\m@th
22959       \mkern \dotsep mu\hbox{.}\mkern \dotsep
22960       mu$}\hfill
22961     \nobreak
22962     \hb@xt@\@pnumwidth{\hfil \normalfont \normalcolor #5}}%
22963     \par}%
22964   \fi}%
22965 \ifx\@dottedtocline\@tempa\else
22966   \tocstyle@macrochangewarning\@dottedtocline
22967 \fi
22968 \let\tocstyle@saved@dottedtocline\@dottedtocline
22969 \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
22970 \ifx\numberline\@tempa\else
22971   \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
22972   \ifx\numberline\@tempa\else
22973     \tocstyle@macrochangewarning\numberline
22974   \fi
22975 \fi
22976 \let\tocstyle@saved@numberline\numberline
22977 }
22978 \renewcommand*{\tocstyle@l@define}[2]{%
22979   \advance\ifRTL\righskip\else\leftskip\fi-\@tempdima
22980   \edef\@tempa{%
22981     \noexpand\global\noexpand\let
22982     \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
22983     \expandafter\noexpand\csname l@#1\endcsname
22984     \noexpand\gdef
22985     \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
22986       \noexpand\@dottedtocline{#2}{\the\ifRTL\righskip\else\leftskip\fi}{\the\@tempdima}}%
22987     \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
22988       \noexpand\let\expandafter\noexpand\csname l@#1\endcsname

```



```

22989     \expandafter\noexpand\csname tocstyle@l@#1\endcsname
22990     }%
22991 }%
22992 \PackageInfo{tocstyle}{prepare \expandafter\string
22993     \csname l@#1\endcsname\space for redefinition}%
22994 \@tempa
22995 }

```

151 File todonotes-xetex-bidi.def

```

22996 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes packa
22997 \newif\if@bidi@todonotes@textdirection@RTL
22998 \newif\if@bidi@todonotes@figposition@right
22999 \newcommand{\@bidi@todonotes@align}{}%
23000 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
23001 \newcommand{\@bidi@todonotes@textdirection}{}%
23002 \define@choicekey{todonotes}{textdirection}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
23003     \ifcase\@bidi@todonotes@tempb\relax
23004     \@bidi@todonotes@textdirection@RTLtrue
23005     \let\@bidi@todonotes@textdirection\RLE
23006     \or
23007     \@bidi@todonotes@textdirection@RTLfalse
23008     \let\@bidi@todonotes@textdirection\LRE
23009     \fi}
23010 \define@choicekey{todonotes}{figposition}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
23011     \ifcase\@bidi@todonotes@tempb\relax
23012     \@bidi@todonotes@figposition@righttrue
23013     \or
23014     \@bidi@todonotes@figposition@rightfalse
23015     \fi}
23016 \if@todonotes@disabled%
23017 \else % \if@todonotes@disabled
23018 \renewcommand{\@todonotes@drawInlineNote}{%
23019     \if@todonotes@dviStyle%
23020         {\par\noindent\begin{tikzpicture}[remember picture]%
23021             \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
23022         \if@todonotes@authorgiven%
23023             {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
23024         \else%
23025             {\noindent \@todonotes@sizecommand \@todonotes@text}%
23026         \fi
23027         {\par\noindent\begin{tikzpicture}[remember picture]%
23028             \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
23029     \else%
23030         {\par\noindent\begin{tikzpicture}[remember picture]%
23031             \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
23032             \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@a
23033                 \if@todonotes@authorgiven%
23034                 {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text
23035                 \else%
23036                 {\noindent \@todonotes@sizecommand \@todonotes@text}%
23037                 \fi};%
23038             \end{tikzpicture}\par}%
23039     \fi}%

```



```

23040 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
23041 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
23042   \node [coordinate] (inText) {};%
23043 \end{tikzpicture}%
23044 \marginpar[{} Draw note in left margin
23045   \@todonotes@drawMarginNote%
23046   \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
23047 ]{} Draw note in right margin
23048   \@todonotes@drawMarginNote%
23049   \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
23050 }%
23051 }%
23052 \renewcommand{\@todonotes@drawMarginNote}{%
23053 \if@todonotes@dviStyle%
23054   \begin{tikzpicture}[remember picture]%
23055     \draw node[notestyle] {};%
23056   \end{tikzpicture}\\%
23057   \begin{minipage}{\@todonotes@textwidth}%
23058     \if@todonotes@authorgiven%
23059       \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
23060     \else%
23061       \@todonotes@sizecommand \@todonotes@text%
23062     \fi%
23063   \end{minipage}\\%
23064   \begin{tikzpicture}[remember picture]%
23065     \draw node[notestyle] (inNote) {};%
23066   \end{tikzpicture}%
23067 \else%
23068   \let\originalHbadness\hbadness%
23069   \hbadness 100000%
23070   \begin{tikzpicture}[remember picture, baseline=(X.base)]%
23071     \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
23072     \node(X){\vphantom{X}};%
23073     \draw node[notestyle, font=\@todonotes@sizecommand, anchor=north, align=\@bidi@todonotes@textdirection]{\@todonotes@text};%
23074     \if@todonotes@authorgiven%
23075       \draw node[notestyle, font=\@todonotes@sizecommand, anchor=north, align=\@bidi@todonotes@textdirection]{\@todonotes@sizecommand \@todonotes@author};%
23076     \node(Y)[below=of X]{};%
23077     \draw node[notestyle, font=\@todonotes@sizecommand, anchor=north, align=\@bidi@todonotes@textdirection]{\@todonotes@text};%
23078     \else%
23079       \draw node[notestyle, font=\@todonotes@sizecommand, anchor=north, align=\@bidi@todonotes@textdirection]{\@todonotes@text};%
23080     \fi%
23081     \draw node[notestyle, font=\@todonotes@sizecommand, anchor=north, align=\@bidi@todonotes@textdirection]{\@todonotes@text};%
23082   \end{tikzpicture}%
23083   \hbadness \originalHbadness%
23084 \fi}%
23085 \end{tikzpicture}%
23086 \hbadness \originalHbadness%
23087 \fi}%
23088 \renewcommand{\missingfigure}[2] [] {}%
23089 \setkeys{todonotes}{#1}%
23090 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
23091 \par
23092 \noindent
23093 \begin{tikzpicture}

```



```

23094 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
23095 (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
23096 \if@bidi@todonotes@figposition@right%
23097 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
23098 \fi%
23099 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
23100 (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
23101 \if@bidi@todonotes@figposition@right%
23102 \end{scope}
23103 \begin{scope}[xshift=-3.8cm]
23104 \fi%
23105 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
23106 \draw (2, -0.3) node[right, text
23107 width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
23108 \if@bidi@todonotes@figposition@right%
23109 \end{scope}
23110 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
23111 \fi%
23112 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@textdirection}};
23113 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@textdirection}};
23114 \if@bidi@todonotes@figposition@right%
23115 \end{scope}
23116 \fi%
23117 \end{tikzpicture}\hfill
23118 }% Ending \missingfigure command
23119 \fi % Ending \@todonotes@ifdisabled
23120 \presetkeys%
23121 {todonotes}%
23122 {align=left,%
23123 textdirection=lefttoright,%
23124 figposition=left}{}%

```

152 File wrapfig-xetex-bidi.def

```

23125 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package]
23126 \let\WF@everypar\bidi@n@everypar
23127 \def\WF@putfigmaybe{%
23128 \ifinner
23129 \vskip-\parskip \global\WF@floatfalse
23130 \let\pagetotal\maxdimen % kludge flag for "not top of page"
23131 \else % outer page
23132 \@tempdima\pagedepth % save page depth
23133 {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back
23134 \penalty\interlinepenalty % update pg. parameters
23135 \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
23136 \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
23137 \global\WF@floatfalse
23138 \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
23139 \else
23140 \ifdim\WF@size>\@tempdimb
23141 \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
23142 \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
23143 \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
23144 \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi

```



```

23145         \advance\dimen@.5\baselineskip
23146         \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
23147             \global\WF@floatfalse \pagebreak
23148         \fi
23149     \else % \WF@info{Fits in \the\@tempdimb;}%
23150         \global\WF@floatfalse
23151     \fi\fi
23152     \vskip\@tempdima\relax % (return erased page depth)
23153 \fi
23154 \noindent
23155 \ifWF@float
23156     \WF@fltmes
23157 \else % putting here;
23158     \WF@info{Put \WF@wfname here:}%
23159     {\ifodd\if@twoside\c@page\else\one\fi % assign l/r to i/o placement
23160     \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
23161     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
23162     \hbox to \z@{% llap or rlap depending on {l} or {r}; calc effective width
23163     \@tempdima\wd\WF@box \@tempdimb\WF@ovh
23164     \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
23165     \@tempdimb\hsize \advance\@tempdimb-\@tempdima
23166     \xdef\WF@adjlw{\the\@tempdima}%
23167     \ifnum `l=\WF@place % fig on left
23168         \if@RTL%
23169             \kern\@tempdimb \kern\columnsep
23170             \def\@tempa{\hss}% position to left of the gap
23171         \else%
23172             \hss % figure overlaps space to the left
23173             \def\@tempa{\kern\columnsep}% position to left of the gap
23174         \fi%
23175     \else % fig on right
23176         \if@RTL%
23177             \hss
23178             \@tempdima\z@
23179             \def\@tempa{\kern\columnsep}
23180         \else%
23181             \@tempdima\z@ % no left indentation
23182             \kern\@tempdimb \kern\columnsep
23183             \def\@tempa{\hss}% figure overlaps space to the right
23184         \fi%
23185     \fi
23186     \ifdim\@tempdimb<\hsize
23187         \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
23188         \xdef\WF@adjtln{\the\@tempdima}%
23189     \else
23190         \xdef\WF@wrapil{\z@ \the\hsize}%
23191         \xdef\WF@adjlw{\z@}\xdef\WF@adjtln{\z@}%
23192     \fi
23193     \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
23194         \global\advance\WF@size-\intextsep
23195     \else % \WF@info{Putting \WF@wfname in middle of page}%
23196         \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
23197         \fi \dp\WF@box\z@ \box\WF@box \@tempa
23198 }% end \hbox to Opt

```



```

23199 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
23200 \fi}

```

153 File xcolor-xetex-bidi.def

```

23201 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for
23202 \long\def\color@b@x#1#2#3%
23203 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
23204 \setbox\z@\hbox{\kern\fbboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
23205 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
23206 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
23207 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}\ifmmode\else\if@RTL\endL\fi\fi}
23208 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
23209 \DeclareRobustCommand\color
23210 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\ifnextchar[\@undeclaredcolor\@declaredcolor]}
23211 \def\@undeclaredcolor[#1]#2%
23212 {\begingroup
23213 \let\@@cls\@empty
23214 \XC@getmodclr12{#1}{#2}{}%
23215 {\ifblendcolors
23216 \ifx\colorblend\@empty\else
23217 \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
23218 \XC@coremodel\@mod\@clr\xcolor@{ }\@mod\@clr
23219 \fi
23220 \fi
23221 \ifconvertcolorsU
23222 \edef\@@tmp{\XC@tgt@mod{\@mod}}%
23223 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
23224 \fi
23225 \ifmaskcolors
23226 \convertcolorspec\@mod\@clr\XC@mmod\@clr
23227 \let\@mod\XC@mmod
23228 \XC@inflate\@mod\XC@mclr\@clr\@tmp
23229 \expandafter\XC@mul\@tmp,\@clr
23230 \fi
23231 \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
23232 \expandafter\endgroup\@tmp}}
23233 \def\@declaredcolor#1%
23234 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
23235 \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
23236 \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
23237 \ifconvertcolorsU\XC@@tsttrue\fi
23238 \fi
23239 \ifXC@@tst
23240 \expandafter\XC@declaredcolor\else
23241 \expandafter\XC@declaredc@lor\fi}
23242 \def\XC@undeclaredcolor#1#2%
23243 {\@ifundefinedmodel{#1}%
23244 {\c@lor@error{model `#1'}}%
23245 {\@nameuse{color@#1}\current@color{#2}}%
23246 \edef\XC@current@color{\noexpand\xcolor@{ }\current@color{#1}{#2}}%
23247 \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
23248 \def\XC@declaredc@lor
23249 {\XC@let\Nc\XC@current@color{\string\xcolor@\XC@@tmp}}%

```



```

23250 \edef\current@color{\XC@current@color}%
23251 \XC@display\ifhmode\ifRTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
23252 \DeclareRobustCommand\bidicolor
23253 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
23254 \def\@bidiundeclaredcolor[#1]#2%
23255 {\begingroup
23256 \let\@cls\@empty
23257 \XC@getmodclr12{#1}{#2}{}}%
23258 {\ifblendcolors
23259 \ifx\colorblend\@empty\else
23260 \edef\@mix{\expandafter\@gobble\colorblend}\@tempwafalse
23261 \XC@coremodel\@mod\@clr\@xcolor@{}{} \@mod\@clr
23262 \fi
23263 \fi
23264 \ifconvertcolorsU
23265 \edef\@tmp{\XC@tgt@mod{\@mod}}%
23266 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
23267 \fi
23268 \ifmaskcolors
23269 \convertcolorspec\@mod\@clr\XC@mmod\@clr
23270 \let\@mod\XC@mmod
23271 \XC@inflate\@mod\XC@mclr\@clr\@tmp
23272 \expandafter\XC@mul\@tmp,\@clr
23273 \fi
23274 \edef\@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@clr}}%
23275 \expandafter\endgroup\@tmp}}
23276 \def\XC@bidiundeclaredcolor#1#2%
23277 {\@ifundefinedmodel{#1}%
23278 {\color@error{model `#1'}}%
23279 {\@nameuse{color@#1}\current@color{#2}}%
23280 \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
23281 \XC@display}}
23282 \def\@bidideclaredcolor#1%
23283 {\XC@edef\XC@tmp{#1}\XC@tstfalse
23284 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
23285 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
23286 \ifconvertcolorsU\XC@tsttrue\fi
23287 \fi
23288 \ifXC@tst
23289 \expandafter\XC@bidideclaredcolor\else
23290 \expandafter\XC@bidideclaredcolor\fi}
23291 \def\XC@bidideclaredcolor
23292 {\XC@split\XC@tmp
23293 \edef\@tmp{\noexpand\@bidiundeclaredcolor[\@mod]{\@clr}}%
23294 \expandafter\endgroup\@tmp}
23295 \def\XC@bidideclaredcolor
23296 {\XC@let\Nc\XC@current@color{\string\color\XC@tmp}%
23297 \edef\current@color{\XC@current@color}%
23298 \XC@display}
23299 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
23300 \def\color@fbbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
23301 \def\color@fb@x#1#2#3#4%
23302 {\color@b@x{\fbboxsep\z@\bidicolor#1{#2}\XC@fbbox}%
23303 {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}

```



```
23304 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode
```

154 File latex-xetex-bidi.def

```
23305 \ProvidesFile{latex-xetex-bidi.def}[2022/06/10 v1.4.6 bidi adaptations for `latex.ltx' for
23306 \newcommand{\TeXXeTOn}{\TeXXeTstate@ne}
23307 \newcommand{\TeXXeTOff}{\TeXXeTstate@z}
23308 \TeXXeTOn
23309 \def\bidi@RTL@everypar{\setbox\z@ \lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebo
23310 \let\bidi@o@everypar=\everypar
23311 \newtoks\bidi@n@everypar
23312 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
23313 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
23314 \let\everypar=\bidi@n@everypar
23315 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
23316 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
23317 \protected\def\hboxR{\hbox\bgroup
23318 \everyhbox{%
23319 \aftergroup\egroup
23320 \everyhbox{}}%
23321 \beginR
23322 \@hboxRconstructtrue
23323 \bgroup
23324 \aftergroup\endR
23325 \aftergroup\egroup
23326 }\hbox}
23327 \protected\def\hboxL{\hbox\bgroup
23328 \everyhbox{%
23329 \aftergroup\egroup
23330 \everyhbox{}}%
23331 \beginL
23332 \@hboxRconstructfalse
23333 \bgroup
23334 \aftergroup\endL
23335 \aftergroup\egroup
23336 }\hbox}
23337 \protected\def\vboxR{\vbox\bgroup
23338 \everyvbox{%
23339 \aftergroup\egroup
23340 \everyvbox{}}%
23341 \@RTLtrue
23342 \@RTLtabtrue
23343 \bgroup
23344 \aftergroup\egroup
23345 }\vbox}
23346 \protected\def\vboxL{\vbox\bgroup
23347 \everyvbox{%
23348 \aftergroup\egroup
23349 \everyvbox{}}%
23350 \@RTLfalse
23351 \@RTLtabfalse
23352 \bgroup
23353 \aftergroup\egroup
23354 }\vbox}
```



```

23355 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
23356 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
23357 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@\bidi@beamer}
23358 \def\endLTR{\par}
23359 \newenvironment{LTR*}{\LTR
23360   \everypar{%
23361     {\setbox\z@\lastbox
23362       \ifvoid\z@
23363         \kern-\parindent
23364       \fi}%
23365   }%
23366 }{\endLTR\@endpetrue}
23367 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@\bidi@beamer}
23368 \def\endRTL{\par}
23369 \newenvironment{RTL*}{\RTL
23370   \everypar{%
23371     {\setbox\z@\lastbox
23372       \ifvoid\z@
23373         \kern-\parindent
23374       \fi}%
23375   }%
23376 }{\endRTL\@endpetrue}
23377 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\bidi@beamer@ragged}
23378 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\bidi@beamer@ragged}
23379 \let\unsetRTL=\setRTL
23380 \let\unsetLTR=\setLTR
23381 \let\LR=\LRE
23382 \let\RL=\RLE
23383 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
23384 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
23385 \let\@ensure@RL=\@ensure@RTL
23386 \let\@ensure@LR=\@ensure@LTR
23387 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
23388 \let\@ensure@maindir=\@ensure@dir
23389 \def\@@RTL{RTL}
23390 \def\@@LTR{LTR}
23391 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
23392 \def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi}
23393 \let\@@TeX\TeX
23394 \def\TeX{\@ensure@LTR{\@@TeX}}
23395 \let\@@LaTeX\LaTeX
23396 \def\LaTeX{\@ensure@LTR{\@@LaTeX}}
23397 \let\@@LaTeXe\LaTeXe
23398 \def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
23399 \long\def\bidi@reflect@box#1{%
23400   \leavevmode
23401   \setbox\z@\hbox{#1}%
23402   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
23403   \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
23404 }
23405 \bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
23406   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
23407 \bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
23408   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}

```



```

23409 \let\setRL=\setRTL
23410 \let\setLR=\setLTR
23411 \let\unsetRL=\setLTR
23412 \def\ bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
23413 \@ifpackageloaded{array}{%
23414 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
23415 \leavevmode
23416 \hbox \bgroup $\left.\col@sep\tabcolsep \let\dollarbegin\begin\group
23417 \let\dollarend\end\group
23418 \@tabarray}
23419 \def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
23420 }{%
23421 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
23422 \leavevmode \hbox \bgroup
23423 $\left.\let\@acol\@tabacol
23424 \let\@classz\@tabclassz
23425 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
23426
23427 \def\endbidi@tabular@RTLcases{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
23428 \egroup\rbrace $\egroup}}
23429 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
23430 \ialign{##\hfil&\quad{##}\hfil\crr#1\crr}}\,\right\}}
23431 \renewenvironment{RTLcases}{%
23432 \bidi@matrix@check\RTLcases\env@RTLcases
23433 }{%
23434 \endbidi@tabular@RTLcases%
23435 }
23436 \def\env@RTLcases{%
23437 \let\@ifnextchar\bidi@new@ifnextchar
23438 \def\arraystretch{1.2}%
23439 \bidi@tabular@RTLcases{@}r@{\quad}r@{}}%
23440 }
23441 \def\SepMark#1{\gdef\@SepMark{#1}}
23442 \SepMark{.}
23443 \def\@thmcountersep{\@SepMark}
23444 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
23445 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
23446 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
23447 \newcommand*\bidi@thebibliography@font@hook{}
23448 \def\list#1#2{%
23449 \ifnum \@listdepth >5\relax
23450 \toodeep
23451 \else
23452 \global\advance\@listdepth\@ne
23453 \fi
23454 \rightmargin\z@
23455 \listparindent\z@
23456 \itemindent\z@
23457 \csname @list\romannumeral\the\@listdepth\endcsname
23458 \def\@itemlabel{#1}%
23459 \let\makelabel\@mklab
23460 \@nbrlistfalse
23461 #2\relax
23462 \@trivlist

```



```

23463 \parskip\parsep
23464 \parindent\listparindent
23465 \advance\linewidth -\rightmargin
23466 \advance\linewidth -\leftmargin
23467 \if@bidi@list@minipage@parbox
23468 \ifRTL
23469 \advance\@totalleftmargin \leftmargin
23470 \else
23471 \advance\@totalleftmargin \rightmargin
23472 \fi
23473 \else
23474 \if@hboxRconstruct
23475 \if@bidi@list@minipage@parbox@not@nob
23476 \ifRTL
23477 \advance\@totalleftmargin \rightmargin
23478 \else
23479 \advance\@totalleftmargin \leftmargin
23480 \fi
23481 \else
23482 \ifRTL
23483 \advance\@totalleftmargin \leftmargin
23484 \else
23485 \advance\@totalleftmargin \rightmargin
23486 \fi\fi
23487 \else
23488 \ifRTL
23489 \advance\@totalleftmargin \rightmargin
23490 \else
23491 \advance\@totalleftmargin \leftmargin
23492 \fi\fi\fi
23493 \parshape \@ne \@totalleftmargin \linewidth
23494 \ignorespaces}
23495 \long\def\@iiparbox#1#2[#3]#4#5{%
23496 \leavevmode
23497 \@pboxswfalse
23498 \if@hboxRconstruct
23499 \@bidi@list@minipage@parbox@not@nobtrue
23500 \fi
23501 \ifRTL
23502 \ifx#1%
23503 \@bidi@list@minipage@parboxtrue
23504 \else
23505 \ifx#1b%
23506 \@bidi@list@minipage@parboxtrue
23507 \fi
23508 \fi
23509 \fi
23510 \setlength\@tempdima{#4}%
23511 \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
23512 \ifx\relax#2\else
23513 \setlength\@tempdimb{#2}%
23514 \edef\@parboxto{to\the\@tempdimb}%
23515 \fi
23516 \if#1b\vbox

```



```

23517 \else\if #1t\vtop
23518 \else\ifmode\vcenter
23519 \else\@pboxswtrue $\vcenter
23520 \fi\fi\fi
23521 \@parboxto{\let\hss\vss\let\unhbox\unvbox
23522 \csname bm@#3\endcsname}%
23523 \if@pboxsw \m@th$\fi
23524 \@end@tempboxa}
23525 \newenvironment{LTRitems}
23526 {\par\@RTLfalse\@RTLtabfalse\@bidi@beamer@ragged
23527 \if@bidi@list@minipage@parbox
23528 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
23529 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
23530 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
23531 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
23532 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
23533 \ignorespaces}{\vskip\z@}
23534 \newenvironment{RTLitems}
23535 {\par\@RTLtrue\@RTLtabtrue\@bidi@beamer@ragged
23536 \if@bidi@list@minipage@parbox
23537 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
23538 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
23539 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
23540 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
23541 \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
23542 \ignorespaces}{\vskip\z@}
23543 \newenvironment{LTRbibitems}
23544 {\par\@RTLfalse\@RTLtabfalse\@bidi@beamer@ragged
23545 \if@bidi@list@minipage@parbox
23546 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
23547 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
23548 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
23549 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
23550 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
23551 \ignorespaces}{\vskip\z@}
23552 \newenvironment{RTLbibitems}
23553 {\par\@RTLtrue\@RTLtabtrue\@bidi@beamer@ragged
23554 \if@bidi@list@minipage@parbox
23555 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
23556 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
23557 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
23558 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
23559 \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
23560 \ignorespaces}{\vskip\z@}
23561 \def\raggedright{%
23562 \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
23563 \leftskip\z@skip
23564 \parindent\z@\parfillskip\z@skip}
23565 \let\@bidi@orig@raggedleft\raggedleft
23566 \let\@bidi@orig@raggedright\raggedright
23567 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\@bidi@orig@raggedright\else\if@hboxRco
23568 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\@bidi@orig@raggedleft\else\if@hboxRco
23569 \newcommand{\@bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
23570 \newcommand{\@bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}

```



```

23571 \def\centerline#1{%
23572 \if@RTL\@line{\hss\beginR#1\endR\hss}
23573 \else\@line{\hss#1\hss}\fi}
23574 \def\leftline#1{%
23575 \if@RTL\@line{\beginR#1\endR\hss}
23576 \else\@line{#1\hss}\fi}
23577 \def\rightline#1{%
23578 \if@RTL\@line{\hss\beginR#1\endR}
23579 \else\@line{\hss#1}\fi}
23580 \let\bidiorig@leftline\leftline
23581 \let\bidiorig@rightline\rightline
23582 \def\leftline#1{\ifhmode\if@RTL\bidiorig@rightline{#1}\else\bidiorig@leftline{#1}\fi\else\
23583 \def\rightline#1{\ifhmode\if@RTL\bidiorig@leftline{#1}\else\bidiorig@rightline{#1}\fi\else\
23584 \def\bidirlap#1{\hb@xt@z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
23585 \def\bidillap#1{\hb@xt@z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
23586 \def\@hangfrom#1{\setbox\@tempboxa\hbox{#1}}%
23587 \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
23588 \def\narrower{%
23589 \advance\if@RTL\rightskip\else\leftskip\fi\parindent
23590 \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
23591 \def\underline#1{%
23592 \relax
23593 \ifmmode\@underline{#1}%
23594 \else
23595 \if@RTL $\@underline{\hbox{\beginR#1\endR}}\m@th$\relax
23596 \else
23597 $\@underline{\hbox{#1}}\m@th$\relax\fi\fi}
23598 \if@compatibility
23599 \let\undertext=\underline
23600 \fi
23601 \def\@tabular{%
23602 \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
23603 $\let\@acol\@tabacol
23604 \let\@classz\@tabclassz
23605 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
23606 \def\endtabular{\crrc\egroup\if@RTLtab\egroup\endR\egroup\fi
23607 \egroup $\if@RTLtab\endR\fi\egroup}
23608 \expandafter \let \csname endtabular*\endcsname = \endtabular
23609 \def\@array[#1]#2{%
23610 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
23611 \bgroup
23612 \setbox\@arstrutbox\hbox{%
23613 \vrule \@height\arraystretch\ht\strutbox
23614 \depth\arraystretch \dp\strutbox
23615 \@widthz@}%
23616 \@mkpream{#2}%
23617 \edef\@preamble{%
23618 \ialign \noexpand\@halignto
23619 \bgroup \@arstrut \@preamble \tabskipz@skip \cr}%
23620 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
23621 \let\@tabularnewline\%
23622 \let\par\@empty
23623 \let\@sharp##%
23624 \set@typeset@protect

```



```

23625 \lineskip\z@skip\baselineskip\z@skip
23626 \ifhmode \@preamerr\z@ \@par\fi
23627 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
23628 \@preamble}
23629 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
23630 \let\@classiv\@arrayclassiv
23631 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
23632 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
23633 \ifnum \@lastchclass=3 5 \else
23634 \z@ \if #1c\@chnum \z@ \else
23635 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
23636 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
23637 \@chclass \if #1|\@ne \else
23638 \if #1@\tw@ \else
23639 \if #1p3 \else \z@ \@preamerr 0\fi
23640 \fi \fi \fi \fi \fi \fi
23641 \fi}
23642 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
23643 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
23644 \def\bm@t{\unhbox\@tempboxa\hss}
23645 \def\bm@b{\hss\unhbox\@tempboxa}
23646 \def\@dottedtocline#1#2#3#4#5{%
23647 \ifnum #1>\c@tocdepth \else
23648 \vskip \z@ \@plus.2\p@
23649 {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@ocrma
23650 \parindent #2\relax\@afterindenttrue
23651 \interlinepenalty\@M
23652 \leavevmode
23653 \@tempdima #3\relax
23654 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
23655 {#4}\nobreak
23656 \leaders\hbox{\$}\m@th
23657 \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
23658 mu$}\hfill
23659 \nobreak
23660 \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
23661 \par}%
23662 \fi}
23663
23664 \newcount\ bidi@column@check@number
23665
23666 \def\ bidi@column@status#1{\gdef\ bidi@current@column@status{#1}}
23667
23668 \def\ bidi@set@column@status#1#2{%
23669 \global\expandafter\let\c@name #1\endcsname\ bidi@current@column@status}
23670
23671 \if@twocolumn
23672 \newcommand\ DetectColumn[3][1]{%
23673 \ifx\ bidi@firstcolumn@status@write\relax
23674 \PackageError{bidi}%
23675 {Option 'DetectColumn' not selected}%
23676 {\string\ DetectColumn\space
23677 requires the use of the 'DetectColumn'
23678 option on the package}%

```



```

23679 \fi
23680 \global\advance\ bidi@column@check@number\@ne
23681 \edef\ bidi@column@type{\ expandafter\ ifx
23682         \csname bidi@column-\ the\ bidi@column@check@number\ endcsname\ relax
23683         0\ else
23684         \csname bidi@column-\ the\ bidi@column@check@number\ endcsname
23685         \fi}%
23686 \ifcase \ bidi@column@type\ relax
23687     \ifcase #1\ or #2\ or #3\ fi % 0 not known use first column as default
23688 \or
23689     #2% % 1 First column
23690 \or
23691     #3% % 2 Second (Last column)
23692 \else
23693     \ERROR
23694 \fi
23695 \edef\ next{\ write\ @auxout
23696     {\ string\ bidi@set@column@status{ \ bidi@column-\ the\ bidi@column@check@number}%
23697         {\ bidi@column@type}}}%
23698 \next
23699 }
23700
23701 \AtEndDocument{\ def\ bidi@set@column@status#1#2{%
23702     \ ifnum #2=\ bidi@current@column@status\ else
23703     \ @tempwatruer
23704     \ fi}%
23705 }
23706 \fi
23707
23708 \def\ RTL@outputdblcol{%
23709     \ if@firstcolumn
23710     \ global\ @firstcolumnfalse
23711     \ global\ setbox\ @leftcolumn\ copy\ @outputbox
23712     \ splitmaxdepth\ maxdimen
23713     \ vbadness\ maxdimen
23714     \ setbox\ @outputbox\ vbox{\ unvbox\ @outputbox\ unskip}%
23715     \ setbox\ @outputbox\ vsplit\ @outputbox to\ maxdimen
23716     \ toks@\ expandafter{\ topmark}%
23717     \ xdef\ @firstcoltopmark{\ the\ toks@}%
23718     \ toks@\ expandafter{\ splitfirstmark}%
23719     \ xdef\ @firstcolfirstmark{\ the\ toks@}%
23720     \ ifx\ @firstcolfirstmark\ @empty
23721     \ global\ let\ @setmarks\ relax
23722     \ else
23723     \ gdef\ @setmarks{%
23724         \ let\ firstmark\ @firstcolfirstmark
23725         \ let\ topmark\ @firstcoltopmark}%
23726     \ fi
23727     \ else
23728     \ global\ @firstcolumntrue
23729     \ setbox\ @outputbox\ vbox{%
23730     \ hb@xt\ @textwidth{%
23731     \ hskip \ columnwidth
23732     \ hfil

```



```

23733     {\normalcolor\vrule \@width\columnseprule}%
23734     \hfil
23735     \hb@xt@\columnwidth{%
23736     \bidi@firstcolumn@status@write%
23737     \box\@leftcolumn \hss}%
23738     \hskip -\textwidth
23739     \hb@xt@\columnwidth{%
23740     \bidi@lastcolumn@status@write%
23741     \box\@outputbox \hss}%
23742     \hskip \columnsep
23743     \hskip \columnwidth }}%
23744 \@combinedblfloats
23745 \setmarks
23746 \outputpage
23747 \begingroup
23748 \dblfloatplacement
23749 \startdblcolumn
23750 \whiles\if@fcolmade \fi{\@outputpage
23751 \startdblcolumn}%
23752 \endgroup
23753 \fi}%
23754
23755 \def\LTR@outputdblcol{%
23756 \if@firstcolumn
23757 \global\@firstcolumnfalse
23758 \global\setbox\@leftcolumn\copy\@outputbox
23759 \splitmaxdepth\maxdimen
23760 \vbadness\maxdimen
23761 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
23762 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
23763 \toks@\expandafter{\topmark}%
23764 \xdef\@firstcoltopmark{\the\toks@}%
23765 \toks@\expandafter{\splitfirstmark}%
23766 \xdef\@firstcolfirstmark{\the\toks@}%
23767 \ifx\@firstcolfirstmark\@empty
23768 \global\let\setmarks\relax
23769 \else
23770 \gdef\setmarks{%
23771 \let\firstmark\@firstcolfirstmark
23772 \let\topmark\@firstcoltopmark}%
23773 \fi
23774 \else
23775 \global\@firstcolumntrue
23776 \setbox\@outputbox\vbox{%
23777 \hb@xt@\textwidth{%
23778 \hb@xt@\columnwidth{%
23779 \bidi@firstcolumn@status@write%
23780 \box\@leftcolumn \hss}%
23781 \hfil
23782 {\normalcolor\vrule \@width\columnseprule}%
23783 \hfil
23784 \hb@xt@\columnwidth{%
23785 \bidi@lastcolumn@status@write%
23786 \box\@outputbox \hss}}}%

```



```

23787 \@combinedblfloats
23788   \@setmarks
23789   \@outputpage
23790   \begingroup
23791     \dblfloatplacement
23792     \@startdblcolumn
23793     \@whiles\if@fcolmade \fi{\@outputpage
23794       \@startdblcolumn}%
23795   \endgroup
23796 \fi}%
23797
23798
23799 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
23800 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
23801 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
23802
23803 \bidi@patchcmd\makecol{%
23804   \ifvoid\footins
23805     \setbox\@outputbox \box\@cclv
23806   \else
23807     \setbox\@outputbox \vbox {%
23808       \boxmaxdepth \@maxdepth
23809       \unvbox \@cclv
23810       \vskip \skip\footins
23811       \color@begingroup
23812         \normalcolor
23813         \footnoterule
23814       \unvbox \footins
23815       \color@endgroup
23816     }%
23817   \fi
23818 }{%
23819   \ifvoid\footins
23820     \ifvoid\@bidi@copyins@
23821       \setbox\@outputbox \box\@cclv
23822     \else
23823       \setbox\@outputbox \vbox {%
23824         \boxmaxdepth \@maxdepth
23825         \unvbox \@cclv
23826         \vskip \skip\@bidi@copyins@
23827         \color@begingroup
23828           \normalcolor
23829           \unvbox \@bidi@copyins@
23830         \color@endgroup
23831       }%
23832     \fi
23833   \else
23834     \setbox\@outputbox \vbox {%
23835       \boxmaxdepth \@maxdepth
23836       \unvbox \@cclv
23837       \vskip \skip\footins
23838       \color@begingroup
23839         \normalcolor
23840       \footnoterule

```



```

23841         \unvbox \footins
23842         \color@endgroup
23843         \ifvoid\@bidi@copyins@
23844         \else
23845         \vskip \skip\@bidi@copyins@
23846         \color@begingroup
23847         \normalcolor
23848         \unvbox \@bidi@copyins@
23849         \color@endgroup
23850     \fi
23851 }%
23852 \fi
23853 }{}{}
23854
23855 \def\LTRmarginpar{%
23856   \ifhmode
23857     \@bsphack
23858     \@floatpenalty -\@Mii
23859   \else
23860     \@floatpenalty-\@Miii
23861   \fi
23862   \ifinner
23863     \@parmoderr
23864     \@floatpenalty\z@
23865   \else
23866     \@next\@currbox\@freelist{}{}%
23867     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
23868     {\@floatpenalty\z@
23869     \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
23870   \fi
23871   \@ifnextchar [\@LTRxmpar\@LTRympar}
23872 \long\def\@LTRxmpar[#1]#2{%
23873   \@LTRsavemarbox\@marbox{#1}%
23874   \@LTRsavemarbox\@currbox{#2}%
23875   \@xympar}
23876 \long\def\@LTRympar#1{%
23877   \@LTRsavemarbox\@marbox{#1}%
23878   \global\setbox\@currbox\copy\@marbox
23879   \@xympar}
23880 \long\def \@LTRsavemarbox #1#2{%
23881   \global\setbox #1%
23882     \color@vbox
23883     \vtop{%
23884       \hsize\marginparwidth
23885       \@parboxrestore
23886       \@LTRmarginparreset
23887       #2%
23888       \@minipagefalse
23889       \outer@nobreak
23890     }%
23891   \color@endbox
23892 }
23893 \def \@LTRmarginparreset {%
23894   \reset@font

```



```

23895     \normalsize
23896     \@minipagetrue
23897     \everypar{\@minipagefalse\everypar{}}\beginL}%
23898 }
23899 \def\RTLmarginpar{%
23900   \ifhmode
23901     \@bsphack
23902     \@floatpenalty -\@Mii
23903   \else
23904     \@floatpenalty-\@Miii
23905   \fi
23906   \ifinner
23907     \@parmoderr
23908     \@floatpenalty\z@
23909   \else
23910     \@next\@currbox\@freelist{}{}%
23911     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
23912     {\@floatpenalty\z@
23913       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
23914   \fi
23915   \@ifnextchar [\@RTLxmpar\@RTLympar}
23916 \long\def\@RTLxmpar[#1]#2{%
23917   \@RTLSavemarbox\@marbox{#1}%
23918   \@RTLSavemarbox\@currbox{#2}%
23919   \@xympar}
23920 \long\def\@RTLympar#1{%
23921   \@RTLSavemarbox\@marbox{#1}%
23922   \global\setbox\@currbox\copy\@marbox
23923   \@xympar}
23924 \long\def \@RTLSavemarbox #1#2{%
23925   \global\setbox #1%
23926     \color@vbox
23927     \vtop{%
23928       \hsize\marginparwidth
23929       \@parboxrestore
23930       \@RTLmarginparreset
23931       #2%
23932       \@minipagefalse
23933       \outer@nobreak
23934     }%
23935   \color@endbox
23936 }
23937 \def \@RTLmarginparreset {%
23938   \reset@font
23939   \normalsize
23940   \@minipagetrue
23941   \everypar{\@minipagefalse\everypar{}}\beginR}%
23942 }
23943 \def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
23944   \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
23945   \if@twocolumn
23946     \if@firstcolumn \@tempcnta\m@ne \fi
23947   \else
23948     \if@mparswitch

```



```

23949         \ifodd\c@page \else\@tempcnta\m@ne \fi
23950     \fi
23951     \if@reversemargin \@tempcnta -\@tempcnta \fi
23952 \fi
23953 \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
23954 \@tempdima\@mparbottom
23955 \advance\@tempdima -\@pageht
23956 \advance\@tempdima\ht\@marbox
23957 \ifdim\@tempdima >\z@
23958     \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
23959 \else
23960     \@tempdima\z@
23961 \fi
23962 \global\@mparbottom\@pageht
23963 \global\advance\@mparbottom\@tempdima
23964 \global\advance\@mparbottom\dp\@marbox
23965 \global\advance\@mparbottom\marginparpush
23966 \advance\@tempdima -\ht\@marbox
23967 \global\setbox \@marbox
23968         \vbox {\vskip \@tempdima
23969             \box \@marbox}%
23970 \global \ht\@marbox \z@
23971 \global \dp\@marbox \z@
23972 \kern -\@pagedp
23973 \nointerlineskip
23974 \hb@xt@\columnwidth
23975     {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL
23976         \hskip\columnwidth \hskip\marginparsep
23977     \else
23978         \hskip -\marginparsep \hskip -\marginparwidth
23979     \fi
23980     \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR
23981     \nointerlineskip
23982     \hbox{\vrule \height\z@ \width\z@ \depth\@pagedp}}
23983 \long\def\@ympar#1{%
23984     \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginp
23985     \global\setbox\@currbox\copy\@marbox
23986     \@xympar}
23987 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
23988 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
23989 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
23990 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
23991     \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
23992 \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
23993     \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
23994     \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
23995     \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
23996 \fi}
23997
23998 \newcommand*\@bidi@font@outputpage{}
23999
24000 \def\@outputpage{%
24001 \begingroup           % the \endgroup is put in by \aftergroup
24002 \let \protect \noexpand

```



```

24003 \@resetactivechars
24004 \global\let\@if@newlist\if@newlist
24005 \global\@newlistfalse
24006 \@parboxrestore
24007 \global\let\@bidi@BeforeOutputPageShipOut\@firstofone
24008 \bidi@beforeoutputpageshipouthook
24009 \shipout \vbox{%
24010   \set@typeset@protect
24011   \aftergroup \endgroup
24012   \aftergroup \set@typeset@protect
24013   % correct? or just restore by ending
24014   % the group?
24015 \if@specialpage
24016   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
24017 \fi
24018 \if@twoside
24019   \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
24020   \ifRTLmain
24021     \let\@themargin\evensidemargin
24022   \else
24023     \let\@themargin\oddsidemargin
24024   \fi
24025 \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
24026 \ifRTLmain
24027   \let\@themargin\oddsidemargin
24028 \else
24029   \let\@themargin\evensidemargin
24030 \fi
24031 \fi
24032 \ifx\@thehead\@empty \let\@thehead\hfil \fi
24033 \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
24034 \else %% not @twoside
24035 \ifx\@oddhead\@empty \let\@thehead\hfil \fi
24036 \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
24037 \fi
24038 \reset@font
24039 \normalsize
24040 \bidi@font@@outputpage
24041 \normalsfcodes
24042 \let\label\@gobble
24043 \let\index\@gobble
24044 \let\glossary\@gobble
24045 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
24046 \@begin@dv
24047 \vskip \topmargin
24048 \moveright\@themargin \vbox {%
24049   \global\let\@bidi@BeforeHeader\@firstofone
24050   \bidi@beforeheaderhook
24051   \setbox\@tempboxa \vbox to\headheight{%
24052     \vfil
24053     \color@hbox
24054     \normalcolor
24055     \hb@xt@\textwidth{\ifRTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if
24056     \color@endbox

```



```

24057     }%                               %% 22 Feb 87
24058     \dp\@tempboxa \z@
24059     \box\@tempboxa
24060     \vskip \headsep
24061     \global\let\@bidi@BeforeOutputBoxOutputPage\@firstofone
24062     \bidi@beforeoutputboxoutputpagehook
24063     \box\@outputbox
24064     \global\let\@bidi@AfterOutputBoxOutputPage\@firstofone
24065     \bidi@afteroutputboxoutputpagehook
24066     \global\let\@bidi@BeforeFooter\@firstofone
24067     \bidi@beforefooterhook
24068     \baselineskip \footskip
24069     \color@hbox
24070     \normalcolor
24071     \hbxt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTL}
24072     \color@endbox
24073     \global\let\@bidi@AfterFooter\@firstofone
24074     \bidi@afterfooterhook
24075     }%
24076   }%
24077   \global\let\@bidi@AfterOutputPageShipOut\@firstofone
24078   \bidi@afteroutputpageshipouthook
24079   \global\let\if@newlist\@if@newlist
24080   \global \colht \textheight
24081   \stepcounter{page}%
24082   \let\firstmark\botmark
24083   \global\let\@bidi@AtEndOutputPage\@firstofone
24084   \bidi@atendoutputpagehook
24085 }
24086 \long\def\@makecaption#1#2{%
24087   \vskip\abovecaptionskip
24088   \sbox\@tempboxa{#1: #2}%
24089   \ifdim \wd\@tempboxa >\hsize
24090     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
24091   \else
24092     \global \@minipagefalse
24093     \hbxt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
24094   \fi
24095   \vskip\belowcaptionskip}
24096 \let\@bidi@samed@eqno=\eqno
24097 \let\@bidi@samed@leqno=\leqno
24098 \def\eqno{\ifnum\predisplaydirection<\z@ \@bidi@samed@leqno \else \@bidi@samed@eqno \fi}
24099 \def\leqno{\ifnum\predisplaydirection<\z@ \@bidi@samed@eqno \else \@bidi@samed@leqno \fi}
24100 \ifpackageloaded{amsmath}{%
24101 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
24102 }
24103 \input{footnote-xetex-bidi.def}
24104 \if@twocolumn
24105   \let\autofooterule\relax
24106   \let\leftfootnoterule\relax
24107   \let\rightfootnoterule\relax
24108   \textwidthfootnoterule
24109 \fi
24110 \if@bidi@csundef{@idxitem}{-}{%

```



```

24111 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
24112 }
24113 \@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{}
24114 \@ifclassloaded{article}{\@ifclassloaded{svmult}}{\input{article-xetex-bidi.def}}{}
24115 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
24116 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
24117 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
24118 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
24119 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
24120 \@ifclassloaded{beamer}{\input{beamer-xetex-bidi.def}}{}
24121 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
24122 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
24123 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
24124 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
24125 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
24126 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}}{\input{report-xetex-bidi.def}}{}
24127 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
24128 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
24129 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
24130 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
24131 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
24132 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
24133 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
24134 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
24135 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
24136 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}}{\input{book-xetex-bidi.def}}{}
24137 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
24138 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
24139 \@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
24140 \@ifpackageloaded{amsmath}{\%
24141 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
24142 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
24143 }
24144 \@ifpackageloaded{mathtools}{\%
24145 \RequirePackage{graphicx}%
24146 \input{mathtools-xetex-bidi.def}%
24147 }{}
24148 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
24149 \@ifpackageloaded{lscape}{\RequirePackage{graphicx}}{}
24150 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
24151 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
24152 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
24153 \@ifpackagewith{algorithm2e}{algonl}{\%
24154 \renewcommand\theAlgoLine{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{A
24155 }}{}
24156 \@ifpackagewith{algorithm2e}{algotpart}{\renewcommand\algocf@within{part}}{}
24157 \@ifpackagewith{algorithm2e}{algotchapter}{\renewcommand\algocf@within{chapter}}{}
24158 \@ifpackagewith{algorithm2e}{algotsection}{\renewcommand\algocf@within{section}}{}
24159 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
24160 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
24161 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
24162 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
24163 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
24164 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}

```



```

24165 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
24166 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
24167 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{\input{crop-xetex-bidi.def}}{}}{}
24168 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
24169 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
24170 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
24171 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
24172 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
24173 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{\input{float-xetex-bidi.def}}{}}{}
24174 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
24175 \@ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}
24176 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
24177 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
24178 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
24179 \@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
24180 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
24181 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
24182 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
24183 \@ifpackageloaded{lscap}{\input{lscap-xetex-bidi.def}}{}
24184 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
24185 \@ifpackageloaded{footnotebackref}{\input{footnotebackref-xetex-bidi.def}}{}
24186 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
24187 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
24188 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
24189 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
24190 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
24191 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
24192 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
24193 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
24194 \@ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}
24195 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
24196 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
24197 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
24198 \@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
24199 \@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
24200 \@ifpackageloaded{pdfscape}{\input{pdfscape-xetex-bidi.def}}{}
24201 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
24202 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
24203 \@ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}
24204 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
24205 \@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
24206 \@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
24207 \@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
24208 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
24209 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
24210 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
24211 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
24212 \@ifpackagewith{sidecap}{innercaption}{%
24213 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%
24214 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1} {#1}\hspace{\sidecaptionsep}{#2}}
24215 \renewcommand*{\SC@justify@caption}{%
24216 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
24217 \renewcommand*{\SC@FLOAT}[2]{%
24218 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2} {#2}\hspace{\sidecaptionsep}{#1}}

```



```

24219 \renewcommand*\SC@justify@caption{%
24220 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
24221 }{}
24222 \ifpackagewith{sidecap}{rightcaption}{%
24223 \if@RTL\renewcommand*\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
24224 \def\SC@justify@caption{\RaggedLeft}\else%
24225 \renewcommand*\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
24226 \def\SC@justify@caption{\RaggedRight}\fi%
24227 }{}
24228 \@ifpackagewith{sidecap}{leftcaption}{%
24229 \if@RTL \renewcommand*\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
24230 \def\SC@justify@caption{\RaggedRight}\else%
24231 \renewcommand*\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
24232 \def\SC@justify@caption{\RaggedLeft}\fi%
24233 }{}
24234 \ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
24235 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
24236 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
24237 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
24238 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
24239 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
24240 \@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
24241 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
24242 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
24243 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
24244 \ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
24245 \@ifpackageloaded{pgfsys}{\input{pgfsys.code-xetex-bidi.def}}{}
24246 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
24247 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
24248 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
24249 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
24250 \@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
24251 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
24252 \@ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
24253 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
24254 \@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}}{\input{tocbibind-xetex-bidi.def}}{}
24255 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}}{\input{tocloft-xetex-bidi.def}}{}
24256 \@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
24257 \@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}
24258 \@ifpackageloaded{beamerbaseauxtemplates}{\input{beamerbaseauxtemplates-xetex-bidi.def}}{}
24259 \@ifpackageloaded{beamerbaseboxes}{\input{beamerbaseboxes-xetex-bidi.def}}{}
24260 \@ifpackageloaded{beamerbasecolor}{\input{beamerbasecolor-xetex-bidi.def}}{}
24261 \@ifpackageloaded{beamerbaseframecomponents}{\input{beamerbaseframecomponents-xetex-bidi.def}}{}
24262 \@ifpackageloaded{beamerbaselocalstructure}{\input{beamerbaselocalstructure-xetex-bidi.def}}{}
24263 \@ifpackageloaded{beamerbasenavigation}{\input{beamerbasenavigation-xetex-bidi.def}}{}
24264 \@ifpackageloaded{beamerbaseoverlay}{\input{beamerbaseoverlay-xetex-bidi.def}}{}
24265 \@ifpackageloaded{beamerinnerthemedefault}{\input{beamerinnerthemedefault-xetex-bidi.def}}{}
24266 \@ifpackageloaded{beamerinnerthemecircles}{\input{beamerinnerthemecircles-xetex-bidi.def}}{}
24267 \@ifpackageloaded{beamerinnerthemeinmargin}{\input{beamerinnerthemeinmargin-xetex-bidi.def}}{}
24268 \@ifpackageloaded{beamerinnerthemerectangles}{\input{beamerinnerthemerectangles-xetex-bidi.d}}
24269 \@ifpackageloaded{beamerinnerthemrounded}{\input{beamerinnerthemrounded-xetex-bidi.def}}{}
24270 \@ifpackageloaded{beamerouterthemedefault}{\input{beamerouterthemedefault-xetex-bidi.def}}{}
24271 \@ifpackageloaded{beamerouterthemeinfolines}{\input{beamerouterthemeinfolines-xetex-bidi.def}}{}
24272 \@ifpackageloaded{beamerouterthememiniframes}{\input{beamerouterthememiniframes-xetex-bidi.d}}

```



```

24273 \ifpackageloaded{beamerouterthemesidebar}{\input{beamerouterthemesidebar-xetex-bidi.def}}{}
24274 \ifpackageloaded{beamerouterthemesplit}{\input{beamerouterthemesplit-xetex-bidi.def}}{}
24275 \ifpackageloaded{beamerouterthemeshadow}{\input{beamerouterthemeshadow-xetex-bidi.def}}{}
24276 \ifpackageloaded{beamerouterthemessmoothbars}{\input{beamerouterthemessmoothbars-xetex-bidi.d
24277 \ifpackageloaded{beamerouterthemessmoothtree}{\input{beamerouterthemessmoothtree-xetex-bidi.d
24278 \ifpackageloaded{beamerouterthemetree}{\input{beamerouterthemetree-xetex-bidi.def}}{}
24279 \ifpackageloaded{beamerthemeHannover}{\input{beamerthemeHannover-xetex-bidi.def}}{}
24280 \ifpackageloaded{beamerthemeSingapore}{\input{beamerthemeSingapore-xetex-bidi.def}}{}

```

155 File xltextra-xetex-bidi.def

```

24281 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package f
24282 \let\@XeTeX\XeTeX
24283 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
24284 \let\@XeLaTeX\XeLaTeX
24285 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

156 Index

Numbers written in *italics* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols		
\# .. 5037, 5083, 5195, 5203	\@H@footnotetext	\@bidi@pop 5687,
\% 13501 10853, 10868	5690, 5691, 5694, 5696
\' 13621, 15865, 17871	\@H@mpfootnotetext	\@bidi@popinto . . .
\(. 15966 10856, 10874	. . . 5687, 5690, 5691
\) 15967	\@HLTR@LTRfootnotetext	\@@clr . . 23218, 23223,
\, 7289, 13884, 10854, 10870	23226, 23228,
18465, 18508,	\@HLTR@mpLTRfootnotetext	23229, 23231,
23023, 23034, 23430 10857, 10876	23261, 23266,
\- 3532, 13620, 15864, 17870	\@HRTL@RTLfootnotetext	23269, 23271,
\. 93, 296, 586, 718, 981, 10855, 10872	23272, 23274, 23293
1231, 2385, 3531,	\@HRTL@mpRTLfootnotetext	\@@cls 23213, 23256
8476, 8664, 8976, 10858, 10878	\@@date . . 7906, 7909, 7912
10535, 10809,	\@LTR 17721,	\@@description . . . 2351
12643, 15014,	17723, 23390, 23392	\@@end 5341, 5342
17254, 18033,	\@LaTeX . . . 23395, 23396	\@@endpbox . . . 15717,
18427, 18624,	\@LaTeXe . . 23397, 23398	21323, 21361, 23620
18827, 19365,	\@RTL 17720,	\@@footstart@v@l .
20126, 20891, 21613	17723, 23389, 23392	. 11083, 12233, 12291
\/ 3802	\@Radio . . . 14953, 14961	\@@if@newlist . 12965,
\: 16008, 16067	\@TeX 17724,	12997, 24004, 24079
\< 21247	17725, 23393, 23394	\@@input 5890
\= 13621, 15865, 17871	\@XeLaTeX . 24284, 24285	\@@italiccorr
\> 21248	\@XeTeX . . . 24282, 24283	. . . 336, 9020, 15845
\@ 5107	\@author 7905, 7908, 7911	\@@line 11177,
\@@ 21426, 21428	\@bidi@AfterClass	11181, 18853,
\@@@bidi@AfterClass 5974, 5991	18862, 18900,
. 5975, 5980	\@bidi@AfterPackage	18911, 23572,
\@@@bidi@AfterPackage 6019, 6034	\@@bidi@PreventPackageFromLoading 3573, 23575,
. 6020, 6024	\@bidi@PreventPackageFromLoading	23576, 23578, 23579



<code>\@makecaption</code>	<code>\@LTRbidityftesidenotexmpar</code>	8397, 8398, 8404, 7025, 7026
. . 19397, 19461,		8518, 8574, 8575,
19565, 20158,	<code>\@LTRbidityftesidenoteympar</code>	8581, 8695, 8745,
20222, 20327, 7025, 7030	8940, 8948, 9015,
20923, 20987, 21092	<code>\@LTRfootgroupv@l</code> .	10502, 10515,
<code>\@makefnmark</code> 11076,	10772, 10781,
. . 19002, 19038,	11084, 12231, 12289	11177, 11181,
19041, 19741,	<code>\@LTRfootnotetext</code> .	12609, 12617,
19778, 19781, 64, 81,	12938, 15013,
20514, 20551, 20554	155, 156, 157, 266,	15027, 15051,
<code>\@math</code> 9011	284, 2220, 2224,	16907, 16919,
<code>\@mix</code> 23217, 23260	2279, 3938, 4060,	16931, 17809,
<code>\@mod</code> . . 23218, 23222,	7334, 7417, 7424,	17931, 17932,
23223, 23226,	8140, 8151, 8357,	17956, 18066,
23227, 23228,	8371, 9985, 9986,	18205, 18328,
23231, 23261,	10854, 10869,	18381, 18382,
23265, 23266,	10870, 10940,	18443, 18444,
23269, 23270,	10988, 10996,	18798, 18806,
23271, 23274, 23293	11193, 11302,	21417, 21524,
<code>\@par</code> 15863,	11405, 11514,	21565, 21699,
17869, 18460,	11623, 11732,	21730, 21753,
18503, 19013,	11841, 11950,	21770, 21787,
19024, 19752,	12059, 12218,	21804, 21821,
19764, 20525,	12276, 13220,	21838, 21856,
20537, 21538,	13226, 13270,	21875, 21895,
21540, 23511, 23626	13296, 13354,	21930, 22313,
<code>\@para@footstart@v@l</code>	13379, 13385,	22839, 22953, 23651
. 12233, 12291	14387, 14415,	<code>\@MM</code> . . . 41, 55, 71, 244,
<code>\@protect</code> 4968	14494, 14513,	258, 273, 9983,
<code>\@startpbox</code> . . 15716,	14707, 14711,	10004, 10051,
21323, 21361, 23620	14731, 14732,	10058, 10103,
<code>\@title</code> . 7904, 7907, 7910	15774, 15921,	10110, 11104,
<code>\@tmp</code> 23222,	17046, 17048,	13243, 13260, 13276
23223, 23228,	17049, 18964,	<code>\@Mi</code> 9011, 15788
23229, 23231,	18970, 19405,	<code>\@Mii</code> . 4013, 6968, 7012,
23232, 23265,	19703, 19709,	7056, 9673, 9685,
23266, 23271,	20166, 20476,	9698, 23858, 23902
23272, 23274,	20482, 20931,	<code>\@Miii</code> 4015, 6970, 7014,
23275, 23293, 23294	21392, 21409, 21501	7058, 23860, 23904
<code>\@underline</code>	<code>\@LTRmarginparfalse</code>	<code>\@RTL@footnotefalse</code>
. 23593, 23595, 23597 23987, 23989	. . . 3458, 13063,
<code>\@DEBUGfalse</code> 4082	<code>\@LTRmarginparreset</code>	13230, 17704,
<code>\@False</code> 8999, 9001 23886, 23893	17709, 23357, 23378
<code>\@LTRbibitemfalse</code>	<code>\@LTRmarginpartrue</code> 23988	<code>\@RTL@footnotetrue</code>
. 23444, 23446	<code>\@LTRsavemarbox</code> 23873,	. . . 3456, 13063,
<code>\@LTRbibitemstrue</code> 23445	23874, 23877, 23880	13229, 17706,
<code>\@LTRbidityftesidenote@sidenote</code>	<code>\@LTRxmpar</code> . 23871, 23872	17708, 23367, 23377
. . . 7405, 7464, 7468	<code>\@LTRympar</code> . 23871, 23876	<code>\@RTLbibitemfalse</code>
<code>\@LTRbidityftesidenotemarginparreset</code>	<code>\@M</code> . 6, 92, 105, 201, 225, 23445, 23446
. 7040, 7047	558, 622, 623,	<code>\@RTLbibitemstrue</code> 23444
<code>\@LTRbidityftesidenotesavemarbox</code>	647, 751, 874, 929,	<code>\@RTLbidityftesidenote@sidenote</code>
. 7027,	930, 1003, 1123,	. . . 7434, 7465, 7469
7028, 7031, 7034	1124, 1130, 1253,	<code>\@RTLbidityftesidenotemarginparreset</code>
	3865, 3870, 7636, 7084, 7091



<code>\@RTLbidityftesidenotesavemarbox</code>	19343, 20104,	23342, 23367,
..... 7071,	20869, 21599,	23377, 23414,
7072, 7075, 7078	23315, 23350,	23421, 23535, 23553
<code>\@RTLbidityftesidenotexmpar</code>	23357, 23378,	<code>\@RTLtrue</code> . 36, 50, 87,
..... 7069, 7070	23526, 23544,	239, 253, 290, 572,
<code>\@RTLbidityftesidenoteympar</code>	23984, 24055, 24071	707, 970, 1220,
..... 7069, 7074	<code>\@RTLfootnotetext</code> 48,	2121, 2138, 2173,
<code>\@RTLcolumnfootnotesfalse</code>	80, 159, 160,	2189, 2368, 3414,
..... 11006	161, 251, 283,	3420, 3438, 4308,
<code>\@RTLcolumnfootnotestru</code>	2219, 2223, 2253,	8465, 8653, 8962,
..... 11005	3939, 4061, 7352,	9020, 9022, 10524,
<code>\@RTLfalse</code>	7446, 7453, 8141,	10795, 10914,
66, 87, 239, 268,	8152, 8358, 8372,	10928, 10955,
290, 572, 707, 970,	10006, 10007,	10977, 11207,
1220, 1840, 2121,	10855, 10871,	11227, 11252,
2155, 2173, 2205,	10872, 10926,	11277, 11316,
2368, 3416, 3422,	10989, 10997,	11334, 11358,
3440, 4308, 8465,	11194, 11303,	11381, 11419,
8653, 8962, 8981,	11406, 11515,	11439, 11464,
8993, 9006, 10524,	11624, 11733,	11489, 11528,
10795, 10914,	11842, 11951,	11548, 11573,
10942, 10955,	12060, 12219,	11598, 11637,
10966, 11207,	12277, 13211,	11657, 11681,
11217, 11252,	13217, 13254,	11706, 11746,
11264, 11316,	13295, 13355,	11766, 11790,
11325, 11358,	13394, 13400,	11815, 11855,
11369, 11419,	14386, 14404,	11875, 11900,
11429, 11464,	14479, 14514,	11925, 11964,
11476, 11528,	14706, 14710,	11984, 12009,
11538, 11573,	14728, 14729,	12034, 12073,
11585, 11637,	15775, 15922,	12093, 12118,
11647, 11681,	17051, 17053,	12143, 12442,
11693, 11746,	17054, 18965,	12462, 12632,
11756, 11790,	18974, 19406,	13238, 13255,
11802, 11855,	19704, 19713,	13300, 13328,
11865, 11900,	20167, 20477,	15008, 15331,
11912, 11964,	20486, 20932,	15354, 15365,
11974, 12009,	21393, 21410, 21502	15374, 15857,
12021, 12073,	<code>\@RTLmainfalse</code> . 3341,	16660, 17245,
12083, 12118,	3345, 3626, 3630	17667, 17692,
12130, 12452,	<code>\@RTLmaintrue</code> . 3344, 3629	17706, 17708,
12471, 12632,	<code>\@RTLmarginparfalse</code>	18022, 18416,
13238, 13271, 23988, 23989	18610, 18813,
13314, 13328,	<code>\@RTLmarginparreset</code>	19343, 20104,
15008, 15331, 23930, 23937	20869, 21599,
15354, 15358,	<code>\@RTLmarginpartrue</code> 23987	23316, 23341,
15365, 15374,	<code>\@RTLSavemarbox</code> 23917,	23367, 23377,
15854, 16660,	23918, 23921, 23924	23535, 23553,
17245, 17414,	<code>\@RTLtabfalse</code> .. 409,	23984, 24055, 24071
17462, 17666,	3319, 3428, 23351,	<code>\@RTLxmpar</code> . 23915, 23916
17700, 17704,	23357, 23378,	<code>\@RTLympar</code> . 23915, 23920
17709, 17758,	23526, 23544, 23631	<code>\@Reset</code> 14986, 14995
18022, 18416,	<code>\@RTLtabtrue</code>	<code>\@SepMark</code>
18610, 18813, 3318, 3426,	19,
		20, 21, 22, 168,



214, 215, 216, 217,	18781, 18783,	16906, 16918,
334, 350, 546, 547,	18785, 18786,	16930, 17956,
548, 549, 700, 701,	18787, 18788,	18328, 21698,
702, 703, 954, 955,	18789, 19317,	21729, 21752,
956, 957, 1213,	19318, 19320,	21769, 21786,
1214, 1215, 1216,	19322, 19324,	21803, 21820,
8491, 8492, 8493,	20056, 20059,	21837, 21855,
8494, 8495, 8497,	20061, 20065,	21874, 21894,
8499, 8501, 8668,	20067, 20069,	21929, 22312,
8669, 8670, 8671,	20071, 20074,	22832, 22952, 23650
8672, 8674, 8676,	20077, 20081,	\@algocf@finish ... 179
8678, 8919, 8921,	20083, 20829,	\@algocf@start 171
8923, 8925, 8926,	20831, 20834,	\@ampacol 1435, 1443
8927, 8928, 8929,	20836, 20838,	\@arabic ... 168, 546,
10635, 10636,	20840, 20843,	547, 548, 549, 574,
10637, 10638,	20846, 20849,	581, 700, 701, 702,
10751, 10753,	21673, 21917,	703, 709, 716, 954,
10755, 10757,	23441, 23443, 24154	955, 956, 957, 972,
10758, 10759,	\@Submit ... 14969, 14978	979, 1213, 1214,
10760, 10761,	\@TextField . 14937, 14945	1215, 1216, 1222,
12735, 12736,	\@True ... 8994, 9000, 9032	1229, 2370, 2379,
12737, 12738,	\@Undottedtocline 16914	4320, 8467, 8474,
12739, 12741,	\@Undottedtoclinep 16926	8491, 8492, 8493,
12743, 12745,	\@acci 13621, 15865, 17871	8494, 8495, 8497,
12905, 12911,	\@accii 13621, 15865, 17871	8499, 8501, 8655,
13033, 13035,	\@acciii	8662, 8668, 8669,
13037, 13039,	. 13621, 15865, 17871	8670, 8671, 8672,
13040, 13041,	\@acol 1437, 1445, 3947,	8674, 8676, 8678,
13042, 13043,	15713, 21307,	8919, 8921, 8923,
13046, 13048,	23423, 23603, 23629	8924, 8925, 8926,
13050, 13052,	\@acolampacol .. 1435,	8927, 8928, 8929,
13053, 13054,	1437, 1443, 1445	8964, 8971, 10526,
13055, 13056,	\@addamp 1436, 1444	10533, 10635,
15064, 15065,	\@addfield 23993	10636, 10637,
15066, 15067,	\@addmarginpar ... 23943	10638, 10751,
15391, 16547,	\@address 4200,	10753, 10755,
16549, 16551,	9840, 9841, 9938, 9940	10756, 10757,
16553, 16555,	\@addresscolour 4169,	10758, 10759,
16556, 16558,	4186, 9839, 9937	10760, 10761,
16559, 16560,	\@addtofilelist ... 5889	10797, 10804,
17288, 17296,	\@addtopreamble ...	12634, 12641,
17298, 18037,	. . . 1408, 1471, 9093	12735, 12736,
18038, 18039,	\@addtoreset	12737, 12738,
18040, 18041, 332, 12908,	12739, 12741,
18043, 18045,	17286, 17292, 17294	12743, 12745,
18047, 18402,	\@adviper 9436	13033, 13035,
18403, 18404,	\@afterheading	13037, 13038,
18405, 18406,	. 568, 3848, 3858,	13039, 13040,
18408, 18410,	10512, 10520, 15877	13041, 13042,
18412, 18597,	\@afterindentfalse	13043, 13046,
18599, 18601,	. . . 3848, 3858, 15876	13048, 13050,
18602, 18603,	\@afterindenttrue .	13051, 13052,
18604, 18605,	. . . 647, 874, 1130,	13053, 13054,
18606, 18779,	7635, 8404, 8581,	13055, 13056,



15391,	15393,	. 21341, 21346, 21364	575, 709, 710, 972,
16547,	16549,	<code>\@arstheight</code> 21346, 21364	973, 1222, 1223,
16551,	16553,	<code>\@arstrut</code> 394,	2370, 2371, 8467,
16555,	16558,	15736, 21322, 23619	8468, 8655, 8656,
16559,	16560,	<code>\@arstrutbox</code> . . . 387,	8964, 8965, 10526,
18024,	18031,	15724, 15778,	10527, 10797,
18037,	18038,	21315, 21356,	10798, 12634,
18039,	18040,	21360, 21364, 23612	12635, 15010,
18041,	18043,	<code>\@author</code> 428,	17247, 18024,
18045,	18047,	442, 478, 499, 762,	18025, 18418,
18402,	18403,	764, 782, 827,	18419, 18612,
18404,	18405,	846, 1014, 1016,	18613, 18815,
18406,	18408,	1034, 1079, 1098,	18816, 19346,
18410,	18412,	1264, 1266, 1284,	19348, 20107,
18418,	18425,	1329, 1349, 1360,	20109, 20872,
18597,	18599,	3747, 7837, 7839,	20874, 21601, 21602
18601,	18602,	7908, 8529, 8531,	<code>\@bibsetup</code> 17247
18603,	18604,	8549, 8706, 8708,	<code>\@bibtitlestyle</code> . . .
18605,	18606,	8726, 8801, 8815, 84, 287, 15005
18612,	18619,	8851, 8872, 10562,	<code>\@bidi@stpelt</code>
18779,	18781,	10574, 10608,	. . . 5409, 5415, 5419
18783,	18784,	10627, 10657,	<code>\@bidi@AfterClass</code> .
18785,	18786,	10671, 10707, 5975,
18787,	18788,	10728, 12662,	5996, 6001, 6008
18789,	18815,	12674, 12708,	<code>\@bidi@AfterPackage</code>
18822,	19318,	12727, 16516, 6020,
19320,	19322,	18077, 18079,	6039, 6043, 6050
19324,	19346,	18097, 18142,	<code>\@bidi@EqualStringX</code>
19362,	20063,	18161, 18216,	. . . 5474, 5475, 5476
20065,	20067,	18218, 18238,	<code>\@bidi@PreventPackageFromLoading</code>
20069,	20071,	18285, 18307,	. . . 6060, 6061, 6063
20074,	20077,	18318, 18474,	<code>\@bidi@UnPreventPackageFromLoading</code>
20085,	20107,	18488, 18529,	. . . 6152, 6153, 6156
20123,	20832,	18550, 18661,	<code>\@bidi@after@Hy@hyperfootnotes</code>
20834,	20836,	18675, 18711,	. . 10863, 11001,
20838,	20840,	18732, 19146,	11202, 11311,
20843,	20846,	19290, 19886,	11414, 11523,
20850,	20872,	20030, 20659, 20803	11632, 11741,
20888, 21601, 21608		<code>\@auxout</code> 3476,	11850, 11959,
<code>\@argdef</code> 4928		3480, 4363, 4704,	12068, 12237, 12299
<code>\@array</code> 384, 405, 1370,		4732, 4758, 4786,	<code>\@bidi@append@to@cslist</code>
1371, 21344, 23609		4812, 4815, 4849,	. . . 5621, 5625, 5635
<code>\@arrayacol</code> 23629		4852, 8304, 23695	<code>\@bidi@append@to@list</code>
<code>\@arrayclassiv</code> . . . 23630		<code>\@badmath</code> . . 12870, 12884 5625,
<code>\@arrayclassz</code>		<code>\@begin@tempboxa</code> . .	5628, 5631, 5638, 5646
. 1435, 21348, 23629	 13897,	<code>\@bidi@before@Hy@hyperfootnotes</code>
<code>\@arraycr</code> 404, 15722, 23631		13993, 14000, 23511	. . 10849, 10994,
<code>\@arrayleft</code> 397		<code>\@begin@dv</code> . 12936, 24046	11191, 11300,
<code>\@arrayparboxrestore</code>		<code>\@begin@parpenalty</code> .	11403, 11512,
. 1871, 15777, 17866	 3861,	11621, 11730,
<code>\@arrayright</code> 406		3870, 12873, 12887	11839, 11948,
<code>\@arrayrule</code> 1390, 1391,		<code>\@bib@break</code>	12057, 12216, 12270
1392, 1428, 1429, 1430		. 19338, 20099, 20864	<code>\@bidi@copy@stacktop</code>
<code>\@arstdepth</code>		<code>\@biblabel</code> 89, 292, 574, 5693, 5696



\@bidi@copyins@ . . .	\@bidi@logo@hb@xt@columnwidth	\@bidi@todonotes@figposition@rightfalse
. . . . 3356, 3357, 3361, 3393 23014
3358, 3359, 3360,	\@bidi@lst@makecaption	\@bidi@todonotes@figposition@righttrue
3641, 3642, 3643, 15328, 23012
3644, 3645, 11087,	15344, 15345,	\@bidi@todonotes@textdirection
11089, 11092,	15376, 15377, 23001, 23005,
13649, 13650,	15378, 15382, 15384	23008, 23112, 23113
13651, 13652,	\@bidi@mdf@RTLtrue 15853	\@bidi@todonotes@textdirection@RTLfalse
13662, 13663,	\@bidi@patch@AfterPackage 23007
13711, 13712, 6345, 6348	\@bidi@todonotes@textdirection@RTLtrue
13768, 13769,	\@bidi@pdfcreator 23004
13770, 13771, 3330,	\@bidi@unreplacefilewithext
13788, 13789,	3565, 3671, 3685 5946, 5952, 5955
13807, 13816,	\@bidi@pdfcustomproperties	\@bidi@void@mpfootinsfalse
13828, 13834, 3336, 11143
13838, 13850,	3568, 3677, 3688	\@bidi@void@mpfootinstrue
13852, 13855,	\@bidi@pdfencryptfalse 11141
13886, 17076, 3545	\@bidi@void@footinsfalse
17077, 17166,	\@bidi@pdfencrypttrue 12544, 12558
17733, 17735, 3547, 3550	\@bidi@void@footinstrue
17736, 23820,	\@bidi@pdfm@markfalse 12541, 12556
23826, 23829, 3498, 3693	\@bidi@w@w
23843, 23845, 23848	\@bidi@pdfm@marktrue 5604
\@bidi@emptytoks 3496, 3692	\@bidi@ww
. . . . 4412, 4417, 4441	\@bidi@pdfproducer	\@bidideclaredcolor
\@bidi@envbody 3333, 9145,
. 4411, 4413,	3566, 3674, 3686	9152, 23253, 23282
4415, 4416, 4417,	\@bidi@perpage@footnotefalse	\@biditufteLTRsidenote@normal@cite
4437, 4439, 4440, 4441 3508 7200,
\@bidi@fi	\@bidi@perpage@footnotetrue	7279, 7399, 7428,
. 5555, 3506	7457, 7479, 7488, 7497
5556, 5557, 5558,	\@bidi@prepend@to@cslst	\@biditufteRTLsidenote@normal@cite
5562, 5563, 5567, 5623, 7219,
5568, 5572, 5573,	5626, 5637, 5679, 5681	7280, 7400, 7429,
5578, 5579, 5583, 5584	\@bidi@prepend@to@list	7458, 7480, 7489, 7498
\@bidi@ifnxtc 5626,	\@bidituftefloat@caption
. 5522, 5525, 5526	5629, 5633, 5639, 5647 6573, 6606
\@bidi@info 3253, 3280,	\@bidi@removefromreset	\@bidituftefloat@caption@box
3282, 3580, 3607, 3609 4538, 4539, 4541	6565, 6630, 6641,
\@bidi@inslogo@ . . .	\@bidi@replacefilewithext	6642, 6665, 6900, 6905
. 3360, 3489, 4987, 5941, 5944	\@bidituftefloat@caption@fill
3491, 3645, 3670, 3695	\@bidi@saveprimitive 6514,
\@bidi@list@minipage@parbox@not@nobtrue	\@bidi@stepcounter	6523, 6524, 6905
. 13343, 23499 5408, 5414	\@bidituftefloat@caption@font
\@bidi@list@minipage@parbox@false	\@bidi@tabular@RTLcases	6479, 6480, 6534,
. 1835, 21511 23412, 23414, 23421	6731, 6902, 6908, 6921
\@bidi@list@minipage@parbox@true	\@bidi@todonotes@align	\@bidituftefloat@caption@justification
. 13344, 23503, 23506 22999, 6421, 6537, 6731
\@bidi@logo	23000, 23032,	\@bidituftefloat@caption@vertical@offset
3395, 3653, 3669	23073, 23076, 6568, 6569,
\@bidi@logo@	23079, 23082,	6577, 6641, 6642, 6669
. 3360, 3392, 23107, 23112, 23113	\@bidituftefloat@checkoddpge
3491, 3645, 3669, 3670	 6496, 6593
\@bidi@logo@hb@xt@		\@bidituftefloat@figure@box
. 3646, 3669	 6564,



6623, 6641, 6642, 6664	\@bidituftefloat@stored@sh@caption	\@bidituftefloat@float@contents@width	6570, 6575, 6576, 6632, 6666	\@bidituftefloat@float@contents@width	6570, 6575, 6576, 6632, 6666
6621, 6622, 6624	\@bidituftefloat@float@debug	\@bidituftefloat@float@debug	6781, 7687	\@bidituftefloat@float@debug	6781, 7687
6554, 6560, 6562, 6563, 6595, 6596, 6599, 6601, 6602, 6679, 6686, 6693, 6694, 6697, 6698	\@bidituftefloat@float@debug@info	\@bidituftefloat@float@debug@info	6745, 6749	\@bidituftefloat@float@debug@info	6745, 6749
6553, 6555, 6556, 6557, 6654, 6661	\@bidituftefloat@float@fullwidth	\@bidituftefloat@float@fullwidth	7107, 7116, 7206	\@bidituftefloat@float@fullwidth	7107, 7116, 7206
6641, 6689	\@bidituftefloat@float@textwidth	\@bidituftefloat@float@textwidth	7101, 7104, 7107	\@bidituftefloat@float@textwidth	7101, 7104, 7107
6642, 6671	\@bidituftefloat@fps	\@bidituftefloat@fps	7104, 7113, 7485	\@bidituftefloat@fps	7104, 7113, 7485
6583, 6598	\@bidituftefloat@fullwidth	\@bidituftefloat@fullwidth	7101, 7110	\@bidituftefloat@fullwidth	7101, 7110
6513, 6519, 6520, 6521, 6621	\@bidituftefloat@justification	\@bidituftefloat@justification	7108, 7117	\@bidituftefloat@justification	7108, 7117
6481	\@bidituftefloat@justification@autodetect	\@bidituftefloat@justification@autodetect	7099, 7102, 7105, 7108	\@bidituftefloat@justification@autodetect	7099, 7102, 7105, 7108
6421, 6551	\@bidituftefloat@label	\@bidituftefloat@label	7105, 7114, 7494	\@bidituftefloat@label	7105, 7114, 7494
6580, 6607	\@bidituftefloat@margin@floatbox	\@bidituftefloat@margin@floatbox	7102, 7111	\@bidituftefloat@margin@floatbox	7102, 7111
6529, 6532, 6543	\@bidituftefloat@margin@par	\@bidituftefloat@margin@par	7241, 7274	\@bidituftefloat@margin@par	7241, 7274
6451, 6538	\@bidituftefloat@margin@font	\@bidituftefloat@margin@font	7299, 7307	\@bidituftefloat@margin@font	7299, 7307
6478, 6479	\@bidituftefloat@orig@caption	\@bidituftefloat@orig@caption	7106, 7115, 7187, 7225, 7253	\@bidituftefloat@orig@caption	7106, 7115, 7187, 7225, 7253
6604, 6632, 6662	\@bidituftefloat@orig@endfloat	\@bidituftefloat@orig@endfloat	7120, 7254	\@bidituftefloat@orig@endfloat	7120, 7254
6567, 6645, 6896	\@bidituftefloat@orig@float	\@bidituftefloat@orig@float	7240, 7242, 7243, 7245, 7250, 7259, 7378, 7407, 7436, 7475, 7484, 7493	\@bidituftefloat@orig@float	7240, 7242, 7243, 7245, 7250, 7259, 7378, 7407, 7436, 7475, 7484, 7493
6566, 6619, 6895	\@bidituftefloat@orig@label	\@bidituftefloat@orig@label	7240, 7242, 7243, 7245, 7250, 7259, 7378, 7407, 7436, 7475, 7484, 7493	\@bidituftefloat@orig@label	7240, 7242, 7243, 7245, 7250, 7259, 7378, 7407, 7436, 7475, 7484, 7493
6605, 6613, 6633, 6663	\@bidituftefloat@overhang	\@bidituftefloat@overhang	7273, 7377, 7406, 7435, 7474, 7483, 7492	\@bidituftefloat@overhang	7273, 7377, 7406, 7435, 7474, 7483, 7492
6512, 6516, 6517, 6715, 6716, 6755, 6756	\@bidituftefloat@pkgname	\@bidituftefloat@pkgname	7118, 7119, 7120, 7121	\@bidituftefloat@pkgname	7118, 7119, 7120, 7121
6396, 6397, 6399	\@bidituftefloat@stored@caption	\@bidituftefloat@stored@caption	7118, 7119, 7120, 7121	\@bidituftefloat@stored@caption	7118, 7119, 7120, 7121
6571, 6578, 6632, 6667	\@bidituftefloat@stored@label	\@bidituftefloat@stored@label	7118, 7119, 7120, 7121	\@bidituftefloat@stored@label	7118, 7119, 7120, 7121
6572, 6581, 6633, 6649, 6651, 6668					



<code>\@bscontmark</code> 16539	<code>\@cftbsnum</code> . . . 21702,	9741, 9745, 12503,
<code>\@bsmarkseries</code> . . . 16520	21733, 21756,	12959, 13761,
<code>\@bsmttitleempty</code> . . . 16508	21773, 21790,	13773, 13774,
<code>\@bsphack</code>	21807, 21824,	13775, 13777,
4012, 6967, 7011,	21841, 21859,	13779, 13867,
7055, 23857, 23901	21878, 21898, 21933	15803, 15804,
<code>\@bsthanksheadpost</code> 16522	<code>\@cftdopartfalse</code> . 21676	16683, 16686,
<code>\@bsthanksheadpre</code> 16522	<code>\@cftdoparttrue</code> . . .	16688, 16690,
<code>\@caption</code> 21679, 21683	16695, 16696,
. 6722, 16642, 16645	<code>\@cftl@subfig</code> 21867	16697, 16716,
<code>\@captionabovfalse</code>	<code>\@cftl@subtab</code> 21887	16717, 16718,
. 19583, 20345, 21110	<code>\@chapapp</code> . 8740, 8935,	16722, 16783,
<code>\@captionabovetrue</code>	10767, 12605, 18794	16786, 16788,
. 19581, 20343, 21108	<code>\@chapterlistsgap@off</code>	16790, 16795,
<code>\@capttype</code> . 3952, 4000, 17280	16796, 16797,
4048, 6535, 16635,	<code>\@chapterlistsgap@on</code>	16816, 16817,
16639, 16642, 17287, 17295	16818, 16822,
18837, 18880,	<code>\@chclass</code> . . 352, 364,	19075, 19092,
19488, 19492,	375, 1377, 1389,	19815, 19832,
19494, 19495,	1402, 1422, 1427,	20588, 20605, 24080
19564, 20249,	21445, 21461,	<code>\@colourfalse</code> 4112
20253, 20255,	21472, 23632, 23637	<code>\@coloureenfalse</code>
20256, 20326,	<code>\@checkend</code> 4430, 9758, 9856
21014, 21018,	4454, 6230, 6231	<code>\@coloureentrue</code> .
21020, 21021, 21091	<code>\@chnum</code> . 353, 360, 371, 9759, 9857
<code>\@cclv</code> 10018,	1378, 1385, 1398,	<code>\@colougreyfalse</code> .
10075, 12513,	1408, 1424, 1425, 9762, 9860
12514, 12542,	1426, 1439, 1447,	<code>\@colougreytrue</code> . .
12553, 13783,	1473, 9095, 21446, 9763, 9861
13795, 13829,	21453, 21468,	<code>\@colouorangefalse</code>
13832, 13833,	23634, 23635, 23636 9756, 9854
13843, 13844,	<code>\@circlefnt</code> 12764	<code>\@colouorange>true</code>
15792, 15797,	<code>\@classiv</code> 3949, 9757, 9855
15809, 17727,	15714, 21309,	<code>\@colouredfalse</code> . .
23805, 23809,	23425, 23605, 23630 9760, 9858
23821, 23825, 23836	<code>\@classx</code> . 1405, 1464, 9089	<code>\@colouredtrue</code> 9761, 9859
<code>\@cclvi</code> 12260,	<code>\@classz</code> 1405,	<code>\@colourtrue</code> 4111
12262, 12322, 12324	1464, 1498, 1499,	<code>\@colroom</code> . 9718, 9721,
<code>\@centercr</code> 7709, 17817,	3948, 9089, 15714,	9723, 9724, 10018,
17830, 17843,	21308, 21348,	10075, 13761,
21517, 21546, 23562	23424, 23604, 23629	13775, 13778,
<code>\@cftasnum</code> . . . 21703,	<code>\@cleartopmattertags</code>	13780, 15803,
21734, 21757, 129, 15087	15812, 19076,
21774, 21791,	<code>\@cliptoboxdim</code> . . . 21475	19093, 19816,
21808, 21825,	<code>\@clsextension</code>	19833, 20589, 20606
21842, 21860,	5944, 5955, 5971,	<code>\@combinedblfloats</code>
21879, 21899, 21934	5981, 5990, 5993, 6002 9358, 9417,
<code>\@cftasnumb</code> . . . 21704,	<code>\@clubpenalty</code> . . 584,	12823, 12859,
21735, 21758,	2383, 8974, 10807,	12940, 13694,
21775, 21792,	18622, 18825, 21611	13747, 16747,
21809, 21826,	<code>\@colht</code> 9446, 9473, 9474,	16844, 23744, 23787
21843, 21861,	9558, 9559, 9575,	<code>\@combinefloats</code> . . .
21880, 21900, 21935	9691, 9706, 9707, 12498, 13863
	9717, 9718, 9725,	<code>\@compactenum@</code> 7691



<code>\@cons</code>	23943, 23944	7360, 10920,	1024, 1036, 1081,
<code>\@contcshortstyle</code>	16590	10934, 10948,	1101, 1272, 1274,
<code>\@contcstyle</code>		10960, 10971,	1286, 1331, 1352,
. 16595, 16601, 16606		10982, 11211,	1361, 3748, 7855,
<code>\@contcwidth</code> 16584, 16585		11221, 11231,	7909, 8537, 8539,
<code>\@contdelim</code>		11257, 11270,	8551, 8714, 8716,
. . 16578, 16589,		11282, 11320,	8728, 8804, 8816,
16593, 16600, 16605		11329, 11338,	8852, 8875, 10565,
<code>\@contfield</code>		11363, 11375,	10575, 10609,
. . . 8321, 8336, 8368		11386, 11423,	10630, 10660,
<code>\@contfinal</code>		11433, 11443,	10672, 10708,
. . 16578, 16590,		11469, 11482,	10731, 10816,
16596, 16602, 16606		11494, 11532,	10821, 12665,
<code>\@contfmark</code> . 16577, 16580		11542, 11552,	12675, 12709,
<code>\@contfnote</code> . 16576, 16579		11578, 11591,	12730, 15096,
<code>\@contindw</code> 16601		11603, 11641,	15101, 16517,
<code>\@contnfont</code>		11651, 11661,	18085, 18087,
. . 16578, 16589,		11687, 11700,	18099, 18144,
16593, 16600, 16605		11712, 11750,	18164, 18224,
<code>\@contpost</code> 16610		11760, 11770,	18226, 18240,
<code>\@contpre</code> 16588,		11796, 11809,	18287, 18310,
16594, 16599, 16604		11821, 11859,	18319, 18477,
<code>\@conttfont</code>		11869, 11879,	18489, 18530,
. . 16578, 16590,		11905, 11918,	18552, 18664,
16596, 16602, 16606		11930, 11968,	18676, 18712,
<code>\@curfield</code>		11978, 11988,	18735, 19151,
8320, 8335, 8355,		12014, 12027,	19291, 19891,
8369, 8379, 23993		12039, 12077,	20031, 20664, 20804
<code>\@curline</code> 8318,		12087, 12097,	<code>\@dblarg</code> 16642
8333, 23993, 23995		12123, 12136,	<code>\@dblfloatplacement</code>
<code>\@currbox</code> . 4020, 4051,		12148, 12343, 9362, 9421,
4055, 6932, 6935,		12355, 12367,	12824, 12863,
6976, 6979, 6984,		12404, 12418,	12947, 13698,
6988, 7020, 7023,		12432, 13245,	13751, 16751,
7028, 7032, 7064,		13262, 13278,	16848, 23748, 23791
7067, 7072, 7076,		13306, 13320, 13334	<code>\@declaredcolor</code> 9130,
23866, 23869,	<code>\@currentlabelname</code>		9131, 23210, 23233
23874, 23878, 14474,		<code>\@dedication</code>
23910, 23913,	14489, 14504,		. . 19193, 19196,
23918, 23922,	14563, 14601,		19301, 19933,
23944, 23953, 23985	14634, 14665, 14696		19936, 20041,
<code>\@currentHlabel</code> . . .	<code>\@currenvir</code>		20706, 20709, 20814
. 14472, 14487, 14502	4416, 4419, 4420,		<code>\@dedicatory</code> 323
<code>\@currentHref</code>	4440, 4443, 4444, 4471		<code>\@deferlist</code> 13759
. . 14473, 14488,	<code>\@currext</code> 22127,		<code>\@definitionfileextension</code>
14503, 14562,	22239, 22297, 22307	 4485, 4488
14600, 14633,	<code>\@currlist</code> 23943		<code>\@depth</code> . . . 389, 15726,
14664, 14695,	<code>\@curtabmar</code> . 23992, 23995		21288, 21317,
14917, 14928, 14930	<code>\@cvtheme</code> 4192, 4195		21357, 23614, 23982
<code>\@currentlabel</code> . . 43,	<code>\@cvthemeoptions</code> . .		<code>\@dgroup</code> 8993
57, 73, 246, 260, 4193, 4195		<code>\@dischyp</code>
275, 2129, 2146,	<code>\@date</code> . . 431, 443, 479,		. 13620, 15864, 17870
2163, 2179, 2195,	502, 770, 772, 784,		<code>\@displaypagenumbersfalse</code>
2211, 7324, 7342,	829, 849, 1022,	 4291



<code>\@displaypagenumberstrue</code>	<code>\@email</code> .. 4204, 9846, 9944	12640,	12673,
..... 4290		12674,	12675,
<code>\@dmath</code> 8981, 9010	<code>\@empty</code> 86,	12676,	12707,
<code>\@docolbox</code> 13013	115, 134, 136, 289,	12708,	12709,
<code>\@dodynamicthefoot</code> 12937	404, 441, 442, 443,	12710,	12803,
<code>\@dodynamicthehead</code> 12937	444, 477, 478, 479,	12839,	13390,
<code>\@dofilelist</code>	480, 580, 715, 781,	13472,	13672,
... 6241, 6242, 6244	782, 783, 784, 826,	13721,	13759,
<code>\@dotsep</code> 22850,	827, 828, 829, 978,	13862,	13877,
22851, 22959, 23657	1033, 1034, 1035,	13878,	13879,
<code>\@dottedtocline</code> ...	1036, 1078, 1079,	13880,	13881,
.. 22965, 22966,	1080, 1081, 1228,	14474,	14489,
22968, 22986, 23646	1283, 1284, 1285,	14504,	14563,
<code>\@dseries</code> 9006	1286, 1328, 1329,	14601,	14634,
<code>\@eha</code> 4407, 21921	1330, 1331, 1892,	14665,	14696,
<code>\@ehc</code> 4510, 4512,	1893, 2238, 2264,	15007,	15073,
4518, 4520, 4526,	2290, 2378, 2623,	15094,	15136,
4528, 4534, 4536,	2629, 2635, 2817,	15349,	15355,
4944, 5818, 12209,	2951, 3047, 3142,	15378,	15382,
15297, 15304,	3491, 3670, 3746,	15384,	15740,
15790, 16889, 16895	3747, 3748, 3749,	15765,	16514,
<code>\@ehd</code> 16636	4007, 4319, 4328,	16515,	16516,
<code>\@eightcol@footgroupv@r</code>	4428, 4452, 5648,	16517,	16676,
..... 11846	6057, 6070, 6071,	16776,	17274,
<code>\@eightcolLTRfootfmt</code>	6077, 6100, 6130,	17775,	18030,
. 11872, 11893, 11921	6138, 6157, 6160,	18096,	18097,
<code>\@eightcolLTRfootnotetext</code>	6171, 6175, 6185,	18098,	18099,
..... 11841, 11865	6191, 6192, 6193,	18141,	18142,
<code>\@eightcolRTLfootfmt</code>	6206, 6218, 6222,	18143,	18144,
. 11882, 11896, 11933	6289, 6300, 7183,	18237,	18238,
<code>\@eightcolRTLfootnotetext</code>	7202, 7221, 7242,	18239,	18240,
..... 11842, 11875	7249, 7837, 7904,	18284,	18285,
<code>\@eightcolfootfmt</code> .	7905, 7906, 8473,	18286,	18287,
. 11862, 11890, 11908	8548, 8549, 8550,	18424,	18487,
<code>\@eightcolfootnotetext</code>	8551, 8661, 8725,	18488,	18489,
..... 11840, 11855	8726, 8727, 8728,	18490,	18528,
<code>\@elt</code> 4540,	8814, 8815, 8816,	18529,	18530,
4543, 6820, 6821,	8817, 8850, 8851,	18531,	18618,
6822, 6823, 6824,	8852, 8853, 8970,	18674,	18675,
6825, 6826, 6827,	8996, 9326, 9389,	18676,	18677,
6828, 6829, 6830,	10045, 10097,	18710,	18711,
6831, 6861, 6862,	10532, 10573,	18712,	18713,
6863, 6864, 6865,	10574, 10575,	18821,	19012,
6866, 6867, 6868,	10576, 10607,	19111,	19112,
6869, 6870, 6871,	10608, 10609,	19119,	19127,
6872, 6873, 6874,	10610, 10670,	19134,	19140,
6875, 6876, 6877,	10671, 10672,	19156,	19162,
6878, 9032, 9984,	10673, 10706,	19175,	19178,
10005, 10011,	10707, 10708,	19185,	19193,
10046, 10048,	10709, 10803,	19198,	19213,
10050, 10056,	10814, 10830,	19220,	19235,
10068, 10098,	10834, 12339,	19236,	19240,
10100, 10102,	12351, 12363,	19241,	19249,
10108, 21376, 21378	12394, 12413,	19250,	19254,
	12427, 12497,		



19255,	19264,	20807,	20808,	\@evenfoot	2050,
19265,	19269,	20809,	20810,		3710, 12930, 24025
19270,	19278,	20811,	20812,	\@evenhead	
19279,	19289,	20813,	20814,		. 2049, 12929, 24025
19290,	19291,	20856,	20887,	\@expandtwoargs . . .	6176
19292,	19293,	20912,	20913,	\@extrafootnotefeaturesfalse	
19294,	19295,	21018,	21246,	 3470
19296,	19297,	21363,	21411,	\@extrafootnotefeaturestrue	
19298,	19299,	21607,	21907,	 3468
19300,	19301,	21909,	22262,	\@extrainfo	
19331,	19361,	22268,	22735,		. . . 4205, 9847, 9945
19386,	19387,	23213,	23216,	\@extratitle	
19492,	19751,	23256,	23259,		. . 19111, 19118,
19851,	19852,	23412,	23622,		19235, 19241,
19859,	19867,	23631,	23720,		19249, 19255,
19874,	19880,	23767,	24032,		19264, 19270,
19896,	19902,	24033, 24035, 24036			19294, 19851,
19915,	19918,	\@emptycol	9710,		19858, 19975,
19925,	19933,		9713, 9729, 9732		19981, 19989,
19938,	19953,	\@emptytoks	8995		19995, 20004,
19960,	19975,	\@end@tempboxa	13904,		20010, 20034,
19976,	19980,		13998, 14015, 23524		20624, 20631,
19981,	19989,	\@endfloatbox	4072		20748, 20754,
19990,	19994,	\@endmodernpoem	8331, 8351		20762, 20768,
19995,	20004,	\@endparenv	8241,		20777, 20783, 20807
20005,	20009,		8348, 17321, 17341	\@familyname	
20010,	20018,	\@endparpenalty	3865,		4137, 4139, 4140,
20019,	20029,		3874, 12874, 12888	\@familynamecolour	
20030,	20031,	\@endpbox 4167, 4184
20032,	20033,		1415, 1416, 1457,	\@fax	4203, 9845, 9943
20034,	20035,		1481, 1482, 1483,	\@fcolmadefalse . .	13760
20036,	20037,		9103, 9104, 9105,	\@ff@do@allframes .	
20038,	20039,		15711, 15717,	 12939, 12944
20040,	20041,		21323, 21361, 23620	\@ff@fbox	13022
20091,	20122,	\@endpetrue .	23366, 23376	\@ff@setoffset . . .	13019
20147,	20148,	\@endtraditionalpoem		\@ffbackground . . .	13009
20253,	20524,	 8222, 8287	\@filebordercolor .	
20624,	20625,	\@ensure@LR .	17717, 23386	 14775, 14777
20632,	20640,	\@ensure@LTR . .	17715,	\@filecolor	14793
20647,	20653,		17717, 17725,	\@filef@und	5890
20669,	20675,		23384, 23386,	\@finalstrut	
20688,	20691,		23394, 23396,		2133, 2150, 2167,
20698,	20706,		23398, 24283, 24285		2183, 2199, 2215,
20711,	20726,	\@ensure@RL .	17716, 23385		10898, 10904,
20733,	20748,	\@ensure@RTL . .	17714,		10910, 13250,
20749,	20753,		17716, 23383, 23385		13267, 13283,
20754,	20762,	\@ensure@dir . .	17718,		13310, 13324, 13338
20763,	20767,		17719, 23387, 23388	\@firstampfalse	1437, 1445
20768,	20777,	\@ensure@maindir . .		\@firstcolfirstmark	
20778,	20782,	 17719, 23388	 9325,
20783,	20791,	\@enumctr	2316, 7692, 7693		9326, 9330, 9388,
20792,	20802,	\@eqnnum			9389, 9393, 12802,
20803,	20804,		. 12895, 15090, 24101		12803, 12807,
20805,	20806,				



12838, 12839,	14902, 16640,	10682, 12685,
12843, 13671,	19461, 20222,	18060, 18119,
13672, 13676,	20987, 24007,	18199, 18260,
13720, 13721,	24049, 24061,	18456, 18499,
13725, 16675,	24064, 24066,	18686, 19108,
16676, 16680,	24073, 24077, 24083	19229, 19848,
16775, 16776,	\@firstoftwo ... 3286,	19969, 20621, 20742
16780, 23719,	3292, 3298, 4549,	\@footgroupv@r ...
23720, 23724,	4557, 4561, 4569,	.. 11080, 11169,
23766, 23767, 23771	4573, 4581, 4587,	11198, 11307,
\@firstcoltopmark .	4591, 4604, 4612,	11410, 11519,
.... 9323, 9331,	4618, 4622, 4630,	11628, 11737,
9386, 9394, 12800,	4636, 4639, 4642,	11846, 11955,
12808, 12836,	4656, 4663, 5053,	12064, 12224, 12282
12844, 13669,	5071, 5077, 5101,	\@footnote 7786
13677, 13718,	5128, 5158, 5221,	\@footnotemark . 2241,
13726, 16673,	5231, 5881, 17255	2248, 2267, 2274,
16681, 16773,	\@fivecol@footgroupv@r	2293, 2300, 3980,
16781, 23717, 11519	3988, 3996, 7295,
23725, 23764, 23772	\@fivecollTRfootfmt	7388, 7395, 7417,
\@firstcolumnfalse	. 11545, 11566, 11594	7424, 7446, 7453,
9316, 9379, 9749,	\@fivecollTRfootnotetext	8269, 8276, 8283,
12794, 12830, 11514, 11538	13211, 13217,
12954, 13658,	\@fivecolRTLfootfmt	13220, 13226,
13707, 16666,	. 11555, 11569, 11606	14515, 14704,
16766, 23710, 23757	\@fivecolRTLfootnotetext	14708, 14722, 14723
\@firstcolumntrue 11515, 11548	\@footnotetext 34, 79,
9334, 9397, 9704,	\@fivecolfootfmt ..	151, 152, 153, 237,
12810, 12847,	. 11535, 11563, 11581	282, 2218, 2222,
12918, 13682,	\@fivecolfootnotetext	2227, 3937, 4059,
13731, 16725, 11513, 11528	7316, 7388, 7395,
16825, 23728, 23775	\@float 6566, 6895	8139, 8150, 8356,
\@firstdetailselementfalse	\@floatboxreset ... 4070	8370, 9964, 9965,
..... 9926	\@floatpenalty . 4013,	10853, 10867,
\@firstdetailselementtrue	4015, 4018, 6968,	10868, 10912,
..... 9923	6970, 6974, 6978,	10987, 10995,
\@firstfooterelementfalse	7012, 7014, 7018,	11192, 11301,
.... 9842, 9843,	7022, 7056, 7058,	11404, 11513,
9844, 9845, 9846, 9847	7062, 7066, 23858,	11622, 11731,
\@firstfooterelementtrue	23860, 23864,	11840, 11949,
..... 9827	23868, 23902,	12058, 12217,
\@firstname	23904, 23908, 23912	12272, 12274,
4137, 4139, 4140,	\@fltovf	13237, 13294,
4197, 9821, 9911, 9932	4053, 6979, 7023,	13353, 14385,
\@firstnamecolour .	7067, 23869, 23913	14393, 14464,
..... 4166, 4183	\@flushglue 8124, 8125,	14512, 14705,
\@firstofone ... 5281,	15870, 18586,	14709, 14725,
5288, 5296, 5307,	22315, 22319,	14726, 15773,
5321, 5327, 5337,	22323, 22369, 23562	15920, 17041,
5343, 6343, 12967,	\@fnsymbol	17043, 17044,
12985, 12989,	.. 453, 745, 804,	18963, 18966,
12992, 12995,	997, 1056, 1247,	19404, 19702,
13001, 14899,	1306, 3734, 8512,	19705, 20165,
14900, 14901,	8689, 8826, 10585,	20475, 20478,



20930, 21391, 21408, 21498, 21500	\@fs@cfont 6902, 6908, 6918, 6921, 6929, 12899, 12900	20562, 20569, 21288, 21316, 21357, 23613, 23982
\@footstartv@l 11075, 12232, 12290	\@fs@iftopcapt 6913, 6926, 6939	\@highpenalty 8418, 8434, 8441, 8451, 8595, 8611, 8618, 8628, 8882, 8897, 8907, 10738, 12573, 12588, 12598, 17970, 17986, 17993, 18003, 18342, 18358, 18365, 18375, 18558, 18572, 18582, 18742, 18757, 18767, 21689, 21724, 22113, 22137, 22225
\@footstartv@r 11079, 12225, 12283	\@fs@mid . 6912, 6925, 6937	\@hintcolour . . 4174, 4190
\@for . 6098, 6159, 6172, 6194, 6198, 7184, 7189, 7203, 7208, 7222, 7227, 7250, 7259, 9294, 22266	\@fs@post 6911, 6924, 6938	\@holdpg 9452, 9469, 9472, 9489, 9580, 9613, 9615
\@fourcol@footgroupv@r 11410	\@fs@pre . 6910, 6923, 6931	\@hyper@launch . . . 14798
\@fourcolLTRfootfmt . 11436, 11457, 11485	\@g@tnextcol 12916	\@idxitem 102, 107, 222, 227, 603, 618, 867, 1119, 7750, 7757, 8393, 8570, 8781, 15024, 15029, 17927, 18182, 18642, 21669, 24111
\@fourcolLTRfootnotetext 11405, 11429	\@getcirc 12760	\@ifclasslater 6385, 6390
\@fourcolRTLfootfmt . 11446, 11460, 11497	\@gnewline . . . 17819, 17832, 17845, 17856	\@ifclassloaded 6005, 6384, 6389, 6419, 7799, 7801, 8783, 11004, 13031, 13044, 24114, 24115, 24116, 24117, 24118, 24119, 24120, 24121, 24122, 24123, 24124, 24125, 24126, 24127, 24128, 24129, 24130, 24131, 24132, 24133, 24134, 24135, 24136, 24137, 24138, 24139, 24167, 24254, 24255
\@fourcolRTLfootnotetext 11406, 11439	\@gobble 3917, 4427, 4451, 4473, 4478, 5184, 5185, 5186, 5187, 5188, 5283, 5298, 5313, 5359, 5373, 5385, 5397, 6087, 6222, 6399, 7959, 8024, 12977, 12978, 12979, 16637, 19403, 19404, 19405, 19406, 20164, 20165, 20166, 20167, 20929, 20930, 20931, 20932, 23217, 23260, 24042, 24043, 24044	\@ifdefinable . . 4668, 4671, 4674, 4689, 4931, 4946, 13134
\@fourcolfootfmt . . . 11426, 11454, 11472	\@gobbletwo 4498, 4499, 4502, 4503, 5417, 15153, 19407, 20168, 20933	
\@fourcolfootnotetext 11404, 11419	\@gtempa 4686, 4687	
\@fps 4001, 4002, 4004, 4007, 4024	\@halignto 393, 408, 21321, 21359, 23412, 23618, 23631	
\@fpsaddefault 4005, 4008	\@hangfrom . . . 19498, 19528, 19531, 20259, 20289, 20292, 21024, 21054, 21057, 23586	
\@freelist 4020, 6820, 6861, 6976, 6977, 7020, 7021, 7064, 7065, 12496, 13861, 23866, 23867, 23910, 23911, 23943, 23944	\@hboxRconstructfalse 17683, 23332	
\@frontispiece 19112, 19115, 19119, 19122, 19236, 19240, 19250, 19254, 19265, 19269, 19295, 19852, 19855, 19859, 19862, 19976, 19980, 19990, 19994, 20005, 20009, 20035, 20625, 20628, 20632, 20635, 20749, 20753, 20763, 20767, 20778, 20782, 20808	\@hboxRconstructtrue 404, 17673, 21328, 21367, 23322, 23627	
\@fs@capt 6909, 6922, 6930	\@height 388, 1495, 9117, 9592, 13601, 15725, 15778, 15890, 19049, 19056, 19789, 19796,	



\@ifdefinitionfileloaded	24191, 24192,	4511, 4516, 4519,
..... 4488, 24256	24193, 24194,	4524, 4527, 4532,
\@ifempty .. 7, 202, 15052	24195, 24196,	4535, 5962, 5966,
\@ifl@aded 4487, 4488, 4489	24197, 24198,	6116, 6209, 7130,
\@ifnextchar ... 163,	24199, 24200,	7613, 7621, 7736,
405, 3885, 3915,	24201, 24202,	7738, 7743, 7833,
3930, 4921, 5974,	24203, 24204,	7850, 9132, 9139,
5975, 6019, 6020,	24205, 24208,	9147, 9153, 12902,
6064, 6981, 7025,	24209, 24210,	13127, 14909,
7069, 9130, 9145,	24211, 24234,	14910, 15307,
13209, 13218,	24235, 24236,	15318, 15381,
13377, 13392,	24237, 24238,	15383, 15388,
13410, 13416,	24239, 24240,	17433, 17901,
13970, 14712,	24241, 24242,	21908, 21912,
14736, 17056,	24243, 24244,	21988, 22010,
17325, 17345,	24245, 24246,	22011, 22059,
23210, 23253,	24247, 24248,	22060, 22147,
23437, 23871, 23915	24249, 24250,	22169, 22170,
\@ifpackagelater ..	24251, 24252,	22454, 22477,
.. 6383, 6388, 13080	24253, 24254,	22531, 22591,
\@ifpackageloaded .	24255, 24257,	22640, 22657, 22687
..... 170, 1454,	24258, 24259,	\@ifundefinedmodel
1989, 5114, 6047,	24260, 24261, 23243, 23277
6107, 6342, 6360,	24262, 24263,	\@ifxempty 23303
6382, 6387, 6888,	24264, 24265,	\@ignoretrue 9017
6893, 6946, 10437,	24266, 24267,	\@iiiminipage 13340
10438, 11174,	24268, 24269,	\@iiiparbox
12182, 14509,	24270, 24271,	. 11153, 13371, 23495
14529, 14607,	24272, 24273,	\@indextitlestyle .
14906, 15371,	24274, 24275, 100, 220, 15022
15496, 15753,	24276, 24277,	\@inlabelfalse 8984
16616, 21593,	24278, 24279, 24280	\@insertfalse 9437
23413, 24100,	\@ifpackagewith ...	\@inserttrue 9703
24113, 24126,	... 9271, 15283,	\@iprintcites 17811
24136, 24140,	15286, 17904,	\@itemdepth 2307,
24144, 24148,	17907, 21618,	2327, 2328, 2329
24149, 24150,	24153, 24156,	\@itemfudge . 23992, 23994
24151, 24152,	24157, 24158,	\@itemlabel 23458
24159, 24160,	24212, 24222, 24228	\@ixpt 7650
24161, 24162,	\@ifstar 5038,	\@keywords 324
24163, 24164,	5973, 6018, 6060,	\@kludgeins ... 12500,
24165, 24166,	6152, 6738, 10441,	13864, 17154, 17169
24167, 24168,	11002, 11205,	\@lastchclass .. 353,
24169, 24170,	11314, 11417,	354, 355, 356, 358,
24171, 24172,	11526, 11635,	1378, 1379, 1380,
24173, 24174,	11744, 11853,	1381, 1383, 1422,
24175, 24176,	11962, 12071,	1423, 1435, 1443,
24177, 24178,	12266, 12328, 13973	21446, 21447,
24179, 24180,	\@iftagsloaded	21448, 21449,
24181, 24182,	. 4487, 24141, 24142	21451, 23632, 23633
24183, 24184,	\@iftexfileloaded .	\@lastviperttrue 9715, 9734
24185, 24186,	. 4489, 24206, 24207	\@latex@error
24187, 24188,	\@ifundefined .. 330, 4406, 6081,
24189, 24190,	331, 4294, 4508,	16636, 16889, 16895



<code>\@latex@warning</code> . 95,	13711, 15014,	8509, 8686, 8828,
298, 588, 720, 983,	17254, 18033,	10587, 10684,
1233, 2387, 4324,	18427, 18624,	12687, 13249,
8478, 8666, 8978,	18827, 19365,	13266, 13282,
10537, 10811,	20126, 20891, 21613	13309, 13323,
12645, 15016,	<code>\@mainmatterfalse</code> .	13337, 13882,
18035, 18429, 7986,	16523, 18057,
18626, 18829,	8016, 8958, 10791	18122, 18196,
19369, 19376,	<code>\@mainmattertrue</code> ..	18263, 18459,
20130, 20137, 7983, 7999	18502, 18688,
20895, 20902, 21615	<code>\@makeLTRfntext</code> ...	18980, 19007,
<code>\@latex@warning@no@line</code>	... 2114, 2166, 2214	19010, 19719,
.. 9708, 9726, 23958	<code>\@makeRTLfntext</code> ...	19746, 19749,
<code>\@latexbug</code> 23944	... 2109, 2149, 2198	20492, 20519, 20522
<code>\@latexerr</code>	<code>\@makecaption</code> .. 6733,	<code>\@makefrontispiece</code>
. 13798, 13808, 13818	9078, 16573,	.. 19244, 19258,
<code>\@leftcolumn</code> ... 9317,	16623, 16655,	19273, 19984,
9343, 9380, 9402,	19455, 19487,	19998, 20013,
9455, 9460, 12795,	20216, 20248,	20757, 20771, 20786
12816, 12831,	20981, 21013, 24086	<code>\@makeother</code> 5037,
12852, 13659,	<code>\@makechapterhead</code> .	5083, 5195, 5203
13687, 13708,	. 301, 8735, 8930,	<code>\@makeschapterhead</code>
13740, 16667,	10762, 12601,	8389, 8566, 8755,
16726, 16739,	17802, 18790, 21634	8776, 8944, 10777,
16767, 16826,	<code>\@makecol</code> 12564, 12565,	12613, 17923,
16835, 23711,	13784, 13794,	18178, 18637,
23737, 23758, 23780	15798, 15810, 23803	18802, 21640, 21645
<code>\@let@token</code> ... 4464, 4467	<code>\@makeextratitle</code> ..	<code>\@makespecialcolbox</code>
<code>\@lettrine</code> 15116	.. 19238, 19252, 12501, 13865
<code>\@listI</code> 6436	19267, 19978,	<code>\@maketitle</code> 120,
<code>\@listdepth</code>	19992, 20007,	316, 320, 460, 462,
.. 13193, 13356,	20751, 20765, 20780	467, 476, 486, 811,
13625, 13629,	<code>\@makefnmark</code> ... 454,	813, 818, 825,
15250, 18990,	805, 1307, 2111,	835, 1063, 1065,
19729, 20502,	2116, 3735, 7291,	1070, 1077, 1087,
23449, 23452, 23457	7302, 8827, 9969,	1313, 1315, 1320,
<code>\@listi</code> .. 6436, 6444, 7654	9990, 10586,	1327, 1337, 3739,
<code>\@loadwithoptions</code> .	10683, 12686,	3745, 8833, 8835,
... 5897, 5899, 5906	15039, 16521,	8840, 8849, 8859,
<code>\@lowertitleback</code> ..	18120, 18261,	10592, 10594,
.. 19162, 19173,	18457, 18500,	10599, 10606,
19185, 19220,	18687, 19109,	10616, 10689,
19300, 19902,	19110, 19230,	10691, 10696,
19913, 19925,	19231, 19849,	10705, 10715,
19960, 20040,	19850, 19970,	12692, 12694,
20675, 20686,	19971, 20622,	12699, 12706,
20698, 20733, 20813	20623, 20743, 20744	12716, 15078,
<code>\@lowpenalty</code> . 3861, 22759	<code>\@makefntext</code> 45,	16526, 16528,
<code>\@m</code> ... 93, 296, 586, 718,	59, 75, 248, 262,	16535, 18126,
981, 1231, 2385,	277, 455, 742,	18128, 18133,
8476, 8664, 8976,	807, 994, 1057,	18140, 18150,
10535, 10809,	1244, 1309, 2132,	18267, 18269,
12643, 13660,	2182, 3736, 7289,	18274, 18283,
13662, 13709,	7328, 7346, 7364,	18293, 18511,



18513, 18518,	7094, 23896, 23940	14429, 14442,
18527, 18537,	\@minus 4241, 4327, 6432,	14518, 15922, 21502
18693, 18695,	6434, 6441, 6443,	\@mparbottom
18700, 18709,	6445, 6446, 7651,	.. 23954, 23962,
18719, 19247,	7653, 7655, 7656,	23963, 23964, 23965
19261, 19276,	13539, 13577,	\@mpargs
19288, 19987,	17251, 19644,	. 11153, 13346, 13371
20001, 20016,	19662, 19672,	\@mparswitchfalse . 6415
20028, 20760,	19682, 19693,	\@mparswitchtrue .. 6410
20774, 20789, 20801	20415, 20435,	\@mpeightcol@footgroupv@
\@maketitle@hook ..	20445, 20455, 11852
..... 118, 15076	20466, 21180,	\@mpeightcolLTRfootnotetext
\@makewincaption . 17530	21200, 21210, 11848, 11911
\@marbox 6977,	21220, 21231, 21253	\@mpeightcolRTLfootnotetext
6979, 6983, 6987,	\@mkboth ... 571, 599, 11849, 11924
6988, 7021, 7023,	615, 706, 864, 969,	\@mpeightcolfootnotetext
7027, 7031, 7032,	1116, 1219, 8390, 11847, 11899
7065, 7067, 7071,	8464, 8567, 8652,	\@mpfivecol@footgroupv@r
7075, 7076, 23867,	8777, 8961, 10523, 11525
23869, 23873,	10794, 12631,	\@mpfivecolLTRfootnotetext
23877, 23878,	17924, 18021, 11521, 11584
23911, 23913,	18179, 18415,	\@mpfivecolRTLfootnotetext
23917, 23921,	18609, 18638, 18812 11522, 11597
23922, 23943,	\@mklab 23459	\@mpfivecolfootnotetext
23953, 23956,	\@mkpream . 392, 15730, 11520, 11572
23964, 23966,	21319, 21351, 23616	\@mpfn 2228, 2254, 2280,
23967, 23969,	\@mobile . 4201, 9843, 9941	3955, 3958, 3961,
23970, 23971,	\@modernpoem .. 8307, 8351	3977, 3985, 3993,
23980, 23984, 23985	\@mplTRfootnotetext	7386, 7392, 7415,
\@mathmargin .. 10393, 2202,	7421, 7444, 7450,
10400, 10408, 10415	10857, 10875,	8246, 8249, 8252,
\@maxdepth	10876, 10965,	8266, 8273, 8280,
.. 11070, 12512,	10991, 10999,	13209, 13214,
12527, 12550,	11200, 11309,	13218, 13223,
12563, 13875,	11412, 11521,	13352, 13382,
23808, 23824, 23835	11630, 11739,	13397, 14390,
\@memtempa ... 16573,	11848, 11957,	14401, 14412,
16575, 16589,	12066, 12235,	14612, 14643,
16596, 16600, 16605	12297, 13312,	14674, 14737,
\@menubordercolor .	13354, 14415,	15917, 21433, 21440
..... 14869, 14871	14430, 14453,	\@mpfootins
\@menucolor 14880	14517, 15921, 21501	2172, 2174, 2188,
\@midlist 12496,	\@mpRTLfootnotetext	2190, 2204, 2206,
12497, 13861, 13862 2186,	10955, 10956,
\@minipagefalse 4074,	10858, 10877,	10966, 10967,
6998, 7007, 7042,	10878, 10976,	10977, 10978,
7051, 7086, 7095,	10992, 11000,	11114, 11122,
11150, 13368,	11201, 11310,	11130, 11140,
15340, 16629,	11413, 11522,	11144, 11147,
23888, 23897,	11631, 11740,	13300, 13301,
23932, 23941, 24092	11849, 11958,	13314, 13315,
\@minipagerestore 13357	12067, 12236,	13328, 13329,
\@minipagetrue	12298, 13298,	13362, 13363,
.... 7006, 7050,	13355, 14404,	13366, 15906, 15911



<code>\@mpfootinsv@l</code>	<code>\@mpfourcolfootnotetext</code>	<code>\@mptwocol@footgroupv@r</code>
. . 11112, 11128, 11411, 11463 11204
11171, 12391,	<code>\@mplistdepth</code> 13193, 13356	<code>\@mptwocolLTRfootnotetext</code>
12400, 12412, 12415	<code>\@mpninecol@footgroupv@r</code> 11200, 11263
<code>\@mpfootinsv@r</code> 11111, 11961	<code>\@mptwocolRTLfootnotetext</code>
11170, 11252,	<code>\@mpninecolLTRfootnotetext</code> 11201, 11276
11253, 11264, 11957, 12020	<code>\@mptwocolfootnotetext</code>
11265, 11277,	<code>\@mpninecolRTLfootnotetext</code> 11199, 11251
11278, 11358, 11958, 12033	<code>\@namedef</code> 5966,
11359, 11369,	<code>\@mpninecolfootnotetext</code>	6117, 8304, 11155,
11370, 11381, 11956, 12008	11190, 11289,
11382, 11464,	<code>\@mppara@LTRfootgroupv@l</code>	11294, 11299,
11465, 11476, 12241, 12303	11392, 11397,
11477, 11489,	<code>\@mppara@footgroupv@r</code>	11402, 11501,
11490, 11573, 12240, 12302	11506, 11511,
11574, 11585,	<code>\@mpparaLTRfootnotetext</code>	11610, 11615,
11586, 11598,	. 12235, 12297, 12411	11620, 11719,
11599, 11682,	<code>\@mpparaRTLfootnotetext</code>	11724, 11729,
11683, 11694, 12236, 12425	11828, 11833,
11695, 11707,	<code>\@mpparafootnotetext</code>	11838, 11937,
11708, 11791,	. 12234, 12295, 12386	11942, 11947,
11792, 11803,	<code>\@mpsevencol@footgroupv@r</code>	12046, 12051,
11804, 11816, 11743	12056, 12155,
11817, 11900,	<code>\@mpsevencolLTRfootnotetext</code>	12160, 12215,
11901, 11912, 11739, 11802	12269, 12440,
11913, 11925,	<code>\@mpsevencolRTLfootnotetext</code>	12450, 12460,
11926, 12009, 11740, 11815	12469, 12478,
12010, 12021,	<code>\@mpsevencolfootnotetext</code>	12490, 15844,
12022, 12034, 11738, 11790	21923, 21962,
12035, 12118,	<code>\@mpsixcol@footgroupv@r</code>	21963, 21964,
12119, 12130, 11634	21965, 21966,
12131, 12143,	<code>\@mpsixcolLTRfootnotetext</code>	21967, 21968,
12144, 12389, 11630, 11693	21969, 21970,
12398, 12426, 12429	<code>\@mpsixcolRTLfootnotetext</code>	21971, 21989,
<code>\@mpfootnotetext</code> 2170, 11631, 11706	21990, 21991,
10856, 10873,	<code>\@mpsixcolfootnotetext</code>	21992, 21993,
10874, 10954, 11629, 11681	21994, 21995,
10990, 10998,	<code>\@mptencol@footgroupv@r</code>	21996, 21997,
11199, 11308, 12070	22012, 22013,
11411, 11520,	<code>\@mptencolLTRfootnotetext</code>	22014, 22015,
11629, 11738, 12066, 12129	22017, 22018,
11847, 11956,	<code>\@mptencolRTLfootnotetext</code>	22020, 22023,
12065, 12234, 12067, 12142	22026, 22034,
12293, 12295,	<code>\@mptencolfootnotetext</code>	22035, 22037,
13326, 13353, 12065, 12117	22040, 22043,
14393, 14428,	<code>\@mpthreecol@footgroupv@r</code>	22056, 22061,
14431, 14516, 11313	22062, 22063,
15920, 21498, 21500	<code>\@mpthreecolLTRfootnotetext</code>	22065, 22066,
<code>\@mpfourcol@footgroupv@r</code> 11309, 11368	22068, 22071,
. 11416	<code>\@mpthreecolRTLfootnotetext</code>	22074, 22082,
<code>\@mpfourcolLTRfootnotetext</code> 11310, 11380	22083, 22085,
. 11412, 11475	<code>\@mpthreecolfootnotetext</code>	22088, 22091,
<code>\@mpfourcolRTLfootnotetext</code> 11308, 11357	22103, 22148,
. 11413, 11488		22149, 22150,



22151,	22152,	12162,	12163,	1430,	2171,	2187,
22153,	22154,	12441,	12447,	2203,	2328,	3528,
22155,	22156,	12451,	12457,	3533,	3534,	3535,
22171,	22172,	12461,	12466,	4030,	4332,	4360,
22173,	22174,	12470,	12475,	4395,	4702,	4756,
22176,	22177,	12922,	19160,	4810,	5540,	5699,
22179,	22182,	19495,	19900,	5770,	5831,	6324,
22185,	22193,	20256,	20673,	6333,	8832,	9282,
22194,	22196,	21021,	21652,	10591,	10688,	
22199,	22202,	21924,	21925,	12691,	13299,	
22215,	22455,	21926,	21929,	13313,	13327,	
22456,	22457,	21932,	21937,	13639,	14745,	
22458,	22459,	21938,	21943,	14746,	14751,	
22460,	22461,	21947,	21948,	15239,	15295,	
22462,	22463,	21950,	21951,	15302,	15311,	
22502,	22508,	21953,	21954,	15322,	15732,	
22515,	22521,	21956,	21957,	16525,	16602,	
22528,	22532,	21959,	21960,	16865,	17324,	
22533,	22534,	21967,	21972,	17344,	18125,	
22535,	22537,	21973,	22056,	18266,	18463,	
22538,	22540,	22103,	22107,	18506,	18510,	
22543,	22546,	22108,	22120,	18692,	18990,	
22554,	22555,	22130,	22131,	19017,	19019,	
22557,	22560,	22215,	22219,	19234,	19401,	
22563,	22588,	22220,	22241,	19729,	19756,	
22592,	22593,	22257,	22260,	19758,	19974,	
22594,	22596,	22261,	22265,	20162,	20502,	
22597,	22599,	22271,	22272,	20529,	20531,	
22602,	22605,	22273,	22277,	20747,	20927,	
22613,	22614,	22280,	22284,	21381,	21385,	
22616,	22619,	22286,	22300,	21446,	21455,	
22622,	22642,	22302,	22304,	21462,	21764,	
22645,	22649,	22310,	22328,	22107,	22108,	
22689,	22692,	22329,	22331,	22219,	22220,	
		22332,	22342,	22449,	23159,	
\@nameuse .	5963,	22344,	22347,	23306,	23452,	
	8302,	22348,	22350,	23493,	23528,	
10323,	10373,	22352,	22353,	23530,	23531,	
10376,	10422,	22361,	22363,	23532,	23537,	
11291,	11292,	22367,	22368,	23539,	23540,	
11296,	11297,	22372,	22376,	23541,	23546,	
11394,	11395,	22380,	22381,	23548,	23549,	
11399,	11400,	22449,	22482,	23550,	23555,	
11503,	11504,	22489,	22494,	23557,	23558,	
11508,	11509,	22495,	22502,	23559,	23635,	
11612,	11613,	22581,	22588,	23637,	23680,	23944
11617,	11618,	22659,	22726,	\@newlistfalse		
11721,	11722,	23245,	23279,	12966,	24005
11726,	11727,			\@next	4020,	
11830,	11831,	\@ne	137,	6976,	6977,	7020,
11835,	11836,		142,	7021,	7064,	7065,
11939,	11940,		353,	23866,	23867,	
11944,	11945,		362,	23910,	23911,	23943
12048,	12049,		365,	\@nextchar	359,	
12053,	12054,		459,			
12157,	12158,		810,			
			1062,			
			1312,			
			1378,			
			1387,			
			1390,			
			1391,			
			1392,			
			1425,			
			1428,			
			1429,			



361, 362, 363,	\@nodocument 3999	18819, 19351,
365, 366, 367, 368,	\@noitemerr	20112, 20877, 21605
369, 372, 373, 374,	. . . 95, 298, 587,	\@otarlinesep 21341, 21347
1384, 1386, 1387,	719, 982, 1232,	\@outerparskip 8345
1388, 1390, 1391,	2386, 4324, 8477,	\@outputbox 9317, 9320,
1392, 1393, 1394,	8665, 8977, 10536,	9321, 9335, 9347,
1395, 1396, 1399,	10810, 12644,	9352, 9354, 9380,
1400, 1401, 1413,	15016, 17261,	9383, 9384, 9398,
1415, 1416, 1481,	18034, 18428,	9408, 9411, 9413,
1482, 1483, 9103,	18625, 18828,	11069, 11071,
9104, 9105, 21452,	19368, 19375,	12503, 12505,
21454, 21455,	20129, 20136,	12506, 12511,
21456, 21457,	20894, 20901, 21614	12526, 12528,
21458, 21459,	\@nonlatinfalse 3313,	12542, 12553,
21460, 21462,	3432, 15329, 15373	12795, 12798,
21463, 21464,	\@nonlatintrue . 3314,	12811, 12820,
21465, 21466,	3434, 15329, 15373	12831, 12834,
21469, 21470, 21471	\@normalLTRfootfmt	12848, 12858,
\@nil 1466, 1467,	. 10906, 10951, 10974	12939, 12944,
1469, 1470, 9092,	\@normalRTLfootfmt	12991, 13659,
10012, 10069,	. 10900, 10937, 10985	13666, 13667,
14912, 14921,	\@normalcr 15873	13683, 13693,
14923, 14935, 21567	\@normalfootfmt . . .	13708, 13715,
\@ninecol@footgroupv@r	. 10894, 10923, 10963	13716, 13732,
. 11955	\@notprerr . . . 5283, 5298	13744, 13783,
\@ninecolLTRfootfmt	\@nx 124,	13795, 13829,
. 11981, 12002, 12030	125, 334, 15082, 15083	13831, 13842,
\@ninecolLTRfootnotetext	\@nxtcol	13867, 13870,
. 11950, 11974	. 12914, 12916, 12957	15816, 15816,
\@ninecolRTLfootfmt	\@oddfont 2045,	15818, 15820,
. 11991, 12005, 12042	2050, 3705, 12927,	16667, 16670,
\@ninecolRTLfootnotetext	12934, 24019, 24036	16671, 16701,
. 11951, 11984	\@oddhead	16726, 16729,
\@ninecolfootfmt . .	1969, 2049, 12926,	16731, 16743,
. 11971, 11999, 12017	12933, 24019, 24035	16767, 16770,
\@ninecolfootnotetext	\@oldmakefnmark 19109,	16771, 16801,
. 11949, 11964	19110, 19230,	16826, 16829,
\@nmbulistfalse . . 23460	19231, 19849,	16831, 16841,
\@nobreakfalse . 520,	19850, 19970,	17390, 17393,
672, 916, 1155,	19971, 20622,	17398, 23711,
8428, 8605, 8892,	20623, 20743, 20744	23714, 23715,
10747, 12583,	\@onefilewithoptions	23729, 23741,
17980, 18352,	. . . 5913, 5914, 5921	23758, 23761,
18567, 18752,	\@onelevel@sanitize 4002	23762, 23776,
21711, 21715, 22250	\@onlypreamble	23786, 23805,
\@nobreaktrue . . 519, 3409, 6136,	23807, 23821,
671, 915, 1154,	6146, 6150, 12331	23823, 23834, 24063
8427, 8604, 8891,	\@openbib@code	\@outputdblcol 12913,
10746, 12582,	. . . 578, 713, 976,	23799, 23800, 23801
17979, 18351,	1226, 4317, 4328,	\@outputpage . . . 9360,
18566, 18751,	8471, 8659, 8968,	9364, 9419, 9423,
21710, 21714, 22249	10530, 10801,	12823, 12826,
\@nocnterr 331	12638, 18028,	12861, 12865,
\@nocounterr 330	18422, 18616,	12941, 12945,



12950,	12961,	6995, 7039, 7083,	873, 876, 889, 906,
13696,	13700,	9022,	10959,
13749,	13753,	10970,	10981,
15799,	15811,	11107,	11256,
16749,	16754,	11268,	11281,
16846,	16851,	11362,	11373,
17382,	17383,	11385,	11468,
23746,	23750,	11480,	11493,
23789, 23793, 24000		11577,	11589,
\@ovbtrue	12749	11602,	11686,
\@ovdx	12762, 12770	11698,	11711,
\@ovdy	12763, 12771	11795,	11807,
\@ovhorz . . .	12768, 12769	11820,	11904,
\@ovltrue	12749	11916,	11929,
\@ovri	12761	12013,	12025,
\@ovro 12761, 12770, 12771		12038,	12122,
\@ovrtrue	12749	12134,	12147,
\@ovttrue	12749	12403,	12417,
\@ovvert . . .	12766, 12767	12431,	12445,
\@ovxx	12751,	12455,	12966,
12752,	12755,	13244,	13261,
12762,	12767,	13277,	13305,
12768, 12772, 12773		13319,	13333,
\@ovyy . .	12753, 12754,	13351,	16650,
12755, 12763, 12769		16864,	23511,
\@pagedp . . .	23972, 23982	23885, 23929, 24006	
\@pageht	9441,	\@parboxto .	23514, 23521
9447, 23955, 23962		\@parmoderr	
\@par	22384	4018, 6973, 7017,	
\@para@LTRfootgroupv@l		7061, 23863, 23907	
.	12231, 12289	\@part	550, 10494
\@para@footgroupv@r		\@pboxswfalse	13342, 23497
.	12224, 12282	\@pboxswtrue	23519
\@para@footstartv@l		\@pdfm@mark	
.	12232, 12290	. .	14753, 14769,
\@para@footstartv@r		14803,	14834,
.	12225, 12283	14863,	14938,
\@paraLTRfootfmt . .		14943,	14954,
. .	12359, 12378, 12422	14959,	14970,
\@paraLTRfootnotetext		14976, 14987, 14993	
. .	12218, 12276, 12350	\@pdfremotestartview	
\@paraRTLfootfmt	14784
. .	12371, 12382, 12436	\@phone . .	4202, 9844, 9942
\@paraRTLfootnotetext		\@photo	4207,
.	12219, 12362	9817, 9819, 9948, 9950	
\@parafootfmt		\@photowidth . . .	4206,
.	12347, 12374, 12408	4207, 9819, 9915	
\@parafootnotetext		\@pkgextension	
.	12217, 12274, 12332	5941, 5952, 6016,	
\@parboxrestore .	42,	6025, 6033, 6036, 6044	
56, 72, 245, 259,		\@plus	24,
274, 2128, 2145,		103, 223, 510, 527,	
2162, 2178, 2194,		602, 617, 646, 649,	
2210, 4069, 6727,		662, 680, 687, 866,	



21518, 21547,	21320, 21322,	\@quote 4208,
21668, 21943,	21329, 21359,	9823, 9825, 9952, 9954
22111, 22114,	21360, 21368,	\@quotebox 17812
22118, 22223,	23617, 23619, 23628	\@quotecolour
22226, 22230,	\@preameightfmt 11885,	. . . 4170, 4187, 4297
22305, 22642,	11891, 11894, 11897	\@r@m@msize 21354
22645, 22649,	\@preamerr	\@raggedtwoe@abdhook
22766, 22950, 23648	. 375, 1402, 1432,	. 17887, 17892, 17902
\@pnumwidth . . . 13, 15,	21472, 23626, 23639	\@raggedtwoe@document@opt
208, 210, 513, 514,	\@preamfivefmt 11558,	. 17886, 17890, 17908
516, 530, 531, 535,	11564, 11567, 11570	\@raggedtwoe@everyselectfont
665, 666, 668, 690,	\@preamfntext . 10918, 17826,
691, 695, 892, 893,	10932, 10946,	17839, 17852, 17863
897, 909, 910, 912,	11102, 11210,	\@raggedtwoe@footmisctrue
1148, 1149, 1151,	11220, 11230, 17889
1174, 1175, 1179,	11319, 11328,	\@raggedtwoe@gnewline
8422, 8423, 8425,	11337, 11422,	. 17819, 17832, 17845
8445, 8446, 8450,	11432, 11442,	\@raggedtwoe@raggedrightboxes@opt
8599, 8600, 8602,	11531, 11541, 17865,
8622, 8623, 8627,	11551, 11640,	17884, 17888, 17905
8886, 8887, 8889,	11650, 11660,	\@raggedtwoe@samed@gnewline
8901, 8902, 8906,	11749, 11759, 17856
9167, 9172, 9173,	11769, 11858,	\@raggedtwoe@samedcr
10473, 10474,	11868, 11878, 17816,
10478, 10487,	11967, 11977,	17829, 17842, 17855
10488, 10490,	11987, 12076,	\@raggedtwoe@spaceskipfalse
10741, 10742,	12086, 12096, 17862
10744, 12577,	12342, 12354, 12366	\@raggedtwoe@spaceskiptrue
12578, 12580,	\@preamfourfmt 11449,	. 17825, 17838, 17851
12592, 12593,	11455, 11458, 11461	\@rc@ifdefinable . .
12597, 15058,	\@preamninefmt 11994, 4689, 4946
15060, 16936,	12000, 12003, 12006	\@regtocoline . . . 643,
17974, 17975,	\@preamnormalfmt . .	681, 698, 870,
17977, 17997, 10890,	900, 925, 1126,
17998, 18002,	10895, 10901, 10907	1164, 1182, 8400,
18346, 18347,	\@preamsevenfmt 11776,	8436, 8454, 8577,
18349, 18369,	11782, 11785, 11788	8613, 8631, 17952,
18370, 18374,	\@preamsixfmt . 11667,	17988, 18006,
18561, 18562,	11673, 11676, 11679	18324, 18360, 18378
18564, 18576,	\@preamtenfmt . 12103,	\@rememsize . 21351, 21354
18577, 18581,	12109, 12112, 12115	\@removefromreset .
18746, 18747,	\@preamthreefmt 11343, 17270, 17272
18749, 18761,	11349, 11352, 11355	\@reqcolroom . . . 9441,
18762, 18766,	\@preamtwofmt . 11237,	9442, 9443, 9444,
21574, 21583,	11243, 11246, 11249	9446, 9447, 9448,
21585, 21973,	\@printcites 17813	9449, 9450, 9451, 9691
22122, 22123,	\@pstrickserr 17767	\@resetactivechars
22135, 22234,	\@ptsize 4105, 12964, 24003
22235, 22244,	4106, 4107, 4108, 4115	\@resetdyn@mics . . 12952
22508, 22515,	\@publisher . . . 7814, 7867	\@resetst@tics . . . 12951
22857, 22962, 23660	\@publishers . . 19153,	\@restonecolfalse .
\@preamble 393,	19298, 19893,	. . . 98, 218, 592,
394, 404, 406,	20038, 20666, 20811	608, 857, 1109,
1438, 1446, 15736,		8383, 8560, 8770,



15020, 17917,	905, 923, 1144,	\@sharp 400,
18172, 18631, 21626	1162, 1170, 10469,	1440, 1441, 1442,
\@restonecoltrue ..	10483, 15050,	1448, 1449, 1450,
... 98, 218, 594,	21559, 21691,	14912, 14918,
610, 859, 1111,	21746, 22110,	15728, 21325,
8385, 8562, 8772,	22117, 22222, 22229	21360, 21366, 23623
15020, 17919,	\@sectiontitlecolour	\@sixcol@footgroupv@r
18174, 18633, 21628	... 4171, 4188	... 11628
\@resumename .. 4140, 4196	\@seesize .. 21351, 21354	\@sixcolLTRfootfmt
\@revlabeltrue . 743,	\@setcol 12958	. 11654, 11675, 11703
995, 1245, 8510,	\@setcolbox . 12919, 12955	\@sixcolLTRfootnotetext
8687, 18058, 18197	\@setcopyright 112, 15070	... 11623, 11647
\@rightcolumn . 16693,	\@setfontsize	\@sixcolRTLfootfmt
16698, 16699,	6431, 6440, 7650,	. 11664, 11678, 11715
16708, 16709,	7660, 7661, 7662,	\@sixcolRTLfootnotetext
16717, 16721,	7663, 7664, 7665, 7666	... 11624, 11657
16727, 16793,	\@setfpsbit	\@sixcolfootfmt ...
16798, 16799,	... 4034, 4037, 4040	. 11644, 11672, 11690
16808, 16809,	\@setmarks 9327,	\@sixcolfootnotetext
16817, 16821, 16827	9329, 9359, 9390,	... 11622, 11637
\@rightskip ... 15869,	9392, 9418, 12804,	\@skip@above . 21345, 21347
17821, 17822,	12806, 12823,	\@spaces
17834, 17835,	12840, 12842,	. 21383, 21424, 21429
17847, 17848,	12860, 13673,	\@spart 10513
17858, 17859, 23562	13675, 13695,	\@specialpagefalse
\@rjfieldfalse ... 23990	13722, 13724,	... 12921, 24016
\@runbordercolor ..	13748, 16677,	\@specialstyle
... 14809, 14811	16679, 16748,	... 12922, 24016
\@runcolor 14825	16777, 16779,	\@stabarray 21309
\@s@size 21354	16845, 23721,	\@stabular 21305
\@s@bidi@AfterClass	23723, 23745,	\@star@or@long . 4684,
... 5973,	23768, 23770, 23788	4916, 4940, 4951
5982, 5994, 6003	\@setminipage .. 6729,	\@startcolumn . . . 13758
\@s@bidi@AfterPackage	13358, 13633, 16652	\@startdblcolumn ..
... 6018,	\@setpar 18460,	... 9363, 9365,
6026, 6037, 6045	18503, 19013,	9422, 9424, 12824,
\@sarray 21313	19024, 19752,	12826, 12864,
\@savemarbox 23984	19764, 20525, 20537	12865, 12948,
\@secondoftwo .. 3288,	\@settab 8312	12950, 13699,
3294, 3300, 4551,	\@sevendcol@footgroupv@r	13701, 13752,
4555, 4563, 4567,	... 11737	13754, 16752,
4575, 4579, 4585,	\@sevendcolLTRfootfmt	16755, 16849,
4593, 4606, 4615,	. 11763, 11784, 11812	16852, 23749,
4624, 4633, 4639,	\@sevendcolLTRfootnotetext	23751, 23792, 23794
4642, 4653, 4658,	... 11732, 11756	\@startfield 8354
4665, 5044, 5054,	\@sevendcolRTLfootfmt	\@startpbox 1415,
5055, 5056, 5057,	. 11773, 11787, 11824	1416, 1481, 1482,
5063, 5072, 5078,	\@sevendcolRTLfootnotetext	1483, 9103, 9104,
5102, 5130, 5158,	... 11733, 11766	9105, 15715,
5210, 5222, 5223,	\@sevendcolfootfmt .	15716, 15722,
5232, 5878, 6006, 6048	. 11753, 11781, 11799	21323, 21361, 23620
\@secpenalty 5,	\@sevendcolfootnotetext	\@startsection 23, 15044
200, 509, 526, 661,	... 11731, 11746	\@starttoc ... 7617, 7625
679, 686, 888,		



<code>\@stopfield</code>	8319, 8334, 8338, 8366, 23990	<code>\@tempa</code>	123, 126, 133, 134, 135, 136, 790, 792, 794, 798, 1042, 1044, 1046, 1050, 1292, 1294, 1296, 1300, 2233, 2259, 2285, 4362, 4369, 4400, 4401, 4404, 4507, 4508, 4511, 4513, 4515, 4516, 4519, 4521, 4523, 4524, 4527, 4529, 4531, 4532, 4535, 4537, 4703, 4713, 4719, 4731, 4738, 4744, 4757, 4767, 4773, 4785, 4792, 4798, 4811, 4824, 4830, 4848, 4858, 4864, 12750, 13935, 13936, 13937, 13938, 13975, 13978, 13979, 13985, 13996, 13997, 14003, 14008, 14009, 14011, 14014, 14071, 14072, 14073, 14074, 14531, 14535, 14538, 14550, 14569, 14573, 14576, 14588, 15081, 15084, 15135, 15136, 15780, 15781, 15783, 15784, 17273, 17274, 17275, 17278, 17285, 17291, 18105, 18107, 18109, 18113, 18246, 18248, 18250, 18254, 18837, 18838, 18880, 18881, 19012, 19353, 19356, 19751, 20114, 20117, 20524, 20879, 20882, 21432, 21434, 21439, 21441, 22948,	22965, 22969, 22970, 22971, 22980, 22994, 23170, 23173, 23179, 23183, 23197
<code>\@strip</code>	16861	<code>\@tempb</code>	4400, 4401, 4403, 4404, 13935, 13936, 13976, 13978, 14006, 14008, 14009, 14011, 14014, 17277, 17278, 17284, 17285, 17290, 17291	
<code>\@subjclass</code>	324	<code>\@tempboxa</code>	1975, 1976, 1977, 1978, 1979, 6979, 7023, 7067, 9457, 9458, 10035, 10036, 10037, 10038, 10040, 10089, 10090, 10091, 10092, 10094, 11153, 12761, 12765, 12773, 12774, 12899, 12900, 12901, 13347, 13371, 13476, 13521, 13528, 13538, 13541, 13545, 13547, 13553, 13587, 13589, 13595, 13608, 13612, 13613, 13901, 13997, 14014, 14163, 14344, 14346, 15332, 15337, 15341, 15745, 15746, 15749, 16578, 16581, 16585, 16587, 16593, 16595, 16596, 16625, 16626, 16630, 17531, 17532, 17535, 21406, 21426, 22909, 22912, 22917, 22921, 22925, 22929, 22933, 22937, 22941, 22945, 23586,	
<code>\@subject</code>	19134, 19135, 19297, 19874, 19875, 20037, 20647, 20648, 20810			
<code>\@subsectioncolour</code>	4173, 4189			
<code>\@subtitle</code>	19140, 19293, 19880, 20033, 20653, 20806			
<code>\@tabacol</code>	3947, 15713, 21307, 23423, 23603			
<code>\@tabarray</code>	381, 405, 409, 3949, 15700, 15702, 23418, 23425, 23605, 23631			
<code>\@tabclassiv</code>	3949, 15714, 21309, 23425, 23605			
<code>\@tabclassz</code>	1443, 3948, 15714, 21308, 23424, 23604			
<code>\@tabcr</code>	8315, 8325			
<code>\@tabminus</code>	8313			
<code>\@tabplus</code>	8312			
<code>\@tabular</code>	377, 3935, 23601			
<code>\@tabularcr</code>	3949, 15718, 21309, 23425, 23605			
<code>\@tagsextension</code>	4484, 4487			
<code>\@tarlinesep</code>	21347, 21348, 21349, 21350, 21353, 21355			
<code>\@temp@bibkey</code>	7184, 7203, 7222, 7250			
<code>\@temp@bibkeyx</code>	7189, 7190, 7192, 7193, 7194, 7195, 7208, 7209, 7211, 7212, 7213, 7214, 7227, 7228, 7230, 7231, 7232, 7233, 7259, 7260, 7262, 7263, 7264, 7265			
<code>\@temp@last@bibkey</code>	7183, 7184, 7190, 7202, 7203, 7209, 7221, 7222, 7228, 7249, 7250, 7260			



23587,	23642,	8884, 8899, 8904,	15710,	15720,
23643,	23644,	9115, 9116, 9117,	15725,	16696,
23645,	23869,	9165, 9170, 9981,	16700,	16796,
23913,	24051,	9982, 9983, 9984,	16800,	16861,
24058,	24059,	10002,	10003,	16909,
24088,	24089, 24093	10004,	10005,	16921, 16922,
\@tempc .	13977, 13979,	10011,	10013,	16933, 16934,
	13985, 15163, 15168	10014,	10018,	17353, 17960,
\@tempcnta		10019,	10020,	17973, 17995,
	1406, 1465, 1466,	10021,	10022,	18000, 18332,
	1467, 1469, 1470,	10030,	10034,	18345, 18367,
	4022, 4028, 4030,	10037,	10038,	18372, 18461,
	4043, 4044, 4050,	10039,	10053,	18462, 18463,
	4051, 4377, 4379,	10054,	10055,	18504, 18505,
	4383, 9090, 9092,	10068,	10070,	18506, 18574,
	10010,	10067,	10071,	18579, 18744,
	15202,	15204,	10076,	10077,
	15207,	15230,	10078,	10079,
	15231,	15239,	10085,	10088,
	17349,	17351,	10091,	10092,
	17352,	17358,	10093,	10105,
	17362,	17375,	10106,	10107,
	17431,	17433,	10323,	10324,
	17437,	17440,	10329,	10330,
	17442,	19205,	10331,	10332,
	19207,	19945,	10333,	10448,
	19947,	20718,	10450,	10452,
	20720,	21419,	10471,	10476,
	22756,	22757,	10486,	12211,
	22758,	22777,	12245,	12246,
	22778,	22779,	12247,	12248,
	22781,	22783,	12250,	12259,
	22865,	22866,	12260,	12263,
	22867,	23944,	12264,	12307,
	23946,	23949,	12308,	12309,
	23951, 23953, 23975	12310,	12312,	12321,
\@tempcntb		12321,	12322,	12325,
	4048, 4049, 4050,	12325,	12326,	12513,
	17350,	17351,	12513,	12515,
	17358, 17362, 17375	12576,	12590,	12576,
\@tempdima .	8, 10, 12,	12595,	12762,	12595,
	14, 203, 205, 207,	12763,	12766,	12763,
	209, 385, 386, 388,	12767,	13345,	12767,
	511, 528, 533, 651,	13349,	13870,	13349,
	664, 688, 693, 878,	13872,	13994,	13872,
	879, 890, 895, 908,	13996,	14001,	13996,
	1134, 1147, 1172,	14003,	14004,	14003,
	1177, 1460, 1461,	14006,	14019,	14006,
	1493, 1494, 1495,	14024,	14029,	14024,
	2062, 2805, 2806,	14033,	15053,	14033,
	4102, 4104, 7638,	15055,	15057,	15055,
	7639, 8408, 8421,	15059,	15178,	15059,
	8443, 8448, 8585,	15183,	15199,	15183,
	8598, 8620, 8625,	15200,	15205,	15200,
				15710,
				15720,
				16696,
				16796,
				16861,
				16909,
				16921, 16922,
				16933, 16934,
				17353, 17960,
				17973, 17995,
				18000, 18332,
				18345, 18367,
				18372, 18461,
				18462, 18463,
				18504, 18505,
				18506, 18574,
				18579, 18744,
				18759, 18764,
				18882, 18883,
				19014, 19015,
				19017, 19019,
				19025, 19026,
				19030, 19032,
				19426, 19427,
				19753, 19754,
				19756, 19758,
				19765, 19766,
				19770, 19772,
				20187, 20188,
				20526, 20527,
				20529, 20531,
				20538, 20539,
				20543, 20545,
				20952, 20953,
				21352, 21355,
				21357, 21420,
				21479, 21480,
				21481, 21701,
				21705, 21732,
				21736, 21755,
				21759, 21772,
				21776, 21789,
				21793, 21806,
				21810, 21823,
				21827, 21840,
				21844, 21858,
				21862, 21877,
				21881, 21897,
				21901, 21932,
				21936, 22120,
				22126, 22232,
				22272, 22276,
				22279, 22283,
				22286, 22288,
				22328, 22331,



22332,	22336,	22796,	22800,	\@tencolfootnotetext
22773,	22775,	22808,	22810, 12058, 12073
22804,	22807,	22811,	22824,	\@testopt 4918,
22814,	22817,	22830,	22832,	4936, 15707, 15708
22821,	22826,	23135,	23136,	\@testpach 352, 1377,
22829,	22841,	23138,	23140,	1422, 21445, 23632
22874,	22876,	23143,	23144,	\@texfileextension
22877,	22880,	23146,	23149, 4486, 4489
22883,	22887,	23163,	23164,	\@textbottom .. 12508,
22894,	22896,	23165,	23169,	13873, 19047,
22955,	22956,	23182,	23186,	19054, 19787,
22969,	22971,	23187, 23513, 23514		19794, 20560, 20567
22979,	22986,	\@tempdimc 9085, 19011,		\@textsuperscript .
23132,	23133,	19022, 19023,	 454, 457,
23152,	23163,	19037, 19750,		744, 806, 808, 996,
23164,	23165,	19762, 19763,		1060, 1246, 1308,
23166,	23178,	19777, 20523,		1310, 3735, 3738,
23181,	23187,	20535, 20536, 20550		7289, 7291, 8511,
23188,	23510,	\@tempskipa		8688, 8827, 8830,
23511,	23653,	... 8344, 8345, 8346		10586, 10589,
23654,	23954,	\@tempswafalse		10683, 10686,
23955,	23956, 1857, 1858,		12686, 12689,
23957,	23960,	6153, 6200, 10022,		16521, 18059,
23963,	23966,	10079, 13942,		18121, 18123,
23968, 23991, 23992		19163, 19903,		18198, 18262,
\@tempdimb 9084,		20676, 23217, 23260		18264, 18458,
9538, 9558, 9981,		\@tempswatruue .. 1857,		18465, 18501,
9982, 10002,		6152, 6197, 10016,		18508, 18687, 18690
10003, 10054,		10073, 19159,		\@texttop .. 12504, 13869
10056, 10059,		19899, 20672, 23703		\@tfor
10106, 10108,		\@temptokena 121, 125,	 4023, 12750
10111, 10326,		15079, 15083, 17417		\@thanks ... 433, 441,
10329, 12261,		\@tempx		469, 477, 775, 781,
12262, 12263,		8247, 14609, 14621		820, 826, 1027,
12323, 12324,		\@tempxi		1033, 1072, 1078,
12325, 12755,		8250, 14640, 14652		1277, 1283, 1322,
12756, 12757,		\@tempxii		1328, 3740, 3746,
12758, 12760,		8253, 14671, 14683		8542, 8548, 8719,
13995, 13996,		\@tempy		8725, 8806, 8814,
14002, 14003,		3955, 3956		8842, 8850, 10567,
14005, 14006,		\@tempyi		10573, 10601,
15200, 15201,		3958, 3959		10607, 10662,
15203, 16861,		\@tempyii 3961, 3962		10670, 10698,
16886, 19027,		\@tencol@footgroupv@r		10706, 12667,
19028, 19030,	 12064		12673, 12701,
19032, 19767,		\@tencolLTRfootfmt		12707, 13373,
19768, 19770,		. 12090, 12111, 12139		13387, 13390,
19772, 20540,		\@tencolLTRfootnotetext		16514, 16537,
20541, 20543,	 12059, 12083		18090, 18096,
20545, 21352,		\@tencolRTLfootfmt		18135, 18141,
21355, 21357,		. 12100, 12114, 12151		18229, 18237,
22774, 22780,		\@tencolRTLfootnotetext		18276, 18284,
22782, 22787,	 12060, 12093		18479, 18487,
22789, 22792,		\@tencolfootfmt ...		18520, 18528,
		. 12080, 12108, 12126		18666, 18674,



18702,	18710,	11919,	11931,	\@threecolLTRfootnotetext
19156,	19175,	11969,	11979, 11302, 11325
19198,	19279,	11989,	12015,	\@threecolRTLfootfmt
19289,	19896,	12028,	12040,	. 11341, 11354, 11389
19915,	19938,	12078,	12088,	\@threecolRTLfootnotetext
20019,	20029,	12098,	12124, 11303, 11334
20669,	20688,	12137,	12149,	\@threecolfootfmt .
20711,	20792, 20802	12344,	12356,	. 11323, 11348, 11366
\@thefnmark ... 44, 58,		12368,	12405,	\@threecolfootnotetext
74, 247, 261, 276,		12419,	12433, 11301, 11316
454, 457, 744, 806,		12686,	12689,	\@title 320,
808, 996, 1060,		13210,	13215,	423, 444, 480, 494,
1246, 1308, 1310,		13219,	13224,	753, 755, 783,
2130, 2147, 2164,		13246,	13263,	828, 841, 1005,
2180, 2196, 2212,		13279,	13307,	1007, 1035, 1080,
2240, 2246, 2266,		13321,	13335,	1093, 1255, 1257,
2272, 2292, 2298,		13378,	13383,	1285, 1330, 1344,
3735, 3738, 3978,		13393,	13398,	1355, 3749, 4138,
3986, 3994, 7289,		13434,	13438,	4199, 7822, 7907,
7291, 7325, 7343,		13440,	13446,	8520, 8522, 8550,
7361, 7387, 7393,		13450,	13452,	8697, 8699, 8727,
7416, 7422, 7445,		13458,	13462,	8796, 8817, 8853,
7451, 8267, 8274,		13464,	13884,	8867, 9933, 10557,
8281, 8511, 8688,		14391,	14402,	10576, 10610,
8827, 8830, 10586,		14413,	14424,	10622, 10652,
10589, 10683,		14542,	14580,	10673, 10709,
10686, 10921,		14613,	14644,	10723, 12657,
10935, 10949,		14675,	14738,	12676, 12710,
10961, 10972,		15041,	18059,	12722, 16515,
10983, 11024,		18121,	18123,	18068, 18070,
11028, 11030,		18198,	18262,	18098, 18143,
11036, 11040,		18264,	18458,	18156, 18207,
11042, 11048,		18465, 18501,		18209, 18239,
11052, 11054,		18508, 18687, 18690		18286, 18302,
11212, 11222,		\@thefoot ... 12927,		18313, 18469,
11232, 11258,		12930, 12934,		18490, 18531,
11271, 11283,		24019, 24025,		18545, 18656,
11321, 11330,		24033, 24036, 24071		18677, 18713,
11339, 11364,		\@thehead ... 12926,		18727, 19138,
11376, 11387,		12929, 12933,		19292, 19878,
11424, 11434,		24019, 24025,		20032, 20651, 20805
11444, 11470,		24032, 24035, 24055		\@titlecolour . 4168, 4185
11483, 11495,		\@themargin ... 12983,		\@titlehead
11533, 11543,		14039, 14041,		.. 19127, 19129,
11553, 11579,		14046, 14048,		19296, 19867,
11592, 11604,		14052, 14054,		19869, 20036,
11642, 11652,		24021, 24023,		20640, 20642, 20809
11662, 11688,		24027, 24029, 24048		\@titlepageiscoverpagefalse
11701, 11713,		\@thm 17306, 17327		. 19078, 19818, 20591
11751, 11761,		\@thmcountersep 350, 23443		\@tocextra
11771, 11797,		\@threecol@footgroupv@r		.. 21652, 21653,
11810, 11822,	 11307		21657, 21659, 21662
11860, 11870,		\@threecolLTRfootfmt		\@tocline .. 2, 197, 15047
11880, 11906,		. 11332, 11351, 11378		\@tocpagenum 15, 210, 15060



<code>\@tocrmarg</code> ... 16905, 16917, 16929, 17901, 21696, 21727, 21750, 21767, 21784, 21801, 21818, 21835, 21853, 21872, 21892, 21927, 21978, 22521, 22528, 22834, 22951, 23649	<code>\@topnum</code> ... 111, 314, 466, 817, 1069, 1319, 7900, 8839, 10598, 10695, 12698, 15069, 16534, 18132, 18273, 18517, 18699	<code>\@undeclaredcolor</code> 9130, 9138, 23210, 23211
<code>\@todonotes@MissingFigureDown</code> 23113	<code>\@topsep</code> ... 17320, 17340	<code>\@undefined</code> 3952, 15712, 16635
<code>\@todonotes@MissingFigureText</code> 23090	<code>\@topsepadd</code> 3866, 17321, 17341	<code>\@undottedtocline</code> 16902
<code>\@todonotes@MissingFigureUp</code> 23112	<code>\@totalleftmargin</code> . .. 13623, 13627, 13630, 13639,	<code>\@unexpandable@protect</code> 4969, 6312
<code>\@todonotes@author</code> 23023, 23034, 23059, 23077	<code>\@trivlist</code> ... 17317, 17323, 17324, 17343, 17344,	<code>\@unrecurse</code> . 21342, 21345
<code>\@todonotes@currentfigcolor</code> 23094	17875, 23469, 23471, 23477, 23479, 23483,	<code>\@uppertitleback</code> 19162, 19169, 19178, 19213, 19299, 19902,
<code>\@todonotes@currentfigheight</code> 23095	23485, 23489, 23491, 23493,	<code>\@urlbordercolor</code> 14840, 14842
<code>\@todonotes@currentfigwidth</code> 23095, 23097, 23107, 23110	23528, 23530, 23531, 23532,	<code>\@urlcolor</code> 14854
<code>\@todonotes@drawInlineNote</code> 23018	23537, 23539, 23540, 23541, 23546, 23548,	<code>\@viiipt</code> 6440, 7660, 17361, 17374
<code>\@todonotes@drawLineToLeftMargin</code> 23046, 23049	23549, 23550, 23555, 23557,	<code>\@viipt</code> 7660, 17361, 17374
<code>\@todonotes@drawLineToRightMargin</code> 23046, 23049	23558, 23559, 23991	<code>\@vipr</code> ... 9366, 9368, 9370, 9425, 9427, 9429, 9443, 9450, 9694, 9745, 16862, 16877, 16879, 16884
<code>\@todonotes@drawMarginNote</code> . 23045, 23048, 23052	<code>\@traditionalpoem</code> .	<code>\@vipt</code> 7661
<code>\@todonotes@drawMarginNote@twocolumn</code> 23040	<code>\@trivlist</code> ... 17317, 17337, 18989, 19728, 20501, 23462	<code>\@vppt</code> 7661
<code>\@todonotes@ifdisabled</code> 23119	<code>\@twocolumn@footgroupver</code> 11198	<code>\@whilenum</code> 15231
<code>\@todonotes@sizecommand</code> 23023, 23025, 23032, 23034, 23036, 23059, 23061, 23073, 23076, 23077, 23079, 23082	<code>\@twocolLTFootfmt</code> . 11224, 11245, 11273	<code>\@whilesw</code> . 9364, 9423, 12825, 12865, 12949, 13700, 13753, 16753, 16850, 23750, 23793
<code>\@todonotes@text</code> 23023, 23025, 23034, 23036, 23059, 23061, 23074, 23080, 23083	<code>\@twocolRTLFootfmt</code> . 11234, 11248, 11285	<code>\@wholewidth</code> 12752, 12754, 12772
<code>\@todonotes@textwidth</code> 23057	<code>\@twocolRTLFootnotetext</code> 11193, 11217	<code>\@width</code> 31, 235, 390, 540, 725, 960, 1205, 1495, 8483, 8636, 8912, 9117, 9339, 9404, 9636, 9655, 9963, 10541, 10840, 10889, 12623, 12854, 13157, 13159, 13601, 13689, 13736, 15038, 15109, 15727, 15778, 15890, 16735, 16837, 16980, 16991,
<code>\@toodeep</code> ... 2327, 23450	<code>\@twocolFootfmt</code> 11214, 11242, 11260	
	<code>\@twocolFootnotetext</code> 11192, 11207	
	<code>\@twosidefalse</code> 6415	
	<code>\@twosidetrue</code> 6410	
	<code>\@typeset@protect</code> 3894,	
	3900, 3906, 3921	



17023, 17074,	\@xp	121, 308,	23425, 23562,
18011, 18434,		333, 334, 9031, 15079	23605, 23621, 23631
18590, 18772,	\@xpt	6431	\{ 3811, 16010, 16054
19049, 19789,	\@xstartcol	13776	\} 3812, 16010, 23430
20562, 21318,	\@xthm	17325, 17345	\] 8313, 12879
21357, 23615,	\@xtitle	320	\^ 3579,
23733, 23782, 23982	\@xxpt	7665	8095, 8096, 8098, 8099
\@x 8304, 8305	\@xxxii	4049	\` 13621, 15865, 17871
\@x@sf 7298, 7303, 7309, 7312	\@xympar		\ 13500, 13501, 13616
\@xLTRfootnote		6985, 6989, 7029,	
. 3943, 4065,		7033, 7073, 7077,	Numbers
8145, 8156, 8362,		23875, 23879,	\0 3533
8376, 13218, 13221		23919, 23923, 23986	\1 15952, 16003, 16055
\@xLTRfootnotenext	\@yargdef	4938	\9 3533
. 3942,	\@ympar	23983	
4064, 8144, 8155,	\@ythm	17325, 17345	
8361, 8375, 13377,	\[.	8312, 12869	\sq 3349, 3634, 7191,
13380, 14410, 21392	\ \	122, 404, 751, 796,	7195, 7210, 7214,
\@xRTLfootnote		1003, 1048, 1253,	7229, 7233, 7261,
. 3945, 4067,		1298, 2065, 3949,	7265, 13493, 13495
8147, 8158, 8364,		4246, 4252, 4399,	
8378, 13209, 13212		5430, 5446, 5450,	A
\@xRTLfootnotenext		5679, 5681, 5682,	\abovecaptionskip .
. 3944,		5683, 5691, 5696, 15330,
4066, 8146, 8157,		5697, 5699, 6745,	16574, 16624,
8363, 8377, 13392,		6746, 6747, 6749,	19459, 19463,
13395, 14399, 21393		7709, 8078, 8216,	19559, 19568,
\@xaddress 321		8518, 8695, 9821,	20220, 20224,
\@xauthor 321		9822, 9825, 9841,	20321, 20330,
\@xcentercr 19417,		9928, 9933, 9940,	20985, 20989,
19424, 20178,		9950, 9954, 10820,	21086, 21095, 24087
20185, 20943, 20950		10824, 10833,	\abovedisplayshortskip
\@xcolor@ 23218, 23261		14243, 14246, 6433, 6442, 7652
\@xcurraddr 322		14259, 14262,	\abovedisplaykip .
\@xemail 322		14362, 14783,	6432, 6435, 6441,
\@xepersian@pdfcustomproperties		14798, 14817,	6448, 6482, 7651, 7658
. 3570		15080, 15100,	\abstractname 629, 635,
\@xfloat 3998		15104, 15294,	638, 936, 942, 944,
\@xfootnote 3941,		15295, 15301,	1188, 1194, 1197,
4063, 8143, 8154,		15302, 15705,	8459, 8647, 17938,
8360, 8374, 14736		15873, 17435,	17944, 17947,
\@xfootnotemark . . 14421		17447, 17816,	18388, 18394, 18397
\@xfootnotenext . . .		17817, 17829,	\Acrobatmenu 14859
. 3940, 4062,		17830, 17842,	\active 8095,
8142, 8153, 8359,		17843, 17855,	8096, 8098, 8099
8373, 14388, 21391		18066, 18111,	\add@strip 16886
\@xiipt 7663		18205, 18252,	\addcontentsline 553,
\@xipt 7662		19410, 19419,	555, 4243, 6724,
\@xivpt 303, 7664		20171, 20180,	10497, 10499,
\@xmakefntext . . . 807,		20936, 20945,	15361, 15366,
1309, 18122, 18263		21309, 21324,	16647, 21635,
\@xnewline 19408,		21340, 21341,	21642, 21659, 23090
19415, 20169,		21517, 21546,	\AddExtraParaSkip .
20176, 20934, 20941		23056, 23063, 12203, 12206, 12331



<code>\addfontfeature</code>	4166, 4167, 4168, 4169, 4170, 4171, 4173, 4174	19023, 19026, 19028, 19754, 19762, 19763, 19766, 19768, 20527, 20535, 20536, 20539, 20541, 21578, 21579, 22305, 22315, 22319, 22323	<code>\adl@extract@arc</code>	.. 1467	
<code>\addpenalty</code>	... 5, 200, 509, 526, 661, 679, 686, 888, 905, 923, 1144, 1162, 1170, 8418, 8434, 8441, 8595, 8611, 8618, 8882, 8897, 10469, 10483, 10738, 12573, 12588, 15050, 17970, 17986, 17993, 18342, 18358, 18365, 18558, 18572, 18742, 18757, 21559, 21561, 21689, 21691, 21724, 21746, 22110, 22113, 22117, 22222, 22225, 22229	<code>\adl@extract@dgc</code>	.. 1470		
<code>\address</code>	... 321, 4200	<code>\adl@extract@drsc</code>	. 1468		
<code>\addresscolour</code>	...	<code>\adl@height</code> 1461		
	4169, 9773, 9871, 9877, 9883, 9889, 9895	<code>\adl@inactivate</code>	1373, 1455		
<code>\addressfont</code>	<code>\adl@LT@array</code> 14910		
	4178, 4186, 4297, 9811, 9839, 9903, 9937	<code>\adl@noalign</code> 1374		
<code>\addresssymbol</code>	<code>\adl@org@activate</code>	. 1456		
	... 4160, 9841, 9940	<code>\adl@org@classz</code>	... 1499		
<code>\adresstyle</code> 4186	<code>\adl@org@endpbox</code>	.. 1457		
<code>\addtocontents</code>	... 21975	<code>\adl@org@inactivate</code>	1455		
<code>\addtocounter</code>	15223, 15224	<code>\adl@putlrc</code>	1410, 1411, 1412, 1440, 1441, 1442, 1448, 1449, 1450		
<code>\addtoheadtemplate</code>	3239	<code>\adl@startmbox</code>	... 1413		
<code>\AddToHook</code>	5252, 5293, 5333	<code>\advance</code>	12, 90, 207, 293, 311, 386, 533, 577, 693, 712, 879, 895, 975, 1177, 1225, 1460, 1494, 1788, 1789, 1805, 1819, 1873, 1875, 1877, 1878, 1935, 1943, 2092, 2093, 2328, 2352, 2373, 2396, 2403, 2407, 2409, 2413, 2414, 2696, 2698, 2805, 2813, 2815, 2881, 2940, 2941, 2943, 2944, 2958, 3533, 3534, 3535, 3708, 3713, 4030, 4044, 4050, 4316, 4360, 4395, 4702, 4756, 4810, 5540, 5699, 5705, 5715, 5770, 5787, 5796, 6324, 6933, 7639, 7714, 8065, 8073, 8074, 8345, 8448, 8470, 8625, 8658, 8904, 8967, 9116, 9124, 9125, 9165, 9277, 9443, 9444, 9447, 9450, 9451, 9501, 9502, 9503, 9565, 9705, 9706, 9721, 9740, 9741, 9971, 9981, 9982, 9992, 10002, 10003, 10019, 10020, 10021, 10038, 10047, 10054, 10076,		
<code>\addtolength</code>	... 4120, 4121, 4122, 4123, 4124, 4125, 4223, 4224, 4226, 4228, 4229, 4232, 6517, 6520, 6521, 6524, 7675, 9919, 9920, 9921, 10332, 14096, 14097, 15189, 15191, 15193, 15194, 15212, 15214, 15215, 15217, 15218, 15220, 15221, 15222, 15237, 15238, 19015, 19022,	<code>\addvspace</code> 5, 200, 510, 527, 662, 680, 687, 889, 906, 924, 1145, 1163, 1171, 7703, 7760, 8419, 8435, 8596, 8612, 8883, 10470, 10484, 10739, 12574, 15050, 17971, 17987, 18343, 18359, 18559, 18743, 21693, 21747, 22111, 22118, 22223, 22226, 22230, 22260, 22768	<code>\adl@act@classz</code>	... 1498
		<code>\adl@act@CT@setup</code>	.		
		<code>\adl@act@CT@setup</code> 1456, 1463		
		<code>\adl@activate</code>	. 1373, 1456		
		<code>\adl@argarraydashrule</code> 1392, 1430		
		<code>\adl@array</code>	... 1370, 1375		
		<code>\adl@arraydashrule</code> 1391, 1429		
		<code>\adl@arrayinit</code> 1372		
		<code>\adl@arrayrestore</code>	. 1367		
		<code>\adl@arrayrule</code>	1390, 1428		
		<code>\adl@box</code>	. 1413, 1415, 1416		
		<code>\adl@class@iiiorvii</code> 1419, 1452		
		<code>\adl@class@start</code>	..		
		<code>\adl@CT@setup</code>		
		<code>\adl@CT@setup</code>	... 1455, 1458, 1459		
		<code>\adl@depth</code> 1462		
		<code>\adl@endarray</code> 1367		
		<code>\adl@endmbox</code> 1414		
		<code>\adl@everyvbox</code>	1371, 1372		



10077,	10078,	17464,	17492,	23963,	23964,
10092,	10099,	17499,	17547,	23965, 23966,	23991
10106,	10253,	17552,	17553,	<code>\afterassignment</code> . .	
10254,	10263,	17554,	17583,	3351, 3353, 3636,	
10264,	10280,	17584,	17610,	3638, 4970, 5779,	
10282,	10286,	17621,	17776,	7163, 21415, 21416	
10288,	10292,	17778,	17783,	<code>\aftergroup</code>	3848,
10295,	10296,	17786,	17809,	3858, 5982, 5984,	
10297,	10476,	18000,	18027,	5994, 5996, 6006,	
10529,	10800,	18372,	18421,	6008, 6026, 6028,	
11184,	11186,	18462,	18505,	6037, 6039, 6048,	
12211,	12246,	18579,	18615,	6050, 7147, 7162,	
12248,	12253,	18764,	18818,	9128, 9130, 9137,	
12257,	12308,	18883,	18992,	9143, 9162, 9454,	
12310,	12315,	18994,	19350,	9460, 9463, 12970,	
12319,	12595,	19401,	19729,	12972, 17666,	
12637,	12752,	20111,	20162,	17667, 17670,	
12754,	12756,	20504,	20506,	17675, 17676,	
12762,	12763,	20876,	20927,	17680, 17685,	
12770,	12771,	21270,	21341,	17686, 17690,	
12772,	12942,	21355,	21365,	17694, 17698,	
12943,	13496,	21385,	21480,	17702, 19428,	
13510,	13523,	21518,	21534,	19430, 19433,	
13524,	13556,	21547,	21551,	20189, 20191,	
13561,	13562,	21583,	21584,	20194, 20954,	
13565,	13574,	21604,	21705,	20956, 20959,	
13638,	13765,	21736,	21759,	21552, 22759,	
13766,	13770,	21776,	21793,	23199, 23208,	
13771,	13773,	21810,	21827,	23210, 23247,	
13774,	13777,	21844,	21862,	23251, 23304,	
13778,	13779,	21881,	21901,	23315, 23316,	
13780,	13899,	21936,	21977,	23319, 23324,	
14745,	14755,	22126,	22130,	23325, 23329,	
15011,	15057,	22241,	22276,	23334, 23335,	
15201,	15204,	22279,	22283,	23339, 23344,	
15205,	15239,	22336,	22757,	23348, 23353,	
15720,	15732,	22777,	22782,	24001, 24011, 24012	
15795,	16688,	22832,	22833,	<code>\ALG@floatstyle</code> . . .	
16690,	16717,	22834,	22837,	. . . 6948, 6949, 6950	
16718,	16721,	22841,	22866,	<code>\algocf@float</code>	24154
16788,	16790,	22877,	22956,	<code>\algocf@makecaption</code>	188
16817,	16818,	22979,	23133,	<code>\algocf@within</code>	
16821,	16875,	23135,	23145, 166, 168,	
16876,	16877,	23164,	23165,	24156, 24157, 24158	
16878,	16887,	23194,	23205,	<code>\alignL</code>	9063
16909,	16922,	23206,	23452,	<code>\alignR</code>	9070
16934,	16947,	23465,	23466,	<code>\allowbreak</code>	9977, 9998,
17076,	17077,	23469,	23471,	11244, 11247,	
17082,	17083,	23477,	23479,	11250, 11350,	
17086,	17087,	23483,	23485,	11353, 11356,	
17318,	17322,	23489,	23491,	11456, 11459,	
17323,	17338,	23589,	23590,	11462, 11565,	
17342,	17343,	23654,	23680,	11568, 11571,	
17351,	17442,	23955,	23956,	11674, 11677,	



11680, 11783,	\arabic 19,	1288, 1333, 3751,
11786, 11789,	20, 21, 22, 86, 214,	7806, 7838, 8553,
11892, 11895,	215, 216, 217, 289,	8730, 8819, 8855,
11898, 12001,	329, 12905, 12911,	10578, 10612,
12004, 12007,	15007, 15064,	10675, 10711,
12110, 12113, 12116	15065, 15066,	12678, 12712,
\Alph 16556	15067, 21917, 24154	18101, 18146,
\alt 2445	\array 407, 23629	18242, 18289,
\AM@CheckAtEnd . . . 17455	\arraycolsep 407	18492, 18533,
\AM@ClearShipoutPicture	\arraylinesep 21348	18679, 18715,
. 17457	\arrayrulecolor . . . 1467	19302, 20042, 20815
\AM@currentdocname	\arrayrulewidth . . 21365	\auto@footnoterule
. 17420, 17426	\arraystretch 388, 389, 13173, 13184
\AM@findfile 17424	3842, 3853, 15725,	\autodot 19317,
\AM@output 17453	15726, 21316,	20056, 20829, 22969
\AM@pagecount 17422	21317, 21352,	\autofootnoterule .
\AM@pageref . 17437, 17440	23438, 23613, 23614	3444, 9957, 10883,
\AM@pagestemp	\aslice . 17590, 17591,	13182, 13880, 24105
. . 17430, 17435,	17593, 17595,	
17436, 17439,	17596, 17598,	B
17447, 17448, 17452	17611, 17612, 17614	\backmatter
\AM@readlist 17452	\At@ViperColsBreak	. . 8010, 8952, 10785
\AM@split@options 17416 9468, 9471	\Backref@HyperLTRFootnote
\AM@temp . . . 17417, 17418	\AtBeginCaption . . 15372 13410, 13417
\AM@threadname	\AtBeginDocument . .	\Backref@HyperRTLFootnote
. 17415, 17425, 17426 1502, 2052, 13416, 13420
\AM@xrprefix	2592, 2700, 2826,	\Backref@HyperSymbol
. 17433, 17437, 17440	2874, 2981, 3069, 13418,
\and . 448, 484, 762, 788,	3164, 3229, 3243,	13421, 13424, 13427
791, 833, 1014,	3342, 3489, 4135,	\Backref@OptHyperLTRFootnote
1040, 1043, 1085,	4195, 4292, 5287, 13423
1264, 1290, 1293,	6377, 6526, 6753,	\Backref@OptHyperRTLFootnote
1335, 1357, 3753,	6887, 6892, 6945, 13426
8529, 8555, 8706,	7756, 7956, 8021,	\Backref@OptLTRHyperFootnote
8732, 8821, 8857,	9850, 9964, 9985, 13410
10580, 10614,	10006, 10436,	\Backref@OptRTLHyperFootnote
10677, 10713,	13286, 13888, 13416
12680, 12714,	14360, 15380,	\BackrefFootnoteTag
16512, 17419,	15387, 15470,	. . 13408, 13409,
18077, 18103,	17887, 21331, 22906	13414, 13415,
18106, 18148,	\AtBeginPackage . . 16617	13434, 13438,
18216, 18244,	\AtEndDocument . 3561,	13440, 13446,
18247, 18291,	4299, 5313, 6229,	13450, 13452,
18315, 18494,	8240, 8297, 15995,	13458, 13462, 13464
18535, 18681,	16046, 16064, 23701	\badness
18717, 19061,	\AtEndOfClass 4134	9494, 9498, 9526,
19313, 19801,	\AtPageLowerLeft . 10244	9530, 9532, 9537,
20053, 20574, 20826	\AtPageUpperLeft . .	9541, 9545, 9609, 9630
\andify 116, 15074	. 10244, 10268, 10298	\baselineskip . . 402,
\andname . . 796, 1048,	\AtTextUpperLeft . .	724, 726, 730,
1298, 18111, 18252 10248, 10274	732, 1204, 1206,
\andnext 16513	\author 321,	1210, 1212, 2550,
\AppendToTokenList 5646	446, 482, 786,	2565, 2580, 4910,
	831, 1038, 1083,	6459, 6461, 6464,



6466, 6468, 6471,	11709,	11720,	\beamer@colbox@shadow	
6626, 7256, 7323,	11725,	11747, 1897	
7341, 7359, 7476,	11757,	11767,	\beamer@colbox@wd .	
7485, 7494, 7575,	11793,	11805,	... 1870, 1891, 1900	
7582, 7589, 7596,	11818,	11829,	\beamer@colclose 2073,	
7603, 7703, 7760,	11834,	11856,	2074, 2105, 2106	
8103, 8164, 8228,	11866,	11876,	\beamer@colentrycode	
8234, 8482, 8484,	11902,	11914,	... 2083, 2086, 2104	
8488, 8490, 8635,	11927,	11938,	\beamer@colexitcode	
8637, 8641, 8643,	11943,	11965,	... 2084, 2096, 2106	
9278, 9279, 9296,	11975,	11985,	\beamer@colheadskip 2078	
9300, 9707, 12980,	12011,	12023,	\beamer@colmode ... 2072	
13511, 15199,	12036,	12047,	\beamer@columncom . 2072	
15207, 15741,	12052,	12074,	\beamer@computepref	
15751, 15871,	12084,	12094, 2307, 2329	
15888, 17545,	12120,	12132,	\beamer@cramped ...	
17548, 17562,	12145,	12156,	... 2320, 2346, 2361	
17586, 17590,	12161,	12243,	\beamer@defaultspec	
17595, 17599,	12305,	12340, 2326	
17611, 17622,	12352,	12364,	\beamer@descdefault	
17649, 17882,	12395,	12414, 2352, 2360	
18010, 18012,	12428,	12446,	\beamer@descriptionitem	
18016, 18018,	12456, 12465, 12474	 2360	
18433, 18435,	\BCmd	3847	\beamer@dogeometryfalse	
18439, 18441,	\BDefaboveskip 1930	
19091, 19831,	... 3862, 3877, 3880		\beamer@enum@	2306
20604, 21327,	\BDefbelowskip		\beamer@enumtempl . 2315	
21366, 23133,	... 3866, 3878, 3881		\beamer@firstlineitemizeunskip	
23141, 23145,	\BDefinlineskip 1750,	
23625, 24045, 24068	... 3871, 3879, 3882		\beamer@@tmpop@caption@default 2322, 2348, 2363	
\baselinestretch ..	\beamer@@tmpop@caption@default	2517	\beamer@footarg ...	
... 4150, 7319,	\beamer@@tmpop@footnote@default	2494	... 2232, 2233,	
7337, 7355, 10915,	... 2371, 2380		2234, 2238, 2245,	
10929, 10943,	\beamer@boxsize ...		2258, 2259, 2260,	
10957, 10968,	... 2407, 2411, 2413		2264, 2271, 2284,	
10979, 11208,	\beamer@colalign .. 2077		2285, 2286, 2290, 2297	
11218, 11228,	\beamer@colbox@color		\beamer@footins ...	
11254, 11266,	... 1859, 1898, 1911		... 2120, 2125,	
11279, 11290,	\beamer@colbox@colsep		2137, 2142, 2154, 2159	
11295, 11317, 1876,		\beamer@footnotetext	
11326, 11335,	1877, 1878, 1879, 1887		... 2227, 2241, 2248	
11360, 11371,	\beamer@colbox@colseps		\beamer@framefootnotetext	
11383, 11393,	... 1881, 1888,	 2119, 2218	
11398, 11420,	1912, 1914, 1916, 1918		\beamer@frameLTRfootnotetext	
11430, 11440,	\beamer@colbox@dp . 1893	 2153, 2220	
11466, 11478,	\beamer@colbox@ht . 1892		\beamer@frameRTLfootnotetext	
11491, 11502,	\beamer@colbox@ls . 1872	 2136, 2219	
11507, 11529,	\beamer@colbox@rs . 1874		\beamer@ftleft ... 2696	
11539, 11549,	\beamer@colbox@sep		\beamer@fteright .. 2698	
11575, 11587, 1873,		\beamer@gobbleoptionalinsp	
11600, 11611,	1875, 1883, 1885	 2445	
11616, 11638,			\beamer@headheight	
11648, 11658,		 2798,	
11684, 11696,				



2806, 2809, 2810, 2842, 2846, 2849, 2853	2849, 2861, 2863, 2872, 2875, 2880, 2898	\beameritemnestingprefix ... 1660, 1661, 2307, 2308, 2310, 2311, 2318, 2319, 2329, 2330, 2332, 2333, 2336, 2340, 2341
\beamer@kvorig 2230, 2236, 2256, 2262, 2282, 2288	\beamer@tempbox 1860, 1891, 1892, 1893, 1901, 1904, 1905, 1907, 1910, 1915, 1920, 1921, 1923, 1971, 1972, 1973, 1974, 1979, 1982, 1993, 1998, 1999, 2007, 2008, 2009, 2010, 2013, 2022, 2027, 2028, 2036, 2037, 2038, 2039, 2946, 2957, 2974, 3194, 3195, 3213, 3214	\beameroriginal ... 2445 \beamertemplatedotitem ... 3241 \begin ... 412, 422, 427, 490, 498, 736, 749, 760, 839, 845, 988, 1001, 1012, 1091, 1097, 1238, 1251, 1262, 1342, 1348, 1357, 1359, 1360, 1531, 1688, 1724, 1733, 1742, 1769, 1791, 1817, 1829, 1896, 2075, 2077, 2081, 2541, 2549, 2556, 2564, 2571, 2579, 2618, 2625, 2631, 2637, 2714, 2717, 2720, 2741, 2743, 2748, 2750, 2766, 2768, 2772, 2775, 2778, 2784, 2832, 2861, 2863, 2915, 2917, 2922, 2924, 2946, 2959, 2960, 2966, 2995, 2996, 2997, 3014, 3019, 3022, 3035, 3041, 3043, 3057, 3058, 3059, 3083, 3084, 3085, 3095, 3098, 3104, 3107, 3114, 3117, 3131, 3136, 3138, 3151, 3152, 3153, 3174, 3177, 3180, 3186, 3189, 3205, 3208, 3223, 3841, 3843, 3852, 3854, 3857, 4250, 4254, 4256, 4258, 4260, 4264, 4272, 4275, 4310, 4423, 4427, 4447, 4451, 4478, 5350, 5351, 5358, 5384, 6086, 6532, 6533, 6546, 6549, 6623, 6624,
\beamer@leftmargin ... 1921, 1934, 2089, 2092, 2806, 2812, 2940, 2943	\beamer@tempdim 1934, 1935, 1937, 1939, 1942, 1943, 1945, 1947, 1972, 1973, 1976, 1977, 2007, 2008, 2036, 2037, 2091, 2092, 2093, 2094, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2880, 2881, 2887, 2895, 2942, 2943, 2944, 2957, 2958, 2959, 2968	\beamer@themerounded@shadow ... 2691 \beamer@thempfn 2229, 2240, 2246, 2255, 2266, 2272, 2281, 2292, 2298 \beamer@typesetheadorfoot ... 2041, 2046, 2056 \beamer@usesphere 1689, 1704, 1711 \beamer@vboxoffset 2406 \beamer@vmode . 1846, 1884 \beamer@xkvorig 2231, 2237, 2257, 2263, 2283, 2289 \beamer@xpos 2396, 2401, 2412 \beamer@ypos 2402, 2403, 2408 \beamer@ypos@offset ... 2399, 2403 \beamerboxesrounded 1749 \beamercolorbox ... 2586
\beamer@leftsidebar 1935 \beamer@lefttext 2833, 2900 \beamer@link ... 2417 \beamer@LTRfootnotetext ... 2279, 2293, 2300 \beamer@minislide 2430, 2435 \beamer@minislidehighlight ... 2423 \beamer@minisliderowhighlight ... 2425 \beamer@mpfn 2228, 2239, 2245, 2254, 2265, 2271, 2280, 2291, 2297 \beamer@next 2239, 2243, 2250, 2265, 2269, 2276, 2291, 2295, 2302 \beamer@putleft 2614, 2647, 2659, 2671 \beamer@putright 2648, 2660, 2672 \beamer@rightmargin ... 1921, 1942, 2013, 2093, 2098, 2806, 2814, 2941, 2944 \beamer@rightsidebar ... 1943 \beamer@RTLfootnotetext ... 2253, 2267, 2274 \beamer@section@min@dim ... 2416 \beamer@shortinstitute ... 2715 \beamer@sidebarformat ... 2859 \beamer@sidebarside ... 2833, 2875, 2878, 2900 \beamer@sidebarwidth 2805, 2837, 2842, 2843, 2845, 2848,		



6630, 6631, 6638,	19128, 19133,	10740, 12242,
6639, 6664, 6665,	19145, 19168,	12304, 12575,
6702, 6705, 6708,	19172, 19341,	12591, 12684,
6711, 6715, 6716,	19804, 19808,	12824, 12862,
6900, 6901, 7519,	19868, 19873,	12946, 12962,
7575, 7582, 7589,	19885, 19908,	13213, 13222,
7596, 7603, 7616,	19912, 20102,	13381, 13396,
7624, 7746, 7751,	20577, 20581,	13470, 13522,
7884, 7931, 7954,	20641, 20646,	13555, 13697,
8329, 8503, 8516,	20658, 20681,	13750, 13924,
8527, 8680, 8693,	20685, 20867,	13940, 14110,
8704, 8748, 8760,	21597, 23020,	14389, 14400,
8785, 8795, 8800,	23027, 23030,	14411, 14422,
8863, 8871, 9181,	23041, 23054,	14520, 14540,
9191, 9204, 9214,	23057, 23064,	14578, 14611,
9227, 9237, 9250,	23070, 23093,	14642, 14673,
9260, 9825, 9931,	23097, 23103, 23110	14907, 14922,
9936, 9954, 10123,	<code>\begin@bidi@stack .</code>	15051, 15077,
10126, 10130,	... 4417, 4427,	15146, 15176,
10132, 10137,	4428, 4441, 4451, 4452	15364, 15729,
10139, 10143,	<code>\begingroup 6,</code>	16519, 16649,
10146, 10149,	119, 201, 302, 315,	16750, 16847,
10153, 10155,	379, 391, 452, 512,	17057, 17061,
10159, 10161,	529, 663, 689, 803,	17065, 17413,
10165, 10168,	891, 907, 1055,	17461, 17758,
10171, 10175,	1146, 1173, 1305,	17972, 17996,
10177, 10182,	1486, 1838, 1839,	18118, 18259,
10184, 10355,	1970, 2244, 2270,	18344, 18368,
10421, 10548,	2296, 3733, 3976,	18498, 18560,
10556, 10561,	3984, 3992, 4371,	18575, 18685,
10620, 10626,	4399, 4418, 4442,	18745, 18760,
10641, 10651,	4661, 4686, 5036,	19081, 19227,
10656, 10719,	5082, 5089, 5119,	19340, 19399,
10727, 10819,	5135, 5151, 5194,	19821, 19967,
12648, 12656,	5202, 5235, 5285,	20101, 20160,
12661, 12720,	5413, 5621, 5623,	20594, 20740,
12726, 12872,	5653, 5663, 5673,	20866, 20925,
14111, 14116,	5803, 5876, 5900,	21414, 21531,
14134, 14237,	5915, 5981, 5992,	21555, 21694,
14239, 14253,	6004, 6025, 6035,	22121, 22233,
14255, 15099,	6046, 6196, 6310,	22755, 22872,
16662, 17358,	6322, 6357, 6726,	23212, 23255,
18051, 18064,	7145, 7391, 7420,	23304, 23416,
18075, 18154,	7449, 7823, 7840,	23747, 23790, 24001
18160, 18188,	7856, 7868, 7901,	<code>\beginL . . . 176, 1471,</code>
18203, 18214,	8205, 8265, 8272,	1868, 2648, 2660,
18298, 18306,	8279, 8309, 8420,	2672, 3386, 3663,
18315, 18317,	8444, 8597, 8621,	4297, 7007, 7051,
18318, 18448,	8825, 8885, 8900,	9093, 9122, 9128,
18468, 18473,	8989, 9108, 9162,	9130, 9162, 11217,
18549, 18645,	9171, 9361, 9420,	11269, 11325,
18655, 18660,	10249, 10275,	11374, 11429,
18723, 18731,	10472, 10485,	11481, 11538,
19064, 19068,	10584, 10681,	11590, 11647,



11699,	11756,	23316,	23321,	2087,	2094,	2309,
11808,	11865,	23572,	23575,	2331,	2354,	2619,
11917,	11974,	23578,	23595,	2626,	2632,	2638,
12026,	12083,	23602,	23627,	2725,	2838,	2885,
12135,	12765,	23941,	23975,	2892,	2926,	2950,
12876,	12891,	23992,	23994,	3355,	3640,	3936,
13058,	13890,	24055,	24071,	4058,	8137,	8355,
13896,	13905,	24090,	24093,	8369,	9022,	9094,
13925,	13941,	\belowcaptionskip .		12876,	12877,	
13951,	14744, 15343,		12891,	13347,	
15333,	17462,	16615,	16632,	13575,	15733,	
17525,	17660,	19457,	19465,	15735,	15772,	
17666,	17682,	19557,	19570,	15806,	15809,	
17758,	18930,	20218,	20226,	15855,	16862,	
18941,	18948,	20319,	20332,	17473,	17668,	
18958,	21482,	20983,	20991,	17674,	17678,	
23203,	23208,	21084,	21097,	17684,	17688,	
23210,	23304,	\belowdisplaysshortskip		17693,	17696,	
23309,	23315,	... 6434,6443,7653		17701,	17946,	
23331,	23897,	\belowdisplayskip .		18396,	21306,	
23975,	24055, 6435,		21314,	21322,	
\beginR	174,	6448, 6483, 7658		21328,	21359,	
336, 348, 379, 404,		\bf 3669,17531,17533		21363,	21367,	
1472, 2769, 3946,		\bfseries	25,	22864,	23317,	
7007, 7095, 9020,		303, 516, 532, 561,		23323,	23327,	
9094, 9123, 9128,		564, 668, 692, 894,		23333,	23337,	
9137, 9143, 9162,		912, 1151, 1176,		23343,	23346,	
10242,	11177,	3394, 3797, 4267,		23352,	23416,	
11181,	12901,	7883, 8425, 8447,		23422,	23602,	
13892,	13897,	8602, 8624, 8749,		23611, 23619, 23627		
13954,	13993,	8761, 8889, 8903,		\BHFN@OldLTRFootnote		
14000,	14369,	8935, 8941, 8949,		. 13403, 13418, 13424		
14377,	14759,	10475, 10490,		\BHFN@OldRTLFootnote		
14795,	14827,	10505, 10508,		. 13404, 13421, 13427		
14856,	14882,	10517, 10744,		\bib@after@hook 19385,		
14888,	14895,	10767, 10773,		19387, 20146,		
15092,	15333,	10782, 12580,		20148, 20911, 20913		
15745,	15806,	12594, 12605,		\bib@before@hook ..		
15809,	15845,	12610, 12618,	 19335,		
15936,	15944,	15046, 17977,		19386, 20096,		
16135,	16461,	17999, 18349,		20147, 20861, 20912		
16625,	16627,	18371, 18545,		\bib@beginhook 19328,		
17535,	17660,	18564, 18578,		19334, 20089,		
17667,	17672,	18749, 18763,		20095, 20854, 20860		
17754,	17755,	18794, 18799,		\bib@endhook		
17756,	18924,	18807, 22125,		. 19389, 20150, 20915		
18934,	18945,	22238, 22669,		\bib@heading		
18952,	19444,	22673, 22678,		. 19330, 20094, 20859		
20205,	20970,	22707, 22711, 22716		\bibcleanup	17265	
21306,	21328,	\bgroup	171,	\bibentry	7193,	
21367,	21489,	172, 379, 394, 399,		7195, 7212, 7214,		
23204,	23208,	404, 637, 1196,		7231, 7233, 7263, 7265		
23247,	23251,	1472, 1751, 1829,		\bibfont	17244	
23304,	23309,	1860, 1869, 2083,		\bibindent ... 4301, 4302		



\bibitem@fin	17259	\bidi@RTLfootnotetext@font	52, 255,	\bidi@afterlastshipouthook	5315,
\bibliofont	85, 288, 15006		2144, 2192, 7357,		5316, 5322, 5328
\bibliographyitemlabel			13235, 13257, 13303	\bidi@AfterOutputBoxOutputPage	
	4303, 4310				
\bibname	7739,	\bidi@thebibliography@font@hook.	88,	\bidi@afteroutputboxoutputpagehook	
	7740, 8463, 8464,		291, 573, 708, 971,		5263,
	8651, 8652, 8960,		1221, 2369, 4309,		5264, 12993, 24065
	8961, 10793,		8466, 8654, 8963,	\bidi@AfterOutputPageShipOut	
	10794, 12630,		10525, 10796,		5273, 12995, 24077
	12631, 18020,		12633, 15009,	\bidi@afteroutputpageshipouthook	
	18021, 18414,		16661, 17246,		5273,
	18415, 18608,		18023, 18417,		5274, 12996, 24078
	18609, 18811, 18812		18611, 18814,	\bidi@AfterPackage	6017
\bibpostamble	17260		19344, 20105,	\bidi@AfterPreamble	
\biblead			20870, 21600, 23447		5287, 5288, 15277
	17243, 19331,	\bidi@addto@envbody		\bidi@AfterReadingMainAux	
	19332, 20091,		4413, 4431, 4433		6299, 6302
	20092, 20856, 20857	\bidi@addto@long@envbody		\bidi@append . .	5196, 5246
\bibsection 7734, 7737,			4437, 4455, 4457	\bidi@append@cslist@to@cslist	
	7739, 7740, 16659,	\bidi@AfterAtEndOfClass			5634, 5707
	17241, 21594, 21596		5984, 5989	\bidi@append@list@to@list	
\bidi@convert@dimen@t@pt			6028, 6032		5630, 5716
	4599	\bidi@AfterAtEndOfPackage		\bidi@append@to@list	
\bidi@convert@dimen@t@unit			5972		5609, 5628
	4596	\bidi@AfterClass . .	5972	\bidi@append@toks@cs@to@list	
\bidi@@diagbox@double@ii			5330,		5638
	10124, 10128	\bidi@AfterEndDocument	5333, 5337, 5343	\bidi@appto	4972,
\bidi@@diagbox@double@iii			5302, 5307	\bidi@apptocmd	3896, 5295, 6339
	10127, 10135	\bidi@AfterEndDocumentCheckLabels	1102, 5307		3893, 21510
\bidi@@diagbox@triple@set			1103, 5308	\bidi@are@these@correct	
	10144, 10147, 10151	\bidi@afterenddocumentchecklabelsrerrunhook	1103, 5308		5606, 5609
\bidi@@diagbox@triple@set			5330,	\bidi@AtBeginEnvironment	
	10150, 10157	\bidi@afterenddocumenthook	5331, 5338, 5344		5347, 5359
\bidi@@diagbox@triple@set			5387, 5397	\bidi@AtEndEnvironment	
	10166, 10173	\bidi@AfterEndPreamble			5363, 5373
\bidi@@diagbox@triple@set			5290,	\bidi@AtEndOutputPage	
	10169, 10172, 10180		5293, 5296, 5298,		4394,
\bidi@@end . . .	5341, 5345		5313, 6381, 7897, 7920	\bidi@atendoutputpagehook	
\bidi@@footnotetext@font					5276, 13001, 24083
	38, 241,	\bidi@afterendpreamblehook			5276,
	2127, 2176, 7321,		5291, 5297, 5299	\bidi@AtEndPreamble	
	13233, 13240, 13331		2679,		5277, 13002, 24084
\bidi@@loadwithoptions		\bidi@AfterFile	2757, 5969, 13429,	\bidi@AtEndPreamble	
	5895,		19552, 20314, 21079		3538, 5249,
	5902, 5905, 5909	\bidi@AfterFooter .			5252, 5281, 5283,
\bidi@@LTRfootnotetext@font			5269, 24073	\bidi@autofooterulefalse	
	68, 270,	\bidi@AfterFooterhook			13161, 13165, 13168
	2161, 2208, 7339,		5269, 5270, 24074	\bidi@autofooteruletrue	
	13234, 13273, 13317	\bidi@AfterLastShipout			13183
\bidi@@null . . .	5513, 5514		5315, 5321, 5327	\bidi@backslash	5430, 5431
\bidi@@onefilewithoptions					
	5917, 5920, 5923				
\bidi@@patchcmd 5084, 5086					



\bidi@beamer@blacktriangle	\bidi@CharsBefore .	\bidi@csundef
. 2476,	5487, 5489, 5490, 1520, 1522,
2490, 2491, 2492	5495, 5499, 5500, 5505	1524, 1548, 1550,
\bidi@beamer@Gm@lmargin	\bidi@CharsBeforeNC 5488	1552, 1554, 1556,
. 1952,	\bidi@clearpage 5324, 5326	1558, 1560, 1678,
1979, 1982, 2059	\bidi@collect@@body	1680, 1682, 1715,
\bidi@beamer@Gm@rmargin 4419, 4426	1717, 1719, 2465,
. 1960, 2068	\bidi@collect@body 4414	2467, 2484, 2486,
\bidi@beamer@leftskip	\bidi@collect@long@@body	2488, 2532, 2534,
1527, 1541, 1545, 4443, 4450	2536, 2583, 2596,
1563, 1581, 1587,	\bidi@collect@long@body	2598, 2600, 2602,
1685, 1703, 1710, 4438	2604, 2606, 2608,
2449, 2470, 2473,	\bidi@column@check@number	2610, 2708, 2734,
2586, 2812, 2813, 2948	. . 23664, 23680,	2762, 2790, 2792,
\bidi@beamer@ragged	23682, 23684, 23696	2794, 2796, 2910,
. 1510,	\bidi@column@status	2933, 2987, 2989,
1726, 1735, 1744,	. . 3477, 3481, 23666	3075, 3077, 3170, 5180
2078, 2321, 2347,	\bidi@column@type .	\bidi@csuse 4959,
2362, 2381, 2499,	. 23681, 23686, 23697	5354, 5368, 5381, 5392
2521, 3340, 23357,	\bidi@copy@stacktop 5692	\bidi@cswitch . 5567, 5569
23367, 23377,	\bidi@copyins@amount	\bidi@csxappto 5019, 5021
23378, 23526,	. . 13769, 13770,	\bidi@csxpreto 5028, 5030
23535, 23544, 23553	13771, 13774,	\bidi@current@column@status
\bidi@beamer@rightskip	13779, 13780, 13792	. 23666, 23669, 23702
. 2457,	\bidi@counter@page	\bidi@dbg@fail
2586, 2814, 2815, 2949 4364, 4393	5044, 5054, 5055,
\bidi@BeforeBeginEnvironment	\bidi@cs@a . . . 5515, 5516	5056, 5057, 5063,
. 5377, 5385	\bidi@cs@e 5686, 5687,	5072, 5078, 5188,
\bidi@BeforeClass . 5970	5689, 5690, 5693, 5695	5210, 5222, 5223, 5232
\bidi@BeforeClosingMainAux	\bidi@cs@lista	\bidi@dbg@info . 5045,
. . . . 6262, 6273, 5659, 5660,	5047, 5050, 5052,
6277, 6280, 6288, 6291	5661, 5662, 5671, 5672	5053, 5064, 5066,
\bidi@BeforeFile . . 5968	\bidi@cs@listb 5656, 5658	5068, 5070, 5071,
\bidi@BeforeFooter	\bidi@cs@liste 5654, 5659	5073, 5075, 5077,
. 5266, 24066	\bidi@csappto 5016	5186, 5211, 5213,
\bidi@beforefooterhook	\bidi@csarg 5442,	5215, 5218, 5224, 5226
. . 5266, 5267, 24067	5458, 5532, 5539,	\bidi@dbg@init . 5042,
\bidi@BeforeHeader	5557, 5562, 5567,	5061, 5185, 5208
. 5257, 12985, 24049	5572, 5578, 5583,	\bidi@dbg@succ . 5088,
\bidi@beforeheaderhook	5625, 5626, 5644,	5187, 5219, 5227, 5229
. 5257,	5650, 5661, 5671,	\bidi@dbg@trce . 5035,
5258, 12986, 24050	5680, 5690, 5694, 5698	5081, 5184, 5193, 5201
\bidi@BeforeOutputBoxOutputPage	\bidi@csdefcs 4667	\bidi@default
. 5260, 12989, 24061	\bidi@csappto 5017, 5020 5557, 5562,
\bidi@beforeoutputboxoutputpage	\bidi@csappto 5026, 5029	5567, 5572, 5578, 5583
. 5260,	\bidi@csappto . 5018,	\bidi@del@tok@from@list
5261, 12990, 24062	5348, 5364, 5378, 5388 5653
\bidi@BeforeOutputPageShipOut	\bidi@csappto 5027	\bidi@digits . . 3527,
. 5254, 12967, 24007	\bidi@cslet 4673	3533, 3534, 3535
\bidi@beforeoutputpageshipout	\bidi@csletcs 4670	\bidi@digits@charclass
. 5254,	\bidi@csname . . . 5454, 3529,
5255, 12968, 24008	5605, 5611, 5656, 5690	3533, 3534, 3535, 3536
\bidi@BeforePackage 6015	\bidi@cspreto 5025	\bidi@dummies
\bidi@bswitch . 5572, 5574	\bidi@csprotect . . . 5759	. . . 5537, 5539, 5540



\bidi@eappto	11584, 11597,	\bidi@EqualStringX 5473
. . . 4976, 4989, 5017	11609, 11614,	\bidi@error 4693,
\bidi@empty 3543,	11619, 11637,	4944, 5542, 5649, 5818
3544, 5512, 5515, 5516	11647, 11657,	\bidi@everyjob . 3281,
\bidi@empty@stack .	11667, 11672,	3282, 3608, 3609
. 5697, 5703	11675, 11678,	\bidi@excludedpackages
\bidi@empty@toks ..	11681, 11693,	6056, 6057, 6077,
. . . 5710, 5713, 5717	11706, 11718,	6113, 6130, 6138,
\bidi@endpreamblehook	11723, 11728,	6148, 6170, 6171,
. 5249,	11746, 11756,	6179, 6180, 6185, 6198
5250, 5282, 5284	11766, 11776,	\bidi@expandonce . .
\bidi@ensure@new@command	11781, 11784,	4964, 4975, 4979,
. 4684, 4685	11787, 11790,	4983, 4987, 4997,
\bidi@ensure@newcommand	11802, 11815,	5001, 5005, 5009, 5230
. 4684,	11827, 11832,	\bidi@ff@box 13009, 13027
10993, 11005,	11837, 11855,	\bidi@firstcolumn@status@write
11006, 11007,	11865, 11875, 3475,
11013, 11014,	11885, 11890,	3483, 9342, 9401,
11018, 11019,	11893, 11896,	12815, 12851,
11020, 11021,	11899, 11911,	13686, 13739,
11033, 11045,	11924, 11936,	16738, 16834,
11067, 11068,	11941, 11946,	23673, 23736, 23779
11096, 11097,	11964, 11974,	\bidi@font@@outputpage
11098, 11099,	11984, 11994,	. 12975, 23998, 24040
11102, 11108,	11999, 12002,	\bidi@footdir@footnote
11110, 11135,	12005, 12008,	. . 79, 282, 2222,
11136, 11154,	12020, 12033,	13288, 13290, 13294
11169, 11172,	12045, 12050,	\bidi@fswitch . 5583, 5585
11175, 11180,	12055, 12073,	\bidi@gappto
11183, 11185,	12083, 12093,	4388, 4980, 5018,
11189, 11207,	12103, 12108,	5249, 5254, 5257,
11217, 11227,	12111, 12114,	5260, 5263, 5266,
11237, 11242,	12117, 12129,	5269, 5273, 5276,
11245, 11248,	12142, 12154,	5290, 5302, 5315, 5330
11251, 11263,	12159, 12164,	\bidi@gobbleopt 6219, 6228
11276, 11288,	12172, 12179,	\bidi@gpreto . . 5002, 5027
11293, 11298,	12183, 12193,	\bidi@hook@acma 6243,
11316, 11325,	12201, 12214,	6287, 6300, 6301, 6306
11334, 11343,	12332, 12350,	\bidi@hook@bcma 6237,
11348, 11351,	12362, 12374,	6286, 6289, 6290, 6296
11354, 11357,	12378, 12382,	\bidi@hooktocmd . . .
11368, 11380,	12386, 12411,	. . . 5196, 5204, 5206
11391, 11396,	12425, 12439,	\bidi@hooktocmd@i .
11401, 11419,	12449, 12459, 5220, 5234
11429, 11439,	12468, 12477,	\bidi@hop@ES . . 5476, 5478
11449, 11454,	12489, 12495,	\bidi@ifblank@i . . .
11457, 11460,	12499, 12510, 12511	. . . 4639, 4640, 4642
11463, 11475,	\bidi@ensure@newlength	\bidi@ifdefmacro 4645,
11488, 11500,	. 4691, 11017, 11100	4647, 4648, 4649
11505, 11510,	\bidi@epreto	\bidi@ifdefparam 5163,
11528, 11538,	. . . 4998, 5011, 5026	5165, 5166, 5167
11548, 11558,	\bidi@eqs@a . . . 5468, 5469	\bidi@ifdefprotected
11563, 11566,	\bidi@eqs@b . . . 5468, 5469 5172,
11569, 11572,	\bidi@EqualString . 5468	5174, 5175, 5176



\bidi@ifEmpty 5515	15441,	15442,	13743,	16742,
\bidi@ifempty 5513	15443,	15444,	16840,	23740, 23785
\bidi@ifEmptyX 5514	15445,	15446,	\bidi@leave@mult@copyins	
\bidi@ifhashcheck .	15447,	15448, 17075, 17167	
. . . 5049, 5134, 5217	15449,	15450,	\bidi@leave@mult@footins@vl	
\bidi@ifhashcheck@i	15451,	15452, 17085, 17163	
. 5138, 5140	15453,	15454,	\bidi@leave@mult@footins@vr	
\bidi@ifhashcheck@ii	15455,	15456, 17081, 17159	
. 5142,	15457,	15458,	\bidi@left@footnoterule	
5145, 5146, 5147	15459,	15460,	. 15824, 15830, 15835	
\bidi@ifNextChar .. 5523	15461,	15462,	\bidi@leftskip	
\bidi@ifpatchable .	15463,	15464,	. . 22126, 22128,	
. . . 5038, 5040, 5087	15465,	15466,	22130, 22131,	
\bidi@ifpatchable@i	15467,	15468,	22241, 22298,	
. 5038, 5059	15469,	15472,	22300, 22336,	
\bidi@ifpattern 5051, 5150	15475,	15478,	22337, 22369, 23355	
\bidi@ifscanable 5048,	15481,	15484,	\bidi@length@of@csstack	
5069, 5118, 5216	15487,	15490,	. . . 5698, 5699, 5702	
\bidi@in@front@of@cslist	15493,	15497,	\bidi@length@of@stack	
. 5662, 5663	15500,	15503, 5698, 5712	
\bidi@in@front@of@list	15506,	15509,	\bidi@load@hook 5888,	
. 5661	15512,	15515,	5891, 5924, 5961	
\bidi@info 4695	15518,	15521,	\bidi@loadwithoptions	
\bidi@init@mult@footins@vl	15524,	15527,	. . . 5896, 5897, 5902	
. 17093, 17107	15530,	15533,	\bidi@local@in@front@of@list	
\bidi@init@mult@footins@vr	15536,	15539, 5666, 5683	
. 17089, 17105	15542,	15545,	\bidi@local@push@onto	
\bidi@invert@csstack	15548,	15551, 5682	
. 5702	15554,	15557,	\bidi@looprepeat@comp	
\bidi@IsEmptyList . 5516	15560,	15563,	. . . 5776, 5812, 5817	
\bidi@isloaded	15566,	15569,	\bidi@looprepeat@csarg	
. . . 5110, 15396,	15572,	15575, 5754, 5806	
15397, 15398,	15578,	15581,	\bidi@looprepeat@csargromannumeral	
15399, 15400,	15584,	15587, 5756,	
15401, 15402,	15590,	15593,	5771, 5772, 5773,	
15403, 15404,	15596,	15599,	5774, 5775, 5778,	
15405, 15406,	15602,	15605,	5783, 5784, 5785,	
15407, 15408,	15608,	15611,	5786, 5787, 5789,	
15409, 15410,	15614,	15617,	5795, 5808, 5810,	
15411, 15412,	15620,	15623,	5811, 5812, 5819,	
15413, 15414,	15626,	15629,	5820, 5822, 5827, 5835	
15415, 15416,	15632,	15635,	\bidi@looprepeat@csromannumeral	
15417, 15418,	15638,	15641, 5755, 5779,	
15419, 15420,	15644,	15647,	5787, 5790, 5806, 5834	
15421, 15422,	15650,	15653,	\bidi@looprepeat@depth	
15423, 15424,	15656,	15659, 5755,	
15425, 15426,	15662,	15665,	5756, 5758, 5770, 5796	
15427, 15428,	15668,	15671,	\bidi@looprepeat@dxbody	
15429, 15430,	15674,	15677, 5779, 5783	
15431, 15432,	15680, 15683, 15686	\bidi@looprepeat@setup		
15433, 15434,	\bidi@lastcolumn@status@write 5776, 5802		
15435, 15436, 3479, 3484,	\bidi@looprepeat@sign		
15437, 15438,	9346, 9407, 12819,	. . . 5776, 5787, 5817		
15439, 15440,	12857, 13692,			



\bidi@looprepeat@tmp	23126, 23311, 5777, 5778, 5805, 5807, 5810, 5815, 5822, 5825, 5827, 5830	\bidi@namedef 5399 \bidi@nameedef 5401 \bidi@namegdef 4393, 4697, 5400	\bidi@notblank . 4641, 4649, 5167, 5176 \bidi@nxt@a 5521, 5524, 5526 \bidi@nxt@b 5521, 5524, 5527 \bidi@nxt@c 5522, 5525, 5526 \bidi@nxt@ch 5521, 5524, 5526 \bidi@o@everypar 17661, 17663, 17664, 23310, 23312, 23313 \bidi@oldwbuskip 5648, 5651 \bidi@onefilewithoptions ... 5912, 5913, 5917 \bidi@orig@leftline ... 23580, 23582, 23583 \bidi@orig@raggedleft ... 23565, 23567, 23568 \bidi@orig@raggedright ... 23566, 23567, 23568 \bidi@orig@rightline ... 23581, 23582, 23583 \bidi@oswitch 5562 \bidi@p@ftn 3890, 3953, 3955, 3956, 3958, 3959, 3961, 3962, 3966, 3969, 3972, 4077 \bidi@p@ftntext 3937, 3954, 4059 \bidi@p@LTRftntext ... 3938, 3957, 4060 \bidi@p@RTLftntext ... 3939, 3960, 4061 \bidi@p@xfootnote 3941, 3975, 4063 \bidi@p@xftntext 3940, 3965, 3980, 4062 \bidi@p@xLTRfootnote ... 3943, 3983, 4065 \bidi@p@xLTRftntext ... 3942, 3968, 3988, 4064 \bidi@p@xRTLfootnote ... 3945, 3991, 4067 \bidi@p@xRTLftntext ... 3944, 3971, 3996, 4066 \bidi@page@count 4331, 4332, 4366, 4395
\bidi@looprepeat@traceexit	5761, 5796	\bidi@namelongdef . 4676 \bidi@namelongedef 4680 \bidi@namelonggdef 4678 \bidi@namelongxdef 4682 \bidi@namexdef 5402 \bidi@new@command 4916, 4918, 4947, 4955 \bidi@new@ifnch 4464, 4466 \bidi@new@ifnextchar ... 4461, 23437 \bidi@newcommand 4918, 4920 \bidi@newrobustcmd ... 3350, 3352, 4915, 4916, 4940, 4951, 4972, 4976, 4980, 4984, 4989, 4990, 4994, 4998, 5002, 5006, 5011, 5012, 5016, 5017, 5018, 5019, 5020, 5021, 5025, 5026, 5027, 5028, 5029, 5030, 5034, 5080, 5179, 5180, 5192, 5200, 5249, 5252, 5254, 5257, 5260, 5263, 5266, 5269, 5273, 5276, 5287, 5290, 5293, 5302, 5315, 5330, 5333, 5347, 5363, 5377, 5387, 23405, 23407 \bidi@next 5489, 5490, 5492, 5494, 5495, 5497, 5502, 5504, 5505, 5507 \bidi@NextChar 5520 \bidi@normal@footmarkwidth ... 11002, 11060, 11066, 11205, 11314, 11417, 11526, 11635, 11744, 11853, 11962, 12071, 12266, 12328	
\bidi@looprepeat@traceinit	5761, 5769		
\bidi@looprepeat@zero	5776, 5795, 5833		
\bidi@lst@caption@direction	15295, 15296, 15308, 15311		
\bidi@lst@caption@script	15302, 15303, 15319, 15322		
\bidi@lst@ensure@caption@direction	15306, 15331, 15333, 15335, 15354, 15358, 15365, 15374		
\bidi@lst@ensure@caption@script	15317, 15329, 15373		
\bidi@make@mppara@LTRfootgroup	12239, 12301, 12468		
\bidi@make@para@footstart@@	12230, 12288, 12489		
\bidi@make@para@LTRfootgroup	12228, 12286, 12449		
\bidi@makecolbf . . .	12551, 12565		
\bidi@matrix@check	4470, 23432		
\bidi@matrix@error	4472, 4476		
\bidi@mopfn@bottom	11156, 12480, 12516, 12529, 12566, 12567		
\bidi@mopfootnotebf	12525, 12559		
\bidi@mpfootnoterule	2171, 2187, 2203, 13065, 13299, 13313, 13327, 13365, 15910, 21508		
\bidi@mswitch . 5578, 5580			
\bidi@multicol@align@columns	16962, 17013, 17016, 17018		
\bidi@n@everypar ..	17662, 17663, 17664, 17665,		



\bidi@paraskip	12250, 12253, 12257, 12312, 12315, 12319	17153, 17404, 21497, 21505, 23803	\bidi@protected	...
\bidi@patch@AfterPackage	6351, 6356	\bidi@patchcmd@scantoks	4990, 5011, 5012, 5020, 5021, 5029, 5030	
\bidi@patch@Add	6338, 6367	\bidi@pdfencrypt@keylength	\bidi@protected@cseappto	5020
\bidi@patch@AfterPackage	6341, 7289, 7291, 7294, 7315, 7466, 7516, 7572, 7816	\bidi@pdfencrypt@ownerpassword	\bidi@protected@csepreto	5029
\bidi@patch@counter	6319, 6323, 6326, 6332, 6333, 6352	\bidi@pdfencrypt@permissions	\bidi@protected@csxappto	5021
\bidi@patch@gtemp	6359, 6366	\bidi@pdfencrypt@userpassword	\bidi@protected@csxpreto	5030
\bidi@patch@list	6337, 6339, 6377, 6379, 6386	\bidi@pdfm@mark	\bidi@protected@eappto	4989
\bidi@patch@OrgIfClassLater	6385, 6390	\bidi@pickescape	\bidi@protected@epreto	5011
\bidi@patch@OrgIfClassLoaded	6384, 6389	\bidi@pop@cs@into	\bidi@protected@immediate@write	6292, 6303, 6309
\bidi@patch@OrgIfPackageLater	6383, 6388	\bidi@pop@into	\bidi@protected@rappto	4990
\bidi@patch@OrgIfPackageLoaded	6382, 6387	\bidi@pos	\bidi@protected@xappto	4990
\bidi@patch@stepcounter	6321, 6331, 6350	\bidi@poscount	\bidi@protected@xpreto	5012
\bidi@patch@temp	6349, 6353	4702, 4705, 4722, 4724, 4733, 4747, 4749, 4756, 4759, 4776, 4778, 4787, 4801, 4803, 4810, 4813, 4816, 4833, 4835, 4839, 4841, 4850, 4853, 4867, 4869, 4873, 4875, 4882, 4884, 4885, 4887, 4888, 4891, 4892, 4899, 4901, 4902	\bidi@provide@command	4951, 4953
\bidi@patch@try	6368, 6371	\bidi@prepend	\bidi@providerobustcmd	4951
\bidi@patchcmd	171, 179, 188, 338, 1838, 5080, 5081, 5305, 5318, 5335, 5352, 5366, 5390, 6610, 10122, 10125, 10142, 10145, 10148, 10164, 10167, 10170, 10188, 10196, 10204, 10213, 10222, 10231, 14037, 14937, 14945, 14953, 14961, 14969, 14978, 14986, 14995, 15253, 15259, 15267, 15347, 15360, 15816, 17101, 17110, 17131, 17138, 17145,	\bidi@prepend@cslist@to@cslist	\bidi@push@begins	4423, 4424, 4427
		\bidi@prepend@list@to@list	\bidi@push@cs@onto@cs	5679, 5706
		\bidi@prepend@to@list	\bidi@push@long@begins	4447, 4448, 4451
		\bidi@prepend@toks@cs@to@list	\bidi@push@onto	5680
		\bidi@preto	\bidi@push@onto@cs	5680, 5681
		\bidi@pretocmd	\bidi@raggedleft	4244, 4251, 4256, 4275, 9821, 9937, 12783, 12789, 14153, 23570
		\bidi@PreventPackageFromLoading	\bidi@raggedright	12781, 12787,
		\bidi@process@envbody	\bidi@preto	17175, 17178, 17180, 17183, 17185, 17187, 17190, 17192, 17194, 17196, 17199, 17201, 17203, 17205, 17207, 17210, 17212, 17215, 17217, 17220, 17222, 17224, 17227, 17229,
			\bidi@pretocmd	5200, 5201, 5380, 5422
			\bidi@PreventPackageFromLoading	6059, 6073, 6103, 6136
			\bidi@process@envbody	4416, 4420, 4421, 4435, 4440, 4444, 4445, 4459



17231, 17234,	22303, 22315,	\bidi@storecatcode 5440
17236, 17238, 23569	22319, 22323, 23356	\bidi@storepreventpackagefromloading
\bidi@rcol@copyinsskip	\bidi@RTL@everypar 6147, 6150
..... 13649,	.. 12339, 12351,	\bidi@stringbefore 5498
13654, 13663, 13712	12363, 12394,	\bidi@stringbeforeNC
\bidi@redefine@newpage	12413, 12427, 5486
..... 6253, 6293	17660, 17664,	\bidi@switch ... 5546,
\bidi@reflect@box .	21246, 23309, 23313	5557, 5559, 5564
.. 17739, 17746,	\bidi@s@tfftextcol	\bidi@switch@exit .
23399, 23406, 23408 13006, 13010	5556, 5557, 5558,
\bidi@reinsert@footnotesv@l	\bidi@s@saved@checkend	5562, 5563, 5567,
.. 17099, 17108,	... 6230, 6233, 6251	5568, 5572, 5573,
17136, 17143, 17150	\bidi@s@saved@clearpage	5578, 5579, 5583, 5584
\bidi@reinsert@footnotesv@r	... 6235, 6236, 6239	\bidi@t@w@w 5607
.. 17097, 17106,	\bidi@s@saved@dofilelist	\bidi@tabular@RTLCases
17135, 17142, 17149 6241, 23412, 23439
\bidi@renew@command	6244, 6245, 6252	\bidi@tempa
... 4940, 4942, 4956	\bidi@s@saved@eqno ..	3412, 3418, 3424,
\bidi@renewrobustcmd 17750,	3430, 3436, 3442,
..... 4940	17752, 17753,	3454, 3460, 3466,
\bidi@ReplaceClass 5943	24096, 24098, 24099	3473, 3487, 3494, 3504
\bidi@replacefile@msg	\bidi@s@saved@leqno .	\bidi@tempb 3412,
..... 5880, 17751,	3413, 3418, 3419,
5904, 5919, 5957	17752, 17753,	3424, 3425, 3430,
\bidi@ReplaceInput 5927	24097, 24098, 24099	3431, 3436, 3437,
\bidi@ReplacePackage	\bidi@s@saved@newpage	3442, 3443, 3454,
..... 5940 6254, 6265	3455, 3460, 3461,
\bidi@RequirePackage	\bidi@s@saved@RequirePackage	3466, 3467, 3473,
... 6079, 6139, 6190	... 6058, 6078,	3474, 3487, 3488,
\bidi@ResetPreventPackageFromLoading	6089, 6141, 6143, 6221	3494, 3495, 3504, 3505
..... 6131,	\bidi@s@saved@Footmark@charclass	\bidi@tempcountb 5434,
6137, 6146, 6185 3530,	5703, 5704, 5713, 5714
\bidi@resrvda	3531, 3532, 3536	\bidi@temptoksa 5435,
5090, 5091, 5092,	\bidi@s@set@column@status	5703, 5706, 5707,
5095, 5096, 5097,	. 23668, 23696, 23701	5708, 5710, 5713, 5717
5098, 5099, 5100,	\bidi@s@set@cslist ..	\bidi@temptoksb 5436,
5105, 5108, 5120, 5672, 5673	5705, 5706, 5707, 5708
5121, 5122, 5123,	\bidi@s@set@list 5671	\bidi@todonotes@tempa
5124, 5126, 5127,	\bidi@s@set@load@hook 23002, 23010
5136, 5138, 5152, 5965, 5968,	\bidi@todonotes@tempb
5153, 5155, 5157,	5969, 5971, 5990, 23002,
5158, 5236, 5237,	6002, 6016, 6033, 6044	23003, 23010, 23011
5238, 5239, 5240,	\bidi@SOUL@ulleaders	\bidi@tok@SM .. 5654, 5659
5241, 5242, 5243, 5244 21287, 21293	\bidi@toks@lista ..
\bidi@resrvdb . 5092, 5093	\bidi@stack@length	5619, 5621, 5622,
\bidi@restore@newpage	5697, 5699, 5700,	5623, 5624, 5655,
... 6238, 6255, 6285	5704, 5705, 5714, 5715	5657, 5663, 5664,
\bidi@restorecatcode	\bidi@star@footmarkwidth	5666, 5668, 5673, 5674
..... 5447	.. 11002, 11063,	\bidi@toks@listb ..
\bidi@right@footnoterule	11205, 11314,	... 5619, 5655, 5657
. 15825, 15828, 15837	11417, 11526,	\bidi@undef 2494, 2517,
\bidi@rightskip 22122,	11635, 11744,	5100, 5179, 5244,
22234, 22302,	11853, 11962,	5284, 5299, 21981,
	12071, 12266, 12328	



21982, 22142,	\bidipoem@hvlén 8061,	\bidipoem@spreadbox
22143, 22392, 22393	8067, 8070, 8073, 8082 8056,
\bidi@undefined 5179, 5181	\bidipoem@half@verses	8078, 8080, 8081, 8082
\bidi@undefinedcs 8087, 8088, 8091	\bidirlap 23584
5532, 5539, 5594,	\bidipoem@half@verses@next	\bidituftefloat@Debug@InfoNL
5598, 5604, 5608, 5649	... 8087, 8088, 8089 6398,
\bidi@Un@Prevent@Package@From@Loading	\bidipoem@hvind ...	6486, 6490, 6785, 6834
..... 6151	8061, 8064, 8065,	\bidituftefloat@Error
\bidi@Un@Replace@Class	8073, 8074, 8077, 8080 6397, 6880
..... 5954	\bidipoem@hvlén 8060,	\bidituftefloat@InfoNL
\bidi@Un@Replace@Input	8065, 8067, 8078, 8080	... 6398, 6399, 6949
..... 5931	\bidipoem@hvsep 8060,	\bidituftefloat@Recalculate
\bidi@Un@Replace@Package	8073, 8074, 8081 6515, 6526
..... 5951	\bidipoem@next 8066, 8067	\bidituftehyperref@Load@Hyperref
\bidi@version .. 3250,	\bidipoem@openbox 7774, 7785
3251, 3266, 3283, 8105, 8110	\biditufte@sidenote@margin@par
3285, 3291, 3297,	\bidipoem@p@ftn 8112,	... 6965, 7317, 7476
3331, 3334, 3337,	8122, 8246, 8247,	\biditufte@toc@Error
3577, 3593, 3613,	8249, 8250, 8252,	... 7505, 7552, 7561
3615, 3672, 3675, 3678	8253, 8256, 8259,	\bidiversion .. 3283, 3610
\bidi@w@w 5594	8262, 8367, 14610,	\bigskip 17801
\bidi@warning .. 4694,	14620, 14641,	\bigskip@amount 11163,
5357, 5371, 5383, 5395	14651, 14672, 14682	11168, 12251,
\bidi@will@be@un@skip	\bidipoem@p@ftntext	12255, 12313, 12317
... 5641, 5648, 5651	8139, 8150, 8245,	\bl 17566, 17567,
\bidi@x@stack@to@list	8356, 8370, 14608	17570, 17571,
..... 5712	\bidipoem@p@LTR@ftntext	17572, 17576,
\bidi@x@appto 4984, 4990, 5019	8140, 8151, 8248,	17631, 17638, 17642
\bidi@x@argdef . 4922, 4930	8357, 8371, 14639	\blacktriangleleft
\bidi@x@par@skip 12211,	\bidipoem@p@RTL@ftntext	. 2478, 13491, 13493
12249, 12311, 12330	8141, 8152, 8251,	\blacktriangleright
\bidi@x@preto 5006, 5012, 5028	8358, 8372, 14670	. 2480, 13491, 13493
\bidicolor 9088,	\bidipoem@p@x@footnote	\bmb@b 23645
9144, 9159, 9161, 8143,	\bmb@l 23642
13007, 23252,	8154, 8264, 8360, 8374	\bmb@r 23643
23299, 23302, 23303	\bidipoem@p@x@ftntext	\bmb@t 23644
\bidics 5431	... 8142, 8153,	\bmb@box .. 1768, 1773,
\bididate . 3249, 3251,	8255, 8269, 8359, 8373	1774, 1775, 1778,
3266, 3331, 3334,	\bidipoem@p@x@LTR@footnote	1779, 1783, 1784,
3575, 3593, 3672, 3675 8145,	1785, 1791, 1792,
\bidi@G@scale@@@box ..	8156, 8271, 8362, 8376	1804, 1810, 1814, 1829
..... 13973, 13974	\bidipoem@p@x@LTR@ftntext	\bmb@colorbox 1828
\bidi@G@scale@box 8144, 8155,	\bmb@dima . 1788, 1801,
. 13950, 13951, 13970	8258, 8276, 8361, 8375	1804, 1805, 1806,
\bidi@G@scale@box@dd	\bidipoem@p@x@RTL@footnote	1807, 1818, 1819, 1820
. 13982, 13986, 13992 8147,	\bmb@dima 1789,
\bidi@G@scale@box@ddd	8158, 8278, 8364, 8378	1802, 1803, 1806
..... 13988, 13999	\bidipoem@p@x@RTL@ftntext	\bmb@lower ... 1755, 1831
\bidillap 23585	... 8146, 8157,	\bmb@prev@height 1776, 1785
\bidipdfinfooff ... 3693	8261, 8283, 8363, 8377	\bmb@temp 1779,
\bidipdfinfoon 3692, 3698	\bidipoem@set@@@verse	1780, 1781, 1783,
	... 8067, 8070, 8072	1787, 1788, 1789, 1799
	\bidipoem@set@@@verseI	\bmb@upper ... 1760, 1770
 8066, 8069	



<code>\bmb@width</code>	1769, 1778, 1787, 1817, 1818, 1829	13613, 13687, 13693, 13740, 13744, 13783, 13795, 13806, 13816, 13829, 13901, 13918, 13921, 13964, 13967, 13997, 14014, 15341, 15749, 15800, 15806, 15816, 15818, 15820, 16154, 16412, 16423, 16428, 16462, 16463, 16464, 16465, 16467, 16596, 16630, 16739, 16743, 16835, 16841, 16978, 16984, 16999, 17007, 17385, 17393, 17398, 17535, 17539, 17555, 17589, 17593, 17598, 17602, 17614, 17625, 17639, 17642, 17646, 17651, 17727, 17743, 17788, 17791, 18855, 18864, 18902, 18913, 21489, 21535, 21553, 23196, 23197, 23207, 23403, 23587, 23737, 23741, 23780, 23786, 23805, 23821, 23953, 23969, 23980, 23993, 23995, 24059, 24063, 24093	<code>\br</code> 17566, 17568, 17570, 17571, 17572, 17576, 17632, 17638, 17646 <code>\BR@b@bibitem</code> . 7170, 7171 <code>\BR@bibitem</code> . . . 7173, 7174 <code>\BR@c@bibitem</code> 7175 <code>\bracetext</code> 3354, 3639, 17666, 17667, 23315, 23316 <code>\break</code> 15706 <code>\BreakBibliography</code> 19337, 19370, 19372, 19378, 20098, 20131, 20133, 20139, 20863, 20896, 20898, 20904 <code>\breaklooprepeat</code> 5740, 5742, 5794, 5795, 5813, 5824, 5829, 5843 <code>\breakrepeatloop</code> . . 5769 <code>\bs</code> 3807, 3808, 3810 <code>\bslice</code> 17586, 17587, 17589, 17599, 17600, 17602, 17622, 17623, 17625, 17649, 17650, 17651 <code>\bx@A</code> 6820, 6861 <code>\bx@a</code> 6794, 6826, 6867 <code>\bx@AA</code> . . . 6833, 6835, 6873 <code>\bx@B</code> 6820, 6861 <code>\bx@b</code> 6795, 6826, 6867 <code>\bx@BB</code> 6836, 6873 <code>\bx@C</code> 6820, 6861 <code>\bx@c</code> 6796, 6826, 6867 <code>\bx@CC</code> 6837, 6873 <code>\bx@D</code> 6820, 6861 <code>\bx@d</code> 6797, 6826, 6867 <code>\bx@DD</code> 6838, 6873 <code>\bx@E</code> 6820, 6861 <code>\bx@e</code> 6798, 6826, 6867 <code>\bx@EE</code> 6839, 6873 <code>\bx@F</code> 6821, 6862 <code>\bx@f</code> 6799, 6827, 6868 <code>\bx@FF</code> 6840, 6874 <code>\bx@G</code> 6821, 6862 <code>\bx@g</code> 6800, 6827, 6868 <code>\bx@GG</code> 6841, 6874 <code>\bx@H</code> 6821, 6862 <code>\bx@h</code> 6801, 6827, 6868 <code>\bx@HH</code> 6842, 6874 <code>\bx@I</code> 6821, 6862
<code>\boolean</code>	6398, 6458, 6460, 6463, 6467, 6470, 6473, 6498, 6594, 6609, 6620, 6640, 6647, 6655, 6672, 6692, 6696, 6714, 6715, 6718, 6719, 6754, 6763, 6774, 7519, 7523, 7571, 7784, 7921, 7990, 8001, 13021, 17419	<code>\boxdef</code> 3839, 3841, 3847, 3852, 3857	
<code>\botmark</code> . . . 13000, 24082		<code>\boxmaxdepth</code> 9970, 9975, 9991, 9996, 10023, 10080, 11070, 12512, 12527, 12748, 13542, 13544, 13868, 23808, 23824, 23835	
<code>\box</code> . . 1783, 1901, 1905, 1907, 1915, 1921, 1923, 1973, 1977, 1979, 1999, 2008, 2010, 2028, 2037, 2039, 2974, 3387, 3664, 6935, 8995, 9059, 9127, 9284, 9287, 9304, 9308, 9343, 9347, 9353, 9354, 9402, 9408, 9412, 9413, 9639, 9644, 9651, 9658, 9694, 9978, 9999, 10015, 10072, 11175, 11180, 12176, 12190, 12199, 12542, 12553, 12816, 12820, 12852, 12858, 12901, 12991, 13024, 13029, 13589, 13596, 13599,			



<code>\bx@i</code>	6802, 6827, 6868	<code>\bystep</code>	5722, 19346, 19355,
<code>\bx@II</code>	6843, 6874	5734, 5818, 5831,	19362, 20107,
<code>\bx@J</code>	6821, 6862	5841, 5854, 5867, 5868	20116, 20123,
<code>\bx@j</code>	6803, 6827, 6868		20872, 20881,
<code>\bx@JJ</code>	6844, 6874	C	20888, 21601, 21608
<code>\bx@K</code>	6822, 6863	<code>\c</code>	<code>\c@equation</code>
<code>\bx@k</code>	6804, 6828, 6869	16138, 16139,	8497, 8674, 8919,
<code>\bx@KK</code>	6845, 6875	16153, 16415, 16496	10365, 10434,
<code>\bx@L</code>	6822, 6863	<code>\c@abspage</code>	10751, 12741,
<code>\bx@l</code>	6805, 6828, 6869	13096	13033, 13046,
<code>\bx@LL</code>	6846, 6875	<code>\c@addvipersep</code> 16683,	16558, 18043,
<code>\bx@M</code>	6822, 6863	16701, 16706,	18412, 18597,
<code>\bx@m</code>	6806, 6828, 6869	16728, 16758,	18779, 20085, 20850
<code>\bx@MM</code>	6847, 6875	16783, 16801,	<code>\c@figure</code>
<code>\bx@N</code>	6822, 6863	16806, 16828, 16855	8499, 8676, 8921,
<code>\bx@n</code>	6807, 6828, 6869	<code>\c@algocf</code>	10753, 12743,
<code>\bx@NN</code>	6848, 6875	168	13035, 13048,
<code>\bx@O</code>	6823, 6864	<code>\c@chapter</code>	16559, 18045,
<code>\bx@o</code>	6808, 6829, 6870	8499, 8501, 8674,	18408, 18599,
<code>\bx@OO</code>	6849, 6876	8676, 8678, 8919,	18781, 20074, 20843
<code>\bx@P</code>	6823, 6864	8921, 8923, 8924,	<code>\c@footnote</code>
<code>\bx@p</code>	6809, 6829, 6870	10751, 10753,	128,
<code>\bx@PP</code>	6850, 6876	10755, 10756,	318, 453, 745, 804,
<code>\bx@Q</code>	6823, 6864	12741, 12743,	997, 1056, 1247,
<code>\bx@q</code>	6810, 6829, 6870	12745, 13033,	1306, 3734, 8512,
<code>\bx@QQ</code>	6851, 6876	13035, 13037,	8689, 8826, 10585,
<code>\bx@R</code>	6823, 6864	13038, 13046,	10682, 12685,
<code>\bx@r</code>	6811, 6829, 6870	13048, 13050,	13374, 13388,
<code>\bx@RR</code>	6852, 6876	13051, 15391,	14423, 14533,
<code>\bx@S</code> 6784, 6786, 6824, 6865		16558, 17288,	14541, 14571,
<code>\bx@s</code>	6812, 6830, 6871	18043, 18045,	14579, 15086,
<code>\bx@SS</code>	6853, 6877	18047, 18408,	15780, 15783,
<code>\bx@T</code>	6787, 6824, 6865	18410, 18412,	18060, 18119,
<code>\bx@t</code>	6813, 6830, 6871	18597, 18599,	18199, 18260,
<code>\bx@TT</code>	6854, 6877	18601, 18779,	18456, 18499,
<code>\bx@U</code>	6788, 6824, 6865	18781, 18783, 18784	18686, 19108,
<code>\bx@u</code>	6814, 6830, 6871	<code>\c@colht</code>	19229, 19848,
<code>\bx@UU</code>	6855, 6877	16683,	19969, 20621, 20742
<code>\bx@V</code>	6789, 6824, 6865	16695, 16721,	<code>\c@Hy@AnnotLevel</code> . .
<code>\bx@v</code>	6815, 6830, 6871	16722, 16783, 14745,
<code>\bx@VV</code>	6856, 6877	16795, 16821, 16822	14746, 14751, 14755
<code>\bx@W</code>	6790, 6825, 6866	<code>\c@curpg</code>	<code>\c@L@lines</code>
<code>\bx@w</code>	6816, 6831, 6872	. 12915, 12942, 12943	. 15226, 15228, 15231
<code>\bx@WW</code>	6857, 6878	<code>\c@DFNsloppiness</code> . .	<code>\c@ll@chapseci</code> 9169
<code>\bx@X</code>	6791, 6825, 6866 9968, 9989	<code>\c@ll@chapsecii</code> 9164
<code>\bx@x</code>	6817, 6831, 6872	<code>\c@enumiv</code>	<code>\c@lofdepth</code> . 21832, 21869
<code>\bx@XX</code>	6858, 6878	574,	<code>\c@lor@error</code>
<code>\bx@Y</code>	6792, 6825, 6866	581, 709, 716, 972,	9133, 9140, 9148,
<code>\bx@y</code>	6818, 6831, 6872	979, 1222, 1229,	9154, 23244, 23278
<code>\bx@YY</code>	6859, 6878	2370, 2379, 4320,	<code>\c@lotdepth</code> . 21850, 21889
<code>\bx@Z</code>	6793, 6825, 6866	8467, 8474, 8655,	<code>\c@lstlisting</code> 15391, 15393
<code>\bx@z</code>	6819, 6831, 6872	8662, 8964, 8971,	<code>\c@LT@chunks</code> 15732
<code>\bx@ZZ</code>	6860, 6878	10526, 10533,	<code>\c@mpfootnote</code>
<code>\bye</code>	3696	10797, 10804,	2171, 2187, 2203,
		12634, 12641,	13299, 13313,
		18024, 18031,	
		18418, 18425,	
		18612, 18619,	
		18815, 18822,	



13327, 13352, 15919	18039, 18404,	\c@twsliceb 9279,
\c@NAT@ctr 17247	18604, 18787,	9281, 9284, 9287,
\c@page . . 7928, 10250,	19320, 20067, 20836	9300, 9301, 9304, 9308
10278, 12915,	\c@table	\c@twwinlines . 9277, 9290
12942, 23159, 23949	8501, 8678, 8923,	\c@zabspage 13096
\c@paragraph . . . 548,	10755, 12745,	\cals@activate@rtl 9043
702, 956, 1215,	13037, 13050,	\cals@AtBeginTable 9060
8494, 8671, 8928,	16560, 18047,	\cals@AtEndTable . . 9062
10637, 10760,	18410, 18601,	\cals@backup@row . . 9059
12738, 13042,	18783, 20077, 20846	\cals@borderB 9058
13055, 16553,	\c@thisframe	\cals@borderL 9055
18040, 18405,	. . 12914, 12919,	\cals@borderR 9056
18605, 18788,	12955, 12957, 12958	\cals@borderT 9057
19322, 20069, 20838	\c@tocdepth 3,	\cals@current@context
\c@part 2394	198, 508, 525, 644, 9049
\c@poem@no 8197,	660, 678, 871, 904,	\cals@last@context 9048
8239, 8291, 8302	922, 1127, 1143,	\cals@paddingL . 9065,
\c@secnumdepth . 304,	1161, 8401, 8417,	9067, 9072, 9074
551, 560, 8738,	8433, 8578, 8594,	\cals@paddingR 9069, 9076
8933, 10495,	8610, 8881, 8896,	\cals@set@tohsize . 9052
10504, 10765,	10468, 10482,	\cals@setcellprevdepth
12604, 17805, 18793	10737, 12572, 9052
\c@section 2419, 8491,	12587, 15048,	\cals@setpadding . . 9052
8668, 8925, 10757,	16903, 16915,	\cals@setup@alignment
12735, 13039,	16927, 17953, 9036, 9051
13052, 16547,	17969, 17985,	\cals@table@alignment
17298, 18037,	18325, 18341, 9041, 9042
18402, 18602,	18357, 18557,	\cals@tbreak@tokens 9046
18785, 20063, 20832	18571, 18741,	\cals@tfoot@height 9047
\c@subparagraph 549,	18756, 21677,	\cals@tfoot@tokens
703, 957, 1216,	21681, 21723, 9045, 9062
8495, 8672, 8929,	21742, 21764,	\cals@thead@tokens 9044
10638, 10761,	21781, 21798,	\cals@vfillAdd . 9037,
12739, 13043,	21815, 22107,	9039, 9065, 9074
13056, 16555,	22219, 22257,	\cals@vfillDrop . . .
18041, 18406,	22753, 22949, 23647 9038, 9039,
18606, 18789,	\c@tracingmulticols	9067, 9069, 9072, 9076
19324, 20071, 20840 17111, 17129	\cAny 3828
\c@subsection 546, 700,	\c@twb 9294	\cAny 3836
954, 1213, 2420,	\c@twcompctr 9275	\cap@indent
8492, 8669, 8926,	\c@twcompodctr . . . 9291	. . 19510, 19518,
10635, 10758,	\c@twfirst 9276, 9282,	19528, 19531,
12736, 13040,	9289, 9293, 9302, 9305	19533, 20271,
13053, 16549,	\c@twlftside 9280	20279, 20289,
18038, 18403,	\c@twlspec 9294, 9297, 9301	20292, 20294,
18603, 18786,	\c@twprune 9280,	21036, 21044,
19318, 20065, 20834	9281, 9297, 9301	21054, 21057, 21059
\c@subsectionslide 2422	\c@twrounds 9292,	\cap@left 19442,
\c@subsubsection 547,	9295, 9298, 9310	19479, 20203,
701, 955, 1214,	\c@twrtside 9281	20240, 20968, 21005
8493, 8670, 8927,	\c@twslicea 9278,	\cap@margin
10636, 10759,	9280, 9284, 9287,	. 19398, 20159, 20924
12737, 13041,	9296, 9297, 9304, 9308	
13054, 16551,		



<code>\cap@right</code> . . . 19450, 19546, 20211, 20307, 20976, 21072	20997, 21029, 21040, 21051, 21062	<code>\cftdot</code> 21673
<code>\cap@width</code> . . . 19427, 19480, 20188, 20241, 20953, 21006	<code>\captionlabelfalse</code> 15382	<code>\cftdotfill</code> 21967
<code>\caption</code> 6603, 6604, 6606, 6662, 14126, 14144, 15709, 16634, 16636, 19483, 19484, 20244, 20245, 21009, 21010	<code>\catcode</code> 3576, 3697, 5107, 5443, 5444, 5445, 5485, 7142, 7164, 8095, 8096, 8098, 8099, 13500, 13501, 13616	<code>\cftdotsep</code> 21966
<code>\caption@@make</code> . . . 15767	<code>\Centering</code> 17815	<code>\cftfigaftersnum</code> . 21842
<code>\caption@@par</code> 9080	<code>\centering</code> 303, 9825, 9838, 9954, 12782, 12788, 14156, 14241, 14257, 16581, 16583, 16585, 19196, 19936, 20709	<code>\cftfigaftersnumb</code> 21843
<code>\caption@begin</code> . . . 15761	<code>\CenteringLeftskip</code> 17820	<code>\cftfigfillnum</code> . . . 21846
<code>\caption@belowskip</code> 15765	<code>\CenteringParfillskip</code> 17823	<code>\cftfigfont</code> 21845
<code>\caption@end</code> 15769	<code>\CenteringParindent</code> 17824	<code>\cftfigindent</code> 21834, 21837
<code>\caption@hangindent</code> 9081	<code>\CenteringRightskip</code> 17821	<code>\cftfignumwidth</code> . . 21840
<code>\caption@ifdefined</code> 15764	<code>\centerline</code> 307, 13596, 13613, 17754, 23571	<code>\cftfigpresnum</code> . . . 21841
<code>\caption@LT@make</code> . 15755	<code>\cftbeforechapskip</code> 21725	<code>\cftparaaftersnum</code> 21808
<code>\caption@LT@settype</code> 15756	<code>\cftbeforefigskip</code> 21833	<code>\cftparaaftersnumb</code> 21809
<code>\caption@LT@setup</code> 15757	<code>\cftbeforeparaskip</code> 21799	<code>\cftparafillnum</code> . . 21812
<code>\caption@make@above</code> 15766	<code>\cftbeforepartskip</code> 21693	<code>\cftparafont</code> 21811
<code>\caption@make@below</code> 15768	<code>\cftbeforeseckskip</code> 21744, 21747	<code>\cftparaindent</code> 21800, 21803
<code>\caption@makecaption</code> 9078, 15376	<code>\cftbeforesubfigskip</code> 21870	<code>\cftpartnumwidth</code> . 21701
<code>\caption@normalsize</code> 15762	<code>\cftbeforesubparaskip</code> 21816	<code>\cftpartpresnum</code> 21702, 21706
<code>\caption@parindent</code> 9081	<code>\cftbeforesubsecskip</code> 21765	<code>\cftsec aftersnum</code> . 21757
<code>\caption@prepare@stepcounter</code> 15760	<code>\cftbeforesubsubsecskip</code> 21782	<code>\cftsec aftersnumb</code> 21758
<code>\caption@setautoposition</code> 15758	<code>\cftbeforesubtabskip</code> 21890	<code>\cftsec fillnum</code> . . . 21761
<code>\caption@starfalse</code> 15377, 15759	<code>\cftbeforetabskip</code> 21851	<code>\cftsec font</code> 21760
<code>\caption@starttrue</code> . . 15378, 15384, 15759	<code>\cftchap aftersnum</code> 21734	<code>\cftsec indent</code> 21749, 21752
<code>\captionabove</code> . 19581, 19586, 20343, 20348, 21108, 21113	<code>\cftchap aftersnumb</code> 21735	<code>\cftsec numwidth</code> . . 21755
<code>\captionbelow</code> . 19583, 19588, 20345, 20350, 21110, 21115	<code>\cftchap fillnum</code> . . 21738	<code>\cftsec presnum</code> . . . 21756
<code>\captionformat</code> 19471, 19503, 19514, 19525, 19536, 20232, 20264, 20275, 20286, 20297,	<code>\cftchap font</code> 21737	<code>\cftsubfigaftersnum</code> 21879
	<code>\cftchap indent</code> 21726, 21729, 21976	<code>\cftsubfigaftersnumb</code> 21880
	<code>\cftchap numwidth</code> 21732, 21977	<code>\cftsubfig fillnum</code> 21883
	<code>\cftchappresnum</code> . . 21733	<code>\cftsubfig font</code> . . . 21882
	<code>\cftchapterprecistoc</code> 21975	<code>\cftsubfig indent</code> 21871, 21874
		<code>\cftsubfig numwidth</code> 21877
		<code>\cftsubfig presnum</code> 21878
		<code>\cftsubpara aftersnum</code> 21825
		<code>\cftsubpara aftersnumb</code> 21826
		<code>\cftsubparafillnum</code> 21829
		<code>\cftsubparafont</code> . . 21828
		<code>\cftsubparaindent</code> 21817, 21820
		<code>\cftsubparanumwidth</code> 21823



<code>\cftsubparapresnum</code>	21824	<code>\chapterstyle</code> 16562	6235, 6236, 6239,
<code>\cftsubsecaftersnum</code>		<code>\char</code>	3537, 3811, 3812, 5431	6881, 7893, 7928,
.....	21774	<code>\chardef</code> 5430,	8014, 8395, 8572,
<code>\cftsubsecaftersnumb</code>		13500,	15295,	8782, 8956, 10789,
.....	21775	15296, 15302, 15303		17929, 18184,
<code>\cftsubsecfillnum</code>	21778	<code>\check@floats</code> 9719	18643, 19201,
<code>\cftsubsecfont</code>	... 21777	<code>\CheckCommand</code>	14530, 14568	19941, 20714, 21670
<code>\cftsubsecindent</code>	..	<code>\checkoddpage</code> 6497	<code>\clipbox@</code>
.....	21766, 21769	<code>\CIIIAny</code> 3829 17790
<code>\cftsubsecnumwidth</code>	21772	<code>\ciiIAny</code> 3837	<code>\CloneTOCEntryStyle</code>
<code>\cftsubsecpresnum</code>	21773	<code>\circle</code>	9183, 9186, 9193, 19598,
<code>\cftsubsubsecaftersnum</code>		9196, 9206, 9209,	9216, 9219, 9229,	19611, 19629,
.....	21791	9232, 9239, 9242,	9252, 9255, 9262, 9265	19638, 20360,
<code>\cftsubsubsecaftersnumb</code>				20373, 20392,
.....	21792	<code>\cite</code> 7179,	20401, 21125,
<code>\cftsubsubsecfillnum</code>		7271, 7277, 7278,	7372, 7377, 7398,	21138, 21157, 21166
.....	21795	7406, 7427, 7435,	7456, 7474, 7478,	<code>\closing</code>
<code>\cftsubsubsecfont</code>	21794	7483, 7487, 7492,	7496, 17256, 17257 10827
<code>\cftsubsubsecindent</code>		<code>\citeasnoun</code> 17257	<code>\clubpenalty</code>
.....	21783, 21786	<code>\citeN</code> 17256	. 92, 295,
<code>\cftsubsubsecnumwidth</code>		<code>\cites</code> 7272	583, 584, 717, 980,
.....	21789	<code>\cl@ckpt</code> 21377	1230, 2382, 2383,
<code>\cftsubsubsecpresnum</code>		<code>\ClassInfo</code> 7959,	4321, 8213, 8475,
.....	21790	8024, 19006,	19409, 19418,	8663, 8973, 8974,
<code>\cftsubtabaftersnum</code>		19592, 19745,	20170, 20179,	10534, 10806,
.....	21899	20354, 20518,	20935, 20944, 21119	10807, 12642,
<code>\cftsubtabaftersnumb</code>		<code>\ClassWarning</code>	. 19179,	15013, 17253,
.....	21900	19186, 19208,	19214, 19221,	18032, 18426,
<code>\cftsubtabfillnum</code>	21903	19482, 19919,	19926, 19948,	18621, 18622,
<code>\cftsubtabfont</code>	... 21902	19954, 19961,	20243, 20692,	18824, 18825,
<code>\cftsubtabindent</code>	..	20699, 20721,	20727, 20734, 21008	19364, 20125,
.....	21891, 21894	<code>\ClassWarningNoLine</code> 16618	20890, 21610, 21611
<code>\cftsubtabnumwidth</code>	21897	<code>\clear</code> 6276	<code>\coffee</code>
<code>\cftsubtabpresnum</code>	21898	<code>\cleardoubleemptypage</code>	. 19199, 19939, 20712 16923
<code>\cfttabaftersnum</code>	. 21860	<code>\cleardoublepage</code>	..	<code>\col@number</code>
<code>\cfttabaftersnumb</code>	21861 7881, 7926,	7928, 7985, 7998,	. 132, 137,
<code>\cfttabfillnum</code>	... 21864	8012, 8954, 10787		139, 142, 143, 150,
<code>\cfttabfont</code> 21863	<code>\clearpage</code>	. 604, 620,	459, 810, 1062,
<code>\cfttabindent</code>	21852, 21855	869, 1121, 5319,	5320, 5324, 5325,	1312, 8832, 10591,
<code>\cfttabnumwidth</code>	.. 21858			10688, 12691,
<code>\cfttabpresnum</code>	... 21859			16525, 16865,
<code>\chapnumfont</code> 17804			16947, 16952,
<code>\chapter</code> 7517,			17026, 17027,
7545, 7615, 7623,				17029, 17032,
7739, 7745, 8463,				17033, 17040,
8651, 8960, 10793,				17090, 17091,
12630, 18020,				17094, 17095,
18414, 18608, 18811				17157, 17161,
<code>\chapterheadendvskip</code>				18125, 18266,
..... 17810				18510, 18692,
<code>\chapterheadstartvskip</code>				19234, 19974, 20747
..... 17802				<code>\col@sep</code>
<code>\chaptermark</code>	. 8002, 21636			379, 407, 9084,
<code>\chaptername</code>	.. 308, 16567			9085, 15721, 23416
				<code>\color</code>
				1532, 1535, 1572,
				1604, 1627, 1648,
				1669, 1693, 1793,
				1795, 1834, 2429,
				2434, 2445, 2846,
				3768, 3769, 3770,



3771, 3772, 4244,	15856, 23811,	23830, 23842, 23849
9129, 9132, 9135,	23827, 23838, 23846	<code>\color@fb@x</code> . 23300, 23301
9153, 9156, 9819,	<code>\color@block</code> . 9126, 23207	<code>\color@fb@x</code> .. 9160, 23300
9822, 9832, 9950,	<code>\color@box</code> .. 9159, 23299	<code>\color@hbox</code>
15152, 15882, 23209	<code>\color@endbox</code> .. 4078,	.. 18924, 18934,
<code>\color@</code> 23249, 23296	7001, 7045, 7089,	18952, 24053, 24069
<code>\color@b@x</code>	18927, 18937,	<code>\color@setgroup</code> ...
9121, 9159, 9161,	18955, 23891, 9162, 23304
23202, 23299, 23302	23935, 24056, 24072	<code>\color@vbox</code>
<code>\color@begingroup</code> .	<code>\color@endgroup</code> 1890,	4056, 6992, 7036,
1860, 2131, 2148,	2134, 2151, 2168,	7080, 23882, 23926
2165, 2181, 2197,	2184, 2200, 2216,	<code>\colorA</code> .. 8740, 8749, 8761
2213, 7327, 7345,	7331, 7349, 7367,	<code>\colorB</code>
7363, 8365, 8379,	8367, 10924,	8752, 8758, 8764
10922, 10936,	10938, 10952,	<code>\colorblend</code> ... 23216,
10950, 10962,	10964, 10975,	23217, 23259, 23260
10973, 10984,	10986, 11093,	<code>\colorbox</code>
11090, 11213,	11151, 11215,	1913,
11223, 11233,	11225, 11235,	3884, 3886, 3887
11259, 11272,	11261, 11274,	<code>\colorlet</code> . 1757, 1762,
11284, 11322,	11286, 11324,	1832, 1833, 1862, 1864
11331, 11340,	11333, 11342,	<code>\columncolor</code> .. 1466, 9092
11365, 11377,	11367, 11379,	<code>\columnsep</code>
11388, 11425,	11390, 11427,	99,
11435, 11445,	11437, 11447,	219, 597, 613, 862,
11471, 11484,	11473, 11486,	1114, 3717, 4153,
11496, 11534,	11498, 11536,	8388, 8565, 8775,
11544, 11554,	11546, 11556,	9348, 9647, 12821,
11580, 11593,	11582, 11595,	13745, 15021,
11605, 11643,	11607, 11645,	16745, 16862,
11653, 11663,	11655, 11665,	16955, 17001,
11689, 11702,	11691, 11704,	17922, 18177,
11714, 11752,	11716, 11754,	18636, 23164,
11762, 11772,	11764, 11774,	23169, 23173,
11798, 11811,	11800, 11813,	23179, 23182, 23742
11823, 11861,	11825, 11863,	<code>\columnseprule</code> .. 99,
11871, 11881,	11873, 11883,	219, 596, 612,
11907, 11920,	11909, 11922,	861, 1113, 3718,
11932, 11970,	11934, 11972,	4154, 8387, 8564,
11980, 11990,	11982, 11992,	8774, 9339, 9404,
12016, 12029,	12018, 12031,	9636, 9655, 12813,
12041, 12079,	12043, 12081,	12854, 13689,
12089, 12099,	12091, 12101,	13736, 15021,
12125, 12138,	12127, 12140,	16735, 16837,
12150, 12346,	12152, 12348,	16980, 16991,
12358, 12370,	12360, 12372,	17921, 18176,
12407, 12421,	12409, 12423,	18635, 23733, 23782
12435, 12518,	12437, 12522,	<code>\columnseprulecolor</code>
12531, 13248,	12535, 13251, 16979, 16990
13265, 13281,	13268, 13284,	<code>\columnwidth</code> 28, 41, 55,
13308, 13322,	13311, 13325,	71, 232, 244, 258,
13336, 13348,	13339, 13369,	273, 540, 544, 731,
13836, 13846,	13839, 13849,	965, 1211, 2124,
13853, 15772,	13856, 23815,	2141, 2158, 2177,
		2193, 2209, 3364,
		3370, 4068, 8489,



8642, 8912, 8916,	19096, 19796,	6977, 7021, 7065,
9024, 9337, 9341,	19835, 19836,	11164, 11196,
9345, 9349, 9400,	20569, 20608,	11305, 11408,
9406, 9634, 9638,	20609, 23731,	11517, 11626,
9643, 9648, 9650,	23735, 23739,	11735, 11844,
9657, 9968, 9989,	23743, 23778,	11953, 12062,
10541, 10545,	23784, 23974, 23976	12221, 12227,
10840, 10844,	\contentslabel . 7576,	12279, 12285,
10889, 10919,	7583, 7590, 7597, 7604	12925, 13651,
10933, 10947,	\contentsline 14361	13660, 13662,
10959, 10970,	\contentsmargin . . 21575	13709, 13711,
10981, 11256,	\contentspush 21549	14038, 14044,
11268, 11281,	\convertcolorspec .	17090, 17094,
11362, 11373, 23223,	23867, 23911, 24019
11385, 11468,	23226, 23266, 23269	\count@ . . . 1406, 1465,
11480, 11493,	\Coord 3825	4491, 4496, 6323,
11577, 11589,	\coord 3830	6324, 6326, 9090,
11602, 11686,	\CoordIII 3827	16942, 16943,
11698, 11711,	\coordiii 3832	16945, 16947,
11795, 11807,	\Coordn 3826	16954, 16975,
11820, 11904,	\coordn 3831	16976, 16978,
11916, 11929,	\Coordx 3822,	16995, 16996,
12013, 12025,	3825, 3826, 3827,	16999, 17354,
12038, 12122,	3828, 3829, 3830,	17362, 17375, 21416
12134, 12147,	3831, 3832, 3836, 3837	\counterwithout 16563,
12261, 12323,	\coordx 3833	16564, 16565, 16566
12403, 12417,	\Coordy 3823,	\coverpagebottommargin
12431, 12623,	3825, 3826, 3827,	. 19088, 19828, 20601
12627, 12812,	3828, 3829, 3830,	\coverpageleftmargin
12814, 12818,	3831, 3832, 3836, 3837	. . 19083, 19084,
12822, 12850,	\coordy 3834	19086, 19823,
12856, 13154,	\Coordz 3824,	19824, 19826,
13157, 13159,	3827, 3829, 3832, 3837	20596, 20597, 20599
13244, 13261,	\coordz 3835	\coverpagerightmargin
13277, 13304,	\copy . 1810, 6988, 7032,	. 19086, 19826, 20599
13318, 13332,	7076, 9028, 9317,	\coverpagetopmargin
13350, 13631,	9380, 9489, 9979, 19082,
13638, 13685,	10000, 12795,	19088, 19822,
13691, 13734,	12831, 13659,	19828, 20595, 20601
13738, 13742,	13708, 13909,	\cr 395, 8160, 8167, 8223,
13746, 14098,	13955, 15797,	11178, 11182,
14099, 15035,	15809, 15813,	11184, 15736,
15109, 15113,	16667, 16767,	21322, 21360, 23619
15859, 16733,	17659, 17742,	\crrc . 406, 3950, 8163,
16737, 16741,	17812, 23402,	21310, 21340,
16744, 16833,	23711, 23758,	23427, 23430, 23606
16839, 16862,	23878, 23922, 23985	\CROP@llc 9225
16891, 16897,	\cor@height . . . 16690,	\CROP@lrc 9248
17059, 17063,	16691, 16718,	\CROP@ulc 9179
17067, 17071,	16719, 16758,	\CROP@urc 9202
18017, 18440,	16790, 16791,	\CROP@execopt 9272
18590, 18594,	16818, 16819, 16855	\cs 15993, 16044,
18772, 18776,	\count 3359,	16062, 16116,
19056, 19095,	3644, 4051, 5749,	



16131, 16419,
16421, 17382, 17383
\cs@a 5516
\csname 8, 44, 58,
74, 166, 168, 203,
247, 261, 276, 333,
334, 383, 1369,
2130, 2147, 2164,
2180, 2196, 2212,
2245, 2271, 2297,
3913, 3914, 3928,
3929, 3955, 3958,
3961, 3977, 3985,
3993, 4048, 4335,
4338, 4341, 4343,
4345, 4348, 4351,
4359, 4360, 4365,
4372, 4374, 4376,
4377, 4378, 4379,
4382, 4384, 4388,
4390, 4419, 4420,
4443, 4444, 4471,
4498, 4502, 4513,
4521, 4529, 4537,
4539, 4541, 4545,
4546, 4610, 4652,
4662, 4668, 4669,
4671, 4672, 4674,
4675, 4677, 4679,
4681, 4683, 4884,
4885, 4887, 4888,
4891, 4892, 4901,
4902, 4937, 4938,
4961, 5016, 5017,
5018, 5019, 5025,
5026, 5027, 5028,
5111, 5112, 5115,
5116, 5181, 5352,
5353, 5355, 5366,
5367, 5369, 5380,
5390, 5399, 5400,
5401, 5402, 5425,
5449, 5454, 5458,
5474, 5492, 5494,
5502, 5504, 5513,
5514, 5594, 5598,
5631, 5633, 5644,
5645, 5659, 5667,
5669, 5696, 5717,
5754, 5755, 5756,
5772, 5773, 5774,
5775, 5877, 5880,
5884, 5901, 5904,
5906, 5916, 5919,

5921, 5928, 5933,
5938, 5948, 5964,
5967, 5981, 5993,
6025, 6036, 6120,
6123, 6163, 6212,
6352, 6373, 6724,
6725, 6732, 6733,
7325, 7343, 7361,
7392, 7421, 7450,
7692, 8218, 8246,
8249, 8252, 8266,
8273, 8280, 8288,
8289, 8327, 8352,
8353, 9135, 9141,
9149, 9156, 10921,
10935, 10949,
10961, 10972,
10983, 11212,
11222, 11232,
11258, 11271,
11283, 11321,
11330, 11339,
11364, 11376,
11387, 11424,
11434, 11444,
11470, 11483,
11495, 11533,
11543, 11553,
11579, 11592,
11604, 11642,
11652, 11662,
11688, 11701,
11713, 11751,
11761, 11771,
11797, 11810,
11822, 11860,
11870, 11880,
11906, 11919,
11931, 11969,
11979, 11989,
12015, 12028,
12040, 12078,
12088, 12098,
12124, 12137,
12149, 12344,
12356, 12368,
12405, 12419,
12433, 12750,
12903, 12904,
12909, 12910,
13015, 13016,
13017, 13018,
13020, 13022,
13023, 13024,

13025, 13027,
13028, 13029,
13086, 13110,
13128, 13214,
13223, 13246,
13263, 13279,
13307, 13321,
13335, 13382,
13397, 14363,
14366, 14368,
14372, 14376,
14390, 14401,
14412, 14612,
14643, 14674,
15053, 15156,
15159, 15589,
15655, 16647,
16648, 16655,
18968, 18972,
18976, 19059,
19283, 19601,
19603, 19605,
19608, 19614,
19622, 19624,
19626, 19632,
19634, 19707,
19711, 19715,
19799, 20023,
20363, 20365,
20367, 20370,
20376, 20384,
20386, 20389,
20395, 20397,
20480, 20484,
20488, 20572,
20796, 21128,
21130, 21132,
21135, 21141,
21149, 21151,
21154, 21160,
21162, 21312,
21338, 21340,
21372, 21394,
21396, 21412,
21413, 21433,
21440, 21653,
21916, 21917,
21933, 21934,
21935, 21942,
21944, 21945,
21998, 21999,
22157, 22158,
22262, 22287,
22314, 22318,



22322,	22379,	\CurrentOption	9542, 9543, 9545, 9570
22431,	22434, 7940, 7941,	\cuted@wlog@debug
22448,	22464,	7942, 7943, 7944, 9504,
22465,	22481,	7964, 7965, 7966,	9530, 9532, 9541, 9545
22488,	22493,	7967, 7968, 9765, 9863	\cvcomputer 4276
22511,	22512,	\currentposxwidth . 4881	\cvdoubleitem . 4253, 4277
22524,	22525,	\currentposyheight 4898	\cventry 4265
22580,	22635,	\CustomFBox 13480	\cvlanguage 4274
22637,	22639,	\cuted@@column@badness	\cvline 4248, 4249, 4254,
22655,	22658, 9512,	4258, 4260, 4266, 4275
22664,	22666,	9513, 9526, 9537	\cvlistdoubleitem . 4259
22669,	22673,	\cuted@@page@rule .	\cvlistitem 4257
22678,	22682, 9592, 9593	\cvtheme 4191, 4194
22686,	22700,	\cuted@@tempbox@a .	
22704,	22707, 9453,	D
22711,	22716,	9463, 9490, 9492,	\d 15963
22720,	22725,	9493, 9581, 9639, 9651	\d@llarbegin
22727,	22728,	\cuted@@tempbox@c .	. . 379, 408, 1410,
22731,	22735, 9492, 9493,	1411, 1412, 1475,
22781,	22783,	9500, 9501, 9505,	1478, 1479, 9097,
22790,	22791,	9506, 9521, 9525,	9100, 9101, 23416
22795,	22800,	9535, 9551, 9569,	\d@llarend
22804,	22815,	9580, 9583, 9585, 9586	. . 380, 408, 1410,
22816,	22820,	\cuted@@tempbox@var	1411, 1412, 1477,
22826,	22881,	. . . 9631, 9669, 9681	1478, 1479, 9099,
22882,	22886,	\cuted@@tempdim@a .	9100, 9101, 23417
22982,	22983, 9521,	\dashgapcolor 1470
22985,	22988,	9523, 9525, 9527,	\date . . . 447, 483, 787,
22989,	22993,	9530, 9531, 9532,	832, 1039, 1084,
23457,	23522,	9582, 9594, 9600,	1289, 1334, 3752,
23608,	23669,	9612, 9616, 9622,	7806, 7854, 8554,
23682,	23684, 24154	9719, 9720, 9721, 9725	8731, 8820, 8856,
\CT@do@color 9087		\cuted@@tempdim@b .	10579, 10613,
\CT@cell@color 1490, 9112		9485, 9488, 9490,	10676, 10712,
\CT@color 9086		9493, 9497, 9509,	12679, 12713,
\CT@column@color . .		9527, 9551, 9559,	18102, 18147,
. 1488, 9110		9565, 9572, 9581,	18243, 18290,
\CT@do@color		9583, 9608, 9611, 9613	18493, 18534,
. . . 1491, 9087, 9113		\cuted@@tempdim@spread	18680, 18716,
\CT@extract . . . 1466, 9092	 9500, 9501,	19311, 20051, 20824
\CT@row@color . 1489, 9111		9502, 9503, 9510,	\deadcycles . . . 5336, 5339
\CT@setup 1455,		9514, 9517, 9520,	\debugfootnotedirection
1456, 1458, 1459,		9521, 9523, 9528, 13073
1463, 1487, 9083, 9109		9539, 9549, 9552,	\DeclareOption
\cumpartcl 17563		9557, 9560, 9564,	4083, 4086, 4089,
\cumtcl 17563		9568, 9585, 9587, 9589	4092, 4095, 4098,
\curraddr 322		\cuted@@varbox@a 9489,	4101, 4106, 4107,
\current@color		9490, 9496, 9497,	4108, 4109, 4110,
. . . . 9128, 9134,		9525, 9531, 9534,	4112, 6402, 6404,
9141, 9149, 9155,		9542, 9611, 9644, 9658	6406, 6409, 6414,
13478, 13483,		\cuted@@varbox@c 9496,	7511, 7512, 7770,
23208, 23245,		9497, 9502, 9503,	7771, 7796, 7797,
23246, 23250,		9507, 9508, 9531,	7940, 7941, 7942,
23279, 23280, 23297		9534, 9538, 9541,	7943, 7944, 7964,



7965, 7966, 7967,	1456, 1459, 1464,	4426, 4437, 4438,
7968, 9755, 9757,	1846, 1859, 1968,	4441, 4447, 4450,
9759, 9761, 9763,	1969, 2045, 2056,	4461, 4463, 4466,
9764, 9853, 9855,	2065, 2074, 2083,	4470, 4476, 4484,
9857, 9859, 9861, 9862	2084, 2086, 2096,	4485, 4486, 4487,
<code>\DeclareRobustCommand</code>	2105, 2106, 2109,	4488, 4489, 4490,
..... 3810,	2110, 2111, 2114,	4497, 4498, 4502,
3811, 3812, 3813,	2115, 2116, 2232,	4507, 4515, 4523,
3814, 3815, 3816,	2233, 2234, 2239,	4531, 4538, 4540,
6737, 6744, 9129,	2243, 2258, 2259,	4640, 4648, 4669,
9144, 23209, 23252	2260, 2265, 2269,	4677, 4684, 4685,
<code>\DeclareSectionCommand</code>	2284, 2285, 2286,	4691, 4693, 4694,
..... 19640,	2291, 2295, 2306,	4695, 4697, 4916,
19650, 19658,	2317, 2326, 2337,	4918, 4920, 4926,
19668, 19678,	2351, 2386, 2392,	4930, 4933, 4942,
19689, 20403,	2696, 2698, 2859,	4953, 4955, 4956,
20411, 20422,	3249, 3250, 3351,	4967, 5040, 5059,
20431, 20441,	3353, 3354, 3397,	5091, 5092, 5093,
20451, 20462,	3400, 3403, 3406,	5104, 5118, 5121,
21168, 21176,	3475, 3479, 3575,	5122, 5134, 5146,
21187, 21196,	3577, 3610, 3627,	5150, 5153, 5166,
21206, 21216, 21227	3635, 3636, 3637,	5175, 5206, 5234,
<code>\DeclareTOCEntryStyle</code>	3638, 3639, 3645,	5237, 5238, 5246,
. 21983, 22144, 22394	3646, 3653, 3669,	5247, 5283, 5298,
<code>\dedication</code>	3670, 3671, 3674,	5325, 5342, 5399,
. 19310, 20050, 20823	3677, 3681, 3692,	5400, 5401, 5402,
<code>\dedicatory</code>	3693, 3696, 3705,	5411, 5431, 5440,
..... 323	3710, 3735, 3736,	5447, 5454, 5458,
<code>\def</code>	3818, 3819, 3820,	5463, 5468, 5473,
2, 23, 26, 30,	3822, 3823, 3824,	5475, 5478, 5481,
34, 48, 64, 95, 98,	3825, 3826, 3827,	5489, 5490, 5492,
107, 108, 109, 110,	3828, 3829, 3830,	5494, 5495, 5502,
122, 132, 133, 135,	3831, 3832, 3833,	5504, 5505, 5512,
197, 218, 227, 228,	3834, 3835, 3836,	5513, 5514, 5515,
229, 230, 234, 237,	3837, 3842, 3853,	5516, 5520, 5521,
251, 266, 298, 301,	3884, 3885, 3886,	5523, 5524, 5526,
313, 319, 336, 345,	3887, 3894, 3900,	5532, 5538, 5556,
350, 352, 377, 382,	3906, 3914, 3919,	5557, 5562, 5567,
384, 405, 406, 407,	3921, 3929, 3934,	5572, 5578, 5583,
408, 454, 455, 486,	3935, 3950, 3954,	5594, 5598, 5604,
550, 587, 719, 742,	3957, 3960, 3965,	5607, 5621, 5623,
743, 751, 790, 791,	3968, 3971, 3975,	5625, 5626, 5628,
793, 798, 800, 805,	3983, 3991, 3998,	5629, 5630, 5632,
807, 835, 982, 994,	4000, 4001, 4003,	5634, 5636, 5638,
995, 1003, 1042,	4072, 4166, 4167,	5639, 5644, 5645,
1043, 1045, 1050,	4168, 4169, 4170,	5646, 5647, 5648,
1052, 1057, 1058,	4171, 4173, 4174,	5653, 5654, 5661,
1087, 1232, 1244,	4192, 4193, 4196,	5663, 5666, 5671,
1245, 1253, 1292,	4197, 4198, 4199,	5673, 5679, 5680,
1293, 1295, 1300,	4200, 4201, 4202,	5681, 5682, 5686,
1302, 1307, 1309,	4203, 4204, 4205,	5689, 5691, 5692,
1337, 1357, 1367,	4206, 4207, 4208,	5696, 5698, 5699,
1368, 1371, 1377,	4324, 4393, 4413,	5702, 5712, 5754,
1405, 1418, 1419,	4414, 4417, 4423,	5755, 5756, 5759,
1422, 1435, 1443,		
1451, 1452, 1455,		



5769, 5776, 5778,
5783, 5795, 5802,
5804, 5808, 5809,
5816, 5818, 5821,
5826, 5833, 5835,
5902, 5905, 5914,
5917, 6069, 6080,
6119, 6232, 6242,
6255, 6309, 6319,
6321, 6326, 6331,
6337, 6338, 6341,
6348, 6356, 6371,
6444, 6535, 6556,
6560, 6573, 6653,
6722, 6740, 6746,
6783, 6908, 6910,
6911, 6912, 6921,
6923, 6924, 6925,
6929, 6931, 6937,
6938, 6965, 6979,
6982, 6986, 6990,
7003, 7009, 7023,
7026, 7030, 7034,
7047, 7053, 7067,
7070, 7074, 7078,
7091, 7143, 7158,
7163, 7289, 7291,
7319, 7337, 7355,
7376, 7405, 7434,
7654, 7691, 7699,
7928, 8066, 8067,
8069, 8087, 8088,
8091, 8101, 8102,
8103, 8104, 8110,
8113, 8124, 8125,
8126, 8136, 8162,
8166, 8173, 8195,
8214, 8215, 8216,
8222, 8245, 8248,
8251, 8255, 8258,
8261, 8264, 8271,
8278, 8288, 8289,
8290, 8300, 8304,
8307, 8312, 8313,
8314, 8316, 8325,
8331, 8352, 8353,
8477, 8509, 8510,
8518, 8665, 8686,
8687, 8695, 8735,
8755, 8827, 8828,
8859, 8930, 8944,
8977, 8981, 8993,
9006, 9013, 9017,
9020, 9083, 9086,

9089, 9121, 9128,
9131, 9138, 9146,
9152, 9159, 9160,
9162, 9276, 9289,
9292, 9293, 9298,
9305, 9310, 9314,
9377, 9436, 9438,
9440, 9962, 9966,
9969, 9987, 9990,
10008, 10065,
10242, 10306,
10333, 10335,
10340, 10371,
10372, 10445,
10494, 10513,
10536, 10586,
10587, 10616,
10683, 10684,
10715, 10762,
10777, 10810,
10888, 10915,
10929, 10943,
10957, 10968,
10979, 11008,
11009, 11010,
11018, 11019,
11020, 11137,
11208, 11218,
11228, 11254,
11266, 11279,
11290, 11295,
11317, 11326,
11335, 11360,
11371, 11383,
11393, 11398,
11420, 11430,
11440, 11466,
11478, 11491,
11502, 11507,
11529, 11539,
11549, 11575,
11587, 11600,
11611, 11616,
11638, 11648,
11658, 11684,
11696, 11709,
11720, 11725,
11747, 11757,
11767, 11793,
11805, 11818,
11829, 11834,
11856, 11866,
11876, 11902,
11914, 11927,

11938, 11943,
11965, 11975,
11985, 12011,
12023, 12036,
12047, 12052,
12074, 12084,
12094, 12120,
12132, 12145,
12156, 12161,
12211, 12243,
12305, 12340,
12352, 12364,
12395, 12414,
12428, 12446,
12456, 12465,
12474, 12566,
12601, 12613,
12644, 12686,
12687, 12716,
12747, 12779,
12785, 12792,
12828, 12902,
12913, 12961,
13065, 13152,
13156, 13158,
13160, 13162,
13164, 13166,
13167, 13169,
13173, 13182,
13184, 13191,
13192, 13209,
13212, 13218,
13221, 13229,
13230, 13231,
13237, 13254,
13270, 13298,
13312, 13326,
13340, 13346,
13352, 13359,
13372, 13376,
13380, 13386,
13391, 13395,
13474, 13488,
13490, 13492,
13494, 13502,
13607, 13617,
13648, 13656,
13705, 13758,
13794, 13882,
13890, 13896,
13905, 13907,
13923, 13934,
13935, 13937,
13950, 13951,



13953,	13969,	15826,	15833,	18247,	18249,
13971,	13974,	15843,	15851,	18254,	18256,
13976,	13977,	15917,	15918,	18261,	18263,
13992,	13999,	16521,	16523,	18293,	18315,
14059,	14060,	16573,	16575,	18428,	18457,
14061,	14062,	16623,	16634,	18459,	18500,
14071,	14073,	16645,	16664,	18502,	18537,
14109,	14361,	16764,	16861,	18625,	18687,
14388,	14399,	16869,	16902,	18688,	18719,
14410,	14421,	16914,	16926,	18790,	18802,
14431,	14442,	16940,	16973,	18828,	18832,
14453,	14464,	16987,	17022,	18875,	18922,
14479,	14494,	17026,	17057,	18925,	18932,
14511,	14537,	17061,	17065,	18935,	18943,
14554,	14562,	17069,	17073,	18950,	18953,
14575,	14592,	17075,	17081,	18980,	19010,
14600,	14608,	17085,	17089,	19012,	19041,
14625,	14633,	17093,	17097,	19061,	19315,
14639,	14656,	17099,	17261,	19316,	19368,
14664,	14670,	17275,	17277,	19375,	19401,
14687,	14695,	17284,	17290,	19564,	19581,
14703,	14717,	17370,	17422,	19583,	19719,
14721,	14735,	17426,	17430,	19749,	19751,
14743,	14750,	17432,	17448,	19781,	19801,
14758,	14761,	17460,	17474,	20055,	20129,
14764,	14798,	17524,	17530,	20136,	20162,
14830,	14859,	17537,	17656,	20326,	20343,
14886,	14889,	17657,	17659,	20345,	20492,
14891,	14894,	17660,	17666,	20522,	20524,
14903,	14904,	17667,	17668,	20554,	20574,
14908,	14910,	17678,	17688,	20828,	20894,
14911,	14912,	17696,	17704,	20901,	20927,
14914,	14923,	17705,	17706,	21091,	21108,
14925,	15016,	17707,	17708,	21110,	21245,
15020,	15029,	17709,	17714,	21249,	21266,
15030,	15031,	17715,	17718,	21287,	21290,
15033,	15037,	17720,	17721,	21305,	21310,
15039,	15044,	17722,	17723,	21313,	21336,
15047,	15068,	17725,	17726,	21340,	21344,
15080,	15116,	17739,	17745,	21354,	21370,
15117,	15135,	17752,	17753,	21376,	21384,
15152,	15154,	17754,	17755,	21405,	21414,
15155,	15162,	17756,	17758,	21415,	21431,
15167,	15177,	17759,	17865,	21435,	21438,
15226,	15228,	17886,	17892,	21442,	21445,
15328,	15344,	17912,	17913,	21475,	21520,
15345,	15377,	18034,	18057,	21554,	21576,
15378,	15382,	18058,	18066,	21582,	21585,
15384,	15690,	18105,	18106,	21587,	21590,
15702,	15706,	18108,	18113,	21614,	22317,
15707,	15708,	18115,	18120,	22341,	22948,
15715,	15743,	18122,	18150,	22969,	22971,
15771,	15779,	18196,	18197,	23127,	23170,
15782,	15787,	18205,	18246,	23173,	23179,



23183,	23202,	24232, 24283, 24285 22405,
23208,	23211,	\default@color 9128, 23208	22407, 22409,
23233,	23242,	\DefaultFindent .. 15124	22413, 22415,
23248,	23254,	\DefaultLhang 15120	22417, 22419, 22421
23276,	23282,	\DefaultLoversize 15121	\DefineTOCEntryIfOption
23291,	23295,	\DefaultLraise ... 15122 22397,
23299,	23300,	\DefaultNindent .. 15125	22399, 22403, 22439
23301,	23304,	\DefaultOptionsFile	\DefineTOCEntryLengthOption
23309,	23315,	. 15144, 15147, 15150	.. 21984, 21986,
23316,	23317,	\DefaultSlope 15126	22145, 22395,
23327,	23337,	\defbeamertemplate	22411, 22423,
23346,	23357, 1526,	22425, 22441, 22443
23358,	23367,	1540, 1543, 1562,	\DefineTOCEntryListOption
23368,	23377,	1580, 1585, 1592, 22401
23378,	23383,	1615, 1636, 1657,	\DefineTOCEntryOption
23384,	23387,	1684, 1702, 1708, 22427
23389,	23390,	1721, 1730, 1739,	\DefNewDummy .. 5538, 5555
23391,	23392,	2469, 2472, 2490,	\delimiter 13471
23394,	23396,	2491, 2492, 2496,	\DEPTH 21478, 21485
23398,	23399,	2503, 2510, 2519,	\depth 13899,
23412,	23414,	2538, 2553, 2568,	16464, 16471, 16496
23419,	23421,	2585, 2612, 2616,	\depthof 10313,
23427,	23429,	2643, 2652, 2655,	10318, 10327,
23436,	23438,	2664, 2667, 2676,	10328, 10332, 10337
23441,	23443,	2710, 2736, 2764,	\descriptionlabel . 7732
23444,	23445,	2800, 2830, 2878,	\DetectColumn 23672, 23676
23446,	23448,	2912, 2935, 2991,	\detokenize 4646,
23458,	23495,	3030, 3079, 3126, 3172	4648, 5091, 5093,
23561,	23571,	\deffootnote .. 18978,	5094, 5121, 5136,
23574,	23577,	19043, 19717,	5153, 5156, 5164,
23582,	23583,	19783, 20490, 20556	5166, 5237, 5238, 6115
23584,	23585,	\define@choicekey .	\dfn@afteroutput ..
23586,	23588,	3412, 3418, 3424, 10057,
23591,	23601,	3430, 3436, 3442,	10060, 10109, 10112
23606,	23609,	3454, 3460, 3466,	\dfn@boxa . 9966, 9971,
23629,	23632,	3473, 3487, 3494,	9974, 9978, 9979,
23642,	23643,	3504, 23002, 23010	9980, 9987, 9992,
23644,	23645,	\define@key 3396, 3399,	9995, 9999, 10000,
23646,	23666,	3402, 3405, 23000	10001, 10014,
23668,	23701,	\definecolor	10021, 10024,
23708,	23755,	3759, 3760, 3761,	10026, 10033,
23855,	23869,	3762, 3763, 4165,	10041, 10071,
23872,	23876,	4172, 9769, 9774,	10078, 10081,
23880,	23893,	9777, 9778, 9779,	10083, 10087, 10095
23899,	23913,	9781, 9782, 9785,	\dfn@boxb 9980,
23916,	23920,	9786, 9788, 9789,	10001, 10018,
23924,	23937,	9792, 9793, 9795,	10019, 10026,
23943,	23983,	9796, 9799, 9800,	10031, 10075,
23987,	23988,	9802, 9803, 9806,	10076, 10083, 10086
23989,	23990,	9807, 9872, 9873,	\dfn@countins 10010, 10067
24000,	24086,	9878, 9879, 9884,	\dfn@dima 9971,
24098,	24099,	9885, 9890, 9891,	9972, 9973, 9984,
24101,	24224,	9896, 9897, 10438	9992, 9993, 9994,
24226,	24230,	\DefineTOCEntryCommandOption	10005, 10009,



10026, 10046,	\dfn@RTLmakecol ...	\diagbox@triple@pict@SW
10066, 10083, 10098	. 10008, 10117, 10118 10222
\dfn@dimb 10046,	\dfn@split 9980,	\diagbox@triple@setbox@NE
10047, 10049,	10001, 10014, 10187
10050, 10052,	10026, 10071, 10083	\diagbox@triple@setbox@NW
10098, 10099,	\DFNalwaysdouble . 10120 10142,
10101, 10102, 10104	\DFNcolumnsep	10145, 10148, 10163
\dfn@elt@adjust 10029, 10042, 10086	\diagbox@triple@setbox@SE
..... 10046, 10098	\DFNcolumnwidth 9963, 10164,
\dfn@elt@getht	9968, 9989, 10028,	10167, 10170, 10187
..... 10011, 10068	10030, 10033,	\diagbox@triple@setbox@SW
\dfn@fnht	10043, 10085, 10087 10163
10003, 10044,	\diagbox@double ...	\diagbox@wd ... 10190,
10047, 10053, 10122, 10125	10193, 10198, 10201
10054, 10055,	\diagbox@double@pict@NE	\DigitsDotDashInterCharToks
10096, 10099, 10196, 10203 3536, 3537
10105, 10106, 10107	\diagbox@double@pict@NW	\dim 16138, 16139,
\dfn@fnmaxdp 10195	16462, 16463, 16464
.... 9970, 9975,	\diagbox@double@pict@SE	\dimen 3358, 3643, 11101,
9980, 9991, 9996, 10188, 10195	11165, 11185,
10001, 10023,	\diagbox@double@pict@SW	11186, 11187,
10026, 10080, 10083 10203	11195, 11304,
\dfn@footnoterule .	\diagbox@font	11407, 11516,
..... 10064, 10116	. . 10123, 10126,	11625, 11734,
\dfn@footnotetext . 9965	10130, 10132,	11843, 11952,
\dfn@gobble ... 9967, 9988	10137, 10139,	12061, 12220,
\dfn@ins	10143, 10146,	12226, 12278,
9976, 9977, 9979,	10149, 10153,	12284, 13652,
9996, 9997, 9998,	10155, 10159, 10161	16959, 16966,
10000, 10014,	\diagbox@ht ... 10190,	16967, 16975,
10015, 10071, 10072	10193, 10198, 10201	16976, 16981,
\dfn@latex@footnotetext	\diagbox@insepl 10123,	16982, 16995,
..... 9964	10130, 10132,	16996, 17003,
\dfn@latex@LTRfootnotetext	10143, 10146,	17004, 23992, 23995
..... 9970, 9985	10153, 10155,	\dimen@ ... 9124, 9125,
\dfn@latex@makecol	10165, 10175, 10177	12505, 12507,
..... 10063, 10115	\diagbox@insepr 10126,	13510, 13511,
\dfn@latex@RTLfootnotetext	10137, 10139,	13512, 13522,
..... 9991, 10006	10149, 10159,	13523, 13524,
\dfn@list	10161, 10168,	13527, 13528,
10005, 10012,	10171, 10182, 10184	13529, 13535,
10045, 10047,	\diagbox@setlinecolor	13545, 13547,
10050, 10056, 10189,	13556, 13558,
10069, 10097,	10192, 10197,	13565, 13566,
10099, 10102, 10108	10200, 10205,	13567, 13568,
\dfn@LTRfootnotetext	10209, 10214,	15794, 15795,
..... 9966, 9986	10218, 10223,	15796, 17076,
\dfn@LTRmakecol ...	10227, 10232, 10236	17077, 17082,
. 10065, 10117, 10119	\diagbox@triple@pict@NE	17083, 17086,
\dfn@makecol 10213	17087, 17727,
. 10117, 10118, 10119	\diagbox@triple@pict@NW	17732, 21268,
\dfn@makefnmark 9969, 9990 10204	21270, 21276,
\dfn@RTLfootnotetext	\diagbox@triple@pict@SE	21282, 23141,
..... 9987, 10007 10231	23142, 23143,



23144, 23145,	12762, 12763,	15175, 15726,
23146, 23205, 23206	13898, 13899,	15896, 15899,
<code>\dimen@i</code> 21269,	17157, 17161,	16959, 16975,
21270, 21275, 21281	17571, 17572, 21350	16976, 16981,
<code>\dimen@ii</code> 13560,	<code>\do</code> . . 319, 320, 321, 322,	16982, 16995,
13561, 13562,	323, 324, 4025,	16996, 17003,
13568, 13570,	6099, 6159, 6174,	17004, 17551,
13573, 13574, 13575	6195, 6198, 7184,	17552, 17553,
<code>\dimexpr</code> . 28, 232, 731,	7189, 7203, 7208,	17727, 17771,
965, 1211, 2550,	7222, 7227, 7250,	18841, 18883,
2565, 2580, 4597,	7259, 9294, 12750,	18886, 18940,
4600, 4887, 4891,	15231, 22266, 22662	18947, 19451,
4901, 4910, 8489,	<code>\do@hvFloat</code> 14059	19453, 19547,
8642, 9458, 9520,	<code>\document</code> 5279, 5295	19549, 20212,
9521, 9523, 9549,	<code>\documentclass</code> . 6082,	20214, 20308,
9558, 9582, 9612,	6085, 13805, 13815	20310, 20977,
15035, 15888,	<code>\doloopbody</code> 5724, 5725,	20979, 21073,
15897, 16862,	5769, 5842, 5849,	21075, 21317,
17071, 18017,	5856, 5859, 5861,	21352, 21364,
18440, 19000,	5865, 5867, 5869, 5873	21478, 21480,
19046, 19053,	<code>\donotcoloroutermaths</code>	23197, 23206,
19056, 19082,	. . . 2490, 2491, 2492	23207, 23614,
19083, 19084,	<code>\doubleitemmaincolumnwidth</code>	23964, 23971, 24058
19085, 19087,	4214, 4227, 4228,	<code>\dquad</code> 9015, 9017
19739, 19786,	4229, 4230, 4254, 4256	<code>\draw</code> 23021,
19793, 19796,	<code>\doublerulesepcolor</code> 1469	23028, 23032,
19822, 19823,	<code>\downto</code> value . . . 5722,	23055, 23065,
19824, 19825,	5734, 5816, 5855	23073, 23076,
19827, 20512,	<code>\dp</code> . 40, 54, 70, 243, 257,	23079, 23082,
20559, 20566,	272, 389, 1462,	23094, 23099,
20569, 20595,	1779, 1784, 1893,	23106, 23112, 23113
20596, 20597,	1974, 1978, 1998,	<code>\dseries@display@setup</code>
20598, 20600,	2009, 2027, 2038, 9007
22131, 22344,	3383, 3660, 9125,	
22352, 22361,	9126, 9458, 9501,	E
22363, 23528,	9503, 9506, 9508,	<code>\edef</code> 123,
23530, 23531,	9569, 9570, 9585,	359, 1384, 1438,
23532, 23537,	9587, 9971, 9992,	1446, 2233, 2234,
23539, 23540,	10019, 10038,	2259, 2260, 2285,
23541, 23546,	10040, 10076,	2286, 3253, 3281,
23548, 23549,	10092, 10094,	3580, 3608, 3912,
23550, 23555,	10312, 10317,	3927, 3955, 3958,
23557, 23558, 23559	10330, 10336,	3961, 4362, 4400,
<code>\DiscardVskip</code> 15127	10450, 10455,	4403, 4416, 4420,
<code>\display@setup</code> 8982, 9007	10459, 10462,	4427, 4440, 4444,
<code>\displayindent</code> 9023	11106, 12174,	4451, 4644, 4647,
<code>\displaystyle</code> 12876, 12892	12505, 12513,	4681, 4703, 4731,
<code>\displaywidth</code> . . 9023,	12761, 12774,	4757, 4785, 4811,
10309, 10311,	13243, 13260,	4848, 4974, 4975,
10316, 12895, 15091	13276, 13765,	4978, 4979, 4996,
<code>\divide</code> 5864,	13770, 13870,	4997, 5000, 5001,
8074, 11186,	13911, 13912,	5090, 5095, 5105,
12262, 12263,	13915, 13957,	5120, 5123, 5136,
12324, 12325,	13958, 13961,	5140, 5145, 5152,



5155, 5162, 5165,	23617, 23681, 23695	693, 694, 697, 707,
5171, 5174, 5230,	<code>\EdefEscapeName</code> . . . 14862	754, 763, 771, 795,
5236, 5239, 5401,	<code>\egroup</code> 179,	799, 801, 812, 815,
5442, 5452, 5530,	185, 382, 406,	858, 869, 872, 875,
5539, 5601, 5656,	641, 1200, 1367,	876, 882, 892, 895,
5659, 5686, 5689,	1368, 1485, 1890,	896, 899, 909, 920,
5693, 5777, 5782,	2084, 2096, 2098,	931, 939, 943, 952,
5783, 5805, 5810,	2312, 2334, 2357,	970, 1006, 1015,
5822, 5827, 5920,	2619, 2626, 2632,	1023, 1047, 1051,
5928, 5938, 6070,	2638, 2729, 2851,	1053, 1064, 1067,
6113, 6157, 6179,	2887, 2895, 2926,	1110, 1121, 1125,
6193, 6221, 6313,	2950, 3950, 3951,	1128, 1131, 1132,
6325, 6332, 6349,	4076, 8163, 8367,	1137, 1148, 1159,
7153, 7298, 7309,	9026, 9107, 11152,	1174, 1177, 1178,
8246, 8249, 8252,	12881, 12882,	1181, 1191, 1195,
10362, 10365,	12896, 13370,	1196, 1200, 1220,
12903, 12909,	13582, 13586,	1256, 1265, 1273,
13014, 13016,	15806, 15809,	1297, 1301, 1303,
13017, 13018,	16870, 17508,	1314, 1317, 1354,
13103, 13124,	17518, 17539,	1359, 1360, 1373,
13408, 13414,	17670, 17676,	1378, 1379, 1380,
13542, 14531,	17680, 17686,	1382, 1383, 1386,
14538, 14569,	17690, 17694,	1387, 1388, 1390,
14576, 14609,	17698, 17702,	1391, 1392, 1393,
14640, 14671,	17765, 17950,	1394, 1395, 1396,
15081, 15233,	18400, 21310,	1399, 1400, 1401,
15235, 15241,	21311, 21336,	1421, 1422, 1423,
15243, 15780,	21342, 22867,	1424, 1425, 1426,
15783, 17273,	23319, 23325,	1428, 1429, 1430,
17417, 17436,	23329, 23335,	1431, 1432, 1505,
17439, 17465,	23339, 23344,	1513, 1568, 1598,
17901, 18837,	23348, 23353,	1621, 1642, 1663,
18880, 19073,	23419, 23427,	1777, 1794, 1815,
19353, 19408,	23428, 23606, 23607	1853, 1865, 1892,
19417, 19813,	<code>\weightcolumnfootnotes</code>	1893, 1903, 1909,
20114, 20169, 11837	1938, 1946, 1955,
20178, 20586,	<code>\reject</code> 13513, 13582, 13602	1963, 2001, 2030,
20879, 20934,	<code>\else</code> 4, 12, 13, 25, 36, 87,	2085, 2100, 2121,
20943, 21320,	104, 116, 134, 136,	2171, 2173, 2242,
21345, 21359,	151, 155, 159, 167,	2268, 2294, 2327,
21377, 21432,	175, 182, 191, 199,	2368, 2397, 2424,
21439, 21452,	207, 208, 224, 239,	2427, 2432, 2439,
21916, 22265,	290, 305, 309, 340,	2452, 2460, 2479,
22287, 22448,	353, 354, 355, 357,	2624, 2630, 2636,
22481, 22488,	358, 361, 362, 363,	2696, 2698, 2742,
22493, 22580,	365, 366, 367, 368,	2749, 2777, 2817,
22731, 22763,	369, 372, 373, 374,	2834, 2841, 2852,
22867, 22980,	398, 404, 450, 461,	2862, 2901, 2916,
23217, 23222,	464, 513, 530, 533,	2923, 2951, 3000,
23231, 23246,	534, 554, 557, 572,	3011, 3021, 3042,
23250, 23260,	593, 604, 609, 620,	3049, 3097, 3106,
23265, 23274,	624, 632, 636, 637,	3116, 3137, 3144,
23280, 23293,	641, 645, 648, 649,	3179, 3188, 3199,
23297, 23514,	654, 665, 676, 690,	3207, 3218, 3232,



3287, 3293, 3299,
3343, 3345, 3354,
3365, 3368, 3371,
3546, 3549, 3614,
3628, 3630, 3639,
3649, 3896, 3902,
3908, 3923, 4006,
4014, 4019, 4029,
4268, 4269, 4270,
4272, 4308, 4375,
4381, 4402, 4405,
4424, 4432, 4448,
4456, 4472, 4542,
4550, 4556, 4562,
4568, 4574, 4580,
4586, 4592, 4605,
4613, 4617, 4623,
4631, 4635, 4657,
4664, 4716, 4741,
4770, 4795, 4827,
4861, 4890, 4925,
5129, 5463, 5476,
5477, 5490, 5491,
5493, 5495, 5503,
5505, 5527, 5541,
5594, 5598, 5604,
5610, 5650, 5819,
5828, 5879, 5903,
5918, 5983, 5995,
6027, 6038, 6076,
6088, 6089, 6106,
6115, 6160, 6175,
6178, 6205, 6206,
6220, 6501, 6507,
6702, 6705, 6708,
6711, 6741, 6969,
6975, 7007, 7013,
7019, 7057, 7063,
7242, 7639, 7640,
7928, 8013, 8066,
8079, 8088, 8178,
8199, 8224, 8297,
8317, 8318, 8333,
8338, 8342, 8384,
8395, 8399, 8402,
8405, 8406, 8411,
8422, 8431, 8445,
8448, 8449, 8453,
8465, 8521, 8530,
8538, 8561, 8572,
8576, 8579, 8582,
8583, 8588, 8599,
8608, 8622, 8625,
8626, 8630, 8653,

8698, 8707, 8715,
8737, 8748, 8750,
8771, 8782, 8823,
8834, 8837, 8886,
8901, 8904, 8905,
8932, 8946, 8955,
8962, 8985, 9015,
9041, 9066, 9073,
9122, 9127, 9165,
9166, 9172, 9190,
9213, 9236, 9259,
9284, 9285, 9287,
9299, 9304, 9306,
9308, 9328, 9333,
9351, 9367, 9391,
9396, 9410, 9426,
9445, 9461, 9482,
9522, 9533, 9547,
9550, 9556, 9588,
9596, 9599, 9602,
9618, 9621, 9624,
9649, 9678, 9712,
9716, 9731, 9739,
9831, 9913, 9927,
9972, 9976, 9978,
9993, 9997, 9999,
10008, 10013,
10022, 10033,
10037, 10045,
10065, 10070,
10079, 10087,
10091, 10097,
10117, 10131,
10138, 10154,
10160, 10176,
10183, 10245,
10255, 10258,
10261, 10281,
10284, 10287,
10291, 10315,
10397, 10412,
10427, 10428,
10429, 10430,
10457, 10473,
10476, 10477,
10487, 10498,
10501, 10514,
10524, 10582,
10593, 10596,
10679, 10690,
10693, 10741,
10764, 10779,
10788, 10795,
10816, 10817,

10819, 10824,
10830, 10832,
10836, 10914,
10955, 11026,
11029, 11038,
11041, 11050,
11053, 11074,
11078, 11082,
11088, 11113,
11121, 11129,
11142, 11207,
11252, 11316,
11358, 11419,
11464, 11528,
11573, 11637,
11681, 11746,
11790, 11855,
11900, 11964,
12009, 12073,
12118, 12252,
12256, 12273,
12294, 12314,
12318, 12335,
12390, 12399,
12502, 12543,
12557, 12577,
12592, 12595,
12596, 12603,
12615, 12632,
12682, 12693,
12696, 12755,
12805, 12810,
12841, 12846,
12871, 12884,
12901, 12928,
12932, 12953,
13059, 13063,
13089, 13113,
13195, 13198,
13238, 13289,
13327, 13328,
13344, 13362,
13436, 13439,
13448, 13451,
13460, 13463,
13473, 13491,
13493, 13509,
13514, 13534,
13563, 13569,
13585, 13592,
13597, 13610,
13640, 13674,
13679, 13723,
13728, 13762,



13763,	13768,	14324,	14330,	15601,	15604,
13785,	13786,	14345,	14355,	15607,	15610,
13788,	13796,	14364,	14375,	15613,	15616,
13797,	13807,	14395,	14406,	15619,	15622,
13826,	13830,	14417,	14435,	15625,	15628,
13832,	13841,	14446,	14457,	15631,	15634,
13843,	13851,	14468,	14483,	15637,	15640,
13866,	13890,	14498,	14558,	15643,	15646,
13892,	13895,	14596,	14629,	15649,	15652,
13896,	13897,	14660,	14691,	15655,	15658,
13903,	13905,	14744,	14756,	15661,	15664,
13913,	13919,	14759,	14776,	15667,	15670,
13922,	13925,	14785,	14795,	15673,	15676,
13932,	13939,	14810,	14818,	15679,	15682,
13941,	13947,	14827,	14841,	15685,	15693,
13951,	13954,	14856,	14870,	15694,	15695,
13959,	13965,	14882,	15008,	15696,	15719,
13968,	13981,	15026,	15046,	15748,	15758,
13984,	13987,	15049,	15057,	15791,	15806,
13993,	14000,	15058,	15074,	15808,	15819,
14010,	14023,	15096,	15097,	15829,	15836,
14032,	14040,	15099,	15104,	15906,	16527,
14047,	14050,	15128,	15129,	16530,	16541,
14053,	14072,	15130,	15131,	16542,	16543,
14075,	14081,	15140,	15145,	16544,	16545,
14082,	14085,	15158,	15183,	16546,	16575,
14092,	14094,	15192,	15227,	16591,	16597,
14100,	14111,	15234,	15242,	16603,	16628,
14119,	14121,	15262,	15272,	16638,	16660,
14122,	14123,	15280,	15310,	16678,	16694,
14126,	14131,	15321,	15339,	16707,	16720,
14137,	14139,	15349,	15355,	16724,	16778,
14140,	14141,	15392,	15471,	16794,	16807,
14144,	14154,	15474,	15477,	16820,	16824,
14156,	14169,	15480,	15483,	16880,	16888,
14175,	14178,	15486,	15489,	16894,	16903,
14182,	14188,	15492,	15495,	16905,	16909,
14191,	14194,	15499,	15502,	16910,	16915,
14200,	14205,	15505,	15508,	16917,	16922,
14208,	14212,	15511,	15514,	16927,	16929,
14214,	14217,	15517,	15520,	16934,	16944,
14221,	14223,	15523,	15526,	16957,	17019,
14225,	14229,	15529,	15532,	17042,	17047,
14234,	14238,	15535,	15538,	17052,	17097,
14245,	14250,	15541,	15544,	17099,	17115,
14254,	14261,	15547,	15550,	17122,	17158,
14266,	14270,	15553,	15556,	17162,	17166,
14274,	14276,	15559,	15562,	17245,	17250,
14279,	14283,	15565,	15568,	17283,	17289,
14285,	14287,	15571,	15574,	17297,	17300,
14291,	14295,	15577,	15580,	17324,	17344,
14299,	14305,	15583,	15586,	17359,	17407,
14308,	14312,	15589,	15592,	17438,	17462,
14318,	14321,	15595,	15598,	17520,	17534,



17568,	17594,	18746,	18761,	19953,	19960,
17632,	17633,	18764,	18765,	19976,	19977,
17634,	17660,	18792,	18804,	19981,	19982,
17714,	17715,	18813,	18845,	19988,	19990,
17718,	17722,	18890,	18924,	19991,	19995,
17723,	17726,	18926,	18930,	19996,	20003,
17728,	17734,	18934,	18936,	20005,	20006,
17752,	17753,	18941,	18945,	20010,	20011,
17758,	17766,	18948,	18952,	20018,	20055,
17775,	17785,	18954,	18958,	20060,	20082,
17791,	17794,	18985,	18993,	20090,	20091,
17801,	17803,	19005,	19018,	20104,	20119,
17809,	17820,	19021,	19031,	20135,	20145,
17822,	17833,	19047,	19054,	20152,	20153,
17835,	17846,	19060,	19098,	20154,	20156,
17848,	17857,	19113,	19117,	20190,	20193,
17859,	17878,	19120,	19127,	20219,	20225,
17898,	17912,	19134,	19140,	20270,	20281,
17913,	17918,	19161,	19177,	20291,	20320,
17929,	17933,	19178,	19185,	20331,	20349,
17941,	17945,	19194,	19201,	20379,	20497,
17946,	17950,	19203,	19207,	20505,	20517,
17954,	17957,	19213,	19220,	20530,	20534,
17958,	17963,	19236,	19237,	20544,	20560,
17974,	17983,	19241,	19242,	20567,	20573,
17997,	18000,	19248,	19250,	20611,	20626,
18001,	18005,	19251,	19255,	20630,	20633,
18022,	18069,	19256,	19263,	20640,	20647,
18078,	18086,	19265,	19266,	20653,	20674,
18110,	18114,	19270,	19271,	20690,	20691,
18116,	18127,	19278,	19315,	20698,	20707,
18130,	18173,	19316,	19329,	20714,	20716,
18184,	18208,	19331,	19343,	20720,	20726,
18217,	18225,	19358,	19374,	20733,	20749,
18251,	18255,	19384,	19391,	20750,	20754,
18257,	18268,	19392,	19393,	20755,	20761,
18271,	18312,	19395,	19429,	20763,	20764,
18317,	18318,	19432,	19458,	20768,	20769,
18326,	18329,	19464,	19509,	20776,	20778,
18330,	18335,	19520,	19530,	20779,	20783,
18346,	18355,	19558,	19569,	20784,	20791,
18369,	18372,	19587,	19617,	20828,	20855,
18373,	18377,	19724,	19732,	20856,	20869,
18383,	18391,	19744,	19757,	20884,	20900,
18395,	18396,	19761,	19771,	20910,	20917,
18400,	18416,	19787,	19794,	20918,	20919,
18445,	18496,	19800,	19838,	20921,	20955,
18512,	18515,	19853,	19857,	20958,	20984,
18561,	18576,	19860,	19867,	20990,	21035,
18579,	18580,	19874,	19880,	21046,	21056,
18585,	18586,	19901,	19917,	21085,	21096,
18610,	18632,	19918,	19925,	21114,	21144,
18643,	18683,	19934,	19941,	21239,	21242,
18694,	18697,	19943,	19947,	21278,	21295,



21328,	21341,	22316,	22320,	23589,	23590,
21349,	21362,	22433,	22753,	23594,	23596,
21367,	21446,	22767,	22771,	23610,	23627,
21447,	21448,	22794,	22809,	23632,	23633,
21450,	21451,	22819,	22823,	23634,	23635,
21454,	21455,	22833,	22834,	23636,	23637,
21456,	21457,	22835,	22836,	23638,	23639,
21458,	21459,	22841,	22843,	23642,	23643,
21460,	21462,	22844,	22852,	23647,	23649,
21463,	21464,	22858,	22875,	23654,	23683,
21465,	21466,	22885,	22891,	23692,	23702,
21469,	21470,	22897,	22900,	23722,	23727,
21471,	21534,	22911,	22949,	23769,	23774,
21551,	21558,	22951,	22956,	23799,	23806,
21560,	21565,	22965,	22970,	23822,	23833,
21570,	21571,	22972,	22979,	23844,	23859,
21574,	21579,	22986,	23017,	23865,	23903,
21583,	21584,	23024,	23029,	23909,	23947,
21599,	21623,	23035,	23046,	23949,	23959,
21627,	21637,	23049,	23060,	23975,	23977,
21643,	21649,	23067,	23081,	23980,	23984,
21654,	21660,	23131,	23138,	23993,	24022,
21670,	21682,	23139,	23141,	24025,	24028,
21690,	21695,	23149,	23157,	24034,	24055,
21696,	21697,	23159,	23160,	24071,	24091,
21705,	21712,	23171,	23175,	24098,	24099,
21726,	21727,	23180,	23189,	24216,	24224, 24230
21728,	21736,	23195,	23203,	\em	7732
21745,	21749,	23207,	23216,	\email	322, 4204
21750,	21751,	23235,	23240,	\emailink 4286, 9846, 9944	
21759,	21766,	23259,	23284,	\emailsymbol	
21767,	21768,	23289,	23309,	. . . 4164, 9846, 9944	
21776,	21783,	23355,	23356,	\empty	13423,
21784,	21785,	23383,	23384,	13426, 14072, 21248	
21793,	21800,	23387,	23391,	\EmptyTokenList . . .	5645
21801,	21802,	23392,	23451,	\end	179, 186, 429,
21810,	21817,	23470,	23473,	432, 435, 500, 503,	
21818,	21819,	23478,	23481,	766, 774, 777, 847,	
21827,	21834,	23484,	23487,	850, 1018, 1026,	
21835,	21836,	23490,	23504,	1029, 1099, 1102,	
21844,	21852,	23512,	23517,	1268, 1276, 1279,	
21853,	21854,	23518,	23519,	1350, 1353, 1358,	
21862,	21871,	23529,	23530,	1359, 1360, 1536,	
21872,	21873,	23532,	23538,	1695, 1772, 1809,	
21881,	21891,	23539,	23541,	1823, 1902, 2074,	
21892,	21893,	23547,	23548,	2106, 2543, 2558,	
21901,	21911,	23550,	23556,	2573, 2621, 2627,	
21926,	21927,	23557,	23559,	2633, 2639, 2716,	
21928,	21936,	23567,	23568,	2719, 2730, 2746,	
21958,	21976,	23569,	23570,	2753, 2767, 2770,	
21977,	21978,	23573,	23576,	2773, 2782, 2785,	
22116,	22228,	23579,	23582,	2855, 2869, 2920,	
22248,	22258,	23583,	23584,	2927, 2956, 2965,	
22264,	22268,	23585,	23587,	2971, 2972, 3006,	



3007, 3008, 3016,	18231, 18308,	3961, 3977, 3985,
3026, 3037, 3054,	18311, 18316,	3993, 4048, 4335,
3064, 3065, 3066,	18317, 18318,	4338, 4341, 4343,
3090, 3091, 3092,	18475, 18478,	4346, 4348, 4351,
3102, 3112, 3122,	18481, 18553,	4359, 4360, 4365,
3133, 3148, 3158,	18662, 18665,	4373, 4374, 4376,
3159, 3160, 3175,	18668, 18733,	4378, 4380, 4383,
3184, 3203, 3222,	18736, 18833,	4384, 4389, 4390,
3224, 3696, 3845,	18876, 19062,	4419, 4420, 4443,
3856, 3857, 4252,	19130, 19147,	4444, 4471, 4499,
4254, 4256, 4258,	19155, 19170,	4503, 4513, 4521,
4260, 4264, 4272,	19174, 19202,	4529, 4537, 4539,
4275, 4325, 4416,	19339, 19802,	4541, 4545, 4546,
4424, 4426, 4427,	19870, 19887,	4603, 4609, 4610,
4433, 4440, 4448,	19895, 19910,	4652, 4662, 4668,
4450, 4451, 4457,	19914, 19942,	4669, 4671, 4672,
5350, 5351, 5372,	20100, 20575,	4674, 4675, 4677,
5396, 6541, 6542,	20643, 20660,	4679, 4681, 4683,
6547, 6550, 6627,	20668, 20683,	4885, 4886, 4888,
6628, 6635, 6636,	20687, 20715,	4889, 4892, 4893,
6643, 6644, 6664,	20865, 21401,	4902, 4903, 4937,
6665, 6703, 6706,	21597, 23021,	4938, 4960, 4961,
6709, 6712, 6719,	23028, 23038,	5016, 5017, 5018,
6720, 6903, 6904,	23043, 23056,	5019, 5025, 5026,
7523, 7579, 7586,	23063, 23066,	5027, 5028, 5111,
7593, 7600, 7607,	23085, 23102,	5112, 5115, 5116,
7618, 7626, 7753,	23109, 23115, 23117	5181, 5352, 5353,
7754, 7890, 7933,	\end@dblfloat 18920	5355, 5366, 5367,
7955, 8339, 8533,	\end@float	5369, 5380, 5390,
8541, 8544, 8710,	.. 6567, 6896, 18871	5399, 5400, 5401,
8718, 8721, 8750,	\end@rotdblfloat . 18875	5402, 5412, 5425,
8762, 8802, 8805,	\end@rotfloat	5449, 5454, 5458,
8808, 8873, 8876,	. 18832, 18873, 18874	5474, 5492, 5494,
9189, 9199, 9212,	\endarray	5502, 5504, 5513,
9222, 9235, 9245,	406, 1367, 1368,	5514, 5594, 5598,
9258, 9268, 9825,	21336, 21340, 23419	5631, 5633, 5644,
9934, 9946, 9954,	\endBCmd	5645, 5659, 5667,
10359, 10433,	\endbeamer@putright	5669, 5696, 5717,
10563, 10566,	... 2653, 2665, 2677	5754, 5755, 5756,
10569, 10628,	\endbeamerboxesrounded	5772, 5773, 5774,
10631, 10658, 1838	5775, 5877, 5880,
10661, 10664,	\endbidi@switch ...	5885, 5901, 5904,
10729, 10732,	... 5551, 5555, 5556	5906, 5916, 5919,
10821, 12663,	\endbidi@tabular@RTLcases	5921, 5928, 5932,
12666, 12669,	. 23419, 23427, 23434	5933, 5938, 5947,
12728, 12731,	\endcsname . 8, 44, 58,	5948, 5964, 5967,
12883, 14129,	74, 166, 168, 203,	5981, 5993, 6025,
14147, 14249,	247, 261, 276, 333,	6036, 6121, 6123,
14265, 14356,	334, 383, 1369,	6161, 6163, 6169,
15101, 16662,	2130, 2147, 2164,	6212, 6352, 6373,
17378, 18081,	2180, 2196, 2212,	6724, 6725, 6732,
18089, 18092,	2245, 2271, 2297,	6733, 7325, 7343,
18162, 18165,	3913, 3914, 3928,	7361, 7392, 7421,
18220, 18228,	3929, 3955, 3958,	7450, 7692, 8218,



8246, 8249, 8252,	14368,	14372,	22637,	22639,
8266, 8273, 8280,	14376,	14390,	22655,	22658,
8288, 8289, 8327,	14401,	14412,	22664,	22666,
8352, 8353, 9135,	14612,	14643,	22669,	22673,
9141, 9149, 9156,	14674,	15053,	22678,	22682,
10921, 10935,	15156,	15159,	22686,	22700,
10949, 10961,	15589,	15655,	22704,	22707,
10972, 10983,	16647,	16648,	22711,	22716,
11212, 11222,	16655,	17269,	22720,	22725,
11232, 11258,	17279,	17293,	22727,	22728,
11271, 11283,	18968,	18972,	22731,	22735,
11321, 11330,	18976,	19059,	22778,	22779,
11339, 11364,	19283,	19601,	22781,	22783,
11376, 11387,	19603,	19605,	22788,	22790,
11424, 11434,	19608,	19614,	22792,	22796,
11444, 11470,	19622,	19624,	22799,	22800,
11483, 11495,	19626,	19632,	22803,	22804,
11533, 11543,	19634,	19707,	22813,	22815,
11553, 11579,	19711,	19715,	22817,	22821,
11592, 11604,	19799,	20023,	22825,	22826,
11642, 11652,	20363,	20365,	22879,	22881,
11662, 11688,	20367,	20370,	22883,	22887,
11701, 11713,	20376,	20384,	22907,	22908,
11751, 11761,	20386,	20389,	22916,	22920,
11771, 11797,	20395,	20397,	22924,	22928,
11810, 11822,	20480,	20484,	22932,	22936,
11860, 11870,	20488,	20572,	22940,	22944,
11880, 11906,	20796,	21128,	22982,	22983,
11919, 11931,	21130,	21132,	22985,	22988,
11969, 11979,	21135,	21141,	22989,	22993,
11989, 12015,	21149,	21151,	23457,	23522,
12028, 12040,	21154,	21160,	23608,	23669,
12078, 12088,	21162,	21312,	23682, 23684, 24154	
12098, 12124,	21338,	21340,	\enddocument . . . 5305,	
12137, 12149,	21372,	21394,	5311, 5318, 5335	
12344, 12356,	21396,	21412,	\endflushleft . 3867, 3875	
12368, 12405,	21413,	21433,	\endgraf 15751, 15767,	
12419, 12433,	21440,	21653,	19566, 20328, 21093	
12750, 12903,	21916,	21917,	\endgroup 17,	
12905, 12909,	21933,	21934,	127, 212, 310, 317,	
12911, 13015,	21935,	21942,	380, 396, 470, 522,	
13016, 13017,	21944,	21945,	536, 674, 696, 821,	
13018, 13020,	21998,	21999,	898, 918, 1073,	
13022, 13023,	22157,	22158,	1157, 1180, 1323,	
13024, 13025,	22262,	22287,	1492, 2044, 2247,	
13027, 13028,	22314,	22318,	2273, 2299, 3741,	
13029, 13086,	22322,	22379,	3979, 3987, 3995,	
13110, 13128,	22431,	22434,	4371, 4410, 4429,	
13214, 13223,	22448,	22464,	4453, 4661, 4686,	
13246, 13263,	22465,	22481,	5041, 5060, 5105,	
13279, 13307,	22488,	22493,	5127, 5137, 5154,	
13321, 13335,	22511,	22512,	5207, 5280, 5416,	
13382, 13397,	22524,	22525,	5622, 5624, 5660,	
14363, 14366,	22580,	22635,	5665, 5674, 5832,	



5876, 5900, 5915,	20793, 20866,	336, 348, 382, 406,
5986, 5998, 6010,	20961, 21415,	1367, 1368, 1485,
6030, 6041, 6052,	21539, 21718,	2769, 3950, 3951,
6216, 6315, 6325,	22138, 22252,	9020, 9107, 9123,
6365, 6734, 7161,	22761, 22889,	9128, 9130, 9162,
7163, 7394, 7423,	23199, 23232,	10242, 11178,
7452, 7829, 7846,	23275, 23294,	11182, 12901,
7862, 7873, 7913,	23417, 23752,	13892, 13897,
8232, 8268, 8275,	23795, 24001, 24011	13954, 13993,
8282, 8340, 8429,	\endL 183,	14000, 14369,
8452, 8606, 8629,	1496, 1890, 2653,	14377, 14759,
8843, 8893, 8908,	2665, 2677, 3388,	14795, 14827,
9114, 9374, 9433,	3665, 4297, 9118,	14856, 14882,
10271, 10301,	9127, 9128, 9137,	14892, 14895,
10479, 10492,	9143, 9162, 12769,	15092, 15335,
10602, 10699,	12882, 12896,	15745, 15806,
10748, 12265,	13058, 13895,	15809, 15845,
12327, 12584,	13903, 13922,	15936, 15944,
12599, 12702,	13932, 13947,	16135, 16461,
12826, 12866,	13968, 14756,	16625, 16627,
12950, 12971,	15335, 17520,	17535, 17667,
13216, 13225,	17525, 17666,	17675, 17754,
13384, 13399,	17685, 17794,	17755, 17756,
13485, 13526,	18930, 18941,	18926, 18936,
13557, 13702,	18948, 18958,	18945, 18954,
13755, 13933,	21490, 23207,	20209, 20209,
13948, 14354,	23208, 23247,	20974, 21310,
14392, 14403,	23251, 23304,	21311, 21336,
14414, 14425,	23315, 23334,	21342, 21489,
14526, 14551,	23980, 24055, 24071	23204, 23208,
14589, 14622,	\endlist 96,	23210, 23304,
14653, 14684,	299, 589, 721, 952,	23316, 23324,
14913, 14924,	984, 1234, 2388,	23427, 23572,
15062, 15085,	7717, 7725, 7730,	23575, 23578,
15161, 15185,	8479, 8667, 8979,	23595, 23606,
15368, 15737,	10538, 10812,	23607, 23980,
16538, 16656,	12646, 15017,	23993, 23995,
16756, 16853,	17264, 18036,	24055, 24071,
17060, 17064,	18430, 18627,	24090, 24093, 24101
17068, 17456,	18830, 19382,	\endrotate 18935
17506, 17511,	20143, 20908, 21616	\endRTL 17707, 23368, 23376
17513, 17516,	\endlooprepeat	\ends@math 9012
17521, 17764,	. . . 5759, 5788, 5795	\endsideways 18953
17795, 17981,	\endLTR 17705, 23358, 23366	\endsidewaysfigure 18873
18004, 18136,	\endMakeFramed . . . 13499	\endsidewaysstable 18874
18277, 18353,	\endmath 9012	\endstabular 21310, 21312
18376, 18521,	\endmdf@lrbox 15891	\endstrip 16869
18568, 18583,	\endminipage	\endtabular . 382, 383,
18703, 18753,	. 11137, 13359, 21494	1368, 1369, 3950,
18768, 19074,	\endmodernpoem 8353	21336, 21338,
19280, 19340,	\endmulticols 17131	21422, 23606, 23608
19435, 19814,	\endpgfpicture . . . 17474	\endtabularx
20020, 20101,	\endpspicture 17759	. 21373, 21402, 21413
20196, 20587,	\endR 181,	\endtcbox@lrbox 21494, 21495



<code>\endtcbox@savebox</code> .. 21495	<code>\equal</code> 4262,	21711, 21715,
<code>\endtcbox@vbox</code> 21505	4279, 4283, 4287,	22250, 23310,
<code>\endtitlepage</code> .. 631,	6555, 6589, 6600,	23314, 23360,
938, 1190, 8461,	6632, 6633, 6649,	23370, 23897, 23941
8649, 17940, 18390	6690, 6948, 7190,	<code>\everyvbox</code> 1371,
<code>\endtraditionalpoem</code> 8289	7191, 7209, 7210,	1372, 17689,
<code>\endtrivlist</code> 12897	7228, 7229, 7260,	17691, 17697,
<code>\endturn</code> 18925	7261, 9933, 13006	17699, 23338,
<code>\endwindow</code> 17537	<code>\errmessage</code>	23340, 23347, 23349
<code>\enskip</code> 22874, 22899	.. 3355, 3640, 16957	<code>\ExecuteDoHook</code> 18981,
<code>\enspace</code> 308, 17531, 17533	<code>\ERROR</code> 23693	19003, 19720,
<code>\ensuremath</code> 3283	<code>\escapechar</code> 4399, 4491,	19742, 20493, 20515
<code>\env@RTLcases</code> 23432, 23436	4496, 4686, 5441,	<code>\ExecuteOptions</code> . . .
<code>\EQ</code> 10306, 10312, 10313,	5446, 5448, 5450, 5463 4113, 6419,
10317, 10318,	<code>\ESO@isMEMOIR</code> 10247	7800, 7802, 9766, 9864
10327, 10328,	<code>\ESO@tempdima</code> . 10252,	<code>\ExecuteOptionsX</code> .. 3511
10330, 10332,	10253, 10254,	<code>\exhyphenpenalty</code> ..
10333, 10335,	10256, 10260, 623, 930,
10336, 10337,	10262, 10263,	1124, 8398, 8575,
10338, 10340,	10264, 10269,	17932, 18382, 18444
10341, 10342,	10276, 10280,	<code>\exp</code> 16012, 16015,
10354, 10357,	10282, 10286,	16069, 16244, 16298
10359, 10361,	10288, 10292, 10299	<code>\expandafter</code> . . . 166,
10362, 10364,	<code>\ESO@tempdimb</code>	359, 383, 753,
10367, 10369,	.. 10267, 10269,	762, 770, 796, 799,
10371, 10372,	10294, 10295,	1005, 1014, 1022,
10374, 10375,	10296, 10297, 10299	1048, 1051, 1255,
10377, 10380,	<code>\evenpage</code> . 3702, 3705,	1264, 1272, 1298,
10381, 10382,	3706, 3707, 3709,	1301, 1369, 1384,
10385, 10388,	3710, 3711, 3712, 3714	1466, 1467, 1468,
10396, 10403,	<code>\evensidemargin</code> . . .	1470, 2313, 2715,
10411, 10418,	. . . 3726, 10280,	3286, 3288, 3292,
10420, 10423,	10288, 14041,	3294, 3298, 3300,
10427, 10428,	14046, 14054,	3895, 3897, 3901,
10429, 10430,	19084, 19824,	3903, 3907, 3909,
10442, 10444, 10445	20597, 24021, 24029	3913, 3914, 3922,
<code>\eq@addpunct</code> 9017	<code>\everycr</code> 15741	3924, 3928, 3929,
<code>\EQ@box</code> 9022, 9028	<code>\everydisplay</code> 8982	3953, 3956, 3959,
<code>\eq@group</code> 8985, 8994	<code>\everyhbox</code> . . . 17669,	3962, 3966, 3969,
<code>\eq@GRP@first@dmath</code> 8994	17671, 17679,	3972, 4023, 4024,
<code>\eq@if</code> . . . 4494, 4495, 4497	17681, 23318,	4077, 4335, 4338,
<code>\eq@isIntertext</code> . . . 9032	23320, 23328, 23330	4341, 4345, 4359,
<code>\eq@prelim</code> . . . 8985, 9002	<code>\everyjob</code> 3281,	4371, 4372, 4377,
<code>\eq@setnumber</code> 8988	3282, 3608, 3609	4388, 4413, 4415,
<code>\eq@setup@a</code> 8990	<code>\everymath</code> 346	4419, 4420, 4424,
<code>\eq@startup</code> 8991	<code>\everypar</code> 520,	4427, 4437, 4439,
<code>\eq@wdCond</code> 9009	672, 916, 1155,	4443, 4444, 4448,
<code>\eqnewif</code> 3309,	7007, 7051, 7095,	4451, 4471, 4473,
3310, 3315, 3327, 4490	8428, 8605, 8892,	4478, 4498, 4499,
<code>\eqno</code> 327, 17750,	10747, 12583,	4502, 4503, 4539,
17752, 24096, 24098	12777, 17661,	4541, 4545, 4549,
<code>\eqnumform</code> 9020	17665, 17873,	4551, 4555, 4557,
<code>\eqstyle</code> 8987	17980, 18352,	4561, 4563, 4567,
	18567, 18752,	4569, 4573, 4575,



4579, 4581, 4585,	8697, 8706, 8714,	19623, 19625,
4587, 4591, 4593,	8982, 9092, 9134,	19631, 19633,
4604, 4606, 4610,	9155, 9322, 9324,	19718, 19799,
4611, 4612, 4614,	9385, 9387, 11153,	19900, 20023,
4615, 4618, 4622,	12799, 12801,	20058, 20073,
4624, 4629, 4630,	12835, 12837,	20076, 20080,
4632, 4633, 4636,	12903, 12904,	20176, 20185,
4645, 4652, 4656,	12909, 12910,	20362, 20364,
4658, 4661, 4662,	13007, 13024,	20366, 20369,
4663, 4665, 4668,	13029, 13088,	20375, 20383,
4669, 4671, 4672,	13091, 13112,	20385, 20388,
4674, 4675, 4677,	13115, 13128,	20394, 20396,
4679, 4681, 4683,	13142, 13143,	20491, 20572,
4687, 4932, 4933,	13144, 13145,	20673, 20796,
4934, 4935, 4936,	13147, 13371,	20842, 20845,
4938, 4961, 4965,	13526, 13548,	20941, 20950,
5016, 5017, 5018,	13549, 13557,	21127, 21129,
5019, 5025, 5026,	13668, 13670,	21131, 21134,
5027, 5028, 5111,	13717, 13719,	21140, 21148,
5112, 5126, 5127,	13938, 13976,	21150, 21153,
5128, 5130, 5137,	13977, 14394,	21159, 21161,
5138, 5141, 5156,	14396, 14405,	21312, 21338,
5163, 5172, 5181,	14407, 14416,	21371, 21374,
5352, 5366, 5380,	14418, 14521,	21394, 21397,
5390, 5399, 5400,	14535, 14549,	21399, 21401,
5401, 5402, 5417,	14573, 14587,	21412, 21413,
5444, 5445, 5454,	14620, 14651,	21421, 21425,
5458, 5513, 5514,	14682, 14913,	21427, 21434,
5526, 5527, 5622,	14914, 14921,	21436, 21441,
5624, 5631, 5633,	14935, 15156,	21443, 21452,
5635, 5637, 5638,	15164, 15169,	21916, 21917,
5639, 5659, 5661,	15349, 15350,	21933, 21934,
5664, 5667, 5668,	15355, 15356,	21935, 21942,
5669, 5671, 5674,	15738, 15781,	21944, 21945,
5679, 5742, 5754,	15784, 16637,	21998, 22157,
5756, 5772, 5773,	16640, 16672,	22262, 22287,
5774, 5775, 5813,	16674, 16772,	22314, 22318,
5824, 5829, 5843,	16774, 17418,	22322, 22378,
5876, 5877, 5878,	17435, 17447,	22431, 22434,
5881, 5884, 5900,	17452, 17663,	22448, 22464,
5901, 5915, 5916,	18068, 18077,	22481, 22488,
5928, 5933, 5938,	18085, 18111,	22493, 22510,
5948, 5964, 5967,	18114, 18207,	22511, 22523,
5993, 6036, 6098,	18216, 18224,	22524, 22580,
6107, 6119, 6121,	18252, 18255,	22634, 22636,
6122, 6162, 6172,	18838, 18850,	22638, 22654,
6173, 6194, 6211,	18860, 18881,	22658, 22663,
6222, 6224, 6351,	18896, 18908,	22665, 22668,
6352, 7151, 7692,	18979, 19059,	22672, 22677,
8122, 8247, 8250,	19160, 19283,	22681, 22685,
8253, 8256, 8259,	19415, 19424,	22699, 22704,
8262, 8288, 8289,	19600, 19602,	22706, 22710,
8352, 8353, 8367,	19604, 19607,	22715, 22719,
8520, 8529, 8537,	19613, 19621,	22724, 22727,



22728, 22731,	\fancyfoot	4297, 13492, 13494,
22735, 22791,	6775, 6776, 9836	17792, 23204,
22795, 22816,	\fancyhead	6764, 23205, 23206, 23302
22820, 22882,	6765, 6766, 7991,	\fcolorbox
22886, 22982,	7992, 8003, 8004, 8005	3797
22983, 22985,	\fancyhf	\FeetAboveFloat
22988, 22989,	4146, 6762,	12564, 12568
22992, 23217,	6771, 6781, 7989, 8000	\FeetAtBottom
23229, 23232,	\fancyhfoffset 6755, 6756	12566
23240, 23241,	\fancypagestyle 4143,	\FeetBelowFloat
23260, 23272,	4296, 6770, 6780, 9835	12565
23275, 23289,	\FAX	\FeetBelowRagged
23290, 23294,	4163	12567, 12569
23312, 23608,	\fax	\ff@backcol
23669, 23681,	\faxsymbol 4163, 9845, 9943	13018
23716, 23718,	\fb@adjheight	\ff@col
23763, 23765, 24154	. 13513, 13583, 13603	13016
\ExplSyntaxOff	\fb@afterframe	\ff@frametype 13014, 13025
\ExplSyntaxOn 13508, 13533, 13591	\ff@txtcol
\extrafeetendmini	\FB@capttype 13006, 13007, 13017
11110, 11136	. 12908, 12909, 12911	\fi
\extrafeetendminihook	\fb@frh . 13520, 13524,	12, 13, 18, 25, 36,
11134, 11135	13539, 13574, 13577	87, 98, 104, 107,
\extrafeetins 11067, 11068	\fb@put@frame . 13502,	108, 109, 117, 134,
\extrafeetinshook	13513, 13584, 13604	136, 142, 150, 154,
11095, 11096	\fb@putboxa	158, 162, 169, 177,
\extrafeetminihook 11109	13532, 13590, 13607	184, 193, 207, 208,
\extrainfo	\fb@resto@set	213, 218, 224, 227,
\extrarowheight 13542, 13582, 13586	228, 229, 239, 290,
.	\fb@sizeofframe	305, 309, 328, 336,
386, 15712, 15720	348, 362, 363, 375,
\extrarulesep	\FBifcaptop	376, 379, 382, 398,
21365	15764	404, 406, 463, 468,
\extratitle	\fbbox	506, 513, 521, 523,
. 19304, 20044, 20817	3847,	530, 533, 534, 537,
	3857, 9161, 10446,	556, 557, 563, 572,
	14168, 14174,	595, 604, 611, 620,
	14181, 14187,	624, 637, 640, 641,
	14193, 14199,	642, 648, 649, 654,
	14207, 14211,	657, 665, 673, 675,
	14216, 14220,	682, 683, 690, 693,
	14224, 14228,	694, 699, 707, 746,
	14243, 14244,	756, 765, 773, 797,
	14259, 14260,	799, 814, 819, 853,
	14269, 14273,	860, 869, 875, 876,
	14278, 14282,	882, 885, 892, 895,
	14286, 14290,	896, 901, 909, 917,
	14298, 14304,	919, 926, 927, 931,
	14311, 14317,	951, 952, 953, 970,
	14323, 14329, 17793	998, 1008, 1017,
	\fbboxrule 3795, 13476,	1025, 1049, 1051,
	13482, 13488,	1066, 1071, 1105,
	13490, 13492, 13494	1112, 1121, 1125,
	\fbboxsep	1131, 1132, 1137,
	1913,	1140, 1148, 1156,
	3796, 3863, 3872,	1158, 1165, 1166,
	9123, 9124, 9125,	1174, 1177, 1178,
	9161, 13476,	1183, 1196, 1199,
	13488, 13490,	1200, 1201, 1220,
		1248, 1258, 1267,

F

\f@nch@everypar	12777
\f@nch@foot	12785
\f@nch@head	12779
\f@nch@reset 12779, 12785	
\f@nch@vbox . 12780, 12786	
\f@size	347
\fakeslideentry	2440
\FamilyKeyState	22429
\FamilyKeyStateProcessed	22429
\familyname	4198
\familynamecolour	4167, 9770, 9868
\familynamefont 4176,	
4184, 9810, 9904	
\familynamestyle 4184,	
9821, 9911, 9932	
\FamilySetBool	22428
\fancy@oval	12747



1275, 1299, 1301,
1316, 1321, 1359,
1360, 1362, 1365,
1367, 1368, 1373,
1387, 1388, 1402,
1403, 1417, 1425,
1426, 1432, 1433,
1437, 1442, 1445,
1450, 1453, 1461,
1462, 1471, 1472,
1484, 1485, 1496,
1507, 1515, 1571,
1576, 1601, 1609,
1624, 1632, 1645,
1653, 1666, 1674,
1782, 1786, 1796,
1827, 1855, 1858,
1867, 1873, 1875,
1880, 1881, 1882,
1883, 1885, 1887,
1888, 1889, 1892,
1893, 1906, 1908,
1919, 1922, 1924,
1940, 1948, 1949,
1957, 1965, 1992,
2006, 2021, 2035,
2099, 2100, 2121,
2171, 2173, 2187,
2203, 2249, 2275,
2301, 2345, 2368,
2388, 2400, 2404,
2426, 2431, 2436,
2438, 2441, 2454,
2462, 2481, 2628,
2634, 2640, 2696,
2698, 2703, 2744,
2751, 2769, 2780,
2783, 2808, 2819,
2836, 2844, 2850,
2854, 2857, 2864,
2905, 2907, 2918,
2925, 2953, 3002,
3013, 3024, 3027,
3044, 3051, 3100,
3109, 3119, 3139,
3146, 3182, 3191,
3198, 3201, 3210,
3217, 3220, 3234,
3289, 3295, 3301,
3346, 3347, 3354,
3355, 3367, 3373,
3374, 3417, 3423,
3429, 3435, 3441,
3453, 3459, 3465,

3471, 3485, 3492,
3499, 3509, 3526,
3537, 3542, 3548,
3551, 3559, 3567,
3616, 3631, 3632,
3639, 3640, 3651,
3687, 3898, 3904,
3910, 3925, 3946,
3950, 3951, 3953,
4009, 4010, 4016,
4031, 4032, 4035,
4038, 4041, 4045,
4046, 4054, 4268,
4269, 4270, 4272,
4300, 4308, 4356,
4370, 4385, 4386,
4408, 4409, 4424,
4434, 4448, 4458,
4467, 4474, 4544,
4552, 4558, 4564,
4570, 4576, 4582,
4588, 4594, 4607,
4616, 4619, 4625,
4634, 4637, 4659,
4666, 4710, 4714,
4720, 4721, 4739,
4745, 4746, 4764,
4768, 4774, 4775,
4793, 4799, 4800,
4821, 4825, 4831,
4832, 4859, 4865,
4866, 4894, 4927,
4962, 5113, 5131,
5306, 5309, 5352,
5366, 5380, 5390,
5418, 5463, 5468,
5473, 5476, 5477,
5478, 5486, 5496,
5498, 5506, 5513,
5516, 5520, 5527,
5532, 5543, 5555,
5556, 5594, 5598,
5605, 5609, 5611,
5650, 5742, 5776,
5814, 5820, 5824,
5829, 5843, 5882,
5908, 5922, 5934,
5949, 5985, 5997,
6029, 6040, 6094,
6096, 6097, 6126,
6128, 6132, 6133,
6142, 6144, 6165,
6166, 6168, 6182,
6183, 6185, 6186,

6201, 6214, 6215,
6223, 6240, 6295,
6305, 6316, 6503,
6509, 6702, 6705,
6708, 6711, 6730,
6741, 6971, 6980,
7007, 7015, 7024,
7059, 7068, 7244,
7301, 7303, 7313,
7639, 7640, 7757,
7758, 7759, 7937,
8015, 8067, 8080,
8088, 8119, 8120,
8175, 8176, 8180,
8187, 8192, 8201,
8230, 8238, 8240,
8295, 8297, 8301,
8320, 8322, 8323,
8324, 8335, 8337,
8338, 8347, 8349,
8386, 8395, 8399,
8405, 8406, 8411,
8414, 8422, 8430,
8437, 8438, 8445,
8448, 8449, 8455,
8465, 8497, 8499,
8501, 8513, 8523,
8532, 8540, 8563,
8572, 8576, 8582,
8583, 8588, 8591,
8599, 8607, 8614,
8615, 8622, 8625,
8626, 8632, 8653,
8674, 8676, 8678,
8690, 8700, 8709,
8717, 8737, 8743,
8744, 8748, 8750,
8773, 8782, 8836,
8841, 8879, 8886,
8894, 8901, 8904,
8905, 8909, 8919,
8921, 8923, 8932,
8938, 8939, 8946,
8957, 8962, 8981,
8983, 8984, 8985,
8993, 9004, 9006,
9015, 9020, 9022,
9037, 9038, 9039,
9041, 9043, 9068,
9075, 9081, 9093,
9094, 9106, 9107,
9118, 9122, 9123,
9127, 9128, 9130,
9137, 9143, 9162,



9165, 9166, 9172,	10735,	10741,	12700,	12734,
9177, 9200, 9223,	10749,	10751,	12741,	12743,
9246, 9269, 9284,	10753,	10755,	12745,	12755,
9287, 9288, 9304,	10764,	10770,	12759,	12766,
9308, 9309, 9311,	10771,	10779,	12767,	12768,
9332, 9357, 9364,	10790,	10795,	12769,	12809,
9373, 9375, 9395,	10816,	10819,	12825,	12827,
9416, 9423, 9432,	10822,	10824,	12845,	12865,
9434, 9464, 9475,	10831,	10832,	12867,	12878,
9476, 9484, 9515,	10836,	10859,	12885,	12901,
9516, 9524, 9529,	10879,	10914,	12923,	12931,
9540, 9546, 9553,	10955,	11031,	12935,	12949,
9554, 9555, 9561,	11032,	11043,	12956,	13033,
9562, 9563, 9590,	11044,	11055,	13035,	13037,
9598, 9604, 9605,	11056,	11077,	13046,	13048,
9606, 9620, 9626,	11085,	11086,	13050,	13058,
9627, 9628, 9661,	11094,	11118,	13061,	13063,
9675, 9687, 9690,	11120,	11126,	13078,	13092,
9700, 9714, 9722,	11132,	11133,	13116,	13200,
9728, 9733, 9735,	11148,	11177,	13202,	13238,
9736, 9737, 9751,	11178,	11181,	13291,	13299,
9786, 9793, 9800,	11182,	11184,	13313,	13327,
9807, 9832, 9881,	11207,	11217,	13328,	13343,
9887, 9893, 9899,	11252,	11269,	13344,	13367,
9913, 9928, 9974,	11316,	11325,	13441,	13442,
9977, 9978, 9995,	11358,	11374,	13453,	13454,
9998, 9999, 10024,	11419,	11429,	13465,	13466,
10040, 10041,	11464,	11481,	13467,	13477,
10043, 10052,	11528,	11538,	13491,	13493,
10061, 10062,	11573,	11590,	13503,	13571,
10081, 10094,	11637,	11647,	13572,	13600,
10095, 10104,	11681,	11699,	13605,	13614,
10113, 10114,	11746,	11756,	13627,	13628,
10117, 10133,	11790,	11808,	13629,	13643,
10140, 10156,	11855,	11865,	13678,	13700,
10162, 10178,	11900,	11917,	13703,	13727,
10185, 10242,	11964,	11974,	13753,	13756,
10245, 10257,	12009,	12026,	13767,	13772,
10265, 10266,	12073,	12083,	13781,	13787,
10269, 10283,	12118,	12135,	13789,	13790,
10289, 10290,	12202,	12247,	13806,	13816,
10293, 10299,	12254,	12258,	13825,	13835,
10319, 10403,	12275,	12296,	13840,	13845,
10418, 10427,	12309,	12316,	13857,	13859,
10428, 10429,	12320,	12337,	13860,	13874,
10430, 10460,	12392,	12401,	13890,	13892,
10473, 10476,	12481,	12488,	13895,	13896,
10477, 10480,	12509,	12546,	13897,	13903,
10487, 10493,	12560,	12577,	13905,	13916,
10500, 10501,	12585,	12592,	13922,	13925,
10507, 10514,	12595,	12596,	13932,	13941,
10524, 10595,	12600,	12603,	13947,	13949,
10600, 10634,	12608,	12615,	13951,	13954,
10692, 10697,	12632,	12695,	13962,	13968,



13983,	13989,	14744,	14748,	15567,	15570,
13990,	13993,	14754,	14756,	15573,	15576,
14000,	14012,	14759,	14773,	15579,	15582,
14013,	14026,	14778,	14787,	15585,	15588,
14036,	14042,	14795,	14807,	15591,	15594,
14049,	14055,	14812,	14820,	15597,	15600,
14056,	14072,	14827,	14838,	15603,	15606,
14076,	14081,	14843,	14849,	15609,	15612,
14085,	14086,	14856,	14867,	15615,	15618,
14096,	14097,	14872,	14882,	15621,	15624,
14102,	14103,	14888,	14892,	15627,	15630,
14104,	14112,	14895,	14923,	15633,	15636,
14121,	14123,	14927,	14942,	15639,	15642,
14124,	14125,	14950,	14958,	15645,	15648,
14126,	14127,	14966,	14975,	15651,	15654,
14139,	14141,	14983,	14992,	15657,	15660,
14142,	14143,	15000,	15008,	15663,	15666,
14144,	14145,	15020,	15026,	15669,	15672,
14150,	14156,	15029,	15030,	15675,	15678,
14157,	14158,	15031,	15046,	15681,	15684,
14171,	14177,	15057,	15058,	15687,	15693,
14184,	14190,	15063,	15075,	15695,	15698,
14196,	14202,	15092,	15096,	15707,	15708,
14203,	14204,	15099,	15102,	15723,	15745,
14209,	14213,	15104,	15128,	15750,	15758,
14218,	14222,	15129,	15130,	15801,	15802,
14226,	14230,	15131,	15142,	15806,	15807,
14231,	14232,	15143,	15160,	15809,	15814,
14233,	14240,	15171,	15183,	15821,	15831,
14248,	14256,	15195,	15208,	15838,	15845,
14264,	14271,	15210,	15229,	15853,	15857,
14275,	14280,	15236,	15244,	15890,	15912,
14284,	14288,	15250,	15264,	15936,	15944,
14292,	14293,	15274,	15282,	16135,	16461,
14294,	14301,	15313,	15314,	16529,	16533,
14307,	14314,	15324,	15325,	16536,	16541,
14320,	14326,	15342,	15351,	16542,	16543,
14332,	14333,	15357,	15391,	16544,	16545,
14334,	14335,	15394,	15473,	16546,	16558,
14336,	14337,	15476,	15479,	16572,	16575,
14338,	14347,	15482,	15485,	16581,	16585,
14352,	14353,	15488,	15491,	16586,	16607,
14357,	14369,	15494,	15498,	16608,	16609,
14377,	14381,	15501,	15504,	16614,	16625,
14382,	14397,	15507,	15510,	16627,	16631,
14408,	14419,	15513,	15516,	16641,	16653,
14439,	14450,	15519,	15522,	16660,	16682,
14461,	14476,	15525,	15528,	16689,	16692,
14491,	14506,	15531,	15534,	16713,	16723,
14565,	14603,	15537,	15540,	16753,	16759,
14636,	14667,	15543,	15546,	16760,	16782,
14698,	14724,	15549,	15552,	16789,	16792,
14727,	14730,	15555,	15558,	16813,	16823,
14733,	14742,	15561,	15564,	16850,	16856,



16857,	16862,	17785,	17790,	18696,	18701,
16882,	16892,	17793,	17794,	18739,	18746,
16893,	16898,	17801,	17803,	18754,	18761,
16899,	16905,	17807,	17809,	18764,	18765,
16909,	16910,	17818,	17820,	18769,	18779,
16913,	16917,	17822,	17831,	18781,	18783,
16922,	16925,	17833,	17835,	18792,	18797,
16929,	16934,	17844,	17846,	18804,	18813,
16938,	16946,	17848,	17857,	18847,	18851,
16957,	16971,	17859,	17880,	18861,	18892,
16976,	16982,	17900,	17912,	18897,	18898,
16996,	17004,	17913,	17920,	18909,	18910,
17019,	17032,	17929,	17933,	18924,	18926,
17040,	17045,	17946,	17949,	18930,	18934,
17050,	17055,	17950,	17951,	18936,	18941,
17098,	17100,	17957,	17958,	18945,	18948,
17121,	17128,	17963,	17966,	18952,	18954,
17160,	17164,	17974,	17982,	18958,	18987,
17168,	17245,	17989,	17990,	18995,	18996,
17252,	17271,	17997,	18000,	19020,	19033,
17276,	17281,	18001,	18007,	19035,	19040,
17288,	17298,	18022,	18043,	19047,	19054,
17299,	17302,	18045,	18047,	19066,	19100,
17303,	17304,	18061,	18071,	19114,	19116,
17309,	17314,	18080,	18088,	19123,	19125,
17318,	17324,	18112,	18114,	19131,	19137,
17330,	17335,	18129,	18134,	19140,	19164,
17338,	17344,	18168,	18175,	19165,	19176,
17363,	17376,	18184,	18200,	19184,	19191,
17377,	17409,	18210,	18219,	19192,	19200,
17427,	17441,	18227,	18253,	19201,	19212,
17449,	17450,	18255,	18270,	19219,	19226,
17454,	17462,	18275,	18317,	19236,	19239,
17477,	17485,	18318,	18320,	19241,	19246,
17520,	17535,	18323,	18329,	19250,	19253,
17536,	17554,	18330,	18335,	19255,	19260,
17558,	17565,	18338,	18346,	19262,	19265,
17566,	17568,	18354,	18361,	19268,	19270,
17570,	17571,	18362,	18369,	19275,	19277,
17572,	17578,	18372,	18373,	19278,	19281,
17603,	17605,	18379,	18383,	19312,	19315,
17616,	17627,	18396,	18399,	19316,	19317,
17634,	17640,	18400,	18401,	19333,	19336,
17642,	17645,	18408,	18410,	19343,	19360,
17646,	17660,	18412,	18416,	19381,	19388,
17714,	17715,	18445,	18514,	19391,	19392,
17718,	17722,	18519,	18555,	19393,	19395,
17723,	17726,	18561,	18569,	19431,	19434,
17731,	17732,	18576,	18579,	19445,	19449,
17737,	17752,	18580,	18584,	19460,	19466,
17753,	17754,	18585,	18586,	19542,	19543,
17755,	17756,	18597,	18599,	19544,	19560,
17758,	17761,	18601,	18610,	19571,	19589,
17769,	17780,	18634,	18643,	19595,	19619,



19726,	19734,	20752,	20754,	21751,	21759,
19735,	19759,	20759,	20763,	21762,	21766,
19773,	19775,	20766,	20768,	21767,	21768,
19780,	19787,	20773,	20775,	21776,	21779,
19794,	19806,	20778,	20781,	21783,	21784,
19840,	19854,	20783,	20788,	21785,	21793,
19856,	19863,	20790,	20791,	21796,	21800,
19865,	19871,	20794,	20825,	21801,	21802,
19877,	19880,	20828,	20829,	21810,	21813,
19904,	19905,	20844,	20847,	21817,	21818,
19916,	19924,	20858,	20862,	21819,	21827,
19931,	19932,	20869,	20886,	21830,	21834,
19940,	19941,	20907,	20914,	21835,	21836,
19952,	19959,	20917,	20918,	21844,	21847,
19966,	19976,	20919,	20921,	21852,	21853,
19979,	19981,	20957,	20960,	21854,	21862,
19986,	19990,	20971,	20975,	21865,	21871,
19993,	19995,	20986,	20992,	21872,	21873,
20000,	20002,	21068,	21069,	21881,	21884,
20005,	20008,	21070,	21087,	21891,	21892,
20010,	20015,	21098,	21116,	21893,	21901,
20017,	20018,	21122,	21146,	21904,	21918,
20021,	20052,	21240,	21243,	21926,	21927,
20055,	20056,	21285,	21301,	21928,	21936,
20059,	20062,	21306,	21310,	21939,	21961,
20075,	20078,	21311,	21328,	21976,	21977,
20081,	20084,	21336,	21342,	21978,	22119,
20093,	20097,	21349,	21356,	22139,	22231,
20104,	20121,	21362,	21367,	22248,	22251,
20142,	20149,	21398,	21455,	22253,	22289,
20152,	20153,	21456,	21472,	22290,	22292,
20154,	20156,	21473,	21489,	22294,	22324,
20192,	20195,	21527,	21534,	22325,	22326,
20206,	20210,	21536,	21551,	22333,	22349,
20221,	20227,	21562,	21565,	22365,	22388,
20303,	20304,	21572,	21573,	22436,	22437,
20305,	20322,	21574,	21579,	22760,	22762,
20333,	20351,	21583,	21584,	22769,	22771,
20357,	20381,	21599,	21622,	22784,	22785,
20499,	20507,	21629,	21647,	22786,	22793,
20508,	20532,	21648,	21664,	22797,	22802,
20546,	20548,	21665,	21666,	22806,	22812,
20553,	20560,	21670,	21671,	22818,	22822,
20567,	20579,	21680,	21684,	22828,	22831,
20613,	20627,	21685,	21686,	22833,	22834,
20629,	20636,	21692,	21695,	22835,	22838,
20638,	20644,	21696,	21697,	22841,	22844,
20650,	20653,	21705,	21716,	22845,	22854,
20677,	20678,	21717,	21719,	22860,	22869,
20689,	20697,	21720,	21726,	22870,	22878,
20704,	20705,	21727,	21728,	22884,	22888,
20713,	20714,	21736,	21739,	22891,	22892,
20725,	20732,	21740,	21748,	22903,	22904,
20739,	20749,	21749,	21750,	22914,	22915,



22919,	22923,	23569,	23570,	13676,	13725,
22927,	22931,	23573,	23576,	16680,	16780,
22935,	22939,	23579,	23582,	23724,	23771, 24082
22943,	22947,	23583,	23584,	\firstname 4197
22951,	22956,	23585,	23587,	\firstnamecolour	..
22964,	22967,	23589,	23590,	...	4166, 9771, 9867
22974,	22975,	23597,	23600,	\firstnamefont
22979,	22986,	23602,	23606,	4175, 4183,
23009,	23015,	23607,	23610,	9809, 9810, 9901, 9904	
23026,	23031,	23626,	23627,	\firstnamestyle	4183,
23037,	23039,	23635,	23636,	9821, 9911, 9932	
23046,	23049,	23639,	23640,	\fivecolumnfootnotes	
23062,	23071,	23641,	23642,	11510
23084,	23087,	23643,	23649,	\Fld@width	... 14941,
23098,	23104,	23654,	23662,	14949, 14957, 14965	
23105,	23111,	23679,	23685,	\flnew@within 12908
23116,	23119,	23687,	23694,	\float@newx 12902
23133,	23138,	23704,	23706,	\floatalignment	..
23141,	23142,	23726,	23750,	6559, 6560,
23143,	23144,	23753,	23773,	6601, 6602, 6624,	
23148,	23151,	23793,	23796,	6631, 6639, 6690, 6901	
23153,	23159,	23799,	23817,	\FloatBarrier	. 6531, 6881
23160,	23174,	23832,	23850,	\floatc@biditytfloatplain	
23184,	23185,	23852,	23861,	6899,
23192,	23197,	23870,	23905,	6909, 6916, 6922, 6930	
23200,	23203,	23914,	23946,	\floatc@biditytfloatplaintop	
23204,	23207,	23949,	23950,	6916
23208,	23210,	23951,	23952,	\floatc@biditytfloatruled	
23219,	23220,	23953,	23961,	6917
23224,	23230,	23975,	23979,	\floatc@plain 12899
23236,	23237,	23980,	23984,	\floatingpenalty	..
23238,	23241,	23992,	23993,	..	41, 55, 71, 244,
23247,	23251,	23994,	23995,	258, 273, 9983,	
23262,	23263,	23996,	24017,	10004, 10051,	
23267,	23273,	24024,	24030,	10058, 10103,	
23285,	23286,	24031,	24032,	10110, 11104,	
23287,	23290,	24033,	24035,	13243, 13260, 13276	
23304,	23309,	24036,	24037,	\floatstyle 6950
23355,	23356,	24055,	24071,	\flushleft	... 3864, 3873
23364,	23374,	24090,	24093,	\FN@sf@footnote	..
23383,	23384,	24094,	24098,	3891, 3895
23387,	23391,	24099,	24101,	\FN@sf@footnotemark	
23392,	23427,	24109,	24111,	3920, 3922
23453,	23472,	24220, 24226, 24232		\FN@sf@LTRfootnote	
23480,	23486,	\figcaption	. 14121, 14139	3892, 3901
23492,	23500,	\fill 7930, 7934,	\FN@sf@RTLfootnote	
23507,	23508,	14156, 14351,		3893, 3907
23509,	23515,	15693, 15695, 15697		\FN@sf@gobble@bracket	
23520,	23523,	\filright	.. 21514, 21543	3931, 3934
23531,	23532,	\FirstFrameCommand		\FN@sf@gobble@opt	.
23540,	23541,	13490, 13536	3897,
23549,	23550,	\firstmark 9330,	3903, 3909, 3912	
23558,	23559,	9393, 12807,		\FN@sf@gobble@optonly	
23567,	23568,	12843, 13000,		3924, 3927



\FN@sf@gobble@twobrace	2224, 13133,	12061, 12220,
..... 3916, 3919	13294, 13295, 13296	12226, 12278, 12284
\font 21252, 21253	\footdir@toks	\footinsv@l
\fontdimen . 21252, 21253	.. 13074, 13141,	.. 11073, 11081,
\fontsize	13142, 13143, 13147	11167, 11168,
. 303, 7885, 7887,	\footdir@write	12226, 12227,
7889, 9809, 9901,	. 13068, 13098, 13137	12255, 12257,
15041, 17361, 17374	\footersymbol	12284, 12285,
\foo 17432, 9828, 9829,	12317, 12319,
17434, 17444, 17446	9844, 9845, 9846, 9847	12336, 12350,
\footdir@abspage ..	\footfootmark	17086, 17087,
..... 13103,	.. 10896, 11021,	17094, 17095,
13106, 13107,	11244, 11350,	17099, 17100,
13110, 13111, 13114	11456, 11565,	17114, 17161, 17162
\footdir@debug 13075,	11674, 11783,	\footinsv@r
13083, 13087,	11892, 12001,	.. 11072, 11162,
13090, 13100,	12110, 12377, 13431	11163, 11164,
13107, 13111, 13114	\footfudgefactor ..	11165, 11195,
\footdir@debugfalse 3464	. 12175, 12264, 12326	11196, 11207,
\footdir@debugtrue	\footins 35, 49, 65, 238,	11217, 11227,
..... 3462, 13073	252, 267, 9983,	11304, 11305,
\footdir@fntext ...	10004, 10008,	11316, 11325,
. 13121, 13138, 13140	10009, 10020,	11334, 11407,
\footdir@LeftRightElse	10023, 10027,	11408, 11419,
. 13081, 13097, 13174	10051, 10057,	11429, 11439,
\footdir@name	10065, 10066,	11516, 11517,
. 13124, 13127, 13128	10077, 10080,	11528, 11538,
\footdir@ORG@bidi@amsart@footnotetext	10084, 10103,	11548, 11625,
..... 79	10109, 10913,	11626, 11637,
\footdir@ORG@bidi@amsart@LTRfootnotetext	10927, 10941,	11647, 11657,
..... 81	11101, 11160,	11734, 11735,
\footdir@ORG@bidi@amsart@RTLfootnotetext	12494,	11746, 11756,
..... 80	12517, 12521,	11766, 11843,
\footdir@ORG@bidi@amsbook@footnotetext	12534,	11844, 11855,
..... 282	12540, 12555,	11865, 11875,
\footdir@ORG@bidi@amsbook@LTRfootnotetext	13254,	11952, 11953,
..... 284	13270, 13660,	11964, 11974,
\footdir@ORG@bidi@amsbook@RTLfootnotetext	13709,	11984, 12061,
..... 283	13710, 13763,	12062, 12073,
\footdir@ORG@bidi@beamer@footnotetext	13764, 13765,	12083, 12093,
..... 2222	13766, 13786,	12220, 12221,
\footdir@ORG@bidi@beamer@LTRfootnotetext	13797,	12251, 12253,
..... 2224	13806, 13827,	12278, 12279,
\footdir@ORG@bidi@beamer@RTLfootnotetext	13848,	12313, 12315,
..... 2223	17728, 17729,	12334, 12362,
\footdir@ORG@bidi@footnotetext	17731, 23804,	17082, 17083,
..... 13294	23810, 23814,	17090, 17091,
\footdir@ORG@bidi@LTRfootnotetext	23819, 23837, 23841	17097, 17098,
..... 13296	\footinsdim ... 11100,	17113, 17157, 17158
\footdir@ORG@bidi@RTLfootnotetext	11101, 11165,	\footmarkstyle
..... 13295	11195, 11304, 11018, 11057
\footdir@temp ... 79,	11407, 11516,	\footmarkwidth
80, 81, 282, 283,	11625, 11734,	.. 11017, 11022,
284, 2222, 2223,	11843, 11952,	11023, 11025,



11027,	11030,	76, 233, 235, 243,	11530,	11565,	
11034,	11035,	249, 257, 263, 272,	11576,	11620,	
11037,	11039,	278, 2133, 2150,	11639,	11674,	
11042,	11046,	2167, 2183, 2199,	11685,	11729,	
11047,	11049,	2215, 9980, 10001,	11748,	11783,	
11051,	11054,	10026, 10083,	11794,	11838,	
11061,	11064,	10897, 10903,	11857,	11892,	
13432,	13433,	10909, 11105,	11903,	11947,	
13435,	13437,	12245, 12307,	11966,	12001,	
13440,	13444,	13242, 13250,	12012,	12056,	
13445,	13447,	13259, 13267,	12075,	12110,	
13449,	13452,	13275, 13283,	12121,	12180,	
13456,	13457,	13310, 13324,	12215,	12244,	
13459, 13461, 13464		13338, 15036, 15038	12269,	12306,	
<code>\footnote</code>	417, 491, 741,	<code>\footnotesize</code>	38,	12341, 12377, 12402	
	840, 993, 1092,		52, 68, 106, 226,	<code>\forcerectofloat</code>	.. 6562
	1243, 1343, 2226,		241, 255, 270, 413,	<code>\forceversofloat</code>	.. 6563
	3891, 3894, 7467,		737, 989, 1239,	<code>\forvariable</code>
	7786, 7817, 8508,		4275, 4297, 6439,		5722, 5728, 5804,
	8685, 8790, 8864,		6440, 6478, 7097,		5840, 5847, 5852,
	10553, 10621,		7098, 7099, 7291,		5858, 5863, 5867, 5868
	10646, 10720,		7321, 7339, 7357,	<code>\fourcolumnfootnotes</code>	
	12653, 12721,		8504, 8681, 8786,	 11401
	16576, 16579,		10549, 10642,	<code>\fp</code> 16233,
	18056, 18155,		11097, 11098,		16234, 16235, 16236
	18193, 18299,		11099, 12649,	<code>\fps@figure</code> 14109
	18453, 18541,		13233, 13234,	<code>\framebox</code> 9819,
	18650, 18724,		13235, 13240,		9950, 16891, 16897
	19105, 19845, 20618		13257, 13273,	<code>\FrameCommand</code> 13488
<code>\footnotelayout</code>	...		13303, 13317,	<code>\FrameHeightAdjust</code>	13562
	... 7285, 7286, 7289		13331, 15028,	<code>\FrameRestore</code>	. 13496,
<code>\footnotemark</code>		17531, 17533,		13500, 13616, 13617
	3920, 3921, 13372,		18052, 18189,	<code>\framewidth</code>
	13386, 16577, 16580		18449, 18646,		... 2122, 2139, 2156
<code>\footnoterule</code>	.. 9962,		19101, 19841, 20614	<code>\fromaddress</code>
	10024, 10030,	<code>\footnotetext</code>	.. 3955,		.. 10814, 10820,
	10035, 10063,		3966, 8246, 8256		10830, 15094, 15100
	10064, 10081,	<code>\footrule</code> 12786	<code>\fromname</code> 10835
	10085, 10089,	<code>\footrulewidth</code>	4145, 6760	<code>\fromsig</code>	... 10834, 10836
	10115, 10116,	<code>\footscript</code>	<code>\fromvalue</code> 5722,
	10888, 11117,		.. 11018, 11024,		5808, 5831, 5853, 5868
	11125, 11146,		11028, 11030,	<code>\frontmatter</code> 7984
	11161, 12487,		13434, 13438, 13440	<code>\fs@biditytfloatboxed</code>	
	12520, 12533,	<code>\footskip</code>	12786, 19091,	 6928
	13065, 13162,		19831, 20604, 24068	<code>\fs@biditytfloatplain</code>	
	13166, 13169,	<code>\foottextfont</code>	. 10897,	 6907, 6915
	13184, 13189,		10917, 10959,	<code>\fs@biditytfloatplaintop</code>	
	13190, 13192,		11097, 11190,	 6915
	13848, 13881,		11209, 11244,	<code>\fs@biditytfloatruled</code>	
	17022, 17730,		11255, 11299,	 6920
	21506, 23813, 23840		11318, 11350,	<code>\fslice</code>	. 17548, 17549,
<code>\footnotes</code> 7282		11361, 11402,		17551, 17552, 17555
<code>\footnotesep</code>	.. 29, 31,		11421, 11456,	<code>\ftn@amount</code>	... 13764,
	40, 46, 54, 60, 70,		11467, 11511,		13765, 13766,



13773, 13777, 13778
\ftn@font 19002,
19038, 19741,
19778, 20514, 20551
\ftn@rule@height ..
. 19046,
19049, 19053,
19056, 19786,
19789, 19793,
19796, 20559,
20562, 20566, 20569
\ftn@rule@test@values
. 19045,
19052, 19785,
19792, 20558, 20565
\ftn@rule@width 19049,
19056, 19789,
19796, 20562, 20569
\ftnm@font
. 19041, 19781, 20554
\full@width
. 16949, 16961, 17009
\futurelet 790,
792, 1042, 1044,
1292, 1294, 4464,
5522, 5525, 18105,
18107, 18246, 18248

G

\g 10325, 10327, 10331,
10424, 15931,
15936, 15938,
15944, 15946,
15989, 15993,
15994, 16040,
16044, 16045,
16062, 16063,
16100, 16116,
16119, 16125,
16126, 16127,
16128, 16129,
16138, 16139,
16141, 16143,
16144, 16145,
16152, 16153,
16158, 16164,
16173, 16176,
16184, 16185,
16188, 16189,
16190, 16191,
16192, 16193,
16195, 16198,
16199, 16201,
16204, 16206,

16209, 16214,
16222, 16223,
16225, 16226,
16227, 16228,
16229, 16230,
16231, 16233,
16234, 16235,
16236, 16238,
16239, 16249,
16257, 16258,
16259, 16261,
16266, 16267,
16272, 16273,
16277, 16282,
16285, 16292,
16294, 16297,
16298, 16302,
16304, 16305,
16308, 16309,
16310, 16314,
16315, 16319,
16320, 16327,
16342, 16343,
16344, 16346,
16351, 16354,
16355, 16358,
16362, 16363,
16364, 16368,
16369, 16370,
16377, 16378,
16379, 16381,
16382, 16385,
16386, 16391,
16397, 16408,
16413, 16414,
16415, 16419,
16422, 16423,
16424, 16425,
16427, 16435,
16449, 16450,
16451, 16452,
16454, 16457,
16465, 16466,
16469, 16473,
16474, 16476,
16478, 16479,
16480, 16484,
16485, 16486,
16491, 16498,
17384, 17392, 17395
\g@addto@macro
. . . . 5967, 6211,
6296, 6306, 6557,
7243, 7245, 10354,

10357, 10359,
15823, 22662, 22987
\g@mix@page@int .. 16371
\gdef 406, 408,
3794, 4166, 4167,
4168, 4169, 4170,
4171, 4173, 4174,
4335, 4359, 4679,
5400, 5486, 5488,
5498, 5500, 5817,
5819, 5820, 6290,
6301, 6575, 6576,
6578, 6581, 6661,
6666, 6667, 6668,
6820, 6861, 7240,
7378, 7407, 7436,
7475, 7484, 7493,
7822, 7839, 7855,
7867, 7907, 7908,
7909, 8096, 8099,
8354, 8366, 8368,
9329, 9392, 10308,
10321, 12538,
12551, 12564,
12565, 12806,
12842, 13128,
13188, 13675,
13724, 15157,
15390, 15393,
16679, 16779,
17306, 17327,
17722, 21250,
21515, 21516,
21521, 21544,
21545, 22984,
23391, 23441,
23666, 23723, 23770
\geometry . 1937, 1939,
1945, 1947, 6461,
6464, 6468, 6471, 6475
\Gin@angle 17367
\Gin@bboxtrue 13926
\Gin@defaultbp
. . . 13927, 13928,
13929, 13930,
21477, 21478, 21481
\Gin@eheight 17369
\Gin@esetsize 13945
\Gin@ewidth . 17368, 17369
\Gin@exclamation ..
. 13975, 17368, 17371
\Gin@gridfalse . . . 17354
\Gin@ii 13934
\Gin@iii . . . 13923, 13937



\Gin@llx	13927	4395, 4401, 4413,	10003,	10015,
\Gin@lly	13928	4437, 4521, 4537,	10023,	10027,
\Gin@outer@scalex	17365	4702, 4756, 4810,	10044,	10047,
\Gin@outer@scaley	17366	5622, 5624, 5644,	10055,	10060,
\Gin@scalex	17370	5645, 5656, 5664,	10072,	10080,
\Gin@scaley	17371	5674, 5787, 5806,	10084,	10096,
\Gin@urx	13929	5808, 5810, 5822,	10099,	10107,
\Gin@ury	13930	5827, 6426, 6560,	10112,	10434,
\Gin@graphics		6604, 6605, 6977,	10571,	10572,
.	13931, 13943	6988, 6991, 7021,	10573,	10574,
\Gin@path	16131	7032, 7035, 7065,	10575,	10576,
\global	301,	7076, 7079, 7133,	10577,	10578,
437, 438, 439, 440,		7900, 8097, 8100,	10579,	10580,
441, 442, 443, 444,		8118, 8122, 8138,	10598,	10604,
445, 446, 447, 448,		8149, 8175, 8176,	10605,	10606,
466, 472, 473, 474,		8203, 8216, 8217,	10607,	10608,
475, 476, 477, 478,		8237, 8247, 8250,	10609,	10610,
479, 480, 481, 482,		8253, 8256, 8259,	10611,	10612,
483, 484, 519, 520,		8262, 8294, 8304,	10613,	10614,
671, 672, 779, 780,		8318, 8320, 8325,	10666,	10667,
781, 782, 783, 784,		8326, 8332, 8333,	10668,	10669,
785, 786, 787, 788,		8335, 8355, 8367,	10670,	10671,
817, 823, 824, 825,		8369, 8427, 8428,	10672,	10673,
826, 827, 828, 829,		8546, 8547, 8548,	10674,	10675,
830, 831, 832, 833,		8549, 8550, 8551,	10676,	10677,
915, 916, 1031,		8552, 8553, 8554,	10695,	10701,
1032, 1033, 1034,		8555, 8604, 8605,	10702,	10703,
1035, 1036, 1037,		8723, 8724, 8725,	10704,	10705,
1038, 1039, 1040,		8726, 8727, 8728,	10706,	10707,
1069, 1075, 1076,		8729, 8730, 8731,	10708,	10709,
1077, 1078, 1079,		8732, 8810, 8811,	10710,	10711,
1080, 1081, 1082,		8812, 8813, 8814,	10712,	10713,
1083, 1084, 1085,		8815, 8816, 8817,	10746,	10747,
1154, 1155, 1281,		8818, 8819, 8820,	10955,	10966,
1282, 1283, 1284,		8821, 8839, 8845,	10977,	11141,
1285, 1286, 1287,		8846, 8847, 8848,	11143,	11184,
1288, 1289, 1290,		8849, 8850, 8851,	11252,	11264,
1319, 1325, 1326,		8852, 8853, 8854,	11277,	11358,
1327, 1328, 1329,		8855, 8856, 8857,	11369,	11381,
1330, 1331, 1332,		8891, 8892, 8984,	11464,	11476,
1333, 1334, 1335,		8994, 8995, 8996,	11489,	11573,
1461, 1462, 1750,		8997, 8998, 8999,	11585,	11598,
2120, 2137, 2154,		9000, 9001, 9009,	11682,	11694,
2171, 2172, 2187,		9022, 9027, 9031,	11707,	11791,
2188, 2203, 2204,		9087, 9316, 9317,	11803,	11816,
2416, 3743, 3744,		9327, 9334, 9368,	11900,	11912,
3745, 3746, 3747,		9379, 9380, 9390,	11925,	12009,
3748, 3749, 3750,		9397, 9427, 9452,	12021,	12034,
3751, 3752, 3753,		9471, 9668, 9679,	12118,	12130,
3953, 3956, 3959,		9692, 9704, 9706,	12143,	12166,
3962, 3966, 3969,		9715, 9717, 9718,	12180,	12253,
3972, 4051, 4055,		9721, 9724, 9734,	12257,	12315,
4077, 4360, 4374,		9741, 9742, 9749,	12319,	12387,
4376, 4382, 4384,		9975, 9982, 9996,	12412,	12426,



12497,	12541,	16510,	16511,	18234,	18235,
12544,	12550,	16512,	16513,	18236,	18237,
12556,	12558,	16514,	16515,	18238,	18239,
12563,	12582,	16516,	16517,	18240,	18241,
12583,	12671,	16534,	16629,	18242,	18243,
12672,	12673,	16666,	16667,	18244,	18273,
12674,	12675,	16677,	16683,	18279,	18280,
12676,	12677,	16686,	16688,	18281,	18282,
12678,	12679,	16690,	16691,	18283,	18284,
12680,	12698,	16693,	16698,	18285,	18286,
12704,	12705,	16706,	16708,	18287,	18288,
12706,	12707,	16716,	16717,	18289,	18290,
12708,	12709,	16718,	16719,	18291,	18351,
12710,	12711,	16721,	16722,	18352,	18483,
12712,	12713,	16725,	16726,	18484,	18485,
12714,	12794,	16757,	16758,	18486,	18487,
12795,	12804,	16766,	16767,	18488,	18489,
12810,	12830,	16777,	16783,	18490,	18491,
12831,	12840,	16786,	16788,	18492,	18493,
12847,	12918,	16790,	16791,	18494,	18517,
12921,	12954,	16793,	16798,	18523,	18524,
12957,	12959,	16806,	16808,	18525,	18526,
12965,	12966,	16816,	16817,	18527,	18528,
12967,	12985,	16818,	16819,	18529,	18530,
12989,	12992,	16821,	16822,	18531,	18532,
12995,	12997,	16825,	16826,	18533,	18534,
13001,	13299,	16854,	16855,	18535,	18566,
13300,	13313,	16861,	16862,	18567,	18670,
13314,	13327,	16874,	16875,	18671,	18672,
13328,	13649,	16876,	16877,	18673,	18674,
13650,	13651,	16878,	16879,	18675,	18676,
13652,	13658,	16881,	16887,	18677,	18678,
13659,	13660,	16959,	16976,	18679,	18680,
13661,	13662,	16982,	16996,	18681,	18699,
13663,	13673,	17004,	17247,	18705,	18706,
13682,	13707,	17464,	17481,	18707,	18708,
13708,	13709,	17482,	17483,	18709,	18710,
13710,	13711,	17484,	17492,	18711,	18712,
13712,	13722,	17499,	17538,	18713,	18714,
13731,	13760,	17562,	17563,	18715,	18716,
13761,	13773,	17564,	17763,	18717,	18751,
13774,	13775,	17813,	17979,	18752,	19075,
13777,	13778,	17980,	18094,	19076,	19077,
13779,	13780,	18095,	18096,	19078,	19156,
13862,	13875,	18097,	18098,	19175,	19198,
14535,	14549,	18099,	18100,	19279,	19289,
14573,	14587,	18101,	18102,	19290,	19291,
14620,	14651,	18103,	18132,	19292,	19293,
14682,	14745,	18138,	18139,	19294,	19295,
14755,	15340,	18140,	18141,	19296,	19297,
15732,	15733,	18142,	18143,	19298,	19299,
15781,	15784,	18144,	18145,	19300,	19301,
15803,	15804,	18146,	18147,	19302,	19303,
15812,	16509,	18148,	18233,	19304,	19305,



19306,	19307,	23711,	23721,	18938, 18946, 18956
19308,	19309,	23728,	23757,	\Grot@y 13894,
19310,	19311,	23758,	23768,	13899, 18929,
19313,	19581,	23775,	23867,	18939, 18946, 18957
19583,	19815,	23878,	23881,	\group . . 16112, 16133,
19816,	19817,	23911,	23922,	16420, 16433,
19818,	19896,	23925,	23953,	16438, 16445, 16501
19915,	19938,	23962,	23963,	\grp@aligned 9000
20019,	20029,	23964,	23965,	\GRP@box . 8995, 9027, 9029
20030,	20031,	23967,	23970,	\grp@eqs@numbered . 8999
20032,	20033,	23971,	23985,	\grp@hasNumber 9004
20034,	20035,	23990,	24004,	\GRP@label 8996
20036,	20037,	24005,	24007,	\grp@linewidth 8998
20038,	20039,	24016,	24049,	\GRP@queue . . . 8995, 9031
20040,	20041,	24061,	24064,	\grp@setnumber 9004
20042,	20043,	24066,	24073,	\grp@shiftnumber . . . 9001
20044,	20045,	24077,	24079,	\grp@wdL 8997
20046,	20047,	24080, 24083, 24092		\grp@wdNum 8998
20048,	20049,	\globalcolorstrue .		\grp@wdR 8997
20050,	20051, 1756, 1761		\grp@wdT 8997
20053,	20343,	\GlobalSetatBoolean 4530		\Gscale@box
20345,	20588,	\GlobalSetBoolean .		. 13905, 13997, 14014
20589,	20590, 4514, 6562,		\Gscale@div
20591,	20669,	6563, 6590, 6591,		. 13996, 14003, 14006
20688,	20711,	6595, 6596, 6889, 6890		\Gscale@end . 13909, 13955
20792,	20802,	\glossary . . 12979, 24044		\Gscale@start 13909, 13955
20803,	20804,	\glueexpr 22482,		\Gscale@x . . 13907, 13953
20805,	20806,	22489, 22494,		\Gscale@y . . 13907, 13953
20807,	20808,	22581, 22642,		\gsetlength
20809,	20810,	22645, 22649, 22655		6424, 6577, 6669,
20811,	20812,	\Gm@lmargin		7131, 7380, 7382,
20813,	20814,	. . . 1956, 1962, 2945		7409, 7411, 7438, 7440
20815,	20816,	\Gm@pageframes . . . 14037		
20817,	20818,	\Gm@rmargin		H
20819,	20820,	. . . 1954, 1964, 2976		\H@@footnotemark . .
20821,	20822,	\Gm@vrule 14020,		. . 14426, 14515,
20823,	20824,	14021, 14022,		14708, 14722, 14739
20826,	21108,	14024, 14025,		\H@@footnotetext . .
21110,	21341,	14026, 14029,		. . 10867, 14385,
21345,	21346,	14030, 14031,		14396, 14465,
21347,	21364,	14034, 14035, 14036		14512, 14626,
21376,	21381,	\Gm@vrules@mpi . . . 14017		14709, 14725, 14739
21385,	21397,	\Gm@vrules@mpii . . 14027		\H@ompfootnotetext
21434,	21436,	\grid 17362, 17375		. . 10873, 14394,
21441,	21443,	\Grot@box 13895,		14428, 14432, 14516
21710,	21711,	13903, 18930,		\H@refstepcounter 14915
21714,	21715,	18941, 18948, 18958		\halign 8137, 15735
22249,	22250,	\Grot@box@kv 13896		\hangafter . . 9177, 16602
22343,	22348,	\Grot@box@std 13890		\hangindent 107,
22981,	23129,	\Grot@setangle 13891,		108, 109, 227,
23137,	23147,	13902, 18923,		228, 229, 647,
23150,	23194,	18933, 18944, 18951		874, 1130, 7757,
23452,	23669,	\Grot@x 13893,		7758, 7759, 8404,
23680,	23710,	13898, 18928,		8581, 9081, 9177,



15029,	15030,	23584,	23585,	10316,	10322,
15031,	16595,	23660,	23730,	10545,	10844,
16601,	17956,	23735,	23739,	12173,	12185,
18328,	23587, 24111	23777,	23778,	12190,	12194,
\hb@xt@	456, 516,	23784,	23974,	12199,	12444,
	535, 668, 695, 897,	24055,	24071, 24093	12454,	12464,
	912, 1059, 1151,	\hbadness		12473,	12627,
	1179, 3737, 8425,	6932, 9968, 9989,		12765,	12779,
	8450, 8602, 8627,	21417,	21419,	12780,	12785,
	8829, 8889, 8906,	23068,	23069, 23086	12787,	12811,
	9167, 9336, 9341,	\hbox	15,	12814,	12818,
	9345, 9399, 9400,	28, 188, 210, 232,		12895,	12899,
	9406, 9632, 9638,	345, 379, 387, 404,		12901,	12939,
	9643, 9650, 9657,	544, 654, 731, 882,		12944,	13154,
	10478,	965, 1137, 1211,		13883,	13884,
	10588,	1413, 1472, 1572,		13892,	13897,
	10744,	1594, 1602, 1617,		13908,	13909,
	11030,	1625, 1638, 1646,		13954,	13955,
	11042,	1659, 1667, 1768,		13993,	14000,
	11054,	1774, 1783, 1790,		15035,	15041,
	12597,	1816, 1828, 1829,		15060,	15113,
	12849,	1860, 1905, 1910,		15724,	15744,
	12856,	1921, 1971, 1973,		15749,	15806,
	12891,	1975, 1977, 1979,		15809,	16117,
	13433,	1980, 1982, 1993,		16133,	16134,
	13445,	2008, 2013, 2022,		16152,	16412,
	13457,	2037, 2046, 2047,		16414,	16424,
	13684,	2058, 2060, 2083,		16460,	16495,
	13691,	2087, 2094, 2095,		16909,	16943,
	13738,	2405, 2410, 2417,		16959,	16961,
	13918,	2490, 2491, 2492,		17071,	17390,
	14019,	2500, 2507, 2514,		17392,	17395,
	14029,	2713, 2739, 2804,		17476,	17531,
	15090,	2845, 2846, 2915,		17535,	17555,
	15261,	2939, 2945, 2946,		17588,	17592,
	15273,	3194, 3196, 3213,		17597,	17601,
	16630,	3215, 3378, 3655,		17613,	17624,
	16737,	3936, 6536, 6624,		17641,	17651,
	16832,	6626, 6631, 6664,		17668,	17677,
	16839,	6665, 6674, 6681,		17678,	17687,
	17977,	6901, 6934, 7252,		17741,	17742,
	18349,	7291, 7318, 7336,		17743,	17745,
	18465,	7354, 7476, 7485,		17746,	17772,
	18581,	7494, 7929, 7937,		17790,	17801,
	18749,	8056, 8106, 8110,		17963,	18017,
	19441,	8121, 8138, 8149,		18335,	18440,
	20202,	8355, 8369, 8411,		18564,	18594,
	20967,	8489, 8588, 8642,		18776,	18945,
	21288,	8916, 9028, 9094,		19002,	19038,
	22135,	9123, 9283, 9286,		19041,	19056,
	22726,	9303, 9307, 10027,		19563,	19741,
	22894,	10030,	10033,	19778,	19781,
	22962,	10084,	10085,	19796,	20325,
	22971,	10087,	10311,	20514,	20551,



20554,	20569,	16463, 16471, 16496	2095, 2721, 2724,
21090,	21267,	<code>\hfil</code> 15, 210, 516,	2835, 2926, 4255,
21315,	21328,	535, 668, 695, 897,	4261, 4275, 6693,
21356,	21367,	912, 1060, 1151,	6694, 6697, 6698,
21406,	21476,	1179, 1409, 1410,	8078, 8088, 9100,
22849,	22850,	1411, 1412, 1440,	9101, 9820, 12781,
22899,	22901,	1441, 1442, 1448,	12782, 12787,
22958,	22959,	1449, 1450, 1572,	12788, 16911,
23162,	23196,	1603, 1605, 1626,	16935, 17174,
23198,	23204,	1628, 1647, 1649,	17177, 17178,
23317,	23326,	1668, 1670, 2043,	17179, 17182,
23327,	23336,	2047, 2069, 2500,	17183, 17184,
23401,	23402,	2507, 2514, 3709,	17185, 17186,
23405,	23406,	3714, 8107, 8109,	17189, 17190,
23407,	23408,	8214, 8425, 8450,	17191, 17192,
23416,	23422,	8602, 8627, 8889,	17193, 17194,
23586,	23595,	8906, 9167, 9284,	17195, 17198,
23597,	23602,	9287, 9304, 9308,	17199, 17200,
23612,	23627,	9338, 9340, 9403,	17201, 17202,
23656,	23657,	9405, 9635, 9637,	17203, 17204,
23982, 23992, 23994		9654, 9656, 10478,	17205, 17206,
<code>\hboxL</code> 192,		10490, 10744,	17209, 17210,
3370, 3372, 3650,		11183, 12580,	17211, 17214,
13596, 13613,		12597, 12813,	17215, 17216,
15256, 17678, 23327		12853, 12855,	17219, 17220,
<code>\hboxR</code> 190, 3364, 3366,		12881, 12894,	17221, 17222,
3648, 17668, 23317		12901, 13688,	17223, 17226,
<code>\head@style</code> 621,		13690, 13735,	17227, 17228,
928, 1122, 1355,		13737, 14026,	17229, 17230,
8396, 8573, 17930,		14031, 15060,	17233, 17234,
18313, 18380, 18442		15341, 15749,	17235, 17236,
<code>\headheight</code> 3719,		16630, 16734,	17237, 17642,
10296, 12780,		16736, 16836,	17646, 19056,
12987, 19089,		16838, 16936,	19601, 19618,
19829, 20602, 24051		17535, 17589,	19796, 20363,
<code>\headrule</code> 12783		17593, 17598,	20380, 20569,
<code>\headrulewidth</code> 4144, 6759		17602, 17614,	21128, 21145,
<code>\headsep</code> 3727,		17625, 17651,	21516, 21545,
3730, 10297,		17977, 18002,	22689, 22692,
12988, 19090,		18349, 18374,	22696, 22851,
19830, 20603, 24060		18564, 18581,	22960, 23117, 23658
<code>\headwidth</code> 4234, 12779,		18749, 18766,	<code>\hfilneg</code> . . . 11177, 11181
12781, 12782,		21973, 22135,	<code>\hfuzz</code> 10309, 21418, 21420
12783, 12785,		22244, 22726,	<code>\hintcolour</code> 4174
12787, 12788, 12789		22857, 22894,	<code>\hintfont</code> 4182,
<code>\height</code> . 13899, 13973,		22896, 22962,	4190, 4244, 4251, 4256
14181, 14183,		22969, 22971,	<code>\hintscolumnwidth</code> .
14187, 14189,		23430, 23660, 4210,
14216, 14217,		23732, 23734,	4224, 4228, 4236,
14220, 14221,		23781, 23783,	4244, 4250, 4256, 4313
14278, 14279,		23993, 23995,	<code>\hintstyle</code> 4190
14282, 14283,		24032, 24033,	<code>\hline</code> 15701, 15703, 15709
14311, 14313,		24035, 24036, 24093	<code>\HLOFF</code> 3799
14317, 14319,		<code>\hfill</code> 1478, 1479, 2074,	<code>\HLON</code> 3793



<code>\HLTR@LTRfootnotetext</code>	15035, 15113,	15867, 15890,
.. 10869, 14387,	17071, 18017,	16626, 16630,
14418, 14495,	18440, 18594, 18776	16863, 16943,
14513, 14555,		16945, 16953,
14657, 14711, 14731	<code>\hspace</code> . 41, 55, 71, 244,	16989, 16993,
<code>\HLTR@mpLTRfootnotetext</code>	258, 273, 624, 931,	16997, 17000,
.. 10875, 14416,	1125, 1870, 2064,	17005, 17008,
14430, 14454, 14517	2122, 2123, 2124,	17058, 17062,
<code>\hoffset</code> 3723	2139, 2140, 2141,	17066, 17704,
<code>\hold@viper</code>	2156, 2157, 2158,	17706, 17874,
9350, 9353, 9409,	2177, 2193, 2209,	17933, 18383,
9412, 9480, 9483,	3669, 4068, 6933,	18445, 18461,
9667, 9668, 9679,	6934, 6994, 7038,	18504, 19014,
9680, 9692, 9693,	7082, 7679, 8399,	19025, 19027,
9705, 9740, 9742, 9743	8576, 9024, 9284,	19096, 19097,
<code>\holder</code> . 17545, 17548,	9287, 9304, 9308,	19441, 19478,
17557, 17567,	10919, 10933,	19480, 19753,
17568, 17586,	10947, 10959,	19765, 19767,
17590, 17595,	10970, 10981,	19836, 19837,
17599, 17611,	11176, 11238,	20202, 20239,
17615, 17622, 17626	11256, 11268,	20241, 20526,
<code>\href</code> 4280, 4281,	11281, 11344,	20538, 20540,
4284, 4285, 4288, 4289	11362, 11373,	20609, 20610,
<code>\HRTL@mpRTLfootnotetext</code>	11385, 11450,	20967, 21004,
.. 10877, 14405,	11468, 11480,	21006, 22909,
14429, 14443, 14518	11493, 11559,	22912, 22917,
<code>\HRTL@RTLfootnotetext</code>	11577, 11589,	22921, 22925,
.. 10871, 14386,	11602, 11668,	22929, 22933,
14407, 14480,	11686, 11698,	22937, 22941,
14514, 14593,	11711, 11777,	22945, 23165,
14688, 14710, 14728	11795, 11807,	23186, 23190,
<code>\hrule</code> . . . 31, 235, 540,	11820, 11886,	23357, 23367,
725, 960, 1205,	11904, 11916,	23511, 23884,
6923, 6924, 6934,	11929, 11995,	23928, 24089, 24093
6935, 8108, 8483,	12013, 12025,	<code>\hskip</code> 14, 28, 209, 232,
8636, 8746, 8752,	12038, 12104,	305, 309, 534, 544,
8758, 8764, 8912,	12122, 12134,	654, 655, 694, 731,
9592, 9963, 10541,	12147, 12184,	882, 883, 896, 944,
10840, 10889,	12345, 12357,	965, 1137, 1138,
12623, 13157,	12369, 12403,	1178, 1211, 1358,
13159, 13191,	12406, 12417,	1411, 1412, 1450,
13601, 15038,	12420, 12431,	1474, 1477, 1570,
15109, 15890,	12434, 12900,	1574, 1600, 1607,
17023, 17074,	12901, 13244,	1623, 1630, 1644,
17643, 18011,	13261, 13277,	1651, 1665, 1672,
18434, 18590,	13304, 13318,	1912, 1914, 1916,
18772, 19049,	13332, 13349,	1918, 1921, 1979,
19056, 19789,	13350, 13496,	1982, 1990, 2013,
19796, 20562, 20569	13601, 13631,	2020, 2059, 2068,
<code>\hrulefill</code> 28, 232, 544,	13634, 13638,	2089, 2098, 2437,
731, 965, 1211,	13641, 13642,	2806, 2843, 2848,
8489, 8642, 8916,	15337, 15341,	2884, 2891, 2903,
10545, 10844,	15735, 15746,	2945, 2973, 2976,
12627, 13154,	15749, 15776,	3111, 3121, 3196,
	15859, 15860,	



3197, 3200, 3215,	17233, 17235,	10831, 11025,
3216, 3219, 4327,	17237, 17251,	11037, 11049,
7640, 8080, 8124,	17493, 17500,	13435, 13447,
8125, 8128, 8130,	17963, 17964,	13459, 14156,
8131, 8134, 8411,	18001, 18017,	14172, 14185,
8412, 8449, 8489,	18316, 18335,	14197, 14210,
8588, 8589, 8626,	18336, 18373,	14219, 14227,
8642, 8905, 8916,	18440, 18580,	14272, 14281,
9096, 9099, 9166,	18594, 18765,	14289, 14302,
9337, 9344, 9348,	18776, 18854,	14315, 14327,
9349, 9634, 9642,	18856, 18863,	14351, 15030,
9647, 9648, 10028,	18865, 18901,	15031, 19413,
10029, 10032,	18903, 18912,	19422, 19518,
10042, 10043,	18914, 19000,	19528, 19531,
10086, 10477,	19056, 19063,	19533, 20174,
10545, 10844,	19739, 19796,	20183, 20279,
12171, 12596,	19803, 20512,	20289, 20292,
12627, 12812,	20569, 20576,	20294, 20939,
12817, 12821,	21276, 21282,	20948, 21044,
12822, 12877,	21294, 21299,	21054, 21057,
12893, 13154,	21515, 21544,	21059, 21239,
13734, 13741,	21705, 21736,	21240, 21521,
13745, 13746,	21759, 21776,	21533, 24214,
14019, 14021,	21793, 21810,	24218, 24223,
14022, 14025,	21827, 21844,	24225, 24229, 24231
14030, 14033,	21862, 21881,	
14035, 14036,	21901, 21936,	\hss 457, 516, 535,
14941, 14949,	22128, 22131,	668, 695, 897, 912,
14957, 14965,	22337, 22369,	1151, 1179, 1905,
14974, 14982,	22844, 22891,	2317, 2339, 2845,
14991, 14999,	22901, 22956,	2846, 3394, 3669,
15035, 15059,	23654, 23731,	3738, 7699, 8425,
15091, 15113,	23738, 23742,	8450, 8602, 8627,
15248, 16733,	23743, 23976,	8830, 8889, 8906,
16740, 16744,	23978, 23992, 23995	9167, 9343, 9347,
16745, 16910,		9402, 9408, 9640,
16922, 16934,	\hspace 108,	9645, 9652, 9659,
16989, 16993,	109, 228, 229, 553,	10031, 10041,
16997, 17000,	2745, 2752, 4245,	10086, 10095,
17001, 17005,	4250, 4256, 6676,	10311, 10314,
17008, 17009,	6683, 6905, 7583,	10316, 10319,
17071, 17174,	7584, 7590, 7591,	10322, 10478,
17177, 17179,	7597, 7598, 7604,	10490, 10589,
17182, 17184,	7605, 7732, 7758,	10686, 10744,
17186, 17189,	7759, 9950, 10123,	11024, 11030,
17191, 17193,	10126, 10130,	11036, 11042,
17195, 17198,	10132, 10137,	11048, 11054,
17200, 17202,	10139, 10143,	12580, 12597,
17204, 17206,	10146, 10149,	12689, 12816,
17209, 17211,	10153, 10155,	12820, 12852,
17214, 17216,	10159, 10161,	12858, 13010,
17219, 17221,	10165, 10168,	13434, 13440,
17223, 17226,	10171, 10175,	13446, 13452,
17228, 17230,	10177, 10182,	13458, 13464,
	10184, 10497,	13687, 13693,



13740,	13744,	9980, 9992, 10001,	16878, 16881, 16883	
13918,	13964,	10009,	10019,	\ht@viper 9442,
14022,	14036,	10021,	10037,	9448, 9449, 9472,
15261,	15268,	10066,	10076,	9473, 9474, 9485,
15273,	15744,	10078,	10091,	9639, 9644, 9651, 9658
15752,	16154,	10462,	11185,	\httplink 4282
16415,	16496,	11291,	11296,	\Huge . 7666, 8749, 8761,
16739,	16743,	11394,	11399,	8941, 8949, 10773,
16835,	16841,	11503,	11508,	10782, 12610,
16979,	16980,	11612,	11617,	12618, 18799, 18807
16990,	16991,	11721,	11726,	\huge 564,
17507,	17517,	11830,	11835,	7520, 7522, 7665,
17743,	17754,	11939,	11944,	8740, 8935, 10508,
17755,	17756,	12048,	12053,	10517, 10767,
17977,	18002,	12157,	12162,	19138, 19878, 20651
18349,	18374,	12175,	12246,	\hv@Bottom 14251
18465,	18508,	12308,	12761,	\hv@Center . . . 14155,
18564,	18581,	13521,	13528,	14166, 14206,
18690,	18749,	13545,	13552,	14268, 14296, 14349
18766,	19002,	13553,	13566,	\hv@figure . 14120, 14138
19038,	19563,	13570,	13593,	\hv@floatObject . . .
19573,	19741,	13764,	13769, 14081, 14085
19778,	20325,	13911,	13912,	\hv@floatType . 14111,
20335,	20514,	13914,	13957,	14120, 14138, 14356
20551,	21090,	13958,	13960,	\hv@Height 14093
21100,	21288,	14093,	15174,	\hv@label 14062
22135,	22244,	15191,	15710,	\hv@Left . . . 14096, 14164
23170,	23172,	15763,	15778,	\hv@longCap 14061
23177,	23183,	15793,	15795,	\hv@Right . . 14097, 14153
23403,	23521,	15796,	15888,	\hv@shortCap
23572,	23573,	15895,	15898,	. 14060, 14126, 14144
23575,	23576,	16717,	16721,	\hv@Top . 14179, 14215,
23578,	23579,	16726,	16817,	14235, 14277, 14309
23584,	23585,	16821,	16826,	\hv@Width . . 14091, 14114
23642,	23643,	16877,	16879,	\hv@Zero . . . 14080, 14343
23644,	23645,	17077,	17083,	\hv@AboveCaptionSkip
23737,	23741,	17087,	17557, 14259, 14262
23780,	23786, 23980	17615,	17626,	\hv@BelowCaptionSkip
\ht 385, 1460,		17631,	17632, 14243, 14246
1493, 1775, 1785,		17633,	17634,	\hvCaptionBox . 14115,
1791, 1804, 1892,		17638,	17653,	14132, 14174,
1972, 1974, 1976,		17770,	17793,	14176, 14187,
1978, 1998, 2007,		18840,	18882,	14189, 14199,
2009, 2027, 2036,		18885,	18940,	14201, 14207,
2038, 2957, 3384,		18947,	21316,	14208, 14216,
3661, 9115, 9124,		21352,	21364,	14217, 14224,
9126, 9443, 9450,		21479,	23205,	14225, 14236,
9458, 9472, 9483,		23207,	23613,	14237, 14243,
9500, 9502, 9505,		23956, 23966, 23970		14246, 14252,
9507, 9521, 9534,		\ht@hold@viper		14253, 14260,
9538, 9541, 9542,	 9481, 9483,		14263, 14269,
9545, 9551, 9569,		9705, 9706, 9740, 9741		14270, 14278,
9570, 9583, 9613,		\ht@strip 16874, 16875,		14279, 14286,
9705, 9740, 9971,		16876, 16877,		



14287, 14304,	\hvSet@objectAngle	\Hy@maketitle@end .
14306, 14317, 14080, 14084	. 14714, 14719, 14721
14319, 14329, 14331	\hvSet@objectPos ..	\Hy@maketitle@optarg
\hvCapWidth ... 14089,	. 14153, 14155, 14349 14712, 14717
14091, 14093,	\hvSet@rotAngle ...	\Hy@pstringD 14767, 14786
14095, 14099,	. 14074, 14343, 14346	\Hy@pstringdef
14101, 14116, 14134	\Hy@Acrobatmenu .. 14860	.. 14766, 14767,
\hvFloat 14063	\Hy@backout 14887	14801, 14802, 14833
\hvMaxCapWidth 14074,	\Hy@BeginAnnot	\Hy@pstringF
14075, 14096,	.. 14743, 14763,	.. 14764, 14765,
14097, 14098, 14101	14800, 14832, 14861	14766, 14781,
\hvObjectBox	\Hy@bidipoem@footnotetext	14801, 14814, 14819
.. 14078, 14081, 14616, 14625	\Hy@pstringP 14802, 14819
14083, 14087,	\Hy@bidipoem@LTRfootnotetext	\Hy@pstringURI
14093, 14168, 14647, 14656 14833, 14846
14170, 14181,	\Hy@bidipoem@RTLfootnotetext	\Hy@raisedlink 14436,
14183, 14193, 14678, 14687	14447, 14458,
14195, 14211,	\Hy@CleanupFile .. 14765	14469, 14484,
14212, 14220,	\Hy@colorlink . 14793,	14499, 14559,
14221, 14228,	14825, 14854, 14880	14597, 14630,
14229, 14236,	\Hy@endAnnot	14661, 14692, 14929
14239, 14244,	.. 14750, 14796,	\Hy@saved@footnotemark
14247, 14252,	14828, 14857, 14883 14704, 14723
14255, 14259,	\Hy@endcolorlink . 14752	\Hy@saved@footnotetext
14262, 14273,	\Hy@footnote@currentHlabel 14705, 14726
14274, 14282,	. 14472, 14487, 14502	\Hy@SetNewWindow ..
14283, 14290,	\Hy@footnote@currentHref 14788, 14816
14291, 14298, 14434,	\Hy@setpdfborder ..
14300, 14311,	14437, 14445, 14774,
14313, 14323, 14325	14448, 14456,	14808, 14839, 14868
\hvObjectWidth	14459, 14467,	\Hy@tabularx@hook .
.. 14087, 14091,	14470, 14473, 14511, 14523
14095, 14096, 14097	14482, 14485,	\Hy@temp@menu 14862, 14875
\hvOBox 14081, 14085	14488, 14497,	\Hy@xspace@end
\hvSet@capAngle ...	14500, 14503,	.. 14759, 14795,
..... 14114, 14133	14546, 14584,	14827, 14856, 14882
\hvSet@capPos	14617, 14648, 14679	\HyLTR@saved@LTRfootnotetext
.. 14096, 14097,	\Hy@gtemp .. 14522, 14527 14707, 14732
14164, 14235, 14251	\Hy@href@nextactionraw	\HyOrg@maketitle ..
\hvSet@capVPos 14166, 14789,	. 14702, 14713, 14718
14179, 14206,	14821, 14850, 14876	\HyOrg@TX@endtabularx
14215, 14268,	\Hy@href@page 14784 14510
14277, 14296, 14309	\Hy@linkcounter ...	\hyper@anchor 14434,
\hvSet@capWidth 14091, 10362, 10367	14437, 14445,
14093, 14098, 14099	\Hy@linktoc 14365	14448, 14456,
\hvSet@floatCapSep	\Hy@LT@currentHref	14459, 14467,
..... 14172, 14917, 14928	14470, 14482,
14185, 14197,	\Hy@LT@LTRfootnotetext	14485, 14497,
14210, 14219, 14545, 14554	14500, 14557,
14227, 14272,	\Hy@LT@RTLfootnotetext	14560, 14595,
14281, 14289, 14583, 14592	14598, 14628,
14302, 14315, 14327	\Hy@MakeRemoteAction	14631, 14659,
\hvSet@floatPos .. 14109 14768	14662, 14690, 14693
		\hyper@anchorend . 14930



<code>\hyper@anchorstart</code>	14930	1428, 1429, 1430,	<code>\if@bidi@arydshlnloaded@</code>	15637
<code>\hyper@link</code>	14758	<code>\if@bidi@blank</code>	
<code>\hyper@linkend</code>		<code>\if@bidi@breqnloaded@</code>	4638, 5147, 5154
..	14369, 14373,	4033, 4036, 4039,	<code>\if@bidi@calsloaded@</code>	15483
14377,	14379,	4042, 5539, 5594,	<code>\if@bidi@captionloaded@</code>	15486
14759,	14892, 14895	5598, 5604, 5608,	<code>\if@bidi@colorloaded@</code>	15495
<code>\hyper@linkfile</code>	..	5649, 5732, 6115,	<code>\if@bidi@colortblloaded@</code>	15514
<code>\hyper@linkstart</code>	..	8985, 9004, 9037,	<code>\if@bidi@croploded@</code>	15492
..	14369, 14373,	9038, 9039, 13086,	<code>\if@bidi@csdef</code>	.	3569,
14377,	14379,	13110, 13344,	4602, 4651, 12204,		17021, 17080, 17156
14759,	14888, 14895	15144, 15692,	<code>\if@bidi@csmacro</code>	..	4650
<code>\hyper@linkurl</code>	...	15694, 15696,	<code>\if@bidi@csprimitive</code>	4660
<code>\hyper@makecurrent</code>	14916	17425, 21328,	<code>\if@bidi@csundef</code>	..	
<code>\hyper@nat@current</code>	14889	21362, 21367,	4334, 4337,	
<code>\hyper@natlinkbreak</code>	21454, 21455,	4340, 4344, 4349,	4608, 4687, 4722,	
.....	14894	21456, 21457,	4747, 4776, 4801,	4833, 4839, 4867,	
<code>\hyper@natlinkend</code>	14891	21458, 21459,	4873, 4882, 4899,	5424, 6320, 6372,	
<code>\hyper@natlinkstart</code>	21460, 21462,	10850, 10851,	10864, 10865, 24110	
.....	14886	21463, 21464,	<code>\if@bidi@cutdloaded@</code>	15502
<code>\hyper@pageduration</code>	1971	21465, 21466,	<code>\if@bidi@cutwinloaded@</code>	15499
<code>\hyper@pagetransition</code>	21469, 21470,	<code>\if@bidi@dblfnloaded@</code>	15505
.....	1971	21471, 23516,	<code>\if@bidi@def</code>	4620
<code>\hyperref</code>	13434, 13438,	23517, 23610,	<code>\if@bidi@defmacro</code>	.	
13440,	13446,	23627, 23634,	4643, 4644,	
13450,	13452,	23635, 23636,	4340, 4344, 4349,	4652, 5046, 5065, 5212	
13458,	13462, 13464	23637, 23638, 23639	4608, 4687, 4722,	5067,
<code>\hypersetup</code>	<code>\if@allcaps</code>	4747, 4776, 4801,		5161, 5162, 5214
.....	4128,	761, 769, 1004,	4833, 4839, 4867,		<code>\if@bidi@defprimitive</code>
4136, 7776, 7835, 7852		1013, 1021, 1254,	4873, 4882, 4899,	
<code>\hypertarget</code>	1263, 1271, 8519,	5424, 6320, 6372,		4654
.....	19407, 20168, 20933	8528, 8536, 8696,	10850, 10851,		<code>\if@bidi@defprotected</code>
<code>\hyphenpenalty</code>	... 6,	8705, 8713, 18067,	10864, 10865, 24110	
105, 201, 225,		18076, 18084,	<code>\if@bidi@dblfnotloaded@</code>	15505
623, 930, 1124,		18206, 18215, 18223	15502	
8398, 8575, 15027,		<code>\if@altsecnumformat</code>	15502	
15051, 17932,		15499	
18382, 18444, 18587		<code>\if@bib@break@</code>	<code>\if@bidi@dblfnloaded@</code>	15505
<code>\HyRTL@samed@RTLfootnotetext</code>	19327,	15505	
.....	14706, 14729	19352, 19367,	<code>\if@bidi@def</code>	4620
		19383, 20088,	<code>\if@bidi@defmacro</code>	.	
		20113, 20128,	4643, 4644,	
		20144, 20853,	4652, 5046, 5065, 5212		
		20878, 20893, 20909	<code>\if@bidi@defparam</code>	.	
<code>\i</code>	<code>\if@bibchapter</code>	5067,	
.....	5843,	... 21630	5161, 5162, 5214		
5844, 5856, 5868, 5869		<code>\if@bidi@amsmathloaded@</code>	<code>\if@bidi@defprimitive</code>	4654
<code>\ialign</code>	... 393, 21321,	4654	
.....	21359, 23430, 23618	<code>\if@bidi@amstextloaded@</code>	5074,	
<code>\IeC</code>	5170, 5171, 5225		
.....	15177	<code>\if@bidi@amsthmloaded@</code>	<code>\if@bidi@diagboxloaded@</code>	15508
<code>\if</code>	<code>\if@bidi@draftwatermarkloaded@</code>	15568
.....	361, 362, 363,	<code>\if@bidi@animateloaded@</code>	15568	
365, 366, 367, 368,				
369, 372, 373, 374,		<code>\if@bidi@arabxetexloaded@</code>			
398, 404, 1386,				
1387, 1388, 1390,		<code>\if@bidi@arrayloaded@</code>			
1391, 1392, 1393,				
1394, 1395, 1396,				
1399, 1400, 1401,				
1424, 1425, 1426,				



<code>\if@bidi@empheqloaded@</code>	<code>\if@bidi@multicolloaded@</code>	<code>\if@bidi@titletocloaded@</code>
..... 15571 15640 15610
<code>\if@bidi@fancyboxloaded@</code>	<code>\if@bidi@multienumloaded@</code>	<code>\if@bidi@tocbasicloaded@</code>
..... 15562 15643 15667
<code>\if@bidi@fancyhdrloaded@</code>	<code>\if@bidi@natbibloaded@</code>	<code>\if@bidi@tocbibindloaded@</code>
..... 15565 15649 15673
<code>\if@bidi@fancyvrbloaded@</code>	<code>\if@bidi@newfloatloaded@</code>	<code>\if@bidi@tocstyleloaded@</code>
..... 15685 15652 15670
<code>\if@bidi@floatloaded@</code>	<code>\if@bidi@theoremloaded@</code>	<code>\if@bidi@todonotes@figposition@right</code>
..... 15517 15556	.. 22998, 23096,
<code>\if@bidi@floatrowloaded@</code>	<code>\if@bidi@overpicloaded@</code>	23101, 23108, 23114
..... 15520 15574	<code>\if@bidi@todonotes@textdirection@RTL</code>
<code>\if@bidi@flowframloaded@</code>	<code>\if@bidi@patchable</code> 22997,
..... 15523 5034, 5035	23031, 23071, 23105
<code>\if@bidi@fontspecloaded@</code>	<code>\if@bidi@pdfencrypt</code>	<code>\if@bidi@undef</code>
..... 15676 3317, 3552 4626, 4691,
<code>\if@bidi@framedloaded@</code>	<code>\if@bidi@pdfm@mark</code>	4943, 4954, 4973,
..... 15526 3320,	4977, 4981, 4985,
<code>\if@bidi@ftnrightloaded@</code>	3564, 3620, 3684	4995, 4999, 5003,
..... 15529	<code>\if@bidi@pdfpagesloaded@</code>	5007, 5043, 5062, 5209
<code>\if@bidi@geometryloaded@</code> 15577	<code>\if@bidi@void@ompfootins</code>
..... 15544	<code>\if@bidi@perpage@footnote</code>	.. 10848, 11116, 11124
<code>\if@bidi@graphicxloaded@</code> 3312, 3539	<code>\if@bidi@void@footins</code>
..... 15541	<code>\if@bidi@pgfloaded@</code>	.. 10847, 12479, 12486
<code>\if@bidi@hvfloatloaded@</code> 15595	<code>\if@bidi@wrapfigloaded@</code>
..... 15547	<code>\if@bidi@picinparloaded@</code> 15538
<code>\if@bidi@hyperrefloaded@</code> 15598	<code>\if@bidi@xcolorloaded@</code>
..... 15559	<code>\if@bidi@polyglossialloaded@</code> 15511
<code>\if@bidi@lettrineloaded@</code> 15682	<code>\if@bidi@xltxtextraloaded@</code>
..... 15580	<code>\if@bidi@pstricksloaded@</code> 15532
<code>\if@bidi@linenoloaded@</code> 15592	<code>\if@bidi@xtabloaded@</code>
..... 15583	<code>\if@bidi@quotchaploaded@</code> 15631
<code>\if@bidi@list@minipage@parbox</code> 15601	<code>\if@bidi@xunicodeloaded@</code>
..... 3328,	<code>\if@bidi@rotatingloaded@</code> 15535
23467, 23527, 15658	<code>\if@capbreak</code>
23536, 23545,	<code>\if@bidi@soulloaded@</code>	.. 19521, 20282, 21047
23554, 23567, 15619	<code>\if@captionabove</code> ..
23568, 23582, 23583	<code>\if@bidi@stabularloaded@</code> 19456,
<code>\if@bidi@list@minipage@parbox@not@nob</code> 15616	19462, 19556,
..... 3329,	<code>\if@bidi@subfigloaded@</code>	19567, 20217,
23475, 23529, 15622	20223, 20318,
23538, 23547, 23556	<code>\if@bidi@subfigureloaded@</code>	20329, 20982,
<code>\if@bidi@listingsloaded@</code> 15625	20988, 21083, 21094
..... 15586	<code>\if@bidi@supertabularloaded@</code>	<code>\if@cftdopart</code> 21687
<code>\if@bidi@longtableloaded@</code> 15628	<code>\if@cfthaschapter</code> ..
..... 15634	<code>\if@bidi@tblsloaded@</code> 21678,
<code>\if@bidi@mdf@RTL</code> 15661	21682, 21688,
..... 15850, 15857	<code>\if@bidi@tabularyloaded@</code>	21709, 21721, 21743
<code>\if@bidi@mdframedloaded@</code> 15664	<code>\if@cfthaspart</code> ... 21674
..... 15550	<code>\if@bidi@tikzloaded@</code>	<code>\if@chapterentrywithdots</code>
<code>\if@bidi@midfloatloaded@</code> 15604 20377, 21142
..... 15553	<code>\if@bidi@titlesecloaded@</code>	<code>\if@colour</code> 4111
<code>\if@bidi@minitocloaded@</code> 15607	<code>\if@colourgreen</code> 9758,
..... 15646		9787, 9856, 9882



<code>\if@colourgrey</code> . 9762, 9801, 9860, 9894	23556, 23567, 23568, 23582, 23583	<code>\if@restonecol</code> 604, 620, 869, 1121, 8395, 8572, 8782, 17929, 18184, 18643, 21670
<code>\if@colourorange</code> 9756, 9780, 9854, 9876	<code>\if@ignore</code> . . . 5391, 5393	<code>\if@reversemargin</code> 23951
<code>\if@coloured</code> .. 9760, 9794, 9858, 9888	<code>\if@inlabel</code> 8984	<code>\if@right@column@shrink</code> . . . 9519, 9548, 9623
<code>\if@compatibility</code> . . . 518, 670, 746, 914, 998, 1153, 1248, 8513, 8690, 18061, 18200, 21713, 22248, 23598	<code>\if@inltxdoc</code> 21623	<code>\if@right@column@spread</code> 9617
<code>\if@contcw</code> . 16582, 16611	<code>\if@insert</code> 9738	<code>\if@rjfield</code> 23990
<code>\if@conthang</code> 16592	<code>\if@komalongtable</code> . . . 19553, 20315, 21080	<code>\if@rl</code> 3310
<code>\if@contindent</code> . . . 16598	<code>\if@left@column@shrink</code> 9601	<code>\if@rl@footnote</code> . . . 3327
<code>\if@DEBUG</code> 4082	<code>\if@left@column@spread</code> 9518, 9595	<code>\if@rlmain</code> 3309
<code>\if@displaypagenumbers</code> 4290, 4293	<code>\if@LTRbibitems</code> . 87, 290, 572, 707, 970, 1220, 2368, 3323, 4308, 8465, 8653, 8962, 10524, 10795, 12632, 15008, 16660, 17245, 18022, 18416, 18610, 18813, 19343, 20104, 20869, 21599	<code>\if@rot@twoside</code> 18844, 18849, 18859, 18889, 18895, 18907
<code>\if@donumindex</code> 21631, 21650	<code>\if@LTRmarginpar</code> 3322, 23975, 23980, 23984	<code>\if@RTL</code> 12, 13, 25, 87, 104, 107, 108, 109, 173, 180, 189, 207, 208, 224, 227, 228, 229, 290, 305, 309, 513, 530, 533, 534, 557, 572, 624, 637, 648, 649, 654, 665, 690, 693, 694, 707, 875, 876, 882, 892, 895, 896, 909, 931, 970, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 1220, 1359, 1360, 1471, 1472, 1485, 1496, 1511, 1567, 1573, 1597, 1606, 1620, 1629, 1641, 1650, 1662, 1671, 1851, 2368, 2450, 2458, 2477, 2740, 2747, 2769, 2774, 2860, 2915, 2921, 3018, 3040, 3094, 3103, 3113, 3135, 3176, 3185, 3204, 3310, 3344, 3622, 3629, 4308, 4548, 4554, 4711, 4736, 4765, 4790, 4822, 4856, 7639, 7640, 7757, 7758, 7759, 8399, 8405, 8406, 8411, 8422, 8445, 8448, 8449, 8465,
<code>\if@dotocbib</code> 21592	<code>\if@mainmatter</code> . 7983, 8739, 8934, 10766, 17806, 20059, 20081	
<code>\if@dotocind</code> 21638, 21655	<code>\if@minipage</code> . 6728, 16651	
<code>\if@extrafootnotefeatures</code> 3325, 3524	<code>\if@mparswitch</code> . . . 23948	
<code>\if@fcolmade</code> . . . 9364, 9423, 12825, 12865, 12949, 13700, 13753, 13782, 16753, 16850, 23750, 23793	<code>\if@newlist</code> . . . 12965, 12997, 24004, 24079	
<code>\if@ff@nwpng</code> 12917	<code>\if@nobreak</code> . . . 6316, 13618, 15861, 17867	
<code>\if@filesw</code> 4361, 4712, 4718, 4737, 4743, 4766, 4772, 4791, 4797, 4823, 4829, 4857, 4863	<code>\if@nonlatin</code> 336, 348, 3311, 3537, 4584, 4590, 9020, 9022, 15845	
<code>\if@firstcolumn</code> 9315, 9378, 9439, 9711, 9730, 12793, 12829, 13657, 13706, 13794, 16665, 16765, 16871, 23709, 23756, 23946	<code>\if@noparlist</code> 8342	
<code>\if@firstdetailselement</code> 9923, 9925	<code>\if@noskipsec</code> . . 8983, 13619, 15862, 17868	
<code>\if@firstfooterelement</code> 9827, 9830	<code>\if@oldtoc</code> . 658, 684, 886, 902, 1141, 1168, 8415, 8439, 8592, 8616, 17967, 17991, 18339, 18363	
<code>\if@hboxRconstruct</code> 3316, 3623, 4572, 4578, 13343, 23474, 23498, 23529, 23538, 23547,	<code>\if@openright</code> 8011, 8953, 10786	
	<code>\if@ovb</code> 12769	
	<code>\if@ovl</code> 12767	
	<code>\if@ovr</code> 12766	
	<code>\if@ovt</code> 12768	
	<code>\if@pboxsw</code> 23523	



8576, 8582, 8583,	15031,	15046,	18930,	18934,
8588, 8599, 8622,	15057,	15058,	18936,	18941,
8625, 8626, 8653,	15092,	15096,	18945,	18948,
8737, 8748, 8750,	15099,	15104,	18952,	18954,
8886, 8901, 8904,	15225,	15232,	18958,	18983,
8905, 8932, 8946,	15240,	15260,	18991,	19016,
8962, 8981, 8993,	15270,	15745,	19029,	19315,
9006, 9081, 9122,	15817,	15827,	19316,	19343,
9123, 9127, 9128,	15834,	15853,	19391,	19392,
9130, 9137, 9143,	15936,	15944,	19393,	19395,
9162, 9165, 9166,	16135,	16461,	19443,	19447,
9172, 9177, 9284,	16541,	16542,	19722,	19730,
9287, 9304, 9308,	16543,	16544,	19755,	19769,
10129, 10136,	16545,	16546,	20055,	20104,
10152, 10158,	16625,	16627,	20152,	20153,
10174, 10181,	16660,	16905,	20154,	20156,
10310, 10390,	16909,	16910,	20204,	20208,
10405, 10427,	16917,	16922,	20495,	20503,
10428, 10429,	16929,	16934,	20528,	20542,
10430, 10453,	17245,	17324,	20828,	20869,
10473, 10476,	17344,	17359,	20917,	20918,
10477, 10487,	17373,	17405,	20919,	20921,
10501, 10514,	17535,	17585,	20969,	20973,
10524, 10741,	17660,	17714,	21238,	21241,
10764, 10779,	17715,	17718,	21271,	21291,
10795, 10816,	17722,	17754,	21489,	21534,
10819, 10824,	17755,	17756,	21551,	21571,
10832, 12577,	17801,	17803,	21574,	21579,
12592, 12595,	17809,	17820,	21583,	21584,
12596, 12603,	17822,	17833,	21599,	21695,
12615, 12632,	17835,	17846,	21696,	21697,
12901, 13058,	17848,	17857,	21705,	21726,
13344, 13491,	17859,	17876,	21727,	21728,
13493, 13890,	17896,	17912,	21736,	21749,
13892, 13895,	17913,	17933,	21750,	21751,
13896, 13897,	17946,	17957,	21759,	21766,
13903, 13905,	17958,	17963,	21767,	21768,
13922, 13925,	17974,	17997,	21776,	21783,
13932, 13941,	18000,	18001,	21784,	21785,
13947, 13951,	18022,	18317,	21793,	21800,
13954, 13968,	18318,	18329,	21801,	21802,
13993, 14000,	18330,	18335,	21810,	21817,
14165, 14267,	18346,	18369,	21818,	21819,
14369, 14377,	18372,	18373,	21827,	21834,
14759, 14795,	18383,	18396,	21835,	21836,
14827, 14856,	18416,	18445,	21844,	21852,
14882, 14888,	18561,	18576,	21853,	21854,
14892, 14895,	18579,	18580,	21862,	21871,
14940, 14948,	18585,	18586,	21872,	21873,
14956, 14964,	18610,	18746,	21881,	21891,
14972, 14981,	18761,	18764,	21892,	21893,
14989, 14998,	18765,	18792,	21901,	21926,
15008, 15026,	18804,	18813,	21927,	21928,
15029, 15030,	18924,	18926,	21936,	21976,



21977,	21978,	970, 1220, 2368,	21310,	21311,
22771,	22833,	3324, 4308, 8465,	21328,	21336,
22834,	22835,	8653, 8962, 10524,	21342,	21367,
22841,	22844,	10795, 12632,	21455,	21456,
22891,	22951,	15008, 16660,	23427,	23602,
22956,	22979,	17245, 18022,	23606,	23607,
22986,	23046,	18416, 18610,	23627, 23635, 23636	
23049,	23133,	18813, 19343,	\if@sectionentrywithdots	
23168,	23176,	20104, 20869, 21599 19615	
23203,	23204,	\if@RTLcolumnfootnotes	\if@sentedir 3624	
23207,	23208,	... 3326, 11177,	\if@specialpage ...	
23210,	23247,	11178, 11181, 12920, 24015	
23251,	23304,	11182, 11217,	\if@star 17790	
23309,	23355,	11269, 11325,	\if@tab@rl 3315	
23356,	23383,	11374, 11429,	\if@tablecaptionabove	
23384,	23387,	11481, 11538,	. 19585, 20347, 21112	
23391,	23468,	11590, 11647,	\if@tempswa 1876,	
23476,	23482,	11699, 11756,	1886, 1895, 1910,	
23488,	23501,	11808, 11865,	6158, 6203, 10025,	
23569,	23570,	11917, 11974,	10082, 19166,	
23572,	23575,	12026, 12083, 12135	19906, 20679, 22430	
23578,	23582,	\if@RTLmain 1503,	\if@thmmarks .. 17307,	
23583,	23584,	1936, 1944, 1953,	17311, 17328, 17332	
23585,	23587,	1961, 1983, 2000,	\if@titlecentered .	
23589,	23590,	2014, 2029, 2696, 1341, 18297	
23595,	23642,	2698, 2701, 2840,	\if@titlepage	
23643,	23649,	2847, 3230, 3309,	.. 411, 625, 733,	
23654,	23975,	3343, 3362, 3621,	932, 985, 1184,	
23980,	23984,	3628, 3647, 9180,	1235, 8784, 10547,	
23992,	23993,	9203, 9226, 9249,	10640, 12647,	
23994,	23995,	9633, 10117,	17934, 18048,	
24090,	24093,	10242, 10245,	18185, 18384,	
24101,	24111,	10251, 10259,	18447, 18644,	
24213, 24223, 24229		10269, 10279,	19067, 19807, 20580	
\if@RTL@footnote ..		10285, 10299,	\if@titlepageiscoverpage	
..... 36, 239,		13063, 14018,	. 19072, 19812, 20585	
2121, 2171, 2173,		14028, 14045,	\if@tocstyle@penalties	
3327, 3625, 7007,		14051, 15278, 22754, 22863	
10914, 10955,		16862, 17019,	\if@todonotes@authorgiven	
11207, 11252,		23799, 24020, 23022,	
11316, 11358,		24026, 24055, 24071	23033, 23058, 23075	
11419, 11464,		\if@RTLmarginpar 3321,	\if@todonotes@disabled	
11528, 11573,		23975, 23980, 23984 23016, 23017	
11637, 11681,		\if@RTLtab . 362, 363,	\if@todonotes@dviStyle	
11746, 11790,		379, 382, 404, 406, 23019, 23053	
11855, 11900,		1367, 1368, 1387,	\if@ttb@rotate ... 13057	
11964, 12009,		1388, 1425, 1426,	\if@twocolumn ... 98,	
12073, 12118,		3315, 3946, 3950,	218, 458, 591, 607,	
12271, 12292,		3951, 4560, 4566,	634, 641, 809, 856,	
12333, 12388,		9041, 9043, 9064,	941, 952, 1061,	
12397, 13238,		9071, 9093, 9094,	1108, 1193, 1200,	
13287, 13327, 13328		9107, 9118, 15693,	1311, 3363, 3369,	
\if@RTLbibitems . 87,		15695, 15806,	7937, 8382, 8559,	
290, 572, 707,		15809, 21306,	8769, 8831, 10590,	



10687, 12690,	\ifbidi@in@label ..	1814, 1873, 1875,
13796, 15020, 5603, 5605	1876, 1881, 1883,
16524, 17916,	\IfbidiPackageVersion	1885, 1887, 1888,
17943, 17950, 3296	1904, 1920, 2798,
18124, 18171,	\IfbidiPackageVersionBefore	2837, 2872, 3195,
18265, 18393, 3290	3214, 3285, 3291,
18400, 18509,	\IfbidiPackageVersionLater	3297, 6741, 7308,
18630, 18691, 3284	8077, 8114, 8116,
19233, 19973,	\ifblank 2326, 2715	8175, 8176, 8178,
20746, 21625,	\ifblendcolors 23215,	8184, 8224, 8236,
23671, 23945, 24104	23236, 23258, 23285	8318, 8320, 8333,
\if@twoside	\ifbool 15875, 15884	8335, 8343, 9014,
... 7928, 10277,	\ifcase 1408, 1435, 1439,	9458, 9473, 9517,
12924, 19114,	1443, 1447, 1473,	9520, 9549, 9557,
19158, 19236,	3413, 3419, 3425,	9558, 9564, 9587,
19250, 19854,	3431, 3437, 3443,	9594, 9600, 9616,
19898, 19976,	3455, 3461, 3467,	9622, 9691, 9707,
19990, 20627,	3474, 3488, 3495,	9720, 9723, 9725,
20671, 20749,	3505, 9095, 14365,	9972, 9993, 10013,
20763, 23159, 24018	15758, 21565,	10022, 10049,
\if@vihproof 16890, 16896	21946, 22823,	10053, 10070,
\ifadl@inactive ... 1373	22893, 23003,	10079, 10101,
\ifadl@usingarypkg 1376	23011, 23235,	10105, 11022,
\ifAM@output 17451	23284, 23686, 23687	11027, 11034,
\ifAM@survey 17429	\ifcat 3354, 3639, 5489, 5490	11039, 11046,
\IfArgIsEmpty	\ifconvertcolorsU .	11051, 12247,
. 18999, 19738, 20511 23221,	12251, 12255,
\ifartopt	23237, 23264, 23286	12309, 12313,
\ifbeamer@centered 2100	\ifcoppddpage 6505	12317, 12755,
\ifbeamer@colbox@ignorebg	\ifcsname	12757, 12900,
..... 1858, 1861	4603, 4609, 4960,	13432, 13437,
\ifbeamer@colbox@rounded	5352, 5366, 5380,	13444, 13449,
..... 1894	5390, 5412, 5932,	13456, 13461,
\ifbeamer@compress 2395	5947, 6161, 6169,	13503, 13511,
\ifbeamer@dogeometry	17269, 17279,	13527, 13528,
..... 1932	17293, 22778,	13558, 13566,
\ifbeamer@onlytextwidth	22779, 22788,	13579, 13594,
..... 2082	22799, 22803,	13627, 13628,
\ifbeamer@plainframe	22813, 22825,	13910, 13917,
..... 2803	22879, 22907,	13956, 13963,
\ifbeamer@sb@subsection	22908, 22916,	14008, 14098,
... 2998, 3009, 3017	22920, 22924,	14236, 14252,
\ifbeamer@theme@subsection	22928, 22932,	15183, 15197,
..... 2771	22936, 22940, 22944	15203, 15337,
\ifbeamer@tree@showhooks	\ifdefined ... 4621, 4627	15746, 15793,
..... 3193, 3212	\ifdefining 5609	15796, 16531,
\ifbeamercolorempy	\ifdfn@allowcbreak	16574, 16581,
1857, 2545, 2547, 9978, 9999	16585, 16587,
2550, 2560, 2562,	\ifdfn@ruleboth ...	16626, 16687,
2565, 2575, 2577, 2580 10036, 10090	16695, 16697,
\ifbidi@autofooterule	\ifdfn@trysingle ..	16787, 16795,
..... 2171, 10017, 10074	16797, 16872,
2187, 2203, 13064,	\ifdim 1461, 1462,	16883, 16967,
13299, 13313, 13327	1773, 1780, 1792,	16975, 16981,



16995,	17003,	14290,	14297,	17462,	17520,
17479,	17532,	14303,	14310,	17758,	17794,
17557,	17615,	14316, 14322, 14328		18924,	18926,
17626,	17633,	\ifhv@nonFloat	14110,	18930,	18934,
17638,	17653,	14117,	14135,	18936,	18941,
17766,	17791,	14156, 14348, 14350		18945,	18948,
19427,	19510,	\ifhv@onlyText	18952,	18954,
20188,	20271,	14118, 14136	18958,	23203,
20953,	21036,	\ifhv@useOBox	14081, 14085	23207, 23518, 23593	
21353,	22286,	\ifHy@href@ismap	. 14847	\ifNAT@openbib	... 17248
22331,	22346,	\ifHy@hyperfootnotes		\ifnonlatin 4589
22351,	22789,	. 10852, 10866, 14384		\ifnum	3, 137, 143, 198,
22814,	22880,	\ifHy@nesting	304, 353, 354, 355,	
23136,	23138,	.. 14433, 14444,		356, 358, 459, 508,	
23140,	23142,	14455, 14466,		525, 551, 560, 644,	
23143,	23144,	14481, 14496,		660, 678, 810, 871,	
23146,	23186,	14556, 14594,		904, 922, 1062,	
23193, 23957, 24089		14627, 14658, 14689		1127, 1143, 1161,	
\ifdofullc@p	\ifHy@pdfa	... 14773,	1312, 1378, 1379,	
. 19497, 20258, 21023		14807, 14838, 14867		1380, 1381, 1383,	
\iffalse	\ifin@ 6177	1422, 1423, 2171,	
4492, 4493, 4495,		\ifin@label 5611	2187, 2203, 2327,	
13618, 13619,		\ifinner	.. 4017, 6972,	2394, 2398, 2419,	
15388, 15861,		7016, 7060, 13506,		2420, 2422, 3533,	
15862, 17867, 17868		23128, 23862, 23906		3534, 3535, 4043,	
\IfFileExists	.. 5887,	\ifL@grid 15198	4379, 4884, 5463,	
6485, 7957, 8022		\ifL@realh 15134	5491, 5493, 5501,	
\iffootdir@debug	..	\iflatin 4583	5503, 5704, 5714,	
..... 13072, 13076		\ifLettrineImage	. 15128	5812, 5818, 5843,	
\ifFootnoteBackref@number	\ifLettrineOnGrid	15129	5858, 5864, 8197,	
..... 13430		\ifLettrineRealHeight		8401, 8417, 8433,	
\ifGin@grid	. 17360, 17373 15130		8497, 8499, 8501,	
\ifGin@iso 14007	\ifLettrineSelfRef	15131	8578, 8594, 8610,	
\ifhbox	12189, 12198, 12202	\ifLtoR 4553	8674, 8676, 8678,	
\ifhmode	\ifLtoRhboxconstruct		8738, 8832, 8881,	
2388, 4011, 6966,	 4577		8896, 8919, 8921,	
7010, 7054, 7297,		\ifLtoRtable 4565	8923, 8933, 9015,	
7303, 9128, 9130,		\ifmaskcolors	. 23225,	9282, 9290, 9295,	
9137, 9143, 9162,		23236, 23268, 23285		9302, 9512, 9513,	
21527, 23208,		\ifmmode	9526, 9537, 9673,	
23210, 23247,		3612, 9122, 9127,		9685, 9698, 9913,	
23251, 23304,		12870, 12880,		10468, 10482,	
23582, 23583,		13890, 13892,		10495, 10504,	
23626, 23856, 23900		13895, 13896,		10591, 10688,	
\ifhv@fbox	... 14167,	13897, 13903,		10737, 10751,	
14173, 14180,		13905, 13922,		10753, 10755,	
14186, 14192,		13925, 13932,		10765, 11183,	
14198, 14207,		13941, 13947,		12572, 12587,	
14211, 14216,		13951, 13954,		12604, 12691,	
14220, 14224,		13968, 13993,		12741, 12743,	
14228, 14242,		14000, 14744,		12745, 13033,	
14258, 14269,		14756, 14759,		13035, 13037,	
14273, 14278,		14795, 14827,		13046, 13048,	
14282, 14286,		14856, 14882,		13050, 13196,	



13299,	13313,	20720,	20747,	22022,	22025,		
13327,	13627,	20796,	20842,	22034,	22035,		
13629,	13817,	20845,	21398,	22036,	22039,		
14746,	14751,	21446,	21447,	22042,	22061,		
15048,	15190,	21448,	21449,	22062,	22063,		
15250,	15308,	21451,	21556,	22065,	22066,		
15311,	15319,	21558,	21677,	22067,	22070,		
15322,	15391,	21681,	21723,	22073,	22082,		
15707,	15708,	21742,	21764,	22083,	22084,		
15788,	15789,	21781,	21798,	22087,	22090,		
16525,	16558,	21815,	21832,	22148,	22149,		
16684,	16714,	21850,	21869,	22150,	22151,		
16784,	16814,	21889,	21924,	22152,	22153,		
16903,	16915,	22107,	22108,	22154,	22155,		
16927,	17027,	22219,	22220,	22156,	22171,		
17033,	17111,	22247,	22257,	22172,	22173,		
17129,	17288,	22271,	22753,	22174,	22176,		
17298,	17545,	22758,	22776,	22177,	22178,		
17551,	17563,	22949,	23167,	22181,	22184,		
17566,	17567,	23449,	23632,	22193,	22194,		
17568,	17570,	23633,	23647,	22195,	22198,		
17571,	17572,	23702,	23953,	22201,	22455,		
17573,	17582,	23975,	24098,	24099	22456,	22457,	
17604,	17609,	\ifodd	4028, 7928,	22458,	22459,		
17620,	17631,	10250,	10278,	22460,	22461,		
17632,	17638,	10349,	12925,	22462,	22463,		
17642,	17645,	14038,	14044,	22532,	22533,		
17646,	17752,	23159,	23949,	24019	22534,	22535,	
17753,	17760,	\ifoddpag	6499	22537,	22538,	
17805,	17953,	\ifonelinecaptions			22539,	22542,	
17969,	17985,	. 19400,	20161,	20926	22545,	22554,	
18043,	18045,	\ifpgfrememberpicturepositiononpages			22555,	22556,	
18047,	18125,	17475		22559,	22562,	
18266,	18325,	\ifpoem@started	8171,		22592,	22593,	
18341,	18357,	8177,	8317,	8324,	8338	22594,	22596,
18408,	18410,	\ifprimitive . .	4655,	4662	22597,	22598,	
18412,	18510,	\ifPst@shift@star	17782		22601,	22604,	
18557,	18571,	\ifr@ggedbottom . .	17732		22613,	22614,	
18597,	18599,	\ifrot@messages . . .			22615,	22618,	
18601,	18692,	18894,	18906	22621,	22641,	
18741,	18756,	\ifRtoL	4547		22644,	22647,	
18779,	18781,	\ifRtoLhboxconstruct			22667,	22671,	
18783,	18793,	4571		22676,	22688,	
18979,	18990,	\ifRtoLtable	4559		22691,	22695,	
19059,	19160,	\ifshowgrid	17760		22705,	22709,	22714
19207,	19234,	\ifsomething	5742		\Ifstrstart . . .	22446,	
19283,	19718,	\Ifstr . .	21989,	21990,	22478,	22506,	
19729,	19799,	21991,	21992,		22519,	22578,	22730
19900,	19947,	21993,	21994,		\iftagsleft@ . .	328,	10307
19974,	20023,	21995,	21996,		\iftest	5546	
20058,	20073,	21997,	22012,		\ifthenelse		
20076,	20080,	22013,	22014,		4262,	4279,	4283,
20491,	20502,	22015,	22017,		4287,	4295,	6398,
20572,	20673,	22018,	22019,		6458,	6460,	6463,



6467, 6470, 6473,	13362, 13587,	10814, 10830,
6498, 6555, 6574,	13608, 13763,	10834, 12803,
6589, 6594, 6600,	13768, 13786,	12839, 13193,
6609, 6620, 6626,	13788, 13797,	13471, 13672,
6632, 6633, 6640,	13807, 13827,	13721, 13759,
6647, 6649, 6655,	13828, 13832,	13936, 13978,
6672, 6690, 6692,	13843, 13850,	13979, 13985,
6696, 6714, 6715,	14923, 14927,	14072, 14074,
6718, 6719, 6754,	15806, 15906,	14080, 14091,
6763, 6774, 6784,	16942, 17097,	14093, 14096,
6833, 6948, 7172,	17099, 17113,	14097, 14114,
7190, 7191, 7209,	17114, 17158,	14120, 14121,
7210, 7228, 7229,	17162, 17166,	14123, 14126,
7260, 7261, 7379,	17660, 17726,	14138, 14139,
7384, 7408, 7413,	17728, 17733,	14141, 14144,
7437, 7442, 7519,	23309, 23362,	14153, 14155,
7523, 7571, 7784,	23372, 23804,	14164, 14166,
7830, 7839, 7847,	23819, 23820, 23843	14179, 14206,
7874, 7921, 7990,	\ifWF@float . 23141, 23155	14215, 14235,
8001, 9817, 9823,	\ifx . 115, 134, 136, 151,	14251, 14268,
9840, 9843, 9844,	155, 159, 166, 794,	14277, 14296,
9845, 9846, 9847,	798, 1046, 1050,	14309, 14343,
9933, 9938, 9941,	1296, 1300, 1892,	14349, 14362,
9942, 9943, 9944,	1893, 2238, 2264,	14393, 14404,
9945, 9948, 9952,	2290, 2623, 2629,	14415, 14722,
13006, 13021,	2635, 2817, 2833,	14725, 14728,
17419, 18848, 18893	2900, 2951, 3047,	14731, 14775,
\iftocfeature . 22127,	3142, 3543, 3544,	14783, 14809,
22239, 22297, 22307	3894, 3900, 3906,	14817, 14840,
\iftocstyle@autolength	3921, 3952, 4004,	14869, 15073,
..... 22798	4007, 4268, 4269,	15094, 15136,
\iftocstyle@indentnotnumbered	4270, 4272, 4372,	15156, 15348,
..... 22843, 22890	4401, 4404, 4424,	15349, 15353,
\iftrue 4494,	4428, 4448, 4452,	15355, 15712,
6913, 6926, 6939	4467, 4471, 4541,	16635, 16676,
\ifttl@label 21532	4610, 4628, 4923,	16776, 17041,
\ifTX@ 21388	5111, 5127, 5469,	17046, 17051,
\ifvbox 12500,	5475, 5476, 5513,	17274, 17278,
13864, 17154, 17169	5514, 5515, 5516,	17285, 17291,
\ifvmode .. 4708, 4762,	5526, 5532, 5557,	17435, 17447,
4819, 6316, 6702,	5562, 5567, 5572,	17723, 17775,
6705, 6708, 6711,	5578, 5583, 5771,	17816, 17829,
15890, 16957,	5877, 5901, 5916,	17842, 18109,
17318, 17338, 21340	5981, 5993, 6025,	18113, 18250,
\ifvoid ... 9350, 9366,	6036, 6071, 6077,	18254, 19012,
9409, 9425, 9480,	6088, 6089, 6100,	19047, 19054,
9667, 9976, 9997,	6130, 6139, 6140,	19111, 19112,
10008, 10033,	6160, 6175, 6185,	19119, 19127,
10065, 10087,	6199, 6206, 6218,	19134, 19140,
11072, 11073,	6234, 6289, 6300,	19162, 19178,
11081, 11087,	7242, 8066, 8087,	19185, 19193,
11111, 11112,	8240, 8292, 8297,	19201, 19213,
11128, 11140,	8299, 9326, 9389,	19220, 19235,
12540, 12555,	10045, 10097,	19236, 19240,



19241,	19249,	263,	278,	336,	7745,	8389,	8390,
19250,	19254,	630,	639,	937,	8566,	8567,	8776,
19255,	19264,	1189,	1198,	1884,	8777,	8778,	17923,
19265,	19269,	2074,	2078,	2083,	17924,	18178,	
19270,	19278,	2095,	2105,	2133,	18179,	18637,	
19331,	19751,	2150,	2167,	2183,	18638,	18639,	
19787,	19794,	2199,	2215,	2441,	21634,	21635,	
19851,	19852,	5300,	5790,	5806,	21636,	21640,	
19859,	19867,	5808,	5814,	5817,	21641,	21642,	
19874,	19880,	5820,	5824,	5829,	21645,	21646,	
19902,	19918,	6725,	6732,	6733,	21652,	21653,	
19925,	19933,	6742,	7329,	7347,	21657,	21658,	
19941,	19953,	7365,	7401,	7430,	21659,	21662,	21663
19960,	19975,	7459,	7724,	8148,	<code>\indexspace</code> 7760		
19976,	19980,	8159,	8312,	8313,	<code>\input</code> 3410, 3411,		
19981,	19989,	8460,	8648,	9018,	3525,	3618,	3694,
19990,	19994,	9024,	9137,	9143,	4115,	7958,	8023,
19995,	20004,	9151,	9158,	10819,	24103,	24113,	
20005,	20009,	10833,	10897,		24114,	24115,	
20010,	20018,	10903,	10909,		24116,	24117,	
20091,	20524,	13250,	13267,		24118,	24119,	
20560,	20567,	13283,	13310,		24120,	24121,	
20624,	20625,	13324,	13338,		24122,	24123,	
20632,	20640,	14020,	14024,		24124,	24125,	
20647,	20653,	14029,	14034,		24126,	24127,	
20675,	20691,	15080,	15099,		24128,	24129,	
20698,	20706,	15845,	16648,		24130,	24131,	
20714,	20726,	16655,	17939,		24132,	24133,	
20733,	20748,	17948,	18389,		24134,	24135,	
20749,	20753,	18398,	18924,		24136,	24137,	
20754,	20762,	18934,	18952,		24138,	24139,	
20763,	20767,	19470,	19472,		24141,	24142,	
20768,	20777,	20231,	20233,		24146,	24152,	
20778,	20782,	20996,	20998,		24159,	24160,	
20783,	20791,	23247,	23251,		24161,	24162,	
20856,	21348,	23494,	23533,		24163,	24164,	
21567,	21909,	23542,	23551,	23560	24165,	24166,	
22262,	22268,	<code>\iii</code> 5850			24167,	24168,	
22314,	22318,	<code>\ilg</code> 17554, 17577			24169,	24170,	
22322,	22429,	<code>\immediate</code> . . . 6313, 8304			24171,	24172,	
22765,	22836,	<code>\in@</code> 6176			24173,	24174,	
22848,	22856,	<code>\includegraphics</code> . .			24175,	24176,	
22873,	22898, 4303, 9819,			24177,	24178,	
22965,	22970,	9950, 17348, 17421			24179,	24180,	
22972,	23216,	<code>\includemedia</code>			24181,	24182,	
23259,	23392,	. 16110, 16440, 16441			24183,	24184,	
23502,	23505,	<code>\includepdf</code> 17412			24185,	24186,	
23512,	23673,	<code>\indentedwidth</code> . . . 10832			24187,	24188,	
23681,	23720,	<code>\index</code> 5728,			24189,	24190,	
23767,	24032,	5729, 12978, 24043			24191,	24192,	
24033,	24035,	24036	<code>\indexname</code> 598,		24193,	24194,	
<code>\ifXC@tst</code> . 23239, 23288			599, 600, 614,		24195,	24196,	
<code>\ignorespaces</code> . . . 46,			615, 863, 864,		24197,	24198,	
60, 76, 122, 249,			1115, 1116, 7744,		24199,	24200,	



24201,	24202,	13237,	13254,	\insertshorttitle .
24203,	24204,	13270,	13787, 2718,
24206,	24207,	13789,	17098, 17100	2887, 2926, 3101, 3183
24208,	24209,	\insert@column		\insertsubenumlabel 1627
24210,	24211, 1410, 1411,		\insertsubsectionhead
24234,	24235,	1412, 1413, 1415,	 2752, 2781,
24236,	24237,	1416, 1476, 1478,		3025, 3121, 3213, 3221
24238,	24239,	1479, 1481, 1482,		\insertsubsubenumlabel
24240,	24241,	1483, 9098, 9100,	 1648
24242,	24243,	9101, 9103, 9104, 9105		\insertsubtitle ... 2620
24244,	24245,	\insertauthor . 2623, 2626		\inserttitle 2619
24246,	24247,	\insertauthorindicator		\inserttitleindicator
24248,	24249, 2625	 2618
24250,	24251,	\insertblocktitle .		\inserttocsection .
24252,	24253, 1725, 1734,	 1538,
24254,	24255,	1743, 2542, 2557,		1578, 1697, 2614
24256,	24257,	2572, 2647, 2659, 2671		\inserttocsectionnumber
24258,	24259,	\insertcaption 2529		... 1535, 1572, 1694
24260,	24261,	\insertcaptionname 2526		\inserttocsubsection
24262,	24263,	\insertdate ... 2635, 2638	 1541,
24264,	24265,	\insertdateindicator		1583, 1705, 2470
24266,	24267, 2637		\inserttocsubsubsection
24268,	24269,	\insertenumlabel 1546,
24270,	24271, 1604, 1669		1590, 1712, 2474
24272,	24273,	\insertfootnotemark		\insertverticalnavigation
24274,	24275, 2111,	 2898
24276,	24277,	2116, 2500, 2507, 2514		\int 16164, 16211,
24278, 24279, 24280		\insertfootnotetext		16212, 16216,
\input@path	16131 2110,		16294, 16382,
\InputIfFileExists		2115, 2500, 2507, 2514		16385, 16386,
..	5875, 5884, 15147	\insertframesubtitle		16397, 16435,
\insert	35, 2817,		16473, 16498, 17384
49, 65, 238, 252,		2818, 2951, 2952,		\interfootnotelinepenalty
267, 3360, 3645,		3047, 3050, 3142, 3145		.. 39, 53, 69, 242,
9967, 9983, 9988,		\insertframetitle .		256, 271, 11103,
10004, 10051,	 2816,		13241, 13258, 13274
10057, 10103,		2950, 3046, 3141		\interlinepenalty .
10109, 10913,		\insertinstitute 39, 53,
10927, 10941,	 2629, 2632		69, 242, 256, 271,
11207, 11217,		\insertinstituteindicator		558, 622, 647, 874,
11227, 11316,	 2631		929, 1123, 1130,
11325, 11334,		\insertlogo	2846	7636, 8397, 8404,
11419, 11429,		\insertnavigation .		8574, 8581, 8745,
11439, 11528,	 2769, 3015		8940, 8948, 9670,
11538, 11548,		\insertpenalties ..		9682, 9695, 10502,
11637, 11647,	 13201, 13817		10515, 10772,
11657, 11746,		\insertsectionhead		10781, 11103,
11756, 11766,	 2745,		12609, 12617,
11855, 11865,		3111, 3194, 3202		13241, 13258,
11875, 11964,		\insertshortauthor		13274, 16907,
11974, 11984,		... 2715, 2895, 2919		16919, 16931,
12073, 12083,		\insertshortdate .. 2723		17809, 17931,
12093, 12332,		\insertshortinstitute		17956, 18328,
12350, 12362,	 2715		18381, 18443,



<code>\L@Nindent</code> . . . 15125, 15218, 15220, 15222, 15235, 15237	<code>\label</code> 4299, 6603, 6605, 6607, 6611, 6663, 12977, 13409, 13415, 14128, 14146, 19403, 20164, 20929, 24042	4315, 7674, 7675, 8468, 8469, 8656, 8657, 8965, 8966, 10527, 10528, 10798, 10799, 12635, 12636, 13632, 15010, 15011, 17174, 17177, 17179, 17182, 17184, 17186, 17189, 17191, 17193, 17195, 17198, 17200, 17202, 17204, 17206, 17209, 17211, 17214, 17216, 17219, 17221, 17223, 17226, 17228, 17230, 17233, 17235, 17237, 18026, 18419, 18420, 18613, 18614, 18816, 18817, 19348, 19349, 20109, 20110, 20874, 20875, 21602, 21603
<code>\L@novskip</code> 15127, 15197, 15201	<code>\labelitemi</code> . 743, 995, 1058, 1245, 8510, 8687, 18058, 18197	17174, 17179, 17182, 17184, 17186, 17189, 17191, 17193, 17195, 17198, 17200, 17202, 17204, 17206, 17209, 17211, 17214, 17216, 17219, 17221, 17223, 17226, 17228, 17230, 17233, 17235, 17237
<code>\L@oversize</code> 15121, 15178, 15183	<code>\labelname</code> . . . 17174, 17177, 17179, 17182, 17184, 17186, 17189, 17191, 17193, 17195, 17198, 17200, 17202, 17204, 17206, 17209, 17211, 17214, 17216, 17219, 17221, 17223, 17226, 17228, 17230, 17233, 17235, 17237	<code>\landscape</code> . 15823, 17404
<code>\l@paragraph</code> 21797, 22934	<code>\labelsep</code> 85, 90, 288, 293, 577, 712, 975, 1225, 2352, 2373, 4314, 4316, 7673, 7675, 7732, 8470, 8658, 8967, 10529, 10800, 12637, 15006, 15011, 17174, 17177, 17179, 17182, 17184, 17186, 17189, 17191, 17193, 17195, 17198, 17200, 17202, 17204, 17206, 17209, 17211, 17214, 17216, 17219, 17221, 17223, 17226, 17228, 17230, 17233, 17235, 17237, 18027, 18421, 18615, 18818, 19350, 20111, 20876, 21604	<code>\l@realfalse</code> 15130
<code>\L@parshape</code> 15226, 15228, 15233, 15235, 15241, 15243, 15246	<code>\labelwidth</code> . . . 89, 90, 292, 293, 575, 576, 710, 711, 973, 974, 1223, 1224, 2360, 2371, 2372, 4313,	<code>\l@realtrue</code> 15130
<code>\l@part</code> 507, 659, 677, 903, 921, 1142, 1160, 8416, 8432, 8593, 8609, 8880, 10481, 10736, 12571, 17968, 17984, 18340, 18356, 18556, 18740, 21586, 21587, 21675, 22910, 22913	<code>\L@raise</code> . . . 15122, 15188	<code>\l@refstring</code> 15117
<code>\L@Pindent</code> . . . 15211, 15212, 15214, 15215, 15217, 15218, 15221, 15228	<code>\L@realhfalse</code> 15130	<code>\l@section</code> 524, 685, 698, 887, 900, 1169, 1182, 10467, 21741, 22922
<code>\L@raise</code> . . . 15122, 15188	<code>\L@selfreffalse</code> . . 15131	<code>\L@selfreftrue</code> . . . 15131
<code>\L@realhfalse</code> 15130	<code>\L@slope</code> 15126, 15237, 15238	<code>\l@subfigure</code> 21868
<code>\L@realhtrue</code> 15130	<code>\l@subparagraph</code> 21814, 22938	<code>\l@subsection</code> 21763, 22926
<code>\l@refstring</code> 15117	<code>\l@subsubsection</code> 21780, 22930	<code>\l@subtable</code> 21888
<code>\l@section</code> 524, 685, 698, 887, 900, 1169, 1182, 10467, 21741, 22922	<code>\l@subtable</code> 21888	<code>\l@table</code> 7645, 21849, 22942
<code>\L@selfreffalse</code> . . 15131	<code>\L@target@dp</code> 15194	<code>\L@target@tht</code> 15180, 15188, 15193
<code>\L@selfreftrue</code> . . . 15131	<code>\L@tbody</code> . 15133, 15141, 15186, 15191, 15249	<code>\l@textcolor</code> 15154, 15155
<code>\L@slope</code> 15126, 15237, 15238		
<code>\l@subfigure</code> 21868		
<code>\l@subparagraph</code> 21814, 22938		
<code>\l@subsection</code> 21763, 22926		
<code>\l@subsubsection</code> 21780, 22930		
<code>\l@subtable</code> 21888		
<code>\l@table</code> 7645, 21849, 22942		
<code>\L@target@dp</code> 15194		
<code>\L@target@tht</code> 15180, 15188, 15193		
<code>\L@tbody</code> . 15133, 15141, 15186, 15191, 15249		
<code>\l@textcolor</code> 15154, 15155		



1010, 1020, 1095,	<code>\lccode</code> 5491,	19056, 19796,
1101, 1151, 1260,	5493, 23160, 23161	20569, 21255,
1270, 1346, 1352,	<code>\Lcs</code> 3818	21306, 21530,
1356, 1361, 7533,	<code>\LcsStar</code> 3819	21553, 21700,
7596, 7662, 8425,	<code>\leaders</code> 19056,	21731, 21754,
8525, 8535, 8602,	19796, 20569,	21771, 21788,
8702, 8712, 8798,	21288, 21580,	21805, 21822,
8804, 8869, 8875,	22849, 22958, 23656	21839, 21857,
8889, 9812, 9814,	<code>\leavevmode</code> . . 14, 209,	21876, 21896,
9905, 9907, 10490,	305, 378, 515, 532,	21931, 22124,
10559, 10565,	653, 667, 692, 744,	22236, 22327,
10624, 10630,	881, 894, 911, 996,	22840, 22954,
10654, 10660,	1059, 1136, 1150,	23203, 23400,
10725, 10731,	1176, 1246, 1527,	23405, 23407,
10744, 12580,	1541, 1544, 1563,	23415, 23422,
12659, 12665,	1581, 1586, 1685,	23496, 23602, 23652
12724, 12730,	1703, 1709, 1846,	<code>\left</code> . 23416, 23423, 23429
17977, 18073,	2078, 2088, 2103,	<code>\left@footnoterule</code>
18083, 18158,	2367, 2470, 2473,	. . . 30, 234, 415,
18164, 18212,	2523, 2550, 2565,	538, 722, 739, 958,
18222, 18304,	2580, 2613, 2646,	991, 1202, 1241,
18310, 18314,	2658, 2670, 2712,	2171, 2203, 8480,
18319, 18349,	2738, 2914, 2939,	8506, 8633, 8683,
18471, 18477,	2949, 3936, 4244,	8788, 8910, 10539,
18564, 18658,	4709, 4763, 4820,	10551, 10644,
18664, 18729,	7296, 7637, 8105,	10838, 12621,
18735, 18749,	8181, 8410, 8424,	12651, 13156,
22237, 22669, 22707	8447, 8511, 8587,	13162, 13175,
<code>\Largr</code> 3806	8601, 8624, 8688,	13177, 13313,
<code>\Largs</code> 3805	8888, 8903, 8983,	13327, 15037,
<code>\lastbox</code> 9457,	8984, 9122, 9174,	15107, 15824,
12166, 12188,	10475, 10489,	15826, 18008,
12197, 12201,	10743, 11241,	18054, 18191,
15887, 17660,	11347, 11453,	18431, 18451,
23309, 23361, 23371	11562, 11671,	18588, 18648,
<code>\LastFrameCommand</code> .	11780, 11889,	18770, 19044,
. 13494, 13604	11998, 12107,	19103, 19784,
<code>\lastkern</code> . . . 7308, 13579	12579, 12594,	19843, 20557, 20616
<code>\lastpenalty</code> . 9015, 22758	12875, 12890,	<code>\leftfootnoterule</code> .
<code>\lastrule</code> 9062	13341, 13906,	3446, 9959, 10885,
<code>\lastskip</code> 6741,	13952, 13972,	13160, 13163,
8343, 8344, 9014	14762, 14799,	13401, 13877, 24106
<code>\LastTOCLevelWasHigher</code>	14831, 15040,	<code>\leftline</code> 17755,
. 22639	15059, 15882,	23574, 23580, 23582
<code>\LastTOCLevelWasLower</code>	16908, 16920,	<code>\leftlinenumbers</code> . .
. 22635	16932, 17659, 15281, 15284
<code>\LastTOCLevelWasSame</code>	17740, 17745,	<code>\leftmargin</code> 90,
. 22637	17791, 17812,	293, 576, 577, 711,
<code>\LaTeX</code> 14904,	17962, 17976,	712, 947, 974,
23395, 23396, 23408	17999, 18059,	975, 1224, 1225,
<code>\LaTeXe</code> 23397, 23398	18198, 18334,	2360, 2372, 2373,
<code>\LBEG</code> 3807	18348, 18371,	4315, 4316, 6444,
<code>\lcb</code> . 3804, 3807, 3808, 3811	18563, 18578,	7654, 7713, 7714,
	18748, 18763,	7721, 7727, 8469,



8470, 8657, 8658,	8901, 8904, 8905,	21836, 21844,
8966, 8967, 10528,	9037, 9038, 9039,	21852, 21853,
10529, 10799,	9165, 9166, 9172,	21854, 21862,
10800, 12636,	10473, 10476,	21871, 21872,
12637, 15011,	10477, 10487,	21873, 21881,
17809, 18026,	10741, 11157,	21891, 21892,
18027, 18420,	12482, 12491,	21893, 21901,
18421, 18614,	12577, 12592,	21926, 21927,
18615, 18817,	12595, 12596,	21928, 21936,
18818, 18994,	15057, 15058,	21976, 21977,
19349, 19350,	15869, 16541,	21978, 22771,
19733, 20110,	16542, 16905,	22833, 22834,
20111, 20506,	16909, 16910,	22835, 22841,
20875, 20876,	16917, 16922,	22844, 22891,
21603, 21604,	16929, 16934,	22951, 22956,
23466, 23469,	17820, 17822,	22979, 22986,
23479, 23483,	17833, 17835,	23355, 23356,
23491, 23528,	17846, 17848,	23563, 23589,
23530, 23531,	17857, 17859,	23590, 23649, 23654
23532, 23537,	17933, 17946,	<code>\LEND</code> 3808
23539, 23540,	17957, 17958,	<code>\leqno</code> 328, 17751,
23541, 23546,	17963, 17974,	17753, 24097, 24099
23548, 23549,	17997, 18000,	<code>\let</code> 86,
23550, 23555,	18001, 18329,	102, 115, 152, 153,
23557, 23558, 23559	18330, 18335,	156, 157, 160, 161,
<code>\leftmargini</code> . . . 6444,	18346, 18369,	164, 222, 289, 319,
7654, 7667, 7674	18372, 18373,	327, 328, 347, 379,
<code>\leftmarginii</code> 7668	18383, 18396,	380, 383, 400, 404,
<code>\leftmarginiii</code> 7669	18445, 18561,	408, 413, 414, 415,
<code>\leftmarginiv</code> 7670	18576, 18579,	416, 417, 418, 419,
<code>\leftmarginv</code> 7671	18580, 18585,	437, 438, 439, 440,
<code>\leftmarginvi</code> 7672	18586, 18746,	441, 442, 443, 444,
<code>\leftmarginwidth</code> . 18585	18761, 18764,	445, 446, 447, 448,
<code>\leftmark</code> 8004	18765, 18986,	472, 473, 474, 475,
<code>\leftskip</code> 12,	19725, 20498,	476, 477, 478, 479,
13, 207, 208, 305,	21522, 21534,	480, 481, 482, 483,
309, 513, 530, 533,	21551, 21572,	484, 491, 492, 493,
534, 624, 637, 648,	21574, 21579,	580, 603, 618, 715,
649, 654, 665, 690,	21583, 21584,	737, 738, 739, 740,
693, 694, 875, 876,	21695, 21696,	741, 779, 780, 781,
882, 892, 895, 896,	21697, 21705,	782, 783, 784, 785,
909, 931, 1125,	21726, 21727,	786, 787, 788, 823,
1131, 1132, 1137,	21728, 21736,	824, 825, 826, 827,
1148, 1174, 1177,	21749, 21750,	828, 829, 830, 831,
1178, 1196, 1872,	21751, 21759,	832, 833, 840, 867,
1873, 1877, 2453,	21766, 21767,	978, 989, 990, 991,
2459, 2696, 2698,	21768, 21776,	992, 993, 1031,
7631, 7639, 7640,	21783, 21784,	1032, 1033, 1034,
8211, 8399, 8405,	21785, 21793,	1035, 1036, 1037,
8406, 8411, 8422,	21800, 21801,	1038, 1039, 1040,
8445, 8448, 8449,	21802, 21810,	1075, 1076, 1077,
8576, 8582, 8583,	21817, 21818,	1078, 1079, 1080,
8588, 8599, 8622,	21819, 21827,	1081, 1082, 1083,
8625, 8626, 8886,	21834, 21835,	1084, 1085, 1092,



1119, 1228, 1239,
1240, 1241, 1242,
1243, 1281, 1282,
1283, 1284, 1285,
1286, 1287, 1288,
1289, 1290, 1325,
1326, 1327, 1328,
1329, 1330, 1331,
1332, 1333, 1334,
1335, 1343, 1369,
1370, 1374, 1390,
1391, 1392, 1428,
1429, 1430, 1455,
1456, 1457, 1458,
1463, 1498, 1499,
1750, 2049, 2050,
2171, 2187, 2203,
2218, 2219, 2220,
2227, 2228, 2229,
2230, 2231, 2236,
2237, 2253, 2254,
2255, 2256, 2257,
2262, 2263, 2279,
2280, 2281, 2282,
2283, 2288, 2289,
2360, 2378, 2380,
3349, 3351, 3353,
3483, 3484, 3491,
3578, 3634, 3636,
3638, 3670, 3743,
3744, 3745, 3746,
3747, 3748, 3749,
3750, 3751, 3752,
3753, 3891, 3892,
3893, 3920, 3937,
3938, 3939, 3940,
3941, 3942, 3943,
3944, 3945, 3947,
3948, 3949, 4059,
4060, 4061, 4062,
4063, 4064, 4065,
4066, 4067, 4319,
4328, 4401, 4419,
4443, 4462, 4467,
4492, 4493, 4500,
4501, 4504, 4505,
4539, 4672, 4675,
4689, 4924, 4946,
4968, 4969, 5099,
5179, 5181, 5184,
5185, 5186, 5187,
5188, 5243, 5281,
5288, 5296, 5307,
5313, 5321, 5324,

5327, 5337, 5341,
5343, 5408, 5409,
5414, 5521, 5524,
5555, 5641, 5648,
5651, 5661, 5671,
5682, 5749, 5759,
5761, 5795, 5806,
5897, 5913, 5933,
5948, 5964, 6057,
6078, 6079, 6095,
6138, 6141, 6143,
6148, 6162, 6170,
6171, 6191, 6192,
6219, 6230, 6235,
6239, 6241, 6244,
6254, 6265, 6292,
6303, 6312, 6361,
6366, 6382, 6383,
6384, 6385, 6387,
6388, 6389, 6390,
6436, 6566, 6567,
6604, 6605, 6611,
6613, 6617, 6662,
6663, 6745, 6747,
6749, 6895, 6896,
6909, 6913, 6915,
6916, 6922, 6926,
6930, 6939, 7183,
7184, 7202, 7203,
7221, 7222, 7249,
7250, 7278, 7279,
7280, 7377, 7398,
7399, 7400, 7406,
7427, 7428, 7429,
7435, 7456, 7457,
7458, 7474, 7478,
7479, 7480, 7483,
7487, 7488, 7489,
7492, 7496, 7497,
7498, 7645, 7709,
7750, 7837, 7904,
7905, 7906, 8096,
8097, 8099, 8100,
8118, 8139, 8140,
8141, 8142, 8143,
8144, 8145, 8146,
8147, 8150, 8151,
8152, 8153, 8154,
8155, 8156, 8157,
8158, 8219, 8237,
8288, 8294, 8315,
8328, 8338, 8352,
8356, 8357, 8358,
8359, 8360, 8361,

8362, 8363, 8364,
8370, 8371, 8372,
8373, 8374, 8375,
8376, 8377, 8378,
8393, 8473, 8504,
8505, 8506, 8507,
8508, 8546, 8547,
8548, 8549, 8550,
8551, 8552, 8553,
8554, 8555, 8570,
8661, 8681, 8682,
8683, 8684, 8685,
8723, 8724, 8725,
8726, 8727, 8728,
8729, 8730, 8731,
8732, 8781, 8786,
8787, 8788, 8789,
8790, 8791, 8792,
8810, 8811, 8812,
8813, 8814, 8815,
8816, 8817, 8818,
8819, 8820, 8821,
8845, 8846, 8847,
8848, 8849, 8850,
8851, 8852, 8853,
8854, 8855, 8856,
8857, 8864, 8865,
8866, 8970, 8994,
8996, 8999, 9000,
9001, 9007, 9012,
9032, 9044, 9045,
9046, 9048, 9049,
9055, 9056, 9057,
9058, 9078, 9087,
9128, 9134, 9155,
9327, 9330, 9331,
9390, 9393, 9394,
9957, 9958, 9959,
9960, 9961, 9964,
9965, 9967, 9985,
9986, 9988, 10006,
10007, 10011,
10046, 10048,
10060, 10063,
10064, 10068,
10098, 10100,
10112, 10115,
10116, 10163,
10187, 10195,
10203, 10532,
10549, 10550,
10551, 10552,
10553, 10571,
10572, 10573,



10574,	10575,	11405,	11406,	12704,	12705,
10576,	10577,	11410,	11411,	12706,	12707,
10578,	10579,	11412,	11413,	12708,	12709,
10580,	10604,	11416,	11513,	12710,	12711,
10605,	10606,	11514,	11515,	12712,	12713,
10607,	10608,	11519,	11520,	12714,	12721,
10609,	10610,	11521,	11522,	12777,	12804,
10611,	10612,	11525,	11622,	12807,	12808,
10613,	10614,	11623,	11624,	12840,	12843,
10621,	10642,	11628,	11629,	12844,	12926,
10643,	10644,	11630,	11631,	12927,	12929,
10645,	10646,	11634,	11731,	12930,	12933,
10647,	10648,	11732,	11733,	12934,	12963,
10666,	10667,	11737,	11738,	12965,	12967,
10668,	10669,	11739,	11740,	12977,	12978,
10670,	10671,	11743,	11840,	12979,	12985,
10672,	10673,	11841,	11842,	12989,	12992,
10674,	10675,	11846,	11847,	12995,	12997,
10676,	10677,	11848,	11849,	13000,	13001,
10701,	10702,	11852,	11949,	13135,	13163,
10703,	10704,	11950,	11951,	13189,	13190,
10705,	10706,	11955,	11956,	13299,	13313,
10707,	10708,	11957,	11958,	13327,	13353,
10709,	10710,	11961,	12058,	13354,	13355,
10711,	10712,	12059,	12060,	13356,	13390,
10713,	10720,	12064,	12065,	13472,	13478,
10721,	10722,	12066,	12067,	13483,	13618,
10803,	10853,	12070,	12217,	13619,	13620,
10854,	10855,	12218,	12219,	13621,	13673,
10856,	10857,	12224,	12225,	13676,	13677,
10858,	10867,	12231,	12232,	13722,	13725,
10868,	10869,	12233,	12234,	13726,	13862,
10870,	10871,	12235,	12236,	13877,	13878,
10872,	10873,	12240,	12241,	13879,	13880,
10874,	10875,	12272,	12274,	13881,	13975,
10876,	10877,	12276,	12277,	14009,	14011,
10878,	10883,	12282,	12283,	14039,	14041,
10884,	10885,	12289,	12290,	14046,	14048,
10886,	10887,	12291,	12293,	14052,	14054,
10987,	10988,	12295,	12297,	14385,	14386,
10989,	10990,	12298,	12302,	14387,	14428,
10991,	10992,	12303,	12330,	14429,	14430,
10995,	10996,	12339,	12351,	14472,	14473,
10997,	10998,	12363,	12394,	14474,	14487,
10999,	11000,	12413,	12427,	14488,	14489,
11004,	11192,	12497,	12567,	14502,	14503,
11193,	11194,	12640,	12649,	14504,	14510,
11198,	11199,	12650,	12651,	14512,	14513,
11200,	11201,	12652,	12653,	14514,	14515,
11204,	11301,	12671,	12672,	14516,	14517,
11302,	11303,	12673,	12674,	14518,	14527,
11307,	11308,	12675,	12676,	14563,	14601,
11309,	11310,	12677,	12678,	14634,	14665,
11313,	11404,	12679,	12680,	14696,	14702,



14704,	14705,	17747,	17748,	18494,	18523,
14706,	14707,	17749,	17750,	18524,	18525,
14708,	14709,	17751,	17813,	18526,	18527,
14710,	14711,	17817,	17819,	18528,	18529,
14723,	14726,	17830,	17832,	18530,	18531,
14729,	14732,	17843,	17845,	18532,	18533,
14899,	14900,	17855,	17856,	18534,	18535,
14901,	14902,	17867,	17868,	18541,	18542,
14917,	14928,	17869,	17870,	18543,	18618,
15007,	15024,	17871,	17884,	18642,	18646,
15073,	15117,	17890,	17902,	18647,	18648,
15153,	15163,	17910,	17911,	18649,	18650,
15168,	15376,	17927,	18030,	18651,	18652,
15388,	15699,	18052,	18053,	18670,	18671,
15700,	15701,	18054,	18055,	18672,	18673,
15703,	15705,	18056,	18094,	18674,	18675,
15709,	15711,	18095,	18096,	18676,	18677,
15713,	15714,	18097,	18098,	18678,	18679,
15716,	15717,	18099,	18100,	18680,	18681,
15718,	15722,	18101,	18102,	18705,	18706,
15728,	15740,	18103,	18138,	18707,	18708,
15765,	15773,	18139,	18140,	18709,	18710,
15774,	15775,	18141,	18142,	18711,	18712,
15824,	15825,	18143,	18144,	18713,	18714,
15861,	15862,	18145,	18146,	18715,	18716,
15863,	15864,	18147,	18148,	18717,	18724,
15865,	15873,	18155,	18182,	18725,	18726,
15920,	15921,	18189,	18190,	18821,	18846,
15922,	16509,	18191,	18192,	18873,	18874,
16510,	16511,	18193,	18194,	18891,	18963,
16512,	16513,	18195,	18233,	18964,	18965,
16514,	16515,	18234,	18235,	19079,	19099,
16516,	16517,	18236,	18237,	19101,	19102,
16573,	16576,	18238,	18239,	19103,	19104,
16577,	16579,	18240,	18241,	19105,	19106,
16580,	16677,	18242,	18243,	19107,	19109,
16680,	16681,	18244,	18279,	19156,	19175,
16777,	16780,	18280,	18281,	19198,	19228,
16781,	17013,	18282,	18283,	19230,	19279,
17016,	17043,	18284,	18285,	19284,	19285,
17044,	17048,	18286,	18287,	19286,	19287,
17049,	17053,	18288,	18289,	19288,	19289,
17054,	17255,	18290,	18291,	19290,	19291,
17256,	17257,	18299,	18300,	19292,	19293,
17365,	17366,	18301,	18424,	19294,	19295,
17367,	17368,	18449,	18450,	19296,	19297,
17369,	17371,	18451,	18452,	19298,	19299,
17415,	17420,	18453,	18454,	19300,	19301,
17434,	17466,	18455,	18483,	19302,	19303,
17661,	17665,	18484,	18485,	19304,	19305,
17710,	17711,	18486,	18487,	19306,	19307,
17712,	17713,	18488,	18489,	19308,	19309,
17716,	17717,	18490,	18491,	19310,	19311,
17719,	17724,	18492,	18493,	19313,	19361,



19386,	19387,	20811,	20812,	21861,	21878,
19402,	19403,	20813,	20814,	21879,	21880,
19404,	19405,	20815,	20816,	21898,	21899,
19406,	19407,	20817,	20818,	21900,	21933,
19492,	19578,	20819,	20820,	21934,	21935,
19580,	19586,	20821,	20822,	21998,	22157,
19588,	19702,	20823,	20824,	22340,	22378,
19703,	19704,	20826,	20887,	22431,	22434,
19819,	19839,	20912,	20913,	22464,	22510,
19841,	19842,	20928,	20929,	22523,	22735,
19843,	19844,	20930,	20931,	22752,	22968,
19845,	19846,	20932,	20933,	22976,	22981,
19847,	19849,	21018,	21105,	22988,	23005,
19896,	19915,	21107,	21113,	23008,	23068,
19938,	19968,	21115,	21246,	23126,	23130,
19970,	20019,	21247,	21248,	23208,	23213,
20024,	20025,	21251,	21307,	23223,	23227,
20026,	20027,	21308,	21309,	23256,	23266,
20028,	20029,	21312,	21323,	23270,	23310,
20030,	20031,	21324,	21325,	23314,	23379,
20032,	20033,	21332,	21333,	23380,	23381,
20034,	20035,	21338,	21347,	23382,	23385,
20036,	20037,	21348,	21349,	23386,	23388,
20038,	20039,	21351,	21354,	23393,	23395,
20040,	20041,	21358,	21361,	23397,	23409,
20042,	20043,	21363,	21366,	23410,	23411,
20044,	20045,	21375,	21378,	23412,	23416,
20046,	20047,	21391,	21392,	23417,	23423,
20048,	20049,	21393,	21408,	23424,	23425,
20050,	20051,	21409,	21410,	23437,	23459,
20053,	20122,	21411,	21412,	23521,	23562,
20147,	20148,	21413,	21415,	23565,	23566,
20163,	20164,	21416,	21419,	23580,	23581,
20165,	20166,	21420,	21494,	23599,	23603,
20167,	20168,	21495,	21498,	23604,	23605,
20253,	20340,	21500,	21501,	23608,	23620,
20342,	20348,	21502,	21517,	23621,	23622,
20350,	20475,	21546,	21575,	23623,	23629,
20476,	20477,	21580,	21586,	23630,	23631,
20592,	20612,	21589,	21607,	23669,	23721,
20614,	20615,	21669,	21673,	23724,	23725,
20616,	20617,	21702,	21703,	23768,	23771,
20618,	20619,	21704,	21733,	23772,	24002,
20620,	20622,	21734,	21735,	24004,	24007,
20669,	20688,	21756,	21757,	24019,	24021,
20711,	20741,	21758,	21773,	24023,	24025,
20743,	20792,	21774,	21775,	24027,	24029,
20797,	20798,	21790,	21791,	24032,	24033,
20799,	20800,	21792,	21807,	24035,	24036,
20801,	20802,	21808,	21809,	24042,	24043,
20803,	20804,	21824,	21825,	24044,	24049,
20805,	20806,	21826,	21841,	24061,	24064,
20807,	20808,	21842,	21843,	24066,	24073,
20809,	20810,	21859,	21860,	24077,	24079,



24082, 24083,	12725, 12981,	8655, 8964, 10526,
24096, 24097,	15741, 15870,	10797, 12634,
24105, 24106,	17881, 18074,	15010, 17247,
24107, 24282, 24284	18159, 18213,	18024, 18418,
\LetLtxMacro 13403, 13404	18305, 18314,	18612, 18815,
\Letter 4164	18472, 18548,	19345, 20106,
\lettergroup 7761	18659, 18730,	20871, 21601, 23448
\LettrineDepth ... 15175	19144, 19884,	\listdoubleitemmaincolumnwidth
\LettrineHeight ...	20657, 21327, 4218, 4231,
. 15174, 15182, 15187	21366, 23625, 24045	4232, 4233, 4260, 4264
\LettrineSecondString	\lineskiplimit	\listfigurename 7614, 7615
..... 15133 12982, 24045	\listitemmaincolumnwidth
\LettrineTextFont .	\linespacing .. 24, 15045 4217,
. 15133, 15141, 15186	\linespread 4910	4225, 4226, 4258
\LettrineWidth	\linewidth 4272,	\listitemsymbol ...
..... 15166, 15173	6639, 12876, 4159, 4216,
\lftside 17591,	12891, 12895,	4257, 4259, 9768, 9866
17593, 17596,	13630, 13638,	\listitemsymbolwidth
17598, 17612, 17614	13639, 13641, 4215,
\Line 10190,	13642, 14075,	4216, 4226, 4232
10193, 10198,	15216, 15219,	\listoffigures 7612
10201, 10206,	15241, 15243,	\listoftables 7620
10207, 10210,	15867, 16581,	\listparindent
10211, 10215,	16587, 17322,	. 945, 7712, 7719,
10216, 10219,	17324, 17342,	7720, 23455, 23464
10220, 10224,	17344, 17549,	\listtablename 7622, 7623
10225, 10228,	17555, 17641,	\llap . 1528, 1564, 1581,
10229, 10233,	17650, 17651,	1588, 1686, 1704,
10234, 10237, 10238	17704, 17706,	1711, 2317, 2339,
\line 9184, 9185,	17874, 19097,	2903, 7699, 10322,
9187, 9188, 9194,	19413, 19422,	11023, 11035,
9195, 9197, 9198,	19480, 19563,	11047, 12783,
9207, 9208, 9210,	19837, 20174,	12789, 13433,
9211, 9217, 9218,	20183, 20241,	13445, 13457,
9220, 9221, 9230,	20325, 20610,	13884, 14020,
9231, 9233, 9234,	20939, 20948,	14022, 14024,
9240, 9241, 9243,	21006, 21090,	14026, 14029,
9244, 9253, 9254,	23357, 23367,	14031, 14034,
9256, 9257, 9263,	23465, 23466,	14036, 15247,
9264, 9266, 9267,	23493, 23528,	21273, 21535, 21553
17754, 17755, 17756	23530, 23531,	\LoadClass ... 7946, 7970
\LineNumber ... 15259,	23532, 23537,	\long 34, 48,
15261, 15263,	23539, 23540,	64, 237, 251, 266,
15268, 15271, 15273	23541, 23546,	455, 742, 807, 994,
\linenumberwidth ..	23548, 23549,	1057, 1244, 1309,
. 15261, 15268, 15273	23550, 23555,	3736, 3954, 3957,
\lineskip 401,	23557, 23558,	3960, 3965, 3968,
426, 497, 759,	23559, 23991, 23994	3971, 4437, 4438,
844, 1011, 1096,	\link 4278	4447, 4450, 4461,
1261, 1347, 1356,	\list . 89, 292, 574, 709,	4640, 4644, 4677,
4148, 8526, 8703,	945, 972, 1222,	4679, 4681, 4683,
8799, 8870, 10560,	2314, 2335, 2358,	4926, 4930, 5040,
10625, 10655,	2370, 7692, 7710,	5059, 5134, 5150,
10726, 12660,	7719, 7727, 8467,	5162, 5171, 5206,



5234, 5246, 5247,	5714, 9277, 9487,	\LT@ohl	15701, 15703
5621, 5623, 5628,	12186, 12195,	\LT@tabarray	15700, 15704
5629, 5646, 5647,	15203, 17547,	\LT@array	14908,
5654, 5663, 5666,	17583, 17610,		15690, 19578,
5673, 5691, 6309,	17621, 17648, 21386		19579, 20340,
6573, 6722, 6982,	\looprepeat		20341, 21105, 21106
6986, 6990, 7026,	5721, 5725,	\LT@bchunk	
7030, 7034, 7070,	5769, 5840, 5847,		. 15731, 15738, 15742
7074, 7078, 7289,	5852, 5858, 5861,	\LT@caption	15709,
7376, 7405, 7434,	5863, 5867, 5868, 5873		19580, 19586,
8245, 8248, 8251,	\lower		19588, 20342,
8255, 8258, 8261,	1973, 1977, 2008, 2037,		20348, 20350,
8509, 8686, 8828,	3387, 3664, 17745,	\LT@cols	15744,
9121, 9966, 9987,	17779, 17787,		19562, 20324, 21089
10587, 10684,	23196, 23405, 23407	\LT@endopen	15789
12687, 13237,	\lowercase	\LT@endpbox	15711
13254, 13270,	4515, 4523, 4531	\LT@err	15790
13298, 13312,	\lowertitleback . . .	\LT@foot	14923,
13326, 13882,	. . 19187, 19222,		14927, 15793,
13896, 13905,	19309, 19927,		15797, 15806, 15809
13951, 13992,	19962, 20049,	\LT@head	15800, 15813
13999, 14431,	20700, 20735, 20822	\LT@hline	15709
14442, 14453,	\LR 14900, 17712, 17745,	\LT@kill	15709
14464, 14479,	23381, 23405, 23407	\LT@lastfoot	
14494, 14537,	\lrb 15793, 15795, 15806
14554, 14575,	3806, 3815	\LT@LL@FM@cr	15718, 15722
14592, 14608,	\LRE	\LT@make@row	15739
14625, 14639,	3350, 3394,	\LT@makecaption . . .	
14656, 14670,	3635, 3669, 14899,		. . 15743, 15754,
14687, 14912,	17712, 17715,		19554, 20316, 21081
15328, 16523,	23008, 23381, 23384	\LT@mcol 15699, 15744,	
16573, 16623,	\lreset@listparshape		19562, 20324, 21089
16645, 17057,	\LT@no@pgbk	15707, 15708
17061, 17065,	15250	\LT@nofcols	15738
17530, 17739,	\LRfootnoterule . . .	\LT@output	15787
18057, 18122,	. 9961, 10887, 13163	\LT@p@ftn	14532,
18196, 18263,	\LS@rot		14535, 14539,
18459, 18502,	15816		14549, 14570,
18688, 18980,	\lsb	\LT@p@ftntext	14573, 14577,
19010, 19719,	3805, 3813		14587, 15780,
19749, 20492,	\lst@caption	\LT@p@LTRftntext . .	15781, 15783, 15784
20522, 21245,	15349,		15733, 15773
21431, 21435,	15355, 15362, 15367	\LT@p@LTRLftntext . .	
21438, 21442,	\lst@alloverstyle 14530,
23202, 23399,	\LT@p@RTLftntext . .	
23495, 23872,	3794, 3800		14537, 15774, 15779
23876, 23880,	\lst@HRefStepCounter		14568,
23916, 23920,	\LT@rows	14575, 15775, 15782
23924, 23983, 24086	15349, 15355	\LT@setprevdepth	15734
\longindentation	\lst@ifnumberbychapter	\LT@start	14925, 14935
\longthickrule	\LT@startpbox	
. 18540, 18546	15388, 15389		. 15715, 15722, 15771
\loop	\lst@Key		
3534, 3535, 5704,	15292, 15299		
	\lst@MakeCaption . . .		
		
	15347, 15360		
	\lst@makecaption . . .		
		
	15344, 15377		
	\lst@maketitle 15345,		
	15378, 15382, 15384		
	\lst@title@dropdelim		
		
	15345		
	\lstKV@SwitchCases		
		
	15293, 15300		
	\lstset		
	3764		



<code>\m@msinglespace</code> . 11008	<code>\m@minterparanoteglu</code>	<code>\m@removeboxes</code> ..
<code>\m@make@eightcol@footgroup</code> 11845, 11936 12179, 12181 12201,
<code>\m@make@fivecol@footgroup</code> 11518, 11609	<code>\m@mipn@skip</code>	12202, 12444,
<code>\m@make@footstart</code> 11154, 11166	. 12171, 12178, 12180	12454, 12464, 12473
<code>\m@make@fourcol@footgroup</code> 11409, 11500	<code>\m@mmakehboxofhboxes</code>	<code>\m@rigidbalance</code> ..
<code>\m@make@mpeightcol@footgroup</code> 11851, 11941 12183, 11175,
<code>\m@make@mpfivecol@footgroup</code> 11524, 11614	12193, 12443,	11180, 11292,
<code>\m@make@mpfourcol@footgroup</code> 11415, 11505	12453, 12463, 12472	11297, 11395,
<code>\m@make@mpninelcol@footgroup</code> 11960, 12050	<code>\m@mmf@prepare</code> 10925,	11400, 11504,
<code>\m@make@mppara@footgroup</code> . 12238, 12300, 12459	10939, 10953,	11509, 11613,
<code>\m@make@mpsevencol@footgroup</code> 11742, 11832	11014, 11216,	11618, 11722,
<code>\m@make@mpsixcol@footgroup</code> 11633, 11723	11226, 11236,	11727, 11831,
<code>\m@make@mpntencol@footgroup</code> 12069, 12159	11262, 11275,	11836, 11940,
<code>\m@make@mpthreecol@footgroup</code> 11312, 11396	11287, 11324,	11945, 12049,
<code>\m@make@mpwocol@footgroup</code> 11203, 11293	11333, 11342,	12054, 12158, 12163
<code>\m@make@ninelcol@footgroup</code> 11954, 12045	11367, 11379,	<code>\m@msplitoff</code> 11183, 11185
<code>\m@make@para@footgroup</code> . 12222, 12280, 12439	11390, 11428,	<code>\m@mungebox</code>
<code>\m@make@para@footstart</code> .. 12223, 12229,	11438, 11448,	. . 12172, 12349,
12281, 12287, 12477	11474, 11487,	12361, 12373,
<code>\m@make@sevencol@footgroup</code> 11736, 11827	11499, 11537,	12410, 12424, 12438
<code>\m@make@sixcol@footgroup</code> 11627, 11718	11547, 11557,	<code>\m@munvxh</code> .. 12164, 12173
<code>\m@make@tencol@footgroup</code> 12063, 12154	11583, 11596,	<code>\m@ne</code> . . . 304, 551, 560,
<code>\m@make@threecol@footgroup</code> 11306, 11391	11608, 11646,	4491, 4686, 5441,
<code>\m@make@twocol@footgroup</code> 11197, 11288	11656, 11666,	5448, 5700, 5705,
<code>\m@doextrafeet</code> 11067, 12547, 12561	11692, 11705,	5715, 5796, 6977,
<code>\m@doextrafeetendmini</code> 11136, 11149	11717, 11755,	7021, 7065, 8738,
<code>\m@doextrafeetmini</code> 11108	11765, 11775,	8896, 8933, 9277,
<code>\m@mdsplits</code> .. 11178,	11801, 11814,	10495, 10504,
11182, 11183, 11184	11826, 11864,	10765, 12587,
	11874, 11884,	12604, 14755,
	11910, 11923,	16947, 17805,
	11935, 11973,	18571, 18756,
	11983, 11993,	18793, 19654,
	12019, 12032,	20424, 20427,
	12044, 12082,	21189, 21192,
	12092, 12102,	21681, 21723,
	12128, 12141,	22777, 23867,
	12153, 12349,	23911, 23946, 23949
	12361, 12373,	<code>\m@th</code> 403, 10311, 10316,
	12410, 12424, 12438	10322, 12876,
	<code>\m@mold@footnotetext</code>	12891, 15740,
	. 10987, 10995, 12272	22849, 22958,
	<code>\m@mold@LTRfootnotetext</code>	23429, 23523,
 10988, 10996	23595, 23597, 23656
	<code>\m@mold@mpfootnotetext</code>	<code>\maincolumnwidth</code> ..
	. 10990, 10998, 12293	4213, 4222, 4223,
	<code>\m@mold@mpLTRfootnotetext</code>	4224, 4225, 4227,
 10991, 10999	4231, 4246, 4250, 4275
	<code>\m@mold@mpRTLfootnotetext</code>	<code>\mainmatter</code> 7997
	. 10992, 11000, 12298	<code>\makeatletter</code> . 5106, 5125
	<code>\m@mold@RTLfootnotetext</code>	<code>\makebox</code> 10310,
	. 10989, 10997, 12277	10315, 10384,
	<code>\m@mopfootnote</code>	10387, 10390,
 12511, 12545	10397, 10405,



10412, 10453,	20701, 20722,	\markboth .. 124, 565,
10457, 17359, 17377	20729, 20736, 20800	8002, 10509, 15082
\makefooter	\maketitledetailsnewline	\math@cr@@@align .. 338
... 9833, 9834, 9850	9924, 9939, 9941,	\mathindent . 12877, 12893
\MakeFramed	9942, 9943, 9944, 9945	\mathsurround
13496	\maketitledetailswidth	\max@poem@no
\makelabel 9916, 9918,	... 8197, 8299, 8300
2317, 2337, 2360,	9919, 9920, 9921, 9936	\maxdepth
2380, 7699, 23459	\maketitlehookb .. 16568	12550,
\MakeLineNo	\maketitlehookc .. 16570	12563, 13868, 13875
15253	\maketitlelength	\maxdimen
\makeLineNumber ...	9318, 9319, 9321,	9381, 9382, 9384,
... 15254, 15256	9910, 9911, 9913	12345, 12357,
\makeLineNumberLeft	\maketitlelengthmaxwidth	12369, 12406,
... 15259	... 9908, 9909, 9913	12420, 12434,
\makeLineNumberRight	\maketitlelengthwidth	12748, 12796,
... 15267	... 9912,	12797, 12798,
\maketag@@@ 336,	9913, 9919, 9931	12832, 12833,
10308, 10321, 15845	\maketitlepage 7880, 7922	12834, 13503,
\makethanksmark .. 16523	\maketitlepicturewidth	13664, 13665,
\maketitle 110,	... 9914,	13667, 13713,
313, 320, 412, 440,	9915, 9921, 9950	13714, 13716,
451, 475, 735,	\MakeUppercase . 125,	16668, 16669,
780, 802, 824,	571, 599, 600,	16671, 16768,
987, 1032, 1054,	615, 706, 864, 969,	16769, 16771,
1076, 1237, 1282,	1116, 1219, 8390,	21379, 21418,
1304, 1326, 3732,	8464, 8567, 8652,	22909, 22912,
3744, 4239, 7794,	8777, 8778, 8961,	22917, 22921,
7898, 7922, 8502,	10523, 10794,	22925, 22929,
8547, 8679, 8724,	12631, 15083,	22933, 22937,
8785, 8813, 8824,	17924, 18021,	22941, 22945,
8848, 9815, 9929,	18179, 18415,	23130, 23712,
10548, 10572,	18638, 18639, 18812	23713, 23715,
10583, 10605,	\marginline	23759, 23760, 23762
10641, 10669,	. 19394, 20155, 20920	\mbox
10680, 10704,	\marginnote	13980,
12648, 12672,	7473	15247, 19114,
12683, 12705,	\marginpar	19236, 19250,
14702, 14703,	6543, 7251, 19395,	19265, 19854,
15068, 16518,	20156, 20921, 23044	19976, 19990,
18050, 18095,	\marginparpush 6476, 23965	20005, 20627,
18117, 18139,	\marginparsep	20749, 20763, 20778
18187, 18236,	... 3722, 4124,	\mc@col@status@write
18258, 18282,	6517, 6520, 6524,	... 16977, 16998
18448, 18486,	6676, 6683, 14019,	\mc@gridwarn
18497, 18526,	14021, 14025,	16967
18645, 18673,	14030, 14033,	\mc@lastcol@status@write
18684, 18708,	14035, 23976, 23978	... 16983, 17006
19058, 19181,	\marginparwidth 3721,	\mdf@footnotedistance@length
19188, 19209,	4125, 6516, 6521,	... 15908
19216, 19223,	6533, 6631, 6901,	\mdf@footnoteinput 15916
19287, 19798,	6994, 7038, 7082,	\mdf@footnoteoutput
19921, 19928,	14019, 14021,	... 15905
19949, 19956,	14033, 14035,	\mdf@frametitleaboveskip@length
19963, 20027,	23884, 23928, 23978	... 15900
20571, 20694,		



\mdf@frametitlealignment	13545, 13550,	10389, 10391,
..... 15881	13552, 13559,	10392, 10394,
\mdf@frametitlebelowskip@length	13567, 13580,	10395, 10398,
..... 15901	13588, 13593,	10399, 10401,
\mdf@frametitlebox	13598, 13611,	10402, 10404,
.. 15880, 15893,	13622, 13630, 13642	10406, 10407,
15894, 15895,	\MessageBreak	10409, 10410,
15896, 15898, 15899 148, 5358,	10413, 10414,
\mdf@frametitlefont	5372, 5384, 5396,	10416, 10417,
..... 15883	6073, 6084, 6091,	10419, 10424,
\mdf@frametitlefontcolor	6103, 6109, 6207,	10425, 10426,
..... 15882	6260, 6261, 6262,	10427, 10428,
\mdf@horizontalmargin@equation	6276, 6277, 6279,	10429, 10430,
..... 15858	6557, 6653, 6880,	10431, 10432,
\mdf@ignorevbadness	6881, 6949, 7553,	10441, 10443,
..... 15892	7554, 7555, 7557,	10447, 10448, 10450
\mdf@lrbbox . 15851, 15880	7558, 7562, 7563,	\MHInternalSyntaxOff
\mdf@par@local ... 15874	7564, 7566, 7567, 10465, 15848
\mdf@patchamsthm . 15852	15138, 15180,	\MHInternalSyntaxOn
\mdfframedtitleenv 15879	15181, 15184, 10305, 15842
\mdfframetitleboxdepth	16619, 16620,	\MidFrameCommand ..
..... 15896	16950, 16969,	. 13492, 13536, 13604
\mdfframetitleboxheight	17038, 17118,	\minrowclearance ..
..... 15895	17125, 19008,	... 1460, 1494, 9116
\mdfframetitleboxtotalheight	19181, 19188,	\mintagvsep 10325
..... 15897	19209, 19216,	\missingfigure
\mdfframetitleboxwidth	19223, 19371, 23088, 23118
..... 15894	19378, 19410,	\mix 15937, 15938, 15945,
\mdseries	19419, 19483,	15946, 15972,
. 307, 9809, 9811,	19485, 19487,	15989, 16012,
9813, 9814, 9901,	19488, 19489,	16015, 16017,
9902, 9903, 9906, 9907	19747, 19921,	16040, 16072,
\meaning	19928, 19949,	16080, 16089,
4400, 4403, 4646,	19956, 19963,	16100, 16111,
5096, 5123, 5138,	20132, 20139,	16113, 16118,
5156, 5164, 5173, 5240	20171, 20180,	16119, 16121,
\mediabutton	20244, 20246,	16122, 16124,
. 16443, 16503, 16504	20248, 20249,	16136, 16145,
\medskip	20250, 20520,	16148, 16149,
8104	20694, 20701,	16150, 16160,
\medskipamount . 1723,	20722, 20729,	16170, 16171,
1732, 1741, 2540,	20736, 20897,	16173, 16174,
2555, 2570, 2645,	20904, 20936,	16179, 16180,
2657, 2669, 10833	20945, 21009,	16196, 16198,
\mem@makecol 12538, 12564	21011, 21013,	16200, 16205,
\memRTLleftskip .. 16541	21014, 21015,	16244, 16251,
\memRTLraggedleft 16546	22356, 22358, 22361	16252, 16255,
\memRTLraggedright 16545	\MH 10320, 10324, 10329,	16273, 16275,
\memRTLrightskip . 16542	10330, 10334,	16278, 16280,
\memRTLvleftskip . 16543	10338, 10339,	16283, 16290,
\memRTLvrightskip 16544	10343, 10351,	16298, 16300,
\message .. 3607, 3609,	10353, 10358,	16353, 16358,
13504, 13512,	10370, 10378,	16369, 16370,
13516, 13521,	10383, 10386,	16373, 16404,
13529, 13535,		



5969, 5970, 5972,	12565, 12566,	4082, 4111, 4290,
5980, 5989, 5991,	12567, 13006,	4338, 5112, 5603,
6001, 6003, 6015,	13009, 13068,	7983, 8171, 9756,
6017, 6024, 6032,	13073, 13075,	9758, 9760, 9762,
6034, 6043, 6045,	13081, 13097,	9827, 9854, 9856,
6056, 6058, 6059,	13121, 13133,	9858, 9860, 9923,
6063, 6067, 6137,	13187, 13233,	10847, 10848,
6147, 6151, 6156,	13234, 13235,	13064, 13072,
6190, 6228, 6251,	13288, 13290,	15850, 22997, 22998
6252, 6253, 6285,	13417, 13420,	<code>\newinsert</code>
6286, 6287, 6288,	13423, 13426,	3356, 3641, 6786,
6299, 6396, 6397,	14063, 15306,	6787, 6788, 6789,
6398, 6399, 6421,	15317, 17012,	6790, 6791, 6792,
6424, 6451, 6478,	17015, 17018,	6793, 6794, 6795,
6479, 6480, 6481,	18961, 18962,	6796, 6797, 6798,
6496, 6515, 6551,	19700, 19701,	6799, 6800, 6801,
6553, 6554, 6559,	20473, 20474,	6802, 6803, 6804,
6560, 6562, 6563,	22999, 23001,	6805, 6806, 6807,
6570, 6571, 6572,	23306, 23307,	6808, 6809, 6810,
6580, 6583, 6671,	23355, 23356,	6811, 6812, 6813,
6689, 6899, 6907,	23447, 23569,	6814, 6815, 6816,
6917, 6920, 6928,	23570, 23672,	6817, 6818, 6819,
7097, 7098, 7099,	23800, 23801, 23998	6835, 6836, 6837,
7100, 7101, 7102,	<code>\newcount</code> . 3527, 3702,	6838, 6839, 6840,
7103, 7104, 7105,	3703, 4331, 4341,	6841, 6842, 6843,
7106, 7107, 7108,	4345, 4699, 5434,	6844, 6845, 6846,
7109, 7110, 7111,	5537, 5697, 5758,	6847, 6848, 6849,
7112, 7113, 7114,	5838, 11173, 23664	6850, 6851, 6852,
7115, 7116, 7117,	<code>\newcounter</code> 7180, 8298,	6853, 6854, 6855,
7118, 7119, 7120,	12902, 13066,	6856, 6857, 6858,
7121, 7122, 7131,	21910, 21914, 21915	6859, 6860, 11162,
7181, 7200, 7219,	<code>\newdimen</code> . 8060, 8061,	11167, 11170, 11171
7241, 7247, 7272,	8111, 11173, 13792	<code>\newlength</code>
7273, 7307, 7463,	<code>\newenvironment</code> . . .	4209, 4210, 4211,
7464, 7465, 7473,	3840, 3851, 3860,	4213, 4214, 4215,
7482, 7491, 7504,	3869, 4304, 6530,	4217, 4218, 4301,
7505, 7628, 7681,	6545, 6548, 6586,	6512, 6513, 6514,
7761, 7774, 7808,	6713, 8287, 8351,	6568, 6585, 7373,
7809, 7810, 7811,	15004, 23359,	9908, 9910, 9912,
7812, 7813, 7814,	23369, 23525,	9914, 9916, 21942,
7815, 7866, 7880,	23534, 23543, 23552	21944, 21945, 22658
8056, 8063, 8072,	<code>\newfloat@setwithin</code>	<code>\newline</code> 4272,
8076, 8086, 8105, 17282,	6747, 19411,
8302, 8303, 9924,	17288, 17296, 17298	19420, 20172,
10118, 10119,	<code>\newfloat@Error</code> .. 17301	20181, 20937, 20946
10128, 10135,	<code>\newfloat@setwithin</code>	<code>\newlinechar</code> 3579
10151, 10157, 17268	<code>\newlinetospace</code> . . .
10173, 10180,	<code>\newif</code> 3311,	6744, 6764, 6765,
10849, 10863,	3312, 3316, 3317,	6766, 8003, 8004, 8005
10890, 10894,	3320, 3321, 3322,	<code>\newlistentry</code> 21907, 21974
10900, 10906,	3323, 3324, 3325,	<code>\newpage</code> 465, 487, 816,
11060, 11063,	3326, 3328, 3329,	836, 1068, 1088,
12203, 12268,	3620, 3621, 3622,	1318, 1338, 6254,
12525, 12564,	3623, 3624, 3625,	6256, 6260, 6265,



6266, 6269, 6273,	\no@bib@break	21794, 21810,
6275, 6278, 7899,	. 19357, 20118, 20883	21811, 21827,
7936, 7937, 8838,	\noalign . . 1374, 8225,	21828, 21844,
8860, 9750, 10597,	11183, 15706,	21845, 21862,
10617, 10694,	15707, 15708,	21863, 21881,
10716, 12697,	19555, 19581,	21882, 21901,
12717, 15706,	19583, 20317,	21902, 21936,
16532, 18131,	20343, 20345,	21937, 21972,
18151, 18272,	21082, 21108, 21110	22134, 22135,
18294, 18516,	\nobibliography . . . 7177	22244, 22246,
18538, 18698, 18720	\nobidilogo 3670	22337, 22369,
\newpoem@tabcr	\nobreak 14, 16,	22374, 22377,
. . . 8315, 8324, 8325	209, 211, 517, 535,	22842, 22847,
\newsavebox 3839,	562, 566, 654, 655,	22855, 22956,
6529, 6564, 6565	669, 695, 882, 883,	22957, 22961,
\newskip	897, 913, 1137,	23654, 23655, 23659
3877, 3878, 3879,	1138, 1152, 1179,	\nobreakspace 561
4691, 12178, 13654	2090, 2097, 2926,	\node . . 23042, 23072, 23078
\newthought 7702	6316, 7300, 7640,	\noexpand 393,
\NewTokenList 5644	7641, 8125, 8127,	3912, 3913, 3927,
\newtoks 3890,	8133, 8411, 8412,	3928, 3955, 3958,
4411, 4412, 5435,	8426, 8450, 8588,	3961, 4366, 4407,
5436, 5606, 5619,	8589, 8603, 8627,	4416, 4420, 4440,
5644, 5697, 8112,	8741, 8749, 8761,	4444, 4543, 4645,
13074, 17662, 23311	8890, 8906, 8936,	4646, 4648, 4705,
\newXeTeXintercharclass	8941, 8949, 9167,	4733, 4759, 4787,
. 3529, 3530	10478, 10491,	4813, 4816, 4850,
\next 23695, 23698	10506, 10510,	4853, 5091, 5092,
\next@tdpage . . 19115,	10518, 10745,	5093, 5095, 5096,
19124, 19195,	10768, 10773,	5121, 5123, 5141,
19232, 19241,	10782, 10826,	5142, 5143, 5146,
19245, 19255,	10827, 12581,	5153, 5154, 5155,
19259, 19270,	12597, 12606,	5157, 5163, 5164,
19274, 19855,	12610, 12618,	5166, 5172, 5173,
19864, 19935,	15059, 15061,	5175, 5237, 5239,
19972, 19981,	15106, 15813,	5240, 5454, 5600,
19985, 19995,	15907, 16911,	5605, 5611, 5659,
19999, 20010,	16922, 16923,	5687, 5690, 5693,
20014, 20628,	16934, 16935,	5694, 5778, 5785,
20637, 20708,	17808, 17810,	5788, 5789, 5806,
20745, 20754,	17963, 17964,	5810, 5812, 5813,
20758, 20768,	17978, 18002,	5814, 5822, 5823,
20772, 20783, 20787	18335, 18336,	5824, 5827, 5828,
\next@tpage . . . 19114,	18350, 18374,	5829, 5864, 5921,
19121, 19167,	18565, 18581,	6082, 6083, 6085,
19243, 19257,	18750, 18766,	6221, 6326, 6360,
19272, 19854,	18795, 18799,	6361, 7149, 7151,
19861, 19907,	18807, 19332,	7159, 7552, 7555,
19983, 19997,	21540, 21557,	7561, 7564, 8246,
20012, 20627,	21564, 21705,	8249, 8252, 8304,
20634, 20680,	21708, 21736,	9708, 10060,
20756, 20770, 20785	21737, 21759,	10112, 12904,
\nincolumnfootnotes	21760, 21776,	12905, 12910,
. 11946	21777, 21793,	12911, 12963,



13805,	13815,	12371,	12408,	20398,	21163,
14523,	14533,	12422,	12436,	22721,	22743,
14541,	14542,	12448,	12458,	22747,	22962,
14543,	14545,	12467,	12476,	23208,	23660,
14571,	14579,	12687,	13883,	23733,	23782,
14580,	14581,	15245,	16596,	23812,	23828,
14583,	14612,	17939,	17948,	23839,	23847,
14613,	14614,	18389,	18398,	24054,	24070, 24101
14616,	14643,	18464,	18507,	\normalfont	25,
14644,	14645,	18688,	18998,	38, 52, 68, 85, 241,	
14647,	14674,	19037,	19115,	255, 270, 288, 454,	
14675,	14676,	19118,	19122,	457, 559, 806, 808,	
14678,	15735,	19332,	19517,	1060, 1308, 1310,	
15780,	15783,	19528,	19737,	2647, 2659, 2671,	
16371,	16636,	19777,	19855,	3735, 3738, 3802,	
19074,	19075,	19858,	19862,	3807, 3808, 3810,	
19076,	19077,	20278,	20289,	3811, 3812, 3813,	
19078,	19079,	20510,	20550,	3814, 3815, 3816,	
19354,	19355,	20628,	20631,	6478, 7097, 7098,	
19814,	19815,	20635,	21043,	7099, 7187, 7206,	
19816,	19817,	21054,	23020,	7225, 7291, 7526,	
19818,	19819,	23023,	23025,	7533, 7540, 7732,	
20115,	20116,	23027,	23030,	8737, 8757, 8827,	
20587,	20588,	23034,	23036,	8830, 8932, 8947,	
20589,	20590,	23092,	23154, 23587	10311, 10316,	
20591,	20592,	\nointerlineskip . .		10322, 10503,	
20880,	20881,	1812, 1825,	10516, 10586,	
21249,	21321,	2547, 2562, 2577,		10589, 10683,	
21358,	21359,	2802, 2807, 2937,		10686, 10764,	
21432,	21439,	2954, 3032, 3039,		10780, 11024,	
21917,	22449,	3055, 3128, 3134,		11028, 11030,	
22482,	22489,	3149, 9977, 9998,		11036, 11040,	
22494,	22495,	13475, 15890,		11042, 11048,	
22581,	22981,	16958, 23973, 23981		11052, 11054,	
22982,	22983,	\nopagebreak		12603, 12616,	
22984,	22985,	8179, 8189, 15708	12686, 12689,	
22986,	22987,	\nopagenumbers	4291	13434, 13438,	
22988,	22989,	\normalbaselines	23429	13440, 13446,	
23231,	23246,	\normalbaselineskip		13450, 13452,	
23274,	23280,	311, 6437, 12248,		13458, 13462,	
23293,	23618, 24002	12259, 12310,		13464, 15006,	
\noindent	455,	12321, 15871, 17882		15041, 15046,	
630, 639, 937,		\normalcolor	4057,	15092, 15883,	
1189, 1198, 2498,		9128, 9339, 9404,		16522, 16936,	
2505, 2512, 3736,		9636, 9655, 10439,		17361, 17374,	
6539, 6732, 7323,		11091, 11115,		18121, 18123,	
7341, 7359, 7476,		11123, 11131,		18262, 18264,	
7485, 7494, 7704,		11145, 12519,		18458, 18465,	
7724, 7885, 7887,		12532, 13364,		18501, 18508,	
7889, 8080, 8460,		13484, 13689,		18687, 18690,	
8648, 8828, 9024,		13736, 13837,		18792, 18805,	
10587, 10684,		13847, 13854,		19635, 20398,	
10829, 10892,		15092, 15909,		21163, 21962,	
12347, 12359,		16936, 19635,		21967, 21968,	



22376, 22721,	18721, 19132,	\oddpaper
22743, 22747,	19157, 19195,	3703, 3707, 3708,
22962, 23660, 24101	19872, 19897,	3709, 3712, 3713, 3714
\normalfootnotes . .	19935, 20645,	\oddsidemargin
. 10993, 11004	20670, 20708, 3725, 4120,
\normallineskip . . .	21274, 21280,	10282, 10286,
. 4149, 15870, 17881	21302, 21705,	10292, 14039,
\normalparindent 42,	21736, 21759,	14048, 14052,
56, 72, 245, 259, 274	21776, 21793,	19083, 19823,
\normalRTLparaLTRfootnotes	21810, 21827,	20596, 24023, 24027
. 12268	21844, 21862,	\offinterlineskip .
\normalsfcodes	21881, 21901, 2046, 2057
. 12976, 24041	21936, 22337,	\on@stripcols@break 9467
\normalsize	22842, 22956, 23654	\onecolumn
. 307, 1544, 1586,	\number 8, 139, 203, 4365,	. . 604, 620, 869,
1687, 1709, 2473,	4366, 4372, 4377,	1121, 4158, 8395,
6430, 6431, 6438,	4705, 4722, 4724,	8572, 8782, 17929,
7005, 7049, 7093,	4733, 4747, 4749,	18184, 18643, 21670
7187, 7206, 7225,	4759, 4776, 4778,	\opening . . . 10814, 15094
7603, 9811, 9903,	4787, 4801, 4803,	\OptArg 3819, 3885
12974, 16654,	4813, 4816, 4833,	\OptArg@i 3885, 3886
18547, 19045,	4835, 4839, 4841,	\OptArg@ii . . . 3885, 3887
19052, 19785,	4850, 4853, 4867,	\OptArgs 3884
19792, 20558,	4869, 4873, 4875,	\optparams
20565, 22376,	4882, 4884, 4885,	6606, 7463, 7464,
23895, 23939, 24039	4887, 4888, 4891,	7465, 7467, 7468, 7469
\NOT . . 6632, 6633, 6672,	4892, 4899, 4901,	\OR 6600,
6692, 6696, 7379,	4902, 5107, 5729,	6672, 6692, 6696, 6948
7408, 7437, 7519, 7523	5844, 5850, 5856,	\or 1410, 1411,
\null . . . 420, 434, 488,	5859, 5865, 5869,	1412, 1414, 1415,
628, 631, 747, 776,	8197, 8291, 9530,	1435, 1436, 1437,
837, 935, 938, 999,	9532, 9541, 9545,	1441, 1442, 1443,
1028, 1089, 1187,	9609, 9630, 9984,	1444, 1445, 1449,
1190, 1249, 1278,	10005, 10050,	1450, 1478, 1479,
1339, 7640, 8214,	10056, 10059,	1480, 1482, 1483,
8458, 8461, 8514,	10102, 10108,	3415, 3421, 3427,
8543, 8646, 8649,	10111, 10362,	3433, 3439, 3445,
8691, 8720, 8793,	10365, 15053, 17029	3447, 3449, 3451,
8807, 8861, 10554,	\numberline	3457, 3463, 3469,
10568, 10618,	. . . 6725, 15362,	3482, 3490, 3497,
10649, 10663,	15367, 16648,	3507, 9099, 9100,
10717, 12654,	21635, 22752,	9101, 9103, 9104,
12668, 12718,	22970, 22973, 22976	14367, 14371,
14973, 14990,	\numberline@box . . .	21949, 21952,
16912, 16922, 22340, 22341	21955, 22895,
16923, 16934,	\numberline@tempa 22972	23006, 23013,
16935, 17937,	\numberwithin 329	23235, 23284,
17940, 18062,	\numexpr . . 4910, 6333,	23687, 23688, 23690
18091, 18152,	22107, 22219, 22449	\orig@footnotetext
18201, 18230,	\nxLcs . . . 3818, 3819, 3820	. . 152, 17043, 17060
18295, 18387,		\orig@LTRfootnotetext
18390, 18466,		. . 156, 17048, 17064
18480, 18539,		\orig@RTLfootnotetext
18653, 18667,		. . 160, 17053, 17068

O



<code>\origin@RaggedLeft</code>	8950, 9182, 9192,	18775, 18777,
. 17910, 17912, 17913	9205, 9215, 9228,	18791, 18796,
<code>\origin@RaggedRight</code>	9238, 9251, 9261,	18800, 18803,
. 17911, 17912, 17913	9558, 9565, 9724,	18808, 19046,
<code>\originalHbadness</code> .	9744, 9962, 9963,	19050, 19053,
. 23068, 23086	10470, 10484,	19057, 19608,
<code>\othermargin</code> 879	10540, 10542,	19626, 19786,
<code>\outer</code> 3696	10544, 10546,	19790, 19793,
<code>\outer@nobreak</code>	10555, 10650,	19797, 20370,
4075, 6999, 7043,	10739, 10763,	20389, 20559,
7087, 23889, 23933	10769, 10774,	20563, 20566,
<code>\outputpenalty</code>	10778, 10783,	20570, 21135,
. . . . 9673, 9676,	10839, 10841,	21154, 21668,
9685, 9688, 9698,	10843, 10845,	21943, 22111,
9701, 15788, 15789	10888, 10889,	22114, 22118,
<code>\overfullrule</code>	12574, 12589,	22223, 22226,
. . 4109, 4110, 17791	12602, 12607,	22230, 22642,
<code>\OVP@calc</code> 17356	12611, 12614,	22645, 22649,
	12619, 12622,	22655, 22766,
	12624, 12626,	22950, 23648, 24111
	12628, 12655,	<code>\p@enumiv</code> 86, 289, 580,
P	12756, 13153,	715, 978, 1228,
<code>\p@</code> 27, 29, 30,	13155, 13156,	2378, 4319, 8473,
31, 99, 103, 219,	13157, 13158,	8661, 8970, 10532,
223, 231, 233, 234,	13159, 13191,	10803, 12640,
235, 311, 421, 510,	13910, 13917,	15007, 18030,
527, 539, 541, 543,	13956, 13963,	18424, 18618,
545, 597, 602, 613,	14008, 15021,	18821, 19361,
617, 646, 662, 680,	15025, 15034,	20122, 20887, 21607
687, 723, 729, 748,	15036, 15037,	<code>\p@subfigure</code> 21332
862, 866, 873, 889,	15038, 15090,	<code>\p@subtable</code> 21333
906, 924, 959, 961,	15108, 15110,	<code>\PackageError</code>
964, 966, 1000,	15112, 15114, 144, 4477,
1114, 1118, 1129,	16574, 16904,	4509, 4512, 4517,
1145, 1163, 1171,	16916, 16928,	4520, 4525, 4528,
1203, 1209, 1250,	17022, 17023,	4533, 4536, 4693,
3357, 3642, 4148,	17070, 17072,	6270, 6397, 7505,
4149, 4153, 4154,	17073, 17074,	12205, 15297,
6432, 6433, 6434,	17922, 17926,	15304, 15472,
6441, 6442, 6443,	17955, 17971,	15475, 15478,
6445, 6446, 7651,	17987, 17994,	15481, 15484,
7652, 7653, 7655,	18009, 18015,	15487, 15490,
7656, 7722, 8388,	18063, 18177,	15493, 15497,
8392, 8403, 8419,	18181, 18202,	15500, 15503,
8435, 8442, 8481,	18327, 18343,	15506, 15509,
8487, 8515, 8565,	18359, 18366,	15512, 15515,
8569, 8580, 8596,	18432, 18438,	15518, 15521,
8612, 8619, 8634,	18467, 18559,	15524, 15527,
8640, 8692, 8736,	18573, 18589,	15530, 15533,
8742, 8747, 8751,	18591, 18593,	15536, 15539,
8753, 8756, 8759,	18595, 18636,	15542, 15545,
8763, 8765, 8775,	18641, 18654,	15548, 15551,
8780, 8794, 8883,	18743, 18758,	15554, 15557,
8898, 8911, 8913,	18771, 18773,	15560, 15563,
8915, 8917, 8931,		
8937, 8942, 8945,		



15566,	15569,	\pageref	4295, 4297	851, 883, 897, 912,
15572,	15575,	\pageshrink	9520, 9523,	938, 952, 1008,
15578,	15581,		9549, 9573, 13519,	1018, 1025, 1026,
15584,	15587,		13523, 13539,	1054, 1093, 1099,
15590,	15593,		13565, 13577, 23138	1103, 1138, 1151,
15596,	15599,	\pagestretch		1179, 1190, 1200,
15602,	15605,		. . . 9574, 13518,	1258, 1268, 1275,
15608,	15611,		13539, 13577, 23142	1276, 1304, 1344,
15614,	15617,	\pagestyle	2053,	1350, 1355, 1360,
15620,	15623,		3701, 4147, 4155,	1363, 1538, 1541,
15626,	15629,		4298, 6752, 7988, 9849	1546, 1578, 1583,
15632,	15635,	\pagetotal	13505,	1590, 1697, 1705,
15638,	15641,		13510, 13516,	1712, 1723, 1732,
15644,	15647,		16531, 16872,	1741, 2102, 2470,
15650,	15653,		16875, 16886,	2474, 2500, 2507,
15656,	15659,		23130, 23135, 23193	2514, 2529, 2540,
15662,	15665,	\paperheight		2544, 2555, 2559,
15668,	15671,		4084, 4087, 4090,	2570, 2574, 2619,
15674,	15677,		4093, 4096, 4099,	2626, 2632, 2638,
15680,	15683,		4102, 4103, 10245,	2645, 2657, 2669,
15686,	17034,		19088, 19828, 20601	2816, 2818, 2866,
21568,	21921, 23674	\paperwidth	2063, 2593,	2887, 2895, 2950,
\PackageInfo			2714, 2717, 2720,	2952, 3048, 3050,
 4695, 5958,		2741, 2743, 2748,	3143, 3145, 3696,
	6060, 6207, 6399,		2750, 2769, 2805,	3732, 4073, 6626,
	15179, 17893, 22992		2832, 2915, 2917,	6634, 6693, 6694,
\PackageWarning	138,		2922, 2924, 2946,	6697, 6698, 6723,
	4694, 5311, 5428,		2959, 2962, 2968,	6732, 6733, 6902,
	6061, 6090, 8293,		2973, 2995, 3003,	6918, 7642, 7757,
	9765, 9863, 12906,		3015, 3035, 3041,	7758, 7759, 7760,
	13609, 15137,		3043, 3057, 3061,	7885, 7887, 7889,
	15149, 16968,		3083, 3087, 3095,	7907, 7908, 7909,
	17028, 17116,		3098, 3104, 3107,	8083, 8190, 8204,
	17123, 17262,		3114, 3117, 3131,	8215, 8233, 8308,
	21912, 22263, 22354		3136, 3138, 3151,	8316, 8341, 8412,
\PackageWarningNoLine			3155, 3174, 3177,	8425, 8450, 8461,
	4352, 4723, 4748,		3180, 3186, 3189,	8523, 8533, 8540,
	4777, 4802, 4834,		3205, 3208, 3223,	8541, 8589, 8602,
	4840, 4868, 4874, 6257		4085, 4088, 4091,	8627, 8649, 8700,
\page@sofar	164, 16940		4094, 4097, 4100,	8710, 8717, 8718,
\pagebreak			4103, 4104, 10245,	8741, 8749, 8761,
	. 15707, 23138, 23147		10252, 10262,	8796, 8802, 8804,
\pagecontents	17726		19086, 19826, 20599	8805, 8824, 8867,
\pagedepth	23132	\par	5, 15, 46, 60,	8873, 8877, 8889,
\pagefillstretch .	23144		76, 107, 108, 109,	8906, 8936, 8941,
\pagefilstretch . .	23143		110, 200, 210, 227,	8949, 9026, 9167,
\pagefootnoterule .			228, 229, 249, 263,	9970, 9991, 10478,
 13189, 13197		278, 310, 313, 404,	10490, 10506,
\pagegoal	13503, 13505,		423, 429, 431, 432,	10509, 10517,
	13510, 13517,		451, 494, 500, 504,	10557, 10563,
	13558, 13560,		516, 535, 562, 565,	10565, 10566,
	15794, 16874, 23135		631, 641, 655, 668,	10583, 10622,
\pageinwindow	9284		695, 756, 766, 773,	10628, 10632,
\pagenumbering	4156, 7987		774, 802, 841, 847,	10652, 10658,



10660,	10661,	18002,	18071,	20977,	21034,
10680,	10723,	18081,	18088,	21042,	21045,
10729,	10733,	18089,	18117,	21053,	21055,
10744,	10768,	18156,	18162,	21066,	21073,
10773,	10782,	18166,	18210,	21363,	21973,
10816,	10821,	18220,	18227,	21979,	22136,
10824,	10826,	18228,	18258,	22245,	22369,
10827,	10837,	18302,	18308,	22861,	22963,
11138,	11244,	18313,	18318,	23020,	23021,
11247,	11250,	18321,	18336,	23027,	23028,
11350,	11353,	18349,	18374,	23030,	23038,
11356,	11456,	18390,	18400,	23091,	23357,
11459,	11462,	18464,	18469,	23358,	23367,
11565,	11568,	18475,	18477,	23368,	23526,
11571,	11674,	18478,	18497,	23535,	23544,
11677,	11680,	18507,	18545,	23553,	23622,
11783,	11786,	18550,	18553,	23661,	24090, 24111
11789,	11892,	18564,	18581,	<code>\par@updaterelative</code>	
11895,	11898,	18656,	18662,	. 19126, 19866, 20639	
12001,	12004,	18664,	18665,	<code>\paragraph</code> 7538	
12007,	12110,	18684,	18727,	<code>\paragraphfootnotes</code>	
12113,	12116,	18733,	18737, 12208, 12214	
12448,	12458,	18749,	18766,	<code>\parbox</code> 4244, 4246, 9837,	
12467,	12476,	18795,	18799,	10832,	12781,
12580,	12597,	18807,	19036,	12782,	12783,
12606,	12610,	19129,	19130,	12787,	12788,
12618,	12657,	19135,	19138,	12789,	14168,
12663,	12665,	19140,	19147,	14170,	14174,
12666,	12683,	19151,	19153,	14176,	14207,
12722,	12728,	19155,	19170,	14208,	14211,
12732,	12900,	19174,	19196,	14212,	14269,
13360,	15029,	19204,	19332,	14270,	14273,
15030,	15031,	19451,	19508,	14274,	14298,
15050,	15060,	19516,	19519,	14300,	14304,
15068,	15096,	19527,	19529,	14306,	15744,
15101,	15104,	19540,	19547,	16584,	16613,
15106,	15196,	19776,	19869,	17173,	17175,
15338,	15740,	19870,	19875,	17176,	17178,
15863,	15886,	19878,	19880,	17180,	17181,
15890,	16518,	19887,	19891,	17183,	17185,
16590,	16596,	19893,	19895,	17187,	17188,
16602,	16606,	19910,	19914,	17190,	17192,
16612,	16627,	19936,	19944,	17193,	17194,
16646,	16655,	20212,	20269,	17195,	17196,
16912,	16924,	20277,	20280,	17197,	17199,
16937,	17175,	20288,	20290,	17200,	17201,
17187,	17249,	20301,	20308,	17202,	17203,
17533,	17704,	20549,	20642,	17204,	17205,
17705,	17706,	20643,	20648,	17206,	17207,
17707,	17800,	20651,	20653,	17208,	17210,
17801,	17808,	20660,	20664,	17211,	17212,
17809,	17869,	20666,	20668,	17213,	17215,
17940,	17950,	20683,	20687,	17216,	17217,
17964,	17977,	20709,	20717,	17218,	17220,



17221,	17222,	4151, 6454, 7125,	22122,	22234,
17223,	17224,	7634, 7676, 7684,	22308,	22310,
17225,	17227,	7749, 7902, 8208,	22771,	22832,
17228,	17229,	8311, 8391, 8409,	22833,	22952,
17230,	17231,	8422, 8445, 8509,	23363,	23373,
17232,	17234,	8526, 8568, 8586,	23464,	23564,
17235,	17236,	8599, 8622, 8686,	23589, 23590, 23650	
17237,	17238,	8703, 8737, 8757,	<code>\parsep</code> . . . 949, 6446,	
19563, 20325, 21090		8779, 8828, 8886,	6447, 7656, 7657,	
<code>\parfillskip</code> 13,		8901, 8932, 8946,	7695, 7722, 23463	
208, 514, 531, 650,		9050, 9081, 9172,	<code>\parshape</code> 9023,	
666, 691, 877,		10473, 10487,	13631, 13639,	
893, 910, 1133,		10501, 10514,	15246, 17324,	
1149, 1175, 7633,		10587, 10684,	17344, 17539,	
8209, 8407, 8423,		10741, 10764,	17704, 17706,	
8446, 8584, 8600,		10779, 10891,	18463, 18506,	
8623, 8887, 8902,		11159, 11239,	19017, 19019,	
9054, 9173, 10474,		11345, 11451,	19030, 19032,	
10488, 10742,		11560, 11669,	19756, 19758,	
12376, 12380,		11778, 11887,	19770, 19772,	
12384, 12578,		11996, 12105,	20529, 20531,	
12593, 15058,		12375, 12379,	20543, 20545,	
15870, 16905,		12383, 12484,	23357, 23367,	
16917, 16929,		12493, 12577,	23493, 23528,	
17823, 17836,		12592, 12603,	23530, 23531,	
17849, 17860,		12615, 12687,	23532, 23537,	
17959, 17975,		13882, 15025,	23539, 23540,	
17998, 18331,		15057, 15866,	23541, 23546,	
18347, 18370,		16906, 16918,	23548, 23549,	
18562, 18577,		16930, 17242,	23550, 23555,	
18747, 18762,		17824, 17837,	23557, 23558, 23559	
21519, 21548,		17850, 17861,	<code>\parskip</code> 103, 223, 602,	
21578, 21697,		17925, 17961,	617, 866, 1118,	
21728, 21751,		17974, 17997,	2057, 2544, 2559,	
21768, 21785,		18057, 18074,	2574, 3729, 4152,	
21802, 21819,		18180, 18196,	6455, 7126, 7677,	
21836, 21854,		18213, 18333,	7685, 7748, 7903,	
21873, 21893,		18346, 18369,	8207, 8310, 8345,	
21928, 22123,		18464, 18507,	8392, 8569, 8780,	
22235, 22303,		18544, 18561,	9674, 9686, 9699,	
22305, 22369,		18576, 18640,	10820, 10823,	
22835, 22837,		18688, 18746,	10825, 10827,	
22951, 23564, 23649		18761, 18792,	15025, 15100,	
<code>\parindent</code> 12, 42, 56,		18804, 18998,	15103, 15105,	
72, 103, 207, 223,		19037, 19737,	15866, 15875,	
245, 259, 274, 455,		19777, 20510,	17539, 17872,	
513, 530, 557, 601,		20550, 21529,	17926, 18181,	
616, 652, 665, 690,		21566, 21667,	18544, 18641,	
742, 759, 865, 880,		21698, 21729,	21668, 22771,	
892, 909, 946, 994,		21752, 21769,	23129, 23133, 23463	
1011, 1057, 1117,		21786, 21803,	<code>\part</code> 23, 15044	
1135, 1148, 1174,		21820, 21837,	<code>\partname</code> 561, 10505	
1244, 1261, 2498,		21855, 21874,	<code>\partopsep</code>	
2505, 2512, 3736,		21894, 21929,	2375, 7698, 16569,	



16571, 17318, 17338	\pgf@remember@layerlist@global	\pgf@text 1535,
\PassOptionsToClass 17505	1689, 1690, 1822, 2970
7940, 7941, 7942,	\pgf@resetpathsizes	\pgftransformshift 1822
7943, 7944, 7964, 17472	\pgfusepath 1534, 1808,
7965, 7966, 7967, 7968	\pgf@restore@layerlist@from@global	21, 2964, 2969,
\PassOptionsToPackage 17509	3005, 3063, 3089, 3157
. 6957, 7787	\pgf@shift@baseline	\pgfuseshading
\pbs 17382, 17400 17489	1822, 2970, 2993,
\pdfencryptsetup . .	\pgf@trimleft 17491	3036, 3081, 3132, 3239
. . . 3408, 3409, 3517	\pgf@trimleft@final	\pgfutil@gobble . . 17466
\pdflastxpos . . . 4705,	. 17493, 17494, 17496	\pgfutil@ifnextchar
4733, 4813, 4850	\pgf@trimright . . . 17498 17473
\pdflastypos . . . 4759,	\pgf@trimright@final	\phantom . . . 16117, 16963
4787, 4816, 4853	. 17500, 17501, 17503	\phantomsection . . . 4242
\pdfm@box 14974,	\pgf@x 17492,	\phone 4202
14982, 14991, 14999	17496, 17499, 17503	\phonesymbol
\pdfsavepos 4715, 4717,	\pgf@y 17489	. . . 4162, 9844, 9942
4740, 4742, 4769,	\pgfpathcircle 1533	\photo 4207
4771, 4794, 4796,	\pgfpathcurveto . . . 1800	\picbox 17644
4826, 4828, 4860, 4862	\pgfpathlineto	\picinwindow 9304
\pdfstringdefDisableCommands	. . . 1799, 1806, 1807	\picwd 17532,
. 14898	\pgfpathqcurveto . . 1798	17535, 17643, 17645
\penalty 751, 1003, 1253,	\pgfpathmoveto . . . 1797	\place@tag . 338, 339, 341
8129, 8451, 8518,	\pgfpathrectangle .	\plainauthor
8628, 8695, 8907,	1820, 2962, 2968, 6764, 7807,
9011, 9017, 9670,	3003, 3061, 3087, 3155	7809, 7848, 7849, 7852
9682, 9695, 12177,	\pgfpic 17519	\plainfootnotes . . 11004
12377, 12381,	\pgfpicture 17460	\plainpublisher
12385, 12598,	\pgfpictureid 17465, 17476	. . . 7810, 7875, 7876
13540, 18003,	\pgfpicturetrue . . .	\plaintitle 6765, 6766,
18066, 18205, 1828, 17463	7807, 7808, 7831,
18375, 18582,	\pgfpoint . 1533, 1799,	7832, 7835, 8003, 8005
18767, 22137,	1801, 1802, 1803,	\plitemsep 7696
22759, 22867, 23134	1806, 1807, 1820,	\plparsep 7695
\pgf@baseline 17488	1822, 2962, 2968,	\plpartopsep 7698
\pgf@insertlayers 17510	3003, 3061, 3087, 3155	\pLRE 3350, 3351, 3635, 3636
\pgf@nodecallback 17466	\pgfpointorigin . . . 2968	\PLS@Rotate
\pgf@oldpicture . . 17473	\pgfsetcolor 1828	. 17404, 17406, 17408
\pgf@picmaxx . . 17467,	\pgfsetfading . . 2963,	\pltopsep 7697
17479, 17481, 17499	3004, 3062, 3088, 3156	\poem@finish
\pgf@picmaxy 17469, 17483	\pgfsetfillcolor 8240, 8290, 8297
\pgf@picminx 2961, 2999,	\poem@line 8167, 8173, 8224
. 17468, 17482, 17492	3001, 3060, 3086, 3154	\poem@linebegin 8124, 8182
\pgf@picminy 17470, 17484	\pgfsys@discardpath	\poem@lineend . 8125, 8188
\pgf@picture 17473 17512	\poem@lineparsebegin
\pgf@picture@serial@count	\pgfsys@endpicture 17515	. . . 8136, 8193, 8220
. 17464, 17465	\pgfsys@endscope . 17514	\poem@lineparseend
\pgf@process	\pgfsys@markposition	. . . 8162, 8174, 8231
. 17488, 17491, 17498 17476	\poem@lineversesep
\pgf@relevantforpicturesizeof	\pgfsys@shadingoutsidepgfpicture 8126, 8185
. 17487 17524	\poem@needrun . . 8118,
\pgf@relevantforpicturesizeof	\pgfsys@typesetpicturebox	8237, 8292, 8294
. 17471 17519	\poem@obeylines 8219,
		8288, 8328, 8352



<code>\poem@prop</code>	... 8200, 8302	<code>\ProcessOptions</code>	... 11760, 11770,
<code>\poem@startedfalse</code>	... 8217, 8326, 8332	... 4114, 6422,	11796, 11809,
<code>\poem@startedtrue</code>	...	7513, 7772, 7804,	11821, 11859,
..... 8175,		7945, 7969, 9767, 9865	11869, 11879,
8176, 8216, 8318,		<code>\ProcessOptionsX</code>	11905, 11918,
8320, 8325, 8333, 8335		.. 3515	11930, 11968,
<code>\poem@verse</code>	<code>\protect</code>	11978, 11988,
... 8113, 8183, 8186	 400,	12014, 12027,
<code>\poem@width</code>	3350, 3351, 3352,	12039, 12077,
8116, 8117, 8121,		3353, 3578, 3635,	12087, 12097,
8198, 8200, 8203, 8236		3636, 3637, 3638,	12123, 12136,
<code>\poem@write@aux</code>	...	3894, 3900, 3906,	12148, 12343,
... 8239, 8291, 8303		3912, 3921, 3927,	12355, 12367,
<code>\poemblocksep</code>	4968, 4969, 5605,	12404, 12418,
... 8110, 8214, 8314		5611, 6312, 6725,	12432, 13245,
<code>\poemcolsepkip</code>	8101, 8130	12963, 13374,	13262, 13278,
<code>\poemextrabaselineskip</code>	...	13388, 15362,	13306, 13320, 13334
... 8103, 8191, 8226		15367, 15728,	<code>\protected@write</code>
<code>\poemmarginkip</code>	...	16648, 21353,	3476,
... 8102, 8124, 8125		21354, 21358,	3480, 6292, 6303
<code>\poemskip</code>	8104, 8204, 8235	21366, 21635,	<code>\protected@xdef</code>
<code>\postbibhook</code> 16662	21979, 23300, 24002	... 2240, 2266,
<code>\postCutedStrip</code>	... 9696	<code>\protected</code>	2292, 7387, 7416,
<code>\postdisplaypenalty</code> 12874, 12888 3635,	7445, 7828, 7845,
<code>\postmath</code> 9017	3637, 4693, 4694,	7861, 7872, 13210,
<code>\PotEndMark</code>	4695, 4916, 4924,	13219, 13373,
. 10314, 10319, 10322		4926, 4932, 5118,	13378, 13387,
<code>\preCutedStrip</code>	9672, 9684	5134, 5150, 5173,	13393, 14542,
<code>\predisplaydirection</code> 17752,	5175, 5228, 5283,	14580, 14613,
17753, 24098, 24099		5298, 17668,	14644, 14675, 14738
<code>\predisplaypenalty</code> 12873, 12887	17678, 17688,	<code>\providecommand</code>
<code>\premath</code> 9013	17696, 23317,	... 4159, 4160,
<code>\prepare@bidi@copyins</code> 13648,	23327, 23337, 23346	4161, 4162, 4163,
13681, 13730, 13888		<code>\protected@edef</code>	4164, 4175, 4176,
<code>\prepare@multicols</code>	17101	. 43,	4177, 4178, 4179,
<code>\preparefootins</code>	...	57, 73, 246, 260,	4180, 4181, 4182,
..... 13680, 13729		275, 2129, 2146,	4183, 4184, 4185,
<code>\PrependToTokenList</code>	5647	2163, 2179, 2195,	4186, 4187, 4188,
<code>\prepnex@tok</code>	2211, 7324, 7342,	4189, 4190, 4399,
.... 1407, 1417,		7360, 10920,	7285, 7292, 7293,
1465, 1497, 9091, 9119		10934, 10948,	7702, 9828, 9833,
<code>\presetkeys</code> 23120	10960, 10971,	13096, 22668,
<code>\prevdepth</code> 6626,	10982, 11211,	22672, 22677,
6634, 9591, 10040,		11221, 11231,	22681, 22706,
10094, 16574, 16965		11257, 11270,	22710, 22715, 22719
<code>\pRLE</code>	3352, 3353, 3637, 3638	11282, 11320,	<code>\ProvidesClass</code>
<code>\process@cols</code>	. 16941,	11329, 11338,	... 4081, 7939, 7963
16974, 16988, 16994		11363, 11375,	<code>\ProvidesExplPackage</code>
		11386, 11423, 15924
		11433, 11443,	<code>\ProvidesFile</code>
		11469, 11482, 1,
		11494, 11532,	131, 165, 196,
		11542, 11552,	326, 344, 349,
		11578, 11591,	351, 410, 605, 854,
		11603, 11641,	1106, 1366, 1501,
		11651, 11661,	1519, 1748, 1844,
		11687, 11700,	
		11712, 11750,	



1928, 2305, 2391,	3756, 3889, 4330,	10299, 17359,
2444, 2448, 2588,	4398, 6393, 6959,	17361, 17374, 17377
2591, 2686, 2690,	7501, 7647, 7763,	
2695, 2707, 2761,	7790, 8028, 9754, 9852	Q
2789, 2909, 2932,	<code>\prune</code> 17549,	<code>\Q</code> 7142, 7164
2986, 3074, 3169,	17587, 17591,	<code>\q</code> 16012, 16015, 16244, 16298
3228, 3238, 8380,	17596, 17600,	<code>\qauthor</code> 17799
8557, 8734, 8767,	17612, 17623, 17650	<code>\qqquad</code> 7578,
8980, 9035, 9077,	<code>\prw@mkboth</code> . . . 21641,	7585, 7592, 7599,
9079, 9082, 9120,	21646, 21658, 21663	7606, 7641, 17801
9163, 9178, 9274,	<code>\pst@navigation</code> 1968	<code>\quad</code> 3395, 3669,
9312, 9956, 10121,	<code>\psgrid</code> 17761	6764, 6765, 6766,
10240, 10243,	<code>\pspicture</code> 17758	8003, 8004, 8005,
10304, 10466,	<code>\psset</code> 17796	8110, 23430, 23439
10639, 10813,	<code>\pst@dima</code> 17773	<code>\quote</code> 4208
10846, 12570,	<code>\pst@dimb</code> 17771, 17776,	<code>\quotecolour</code>
12746, 12775,	17778, 17783, 17786	. . . 4170, 9772, 9870
12791, 12868,	<code>\pst@dimc</code> 17789	<code>\quotefont</code> 4179,
12898, 12907,	<code>\pst@dimd</code> 17770,	4187, 9812, 9905
12912, 13062,	17776, 17777,	<code>\quotestyle</code>
13402, 13469,	17778, 17779,	. . . 4187, 9825, 9954
13646, 13889,	17783, 17784,	<code>\quotewidth</code> 4209,
14016, 14058,	17785, 17786, 17787	4221, 9825, 9954
14359, 15003,	<code>\pst@hbox</code> 17766,	R
15089, 15093,	17770, 17771,	<code>\R@@page</code> 18836,
15115, 15252,	17772, 17788,	18837, 18846,
15291, 15395,	17790, 17791, 17793	18848, 18879,
15689, 15815,	<code>\pst@ifstar</code> 17758	18880, 18891, 18893
15841, 15849,	<code>\pst@killglue</code> 17762	<code>\raggedbottom</code> 4157
16506, 16663,	<code>\pst@picture</code> 17758	<code>\raggedcaption</code>
16901, 16939,	<code>\pst@shift</code> 19494, 20255, 21020
17172, 17239,	. 17763, 17785, 17793	<code>\raggeddictum</code>
17267, 17305,	<code>\pst@tempa</code> . 17775, 17777	. 19391, 20152, 20917
17326, 17346,	<code>\publisher</code> . . . 7865, 7866	<code>\raggeddictumauthor</code>
17380, 17403,	<code>\publishers</code> 19393, 20154, 20919
17411, 17459,	. 19307, 20047, 20820	<code>\raggeddictumtext</code> .
17523, 17529,	<code>\put</code> . . 9183, 9184, 9185,	. 19392, 20153, 20918
17757, 17798,	9186, 9187, 9188,	<code>\raggedfootnote</code> . . .
17814, 17914,	9193, 9194, 9195,	. 18982, 19721, 20494
18169, 18446,	9196, 9197, 9198,	<code>\RaggedLeft</code> . . . 17828,
18628, 18831,	9206, 9207, 9208,	17877, 17893,
18960, 19699,	9209, 9210, 9211,	17897, 17910,
20472, 21237,	9216, 9217, 9218,	17912, 21242,
21244, 21304,	9219, 9220, 9221,	21243, 24216,
21330, 21335,	9229, 9230, 9231,	24220, 24224, 24232
21369, 21444,	9232, 9233, 9234,	<code>\raggedleft</code> . . 25, 104,
21474, 21493,	9239, 9240, 9241,	224, 557, 1504,
21513, 21542,	9242, 9243, 9244,	1512, 2506, 8737,
21591, 21672,	9252, 9253, 9254,	8932, 8946, 10501,
21980, 22750,	9255, 9256, 9257,	10514, 10764,
22996, 23125,	9262, 9263, 9264,	10779, 10816,
23201, 23305, 24281	9265, 9266, 9267,	10819, 10824,
<code>\ProvidesPackage</code> . .	10245, 10269,	10832, 12603,
. 3251, 3700,		



12615,	15026,	20919,	20921,	13407,	13413,
15046,	15096,	22314,	22317,	14912,	15350,
15099,	15104,	22321,	22432,	15356,	15691,
16545,	16546,	23561,	23566,	16639,	17315,
17801,	17803,	23568,	23569, 23570	17336,	19402,
17809,	18792,	\RaggedRightLeftskip		20163,	20928, 21632
18804,	19315, 17846		\regex	15952,
19316,	19391,	\RaggedRightParfillskip		15957,	15960,
19392,	19393, 17849		15963,	15966,
19395,	20055,	\RaggedRightParindent		15967,	16003,
20152,	20153, 6452,		16008,	16010,
20154,	20156,	7123, 7682, 17850		16054,	16055, 16067
20828,	20917,	\RaggedRightRightskip		\reinsert@footnotes	
20918,	20919, 7679, 17847	 17102,	
20921,	23565,	\raggedsection		17104,	17132,
23567, 23569, 23570		. 19315, 20055, 20828		17134,	17139,
\RaggedLeftLeftskip		\raise	1704,	17141,	17146, 17148
..... 17833		1783, 2410, 2490,		\relax	2, 8,
\RaggedLeftParfillskip		2491, 2492, 3196,		10, 12, 14, 28, 85,	
..... 17836		3215, 12769, 15041		103, 132, 166, 197,	
\RaggedLeftParindent		\raisebox	6677,	203, 205, 207, 209,	
..... 17837		6682, 6693, 6694,		223, 232, 288, 301,	
\RaggedLeftRightskip		6697, 6698, 10312,		319, 400, 414, 415,	
..... 17834		10317, 10333,		416, 437, 438, 439,	
\raggedpart	19316	10336, 10452,		440, 445, 446, 447,	
\RaggedRight ..	17841,	14181, 14183,		448, 472, 473, 474,	
17879,	17894,	14187, 14189,		475, 476, 481, 482,	
17899,	17911,	14216, 14217,		483, 484, 508, 602,	
17913,	21242,	14220, 14221,		617, 624, 654, 660,	
21243,	24216,	14278, 14279,		678, 731, 738, 739,	
24220, 24226, 24230		14282, 14283,		740, 744, 753, 762,	
\raggedright .	25, 104,	14311, 14313,		779, 780, 785, 786,	
224, 557, 1506,		14317, 14319, 15247		787, 788, 791, 794,	
1514, 1725, 1734,		\rangle	3803	798, 823, 824, 825,	
1743, 2513, 8737,		\rawtext	17539,	830, 831, 832, 833,	
8757, 8932, 8946,		17545, 17567,		866, 882, 904, 922,	
10501, 10514,		17568, 17649, 17653		931, 965, 990, 991,	
10764, 10779,		\rbrace	23419, 23428	992, 996, 1005,	
10816, 10819,		\rcb .	3804, 3807, 3808, 3812	1014, 1031, 1032,	
10824, 10832,		\rcol@footinsskip .		1037, 1038, 1039,	
12603, 12615,	 13661, 13710		1040, 1043, 1046,	
15026, 15046,		\realfootnote	14735	1050, 1075, 1076,	
15096, 15099,		\recomputelengths .		1077, 1082, 1083,	
15104, 16545,	 4220, 4237		1084, 1085, 1118,	
16546, 17801,		\recomputethemelengths		1125, 1137, 1143,	
17803, 17809,	 4219,		1161, 1211, 1240,	
18792, 18804,		4235, 9917, 9922		1241, 1242, 1246,	
19315, 19316,		\reflectbox	13950	1255, 1264, 1281,	
19391, 19392,		\refname ...	570, 571,	1282, 1287, 1288,	
19393, 19395,		705, 706, 968, 969,		1289, 1290, 1293,	
20055, 20152,		1218, 1219, 4306,		1296, 1300, 1325,	
20153, 20154,		7737, 10522, 10523		1326, 1327, 1332,	
20156, 20828,		\refstepcounter	552,	1333, 1334, 1335,	
20917, 20918,		10496, 12889,		1422, 1423, 1440,	



1441, 1442, 1750,
1921, 2245, 2271,
2297, 2327, 2396,
2399, 2401, 2402,
2403, 2550, 2565,
2580, 3413, 3419,
3425, 3431, 3437,
3443, 3455, 3461,
3467, 3474, 3483,
3484, 3488, 3495,
3505, 3578, 3611,
3743, 3744, 3745,
3750, 3751, 3752,
3753, 3977, 3985,
3993, 4044, 4114,
4373, 4378, 4384,
4399, 4597, 4600,
4610, 4628, 4688,
4889, 4893, 4903,
4910, 4923, 5107,
5111, 5445, 5446,
5450, 5489, 5490,
5532, 5555, 5682,
5696, 5759, 5761,
5770, 5771, 5787,
5795, 5812, 5823,
5828, 5877, 5901,
5916, 5933, 5948,
5964, 5981, 5993,
6025, 6036, 6115,
6323, 6324, 6333,
6361, 6426, 6924,
7133, 7241, 7304,
7308, 7312, 7392,
7403, 7421, 7432,
7450, 7461, 7519,
7716, 7724, 7729,
7760, 7945, 7969,
8065, 8070, 8073,
8080, 8118, 8124,
8219, 8237, 8266,
8273, 8280, 8292,
8328, 8392, 8399,
8411, 8417, 8433,
8489, 8505, 8506,
8507, 8511, 8520,
8529, 8546, 8547,
8552, 8553, 8554,
8555, 8569, 8576,
8588, 8594, 8610,
8642, 8682, 8683,
8684, 8688, 8697,
8706, 8723, 8724,
8729, 8730, 8731,

8732, 8780, 8787,
8788, 8789, 8810,
8811, 8812, 8813,
8818, 8819, 8820,
8821, 8845, 8846,
8847, 8848, 8849,
8854, 8855, 8856,
8857, 8881, 9023,
9037, 9038, 9039,
9044, 9045, 9046,
9047, 9050, 9054,
9055, 9056, 9057,
9058, 9059, 9159,
9177, 9327, 9390,
9521, 9523, 9558,
9584, 9614, 9767,
9865, 9957, 9958,
9959, 9960, 9961,
9973, 9994, 10048,
10060, 10063,
10100, 10112,
10115, 10276,
10294, 10355,
10434, 10482,
10550, 10551,
10552, 10571,
10572, 10577,
10578, 10579,
10580, 10604,
10605, 10606,
10611, 10612,
10613, 10614,
10643, 10644,
10645, 10666,
10667, 10668,
10669, 10674,
10675, 10676,
10677, 10701,
10702, 10703,
10704, 10705,
10710, 10711,
10712, 10713,
10737, 10883,
10884, 10885,
10886, 10887,
11016, 11196,
11240, 11305,
11346, 11408,
11452, 11517,
11561, 11626,
11670, 11735,
11779, 11844,
11888, 11953,
11997, 12062,

12106, 12180,
12211, 12221,
12227, 12250,
12279, 12285,
12312, 12330,
12566, 12567,
12572, 12650,
12651, 12652,
12671, 12672,
12677, 12678,
12679, 12680,
12704, 12705,
12706, 12711,
12712, 12713,
12714, 12751,
12753, 12757,
12804, 12840,
12869, 12879,
12922, 12942,
12943, 12958,
13060, 13192,
13214, 13223,
13382, 13397,
13502, 13524,
13562, 13673,
13722, 14121,
14123, 14126,
14139, 14141,
14144, 14390,
14401, 14412,
14423, 14437,
14448, 14459,
14470, 14485,
14500, 14541,
14560, 14579,
14598, 14612,
14631, 14643,
14662, 14674,
14693, 14775,
14809, 14840,
14869, 15006,
15025, 15035,
15047, 15053,
15055, 15057,
15059, 15144,
15156, 15163,
15164, 15168,
15169, 15178,
15246, 15728,
15888, 15891,
15894, 15895,
15896, 15902,
16509, 16510,
16511, 16512,



16513,	16573,	18485,	18486,	20025,	20026,
16677,	16777,	18491,	18492,	20027,	20028,
16903,	16905,	18493,	18494,	20042,	20043,
16906,	16909,	18523,	18524,	20044,	20045,
16915,	16917,	18525,	18526,	20046,	20047,
16918,	16921,	18527,	18532,	20048,	20049,
16927,	16929,	18533,	18534,	20050,	20051,
16930,	16933,	18535,	18557,	20053,	20091,
17026,	17071,	18641,	18647,	20378,	20395,
17365,	17366,	18648,	18649,	20491,	20504,
17367,	17415,	18670,	18671,	20506,	20512,
17420,	17425,	18672,	18673,	20559,	20560,
17434,	17442,	18678,	18679,	20566,	20567,
17464,	17467,	18680,	18681,	20569,	20572,
17468,	17469,	18705,	18706,	20592,	20595,
17470,	17479,	18707,	18708,	20596,	20597,
17481,	17482,	18709,	18714,	20599,	20601,
17483,	17484,	18715,	18716,	20612,	20615,
17659,	17723,	18717,	18741,	20616,	20617,
17813,	17884,	18979,	18992,	20673,	20714,
17890,	17902,	18994,	19000,	20720,	20741,
17926,	17933,	19046,	19047,	20796,	20797,
17963,	17969,	19053,	19054,	20798,	20799,
17985,	18017,	19056,	19059,	20800,	20801,
18053,	18054,	19079,	19082,	20815,	20816,
18055,	18059,	19083,	19084,	20817,	20818,
18068,	18077,	19086,	19088,	20819,	20820,
18094,	18095,	19099,	19102,	20821,	20822,
18100,	18101,	19103,	19104,	20823,	20824,
18102,	18103,	19160,	19201,	20826,	20856,
18106,	18109,	19207,	19228,	21143,	21160,
18113,	18138,	19283,	19284,	21251,	21288,
18139,	18140,	19285,	19286,	21351,	21366,
18145,	18146,	19287,	19288,	21376,	21378,
18147,	18148,	19302,	19303,	21407,	21565,
18181,	18190,	19304,	19305,	21583,	21584,
18191,	18192,	19306,	19307,	21668,	21677,
18198,	18207,	19308,	19309,	21695,	21698,
18216,	18233,	19310,	19311,	21701,	21726,
18234,	18235,	19313,	19331,	21729,	21732,
18236,	18241,	19616,	19632,	21749,	21752,
18242,	18243,	19718,	19731,	21755,	21766,
18244,	18247,	19733,	19739,	21769,	21772,
18250,	18254,	19786,	19787,	21783,	21786,
18279,	18280,	19793,	19794,	21789,	21798,
18281,	18282,	19796,	19799,	21800,	21803,
18283,	18288,	19819,	19822,	21806,	21815,
18289,	18290,	19823,	19824,	21817,	21820,
18291,	18335,	19826,	19828,	21823,	21834,
18341,	18357,	19839,	19842,	21837,	21840,
18383,	18440,	19843,	19844,	21852,	21855,
18445,	18450,	19900,	19941,	21858,	21871,
18451,	18452,	19947,	19968,	21874,	21877,
18483,	18484,	20023,	20024,	21891,	21894,



21897,	21909,	17192,	17194,	7649,	7660,	7661,					
21924,	21926,	17196,	17222,	7662,	7663,	7664,					
21929,	21932,	17224,	17227,	7665,	7666,	7732,					
21946,	21976,	17231,	17234,	17236	7737,	7739,	7740,				
21977,	21978,	\remainxxxxx			7757,	7758,	7759,				
22107,	22131,	. . .	17199,	17201,	7760,	7817,	7818,				
22219,	22248,	17203,	17205,	17207	7819,	7821,	7825,				
22260,	22272,	\remove@strip . 16685,			7826,	7827,	7831,				
22277,	22280,	16715,	16785,	16815	7832,	7838,	7842,				
22284,	22286,	\renewcommand . . . 19,			7843,	7844,	7848,				
22300,	22302,	20,	21,	22,	86,	168,	7849,	7854,	7858,		
22310,	22328,	214,	215,	216,	217,	7859,	7860,	7869,			
22332,	22344,	289,	329,	412,	451,	7870,	7871,	7875,			
22345,	22347,	453,	507,	524,	538,	7876,	7898,	7922,			
22353,	22361,	542,	546,	547,	548,	7984,	7997,	8002,			
22363,	22435,	549,	581,	621,	643,	8010,	8396,	8400,			
22449,	22483,	659,	677,	685,	698,	8416,	8432,	8440,			
22490,	22496,	700,	701,	702,	703,	8454,	8474,	8480,			
22583,	22642,	716,	722,	728,	734,	8486,	8491,	8492,			
22645,	22649,	735,	745,	802,	804,	8493,	8494,	8495,			
22655,	22700,	870,	887,	900,	903,	8496,	8498,	8500,			
22765,	22773,	921,	928,	954,	955,	8502,	8512,	8573,			
22774,	22776,	956,	957,	958,	963,	8577,	8593,	8609,			
22777,	22790,	979,	986,	987,	997,	8617,	8631,	8633,			
22801,	22805,	1054,	1056,	1122,	1126,	1142,	1160,	8639,	8662,	8668,	
22810,	22815,	1169,	1182,	1202,	1208,	1213,	1214,	8669,	8670,	8671,	
22823,	22827,	1215,	1216,	1229,	1236,	1237,	1247,	8672,	8673,	8675,	
22836,	22837,	1304,	1306,	1510,	1749,	1929,	2072,	8677,	8679,	8689,	
22848,	22856,	2119,	2136,	2153,	2170,	2186,	2202,	8785,	8824,	8826,	
22867,	22873,	2226,	2252,	2278,	2325,	2379,	2445,	8880,	8895,	8910,	
22877,	22881,	3732,	3734,	4106,	4107,	4108,	4144,	8914,	8918,	8920,	
22898,	22902,	4145,	4150,	4199,	4203,	4234,	4239,	8922,	8924,	8925,	
22951,	22952,	4320,	5875,	5899,	6231,	6236,	6256,	8926,	8927,	8928,	
22955,	23003,	6269,	6291,	6302,	6430,	6439,	6480,	8929,	8952,	8971,	
23011,	23152,	6598,	6601,	6602,	6606,	6607,	6759,	9036,	9041,	9063,	
23235,	23284,	6760,	7109,	7110,	7111,	7112,	7113,	9070,	9080,	9164,	
23299,	23392,	7114,	7115,	7116,	7117,	7171,	7286,	9169,	9179,	9202,	
23449,	23461,	7295,	7316,	7334,	7352,	7467,	7468,	9225,	9248,	9275,	
23512,	23592,	7469,	7551,	7560,	7612,	7620,	7644,	9291,	9768,	9808,	
23595,	23597,	7612,	7620,	7644,	7649,	7660,	7661,	9809,	9810,	9811,	
23649,	23650,	7662,	7663,	7664,	7665,	7666,	7732,	9812,	9813,	9814,	
23653,	23673,	7737,	7739,	7740,	7757,	7758,	7759,	9815,	9829,	9834,	
23682,	23686,	7760,	7817,	7818,	7819,	7821,	7825,	9866,	9900,	9901,	
23721,	23768,	7826,	7827,	7831,	7832,	7838,	7842,	9902,	9903,	9904,	
24105,	24106,	7843,	7844,	7848,	7849,	7854,	7858,	9905,	9906,	9907,	
\remainx	17175	7859,	7860,	7869,	7870,	7871,	7875,	9917,	9929,	10117,	
\remainxox	17210, 17217	7876,	7898,	7922,	7984,	7997,	8002,	10118,	10119,	10241,	10244,
\remainxoxx	8010,	8396,	8400,	8416,	8432,	8440,	10248,	10274,	10439,	10440,
.	17220, 17229, 17238	8454,	8474,	8480,	8486,	8491,	8492,	10467,	10481,	10533,	10539,
\remainxx	17178, 17180	8493,	8494,	8495,	8496,	8498,	8500,	10543,	10548,	10583,	10585,
\remainxxx	8502,	8512,	8573,	8577,	8593,	8609,				
.	17183, 17185,	8617,	8631,	8633,	8639,	8662,	8668,				
17187,	17212,	8669,	8670,	8671,	8672,	8673,	8675,				
\remainxxxx	17190,	8677,	8679,	8689,	8785,	8824,	8826,				
		8880,	8895,	8910,	8914,	8918,	8920,				
		8922,	8924,	8925,	8926,	8927,	8928,				
		8929,	8952,	8971,	9036,	9041,	9063,				
		9070,	9080,	9164,	9169,	9179,	9202,				
		9225,	9248,	9275,	9291,	9768,	9808,				
		9809,	9810,	9811,	9812,	9813,	9814,				
		9815,	9829,	9834,	9866,	9900,	9901,				
		9902,	9903,	9904,	9905,	9906,	9907,				
		9917,	9929,	10117,	10118,	10119,	10241,				
		10244,	10248,	10274,	10439,	10440,	10467,				
		10481,	10533,	10539,	10543,	10548,	10583,				
		10585,									



10635,	10636,	16559,	16560,	18787,	18788,
10637,	10638,	16567,	16568,	18789,	18822,
10641,	10680,	16570,	16576,	18966,	18970,
10682,	10736,	16577,	17173,	18974,	18978,
10750,	10752,	17176,	17181,	19044,	19051,
10754,	10756,	17188,	17197,	19058,	19108,
10757,	10758,	17208,	17213,	19110,	19229,
10759,	10760,	17218,	17225,	19231,	19317,
10761,	10785,	17232,	17249,	19318,	19319,
10804,	10814,	17251,	17268,	19322,	19323,
10827,	10838,	17310,	17331,	19337,	19362,
10842,	10912,	17412,	17421,	19391,	19392,
10926,	10940,	17799,	17802,	19393,	19394,
10954,	10965,	17811,	17815,	19397,	19438,
10976,	12571,	17828,	17841,	19455,	19469,
12586,	12621,	17854,	17866,	19475,	19554,
12625,	12641,	17930,	17952,	19577,	19579,
12648,	12683,	17968,	17984,	19600,	19602,
12685,	12735,	17992,	18006,	19604,	19607,
12736,	12737,	18008,	18014,	19613,	19621,
12738,	12739,	18031,	18037,	19623,	19625,
12740,	12742,	18038,	18039,	19631,	19633,
12744,	12869,	18040,	18041,	19705,	19709,
12879,	12899,	18042,	18044,	19713,	19717,
12908,	13013,	18046,	18049,	19784,	19791,
13032,	13034,	18050,	18060,	19798,	19848,
13036,	13038,	18117,	18119,	19850,	19969,
13039,	13040,	18186,	18187,	19971,	20056,
13041,	13042,	18199,	18258,	20057,	20065,
13043,	13045,	18260,	18324,	20066,	20069,
13047,	13049,	18340,	18356,	20070,	20074,
13051,	13052,	18364,	18378,	20077,	20079,
13053,	13054,	18380,	18402,	20098,	20123,
13055,	13056,	18403,	18404,	20152,	20153,
13057,	13067,	18405,	18406,	20154,	20155,
13136,	13406,	18407,	18409,	20158,	20199,
13412,	13431,	18411,	18425,	20216,	20230,
13443,	13455,	18431,	18437,	20236,	20316,
13470,	14017,	18442,	18448,	20339,	20341,
14027,	15007,	18456,	18497,	20362,	20364,
15064,	15065,	18499,	18556,	20366,	20369,
15066,	15067,	18570,	18585,	20375,	20383,
15090,	15094,	18588,	18592,	20385,	20388,
15107,	15111,	18596,	18598,	20394,	20396,
15120,	15121,	18600,	18602,	20478,	20482,
15122,	15123,	18603,	18604,	20486,	20490,
15754,	16507,	18605,	18606,	20557,	20564,
16518,	16541,	18619,	18645,	20571,	20621,
16542,	16543,	18684,	18686,	20623,	20742,
16544,	16545,	18740,	18755,	20744,	20829,
16546,	16547,	18770,	18774,	20830,	20834,
16548,	16550,	18778,	18780,	20835,	20838,
16552,	16554,	18782,	18784,	20839,	20843,
16556,	16557,	18785,	18786,	20846,	20848,



20863,	20888,	6701, 6704, 6707,	4033, 4036, 4039,
20917,	20918,	6710, 7708, 7718,	4042, 4463, 4467,
20919,	20920,	7726, 7742, 7953,	4955, 4956, 4957,
20923,	20964,	8381, 8456, 8462,	6080, 6088, 6098,
20981,	20995,	8558, 8644, 8650,	6100, 6107, 6109,
21001,	21081,	8768, 8959, 9021,	6114, 6116, 6117,
21104,	21106,	9042, 9176, 10521,	6120, 6123, 6159,
21127,	21129,	10792, 12629,	6160, 6161, 6163,
21131,	21134,	12886, 13487,	6170, 6173, 6198,
21140,	21148,	16658, 17240,	6199, 6219, 6221,
21150,	21153,	17347, 17915,	6225, 6232, 6234,
21159,	21161,	17935, 17942,	6313, 6314, 22265,
21238,	21241,	18019, 18170,	22266, 22267,
21514,	21543,	18385, 18392,	22268, 22269,
21549,	21581,	18413, 18607,	22271, 22272,
21594,	21608,	18629, 18810,	22273, 22275,
21619,	21675,	19326, 20087,	22277, 22280,
21722,	21741,	20852, 21595,	22284, 22317,
21763,	21780,	21598, 21624, 23431	22318, 22321,
21797,	21814,	\renewrobustcmd . . .	22322, 22867, 22868
21831,	21849,	. 15879, 15905, 15916	\reserved@b 4003, 4004,
21867,	21868,	\renewtagform 15847	4463, 4467, 4468,
21887,	21888,	\repeat 3533,	6070, 6071, 6099,
21907,	21975,	3534, 3535, 5709,	6157, 6159, 6176,
22256,	22321,	5716, 9290, 9566,	6193, 6194, 6199,
22634,	22636,	12191, 12200,	6204, 6206, 6207,
22638,	22654,	15206, 17557,	6209, 6212, 6232, 6234
22661,	22663,	17604, 17615,	\reserved@c 6172,
22665,	22685,	17626, 17654, 21390	6175, 6176, 6180,
22699,	22704,	\RequirePackage . . .	6191, 6204, 6218, 6222
22724,	22727, 3302, 3304,	\reserved@d 4462,
22728,	22742,	3305, 3306, 3307,	4467, 6192, 6211, 6224
22746,	22751,	3308, 3540, 3757,	\reset@dir . 17723, 23392
22871,	22978,	3758, 4116, 4117,	\reset@font 37,
23000,	23018,	4118, 4119, 4126,	51, 67, 240, 254,
23040,	23052,	4127, 4142, 4195,	269, 2126, 2143,
23088,	23567,	6078, 6079, 6095,	2160, 2175, 2191,
23568,	23799,	6139, 6140, 6143,	2207, 7004, 7048,
23800,	23801,	6395, 6457, 6459,	7092, 7320, 7321,
24111,	24154,	6466, 6487, 6491,	7338, 7339, 7356,
24156,	24157,	6527, 6528, 6751,	7357, 10916,
24158,	24213,	6961, 6962, 6963,	10930, 10944,
24215,	24217,	6964, 7168, 7169,	10958, 10969,
24219,	24223,	7284, 7503, 7678,	10980, 11209,
24225, 24229, 24231		7689, 7741, 7767,	11219, 11229,
\RenewDocumentCommand		7775, 7792, 7947,	11255, 11267,
. 16110, 16443		7948, 7949, 7950,	11280, 11318,
\renewenvironment 83,		7951, 7952, 7971,	11327, 11336,
286, 569, 590,		7972, 7973, 7974,	11361, 11372,
606, 626, 633,		7975, 7976, 24145,	11384, 11421,
704, 855, 933,		24148, 24149,	11431, 11441,
940, 967, 1107,		24150, 24151, 24205	11467, 11479,
1185, 1192, 1217,		\RequireXeTeX . 3303, 3619	11492, 11530,
1845, 2080, 2366,		\reserved@a 4023, 4027,	11540, 11550,



11576,	11588,	17069,	18014,	16910,	16917,
11601,	11639,	18053,	18190,	16922,	16929,
11649,	11659,	18437,	18450,	16934,	17820,
11685,	11697,	18592,	18647,	17822,	17833,
11710,	11748,	18774,	19051,	17835,	17846,
11758,	11768,	19102,	19791,	17848,	17857,
11794,	11806,	19842,	20564, 20615	17859,	17933,
11819,	11857,	<code>\rightfootnoterule</code>		17946,	17957,
11867,	11877,	3448, 9958, 10884,		17958,	17963,
11903,	11915,	13164, 13878, 24107		17974,	17997,
11928,	11966,	<code>\rightline</code> ... 17756,		18000,	18001,
11976,	11986,	23577, 23581, 23583		18329,	18330,
12012,	12024,	<code>\rightlinenumbers</code> .		18335,	18346,
12037,	12075, 15279, 15287		18369,	18372,
12085,	12095,	<code>\rightmargin</code> ... 948,		18373,	18383,
12121,	12133,	7694, 7713, 7721,		18396,	18445,
12146,	12341,	7727, 13624,		18561,	18576,
12353,	12365,	13628, 17809,		18579,	18580,
12402,	12416,	18992, 19731,		18585,	18586,
12430,	12974,	20504, 23454,		18746,	18761,
13239,	13240,	23465, 23471,		18764,	18765,
13256,	13257,	23477, 23485, 23489		18984,	19723,
13272,	13273,	<code>\rightskip</code> ... 12, 13,		20496,	21518,
13302,	13303,	207, 208, 305, 309,		21523,	21534,
13316,	13317,	513, 530, 533, 534,		21547,	21551,
13330,	13331,	624, 637, 648, 649,		21571,	21574,
23894, 23938, 24038		654, 665, 690, 693,		21579,	21583,
<code>\ResetCounterPerPage</code>		694, 875, 876, 882,		21584,	21695,
..... 3541, 4333		892, 895, 896, 909,		21696,	21697,
<code>\resizebox</code> 13971		931, 1125, 1131,		21705,	21726,
<code>\restore@protect</code> .. 4970		1132, 1137, 1148,		21727,	21728,
<code>\restoreCaptionSkip</code>		1174, 1177, 1178,		21736,	21749,
..... 14152		1196, 1874, 1875,		21750,	21751,
<code>\restorecounters@</code> 10366		1878, 2451, 2461,		21759,	21766,
<code>\restylefloat</code> 6951		2696, 2698, 7632,		21767,	21768,
<code>\resumename</code> 4196		7639, 7640, 8210,		21776,	21783,
<code>\rightskip</code> 21977		8399, 8405, 8406,		21784,	21785,
<code>\right</code> 23419, 23428, 23430		8411, 8422, 8445,		21793,	21800,
<code>\right@cor</code> ... 16687,		8448, 8449, 8576,		21801,	21802,
16688, 16787, 16788		8582, 8583, 8588,		21810,	21817,
<code>\right@footnoterule</code>		8599, 8622, 8625,		21818,	21819,
... 26, 230, 414,		8626, 8886, 8901,		21827,	21834,
542, 728, 738, 963,		8904, 8905, 9037,		21835,	21836,
990, 1208, 1240,		9038, 9039, 9165,		21844,	21852,
2171, 2187, 8486,		9166, 9172, 10473,		21853,	21854,
8505, 8639, 8682,		10476, 10477,		21862,	21871,
8787, 8914, 10543,		10487, 10741,		21872,	21873,
10550, 10643,		11158, 12483,		21881,	21891,
10842, 12625,		12492, 12577,		21892,	21893,
12650, 13152,		12592, 12595,		21901,	21926,
13166, 13176,		12596, 15057,		21927,	21928,
13299, 13327,		15058, 15869,		21936,	21976,
15033, 15111,		16541, 16542,		21978,	22771,
15825, 15833,		16905, 16909,		22833,	22834,



22835, 22841,	18896, 18908, 18918	\RTLfootnotetext ..
22844, 22891,	\rot@message 18869, 18918 3961, 3972,
22951, 22956,	\rot@pageref 18836, 18879	8252, 8262, 13388,
22979, 22986,	\rotate 18932	13391, 14571,
23355, 23356,	\rotatebox ... 13058,	15783, 21439, 21443
23562, 23589,	14084, 14133,	\RTLfootscript
23590, 23649, 23654	14346, 15816,	.. 11020, 11048,
\RL ... 14902, 17713, 23382	15818, 15820,	11052, 11054,
\rlap 306, 454, 805, 1307,	15936, 15944,	13458, 13462, 13464
3735, 8827, 10586,	16466, 18855,	\RTLfoottextfont ..
10683, 12686,	18864, 18902, 18913 10903,
12781, 12787,	\rotateframe 13020, 13057	10931, 10981,
13476, 13909,	\rotFPbot 18856,	11099, 11229,
13955, 14021,	18863, 18903, 18912	11250, 11280,
14022, 14035,	\rotFPtop 18854,	11336, 11356,
14036, 15091,	18865, 18901, 18914	11384, 11441,
16963, 17742,	\rrb 3806, 3816	11462, 11492,
18120, 18261,	\rsb 3805, 3814	11550, 11571,
18458, 18501,	\RTL .. 17706, 23367, 23369	11601, 11659,
18687, 19110,	\RTL@column@boxes .	11680, 11710,
19231, 19850,	. 16987, 17014, 17019	11768, 11789,
19971, 20623,	\RTL@outputdblcol .	11819, 11877,
20744, 21279, 23402	... 9314, 12792,	11898, 11928,
\RLE . 3352, 3637, 14901,	13705, 16664,	11986, 12007,
17713, 17714,	23708, 23799, 23800	12037, 12095,
17718, 23005,	\RTLbiditufthesidenotemarginpar	12116, 12146,
23382, 23383, 23387	... 7053, 7353, 7494	12365, 12385, 12430
\rmfamily 734,	\RTLcases .. 23429, 23432	\RTLmarginnote 7491
986, 1236, 7522,	\RTLcite	\RTLmarginpar 23899
7575, 7578, 7582,	7280, 7400, 7429,	\RTLMulticolcolumns
7585, 7589, 7592,	7458, 7480, 7489, 7498 17012
7596, 7599, 7603,	\RTLcolumnfootnotes	\RTLSidenote .. 7223, 7465
7606, 18049, 18186 11005	\RTLthanks . 419, 439,
\romannumeral	\RTLdblcol 23800	474, 493, 7819,
.... 5755, 5756,	\RTLdfnmakecol ... 10118	7827, 7844, 7860,
8239, 8302, 10374,	\RTLfootfootmark ..	7871, 8792, 8812,
10377, 10423,	.. 10902, 11045,	8847, 8866, 10648,
13015, 13016,	11250, 11356,	10668, 10703,
13017, 13018,	11462, 11571,	10722, 13386,
13020, 13021,	11680, 11789,	16511, 18195,
13022, 13023,	11898, 12007,	18235, 18281,
13024, 13027,	12116, 12385, 13455	18301, 18455,
13028, 13029, 23457	\RTLfootmarkstyle .	18485, 18525,
\rot@float@box 18839, 11020, 11059	18543, 18652,
18840, 18841,	\RTLfootnote ... 419,	18672, 18707,
18855, 18864,	493, 2252, 3893,	18726, 19107,
18882, 18883,	3906, 7469, 7819,	19286, 19847,
18884, 18885,	8792, 8866, 10648,	20026, 20620, 20799
18886, 18902, 18913	10722, 13209,	\rtside 17587,
\rot@label . 18835, 18878	13404, 13412,	17589, 17600,
\rot@LR 18846, 18891	18195, 18301,	17602, 17623, 17625
\rot@mess@toks 18838,	18455, 18543,	\rule 46, 60,
18850, 18860,	18652, 18726,	76, 249, 263, 278,
18869, 18881,	19107, 19847, 20620	2133, 2150, 2167,



2183, 2199, 2215,	19900, 20023,	22487, 22505,
4244, 9822, 10455,	20572, 20673, 20796	22507, 22518,
10459, 10462,	\scr@dte@current ..	22520, 22536,
10897, 10903, 22431, 22434	22576, 22577,
10909, 13250,	\scr@dte@def@l@largetocline	22579, 22595,
13267, 13283, 22142	22648, 22675,
13310, 13324,	\scr@dte@def@l@tocline	22694, 22713, 22729
13338, 16117, 17793 22392	\scr@LT@array . 14911,
S	\scr@dte@def@l@undottedtocline	19577, 19578,
\s 15966, 15967 21981	19590, 20339,
\save@dir .. 17722, 23391	\scr@dte@donumwidth	20340, 20352,
\savebox 10380, 22661, 22662	21104, 21105, 21117
14081, 14083, 14163	\scr@dte@largetocline@init	\scr@makemultilinecaption
\saveCaptionSkip . 14113 22143	.. 19428, 19433,
\savecounters@ ... 10363	\scr@dte@nosub 22447,	19475, 20189,
\saved@dir ... 17722,	22449, 22479,	20194, 20236,
17723, 23391, 23392	22480, 22482,	20954, 20959, 21001
\saved@tempdimb ...	22487, 22489,	\scr@makesinglelinecaption
... 9488, 9571, 9580	22494, 22495, 19430,
\sbox 10446,	22507, 22512,	19438, 20191,
14115, 14132,	22520, 22525,	20199, 20956, 20964
15133, 15141,	22579, 22581, 22732	\scr@parindent
15186, 15332,	\scr@dte@numberline@box	. 19692, 20465, 21230
15745, 15935, 22340, 22367	\scr@saved@footnotetext
15943, 16135,	\scr@dte@pagenumberwidth 18963,
16422, 16461, 22378	18967, 19702,
16466, 16578,	\scr@dte@tocline ..	19706, 20475, 20479
16593, 16625, 22256, 22739	\scr@saved@LTRfootnotetext
17348, 21533,	\scr@dte@tocline@init	.. 18961, 18964,
21550, 22342, 24088 22393	18971, 19700,
\SC@FLOAT 21238, 24213,	\scr@dte@tocline@numberwidth	19703, 19710,
24217, 24223, 22343,	20473, 20476, 20483
24225, 24229, 24231	22346, 22348, 22351	\scr@saved@RTLfootnotetext
\SC@justify@caption	\scr@dte@tocline@numbox	.. 18962, 18965,
.. 21241, 24215,	. 22342, 22344, 22358	18975, 19701,
24219, 24224,	\scr@dte@undottedtocline@init	19704, 19714,
24226, 24230, 24232 21982	20474, 20477, 20487
\sc@wm@text 10242	\scr@endstrut . 19508,	\scr@smashdp
\scalebox 13969	19518, 19529,	.. 19500, 19531,
\scantokens ... 5106, 5126	19540, 20269,	19534, 20261,
\scr@makesinglelinecaption	20279, 20290,	20292, 20295,
.. 19426, 19446,	20301, 21034,	21026, 21057, 21060
19469, 20187,	21044, 21055, 21066	\scr@trim@spaces . 22267
20207, 20230,	\scr@ifundefinedorrelax	\scr@tso@figure@pagenumberformat
20952, 20972, 20995	.. 19481, 19494, 22742
\scr@caption	20242, 20255,	\scr@tso@table@pagenumberformat
.. 19580, 19582,	21007, 21020, 22746
19584, 20342,	22016, 22064,	\scr@v@is@ge
20344, 20346,	22109, 22175,	. 18979, 19718, 20491
21107, 21109, 21111	22221, 22248,	\scr@v@is@gt 20058, 20080
\scr@compatibility	22269, 22274,	\scr@v@is@le .. 20073,
.. 19059, 19160,	22330, 22445,	20076, 20842, 20845
19283, 19799,	22447, 22476,	\scriptsize
	22479, 22480,	... 1613, 1700, 7660



<code>\scshape</code>	8740	<code>\setbeamertemplate</code>	10080,	10084,
<code>\secshape</code> ..	18544, 18585	2589, 2680,	10089,
<code>\SectFont</code> 629, 638, 936,		2681, 2682, 2687,	10966,	10977,
944, 1188, 1197,		2688, 2691, 2692,	11069,	11175,
8459, 8647, 17938,		2693, 2702, 2758,	11180,	11187,
17947, 18388, 18397		2827, 2982, 3070,	11252,	11264,
<code>\sectfont</code>	17803	3165, 3231, 3233, 3244	11277,	11358,
<code>\section</code> . . .	570, 598,	<code>\SetBoolean</code>	4506	11369,
614, 629, 635, 638,		<code>\setboolean</code> 6401, 6402,	11464,	11476,
705, 863, 936, 942,		6404, 6406, 6411,	11489,	11573,
944, 968, 1115,		6412, 6416, 6417,	11585,	11598,
1188, 1194, 1197,		6488, 6492, 6495,	11682,	11694,
1218, 4240, 4306,		6500, 6502, 6506,	11707,	11791,
7524, 7546, 7614,		6508, 6886, 7510,	11803,	11816,
7622, 7737, 7740,		7511, 7512, 7769,	11900,	11912,
7744, 8459, 8647,		7770, 7771, 7796, 7797	11925,	12009,
10522, 17938,		<code>\setbox</code> . . .	387, 1413,	12021,
17944, 17947,		1415, 1416, 1472,	12118,	12130,
18388, 18394, 18397		1768, 1774, 1783,	12143,	12165,
<code>\sectionbib</code>	21619	1828, 1829, 1860,	12166,	12173,
<code>\sectionfont</code> . . .	4180,	1905, 1910, 1921,	12185,	12188,
4188, 9813, 9906		1971, 1973, 1975,	12190,	12194,
<code>\sectionstyle</code> .	4188, 4246	1977, 1982, 1993,	12197,	12199,
<code>\sectiontitlecolour</code>		2008, 2013, 2022,	12201,	12345,
.	4171,	2037, 2120, 2137,	12357,	12369,
9775, 9783, 9790,		2154, 2172, 2188,	12387,	12406,
9797, 9804, 9874,		2204, 2946, 3194,	12412,	12420,
9880, 9886, 9892, 9898		3213, 3378, 3655,	12426,	12434,
<code>\selectfont</code>	347,	4055, 6932, 6988,	12444,	12454,
4911, 7885, 7887,		6991, 7032, 7035,	12464,	12473,
7889, 17361, 17374		7076, 7079, 8138,	12503,	12511,
<code>\separatorcolumnwidth</code>		8149, 8355, 8369,	12526,	12542,
4211, 4212, 4223,		8995, 9022, 9027,	12553,	12765,
4229, 4245, 4250,		9059, 9094, 9123,	12795,	12798,
4256, 4314, 9920, 9950		9278, 9279, 9283,	12811,	12831,
<code>\SepMark</code> . . .	23441, 23442	9286, 9296, 9300,	12834,	12848,
<code>\seq</code>	16198,	9303, 9307, 9317,	12899,	12939,
16199, 17392, 17395		9320, 9321, 9335,	12944,	13300,
<code>\set@color</code> 9123, 9128,		9352, 9368, 9380,	13314,	13328,
9136, 9142, 9150,		9383, 9384, 9398,	13347,	13538,
9157, 9162, 13483,		9411, 9427, 9452,	13547,	13551,
23204, 23208, 23304		9453, 9457, 9489,	13575,	13589,
<code>\set@split@topskip@to</code>		9490, 9492, 9493,	13659,	13666,
.	9486, 9744	9496, 9497, 9525,	13667,	13683,
<code>\set@typeset@protect</code>		9531, 9534, 9542,	13708,	13715,
.	12969,	9580, 9581, 9611,	13716,	13732,
12973, 21326,		9631, 9668, 9679,	13783,	13795,
23624, 24010, 24012		9692, 9742, 9966,	13829,	13831,
<code>\SetatBoolean</code>	4522	9974, 9975, 9979,	13842,	13867,
<code>\setbaselineskip</code> ..	4909	9987, 9995, 9996,	13892,	13901,
<code>\setbeamerfont</code> 1613, 1700		10000, 10015,	13908,	13909,
<code>\setbeamersize</code>		10018, 10023,	13954,	13955,
. . .	1929, 2593, 2875	10027, 10035,	15724,	15733,
		10072, 10075,	15792,	15797,



15800,	15809,	<code>\setcounter</code>	436,	4099, 4100, 4102,
15855,	15887,		471, 746, 778, 822,	4103, 4104, 4109,
15893,	16667,		998, 1030, 1074,	4110, 4148, 4149,
16670,	16671,		1248, 1280, 1324,	4151, 4152, 4153,
16693,	16698,		3742, 7188, 7207,	4154, 4212, 4221,
16708,	16726,		7226, 7258, 7508,	4222, 4225, 4227,
16731,	16767,		8020, 8298, 8513,	4230, 4231, 4233,
16770,	16771,		8545, 8690, 8722,	4236, 4302, 4312,
16793,	16798,		8809, 8844, 10570,	4313, 4314, 6425,
16808,	16826,		10603, 10665,	6452, 6453, 6454,
16831,	16862,		10700, 12670,	6455, 6476, 6482,
16943,	16959,		12703, 12999,	6483, 6516, 6519,
17531,	17545,		15118, 15119,	6523, 6569, 6621,
17548,	17567,		16539, 17313,	6622, 7123, 7124,
17568,	17574,		17334, 18061,	7125, 7126, 7132,
17575,	17586,		18093, 18137,	7374, 7667, 7668,
17588,	17590,		18200, 18232,	7669, 7670, 7671,
17592,	17595,		18278, 18482,	7672, 7673, 7674,
17597,	17599,		18522, 18669,	7676, 7677, 7679,
17601,	17611,		18704, 19069,	7682, 7683, 7684,
17613,	17622,		19282, 19355,	7685, 7902, 7903,
17624,	17639,		19809, 20022,	8421, 8443, 8598,
17641,	17649,		20116, 20582,	8620, 8884, 8899,
17651,	17660,		20795, 20881, 21919	9170, 9909, 9913,
17741,	17742,	<code>\setdefaultbibitem</code>		9915, 9918, 10326,
17772,	17790,	23446	10471, 10486,
18924,	18934,	<code>\setdefaultmarginpar</code>		11061, 11064,
18945,	18952,	23989	11101, 12576,
21267,	21315,	<code>\setDefaults</code>	14070	12590, 13345,
21356,	21406,	<code>\setfloatalignment</code>	6560	13886, 13994,
21476,	22909,	<code>\setfootnoteLR</code> . . .	13231	13995, 14001,
22912,	22917,	<code>\setfootnoteRL</code> . . .	13229	14002, 14004,
22921,	22925,	<code>\setkeys</code>	1752,	14005, 14074,
22929,	22933,		1753, 1847, 1852,	14075, 14087,
22937,	22941,		1854, 1856, 1931,	14091, 14093,
22945,	23196,		2076, 2100, 2101,	14095, 14099,
23204,	23309,		2235, 2261, 2287,	14101, 15124,
23361,	23371,		3408, 8986, 9003,	15125, 15126,
23401,	23402,		10344, 10350,	15127, 15166,
23586,	23612,		10352, 13900,	15173, 15174,
23711,	23714,		13944, 14072,	15175, 15187,
23715,	23729,		15132, 15170,	15188, 15211,
23758,	23761,		17354, 17418,	15216, 15219,
23762,	23776,		18843, 18888, 23089	15776, 17353,
23805,	23807,	<code>\setlatin</code>	3313	17973, 17995,
23821,	23823,	<code>\setlength</code>	511,	18345, 18367,
23834,	23878,		528, 664, 688,	18574, 18744,
23881,	23922,		890, 908, 945,	18759, 19011,
23925,	23953,		946, 947, 948, 949,	19750, 20523,
23967,	23985,		1147, 1172, 3880,	21522, 21523,
			3881, 3882, 4084,	21571, 21572,
<code>\setcaptionfont</code> . . .	6480		4085, 4087, 4088,	21574, 21943,
<code>\setchapterpreamble</code>			4090, 4091, 4093,	21947, 21948,
.....	20092, 20857		4094, 4096, 4097,	21950, 21951,
<code>\setcitationfont</code> ..	7115			



21953, 21954,	19348, 19426,	\skip 3357, 3642,
21956, 21957,	20109, 20187,	8226, 8227, 10020,
21959, 21960,	20874, 20952,	10077, 11089,
22120, 22232,	21602, 22874, 22876	11114, 11122,
22659, 23510, 23513	\setupL@lbox 15165, 15172	11130, 11144,
\setLR 17748, 23410	\Setversedim	11160, 11163,
\setLTR 17709,	. . . 8033, 8037, 8063	11168, 12251,
17710, 17723,	\SetWatermarkText 10241	12253, 12255,
17748, 17749,	\sevendcolumnfootnotes	12257, 12313,
23378, 23379, 11728	12315, 12317,
23392, 23410, 23411	\sf@size 15041	12319, 12485,
\setLTRbibitems . . 23445	\sfcode 93, 296, 586, 718,	12494, 12517,
\setLTRcitationfont 7116	981, 1231, 2385,	12530, 13363,
\setLTRmarginnotefont	8476, 8664, 8976,	13649, 13650,
. 7113	10535, 10809,	13661, 13663,
\setLTRmarginpar . 23988	12643, 15014,	13710, 13712,
\setLTRsidenotefont 7110	17254, 18033,	13766, 13771,
\setLTRtable 3319	18427, 18624,	13834, 13845,
\setmarginnotefont 7112	18827, 19365,	13852, 13886,
\setnonlatin 3314	20126, 20891, 21613	17076, 17082,
\setparsizes	\sh@wgridXunit . . . 17761	17086, 17091,
. 19126, 19866, 20639	\sh@wgridYunit . . . 17761	17095, 17157,
\setRL 17747, 23409	\shadowbox 10440	17161, 17729,
\setRTL . 17708, 17711,	\shadowsize . . . 10450,	17735, 23810,
17723, 17747,	10454, 10455,	23826, 23837, 23845
23031, 23071,	10458, 10459, 10462	\skip@ 311, 312
23105, 23377,	\shipout 12969,	\slideentry 2392
23380, 23392, 23409	13806, 13816, 24009	\sloppy 42,
\setRTLbibitems . . 23444	\shortauthors	56, 72, 92, 245,
\setRTLcitationfont 7117	. . 115, 116, 121,	259, 274, 295, 582,
\setRTLmain 3627	15073, 15074, 15079	717, 980, 1230,
\setRTLmarginnotefont	\shortcite 17256	2381, 4321, 8475,
. 7114	\shorttitle	8663, 8972, 10534,
\setRTLmarginpar . 23987	. . 114, 115, 121,	10805, 12642,
\setRTLSidenotefont 7111	15072, 15073, 15079	13644, 15013,
\setRTLtable 3318	\showbox 13612	15872, 17253,
\setsidenotefont . . 7109	\showgridp@s 17760	17883, 18032,
\setSingleSpace . . .	\showoutput 13612	18426, 18620,
. 11007, 11012	\sidebarheight	18823, 19364,
\setspace@singlespace 1985, 1993,	20125, 20890, 21609
. . . 7319, 7337, 7355	2003, 2016, 2022, 2032	\slshape . . . 655, 883,
\setthesecion . . . 16556	\sidecaptionsep 21239,	1138, 4268, 8412,
\settodepth 17349	21240, 24214,	8589, 9811, 9812,
\settoheight 10323, 17350	24218, 24223,	9902, 9903, 9905,
\settowidth 89,	24225, 24229, 24231	17964, 18336, 18550
292, 575, 710,	\sidenote 7185,	\small 413, 638, 737, 944,
973, 1223, 2371,	7239, 7277, 7372, 7463	989, 1197, 1239,
4216, 8468, 8656,	\sidenotes 7282	3767, 4182, 4272,
8965, 9911, 10368,	\sideways 18950	4277, 4307, 7649,
10527, 10798,	\sixcolumnfootnotes	7650, 7715, 7723,
12635, 15010, 11619	7728, 7747, 8504,
15213, 17352,	\sixon@n 4022, 4044	8681, 8786, 10549,
18025, 18419,	\size@chapter 17803	10642, 12649,
18613, 18816,		17947, 18052,



18189, 18397,	13512, 13520,	13276, 13664,
18449, 18646,	13521, 13545,	13713, 16668,
19101, 19841, 20614	13553, 15150,	16768, 23712, 23759
\smallcaps 8003, 8004, 8005	15182, 15183,	\splittopskip ... 40,
\smallskip	16243, 16949,	54, 70, 243, 257,
.. 17175, 17180,	16951, 16952,	272, 11105, 11177,
17187, 17196,	16953, 16954,	11181, 11291,
17207, 17212,	17120, 17127,	11292, 11296,
17217, 17224,	17768, 18794,	11297, 11394,
17231, 17238, 17800	18837, 18880,	11395, 11399,
\smallskipamount ..	19007, 19180,	11400, 11503,
... 2653, 2665, 2677	19187, 19209,	11504, 11508,
\smash 6677, 6682, 6693,	19215, 19222,	11509, 11612,
6694, 6697, 6698,	19370, 19746,	11613, 11617,
6905, 9969, 9990,	19920, 19927,	11618, 11721,
13476, 15247,	19949, 19955,	11722, 11726,
17745, 23405, 23407	19962, 20131,	11727, 11830,
\SOUL@apo	20519, 20693,	11831, 11835,
21261	20700, 20722,	11836, 11939,
\SOUL@comma	20728, 20735,	11940, 11944,
21263	20896, 21426,	11945, 12048,
\SOUL@do	21428, 21485,	12049, 12053,
21263	22360, 22362,	12054, 12157,
\SOUL@eventuallyexhyphen	22993, 23676, 23958	12158, 12162,
..... 21250	\spacefactor ... 7298,	12163, 13242,
\SOUL@grave	7303, 7309, 7312	13259, 13275,
21262	\spaceskip . 21294, 21299	13543, 13544, 17541
\SOUL@ignorespacesfalse	\speci@ls .. 17138, 17145	\stepcounter ... 2239,
..... 21254	\special	2265, 2291, 5408,
\SOUL@lasttoken .. 21257	3379, 3553, 3562,	5414, 5422, 5428,
\SOUL@lowerthan .. 21247	3656, 3682, 3731,	7196, 7215, 7234,
\SOUL@minus	17742, 21482,	7266, 7386, 7415,
21259	21483, 21487,	7444, 8196, 12998,
\SOUL@postamble .. 21264	21488, 21490, 23402	13069, 13139,
\SOUL@preamble ... 21256	\spinemargin .. 10254,	13209, 13218,
\SOUL@soeventuallyskip	10256, 10260, 10264	14737, 15691,
..... 21251	\split@prev	17308, 17312,
\SOUL@spaceskip .. 21252	. 13188, 13196, 13201	17329, 17333,
\SOUL@start	\splitbotmark 13549	18834, 18877,
21245	\splitfirstmark ...	19401, 19402,
\SOUL@ulcolor . 21276, 9324, 9387,	20162, 20163,
21282, 21288, 21296	12801, 12837,	20927, 20928, 24081
\SOUL@uldp	13548, 13670,	\stopbreaks
21288	13719, 16674,	10828
\SOUL@uleveryspace 21290	16774, 23718, 23765	\str 15955, 16006,
\SOUL@ulht	\SplitFootnoteRule	16078, 16096,
21288 3450, 13187	16158, 16182,
\SOUL@ulleaders ...	\splitfootnoterule	16187, 16261,
. 21276, 21282, 21298 13191, 13199	16292, 16305,
\SOUL@uloverlap .. 21269	\splitmaxdepth 40, 54,	16327, 16381, 16413
\SOUL@ulunderline 21266	70, 243, 257, 272,	\stretch
\SOUL@word	9318, 9381, 11106,	1474,
21258	12796, 12832,	1477, 9096, 9099
\soulomit	13243, 13260,	\string 359, 1384, 3477,
21249		3481, 4364, 4400,
\space 3251, 5092, 5238,		4406, 4478, 4480,
5352, 5366, 5380,		
5390, 6073, 6260,		
6262, 6273, 6275,		
6278, 6741, 6746,		
6747, 6880, 6881,		
8740, 8935, 9506,		
9508, 9530, 9532,		
10767, 12605,		



4498, 4499, 4502,	20946, 21009,	11296, 11394,
4503, 4686, 4705,	21010, 21013,	11399, 11503,
4733, 4759, 4787,	21014, 21452,	11508, 11612,
4813, 4816, 4850,	22992, 23249,	11617, 11721,
4853, 4937, 4938,	23296, 23676, 23696	11726, 11830,
4944, 5092, 5122,	<code>\strip@prefix</code> . 5143, 5156	11835, 11939,
5143, 5146, 5173,	<code>\strip@pt</code> 4597,	11944, 12048,
5175, 5238, 5311,	4910, 10190,	12053, 12157,
5358, 5359, 5372,	10193, 10198,	12162, 12246,
5373, 5384, 5385,	10201, 12264, 12326	12308, 13243,
5396, 5397, 5428,	<code>\stripsep</code> . 9369, 9428,	13250, 13260,
5442, 5443, 5444,	9444, 9451, 9671,	13267, 13276,
5445, 5449, 6073,	9683, 9697, 16702,	13283, 13310,
6082, 6086, 6092,	16704, 16711,	13324, 13338,
6103, 6260, 6262,	16802, 16804,	15710, 15726,
6273, 6275, 6276,	16811, 16873,	15763, 15888,
6277, 6278, 6280,	16876, 16878, 16885	19451, 19453,
6880, 6881, 9132,	<code>\strut</code> 46, 60,	19547, 19549,
9135, 9153, 9156,	76, 249, 263, 278,	20212, 20214,
12206, 12208,	2614, 2816, 2818,	20308, 20310,
13516, 13517,	2950, 2952, 3046,	20977, 20979,
13518, 13519,	3048, 3050, 3141,	21073, 21075,
13520, 13642,	3143, 3145, 3797,	21316, 21317,
13976, 13977,	10836, 11244,	21352, 23613, 23614
17893, 17894,	11247, 11250,	<code>\subfig@oldlabel</code> ..
19007, 19180,	11350, 11353, 6611, 6613
19181, 19187,	11356, 11456,	<code>\subfigure</code> . . . 6610, 6617
19188, 19209,	11459, 11462,	<code>\subitem</code>
19215, 19216,	11565, 11568,	108, 228, 7758, 15030
19222, 19223,	11571, 11674,	<code>\subjclass</code> 324
19370, 19372,	11677, 11680,	<code>\subject</code>
19378, 19410,	11783, 11786,	. 19306, 20046, 20819
19411, 19419,	11789, 11892,	<code>\subparagraph</code>
19420, 19483,	11895, 11898,	. . . 7560, 7561, 7564
19484, 19487,	12001, 12004,	<code>\subsection</code>
19488, 19746,	12007, 12110,	. . . 4247, 7531, 7547
19920, 19921,	12113, 12116,	<code>\subsectioncolour</code> .
19927, 19928,	12377, 12381, 4173,
19949, 19955,	12385, 15886,	9776, 9784, 9791,
19956, 19962,	19470, 19499,	9798, 9805, 9875,
19963, 20131,	19511, 19522,	9881, 9887, 9893, 9899
20133, 20139,	19531, 20231,	<code>\subsectionfont</code> 4181,
20171, 20172,	20260, 20272,	4189, 9814, 9907
20180, 20181,	20283, 20292,	<code>\subsectionstyle</code> ..
20244, 20245,	20996, 21025, 4189, 4248
20248, 20249,	21037, 21048,	<code>\subsubitem</code>
20519, 20693,	21057, 21533, 21538	109, 229, 7759, 15031
20694, 20700,	<code>\strutbox</code> . 40, 54, 70,	<code>\subsubsection</code>
20701, 20722,	243, 257, 272, 385,	. . . 7551, 7552, 7555
20728, 20729,	389, 2133, 2150,	<code>\subtable</code> 6617
20735, 20736,	2167, 2183, 2199,	<code>\supereject</code> 3696
20896, 20898,	2215, 9587, 10898,	<code>\symbol</code> 3810, 3820
20904, 20936,	10904, 10910,	<code>\sys</code> 16176
20937, 20945,	11106, 11291,	



T	
<code>\t@cb@bchapsec</code> . . .	21594
<code>\tabcaption</code> .	14123, 14141
<code>\tabcolsep</code>	379, 1356, 15721, 18314, 23416
<code>\tablinesep</code>	21349
<code>\tabskip</code> . .	395, 8206, 15735, 15736, 21322, 21360, 23619
<code>\tabular</code>	21421
<code>\tabularnewline</code>	404, 15705, 21324, 23621
<code>\tabularx</code>	21412
<code>\tabularxcolumn</code> . .	21374
<code>\tagform@</code>	336
<code>\tamark</code>	16522
<code>\tcb@icorbox</code> . .	21510
<code>\tcb@vbox</code>	21497
<code>\tcd</code> . .	17538, 17545, 17546
<code>\tcdsav</code>	17538
<code>\tcl</code> . .	17562, 17563, 17569
<code>\tcn</code>	17546, 17547, 17569, 17570, 17571, 17572
<code>\Telefon</code>	4162
<code>\tencolumnfootnotes</code>	12055
<code>\TeX</code>	14903, 17724, 17725, 17746, 23393, 23394, 23406
<code>\textbf</code>	4275, 7704, 13489, 13491, 13493, 13495
<code>\textbullet</code>	4159, 9768, 9832, 9866
<code>\textcolor</code> . . .	10439, 10454, 10458, 10461, 13479, 15154
<code>\textdef@</code>	345
<code>\textdir</code>	16421
<code>\textendash</code> .	743, 995, 1058, 1245, 8510, 8687, 18058, 18197
<code>\textheight</code>	3716, 4123, 9352, 9411, 13652, 14074, 18842, 18887, 19087, 19092, 19093, 19094, 19827, 19832, 19833, 19834, 20600, 20605, 20606, 20607, 24080
<code>\textit</code>	21979
<code>\textsf</code>	3394
<code>\textsl</code> . .	6764, 6765, 6766
<code>\textsuperscript</code>	7311, 11057, 11058, 11059, 19043, 19783, 20556
<code>\texttt</code>	3820, 3884, 3886, 3887, 5431
<code>\textwidth</code>	1752, 1847, 1904, 1905, 1920, 1921, 1990, 2013, 2020, 2062, 2063, 2064, 2083, 2087, 2091, 2123, 2140, 2157, 2942, 3366, 3372, 3715, 4121, 4212, 4221, 4222, 4234, 4236, 6519, 6523, 6622, 6923, 6924, 8064, 9336, 9344, 9399, 9592, 9632, 9642, 9822, 9837, 9909, 9918, 10032, 10253, 10263, 10269, 10299, 11176, 12184, 12811, 12817, 12849, 12939, 12944, 13350, 13684, 13733, 13741, 14022, 14025, 14030, 14036, 15860, 16732, 16740, 16832, 16863, 17023, 17058, 17059, 17062, 17063, 17066, 17067, 17071, 17074, 19085, 19095, 19128, 19168, 19172, 19825, 19835, 19868, 19908, 19912, 20598, 20608, 20641, 20681, 20685, 23730, 23738, 23777, 24055, 24071
<code>\textwidth@footnoterule</code>	416, 740, 992, 1242, 8507, 8684, 8789, 10552, 10645,
	12652, 13158, 13169, 17073, 18055, 18192, 18452, 18649, 19104, 19844, 20617
<code>\textwidthfootnoterule</code>	3452, 9960, 10886, 13167, 13879, 24108
<code>\TeXeTOff</code> .	17657, 23307
<code>\TeXeTOn</code>	17656, 17658, 23306, 23308
<code>\TeXeTstate</code> . .	17656, 17657, 23306, 23307
<code>\TF@conlab</code>	13472, 13474, 13481
<code>\TF@savecolor</code>	13478, 13483
<code>\TF@Title</code>	13481
<code>\thanklessauthor</code>	7812, 7845, 7848, 7885
<code>\thanklesspublisher</code>	7813, 7872, 7875, 7889
<code>\thanklesstitle</code>	7811, 7828, 7831, 7887
<code>\thanks</code>	323, 417, 437, 472, 491, 741, 753, 779, 790, 791, 800, 823, 840, 993, 1005, 1031, 1042, 1043, 1052, 1075, 1092, 1243, 1255, 1281, 1292, 1293, 1302, 1325, 1343, 3743, 7811, 7812, 7813, 7814, 7817, 7824, 7825, 7841, 7842, 7857, 7858, 7869, 8508, 8520, 8546, 8685, 8697, 8723, 8790, 8810, 8845, 8864, 10553, 10571, 10604, 10621, 10646, 10666, 10701, 10720, 12653, 12671, 12704, 12721, 16509, 18056, 18068, 18094, 18105, 18106, 18115, 18138, 18155, 18193, 18207, 18233, 18246, 18247,



18256,	18279,	13505,	13512,	21345,	21346,
18299,	18453,	13516,	13517,	21376,	21395,
18483,	18523,	13518,	13519,	21397,	21421,
18541,	18650,	13520,	13521,	21426,	21428,
18670,	18705,	13529,	13535,	21429,	21432,
18724,	19105,	13542,	13543,	21433,	21436,
19284,	19845,	13545,	13550,	21439,	21440,
20024,	20618,	13552,	13553,	21443,	21551,
		13567,	13593,	22288,	22358,
<code>\thankses</code> 323	13623,	13624,	22361,	22363,
<code>\the</code>	... 124, 125, 1372,	13625,	13630,	22449,	22775,
	1466, 1467, 1469,	13631,	13632,	22778,	22779,
	1470, 1937, 1939,	13642,	13669,	22781,	22783,
	1945, 1947, 3281,	13671,	13718,	22787,	22792,
	3390, 3608, 3667,	13720,	13946,	22796,	22807,
	3707, 3709, 3712,	13991,	14524,	22808,	22811,
	3714, 3953, 3955,	14532,	14533,	22817,	22821,
	3958, 3961, 3966,	14539,	14541,	22829,	22830,
	3969, 3972, 4077,	14570,	14571,	22867,	22883,
	4413, 4415, 4416,	14577,	14579,	22887,	22986,
	4437, 4439, 4440,	14610,	14612,	23149,	23161,
	5107, 5444, 5539,	14641,	14643,	23166,	23187,
	5594, 5622, 5624,	14672,	14674,	23188,	23190,
	5631, 5633, 5635,	15082,	15083,	23312,	23313,
	5637, 5638, 5639,	15180,	15182,	23457,	23514,
	5650, 5657, 5659,	15226,	15228,	23682,	23684,
	5664, 5668, 5669,	15233,	15235,	23696,	23717,
	5674, 5679, 5687,	15241,	15243,	23719, 23764, 23766	
	5690, 5694, 5700,	15248,	15780,	<code>\the@cornersize</code>	...
	5784, 5785, 5786,	15783,	16371, 12757, 12758	
	5811, 6326, 6333,	16673,	16675,	<code>\thealgocf</code> 168
	6362, 7153, 7163,	16686,	16703,	<code>\theAlgoLine</code> 24154
	7298, 7309, 8115,	16710,	16716,	<code>\theBackrefHyperFootnoteCounter</code>	
	8122, 8246, 8249,	16773,	16775, 13408, 13414	
	8252, 8256, 8259,	16786,	16803,	<code>\thechapter</code>	... 308,
	8262, 8367, 8982,	16810,	16816,	7520, 8491, 8497,	
	8987, 9031, 9092,	16886,	16949,	8499, 8501, 8668,	
	9323, 9325, 9386,	16951,	16952,	8674, 8676, 8678,	
	9388, 9468, 9488,	16953,	16954,	8740, 8919, 8921,	
	9494, 9498, 9505,	16955,	17247,	8923, 8924, 8925,	
	9506, 9507, 9508,	17417,	17433,	8935, 10751,	
	9509, 9510, 9530,	17437,	17440,	10753, 10755,	
	9532, 9541, 9545,	17465,	17489,	10756, 10757,	
	9568, 9569, 9570,	17496,	17503,	10767, 12605,	
	9572, 9573, 9574,	17663,	17664,	12735, 12741,	
	9575, 9608, 9672,	18850,	18860,	12743, 12745,	
	9684, 9696, 12250,	18869,	18896,	13033, 13035,	
	12312, 12800,	18908,	18918,	13037, 13038,	
	12802, 12836,	19075,	19076,	13039, 13046,	
	12838, 13067,	19077,	19355,	13048, 13050,	
	13082, 13083,	19815,	19816,	13051, 13052,	
	13086, 13087,	19817,	20116,	15391, 16547,	
	13090, 13143,	20588,	20589,	16556, 16558,	
	13147, 13201,	20590,	20881,	16559, 16560,	
	13374, 13388,				



17288,	17806,	18199,	18260,	13056,	15066,	
18037,	18043,	18456,	18499,	15067,	16552,	
18045,	18047,	18686,	19108,	16555,	18040,	
18402,	18408,	19229,	19848,	18041,	18405,	
18410,	18412,	19969,	20621,	20742	18406,	18605,
18597,	18599,	\thefootnotemark ..		18606,	18788,	
18601,	18602,	. 19043, 19783, 20556		18789,	19322,	
18779,	18781,	\theHchapter 17288		19324,	20069,	
18783,	18784,	\theHsection 17296, 17298		20071,	20838,	20840
18785,	18794,	\theindex . 98, 218, 15020		\thepart 553,		
20059,	20061,	\thelstlisting 15362,		561,	10497,	10505
20074,	20077,	15367, 15390, 15393		\ther@tfl@t ... 18835,		
20081,	20083,	\thempfn		18836,	18878,	18879
20831,	20843,	2229, 2255, 2281,		\thesection 19,		
20846,	20849,	3978, 3986, 3994,		214,	546,	700,
\thecontentspage 7578,		7387, 7393, 7416,		954,	1213,	7527,
7585, 7592, 7599, 7606		7422, 7445, 7451,		8491,	8492,	8668,
\thedate . 7807, 7815, 7861		8267, 8274, 8281,		8669,	8925,	8926,
\theenumiv 86, 89, 289,		13210, 13215,		10635,	10757,	
292, 581, 716, 979,		13219, 13224,		10758,	12735,	
1229, 2379, 4320,		13352, 13378,		12736,	13039,	
8474, 8662, 8971,		13383, 13393,		13040,	13052,	
10533, 10804,		13398, 14391,		13053,	15064,	
12641, 15007,		14402, 14413,		16547,	16549,	
15010, 18031,		14543, 14581,		17296,	17298,	
18425, 18619,		14614, 14645,		18037,	18038,	
18822, 19362,		14676, 14738, 15918		18402,	18403,	
20123, 20888, 21608		\thempfootnote		18602,	18603,	
\theequation 13352, 15918		18785,	18786,	
8496, 8673, 8918,		\theorem@indent 17322,		19318,	20057,	
10750, 12740,		17323, 17342, 17343		20065,	20830,	20834
13032, 13045,		\theorem@prework . 17316		\thesubparagraph 22,		
15092, 16557,		\theorem@postskipamount		217,	549,	703,
18042, 18411,	 17317, 17337		957,	1216,	8495,
18596, 18778,		\theorem@preskipamount		8672,	8929,	10638,
20079, 20848, 24101	 17320, 17340		10761,	12739,	
\thefigure 8498,		\thepage .. 3705, 3710,		13043,	13056,	
8675, 8920, 10752,		4297, 6652, 6764,		15067,	16554,	
12742, 13034,		6765, 6766, 6775,		18041,	18406,	
13047, 16559,		6776, 7991, 7992,		18606,	18789,	
18044, 18407,		8003, 8004, 8005,		19323,	20070,	20839
18598, 18780,		9709, 9727, 17120,		\thesubsection .. 19,		
20074, 20843, 21332		17127, 23193, 23958		20, 214, 215, 546,		
\thefootdir@label .		\theparagraph ... 21,		547,	700,	701,
.. 13067, 13070,		22, 216, 217, 548,		954,	955,	1213,
13099, 13104,		549, 702, 703,		1214,	7534,	8492,
13122, 13125, 13145		956, 957, 1215,		8493,	8669,	8670,
\thefootnote 453, 745,		1216, 7541, 8494,		8926,	8927,	10635,
804, 997, 1056,		8495, 8671, 8672,		10636,	10758,	
1247, 1306, 3734,		8928, 8929, 10637,		10759,	12736,	
8512, 8689, 8826,		10638, 10760,		12737,	13040,	
10585, 10682,		10761, 12738,		13041,	13053,	
12685, 14424,		12739, 13042,		13054,	15064,	
18060, 18119,		13043, 13055,		15065,	16548,	



16551, 18038,	20018, 20791, 21667	.. 19073, 19079,
18039, 18403,	<code>\thm@topsepadd</code> 17317,	19099, 19201,
18404, 18603,	17318, 17321,	19228, 19813,
18604, 18786,	17337, 17338, 17341	19819, 19839,
18787, 19318,	<code>\thr@@</code> . 356, 372, 1381,	19941, 19968,
19320, 20065,	1399, 1423, 1432,	20586, 20592,
20067, 20834, 20836	11395, 11400,	20612, 20714, 20741
<code>\thesubsubsection</code> 20,	17111, 17129,	<code>\titlepagestyle</code> ...
21, 215, 216,	21252, 21449, 21469	. 19278, 20018, 20791
547, 548, 701,	<code>\threecolumnfootnotes</code>	<code>\titlespacing</code>
702, 955, 956, 11298	... 7545, 7546, 7547
1214, 1215, 8493,	<code>\tiny</code> 3780, 7289, 7661	<code>\titlestyle</code> ... 4185, 9933
8494, 8670, 8671,	<code>\title</code> .. 320, 445, 481,	<code>\tl</code> 15938, 15946,
8927, 8928, 10636,	785, 830, 1037,	15951, 15953,
10637, 10759,	1082, 1287, 1332,	15954, 15955,
10760, 12737,	3750, 4199, 4238,	15956, 15958,
12738, 13041,	7806, 7821, 8552,	15959, 15961,
13042, 13054,	8729, 8818, 8854,	15964, 15968,
13055, 15065,	10577, 10611,	15977, 15981,
15066, 16550,	10674, 10710,	15984, 15989,
16553, 18039,	12677, 12711,	15994, 16002,
18040, 18404,	18100, 18145,	16004, 16005,
18405, 18604,	18241, 18288,	16006, 16007,
18605, 18787,	18491, 18532,	16009, 16011,
18788, 19319,	18678, 18714,	16013, 16014,
19322, 20066,	19303, 20043, 20816	16016, 16022,
20069, 20835, 20838	<code>\TitleBarFrame</code>	16026, 16029,
<code>\thetable</code> 8500,	.. 13470, 13489,	16030, 16033,
8677, 8922, 10754,	13491, 13493, 13495	16040, 16045,
12744, 13036,	<code>\titlecolour</code> .. 4168, 9869	16053, 16056,
13049, 16560,	<code>\titlecontents</code> . 7573,	16057, 16058,
18046, 18409,	7580, 7587, 7594, 7601	16059, 16060,
18600, 18782,	<code>\TitleFont</code> 734,	16063, 16069,
20077, 20846, 21333	750, 841, 843, 849,	16070, 16071,
<code>\TheTokenList</code> 5648	986, 1002, 1093,	16076, 16078,
<code>\thinlines</code> 9182,	1095, 1101, 1236,	16085, 16089,
9192, 9205, 9215,	1252, 1344, 1346,	16094, 16096,
9228, 9238, 9251, 9261	1352, 1355, 1356,	16098, 16100,
<code>\thispagestyle</code>	1361, 8517, 8694,	16119, 16125,
..... 101, 113,	18049, 18065,	16126, 16127,
221, 469, 601, 616,	18156, 18158,	16128, 16129,
820, 865, 1072,	18164, 18186,	16141, 16144,
1117, 1322, 7892,	18204, 18302,	16147, 16149,
7914, 7935, 8391,	18304, 18310,	16173, 16174,
8568, 8779, 8842,	18313, 18314, 18319	16176, 16185,
10601, 10698,	<code>\titlefont</code> 4177, 4185, 9902	16188, 16189,
10815, 10818,	<code>\titleformat</code> ... 7517,	16190, 16191,
12701, 15023,	7524, 7531, 7538	16192, 16193,
15071, 15095,	<code>\titlehead</code>	16195, 16201,
15098, 16537,	. 19305, 20045, 20818	16206, 16209,
17925, 18135,	<code>\titlepage</code> 627,	16210, 16223,
18180, 18276,	934, 1186, 8457,	16225, 16226,
18520, 18640,	8645, 17936, 18386	16227, 16228,
18702, 19278,	<code>\titlepage@crestore</code>	16229, 16230,



16231, 16240,	\tocstyle@feature@entryvskip	122,
16243, 16247, 22765, 22768	124, 1466, 1467,
16248, 16249,	\tocstyle@feature@leaders	1469, 1470, 7146,
16252, 16266, 22848, 22853	7147, 7153, 9092,
16272, 16285,	\tocstyle@feature@pagenumberbox	13548, 13549,
16290, 16294, 22856, 22859	13550, 15080, 15082
16315, 16323,	\tocstyle@feature@pagenumberhook 121, 125,
16324, 16349, 22857, 22859	3377, 3390, 3654,
16353, 16354,	\tocstyle@feature@parfillskip	3667, 6358, 6362,
16355, 16368, 22836, 22837	9322, 9323, 9324,
16440, 16441,	\tocstyle@feature@raggedhook	9325, 9385, 9386,
16449, 16450, 22772	9387, 9388, 12799,
16451, 16452,	\tocstyle@feature@spaceafternumber	12800, 12801,
16462, 16463, 22873,	12802, 12835,
16464, 16469,	22877, 22898, 22902	12836, 12837,
16474, 16476,	\tocstyle@indentstyle	12838, 13668,
16479, 16480, 22823, 22893	13669, 13670,
16485, 16486,	\tocstyle@l@define	13671, 13717,
16491, 16503, 16504	.. 22910, 22913,	13718, 13719,
\tmpcount 5838, 5864	22918, 22922,	13720, 13943,
\toaddress . 10824, 15104	22926, 22930,	13946, 13980,
\toc@headstar 21657, 21662	22934, 22938,	13982, 13986,
\tocbasic@DependOnPenaltyAndTOCLevel	22942, 22946, 22978	13988, 13991,
..... 22259	\tocstyle@macrochangewarning	14521, 14524,
\tocbasic@SetPenaltyByTOCLevel 22966, 22973	15079, 15083,
..... 22387	\tocstyle@numberline	16672, 16673,
\TOCEntryStyleStartInitCode 22752, 22871	16674, 16675,
.. 19599, 19612,	\tocstyle@samed@dottedtocline	16772, 16773,
19630, 20361, 22968	16774, 16775,
20374, 20393,	\tocstyle@samed@numberline	21395, 21415,
21126, 21139, 21158 22976	21421, 23716,
\toclevel@subfigure	\tocstyle@depth 22763,	23717, 23718,
..... 21869	22775, 22787,	23719, 23763,
\toclevel@subtable 21889	22807, 22808,	23764, 23765, 23766
\TOCLineLeaderFill	22811, 22829,	\tolerance
..... 19616,	22830, 22879,	.. 11240, 11346,
19632, 20378,	22881, 22883, 22887	11452, 11561,
20395, 21143,	\tocstyleTOC	11670, 11779,
21160, 22409, 22700	.. 22775, 22778,	11888, 11997, 12106
\tocstyle@@numberline	22779, 22781,	\toname 10824, 15104
..... 22874,	22783, 22787,	\topheight
22876, 22894,	22788, 22790,	.. 17550, 17552,
22896, 22899, 22901	22791, 22795,	17553, 17554,
\tocstyle@activate@all@l	22799, 22800,	17556, 17562,
..... 22987	22803, 22804,	17564, 17566,
\tocstyle@activate@features	22807, 22808,	17567, 17568,
..... 22764	22811, 22813,	17631, 17632,
\tocstyle@dottedtocline	22815, 22816,	17633, 17634,
..... 22751	22820, 22825,	17638, 17639, 17643
\tocstyle@feature@dothook	22826, 22829,	\topins
..... 22850	22830, 22879, 17726
\tocstyle@feature@entryhook	22881, 22882, 22886	\topmargin 3720,
..... 22846	\today	4122, 10295,
		12983, 19082,
		19822, 20595, 24047



\TX@vwarn	21411	5230, 19409,	14402, 14413, 14424
\TX@xftntext	21391	19415, 19418,	\unsetfootnoteRL . .
\TX@xLTRftntext . . .		19424, 20170, 13230, 13231
. 21392, 21435		20176, 20179,	\unsetLTR . . 17711, 23380
\TX@xRTLftntext . . .		20185, 20935,	\unsetRL . . . 17749, 23411
. 21393, 21442		20941, 20944, 20950	\unsetRTL . . 17710, 23379
\typeout 3280,	\unhbox 1496,		\unskip 46, 60, 76,
3282, 6648, 6650,	8121, 8379, 9118,		249, 263, 278, 336,
6651, 6652, 6654,	12167, 12190,		1448, 1449, 1450,
6656, 6657, 6658,	12199, 12202,		2084, 2367, 2388,
13077, 17782,	12444, 12448,		6702, 6705, 6708,
22775, 22787,	12454, 12458,		6711, 7401, 7430,
22807, 22808,	12464, 12467,		7459, 8148, 8159,
22811, 22829, 22830	12473, 12476,		9014, 9320, 9383,
	14946, 14951,		9456, 9466, 11139,
	14979, 14984,		12168, 12169,
	14996, 15001,		13361, 13666,
	23521, 23642,		13715, 15845,
	23643, 23644, 23645		15887, 15890,
		\unhcopy 14962, 14967,	16670, 16770,
		21272, 21284, 21360	18927, 18937,
		\unhskip 5641	18955, 19472,
		\unitindent 637,	20233, 20998,
		648, 649, 651,	23714, 23761, 23990
		725, 731, 875,	\untilcondition 5723,
		876, 878, 944, 945,	5737, 5821, 5864
		947, 948, 960, 965,	\unvbox 2125, 2142, 2159,
		1059, 1131, 1132,	2174, 2190, 2206,
		1134, 1196, 1205,	9028, 9029, 9283,
		1211, 8405, 8406,	9286, 9303, 9307,
		8408, 8483, 8489,	9320, 9370, 9383,
		8582, 8583, 8585,	9429, 9454, 9469,
		8636, 8642, 17946,	9492, 9496, 9586,
		17957, 17958,	9615, 9669, 9680,
		17960, 18011,	9693, 9743, 9974,
		18017, 18329,	9977, 9978, 9995,
		18330, 18332,	9998, 9999, 10024,
		18396, 18434, 18440	10031, 10036,
	\unitlength		10041, 10081,
	9182, 9192, 9205,		10086, 10090,
	9215, 9228, 9238,		10095, 10956,
	9251, 9261, 17353		10967, 10978,
	\unkern . . 7310, 9456, 9466		11071, 11092,
	\unpenalty 9017,		11147, 11153,
	9456, 9466, 12170,		11188, 11253,
	12187, 12196, 13578		11265, 11278,
	\unrestored@protected@xdef		11359, 11370,
 2246,		11382, 11465,
	2272, 2298, 3978,		11477, 11490,
	3986, 3994, 7393,		11574, 11586,
	7422, 7451, 8267,		11599, 11683,
	8274, 8281, 13215,		11695, 11708,
	13224, 13383,		11792, 11804,
	13398, 14391,		11817, 11901,
U			
\uc@authornothanks			
. . 762, 791, 796,			
1014, 1043, 1048,			
1264, 1293, 1298,			
8529, 8706, 18077,			
18106, 18111,			
18216, 18247, 18252			
\uc@ax 792,			
793, 1044, 1045,			
1294, 1295, 18107,			
18108, 18248, 18249			
\uc@nothanks			
. . 753, 790, 791,			
800, 1005, 1042,			
1043, 1052, 1255,			
1292, 1293, 1302,			
8520, 8697, 18068,			
18105, 18106,			
18115, 18207,			
18246, 18247, 18256			
\uc@tx 790,			
798, 1042, 1050,			
1292, 1300, 18105,			
18113, 18246, 18254			
\uc@ty 799,			
800, 1051, 1052,			
1301, 1302, 18114,			
18115, 18255, 18256			
\uncover . . 2132, 2149,			
2166, 2182, 2198, 2214			
\undefined 6164,			
8240, 8294, 8297, 8299			
\underline . 23591, 23599			
\undertext 23599			
\unexpanded 4965,			
4974, 4975, 4982,			
4983, 4996, 4997,			
5004, 5005, 5106,			



11913,	11926,	19308,	19920,	<code>\usebeamertemplate</code>
12010,	12022,	19955,	20048, 1971, 1975,
12035,	12119,	20693,	20728, 20821	1986, 1995, 2004,
12131,	12144,	<code>\upshape</code>		2017, 2024, 2033,
12165,	12396,	7578, 7585, 7592,		2066, 2112, 2117,
12415,	12429,	7599, 7606, 9809,		2311, 2315, 2333,
12441,	12451,	9813, 9814, 9901,		2336, 2356, 2423,
12461,	12470,	9906, 9907, 17801		2425, 2430, 2435,
12506,	12514,	<code>\urlstyle</code> 4141		2527, 2728, 2903, 2926
12521,	12528,	<code>\use</code> 16069		<code>\usebox</code> 3847, 3857, 6543,
12534,	13301,	<code>\usebeamercolor</code> 1530,		6675, 6677, 6682,
13315,	13329,	1566, 1582, 1589,		6684, 6693, 6694,
13366,	13371,	1596, 1619, 1640,		6697, 6698, 6905,
13541,	13551,	1661, 1692, 1755,		10385, 10388,
13578,	13666,	1760, 1770, 1831,		10396, 10403,
13715,	13787,	1863, 1866, 1911,		10411, 10418,
13789,	13833,	1994, 2023, 2310,		10461, 14081,
13838,	13844,	2319, 2332, 2341,		14085, 14168,
13848,	13855,	2355, 2421, 2428,		14170, 14174,
13871,	15792,	2433, 2524, 2614,		14176, 14181,
15797,	15806,	2619, 2620, 2626,		14183, 14187,
15809,	15893,	2632, 2638, 2647,		14189, 14193,
15911,	16670,	2649, 2659, 2661,		14195, 14199,
16699,	16701,	2671, 2673, 2726,		14201, 14207,
16709,	16727,	2804, 2816, 2818,		14208, 14211,
16729,	16770,	2839, 2886, 2893,		14212, 14216,
16799,	16801,	2902, 2926, 2950,		14217, 14220,
16809,	16827,	2952, 2967, 3050, 3145		14221, 14224,
16829,	16884,	<code>\usebeamerfont</code>		14225, 14228,
17588,	17592,	1529, 1544, 1545,		14229, 14243,
17597,	17601,	1565, 1586, 1587,		14244, 14246,
17613,	17624,	1595, 1618, 1639,		14247, 14259,
17644,	17647,	1660, 1691, 1709,		14260, 14262,
17652,	17726,	1710, 1725, 1727,		14263, 14269,
17727,	17731,	1734, 1736, 1743,		14270, 14273,
17736,	23521,	1745, 2308, 2318,		14274, 14278,
23714,	23761,	2330, 2340, 2353,		14279, 14282,
23809,	23814,	2418, 2473, 2474,		14283, 14286,
23825,	23829,	2490, 2491, 2492,		14287, 14290,
23836,	23841, 23848	2525, 2542, 2548,		14291, 14298,
<code>\unvcopy</code>		2557, 2563, 2572,		14300, 14304,
9455, 9493, 9497,		2578, 2586, 2619,		14306, 14311,
9525, 9531, 9535,		2620, 2626, 2632,		14313, 14317,
9543, 10018, 10075		2638, 2647, 2659,		14319, 14323,
<code>\uppercase</code> 308,		2671, 2715, 2718,		14325, 14329,
770, 790, 1022,		2722, 2727, 2745,		14331, 14344,
1042, 1272, 1292,		2752, 2781, 2816,		14346, 15247,
8537, 8714, 18085,		2818, 2882, 2894,		15249, 17349,
18105, 18224, 18246		2919, 2926, 2950,		17350, 17352,
<code>\uppercasenonmath</code> .		2952, 3025, 3034,		17359, 17377,
. 114, 15072		3046, 3050, 3052,		17659, 17660, 23309
<code>\uppermargin</code> 10267		3101, 3110, 3120,		<code>\usecounter</code> 91,
<code>\uppertitleback</code> . . .		3130, 3141, 3145,		294, 579, 714,
. . 19180, 19215,		3147, 3183, 3192, 3211		977, 1227, 2316,



2377, 4318, 7693,	21062, 21066,	9631, 9639, 9644,
8472, 8660, 8969,	21130, 21133,	9651, 9658, 9668,
10531, 10802,	21143, 21149, 21152	9679, 9692, 9742,
12639, 15012,	\usepackage 6082,	9748, 9966, 9974,
18029, 18423,	6083, 6088, 6089,	9975, 9983, 9987,
18617, 18820,	6092, 6095, 6140, 6141	9995, 9996, 10004,
19354, 19359,	\usetocbasicnumberline	10018, 10023,
20115, 20120, 22339	10027, 10030,
20880, 20885, 21606		10034, 10035,
\usefontofkomafont	V	10052, 10059,
. 19440,	\vadjust . 8124, 8125, 8132	10075, 10080,
19477, 20201,	\valign 11178, 11182	10084, 10085,
20238, 20966, 21003	\value 7191, 7210,	10088, 10089,
\usekomafont	7229, 7261, 13067,	10104, 10111,
. . 19048, 19055,	13082, 13083,	10955, 10966,
19129, 19135,	13086, 13087,	10977, 11069,
19138, 19140,	13090, 15118,	11252, 11264,
19143, 19151,	15119, 15190,	11277, 11358,
19153, 19196,	15224, 19401,	11369, 11381,
19470, 19471,	20162, 20927, 21376	11464, 11476,
19502, 19503,	\var@@leftcolumn@badness	11489, 11573,
19508, 19513,	. . . 9494, 9506, 9512	11585, 11598,
19514, 19517,	\var@@rightcolumn@badness	11682, 11694,
19524, 19525,	. . . 9498, 9508, 9513	11707, 11791,
19529, 19535,	\var@@thecol@num 9438,	11803, 11816,
19536, 19540,	9440, 9709, 9727	11900, 11912,
19603, 19606,	\vbadness 9319,	11925, 12009,
19616, 19622,	9382, 11177,	12021, 12034,
19624, 19788,	11181, 12797,	12118, 12130,
19795, 19869,	12833, 12938,	12143, 12165,
19875, 19878,	13665, 13714,	12345, 12357,
19880, 19883,	16669, 16769,	12369, 12393,
19891, 19893,	17540, 23713, 23760	12406, 12412,
19936, 20231,	\vbox 306, 398, 404, 1416,	12420, 12426,
20232, 20263,	1483, 1751, 1869,	12434, 12503,
20264, 20269,	1979, 1985, 1993,	12511, 12526,
20274, 20275,	2003, 2016, 2022,	12811, 12848,
20278, 20285,	2032, 2046, 2061,	12939, 12944,
20286, 20290,	2120, 2137, 2154,	12969, 12984,
20296, 20297,	2172, 2188, 2204,	13009, 13300,
20301, 20365,	2550, 2565, 2580,	13314, 13328,
20368, 20378,	2810, 2820, 2845,	13347, 13538,
20384, 20387,	2865, 2867, 2947,	13551, 13575,
20561, 20568,	2955, 4058, 6932,	13666, 13683,
20642, 20648,	6933, 6935, 8108,	13715, 13732,
20651, 20653,	9022, 9027, 9105,	13831, 13842,
20656, 20664,	9283, 9286, 9303,	13867, 15733,
20666, 20709,	9307, 9320, 9335,	15792, 15797,
20996, 20997,	9352, 9368, 9383,	15800, 15805,
21028, 21029,	9398, 9411, 9427,	15806, 15809,
21034, 21039,	9452, 9453, 9492,	15855, 15893,
21040, 21043,	9493, 9496, 9497,	16425, 16575,
21050, 21051,	9525, 9531, 9534,	16670, 16693,
21055, 21061,	9542, 9581, 9611,	16698, 16700,



16708,	16726,	2822, 8108, 8458,	23733, 23782, 23982
16731,	16770,	8461, 8514, 8543,	<code>\vsize</code> 9717,
16793,	16798,	8646, 8649, 8691,	12959, 13503,
16800,	16808,	8720, 8793, 8807,	13554, 15804,
16826,	16831,	9974, 9995, 10554,	15812, 19077,
16862,	17398,	10568, 10649,	19094, 19817,
17574,	17575,	10663, 12654,	19834, 20590, 20607
17588,	17592,	12668, 17732,	<code>\vskip</code> 309, 312,
17597,	17601,	17937, 17940,	421, 424, 430, 489,
17613,	17624,	18062, 18091,	495, 501, 505, 567,
17639,	17641,	18201, 18230,	646, 748, 757, 767,
17643,	17646,	18387, 18390,	838, 842, 848, 852,
17651,	17688,	18466, 18480,	873, 1000, 1009,
17695,	17696,	18653, 18667, 24052	1019, 1090, 1094,
17703,	17812,	<code>\vfill</code> 2622, 2899,	1100, 1104, 1129,
19480,	20241,	3696, 7888, 11178,	1250, 1259, 1269,
21006,	21328,	11182, 12566,	1340, 1345, 1351,
21362,	21367,	17639, 17644,	1355, 1361, 1364,
22909,	22912,	17645, 18852,	1723, 1732, 1741,
22917,	22921,	18867, 18899,	1767, 1813, 1826,
22925,	22929,	18916, 19132,	1830, 1879, 1881,
22933,	22937,	19157, 19171,	1883, 1885, 1887,
22941,	22945,	19195, 19872,	1888, 2540, 2547,
23337,	23345,	19897, 19911,	2550, 2555, 2562,
23346,	23354,	19935, 20645,	2565, 2570, 2577,
23511,	23516,	20670, 20684, 20708	2580, 2645, 2653,
23610,	23627,	<code>\vfill</code> 2622, 2899,	2657, 2665, 2669,
23714,	23729,	<code>\vfuzz</code> . . . 7159, 7162, 7163	2677, 2696, 2698,
23761,	23776,	<code>\vleftskip</code> . 16543, 16544	2731, 2754, 2769,
23807,	23823,	<code>\voffset</code> 3724	2809, 2821, 2868,
23834,	23968,	<code>\voidb@x</code> 8995, 9059	2883, 2888, 2896,
24009, 24048, 24051		<code>\vphantom</code> 23072	2904, 2928, 2938,
<code>\vboxL</code> 17696,		<code>\vpic</code> . 17564, 17574, 17575	2947, 2978, 2994,
18842, 18887, 23346		<code>\vrightskip</code> . 16543, 16544	3010, 3012, 3033,
<code>\vboxR</code> 17688, 23337		<code>\vrule</code> 387, 1495,	3038, 3045, 3053,
<code>\vcenter</code> 398, 1480, 9102,		1569, 1575, 1583,	3056, 3082, 3093,
21362, 23429,		1590, 1599, 1608,	3123, 3129, 3140,
23518, 23519, 23610		1622, 1631, 1643,	3150, 3239, 4073,
<code>\veqno</code> 327, 328		1652, 1664, 1673,	8164, 8191, 8227,
<code>\verb</code> 21375		2806, 2842, 2849,	8228, 8234, 8344,
<code>\VerbBox</code> . . . 10442, 10444		2853, 3196, 3215,	8346, 8403, 8442,
<code>\verse@i</code> 8138,		6934, 6935, 8107,	8515, 8524, 8534,
8169, 8175, 8183, 8224		8109, 9117, 9339,	8580, 8619, 8692,
<code>\verse@ii</code>		9404, 9636, 9655,	8701, 8711, 8742,
8149, 8170, 8176,		12813, 12854,	8747, 8751, 8753,
8178, 8184, 8186, 8224		13689, 13736,	8759, 8763, 8765,
<code>\versewidth</code>		15724, 15778,	8794, 8797, 8803,
. . . 8101, 8111, 8203		16153, 16415,	8862, 8868, 8874,
<code>\vfil</code> . . . 420, 434, 628,		16496, 16703,	8878, 8898, 8937,
631, 747, 776, 935,		16710, 16735,	8942, 8950, 9369,
938, 999, 1028,		16803, 16810,	9428, 9589, 9593,
1187, 1190, 1249,		16837, 16866,	9671, 9674, 9683,
1278, 1987, 2005,		16979, 16990,	9686, 9697, 9699,
2018, 2034, 2811,		21288, 21316,	10039, 10093,
		21357, 23613,	



10511,	10519,	18476,	18540,	7575, 7582, 7589,
10555,	10558,	18546,	18551,	7596, 7603, 7886,
10564,	10619,	18554,	18573,	7930, 7934, 8736,
10623,	10629,	18654,	18657,	8756, 8931, 8945,
10633,	10650,	18663,	18722,	10763, 10778,
10653,	10659,	18728,	18734,	10823, 10825,
10718,	10724,	18738,	18758,	10827, 12602,
10730,	10734,	18796,	18800,	12614, 15103,
10769,	10774,	18808,	19047,	15105, 15875,
10783,	11089,	19054,	19136,	15888, 18791,
11114,	11122,	19139,	19141,	18803, 21633,
11130,	11144,	19150,	19152,	21639, 21644,
11160,	12485,	19154,	19197,	21651, 21656, 21661
12494,	12507,	19457,	19459,	\vsplit 9278, 9279, 9296,
12515,	12517,	19463,	19465,	9300, 9321, 9384,
12530,	12589,	19557,	19559,	9490, 9580, 9745,
12607,	12611,	19568,	19570,	11187, 12798,
12619,	12655,	19787,	19794,	12834, 13547,
12658,	12664,	19876,	19879,	13667, 13716,
12719,	12723,	19881,	19890,	16671, 16771,
12729,	12733,	19892,	19894,	17545, 17548,
12983,	12987,	19937,	20218,	17567, 17568,
12988,	13363,	20220,	20224,	17586, 17590,
13539,	13577,	20226,	20319,	17595, 17599,
13582,	13834,	20321,	20330,	17611, 17622,
13845,	13852,	20332,	20560,	17649, 23715, 23762
13872,	15209,	20567,	20649,	\vss .. 306, 1996, 2025,
15330,	15343,	20652,	20654,	2846, 9355, 9414,
15751,	15763,	20663,	20665,	9597, 9603, 9619,
15908,	16569,	20667,	20710,	9625, 9639, 9644,
16571,	16574,	20983,	20985,	9651, 9658, 9746,
16615,	16624,	20989,	20991,	10031, 10041,
16632,	16701,	21084,	21086,	10086, 10095,
16702,	16704,	21095,	21097,	13010, 15797,
16711,	16728,	21725,	21744,	15809, 16426,
16801,	16802,	21765,	21782,	17574, 17575,
16804,	16811,	21799,	21816,	17646, 17812, 23521
16828,	16873,	21833,	21851,	\vtop .. 398, 404, 1415,
16885,	16904,	21870,	21890,	1482, 6993, 7037,
16916,	16928,	21925,	22114,	7081, 9028, 9104,
17539,	17556,	22766,	22950,	15715, 21328,
17577,	17643,	23129,	23133,	21362, 21367,
17729,	17735,	23152,	23533,	23517, 23610,
17955,	17994,	23542,	23551,	23627, 23883, 23927
18063,	18072,	23560,	23648,	
18082,	18153,	23810,	23826,	W
18157,	18163,	23837,	23845,	\waslice 17574, 17592,
18167,	18202,	23968,	24047,	17597, 17613,
18211,	18221,	24060, 24087, 24095		17632, 17633, 17642
18296,	18303,	\vspace 4241, 6536, 6626,		\wbslice 17575,
18309,	18313,	6634, 7252, 7256,		17588, 17601,
18319,	18322,	7318, 7323, 7336,		17624, 17631,
18327,	18366,	7341, 7354, 7359,		17633, 17634,
18467,	18470,	7476, 7485, 7494,		17638, 17639,



17646, 17651, 17652	\WF@info 23136,	10225, 10228,
\wd 1773,	23146, 23149,	10229, 10234,
1778, 1792, 1814,	23158, 23193, 23195	10238, 14912,
1891, 1904, 1920,	\WF@ovh 23163	14921, 14923, 14935
1974, 1978, 1998,	\WF@place . . 23161, 23167	\XC@tmp 23234, 23235,
2009, 2027, 2038,	\WF@putfigmaybe . . 23127	23249, 23283,
3195, 3214, 3385,	\WF@size . . . 23140, 23194	23284, 23292, 23296
3662, 8114, 8115,	\WF@startwrapping 23199	\XC@tstfalse 23234, 23283
8175, 8176, 8178,	\WF@wfname	\XC@tsttrue . . 23235,
8184, 8224, 8318,	. 23158, 23193, 23195	23236, 23237,
8320, 8333, 8335,	\WF@wrapil . 23187, 23190	23284, 23285, 23286
9126, 9458, 10455,	\whilecondition 5723,	\XC@bidideclaredcolor
10459, 12175,	5737, 5826, 5858 23290, 23295
12773, 12900,	\whiledo 12943	\XC@bidideclaredcolor
13476, 13594,	\widowpenalty 23289, 23291
13595, 13918,	. . . 92, 295, 585,	\XC@bidiundeclaredcolor
13920, 13964,	717, 980, 1230, 23274, 23276
13966, 14087,	2384, 4321, 8212,	\XC@coremodel 23218, 23261
14168, 14170,	8475, 8663, 8975,	\XC@current@color .
14174, 14176,	10534, 10808, 23246,
14207, 14208,	12642, 15013,	23249, 23250,
14211, 14212,	17253, 18032,	23280, 23296, 23297
14236, 14237,	18426, 18623,	\XC@declaredcolor .
14239, 14252,	18826, 19364, 23241, 23248
14253, 14255,	20125, 20890, 21612	\XC@declaredcolor 23240
14269, 14270,	\WIDTH 21477, 21485	\XC@display . . . 23247,
14273, 14274,	\width . . 13497, 13898,	23251, 23281, 23298
14298, 14300,	13986, 13988,	\XC@edef . . . 23234, 23283
14304, 14306,	16462, 16471, 16495	\XC@fbox 23302
14974, 14982,	\widthof . . . 10310, 10315	\XC@getmodclr 23214, 23257
14991, 14999,	\windowbox . 17641, 17647	\XC@inflate . 23228, 23271
15166, 15173,	\wlog 9567, 9608, 9630	\XC@let@Nc . 23249, 23296
15211, 15212,	\write 4363, 4704, 4732,	\XC@mclr . . . 23228, 23271
15337, 15746,	4758, 4786, 4812,	\XC@mmod 23226,
15894, 16581,	4815, 4849, 4852,	23227, 23269, 23270
16585, 16587,	6313, 8097, 8100,	\XC@mul 23229, 23272
16595, 16626,	8304, 21414, 23695	\XC@split 23292
16945, 17532,	\WriteEndXPostoaux 4730	\XC@tgt@mod . 23222, 23265
17743, 17766,	\WriteEndYPostoaux 4847	\XC@type . . . 23235, 23284
17793, 18839,	\WriteEndYPostoaux 4784	\XC@undeclaredcolor
18884, 18940,	\WriteStartXPostoaux 23231, 23242
18947, 21268, 4701	\xcolor@ . . . 23246, 23280
21426, 21477,	\WriteStartYPostoaux	\xdef . . 333, 393, 3800,
21534, 21551, 4809	4545, 4683, 4686,
22344, 22358,	\WriteStartYPostoaux	4982, 4983, 4986,
23163, 23207, 4755	4987, 5004, 5005,
23403, 23587, 24089	\wstrutbox . 17551, 17553	5008, 5009, 5402,
\WF@@everypar 23126		6204, 6359, 8115,
\WF@adjlw . . 23166, 23191		8117, 8198, 8200,
\WF@adjtlm . 23188, 23191	X	8202, 9323, 9325,
\WF@box 23163, 23196, 23197	\x 5858, 5859,	9386, 9388, 9488,
\WF@floatfalse 23129,	6325, 6328, 10206,	9494, 9498, 9984,
23137, 23147, 23150	10207, 10210,	10005, 10050,
\WF@fltnes 23156	10211, 10216,	10056, 10057,
	10220, 10224,	



10102, 10108,
10109, 12250,
12264, 12312,
12326, 12496,
12800, 12802,
12836, 12838,
13201, 13669,
13671, 13718,
13720, 13861,
14522, 15159,
15731, 16673,
16675, 16773,
16775, 17489,
17496, 17503,
21551, 22791,
22795, 22816,
22820, 22882,
22886, 23161,
23166, 23187,
23188, 23190,
23191, 23717,
23719, 23764, 23766
\XeLaTeX 14904,
23407, 24284, 24285
\XeTeX . . . 14903, 17745,
23405, 24282, 24283
\XeTeXcharclass 3531,
3532, 3533, 3534, 3535
\XeTeXinterchartokenstate
. 3528
\XeTeXinterchartoks 3536
\XKV@err . . 2231, 2234,
2257, 2260, 2283, 2286
\XKV@errx 2237, 2263, 2289
\XKV@tkey 2234, 2260, 2286
\xm 10207,
10211, 10225, 10229
\xxm 10215,
10219, 10233, 10237
\xyzzy 7140

Y

\y 10207, 10211,
10215, 10219,
10224, 10225,
10228, 10229,
10233, 10234,
10237, 10238,
14908, 14910,
14911, 14914, 14921
\ym 10224,
10228, 10234, 10238
\yym 10206,
10210, 10216, 10220

Z

\z@ 12, 24, 46, 60,
76, 99, 103, 111,
128, 134, 136, 207,
219, 223, 249, 263,
278, 306, 314, 318,
336, 357, 361, 364,
375, 390, 395, 401,
402, 466, 513, 525,
530, 557, 596, 601,
602, 612, 616, 617,
646, 647, 650, 652,
665, 690, 742, 759,
817, 861, 865, 866,
873, 874, 877, 880,
892, 909, 946, 949,
994, 1011, 1057,
1069, 1113, 1117,
1118, 1129, 1130,
1133, 1135, 1148,
1174, 1244, 1261,
1319, 1356, 1382,
1386, 1389, 1402,
1424, 1432, 1450,
1460, 1462, 1472,
1474, 1479, 1493,
1495, 1496, 1873,
1875, 1876, 1881,
1883, 1885, 1887,
1888, 1913, 2133,
2150, 2167, 2183,
2199, 2215, 3378,
3383, 3384, 3385,
3387, 3655, 3660,
3661, 3662, 3664,
4018, 4073, 4333,
4343, 4348, 4882,
4899, 5703, 5713,
6433, 6442, 6741,
6974, 6978, 7018,
7022, 7062, 7066,
7652, 7679, 7710,
7722, 7900, 8128,
8131, 8134, 8175,
8176, 8178, 8184,
8198, 8202, 8206,
8207, 8208, 8209,
8210, 8211, 8224,
8298, 8310, 8311,
8318, 8320, 8333,
8335, 8343, 8387,
8391, 8392, 8403,
8404, 8407, 8409,
8422, 8445, 8497,

8499, 8501, 8509,
8526, 8564, 8568,
8569, 8580, 8581,
8584, 8586, 8599,
8622, 8674, 8676,
8678, 8686, 8703,
8737, 8757, 8774,
8779, 8780, 8839,
8886, 8901, 8919,
8921, 8923, 8932,
8946, 8997, 8998,
9009, 9011, 9094,
9096, 9101, 9115,
9117, 9118, 9123,
9124, 9125, 9126,
9127, 9161, 9172,
9290, 9458, 9481,
9514, 9517, 9520,
9528, 9539, 9549,
9552, 9557, 9560,
9564, 9591, 9594,
9600, 9616, 9622,
9676, 9688, 9701,
9720, 9723, 9744,
9972, 9993, 10010,
10011, 10013,
10014, 10022,
10044, 10046,
10049, 10067,
10068, 10070,
10071, 10079,
10096, 10098,
10101, 10424,
10446, 10448,
10450, 10453,
10455, 10457,
10459, 10461,
10462, 10468,
10473, 10487,
10501, 10514,
10598, 10695,
10741, 10751,
10753, 10755,
10764, 10779,
10897, 10903,
10909, 11022,
11027, 11034,
11039, 11046,
11051, 11157,
11158, 11159,
11239, 11345,
11451, 11560,
11669, 11778,
11887, 11996,



12105,	12174,	15796,	15797,	18841,	18884,
12247,	12309,	15800,	15806,	18885,	18886,
12375,	12379,	15845,	15866,	18924,	18928,
12383,	12482,	15868,	15890,	18929,	18934,
12483,	12484,	15919,	16531,	18938,	18939,
12491,	12492,	16534,	16558,	18940,	18945,
12493,	12577,	16683,	16687,	18946,	18947,
12592,	12603,	16697,	16758,	18952,	18956,
12615,	12698,	16783,	16787,	18957,	19002,
12741,	12743,	16797,	16855,	19017,	19030,
12745,	12774,	16872,	16881,	19038,	19047,
12925,	12982,	16883,	16904,	19054,	19056,
13010,	13033,	16916,	16928,	19126,	19152,
13035,	13037,	16948,	16959,	19197,	19510,
13046,	13048,	16965,	17242,	19563,	19643,
13050,	13196,	17247,	17288,	19652,	19655,
13250,	13267,	17298,	17348,	19661,	19671,
13283,	13310,	17349,	17350,	19681,	19741,
13324,	13338,	17352,	17354,	19756,	19770,
13352,	13356,	17359,	17377,	19778,	19787,
13432,	13437,	17660,	17704,	19794,	19796,
13444,	13449,	17706,	17741,	19866,	19892,
13456,	13461,	17742,	17743,	19937,	20271,
13544,	13594,	17752,	17753,	20325,	20405,
13601,	13627,	17766,	17790,	20408,	20414,
13628,	13629,	17791,	17812,	20428,	20434,
13650,	13651,	17857,	17858,	20444,	20454,
13817,	13892,	17875,	17921,	20514,	20529,
13893,	13894,	17925,	17926,	20543,	20551,
13901,	13908,	17955,	17956,	20560,	20567,
13909,	13910,	17959,	17961,	20569,	20639,
13911,	13912,	17974,	17997,	20665,	20710,
13914,	13915,	18043,	18045,	21036,	21090,
13917,	13918,	18047,	18057,	21170,	21173,
13920,	13954,	18074,	18132,	21179,	21193,
13955,	13956,	18176,	18180,	21199,	21209,
13957,	13958,	18181,	18196,	21219,	21259,
13960,	13961,	18213,	18273,	21260,	21261,
13963,	13964,	18314,	18327,	21262,	21267,
13966,	14038,	18328,	18331,	21268,	21272,
14044,	15021,	18333,	18346,	21284,	21318,
15025,	15041,	18369,	18408,	21341,	21353,
15045,	15057,	18410,	18412,	21357,	21450,
15069,	15086,	18465,	18508,	21454,	21461,
15183,	15226,	18517,	18544,	21472,	21518,
15233,	15241,	18561,	18576,	21519,	21529,
15254,	15256,	18597,	18599,	21533,	21534,
15296,	15303,	18601,	18635,	21535,	21538,
15308,	15319,	18640,	18641,	21547,	21548,
15391,	15693,	18699,	18746,	21550,	21551,
15695,	15727,	18761,	18779,	21553,	21561,
15733,	15736,	18781,	18783,	21566,	21581,
15741,	15744,	18792,	18804,	21667,	21668,
15778,	15792,	18839,	18840,	21742,	21832,



21850,	21943,	23402,	23403,	21322,	21327,
22122,	22234,	23454,	23455,	21360,	21366,
22298,	22305,	23456,	23533,	23563,	23564,
22308,	22655,	23542,	23551,	23619,	23625, 24045
22659,	22766,	23560,	23564,	\zap@space	6070, 6157, 6193
22771,	22776,	23584,	23585,	\zifrefundefined	..
22824,	22950,	23615,	23626,	13099, 13122
23136,	23143,	23634,	23639,	\zref@extractdefault	
23144,	23162,	23648,	23864,	13104, 13125
23178,	23181,	23868,	23908,	\zref@labelbyprops	
23190,	23191,	23912,	23953,	13070, 13145
23193,	23197,	23957,	23960,		
23204,	23205,	23970,	23971,	☒	
23206,	23207,	23975,	23982,	\	3534
23302,	23307,	24019,	24045,	\	3534
23309,	23357,	24058, 24098, 24099			
23361,	23362,	\z@skip	..	4073, 12980,	
23367,	23371,	12981,	15866,	\	3535
23372,	23401,	15869,	17872,	\	3535

