

The XePersian Package



Persian for L^AT_EX, using XeT_EX engine

Vafa Khalighi
tex.ctan@gmail.com

September 7, 2014 Version 14.4

Contents

1	Introduction	3		
1.1	Important Notes	3	2.4.4 <code>preloadedpookfont</code>	6
1.2	XePersian Info On The Terminal and In The Log File	4	2.4.5 <code>preloadedsayehfont</code>	6
2	Basics	4	2.4.6 <code>preloadedtextfont</code>	6
2.1	Loading The Package	4	2.4.7 <code>extrafootnotefeatures</code> Option	6
2.2	XePersian's Symbol	5	2.4.8 Kashida Option	7
2.3	Commands for Version number, and Date of The Package	5	2.4.9 <code>quickindex</code> Option	7
2.4	Options of The Package	6	2.4.10 <code>quickindex-variant1</code> Option	7
	2.4.1 <code>preloadeddigitfont</code>	6	2.4.11 <code>quickindex-variant2</code> Option	7
	2.4.2 <code>preloadediranicfont</code>	6	2.4.12 <code>localise</code> Option	7
	2.4.3 <code>preloadedlatintextfont</code>	6		

2.4.13	Localizations of the keys and key values of <code>graphicx</code> package	35	5.3	Converting Your Farsi <code>\TeX</code> Files To XePersian or Unicode	45
2.4.14	Localizations of font features and font feature options	36	6	Extra Packages And Classes	46
2.5	A Sample Input <code>\TeX</code> File	38	6.1	Magazine Typesetting	46
2.6	Font Commands	39	6.1.1	Introduction	46
2.6.1	Basic Font Commands	39	6.1.2	Usage	46
2.6.2	Defining Extra Persian and Latin Fonts	39	6.1.3	Front Page	46
2.6.3	Choosing Persian Sans Font	41	6.1.4	Inside	48
2.6.4	Choosing Persian Mono Font	41	6.1.5	The article environment	48
2.6.5	Choosing Persian Ironic Font	41	6.1.6	The editorial environment	49
2.6.6	Choosing Persian Navar Font	41	6.1.7	The shortarticle environment	50
2.6.7	Choosing Persian Pook Font	41	6.1.8	Commands between articles	50
2.6.8	Choosing Persian Sayeh Font	41	6.1.9	Customization	50
2.6.9	Choosing Latin Sans Font	41	6.1.10	Front Page	51
2.6.10	Choosing Latin Mono Font	41	6.1.11	Inside The Magazine	52
3	Latin and Persian Environment	41	6.1.12	Class Options	53
3.1	latinitems and persiitems environments	42	6.2	Typesetting Multiple-choice Questions	53
3.2	Short Latin and Persian Texts	42	6.2.1	Introduction	53
3.3	Miscellaneous Commands	42	6.2.2	Usage	54
3.4	New Commands	43	6.2.3	Loading The Package	54
3.5	Additional Counters	43	6.2.4	Creating Questions	54
3.6	Things To Know About <code>\setdigitfont</code> , <code>\setmathsf digitfont</code> , and <code>\setmathtt digitfont</code>	43	6.2.5	The question Environment	54
4	New Conditionals	44	6.2.6	Question Numbers	55
4.1	Shell escape (or <code>write18</code>) conditional	44	6.2.7	The Form and the Mask	55
5	Bilingual Captions	44	6.2.8	Typesetting corrections	55
5.1	Support For Various Packages	44	6.2.9	Important Note	55
5.1.1	Things You Should Know about Support For <code>enumerate</code> Package	44	6.3	Customising The Package	56
5.2	Index Generation	45	6.3.1	The question environment	56
			6.3.2	The Form and the Mask	56
			6.3.3	The correction	56
			7	xepersian implementation	57
			7.1	<code>algorithmic-xepersian.def</code>	57
			7.2	<code>algorithm-xepersian.def</code>	57
			7.3	<code>amsart-xepersian.def</code>	57
			7.4	<code>amsbook-xepersian.def</code>	58
			7.5	<code>article-xepersian.def</code>	59
			7.6	<code>artikel1-xepersian.def</code>	60
			7.7	<code>artikel2-xepersian.def</code>	60
			7.8	<code>artikel3-xepersian.def</code>	60
			7.9	<code>backref-xepersian.def</code>	60
			7.10	<code>biditufteidenote-xepersian.def</code>	61

7.11	bidimoderncv-xepersian.def	62
7.12	boek3-xepersian.def	62
7.13	boek-xepersian.def	62
7.14	bookest-xepersian.def	63
7.15	book-xepersian.def	63
7.16	breqn-xepersian.def	63
7.17	latex-localise-commands-xepersian.def	64
7.18	color-localise-xepersian.def	83
7.19	xepersian-localise-commands-xepersian.def	83
7.20	enumerate-xepersian.def	84
7.21	fontspec-xetex-xepersian.def	85
7.22	latex-localise-environments-xepersian.def	86
7.23	xepersian-localise-environments-xepersian.def	87
7.24	extarticle-xepersian.def	87
7.25	extbook-xepersian.def	87
7.26	extrafootnotefeatures-xepersian.def	87
7.27	extreport-xepersian.def	87
7.28	flowfram-xepersian.def	88
7.29	footnote-xepersian.def	88
7.30	framed-xepersian.def	90
7.31	glossaries-xepersian.def	91
7.32	hyperref-xepersian.def	91
7.33	imsproc-xepersian.def	92
7.34	kashida-xepersian.def	94
7.35	listings-xepersian.def	95
7.36	loadingorder-xepersian.def	95
7.37	localise-xepersian.def	96
7.38	memoir-xepersian.def	98
7.39	latex-localise-messages-xepersian.def	98
7.40	minitoc-xepersian.def	98
7.41	latex-localise-misc-xepersian.def	98
7.42	natbib-xepersian.def	106
7.43	packages-localise-xepersian.def	110
7.44	parsidigits.map	113
7.45	rapport1-xepersian.def	114
7.46	rapport3-xepersian.def	114
7.47	refrep-xepersian.def	114
7.48	report-xepersian.def	115
7.49	scrartcl-xepersian.def	115
7.50	scrbook-xepersian.def	115
7.51	scrreprt-xepersian.def	116
7.52	tkz-linknodes-xepersian.def	117
7.53	tocloft-xepersian.def	117
7.54	xepersian.sty	117
7.55	xepersian-magazine.cls	131
7.56	xepersian-mathsdigitspec.sty	148
7.57	xepersian-multiplechoice.sty	153
7.58	xepersian-persiancal.sty	155

8 Change History 193

1 Introduction

XePersian is a package for typesetting Persian/English documents with Xe^IATE_X. The package includes adaptations for use with many other commonly-used packages.

1.1 Important Notes

- ☞ The XePersian package only works with XeTeX engine.
- ☞ Before reading this documentation, you should have read the documentation of the `bidi` package. The XePersian package automatically loads `bidi` package with `RTLdocument` option enabled and hence any commands that `bidi` package offers, is also available in XePersian package. Here, in this documentation, we will not repeat any of `bidi` package's commands.
- ☞ In previous versions ($\leq 1.0.3$) of XePersian, a thesis class provided for typesetting thesis. As of version 1.0.4, we no longer provide this class because we are not familiar with specification of a thesis in Iran and even if we were,

the specifications are different from University to University. XePersian is a general package like L^AT_EX and should not provide any class for typesetting thesis. So if you really want to have a class file for typesetting thesis, then you should ask your University/department to write one for you.

1.2 XePersian Info On The Terminal and In The Log File

If you use XePersian package to write any input T_EX document, and then run `xelatex` on your document, in addition to what `bidi` package writes to the terminal and to the log file, the XePersian package also writes some information about itself to the terminal and to the log file, too. The information is something like:

```
*****
*
* xepersian package (Persian for LaTeX, using XeTeX engine)
*
* Description: The package supports Persian
* typesetting, using fonts provided in the
* distribution.
*
* Copyright © 2008–2014 Vafa Khalighi
*
* v14.4, 2014/09/08
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/xepersian
*
* Support: tex.ctan@gmail.com
*****
```

2 Basics

2.1 Loading The Package

You can load the package in the ordinary way;

```
\usepackage [Options] {xepersian}
```

Where `options` of the package are explained later in [subsection 2.4](#).

When loading the package, it is important to know that:

- ❶ `xepersian` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi` and `XePersian` package's definitions and consequently, you will not get the expected output.

- ② In fact, in addition to `bidi`, `XePersian` also makes sure that some specific packages are loaded before `bidi` and `XePersian`; these are those packages that `bidi` and `XePersian` modifies them for bidirectional and Persian/English typesetting.

If you load `XePersian` before any of these packages, then you will get an error saying that you should load `XePersian` or `bidi` as your last package. When it says that you should load `bidi` package as your last package, it really means that you should load `XePersian` as your last package as `bidi` package is loaded automatically by `XePersian` package.

For instance, consider the following minimal example:

```

1 \documentclass{minimal}
2 \usepackage{xepersian}
3 \usepackage{enumerate}
4 \settextfont{XB Niloofar}
5 \begin{document}
6 این فقط یک آزمایش است
7 \end{document}
```

Where `enumerate` is loaded after `XePersian`. If you run `xelatex` on this document, you will get an error which looks like this:

```

! Package xepersian Error: Oops! you have loaded package enumerate
after xepersian package. Please load package enumerate before
xepersian package, and then try to run xelatex on your document
again.
```

```

See the xepersian package documentation for explanation.
Type H <return> for immediate help.
...
```

```
1.5 \begin{document}
```

```
? 
```

2.2 XePersian's Symbol

As you may know lion symbolizes T_EX but lion does not symbolizes `XePersian`. **Simorgh**¹ (shown on the first page of this documentation) symbolizes `XePersian`.

¹Simorgh is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>

2.3 Commands for Version number, and Date of The Package

```
\xepersianversion \xepersiandate
```

☞ `\xepersianversion` gives the current version of the package.

☞ `\xepersiandate` gives the current date of the package.

```
1 \documentclass{article}
2 \usepackage{xepersian}
3 \settextfont{XB Niloofar}
4 \begin{document}
5 \begin{latin}
6 This is typeset by \textsf{\XePersian} package, \xepersianversion,
7 \xepersiandate.
8 \end{latin}
9 \end{document}
```

2.4 Options of The Package

There are few options:

2.4.1 preloadeddigitfont

This option will load the ‘Parisa’ font for the Persian digits in math mode (i.e. `\setdigitfont`).

2.4.2 preloadediranicfont

This option will load the ‘Parisa’ font as the iranic font (i.e. `\setiranicfont`).

2.4.3 preloadedlatintextfont

This option will load the ‘Parisa’ font for the main Latin text (i.e. `\setlatintextfont`).

2.4.4 preloadedpookfont

This option will loaded the ‘Parisa’ font as the pook font (i.e. `\setpookfont`).

2.4.5 preloadedsayehfont

This option will loaded the ‘Parisa’ font as the sayeh font (i.e. `\setsayehfont`).

2.4.6 preloadedtextfont

This option will load the ‘Parisa’ font for the main Persian text (i.e. `\settextfont`).

2.4.7 `extrafootnotefeatures` Option

This is just the `extrafootnotefeatures` Option of `bidi` package. If you enable this option, you can typeset footnotes in paragraph form or in multi-columns (from two-columns to ten-columns). For more details, please read the manual of `bidi` package.

2.4.8 `Kashida` Option

If you pass `Kashida` option to the package, you will use Kashida for stretching words for better output quality and getting rid of underfull or overfull `\hbox` messages.

Note that you can not use `Kashida` option when you are using Nastaliq-like font (well, you still can use `Kashida` option when you use any Nastaliq-like font, but I can not guarantee high quality output!).

The following two commands are provided when you activate the `Kashida` option:

```
\KashidaOn \KashidaOff
```

☞ `\KashidaOn` enables Kashida and is active by default when `Kashida` option is activated.

☞ `\KashidaOff` disables Kashida.

2.4.9 `quickindex` Option

When you generally want to prepare index for your Persian documents, you need to first run `xelatex`, then `xindy`, and again `xelatex` on your document respectively, which is very time consuming. The `quickindex` option gives you the index with only and only one run of `xelatex`. To use this feature, you will need to run `xelatex --shell-escape` on your `TEX` document; otherwise you get an error which indicates that shell scape (or `write18`) is not enabled.

This option is now obsolete and equivalent to `quickindex-variant2` option.

2.4.10 `quickindex-variant1` Option

Same as `quickindex` Option but uses variant one (in which `\i` is grouped under `\l`) for sorting Persian alphabets.

2.4.11 `quickindex-variant2` Option

Same as `quickindex` Option but uses variant two (in which `\i` is a separate letter) for sorting Persian alphabets.

2.4.12 localise Option

The `localise` option is now active by default; it allows you to use most frequently-used \LaTeX commands and environments in Persian, almost like what \TeX-e-Parsi offers. This is still work in progress and we wish to add lots more Persian equivalents of \LaTeX and \TeX commands and environments. The Persian equivalents of \LaTeX and \TeX commands are shown in [Table 1](#), The Persian equivalents of XePersian commands are shown in [Table 2](#), Persian equivalents of \LaTeX environments are shown in [Table 3](#) and Persian equivalents of XePersian environments are shown in [Table 4](#)

Please note that the Persian equivalents of \LaTeX and \TeX commands and environments are only available after loading `xepersian` package. This means that you have to write all commands or environments that come before `\usepackage{xepersian}`, in its original form, i.e. `\documentclass`.

Not only you can use Persian equivalents of \LaTeX and \TeX commands and environments, but still original \LaTeX and \TeX commands and environments work too.

The \TeX \LaTeX and XePersian commands and environments and their Persian equivalents listed in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) is not the whole story; If any command and environment in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) have a starred version, their starred version also work. For example in [Table 1](#), the Persian equivalent of `\chapter` is `\فصل`. I know that `\chapter` has a starred version, so this means `*فصل` is also the Persian equivalent of `\chapter*`. Is that clear?

However there is more; you can localise any other commands/environments you want. You can use the following commands to localise your own commands/environments:

```
\eqcommand{\{command-name in Persian\}}{\{original \LaTeX command-name\}}
\eqenvironment{\{environment-name in Persian\}}{\{original \LaTeX environment-name\}}
```

Table 1: The Equivalent \LaTeX and \TeX Commands

Command in \TeX or \LaTeX	Equivalent Persian Command
<code>\@arstrut</code>	\شمع جدول
<code>\above</code>	\فوق
<code>\abovedisplayshortskip</code>	\فاصله کوتاه بالای نمایش
<code>\abovedisplayskip</code>	\فاصله بالای نمایش
<code>\abstractname</code>	\عنوان چکیده
<code>\accent</code>	\اکسنت
<code>\active</code>	\فعال
<code>\addcontentsline</code>	\بیفزاسطر فهرست
<code>\addpenalty</code>	\اضافه بر جریمه
<code>\address</code>	\نشانی

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\addtocontents	\بیفزایه فهرست
\addtocounter	\اضافه برشمارنده
\addtolength	\اضافه برعده
\addvspace	\بیفزایه فضای و
\adjdemerits	\تنظیم بدنمایی
\advance	\بیفزایر
\afterassignment	\بعد از انتساب
\aftergroup	\بعد از گروه
\aleph	\الف
\aliasfontfeature	\خصیصه مستعار قلم
\aliasfontfeatureoption	\انتخاب خصیصه مستعار قلم
\allowbreak	\شکستنی
\alloc@	@ تخصی
\allocationnumber	\تخصیص یافته
\allowdisplaybreaks	\شکست نمایش مجاز
\Alph	\حروف بزرگ
\alph	\حروف کوچک
\alsooname	\نام همچنین
\and	\و
\angle	\زاویه
\appendixname	\عنوان پیوست
\approx	\تقریب
\arabic	\عربی
\arg	\آرگ
\arrayrulecolor	\رنگ خط جدول
\arraycolsep	\فاصله ستونهای آرایه
\arrayrulewidth	\ضخامت خط جدول
\arraystretch	\کشیدگی آرایه
\AtBeginDocument	\در آغاز نوشتار
\AtEndDocument	\در پایان نوشتار
\AtEndOfClass	\در اننهای طبقه
\AtEndOfPackage	\در اننهای سبک
\author	\نویسنده
\backmatter	\مطلوب پشت
\backslash	\شکاف پشت
\badness	\بدنمایی
\bar	\میله
\baselineskip	\فاصله کرسی
\baselinestretch	\کشش فاصله کرسی
\batchmode	\پردازش دسته ای

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\begin	\شروع
\beginL	\شروع چپ
\beginR	\شروع راست
\begingroup	\شروع گروه
\belowdisplayshortskip	\فاصله کوتاه پایین نمایش
\belowdisplayskip	\فاصله پایین نمایش
\bf	\سیاه
\bfdefault	\پیش فرض سیاه
\bfseries	\شمایل سیاه
\bgroup	\شرگرد
\bibitem	\مرجوع
\bibliography	\کتاب نامه
\bibliographystyle	\اسک کتاب نامه
\bibname	\عنوان کتاب نامه
\bigskip	\پرش بلند
\bigskipamount	\مقدار پرش بلند
\botfigrule	\خط پایین شناور
\botmark	\علامت پایین
\bottomskip	\کادر تا پایین
\bottomfraction	\نسبت پایین
\box	\کادر
\boxmaxdepth	\حداکثر عمق کادر
\break	\ بشکن
\bullet	\گوله
\@cclv	\دوفن @ پنج
\@cclvi	\دوفن @ شش
\caption	\شرح
\catcode	\کدرده
\cc	\رونوشت
\ccname	\نام رونوشت
\cdot	\ نقطه وسط
\cdots	\ نقاط وسط
\centering	\ تنظیم از وسط
\centerline	\ خط وسط
\ch@ck	\ چک @ ن
\chapter	\ فصل
\chaptername	\ عنوان فصل
\char	\ نویسه
\chardef	\ تعریف نویسه
\CheckCommand	\ بررسی فرمان

Continued on next page

Command in T_EX or L_AT_EX Equivalent Persian Command

\cite	\مرجع
\ClassError	\خطای طبقه
\ClassInfo	\اطلاع طبقه
\ClassWarning	\هشدار طبقه
\ClassWarningNoLine	\هشدار طبقه بی سطر
\leaders	\نشانگر مرکزی
\cleardoublepage	\دو صفحه پاک
\clearpage	\صفحه پاک
\cline	\خط ناپر
\closein	\بند ورودی
\closeout	\بند خروجی
\closing	\بس تن
\clubpenalty	\حریمه سریند
\clubsuit	\جاج
\colbotmark	\علامت پایین ستون اول
\colfirstmark	\علامت اول ستون اول
\color	\رنگ
\colorbox	\کادر رنگ
\coltopmark	\علامت بالای ستون اول
\columncolor	\رنگ ستون
\columnsep	\بین ستون
\columnwidth	\پهناي ستون
\columnseprule	\خط طبیعتی ستون
\contentsline	\سطر فهرست
\contentsname	\عنوان فهرست مطالب
\copy	\کپی
\copyright	\حق تالیف
\count	\شمار
\count@	@\شمار
\countdef	\تعريف شمار
\cr	\سخ
\crcr	\سخ سخ
\csname	\نام فرمان
\CurrentOption	\گزینه جاری
\dashbox	\کادر بینایی
\dashv	\بینایی ع
\@date	@\تاریخ
\date	\تاریخ
\day	\روز
\dblbotfigrule	\خط پایین شناور پهن

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\dblbottomfraction	\نسبت‌پهن‌پایین
\dblfigrule	\خط‌بالای‌شناور‌پهن
\dblfloatpagefraction	\نسبت‌صفحه‌شناور‌پهن
\dblfloatsep	\فاصله‌بین‌شناور‌پهن
\dblfntlocatecode	\کد‌مکان‌غیره‌مانطور
\dbltextfloatsep	\فاصله‌متن‌و‌شناور‌پهن
\dbltopfraction	\نسبت‌پهن‌بالا
\DeclareFixedFont	\اعلان‌قلم‌ثابت
\DeclareGraphicsExtensions	\اعلان‌پسوند‌گرافیک
\DeclareGraphicsRule	\اعلان‌دستور‌گرافیک
\DeclareOldFontCommand	\اعلان‌فرمان‌قلم‌قدیمی
\DeclareOption	\اعلان‌گزینه
\DeclareRobustCommand	\اعلان‌فرمان‌قوى
\DeclareSymbolFont	\اعلان‌قلم‌علائم
\deadcycles	\دوربسته
\def	\تر
\define@key	\تعريف‌@کلید
\definecolor	\تعريف‌رنگ
\deg	\درجہ
\delcode	\کد‌جاساز
\delimiter	\جداساز
\delimiterfactor	\ضریب‌جdasاز
\depth	\گودی
\diamondsuit	\خشتم
\dim	\ابعاد
\dimen	\بعد
\dimen@	\بعد
\dimen@i	\بعد‌@یک
\dimen@ii	\بعد‌@دو
\dimendef	\تعريف‌بعد
\discretionary	\تیره‌گذاری
\displaybreak	\شکست‌نمایش
\displayindent	\تورفتگی‌نمایش
\displaystyle	\سبک‌نمایش
\displaywidth	\عرض‌نمایش
\divide	\ تقسیم
\documentclass	\طبقه‌نوشتار
\do	\کن
\dospecials	\تعویض‌کدها
\dot	\ نقطه

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\doteq	\ نقطه مساوی
\dotfill	\ پر نقطه ا
\dots	\ نقطاط
\doublebox	\ کادر دولا
\doublerulesepcolor	\ رنگ فاصله دو خط جدول
\doublerulesep	\ فاصله بین دو خط
\downarrowarrow	\ فلاش پایین
\dp	\ عمق
\dump	\ تخلیه
\edef	\ ترگ
\egroup	\ پاگروه
\eject	\ انتهاي فاصله
\else	\ گرنه
\em	\ تاكيد
\emergencystretch	\ کشش لا جرم
\emph	\ موکد
\@empty	\ پوج@
\empty	\ پوج
\emptyset	\ مجموعه پوج
\end	\ پيان
\endL	\ پيان چپ
\endR	\ پيان راست
\endcsname	\ پيان نام فرمان
\endfirsthead	\ پيان اولين سر
\endfoot	\ پيان پا
\endgraf	\ اته بند
\endgroup	\ پيان گروه
\endhead	\ پيان سر
\endinput	\ پيان ورودي
\endlastfoot	\ پيان آخرین پا
\enlargethispage	\ گسترش اين صفحه
\endline	\ اته سطر
\endlinechar	\ نويسه اته سطر
\enspace	\ ان دورى
\enskip	\ ان فاصله
\eqcommand	\ فرمان جانشين
\eqenvironment	\ محيط جانشين
\eqref	\ ارجاع فر
\errhelp	\ کمک خطا
\errmessage	\ پيام خطا

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\errorcontextlines	\اسطرمن خطا
\errorstopmode	\پردازش توقف خطا
\escapechar	\انویسه ویژه
\euro	\یورو
\evensidemargin	\حاشیه زوج
\everycr	\هرسخ
\everydisplay	\هرنمايش
\everyhbox	\هرکادرا
\everyjob	\هرکار
\everymath	\هررياضي
\everypar	\هربند
\everyvbox	\هرکادرو
\ExecuteOptions	\اجرای گزینه ها
\exhyphenpenalty	\حریمه اضافی تیره بندی
\expandafter	\بگستر پس از
\extracolsep	\فاصله اضافی بین ستونها
\@firstofone	\اولی از یک
\@firstoftwo	\اولی از دو
\f@ur	\ج@ار
\fam	\خانواده
\fancypage	\صفحه تجملی
\fbox	\کادر با
\fboxrule	\ضخامت کادر با
\fboxsep	\حاشیه کادر با
\fcolorbox	\کادر بارنگ
\fi	\ارگ
\figurename	\عنوان شکل
\filbreak	\پرسکن
\fill	\پر
\firstmark	\اعلامت اول
\flat	\پهن
\floatpagefraction	\نسبت صفحه شناور
\floatingpenalty	\حریمه شناور
\floatsep	\فاصله بین شناور
\flushbottom	\تنظیم از پایین
\fmtname	\شكليندی
\fmtversion	\ردہ شکل بنندی
\fnsymbol	\نشانه
\font	\قلم
\fontdimen	\بعد قلم

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\fontencoding	\رمزنیه قلم
\fontfamily	\فamil قلم
\fontname	\نام قلم
\fontseries	\شمايل قلم
\fontshape	\شك قلم
\fontsize	\اندازه قلم
\footheight	\بلنداي پاپين صفحه
\footins	\درج زيرنويس
\footnote	\ازيرنويس
\footnotemark	\علامت زيرنويس
\footnoterule	\خط زيرنويس
\footnotesep	\فاصله تازيرنويس
\footnotesize	\اندازه زيرنويس
\footnotetext	\متن زيرنويس
\footskip	\فاصله تاپاپين صفحه
\frame	\فريم
\framebox	\کادر باخت
\frenchspacing	\فواصليکنواخت لاتين
\frontmatter	\مطلوب پيش
\futurelet	\بعد بگذار
\@gobble	@\خور حريصانه
\@gobbletwo	@\خور حريصانه دو
\@gobblefour	@\خور حريصانه چهار
\@gtempa	\عاقت آ
\@gtempb	\عاقت ب
\gdef	\ترع
\GenericInfo	\الگوي اطلاع
\GenericWarning	\الگوي هشدار
\GenericError	\الگوي خطا
\global	\عام
\globaldefs	\تعاريق عام
\glossary	\لغت نامه
\glossaryentry	\فقره فرهنگ
\goodbreak	\خوش شکن
\graphpaper	\کاغذ گراف
\guillemotleft	\گيومه چپ
\guillemotright	\گيومه راست
\guilsinglleft	\گيومه تکي چپ
\guilsinglright	\گيومه تکي راست
\halign	\رديفا

Continued on next page

Command in T_EX or L_AT_EX Equivalent Persian Command

\hang	\برو تو
\hangafter	\بعد از سطر
\hangindent	\تورفتگی ثابت
\hbadness	\ابد نمایی ا
\hbox	\کادرا
\headheight	\بلندای سر صفحه
\headsep	\فاصله از سر صفحه
\headtoname	\سر بیه نام
\heartsuit	\دل
\height	\بلندا
\hfil	\پرا
\hfill	\پر را
\hfilneg	\رفع پرا
\hfuzz	\پر زافقی
\hideskip	\فاصله مخفی
\hidewidth	\عرض پنهان
\hline	\خط پر
\hoffset	\حاشیه ا
\holdinginserts	\حفظ درج
\hrboxsep	\فاصله اگرد
\hrule	\خط ا
\rulefill	\پر خط ا
\hsize	\طول سطر
\hskip	\فاصله ا
\hspace	\فضای ا
\hss	\هر دوا
\ht	\ارتفاع
\huge	\بزرگ
\Huge	\بزرگ تر
\hyperlink	\ابر پیوند
\hypersetup	\بارگذاری ابر
\hypertarget	\هدف ابر
\hyphenation	\تیره بندی
\hyphenchar	\نویسه تیره
\hyphenpenalty	\جریمه تیره بندی
\@ifclassloaded	@\@گر کلاس فراخوانی شده
\@ifdefinable	@\@گر تر شدنی
\@ifnextchar	@\@گر نویسه بعدی
\@ifpackageloaded	@\@گر سبک فراخوانی شده
\@ifstar	@\@گر ستاره

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\@ifundefined	\@گرتعريف نشده
\if	\اگر
\if@tempswa	\اگر سواقت آ
\ifcase	\اگرانواع
\ifcat	\اگر رد ه
\ifdefined	\اگرتعريف شده
\ifdim	\اگر بعد
\ifeof	\اگر ته پرونده
\iff	\اگر
\iffalse	\اگر نادرست
\IfFileExists	\اگر پرونده موجود
\ifhbox	\اگر کادرا
\ifhmode	\اگر حالت ا
\ifinner	\اگر درونی
\ifmmode	\اگر حالت ریاضی
\ifnum	\اگر عدد
\ifodd	\اگر فرد
\ifthenelse	\اگر آنگاه دیگر
\iftrue	\اگر درست
\ifvbox	\اگر کادرو
\ifvmode	\اگر حالت و
\ifvoid	\اگر تهی
\ifx	\اگر قائم
\ignorespaces	\فاصله خالی راندیده بگیر
\immediate	\فوری
\include	\شامل
\includegraphics	\درج تصویر
\includeonly	\مشمولین
\indent	\تورفتگی
\index	\درنمايه
\indexentry	\استعلام
\indexname	\عنوان نمایه
\indexspace	\فاصله رهنما
\input	\ورودی
\InputIfFileExists	\ورود پرونده گر موجود
\inputlineno	\شماره سطر ورودی
\insert	\درج
\insertpenalties	\جریمه درج
\interfootnotelinepenalty	\جریمه بین سطرهای زیرنویس
\interdisplaylinepenalty	\جریمه بین سطرهای نمایش

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\interlinepenalty	\جریمه بین سطرها
\intertext	\متن داخلی
\intertextsep	\فاصله شناور در متن
\invisible	\مخفي
\itdefault	\پيش فرض اي
\itshape	\شكل ايتاليك
\item	\فقره
\itemindent	\تورفتگي فقره
\itemsep	\فاصله فقره
\iterate	\تكرار کن
\itshape	\شکل اي
\jobname	\نام کار
\jot	\قلپ
\kern	\دورى
\kill	\الگو
\label	\برچسب
\labelenumi	\برچسب شمارش يك
\labelenumii	\برچسب شمارش دو
\labelenumiii	\برچسب شمارش سه
\labelenumiv	\برچسب شمارش چهار
\labelitemi	\برچسب فقره يك
\labelitemii	\برچسب فقره دو
\labelitemiii	\برچسب فقره سه
\labelitemiv	\برچسب فقره چهار
\labelsep	\فاصله از برچسب
\labelwidth	\پهنانی برچسب
\language	\ازبان
\large	\درشت
\Large	\درشت تر
\LARGE	\درشت درشت
\lastbox	\آخرین کادر
\lastkern	\آخرین دورى
\lastpenalty	\آخرین جريمه
\lastskip	\آخرین فاصله
\LaTeX	\لاتک
\LaTeXe	\لاتک اي
\lccode	\اکد کوچک
\ldots	\نقطاخ
\leaders	\نشانگر
\leavevmode	\ترك و

Continued on next page

Command in T_EX or L_AT_EX Equivalent Persian Command

\left	\چپ
\leftmargin	\حاشیه چپ
\leftmargini	\حاشیه چپ یک
\leftmarginii	\حاشیه چپ دو
\leftmarginiii	\حاشیه چپ سه
\leftmarginiv	\حاشیه چپ چهار
\leftmarginv	\حاشیه چپ پنجم
\leftmarginvi	\حاشیه چپ شش
\leftmark	\علامت چپ
\leftpageskip	\کادر تا چپ
\leftskip	\فاصله ابتدای سطر
\let	\بگذار
\line	\سطر
\linebreak	\سطر شکن
\linepenalty	\جریمه سطر
\lineskip	\فاصله سطرها
\lineskiplimit	\حد فاصله سطر
\linespread	\کشش فاصله سطر
\linethickness	\ضخامت خط
\linewidth	\پهنه ای سطر
\listfigurename	\عنوان فهرست اشکال
\listfiles	\لیست پرونده ها
\listoffigures	\فهرست اشکال
\listoftables	\فهرست جداول
\listparindent	\تورفتگی بند لیست
\listtablename	\عنوان فهرست جداول
\LoadClass	\بارگذار کن طبقه
\LoadClassWithOptions	\بارگذار کن طبقه با گزینه
\location	\مکان
\long	\بلند
\loop	\حلقه
\looseness	\گسیختگی
\lower	\انتقال پایین
\@makeother	\@ دیگر
\@m	\@ زار
\@M	\د@ زار
\@Mi	\د@ زاریک
\@Mii	\د@ زاردو
\@Miii	\د@ زارسه
\@Miv	\د@ زار چهار

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\@MM	\بیس@زار
\m@ne	\من@ا
\mag	\بزرگنمایی
\magstep	\گام
\magstephalf	\نیمگام
\mainmatter	\مطلوب اصلی
\makeatletter	\ات حرف
\makeatother	\ات دیگر
\makebox	\کادری خط
\makeglossary	\ساخت فرهنگ
\makeindex	\تهیه نمایه
\makelabel	\ساخت برچسب
\makelabels	\ساخت برچسب ها
\MakeLowercase	\ساخت حروف کوچک
\maketitle	\عنوان ساز
\MakeUppercase	\ساخت حروف بزرگ
\marginpar	\در حاشیه
\marginparpush	\فاصله دو حاشیه
\marginparsep	\فاصله تا حاشیه
\marginparwidth	\پنهانی حاشیه
\mark	\علامت
\markboth	\علامت در دو طرف
\markright	\علامت در راست
\mathaccent	\اعراب ریاضی
\mathchar	\نویسه ریاضی
\mathchardef	\معرفی نویسه ریاضی
\mathcode	\کد ریاضی
\mathrm	\ریاضی رومان
\maxdeadcycles	\حد اکثر تکرار
\maxdepth	\حد اکثر عمق صفحه
\maxdimen	\بعد بیشین
\mbox	\کادری
\mdseries	\شمایل نازک
\meaning	\معنا
\mediumseries	\نازک
\medmuskip	\فاصله متوسط ریاضی
\medskip	\پرش متوسط
\medskipamount	\مقدار پرش متوسط
\medspace	\فضای متوسط
\message	\پیام

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\MessageBreak	\پیام‌شکن
\minrowclearance	\حداقل فاصله‌ردیف
\mkern	\دوری‌ریاضی
\month	\ماه
\moveleft	\انتقال‌چپ
\moveright	\انتقال‌براست
\mskip	\فاصله‌ریاضی
\m@th	\ری‌@‌ضی
\multicolumn	\چندستونی
\multiply	\ضرب
\multispan	\چندادغام
\muskip	\میوفاصله
\muskipdef	\تعریف‌میوفاصله
\@namedef	\@‌ترنام
\@nameuse	\@‌کاربردنام
\@ne	@\یک
\name	\نام
\natural	\طبیعی
\nearrow	\باریک
\nearrower	\باریکتر
\NeedsTeXFormat	\شکل‌بندی‌موردنیاز
\neg	\منفی
\negmedspace	\فضای متوسط‌منفی
\negthickspace	\فضای ضخیم‌منفی
\negthinspace	\دوری‌کوچک‌منفی
\newboolean	\بولی‌نو
\newbox	\کادر جدید
\newcommand	\فرمان‌نو
\newcount	\شمارجدید
\newcounter	\شمارنده‌جدید
\newdimen	\بعد‌جدید
\newenvironment	\محیط‌نو
\newfam	\خانواده‌جدید
\newfont	\قلم‌نو
\newhelp	\کمک‌جدید
\newif	\اگر‌جدید
\newinsert	\درج‌جدید
\newlabel	\برچسب‌جدید
\newlength	\تعریف‌بعد‌جدید
\newline	\سطر‌جدید

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\newlinechar	\نویسه سطر جدید
\newmuskip	\میوفاصله جدید
\newpage	\صفحه جدید
\newread	\بخوان جدید
\newsavebox	\تعریف کادر جدید
\newskip	\فاصله جدید
\newtheorem	\قضیه جدید
\newtoks	\جزء جدید
\newwrite	\بنویس جدید
\noalign	\بیردیف
\nobreak	\نشکن
\nobreakspace	\فاصله نشکستنی
\nocite	\بدون سند
\noexpand	\انگستر
\nofiles	\بدون پرونده
\noindent	\بدون تورفتگی
\nointerlineskip	\بی فاصله سطر
\nolimits	\بدون حد
\nolinebreak	\سطر نشکن
\nonstopmode	\پردازش بدون توقف
\nonfrenchspacing	\فو اصل متعارف لاتین
\nonumber	\بدون شماره
\nopagebreak	\صفحه نشکن
\normalbaselines	\کرسی های متعارف
\normalbaselineskip	\فاصله کرسی متعارف
\normalcolor	\رنگ عادی
\normalfont	\قلم عادی
\normallineskip	\فاصله سطر متعارف
\normallineskiplimit	\حد فاصله سطر متعارف
\normalmarginpar	\در حاشیه عادی
\normalsize	\اندازه عادی
\notag	\بدون اتیکت
\null	\نول
\nullfont	\قلم تهی
\number	\عدد
\numberline	\سطر عددی
\numberwithin	\شماره مطابق
\@evenfoot	\پایین صفحه زوج
\@evenhead	\بالای صفحه زوج
\@oddfoot	\پایین صفحه فرد

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\@oddhead	\بالای صفحه فرد
\@outeqnttrue	\شماره بیرون درست
\@outeqnfase	\شماره بیرون نادرست
\obeylines	\سطر به سطر
\obeyspaces	\فضا فعال
\oddsidemargin	\حاشیه فرد
\offinterlineskip	\سطور بی فاصله
\omit	\حذف
\@onlypreamble	\@ تهادر پیش درآمد
\onecolumn	\یک ستون
\onlynotes	\اتهای اداداشت ها
\onlyslides	\اتهای اسلاید ها
\openin	\باز کن ورودی
\openout	\باز کن خروجی
\OptionNotUsed	\اگزینه مصرف نشده
\or	\یا
\outer	\برونی
\output	\صفحه بندی
\outputpenalty	\جریمه صفحه بندی
\overfullrule	\علامت سرربز
\@preamblecmds	\@ فرمان های پیش درآمد
\p@	\پو
\PackageError	\خطای سبک
\PackageInfo	\اطلاع سبک
\PackageWarning	\هشدار سبک
\PackageWarningNoLine	\هشدار سبک بی سطر
\pagebreak	\صفحه شکن
\pagecolor	\رنگ صفحه
\pagedepth	\عمق صفحه
\pagefillstretch	\کشش پر ر صفحه
\pagefillstretch	\کشش پر صفحه
\pagefilstretch	\کشش پر صفحه
\pagegoal	\غاییت صفحه
\pagename	\نام صفحه
\pagenumbering	\شماره گذاری صفحه
\pageref	\رجوع صفحه
\pagerulewidth	\ضخامت خط صفحه
\pageshrink	\вшیدگی صفحه
\pagestretch	\کشش صفحه
\pagestyle	\سبک صفحه

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\pagetotal	\جمع صفحه
\paperheight	\بلندای کاغذ
\paperwidth	\پهنای کاغذ
\par	\بند
\paragraph	\پاراگراف
\parallel	\موازی
\parbox	\کادر پار
\parfillskip	\فاصله ته بند
\parindent	\تورفتگی سر بند
\parsep	\فاصله بند لیست
\parshape	\شکل بند
\parskip	\فاصله بند
\part	\بخش
\partname	\عنوان بخش
\partopsep	\فاصله بالای لیست بند
\PassOptionToClass	\ارسال گزینه به کلاس
\PassOptionToPackage	\ارسال گزینه به پکیج
\path	\مسیر
\patterns	\الگوهای
\pausing	\مکث
\penalty	\جریمه
\phantom	\غیب
\poptabs	\الگوی قبلی
\postdisplaypenalty	\جریمه پس نمایش
\predisplaydirection	\جهت پیش نمایش
\predisplaypenalty	\جریمه پیش نمایش
\predisplaysize	\اندازه پیش نمایش
\pretolerance	\پیش حد بدنمایی
\prevdepth	\عمق قبلی
\prevgraf	\بند قبلی
\printindex	\نمایه در اینجا
\ProcessOptions	\پردازش گزینه ها
\protect	\تامین
\providecommand	\تهیه فرمان
\ProvidesClass	\آماده سازی طبقه
\ProvidesFile	\آماده سازی پرونده
\ProvidesPackage	\آماده سازی سبک
\pushtabs	\ثبت الگو
\quad	\کواد
\quad	\کوکواد

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\@outputpagerestore	\@بازآیی خروج صفحه
\radical	\رادیکال
\raggedbottom	\پایین بی تنظیم
\raggedleft	\تنظیم از راست
\raggedright	\تنظیم از چپ
\raise	\انتقال بالا
\raisebox	\بالابر
\raisetag	\ترفیع اتیکت
\rangle	\زاویه ر
\rceil	\سقف ر
\read	\بخوان
\ref	\رجوع
\reflectbox	\کادر قرینه
\refname	\عنوان مراجع
\refstepcounter	\گام شمارنده مرجع
\relax	\راحت
\removelastskip	\رفع آخرین فاصله
\renewcommand	\فرمان ازنو
\renewenvironment	\محیط ازنو
\repeat	\ازنو
\RequirePackage	\سیک موردنیاز
\RequirePackageWithOptions	\سیک موردنیاز با گزینه
\resizebox	\کادر کشیده
\reversemarginpar	\در حاشیه معکوس
\rfloor	\کف ر
\right	\راست
\rightmargin	\حاشیه راست
\rightmark	\علامت راست
\rightpageskip	\کادر تاراست
\rightskip	\فاصله انتهای سطر
\rmdefault	\رومی عادی
\rmfamily	\فامیل رومی
\Roman	\رومی بزرگ
\roman	\رومی کوچک
\romannumeral	\عدد رومی
\rotatebox	\کادر چرخان
\rowcolor	\رنگ ردیف
\rule	\خط
\@secondoftwo	\دو می ازدو @\
\@spaces	\فضاهای @\

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\samepage	\همینصفحه
\savebox	\مقدارکادر
\sbox	\مقکادر
\scalebox	\کادراندازه
\scdefault	\پیشفرض تمام بزرگ
\scshape	\شکل تمام بزرگ
\scriptfont	\قلم توان
\scriptscriptfont	\قلم توان توان
\scriptscriptstyle	\سیک ته نوشت ته نوشت
\scriptsize	\اندازه پانویس
\scriptstyle	\سیک ته نوشت
\scrollmode	\پردازش گذری
\section	\قسمت
\secdef	\تعريف قسمت
\see	\بینید
\seealso	\نیز بینید
\seename	\نام بینید
\selectfont	\قلم بردار
\setboolean	\تنظیم بولی
\setbox	\در کادر
\setcounter	\مقدار شمارنده
\setkeys	\مقدار کلید ها
\setlength	\مقدار بعد
\setminus	\تنظيم منها
\SetSymbolFont	\تعريف قلم علامت
\settodepth	\تنظیم به عمق
\settoheight	\تنظیم به ارتفاع
\settowidth	\مقدار بعدیه اندازه
\sfcode	\کد ضریب فاصله
\sfdefault	\پیشفرض س ف
\sffamily	\فamilی سن سریف
\shadowbox	\کادر رسایه دار
\sharp	\تیز
\shipout	\بفرست
\shortstack	\پشته کوتاه
\show	\نمایش بد
\showbox	\نمایش بد کادر
\showboxbreadth	\میزان نمایش کادر
\showboxdepth	\عمق نمایش کادر
\showlists	\نمایش بد لیستها

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\showthe	\نمایش بده محتوای
\simplefontmode	\حالت ساده قلم
\sixt@n	@\شانزد
\skewchar	\نویسه اریب
\skip	\فاصله
\skip@	@\فاصل
\skipdef	\تعريف فاصله
\sl	\خوابیده
\sldefault	\پیش فرض خو
\slshape	\شكل خوابیده
\sloppy	\راحت چین
\slshape	\شمایل خو
\small	\کوچک
\smallskip	\پرش کوتاه
\smallskipamount	\مقدار پرش کوتاه
\smash	\کوب
\smile	\الخند
\snglfntlocatecode	\اکد مکان همانطور
\space	\فضا
\spacefactor	\ضریب فاصله
\spaceskip	\فاصله کلمات
\spadesuit	\پیک
\span	\ادغام
\special	\ویرژه
\splitmaxdepth	\حداکثر عمق ستون
\splittopskip	\فاصله بالای ستون
\star	\ستاره
\stepcounter	\گام شمارنده
\stretch	\کشی
\string	\رشه
\strut	\شمع
\strutbox	\کادر شمع
\subitem	\زیر بند
\subparagraph	\زیر پاراگراف
\subsection	\زیر قسمت
\substack	\زیر پیشته
\subsubitem	\زیر زیر بند
\subsubsection	\زیر زیر قسمت
\subset	\زیر مجموعه
\subsepeq	\زیر مجموعه مس

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\supereject	\منتهايصفحه
\suppressfloats	\حذف مكان شناور
\@tempa	\آموخت آ
\@tempb	\موقتب
\@tempc	\موقتب پ
\@tempd	\موقتب ت
\@tempe	\موقتب ث
\@tempboxa	\کادرقت آ
\@tempcnta	\شماقت آ
\@tempcntb	\شماقت ب
\@tempdim a	\بعدقت آ
\@tempdim b	\بعدقت ب
\@tempdim c	\بعدقت ب پ
\@tempskip a	\فاقت آ
\@tempskip b	\فاقت ب
\@tempswafalse	\سواقت آنادرست
\@tempswatrue	\سواقت آدرست
\@temptokena	\جزقت آ
\@thefnmark	\انگزيرنويس
\@thirdofthree	\سومي از سه
\tabbingsep	\فاصله جاگذاري
\tabcolsep	\فاصله بين ستونها
\tableofcontents	\فهرست مطالع
\tablename	\عنوان جدول
\tabskip	\فاصله ستونها
\tabularnewline	\ته سطر جدول
\tag	\اتيكت
\telephone	\تلفن
\TeX	\تک
\text	\امتن
\textbullet	\گلوله متنی
\textfont	\قلم متن
\textemdash	\ام دش متنی
\textendash	\ان دش متنی
\textexcldown	\تعجب وارونه متنی
\textperiodcentered	\ نقطه وسط متنی
\textquestiondown	\سؤال وارونه متنی
\textquotedblleft	\نقل چپ متنی دول
\textquotedblright	\نقل راست متنی دول
\textquotleft	\نقل متنی چپ

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\textquoteright	\نقل متنی راست
\textvisiblespace	\فضای نمایان متنی
\textbackslash	\شکافت پشت متنی
\textbar	\میله متنی
\textgreater	\بزرگ تر متنی
\textless	\کمتر متنی
\textbf	\امن سیاه
\textcircled	\مدور متنی
\textcolor	\رنگ متن
\textcompwordmark	\نشان کلمه مرکب متن
\textfloatsep	\فاصله متن و شناور
\textfraction	\نسبت متن
\textheight	\بلندای متن
\textindent	\متن تورفته
\textit	\متن ایتالیک
\textmd	\متن نازک
\textnormal	\متن نرمال
\textregistered	\ثبتی متنی
\textrm	\متن رومان
\textsc	\متن تمام بزرگ
\textsf	\متن سن سریف
\textsl	\متن خوابیده
\textstyle	\سیک متنی
\textsuperscript	\بالانویس متنی
\texttrademark	\علامت تجاری متنی
\texttt	\متن تایپ
\textup	\متن ایستاده
\textwidth	\پهنهای متن
\thanks	\زیرنویس عنوان
\the	\محتوای
\thempfn	\این زیرنویس
\thicklines	\خط هاضخیم
\thickmuskip	\فاصله زیاد ریاضی
\thinmuskip	\فاصله کم ریاضی
\thickspace	\فضاضخیم
\thinlines	\خط هانازک
\thinspace	\دوری کوچک
\thisfancypage	\این صفحه تجملی
\thispagestyle	\سیک این صفحه
\thr@@	\@se\

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\tilde	\مد
\tiny	\ظریف
\time	\زمان
\times	\ضرب در
\title	\عنوان
\to	\به
\today	\امروز
\toks	\جزء
\toksdef	\تعریف جزء
\tolerance	\حد بند نمایی
\top	\بالا
\topfigrule	\خط بالای شناور
\topfraction	\نسبت بالا
\topmargin	\حاشیه بالا
\topmark	\علامت بالا
\topskip	\کادر تابلا
\topsep	\فاصله بالای لیست
\topskip	\فاصله بالا
\totalheight	\بلندای کل
\tracingall	\ردگیری کل
\tracingcommands	\ردگیری فرمان
\tracinglostchars	\ردگیری حروف
\tracingmacros	\ردگیری ماکروها
\tracingonline	\ردگیری نمایشی
\tracingoutput	\ردگیری صفحه بندی
\tracingpages	\ردگیری صفحات
\tracingparagraphs	\ردگیری بندها
\tracingrestores	\ردگیری بازگردانی
\tracingstats	\ردگیری آمارها
\triangle	\مثلث
\ttdefault	\پیش فرض تایپ
\ttfamily	\فamilی تایپ
\tw@	@دو
\twocolumn	\دو ستون
\typein	\در نویس
\typeout	\بر نویس
\uccode	\اکد بزرگ
\uchyph	\تیره بندی بزرگ
\undefined	\تعریف نشده
\underline	\زیر خط

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\unhbox	\بی کادر
\unhcopy	\بی کپی
\unitlength	\ واحد طول
\unkern	\برگشت دوری
\unpenalty	\برگشت جریمه
\unskip	\برگشت فاصله
\unvbox	\بی کادر و
\unvcopy	\بی کپی و
\updefault	\پیش فرض ایستاده
\upshape	\شکل ایستاده
\usebox	\از کادر
\usecounter	\باشمارشگر
\usefont	\گزینش قلم
\usepackage	\سبک لازم
\@vobeyspaces	\فضاهای فعال
\@void	\@ تهی
\vadjust	\تنظیم و
\valign	\ردیف و
\value	\محتوای شمارنده
\vbadness	\بد نمایی و
\vbox	\کادر و
\vcenter	\کادر و سط
\verb	\همانطور
\vfil	\پرو
\vfill	\پر رو
\vfilneg	\رفع پر رو
\vfuzz	\پر زعمودی
\visible	\نمایان
\vline	\خط عمود
\voffset	\حاشیه و
\voidb@x	\ک در تهی
\vpageref	\ارجاع صفحه ع
\vrboxsep	\فاصله و گرد
\vref	\ارجاع
\rule	\خط و
\vspace	\طول صفحه
\vskip	\فاصله و
\vssplit	\فضای و
\vss	\شکست و
	\هر دو و

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\vtop	\کادرگود
\wd	\عرض
\whiledo	\مادام بکن
\widehat	\کلاه پهن
\widetilde	\مد پهن
\widowpenalty	\جریمه ته بند
\width	\پهنا
\wlog	\در کار نامه
\write	\بنویس
\@xobeysp	\فضای لاتین
\@xxxii	\اسی @ دو
\xdef	\ترجم
\xleaders	\نشانگر گسترشی
\xspaceskip	\فاصله اضافی کلمات
\year	\سال
\z@	\فر
\z@skip	\فرا فاصله

Table 2: The Equivalent XePersian Commands

Command in XePersian	Equivalent Persian Command
\autofootnoterule	\خط زیرنویس خودکار
\AutoMathsDigits	\اعداد فرمولهای خودکار
\DefaultMathsDigits	\اعداد فرمولهای لاتین
\deflatinfont	\تعريف قلم لاتین
\defpersianfont	\تعريف قلم پارسی
\hboxL	\کادر اچ پ
\hboxR	\کادر است
\keyval@eq@alias@key	\معادل @ کلید
\Latincite	\مرجع لاتین
\latinfont	\قلم لاتین
\latintoday	\امروز لاتین
\leftfootnoterule	\خط زیرنویس چپ
\lr	\متن لاتین
\LRE	\چپ براست
\LTRdblcol	\دوسنونی چپ
\LTRfootnote	\پانویس
\LTRfootnotetext	\متن پانویس
\LTRthanks	\پانویس عنوان
\persianday	\روز پارسی
\persianfont	\قلم پارسی

Continued on next page

Command in XePersian	Equivalent Persian Command
\PersianMathsDigits	\اعداد فرمولها پارسی
\persianmonth	\ماه پارسی
\persianyear	\سال پارسی
\plq	\علامت چپ نقل قول پارسی
\prq	\علامت راست نقل قول پارسی
\rightfootnoterule	\خط زیرنویس راست
\rl	\متن پارسی
\RLE	\راست بچپ
\RTLdblcol	\دوستونی راست
\RTLfootnote	\پانوشت
\RTLfootnotetext	\متن پانوشت
\RTLthanks	\پانوشت عنوان
\@SepMark	\علامت بین
\SepMark	\علامت بین
\setdefaultbibitems	\بگذار مرجوعات عادی
\setdefaultmarginpar	\بگذار در حاشیه عادی
\setdigitfont	\گزینش قلم اعداد فرمولها
\setfootnoteLR	\بگذار زیرنویس چپ
\setfootnoteRL	\بگذار زیرنویس راست
\setlatintextfont	\گزینش قلم لاتین متن
\setLTR	\بگذار متن چپ
\setLTRbibitems	\بگذار مرجوعات راست
\setLTRmarginpar	\بگذار در حاشیه چپ
\setRTL	\بگذار متن راست
\setRTLbibitems	\بگذار مرجوعات راست
\setRTLmarginpar	\بگذار در حاشیه راست
\settextfont	\گزینش قلم متن
\textwidthfootnoterule	\خط زیرنویس پنهانی متن
\twocolumnstableofcontents	\فهرست مطالب دوستونی
\unsetfootnoteRL	\نگذار زیرنویس راست
\unsetLTR	\نگذار متن چپ
\unsetRTL	\نگذار متن راست
\vboxL	\کادر واژ چپ
\vboxR	\کادر واژ راست
\XeLaTeX	\ازی لاتک
\XePersian	\ازی پرشین
\xepersianversion	\گونه زی پرشین
\xepersiandate	\تاریخ گونه زی پرشین
\XeTeX	\ازی تک

Table 3: The Equivalent LATEX Environments

Environment in L^AT_EX Equivalent Persian Environment

abstract	چکیده
appendix	پیوست
array	آرایه
center	وسط چین
description	توضیح
displaymath	ریاضی نمایشی
document	نوشتار
enumerate	شمارش
figure	شکل
figure*	*شکل
filecontents	محتوای پرونده
filecontents*	*محتوای پرونده*
flushleft	چپ چین
flushright	راست چین
itemize	فقرات
letter	نامه
list	لیست
longtable	جدول دراز
lrbox	کادر رج
math	ریاضی
matrix	ماتریس
minipage	صفحه کوچک
multicols	چند ستونی ها
multiline	چند خطی
note	یادداشت
overlay	ابداشت
picture	تصویر
quotation	اقتباس
quote	نقل
slide	اسلاید
sloppypar	پار نامرتب
split	شکافتن
subarray	زیر آرایه
tabbing	جاگذاری
table	لوح
table*	*لوح
tabular	جدول
tabular*	*جدول
thebibliography	مراجع
theindex	محتوای نمایه

Continued on next page

Environment in L ^A T _E X	Equivalent Persian Environment
<code>titlepage</code>	صفحه عنوان
<code>trivlist</code>	لیست بدوی
<code>verbatim</code>	همانطور که هست
<code>verbatim*</code>	همانطور که هست*
<code>verse</code>	شعر

Table 4: The Equivalent XePersian Environments

Environment in XePersian	Equivalent Persian Environment
<code>latin</code>	لاتین
<code>LTR</code>	متن چپ
<code>LTRitems</code>	دسته‌بندی چپ
<code>persian</code>	پارسی
<code>RTL</code>	متن راست
<code>RTLitems</code>	دسته‌بندی راست

Localisation of position arguments. Some environments like `tabular` and some commands like `\parbox` have an argument which specifies the position. Table [Table 5](#) shows their localisations.

Table 5: The Equivalent L^AT_EX position arguments

Position argument in L ^A T _E X	Equivalent Persian position argument
<code>b</code>	ز
<code>c</code>	و
<code>C</code>	س
<code>h</code>	ا
<code>H</code>	آ
<code>J</code>	ت
<code>l</code>	ج
<code>L</code>	ف
<code>m</code>	م
<code>p</code>	پ
<code>p</code>	ص
<code>r</code>	ر
<code>R</code>	ا
<code>s</code>	ک
<code>t</code>	ب

☞ There are two ps in [Table 5](#), first p and its Persian equivalent پ stand for paragraph (used in `tabular` and similar environments) and the second p and its Persian equivalent ص stand for page (used in `float`-like environments).

2.4.13 Localizations of the keys and key values of **graphicx** package

The equivalent Persian keys and key values of **graphicx** package is shown in [Table 6](#) and [Table 7](#) respectively.

Table 6: Persian Equivalent keys of **graphicx** package

Original Key	Equivalent Persian Key
draft	پیش‌نویس
origin	مبدأ
clip	بی‌اضافه
keepaspectratio	حفظ تناسب
natwidth	پهناهی طبیعی
natheight	بلندای طبیعی
bb	مختصات
viewport	محدوده نمایش
trim	حذف اطراف
angle	زاویه
width	پهنا
height	بلند
totalheight	بلندای کل
scale	ضریب
type	نوع
ext	پسوند
read	خواندنی
command	فرمان
x	طول
y	عرض
units	واحد

Table 7: Persian Equivalent key values of **graphicx** package

Original Key value	Equivalent Persian Key value
b	ز
B	ک
false	نادرست
l	ج
r	ر
t	ب
true	درست

2.4.14 Localizations of font features and font feature options

The equivalent Persian font features and font feature options is shown in [Table 8](#) and [Table 9](#) respectively.

Table 8: Persian Equivalent font features

Original font feature	Equivalent Persian font feature
ExternalLocation	مکان خارجی
ExternalLocation	مسیر
Renderer	تحویل دهنده
BoldFont	قلم سیاه
Language	زبان
Script	خط
UprightFont	قلم عمودی
ItalicFont	قلم ایتالیک
BoldItalicFont	قلم ایتالیک سیاه
SlantedFont	قلم خوابیده
BoldSlantedFont	قلم خوابیده سیاه
SmallCapsFont	قلم کلاه کوچک
UprightFeatures	ویژگی های قلم عمودی
BoldFeatures	ویژگی های قلم سیاه
ItalicFeatures	ویژگی های قلم ایتالیک
BoldItalicFeatures	ویژگی های قلم ایتالیک سیاه
SlantedFeatures	ویژگی های قلم خوابیده
BoldSlantedFeatures	ویژگی های قلم خوابیده سیاه
SmallCapsFeatures	ویژگی های قلم کلاه کوچک
SizeFeatures	ویژگی های اندازه
Scale	ضریب
WordSpace	فضای کلمه
PunctuationSpace	فضای نقطه گذاری
FontAdjustment	تنظیم قلم
LetterSpace	فضای حرف
HyphenChar	نویسه تیره
Color	رنگ
Opacity	کدری
Mapping	نگاشت
Weight	سنگینی
Width	پهنا
OpticalSize	اندازه چشمی
FakeSlant	خوابیده تقلیبی
FakeStretch	کشش تقلیبی
FakeBold	سیاه تقلیبی
AutoFakeSlant	خوابیده تقلیبی خودکار
AutoFakeBold	سیاه تقلیبی خودکار
Ligatures	دویاچند حرف متصل به هم
Alternate	متناوب
Variant	گوناگون

Continued on next page

Original font feature	Equivalent Persian font feature
Variant	مجموعه سبکی
CharacterVariant	گوناگونی نویسه
Style	سبک
Annotation	بادداشت
RawFeature	ویرگی های کال
CharacterWidth	پهنا نویسه
Numbers	ارقام
Contextuals	متخی
Diacritics	تفکیک کنندگان
Letters	حروف
Kerning	دوری
VerticalPosition	موقعیت عمودی
Fractions	کسر

Table 9: Persian Equivalent font feature options

font feature	font feature option	Persian font feature option
Language	Default	پیش فرض
Language	Parsi	پارسی
Script	Parsi	پارسی
Script	Latin	لاتین
Style	MathScript	اسکریپت ریاضی
Style	MathScriptScript	اسکریپت اسکریپت ریاضی

2.5 A Sample Input T_EX File

```

1 \documentclass{article}
2 \usepackage{xepersian}
3 \settextfont[XB Niloofar]
4 \title{یک سند نمونه}
5 \author{نام نویسنده}
6 \begin{document}
7 \maketitle
8 \tableofcontents
9 \part{عنوان بخش}
10 ...
11 \section{عنوان قسمت}
12 ...
13 \subsection{عنوان زیر قسمت}
14 ...
15 \subsubsection{عنوان زیر زیر قسمت}
16 ...
17 \end{document}

```

2.6 Font Commands

2.6.1 Basic Font Commands

```
\settextfont [Options] {<font name>}  
\setlatintextfont [Options] {<font name>}  
\setdigitfont [Options] {<font name>}  
\setmathsf digitfont [Options] {<font name>}  
\setmathtt digitfont [Options] {<font name>}
```

- ☞ Options in any font command in this documentation are anything that `fontspec` package provides as the option of loading fonts, except `Script` and `Mapping`.
- ☞ `\settextfont` will choose the default font for Persian texts of your document.
- ☞ `\setlatintextfont` will choose the font for Latin texts of your document. If you do not use this command at all, the default TeX font (fonts used in this documentation) will be used for Latin texts of your document.
- ☞ `\setdigitfont` will choose the Persian font for digits in math mode. By default, digits in math mode will appear in Persian form.
- ☞ `\setmathsf digitfont` will choose the Persian font for digits in math mode inside `\mathsf`. By using this command, digits in math mode inside `\mathsf` will appear in Persian form and if you do not use this command at all, you will get default TeX font for digits in math mode inside `\mathsf` and digits appear in their original form (Western).
- ☞ `\setmathtt digitfont` will choose the Persian font for digits in math mode inside `\mathtt`. By using this command, digits in math mode inside `\mathtt` will appear in Persian form and if you do not use this command at all, you will get default TeX font for digits in math mode inside `\mathtt` and digits appear in their original form (Western).

2.6.2 Defining Extra Persian and Latin Fonts

```
\defpersianfont\CS [Options] {<font name>}  
\deflatinfont\CS [Options] {<font name>}
```

- ☞ With `\defpersianfont`, you can define extra Persian fonts.

```
\defpersianfont\Nastaliq[Scale=1]{IranNastaliq}
```

In this example, we define `\Nastaliq` to stand for IranNastaliq font.

 With `\deflatinfont`, you can define extra Latin fonts.

```
\deflatinfont\junicode[Scale=1]{Junicode}
```

In this example, we define `\junicode` to stand for Junicode font.

2.6.3 Choosing Persian Sans Font

```
\setpersiansansfont [Options] {\<font name>}  
\persiansffamily \textpersiansf{\<text>}
```

2.6.4 Choosing Persian Mono Font

```
\setpersianmonofont [Options] {\<font name>}  
\persianttfamily \textpersiantt{\<text>}
```

2.6.5 Choosing Persian Iranic Font

```
\setiranicfont [Options] {\<font name>}  
\iranicfamily \textiranic{\<text>}
```

2.6.6 Choosing Persian Navar Font

```
\setnavarfont [Options] {\<font name>}  
\navarfamilly \textnavar{\<text>}
```

2.6.7 Choosing Persian Pook Font

```
\setpookfont [Options] {\<font name>}  
\pookfamily \textpook{\<text>}
```

2.6.8 Choosing Persian Sayeh Font

```
\setsayehfont [Options] {\<font name>}  
\sayehfamily \textsayeh{\<text>}
```

2.6.9 Choosing Latin Sans Font

```
\setlatinsansfont [Options] {\<font name>}  
\sffamily \textsf{\<text>}
```

2.6.10 Choosing Latin Mono Font

```
\setlatinmonofont [Options] {\<font name>}  
\ttfamily \texttt{\<text>}
```

3 Latin and Persian Environment

```
\begin{latin} <text> \end{latin}  
\begin{persian} <text> \end{persian}
```

☞ latin environment both changes direction of the paragraphs to LTR and font to Latin font.

 `\begin{persian}` environment both changes direction of the Paragraphs to RTL and font to Persian font.

3.1 `latinitems` and `parsiitems` environments

```
\begin{latinitems}
  \item <text>
  ...
\end{latinitems}
```

 `latinitems` environment is similar to `LTRItems` environment but changes the font to Latin font.

```
\begin{parsiitems}
  \item <text>
  ...
\end{parsiitems}
```

 `parsiitems` environment is similar to `RTLItems` environment but changes the font to Persian font.

3.2 Short Latin and Persian Texts

```
\lr{<text>} \rl{<text>}
```

 With `\lr` command, you can typeset short LTR texts.

 With `\rl` command, you can typeset short RTL texts.

3.3 Miscellaneous Commands

```
\persianyear \persianmonth \persianday
\today \latintoday \twocolumnstableofcontents \XePersian
\plq \prq
```

 `\persianyear` is Persian equivalent of `\year`.

 `\persianmonth` is Persian equivalent of `\month`.

 `\persianday` is Persian equivalent of `\day`.

 `\today` typesets current Persian date and `\latintoday` typesets current Latin date.

 `\twocolumnstableofcontents` typesets table of contents in two columns. This requires that you have loaded `multicol` package before `XePersian` package, otherwise an error will be issued.

- ☞ \XePersian typesets XePersian's logo.
- ☞ \plq and \prq typeset Persian left quote and Persian right quote respectively.

3.4 New Commands

\Latincite

- ☞ \Latincite functions exactly like \cite command with only one difference; the reference to biblabel item is printed in Latin font in the text.

3.5 Additional Counters

XePersian defines several additional counters to what already L^AT_EX offers. These counters are **harfi**, **adadi**, and **tartibi**. In addition, the following commands are also provided:

\harfinumeral{\langle integer\rangle} \adadinumeral{\langle integer\rangle} \tartibinumeral{\langle integer\rangle}

- ☞ The range of **harfi** counter is integers between 1 and 32 (number of the Persian alphabets) and **adadi** and **tartibi** counters, are integers between 0 and 999,999,999.
- ☞ For **harfi** counter, if you give an integer bigger than 32 or a negative integer (if you give integer 0, it returns nothing), then you get error and for **adadi** and **tartibi** counters, if you give an integer bigger than 999,999,999, then you get an error message.
- ☞ For **adadi** and **tartibi** counters, if you give an integer less than 0 (a negative integer), then **adadi** and **tartibi** counters return **adadi** and **tartibi** form of the integer 0, respectively.
- ☞ \harfinumeral returns the **harfi** form of $\langle integer \rangle$, where $1 \leq integer \leq 32$ and \adadinumeral, and \tartibinumeral return **adadi**, and **tartibi** form of $\langle integer \rangle$ respectively, where $0 \leq integer \leq 999,999,999$.

3.6 Things To Know About \setdigitfont, \setmathsf digitfont, and \setmathtt digitfont

\DefaultMathsDigits \PersianMathsDigits \AutoMathsDigits

- ☞ As we discussed before, \setdigitfont will choose the Persian font for digits in math mode. By default, digits in math mode will appear in Persian form.

☞ As we discussed before, `\setmathsf digitfont`, and `\setmathtt digitfont` will choose the Persian sans serif and typewriter fonts for digits in math mode. By using this command, digits in math mode will appear in Persian form and if you do not use this command at all, you will get default TeX font for digits in math mode and digits appear in their original form (Western).

If you use `\setdigitfont`, `\setmathsf digitfont`, and `\setmathtt digitfont`, then you should know that:

- ☞ By default, `\AutoMathsDigits` is active, which means that in Persian mode, you get Persian digits in math mode and in Latin mode, you get TeX's default font and digits in math mode.
- ☞ If you use `\PersianMathsDigits` anywhere, you will overwrite XePersian's default behaviour and you will always get Persian digits in math mode.
- ☞ If you use `\DefaultMathsDigits` anywhere, again you will overwrite XePersian's default behaviour and you will always get TeX's default font and digits in math mode.

4 New Conditionals

4.1 Shell escape (or write18) conditional

```
\ifwritexviii
    <material when Shell escape (or write18) is enabled>
\else
    <material when Shell escape (or write18) is not enabled>
\fi
```

5 Bilingual Captions

XePersian sets caption bilingually. This means if you are in RTL mode, you get Persian caption and if you are in LTR mode, you get English caption.

5.1 Support For Various Packages

In addition to what `bidi` package supports, XePersian also support a few packages. This support is more about language aspect rather than directionality. These packages are `algorithmic`, `algorithm`, `enumerate`, and `backref` packages.

5.1.1 Things You Should Know about Support For `enumerate` Package

The `enumerate` package gives the `enumerate` environment an optional argument which determines the style in which the counter is printed.

An occurrence of one of the tokens `A`, `a`, `I`, `i`, or `1` produces the value of the counter printed with (respectively) `\Alph`, `\alph`, `\Roman`, `\roman` or `\arabic`.

In addition with the extra support that XePersian provides, an occurrence of one of the tokens `l`, `س`, or `ت` produces the value of the counter printed with (respectively) `\harfi`, `\adadi`, or `\tartibi`.

These letters may be surrounded by any strings involving any other \TeX expressions, however the tokens `A`, `a`, `I`, `i`, `1`, `l`, `س`, `ت` must be inside a `{}` group if they are not to be taken as special.

To see an Example, please look at `enumerate` package documentation.

5.2 Index Generation

For generating index, you are advised to use `xindy` program, any other program such as `makeindex` is not recommended.

5.3 Converting Your Farsi \TeX Files To XePersian or Unicode

There is a python program written by Mostafa Vahedi that enables you to convert Farsi \TeX files to XePersian or unicode. This program can be found in `doc` folder with the name `ftxe-0.12.py`. To convert your Farsi \TeX files to XePersian, put `ftxe-0.12.py` in the same directory that your Farsi \TeX file is, and then open a terminal/command prompt and do the following:

```
python ftxe-0.12.py file.ftx file.tex
```

This will convert your `file.ftx` (Farsi \TeX file) to `file.tex` (XePersian file).

The general syntax of using the python script is as follow:

```
python ftxe-0.12.py [-r] [-s] [-x] [-u] input-filename1 input-filename2
```

Where

`-r` (DEFAULT) recursively consider files included in the given files

`-s` do not recursively consider files

`-x` (DEFAULT) insert XePersian related commands

`-u` only convert to unicode (and not to XePersian)

Please note that the python script will not work with versions of python later than 2.6. So you are encouraged to use version 2.6 of python to benefit from this python script.

6 Extra Packages And Classes

6.1 Magazine Typesetting

6.1.1 Introduction

`xepersian-magazine` class allows you to create magazines, newspapers and any other types of papers. The output document has a front page and as many inner pages as desired. Articles appear one after another, telling the type, number of columns, heading, subheading, images, author and so forth. It is possible to change the aspect of (almost) everything therefore it is highly customisable. Commands to add different titles, headings and footers are also provided.

6.1.2 Usage

To create² a magazine just load the class as usual³, with

```
\documentclass [Options] {xepersian-magazine}
```

at the beginning of your source file. The class options are described in [subsubsection 6.1.12](#).

From this point it is possible to include packages and renew class commands described in [subsubsection 6.1.9](#).

6.1.3 Front Page

As every magazine, `xepersian-magazine` has its own front page. It includes main headings, an index, the magazine logo and other useful information. This environment should be the first you use within `xepersian-magazine` class but it is not mandatory.

```
\firstimage \firstarticle
```

The first two commands you can use inside the `frontpage` environment are `\firstimage` and `\firstarticle` which include, respectively, the main image and the main heading in the front page. The first one takes two arguments `(image)` and `(description)`. Notice that second argument is optional and it declares the image caption; `(image)` defines the relative path to the image. In order to include the first piece of article use

²For a sample file, please look at `magazine-sample.tex` in the `doc` folder

³You also need to load `graphicx`, `xunicode` and `xepersian` packages respectively, after loading the document class and choose fonts for the main text, Latin text and digits in maths formulas. For more detail see [section 2](#) of the documentation.

```
\firstarticle{\langle title\rangle}{\langle opening\rangle}{\langle time\rangle}
```

first two arguments are mandatory and represent heading and the opening paragraph. Last argument is optional (you can leave it blank) and indicates the time when article happened.

```
\secondarticle
```

The second piece of article is included using the command `\secondarticle` just as the first article. The main difference are that this second piece has two more arguments and it does not include an image.

```
\secondarticle{\langle title\rangle}{\langle subtitle\rangle}{\langle opening\rangle}{\langle pagesof\rangle}{\langle time\rangle}
```

The new arguments `\langle subtitle\rangle` and `\langle pagesof\rangle` define a subtitle and the name of the section for this piece of article.

```
\thirdarticle
```

The third piece of article is the last one in the `xepersian-magazine` front page. It works like the `\secondarticle`.

```
\thirdarticle{\langle title\rangle}{\langle subtitle\rangle}{\langle opening\rangle}{\langle pagesof\rangle}{\langle time\rangle}
```

The arguments meaning is the same as `\secondarticle` command.

The front page includes three information blocks besides the news: `indexblock` which contains the index, `authorblock` which includes information about the author and a `weatherblock` containing a weather forecast. All these three environments are mostly a frame in the front page therefore they can be redefined to fit your personal wishes but I kept them to give an example and to respec the original `xepersian-magazine` format.

```
\indexitem
```

The `indexblock` environment contains a manually editted index of `xepersian-magazine`. It takes one optional argument `\langle title\rangle` and places a title over the index block. To add entries inside the index just type

```
\indexitem{\langle title\rangle}{\langle reference\rangle}
```

inside the environment. The `\langle title\rangle` is the index entry text and the `\langle reference\rangle` points to a article inside `xepersian-magazine`. It will be more clear when you read [subsubsection 6.1.4](#). In order to get a correct output, it is necessary to leave a blank line between index items.

The `authorblock` environment can include whatever you would like. I called it `authorblock` because I think it is nice to include some author reference in the

front page: who you are, why are you doing this... This environment creates a frame box in the bottom right corner of the front page with your own logo at the top.

```
\weatheritem
```

Finally, the **weatherblock** lets you include a weather forecast. It takes one optional argument $\langle title \rangle$ that places a title over the weather block. It can fit up to three weather icons with maximum and minimum temperatures, description and name. To add each of the weather entries type the following

```
\weatheritem{\langle image \rangle}{\langle day-name \rangle}{\langle max \rangle}{\langle min \rangle}{\langle short-des \rangle}
```

The first argument includes the path to the weather icon (i.e. sunny or rainy), $\langle day-name \rangle$ like Monday, $\langle max \rangle$ and $\langle min \rangle$ are the highest and lowest day temperatures and $\langle short-des \rangle$ is a brief description of the weather condition: partly cloudy, sunny and windy ...

6.1.4 Inside

Once we have created the front page we should include all articles inside our magazine. **xepersian-magazine** arranges all articles one after each other, expanding headings all over the page and splitting the article text in the number of columns we wish. There are three different environments to define a piece of article: the **article** environment described in [subsubsection 6.1.5](#), the **editorial** environment [subsubsection 6.1.6](#) for opinion articles and the **shortarticle** environment explained in [subsubsection 6.1.7](#).

6.1.5 The article environment

The main environment to include a piece of article is called **article**. It takes four arguments that set up the headings and structure of the article.

```
\begin{article}{\langle num-of-columns \rangle}{\langle title \rangle}{\langle subtitle \rangle}{\langle pagesof \rangle}{\langle label \rangle}
...{\langle text \rangle}...
\end{article}
```

The first argument $\langle num-of-columns \rangle$ sets the number of columns the article will be divided whereas $\langle label \rangle$ is used when pointing an article from the index in the front page. The rest of the arguments are easy to understand.

Inside the **article** environment, besides the main text of the article, it is possible to include additional information using several class commands.

```
\authorandplace \timestamp
```

The `\authorandplace{<author>}{<place>}` inserts the name of the editor and the place where the article happened in the way many magazines do. Another useful command is `\timestamp{<time>}` which includes the time and a separator just before the text. These two commands should be used before the text because they type the text as the same place they are executed.

```
\image
```

To include images within the text of an article, `xepersian-magazine` provides an `\image` command. Since `multicol` package does not provide any float support for its `multicols` environment, I created a macro that includes an image only if that is possible, calculating if there is enough space for the image. It is not the best solution but it works quite well and I could not find a better one. To include an image use the command and its two arguments: the relative path to the image and a short description.

```
\image{<image>}{<description>}
```

```
\columntitle \expandedtitle
```

Within the text of the article, it is possible to add column and expanded titles. The main difference between them is that the first one keeps inside the width of an article column whereas the second expands all over the width of the page, breaking all the columns. Their use is analogous, as follows

```
\columntitle{<type>}{<text>}\expandedtitle{<type>}{<text>}
```

These two commands use `fancybox` package features. That is why there are five different types of titles which correspond mainly with fancybox ones: `shadowbox`, `doublebox`, `ovalbox`, `Ovalbox` and `lines`.

6.1.6 The editorial environment

In addition to the editorial article environment, one can use the editorial environment to create editorial or opinion texts. The main feature is that it transforms the style of the heading. Although this environment accepts all the commands article takes, it does not make any sense to use the `\authorandplace` command within it since it includes an author argument. To create an editorial text use

```
\begin{editorial}{<num-of-columns>}{<title>}{<author>}{<label>}
...<text>...
\end{editorial}
```

All arguments have the same meaning as article environment (see [subsubsection 6.1.5](#)).

6.1.7 The shortarticle environment

The shortarticle environment creates a block of short article. Although it has its own title and subtitle, each piece of article within it may have a title. To use it just type:

```
\begin{shortarticle}{<num-of-columns>}{<title>}{<subtitle>}{<label>}
...<text>...
\shortarticleitem{<title>}{<text>}
...
\end{shortarticle}
```

You can also specify the number of columns of the block like editorial and article environments. To add a piece of article inside the shortarticle use the `\shortarticleitem`, indicating a title and the text of the issue.

6.1.8 Commands between articles

```
\articlesep \newsection
```

There are two commands you can use among the articles inside `xepersian-magazine`: `\articlesep` and `\newsection`. The first one does not take any parameter and just draws a line between two articles. The second changes the content of `\xepersian@section` to the new `<section name>`. From the point it is used, all articles which follow will be grouped within the new section.

```
\newsection{<section name>}
```

6.1.9 Customization

`xepersian-magazine` includes many commands which can be used to customize its aspect, from the front page to the last page. I will list them grouped so it is easy to find them. Treat them as standard `LATeX` commands, using `\renewcommand` to change their behaviour.

6.1.10 Front Page

```
\customlogo \customminilogo \custommagazinename
```

When creating a magazine, everyone wants to show its own logo instead of `xepersian-magazine` default heading. To achieve this, you need to put the following command at the preamble of your document:

```
\customlogo{\text}  
\customminilogo{\text}  
\custommagazinename{\text}
```

```
\edition \editionformat
```

The edition text has to be declared in the preamble of the document. One important thing to know is that `\author`, `\date` and `\title` have no effect inside `xepersian-magazine` since the magazine date is taken from `\today` command and the other two are only for the title page (if using `\maketitle`).

```
\indexFormat \indexEntryFormat \indexEntryPageTxt  
\indexEntryPageFormat \indexEntrySeparator
```

When defining the index in the front page, there are several commands to customize the final index style. `\indexFormat` sets the format of the title; `\indexEntryFormat`, the format of each index entry; `\indexEntryPageTxt` and `\indexEntryPageFormat` lets you define which is the text that goes with the page number and its format. Finally, `xepersian-magazine` creates a thin line between index entries, you can redefine it using `\indexEntrySeparator`. To get the index with `\xepersian@indexwidth` is provided.

```
\weatherFormat \weatherTempFormat \weatherUnits
```

Relating to the weather block, the title format can be changed redefining `\weatherFormat`. In order to customize the format of the temperature numbers and their units it is necessary to redefine `\weatherTempFormat` and `\weatherUnits` respectively.

```
\*TitleFormat \*SubtitleFormat \*TextFormat
```

The main article that appear in the front page can change their formats. To obtain that there are three standard commands to modify the title, subtitle and text style. You just have to replace the star (*) with first, second or third depending on which article you are editing. Note that first piece of article has no subtitle therefore it does not make any sense to use the non-existent command `\firstSubtitleFormat`.

```
\pictureCaptionFormat \pagesFormat
```

Two other elements to configure are the picture captions and the pages or section format in the entire document. To proceed just redefine the macros `\pictureCaptionFormat` and `\pagesFormat`.

6.1.11 Inside The Magazine

```
\innerTitleFormat \innerSubtitleFormat \innerAuthorFormat  
\innerPlaceFormat
```

The articles inside `xepersian-magazine` may have a different format from the ones in the front page. To change their title or subtitle format redefine `\innerTitleFormat` and `\innerSubtitleFormat`. The article text format matches the document general definition. When using the `\authorandplace` command, you might want to change the default style. Just renew `\innerAuthorFormat` and `\innerPlaceFormat` to get the results.

```
\timestampTxt \timestampSeparator \timestampFormat
```

The `\timestamp` command described in [subsubsection 6.1.5](#) lets you introduce the time of the event before the article text. You can configure its appearance by altering several commands: `\timestampTxt` which means the text after the timestamp; `\timestampSeparator` which defines the element between the actual timestamp and the beginning of the text and, finally, `\timestampFormat` to change the entire timestamp format.

```
\innerTextFinalMark
```

`xepersian-magazine` puts a small black square at the end of the article. As I wanted to create a highly customizable L^AT_EX class I added the macro `\innerTextFinalMark` to change this black square. This item will appear always following the last character of the text with the~ character.

```
\minraggedcols \raggedFormat
```

The `\minraggedcols` counter is used to tell `xepersian-magazine` when article text should be ragged instead of justified. The counter represents the minimum number of columns that are needed in order to use ragged texts. For example, if `\minraggedcols` is set to 3, all articles with 3 columns or more will be ragged. Articles with 1, 2 columns will have justified text. By default, `\minraggedcols` is set to 4.

The `\raggedFormat` macro can be redefined to fit user ragged style. Default value is `\RaggedLeft`.

```
\heading \foot
```

`xepersian-magazine` includes package `fancyhdr` for changing headings and footers. Although it is possible to use its own commands to modify `xepersian-magazine` style, there are two commands to change headings and foot appearance. Place them in the preamble of your `xepersian-magazine` document.

```
\heading{\langle left\rangle}{\langle center\rangle}{\langle right\rangle}  
\foot{\langle left\rangle}{\langle center\rangle}{\langle right\rangle}
```

If you still prefer to use `fancyhdr` macros, use them after the `frontpage` environment.

`xepersian-magazine` by default places no headers and footers. If you want headers and footers, then after loading `xepersian` package, you should write `\pagestyle{fancy}` at the preamble of your document.

6.1.12 Class Options

The `xepersian-magazine` class is in itself an alteration of the standard `article` class, thus it inherits most of its class options but `twoside`, `twocolumn`, `notitlepage` and `a4paper`. If you find problems when loading other article features, please let me know to fix it. There are also five own options that `xepersian-magazine` implements.

a3paper (false) This option makes `xepersian-magazine` 297 mm width by 420 mm height. This option is implemented because the standard `article` class does not allow this document size.

9pt (false) Allows the 9pt font size that `article` class does not include (default is 10pt).

columnlines columnlines (false) Adds lines between columns in the entire `xepersian-magazine`. The default line width is 0.1pt but it is possible to change this by setting length `\columnlines` in the preamble.

showgrid (false) This option is only for developing purposes. Because the front page has a personal design using the `textpos` package, I created this grid to make easier the lay out.

6.2 Typesetting Multiple-choice Questions

6.2.1 Introduction

`xepersian-multiplechoice` is a package for making multiple choices questionnaires under L^AT_EX. A special environment allows you to define questions and possible answers. You can specify which answers are correct and which are not. `xepersian-multiplechoice` not only formats the questions for you, but also generates a “form” (a grid that your students will have to fill in), and a “mask” (the same grid, only with correct answers properly checked in). You can then print the mask on a slide

and correct the questionnaires more easily by superimposing the mask on top of students' forms.

6.2.2 Usage

Here we now explain the usage of this package, however there are four example files, namely `test-question-only.tex`, `test-solution-form.tex`, `test-empty-form.tex` and `test-correction.tex`, available in doc folder that you may want to look at.

6.2.3 Loading The Package

You can load the package as usual by:

```
\usepackage [Options] {xepersian-multiplechoice}
```

The available options are described along the text, where appropriate.

6.2.4 Creating Questions

Here's a simple example demonstrating how to produce a new question:

```
1 \begin{question}{سؤال}
2 \false ١ جواب
3 \true ٢ جواب
4 \false ٣ جواب
5 \false ٤ جواب
6 \end{question}
7 \begin{correction}
8 جواب واقعی و علت اینکه این جواب، جواب واقعی هست
9 \end{correction}
```

6.2.5 The question Environment

The `question` environment allows you to insert questions into your document. It takes one mandatory argument which specifies the actual question's text. The question will be displayed in a frame box, the size of the line.

```
\true \false
```

The proposed answers are displayed below the question in a list fashion (the question environment is a list-based one). Instead of using `\item` however, use either `\true` or `\false` to insert a possible answer.

6.2.6 Question Numbers

The `question` environment is associated with a L^AT_EX counter named `question`. This counter stores the number of the next (or current) question. It is initialized to 1, and automatically incremented at the end of `question` environments. You might want to use it to format question titles. For instance, you could decide that each question belongs to a subsection in the `article` class, and use something like this before each question: `\subsection*{Question \thequestion}`

6.2.7 The Form and the Mask

```
\makeform \makemask
```

Based on the questions appearing in your document, `xepersian-multiplechoice` has the ability to generate a “form” (a grid that your students will have to fill in), and a “mask” (the same grid, only with correct answers properly checked in). This can make the correction process easier.

To generate a form and a mask, use the macros `\makeform` and `\makemask`. `xepersian-multiplechoice` uses two auxiliary files to build them. These files have respectively an extension of `frm` and `msk`. If you use these macros, you will need two passes of L^AT_EX in order to get a correctly formatted document.

6.2.8 Typesetting corrections

The “correction” mode allows you to automatically typeset and distribute corrections to your students. These corrections are slightly modified versions of your questionnaire: each possible answer is prefixed with a small symbol (a visual clue) indicating whether the answer was correct or wrong. In addition, you can typeset explanations below each question.

To activate the correction mode, use the `correction` option. It is off by default.

To typeset explanations below the questions, use the `correction` environment (no argument). The contents of this environment is displayed only in correction mode. In normal mode, it is simply discarded.

In addition, note that `xepersian-multiplechoice` cancels the actions performed by `\makeform` and `\makemask` in `correction` mode. This is to avoid further edition of the source when typesetting a correction.

6.2.9 Important Note

Currently, `xepersian-multiplechoice` requires that you provide a constant number of proposed answers across all questions in your `xepersian-multiplechoice`. This is something natural when you want to build forms, but this might me too restrictive otherwise, I’m not sure, so it is possible that this restriction will be removed in future versions.

Currently, there is a built-in mechanism for checking that the number of proposed answers remains constant: when `xepersian-multiplechoice` encounters the

first occurrence of the `question` environment, it remembers the number of proposed answers from there. Afterwards, any noticed difference in subsequent occurrences will generate an error. As a consequence, you never have to tell `xepersian-multiplechoice` explicitly what that number is.

6.3 Customising The Package

6.3.1 The `question` environment

```
\questionspace \answerstitlefont \answernumberfont
```

`\questionspace` is the amount of extra vertical space to put under the question, before the list of proposed answers. This is a L^AT_EX length that defaults to `0pt`.

Before the list of possible answers, a short title is displayed (for English, it reads “Possible answers:”). The `\answerstitlefont` macro takes one mandatory argument which redefines the font to use for the answers title. By default, `\bfseries` is used.

Each proposed answer in the list is numbered automatically (and alphabetically). The `\answernumberfont` macro takes one mandatory argument which redefines the font to use for displaying the answer number. By default, `\bfseries` is used.

6.3.2 The Form and the Mask

```
\headerfont \X
```

The `\headerfont` macro takes one mandatory argument which redefines the font to use for the headers (first line and first column) of the form and mask arrays. By default, `\bfseries` is used.

In the mask, correct answers are checked in by filling the corresponding cell with an “X” character. If you want to change this, call the `\X` macro with one (mandatory) argument.

6.3.3 The correction

```
\truesymbol \falsesymbol
```

In correction mode, labels in front of answers are modified to give a visual clue about whether the answer was correct or wrong. By default, a cross and a small arrow are used. You can change these symbols by using the `\truesymbol` and

`\falsesymbol` macros. For instance, you could give a fancier look to your correction by using the `pifont` package and issuing:

```
\truesymbol{\ding{'063}~}
\falsesymbol{\ding{'067}~}
```

```
\correctionstyle
```

The appearance of the contents of the correction environment can be adjusted by using the `\correctionstyle` macro. By default, `\itshape` is used.

7 **xepersian** implementation

7.1 algorithmic-xepersian.def

```
1 \ProvidesFile{algorithmic-xepersian.def}[2010/07/25 v0.2 adaptations for algorithmic package]
2 \def\algorithmicrequire{\if@RTL\textbf{ :}\else\textbf{Require:}\fi}
3 \def\algorithmicensure{\if@RTL\textbf{ :}\else\textbf{Ensure:}\fi}
```

7.2 algorithm-xepersian.def

```
4 \ProvidesFile{algorithm-xepersian.def}[2010/07/25 v0.2 adaptations for algorithm package]
5 \def\ALG@name{\if@RTL else\Algorithm\fi}
6 \def\ALGS@name{ }
7 \def\listalgorithname{\if@RTL \ALGS@name\else List of \ALG@name s\fi}
```

7.3 amsart-xepersian.def

```
8 \ProvidesFile{amsart-xepersian.def}[2013/04/26 v0.3 adaptations for amsart class]
9 \renewcommand \theprt {\@tartibi\c@part}
10 \def\appendix{\par\c@section\z@\c@subsection\z@
11   \let\sectionname\appendixname
12   \def\thesection{\@harfi\c@section}}
13
14 \long\def\@footnotetext#1{%
15   \insert\footins{%
16     \if@RTL\@footnote\@RTLtrue\else\@RTLfalse\fi%
17     \normalfont\footnotesize
18     \interlinepenalty\interfootnotelinepenalty
19     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
20     \floatingpenalty\@MM \hsize\columnwidth
21     \parboxrestore \parindent\normalparindent \sloppy
22     \protected\edef\@currentlabel{%
23       \csname p@footnote\endcsname\@thefnmark}%
24     \makefntext{%
25       \rule\z@\footnotesep\ignorespaces\if@RTL\@footnote\@else\latinfont\fi\unskip\strut\par}%
26
27
28
29
30
31 \long\def\@RTLfootnotetext#1{%
32   \insert\footins{%
33     \@RTLtrue%
34     \normalfont\footnotesize
35     \interlinepenalty\interfootnotelinepenalty
```

```

36 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
37 \floatingpenalty\@MM \hsize\columnwidth
38 \parboxrestore \parindent\normalparindent \sloppy
39 \protected@edef\@currentlabel{%
40   \csname p@footnote\endcsname\@thefnmark}%
41 \makefntext{%
42   \rule{z@\footnotesep\ignorespaces\persianfont #1\unskip\strut\par}}}
43
44
45
46
47
48
49
50 \long\def\@LTRfootnotetext#1{%
51   \insert\footins{%
52     \ifRTLfalse%
53     \normalfont\footnotesize
54     \interlinepenalty\interfootnotelinepenalty
55     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
56     \floatingpenalty\@MM \hsize\columnwidth
57     \parboxrestore \parindent\normalparindent \sloppy
58     \protected@edef\@currentlabel{%
59       \csname p@footnote\endcsname\@thefnmark}%
60     \makefntext{%
61       \rule{z@\footnotesep\ignorespaces\latinfont #1\unskip\strut\par}}}}
62
63
64 \footdir@temp\footdir@ORG@xepersian@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
65 \footdir@temp\footdir@ORG@xepersian@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
66 \footdir@temp\footdir@ORG@xepersian@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
67

```

7.4 amsbook-xepersian.def

```

68 \ProvidesFile{amsbook-xepersian.def}[2013/04/26 v0.4 adaptations for amsbook class]
69 \def\frontmatter{\cleardoublepage\pagenumbering{harfi}}
70 \renewcommand \theprt {\@tartibi\c@prt}
71 \def\appendix{\par
72   \c@chapter\z@\c@section\z@
73   \let\chaptername\appendixname
74   \def\thechapter{\@harfi\c@chapter}}
75
76 \long\def\@footnotetext#1{%
77   \insert\footins{%
78     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
79     \normalfont\footnotesize
80     \interlinepenalty\interfootnotelinepenalty
81     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
82     \floatingpenalty\@MM \hsize\columnwidth

```

```

83   \@parboxrestore \parindent\normalparindent \sloppy
84   \protected@edef@\currentlabel{%
85     \csname p@footnote\endcsname\@thefnmark}%
86   \@makefntext{%
87     \rule{z@}{\footnotesep}\ignorespaces\if@RTL@footnote#1\else\latinfont#1\fi\unskip\strut\par}%
88
89
90
91
92
93 \long\def@\RTLfootnotetext#1{%
94   \insert\footins{%
95     \if@RTLtrue{%
96       \normalfont\footnotesize
97       \interlinepenalty\interfootnotelinepenalty
98       \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
99       \floatingpenalty\@MM \hsize\columnwidth
100      \parboxrestore \parindent\normalparindent \sloppy
101      \protected@edef@\currentlabel{%
102        \csname p@footnote\endcsname\@thefnmark}%
103      \@makefntext{%
104        \rule{z@}{\footnotesep}\ignorespaces\persianfont #1\unskip\strut\par}}}%
105
106
107
108
109
110
111
112 \long\def@\LTRfootnotetext#1{%
113   \insert\footins{%
114     \if@RTLfalse{%
115       \normalfont\footnotesize
116       \interlinepenalty\interfootnotelinepenalty
117       \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
118       \floatingpenalty\@MM \hsize\columnwidth
119       \parboxrestore \parindent\normalparindent \sloppy
120       \protected@edef@\currentlabel{%
121         \csname p@footnote\endcsname\@thefnmark}%
122       \@makefntext{%
123         \rule{z@}{\footnotesep}\ignorespaces\latinfont #1\unskip\strut\par}}}%
124
125 \footdir@temp\footdir@ORG@xpersian@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
126 \footdir@temp\footdir@ORG@xpersian@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
127 \footdir@temp\footdir@ORG@xpersian@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
128

```

7.5 article-xpersian.def

129 \ProvidesFile{article-xpersian.def}[2010/07/25 v0.2 adaptations for standard article class]

```

130 \renewcommand \thepart {\@tartibi\c@part}
131 \renewcommand\appendix{\par
132   \setcounter{section}{0}%
133   \setcounter{subsection}{0}%
134   \gdef\thesection{\@harfi\c@section}}

```

7.6 artikel1-xepersian.def

```

135 \ProvidesFile{artikel1-xepersian.def}[2010/07/25 v0.1 adaptations for artikel1 class]
136 \renewcommand*\thepart{\@tartibi\c@part}
137 \renewcommand*\appendix{\par
138   \setcounter{section}{0}%
139   \setcounter{subsection}{0}%
140   \gdef\thesection{\@harfi\c@section}}

```

7.7 artikel2-xepersian.def

```

141 \ProvidesFile{artikel2-xepersian.def}[2010/07/25 v0.1 adaptations for artikel2 class]
142 \renewcommand*\thepart{\@tartibi\c@part}
143 \renewcommand*\appendix{\par
144   \setcounter{section}{0}%
145   \setcounter{subsection}{0}%
146   \gdef\thesection{\@harfi\c@section}}

```

7.8 artikel3-xepersian.def

```

147 \ProvidesFile{artikel3-xepersian.def}[2010/07/25 v0.1 adaptations for artikel3 class]
148 \renewcommand*\thepart{\@tartibi\c@part}
149 \renewcommand*\appendix{\par
150   \setcounter{section}{0}%
151   \setcounter{subsection}{0}%
152   \gdef\thesection{\@harfi\c@section}}

```

7.9 backref-xepersian.def

```

153 \ProvidesFile{backref-xepersian.def}[2010/07/25 v0.1 adaptations for backref package]
154 \def\backrefpagesname{\if@RTL else\ pages\fi}
155 \def\BR@Latincitex[#1]{#2}%
156   \BRorg@Latincitex[{#1}]{#2}%
157   \ifBR@verbose
158     \PackageInfo{backref}{back Latin cite `string`#2`string'}%
159   \fi
160   \Hy@backout{#2}%
161 }
162 \AtBeginDocument{%
163   \@ifundefined{NAT@parse}{%
164     \global\let\BRorg@Latincitex\@Latincitex
165     \global\let\@Latincitex\BR@Latincitex
166   }{%
167     \@ifpackageloaded{hyperref}{%
168       \def\hyper@natlinkstart#1{\Hy@backout{#1}}%
169     }%
170     \PackageInfo{backref}{** backref set up for natbib **}%

```

```
171 }%
172 }%
```

7.10 `budituftesidenote-xepersian.def`

```
173 \ProvidesFile{budituftesidenote-xepersian.def}[2011/06/18 v0.1 xepersian changes to buditufte
174 \long\def\@LTRbudituftesidenote@sidenote[#1][#2]#3{%
175   \let\cite\@budituftesidenote@infofootnote@cite% use the in-sidenote \cite command
176   \gdef\@budituftesidenote@citations{}% clear out any old citations
177   \ifthenelse{\NOT\isempty{#2}}{%
178     \gsetlength{\@budituftesidenote@sidenote@vertical@offset}{#2}%
179   }{%
180     \gsetlength{\@budituftesidenote@sidenote@vertical@offset}{0pt}%
181   }%
182   \ifthenelse{\isempty{#1}}{%
183     % no specific footnote number provided
184     \stepcounter\@mpfn%
185     \protected@xdef\@thefnmark{\thempfn}%
186     \@footnotemark\@LTRfootnotetext[\@budituftesidenote@sidenote@vertical@offset]{\latinfont#3}%
187   }{%
188     % specific footnote number provided
189     \begingroup%
190       \csname c@\@mpfn\endcsname #1\relax%
191       \unrestored@protected@xdef\@thefnmark{\thempfn}%
192     \endgroup%
193     \@footnotemark\@LTRfootnotetext[\@budituftesidenote@sidenote@vertical@offset]{\latinfont#3}%
194   }%
195   \@budituftesidenote@print@citations% print any citations
196   \let\cite\@budituftesidenote@normal@cite% go back to using normal in-text \cite command
197   \unskip\ignorespaces% remove extra white space
198   \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
199   \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
200 }
201 \long\def\@RTLbudituftesidenote@sidenote[#1][#2]#3{%
202   \let\cite\@budituftesidenote@infofootnote@cite% use the in-sidenote \cite command
203   \gdef\@budituftesidenote@citations{}% clear out any old citations
204   \ifthenelse{\NOT\isempty{#2}}{%
205     \gsetlength{\@budituftesidenote@sidenote@vertical@offset}{#2}%
206   }{%
207     \gsetlength{\@budituftesidenote@sidenote@vertical@offset}{0pt}%
208   }%
209   \ifthenelse{\isempty{#1}}{%
210     % no specific footnote number provided
211     \stepcounter\@mpfn%
212     \protected@xdef\@thefnmark{\thempfn}%
213     \@footnotemark\@RTLfootnotetext[\@budituftesidenote@sidenote@vertical@offset]{\persianfont#3}%
214   }{%
215     % specific footnote number provided
216     \begingroup%
217       \csname c@\@mpfn\endcsname #1\relax%
```

```

218     \unrestored@protected@xdef\@thefnmark{\thempfn}%
219     \endgroup%
220     \@footnotemark\@RTLfootnotetext[\@bidiutfesidenote@sidenote@vertical@offset]{\persianfont#}
221   }%
222   \@bidiutfesidenote@print@citations%           print any citations
223   \let\cite\@bidiutfesidenote@normal@cite%      go back to using normal in-text \cite command
224   \unskip\ignorespaces%                         remove extra white space
225   \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
226   \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
227 }
228 \renewcommand\LTRmarginnote[2][0pt]{%
229   \let\cite\@bidiutfesidenote@infootnote@cite%  use the in-sidenote \cite command
230   \gdef\@bidiutfesidenote@citations{}%          clear out any old citations
231   \LTRbidiutfesidenotemarginpar{\hbox{}\vspace*{#1}\@bidiutfesidenote@marginnote@font\latinf
232   \@bidiutfesidenote@print@citations%           print any citations
233   \let\cite\@bidiutfesidenote@normal@cite%      go back to using normal in-text \cite command
234 }
235 \renewcommand\RTLmarginnote[2][0pt]{%
236   \let\cite\@bidiutfesidenote@infootnote@cite%  use the in-sidenote \cite command
237   \gdef\@bidiutfesidenote@citations{}%          clear out any old citations
238   \RTLbidiutfesidenotemarginpar{\hbox{}\vspace*{#1}\@bidiutfesidenote@marginnote@font\persia
239   \@bidiutfesidenote@print@citations%           print any citations
240   \let\cite\@bidiutfesidenote@normal@cite%      go back to using normal in-text \cite command
241 }

```

7.11 **bidimoderncv-xepersian.def**

```

242 \ProvidesFile{bidimoderncv-xepersian.def}[2010/07/25 v0.1 adaptations for bidimoderncv class]
243 \def\refname{\if@RTL else\ Publications\fi}

```

7.12 **boek3-xepersian.def**

```

244 \ProvidesFile{boek3-xepersian.def}[2010/07/25 v0.1 adaptations for boek3 class]
245 \renewcommand*\thepart{\@tartibi\c@part}
246 \renewcommand*\frontmatter{%
247   \cleardoublepage
248   \@mainmatterfalse
249   \pagenumbering{harfi}}
250 \renewcommand*\appendix{\par
251   \setcounter{chapter}{0}%
252   \setcounter{section}{0}%
253   \gdef\@chapapp{\appendixname}%
254   \gdef\thechapter{\@harfi\c@chapter}}

```

7.13 **boek-xepersian.def**

```

255 \ProvidesFile{boek-xepersian.def}[2010/07/25 v0.1 adaptations for boek class]
256 \renewcommand*\thepart{\@tartibi\c@part}
257 \renewcommand*\frontmatter{%
258   \cleardoublepage
259   \@mainmatterfalse
260   \pagenumbering{harfi}}

```

```

261 \renewcommand*\appendix{\par
262   \setcounter{chapter}{0}%
263   \setcounter{section}{0}%
264   \gdef\@chapapp{\appendixname}%
265   \gdef\thechapter{\@harfi\c@chapter}}

```

7.14 bookest-xepersian.def

```

266 \ProvidesFile{bookest-xepersian.def}[2010/07/25 v0.1 adaptations for bookest class]
267 \renewcommand \thepart {\@startibi\c@part}
268 \renewcommand\appendix{\par
269   \setcounter{chapter}{0}%
270   \setcounter{section}{0}%
271   \gdef\@chapapp{\appendixname}%
272   \gdef\thechapter{\@harfi\c@chapter}
273 }%end appendix

```

7.15 book-xepersian.def

```

274 \ProvidesFile{book-xepersian.def}[2010/07/25 v0.2 adaptations for standard book class]
275 \renewcommand\frontmatter{%
276   \cleardoublepage
277   \mainmatterfalse
278   \pagenumbering{harfi}}
279 \renewcommand \thepart {\@startibi\c@part}
280 \renewcommand\appendix{\par
281   \setcounter{chapter}{0}%
282   \setcounter{section}{0}%
283   \gdef\@chapapp{\appendixname}%
284   \gdef\thechapter{\@harfi\c@chapter}
285 }%end appendix

```

7.16 breqn-xepersian.def

```

286 \ProvidesFile{breqn-xepersian.def}[2010/07/25 v0.1 adaptations for breqn package]
287 \def\@dmath[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
288   \everydisplay\expandafter{\the\everydisplay \display@setup}%
289   \if@noskipsec \leavevmode \fi
290   \if@inlabel \leavevmode \global\@inlabelfalse \fi
291   \if\eq@group\else\eq@prelim\fi
292   \setkeys{breqn}{#1}%
293   \the\eqstyle
294   \eq@setnumber
295   \begingroup
296   \eq@setup@a
297   \eq@startup
298 }
299 \def\@dgroup[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
300   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
301   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
302   \global\let\GRP@label\empty
303   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@

```

```

304 \global\grp@linewidth{z@\global\grp@wdNum{z@}
305 \global\let\grp@eqs@numbered{\@False}
306 \global\let\grp@aligned{\@True}
307 \global\let\grp@shiftnumber{\@False}
308 \eq@prelim
309 \setkeys{breqn}{#1}%
310 \if\grp@hasNumber \grp@setnumber \fi
311 }
312 \def\dseries[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsiDigits}\fi%
313 \let\display@setup\dseries@display@setup
314 % Question: should this be the default for dseries???
315 \global\eq@wdCond{z@}
316 \dmath[layout={M},#1]%
317 \mathsurround{z@}\math \penalty\@Mi
318 \let\endmath\ends@math
319 \def\premath{%
320 \ifdim\lastskip<.3em \unskip
321 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
322 }%
323 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \ignorespaces}%
324 \ignorespaces
325 }

```

7.17 latex-localise-commands-xepersian.def

```

326 \ProvidesFile{latex-localise-commands-xepersian.def}[2014/02/05 v0.3 Persian localisation of La
327 \eqcommand{ }{@arstrut}
328 \eqcommand{ }{above}
329 \eqcommand{ }{abovedisplayshortskip}
330 \eqcommand{ }{abovedisplayskip}
331 \eqcommand{ }{abstractname}
332 \eqcommand{ }{accent}
333 \eqcommand{ }{active}
334 \eqcommand{ }{addcontentsline}
335 \eqcommand{ }{addpenalty}
336 \eqcommand{ }{address}
337 \eqcommand{ }{addtocontents}
338 \eqcommand{ }{addtocounter}
339 \eqcommand{ }{addtolength}
340 \eqcommand{ }{addvspace}
341 \eqcommand{ }{adjdemerits}
342 \eqcommand{ }{advance}
343 \eqcommand{ }{afterassignment}
344 \eqcommand{ }{aftergroup}
345 \eqcommand{ }{aleph}
346 \eqcommand{ }{aliasfontfeature}
347 \eqcommand{ }{aliasfontfeatureoption}
348 \eqcommand{ }{allowbreak}
349 \eqcommand{ @}{alloc@}
350 \eqcommand{ }{allocationnumber}

```

```

351 \eqcommand{      }{allowdisplaybreaks}
352 \eqcommand{      }{Alph}
353 \eqcommand{      }{alph}
354 \eqcommand{      }{alsoname}
355 \eqcommand{ }{and}
356 \eqcommand{      }{angle}
357 \eqcommand{      }{appendixname}
358 \eqcommand{      }{approx}
359 \eqcommand{      }{arabic}
360 \eqcommand{      }{arg}
361 \eqcommand{      }{arrayrulecolor}
362 \eqcommand{      }{arraycolsep}
363 \eqcommand{      }{arrayrulewidth}
364 \eqcommand{      }{arraystretch}
365 \eqcommand{      }{AtBeginDocument}
366 \eqcommand{      }{AtEndDocument}
367 \eqcommand{      }{AtEndOfClass}
368 \eqcommand{      }{AtEndOfPackage}
369 \eqcommand{      }{author}
370 \eqcommand{      }{backmatter}
371 \eqcommand{      }{backslash}
372 \eqcommand{      }{badness}
373 \eqcommand{      }{bar}
374 \eqcommand{      }{baselineskip}
375 \eqcommand{      }{baselinestretch}
376 \eqcommand{      }{batchmode}
377 \eqcommand{      }{begin}
378 \eqcommand{      }{beginL}
379 \eqcommand{      }{beginR}
380 \eqcommand{      }{begingroup}
381 \eqcommand{      }{belowdisplayshortskip}
382 \eqcommand{      }{belowdisplayskip}
383 \eqcommand{      }{bf}
384 \eqcommand{      }{bfdefault}
385 \eqcommand{      }{bfseries}
386 \eqcommand{      }{bgroup}
387 \eqcommand{      }{bibitem}
388 \eqcommand{      }{bibliography}
389 \eqcommand{      }{bibliographystyle}
390 \eqcommand{      }{bibname}
391 \eqcommand{      }{bigskip}
392 \eqcommand{      }{bigskipamount}
393 \eqcommand{      }{botfigrule}
394 \eqcommand{      }{botmark}
395 \eqcommand{      }{bottompageskip}
396 \eqcommand{      }{bottomfraction}
397 \eqcommand{      }{box}
398 \eqcommand{      }{boxmaxdepth}
399 \eqcommand{      }{break}
400 \eqcommand{      }{bullet}

```

```

401 \eqcommand{ @ }{@cclv}
402 \eqcommand{ @ }{@cclvi}
403 \eqcommand{ }{caption}
404 \eqcommand{ }{catcode}
405 \eqcommand{ }{cc}
406 \eqcommand{ }{ccname}
407 \eqcommand{ }{cdot}
408 \eqcommand{ }{cdots}
409 \eqcommand{ }{centering}
410 \eqcommand{ }{centerline}
411 \eqcommand{ @ }{ch@ck}
412 \eqcommand{ }{chapter}
413 \eqcommand{ }{chaptername}
414 \eqcommand{ }{char}
415 \eqcommand{ }{chardef}
416 \eqcommand{ }{CheckCommand}
417 \eqcommand{ }{cite}
418 \eqcommand{ }{ClassError}
419 \eqcommand{ }{ClassInfo}
420 \eqcommand{ }{ClassWarning}
421 \eqcommand{ }{ClassWarningNoLine}
422 \eqcommand{ }{cleaders}
423 \eqcommand{ }{cleardoublepage}
424 \eqcommand{ }{clearpage}
425 \eqcommand{ }{cline}
426 \eqcommand{ }{closein}
427 \eqcommand{ }{closeout}
428 \eqcommand{ }{closing}
429 \eqcommand{ }{clubpenalty}
430 \eqcommand{ }{clubsuit}
431 \eqcommand{ }{colbotmark}
432 \eqcommand{ }{colfirstmark}
433 \eqcommand{ }{color}
434 \eqcommand{ }{colorbox}
435 \eqcommand{ }{coltopmark}
436 \eqcommand{ }{columncolor}
437 \eqcommand{ }{columnsep}
438 \eqcommand{ }{columnwidth}
439 \eqcommand{ }{columnseprule}
440 \eqcommand{ }{contentsline}
441 \eqcommand{ }{contentsname}
442 \eqcommand{ }{copy}
443 \eqcommand{ }{copyright}
444 \eqcommand{ }{count}
445 \eqcommand{ @}{count@}
446 \eqcommand{ }{countdef}
447 \eqcommand{ }{cr}
448 \eqcommand{ }{crcr}
449 \eqcommand{ }{csname}
450 \eqcommand{ }{CurrentOption}

```

```

451 \eqcommand{      }{dashbox}
452 \eqcommand{      }{dashv}
453 \eqcommand{@ }{@date}
454 \eqcommand{ }{date}
455 \eqcommand{ }{day}
456 \eqcommand{      }{dblbotfigrule}
457 \eqcommand{      }{dblbottomfraction}
458 \eqcommand{      }{dblfigrule}
459 \eqcommand{      }{dblfloatpagefraction}
460 \eqcommand{      }{dblfloatsep}
461 \eqcommand{      }{dblfnllocatecode}
462 \eqcommand{      }{dbltextfloatsep}
463 \eqcommand{      }{dbltopfraction}
464 \eqcommand{      }{DeclareFixedFont}
465 \eqcommand{      }{DeclareGraphicsExtensions}
466 \eqcommand{      }{DeclareGraphicsRule}
467 \eqcommand{      }{DeclareOldFontCommand}
468 \eqcommand{      }{DeclareOption}
469 \eqcommand{      }{DeclareRobustCommand}
470 \eqcommand{      }{DeclareSymbolFont}
471 \eqcommand{      }{deadcycles}
472 \eqcommand{ }{def}
473 \eqcommand{ @ }{define@key}
474 \eqcommand{      }{definecolor}
475 \eqcommand{ }{deg}
476 \eqcommand{      }{delcode}
477 \eqcommand{      }{delimiter}
478 \eqcommand{      }{delimiterfactor}
479 \eqcommand{      }{depth}
480 \eqcommand{      }{diamondsuit}
481 \eqcommand{      }{dim}
482 \eqcommand{      }{dimen}
483 \eqcommand{ @ }{dimen@}
484 \eqcommand{ @ }{dimen@i}
485 \eqcommand{ @ }{dimen@ii}
486 \eqcommand{      }{dimendef}
487 \eqcommand{      }{discretionary}
488 \eqcommand{      }{displaybreak}
489 \eqcommand{      }{displayindent}
490 \eqcommand{      }{displaystyle}
491 \eqcommand{      }{displaywidth}
492 \eqcommand{      }{divide}
493 \eqcommand{      }{documentclass}
494 \eqcommand{ }{do}
495 \eqcommand{      }{dospecials}
496 \eqcommand{      }{dot}
497 \eqcommand{      }{doteq}
498 \eqcommand{      }{dotfill}
499 \eqcommand{      }{dots}
500 \eqcommand{      }{doublebox}

```

```

501 \eqcommand{      }{\doublerulesepcolor}
502 \eqcommand{      }{\doublerulesep}
503 \eqcommand{      }{\downarrow}
504 \eqcommand{ }{\dp}
505 \eqcommand{ }{\dump}
506 \eqcommand{ }{\edef}
507 \eqcommand{ }{\egroup}
508 \eqcommand{ }{\eject}
509 \eqcommand{ }{\else}
510 \eqcommand{ }{\em}
511 \eqcommand{ }{\emergencystretch}
512 \eqcommand{ }{\emph}
513 \eqcommand{@ }{\emptyset}
514 \eqcommand{ }{\emptyset}
515 \eqcommand{ }{\emptyset}
516 \eqcommand{ }{\end}
517 \eqcommand{ }{\endL}
518 \eqcommand{ }{\endR}
519 \eqcommand{ }{\endcsname}
520 \eqcommand{ }{\endfirsthead}
521 \eqcommand{ }{\endfoot}
522 \eqcommand{ }{\endgraf}
523 \eqcommand{ }{\endgroup}
524 \eqcommand{ }{\endhead}
525 \eqcommand{ }{\endinput}
526 \eqcommand{ }{\endlastfoot}
527 \eqcommand{ }{\enlargethispage}
528 \eqcommand{ }{\endline}
529 \eqcommand{ }{\endlinechar}
530 \eqcommand{ }{\enspace}
531 \eqcommand{ }{\enskip}
532 \eqcommand{ }{\eqcommand}
533 \eqcommand{ }{\eqenvironment}
534 \eqcommand{ }{\eqref}
535 \eqcommand{ }{\errhelp}
536 \eqcommand{ }{\errmessage}
537 \eqcommand{ }{\errorcontextlines}
538 \eqcommand{ }{\errorstopmode}
539 \eqcommand{ }{\escapechar}
540 \eqcommand{ }{\euro}
541 \eqcommand{ }{\evensidemargin}
542 \eqcommand{ }{\everycr}
543 \eqcommand{ }{\everydisplay}
544 \eqcommand{ }{\everyhbox}
545 \eqcommand{ }{\everyjob}
546 \eqcommand{ }{\everymath}
547 \eqcommand{ }{\everypar}
548 \eqcommand{ }{\everyvbox}
549 \eqcommand{ }{\ExecuteOptions}
550 \eqcommand{ }{\exhyphenpenalty}

```

```

551 \eqcommand{      }{expandafter}
552 \eqcommand{          }{extracolsep}
553 \eqcommand{@      }{@firstofone}
554 \eqcommand{@      }{@firstoftwo}
555 \eqcommand{@ }{f@ur}
556 \eqcommand{    }{fam}
557 \eqcommand{    }{fancypage}
558 \eqcommand{    }{fbox}
559 \eqcommand{    }{fboxrule}
560 \eqcommand{    }{fboxsep}
561 \eqcommand{    }{fcolorbox}
562 \eqcommand{ }{fi}
563 \eqcommand{    }{figurename}
564 \eqcommand{    }{filbreak}
565 \eqcommand{ }{fill}
566 \eqcommand{    }{firstmark}
567 \eqcommand{ }{flat}
568 \eqcommand{        }{floatpagefraction}
569 \eqcommand{        }{floatingpenalty}
570 \eqcommand{        }{floatsep}
571 \eqcommand{        }{flushbottom}
572 \eqcommand{        }{fmtname}
573 \eqcommand{        }{fmtversion}
574 \eqcommand{        }{fnsymbol}
575 \eqcommand{ }{font}
576 \eqcommand{    }{fontdimen}
577 \eqcommand{    }{fontencoding}
578 \eqcommand{    }{fontfamily}
579 \eqcommand{    }{fontname}
580 \eqcommand{    }{fontseries}
581 \eqcommand{    }{fontshape}
582 \eqcommand{    }{fontsize}
583 \eqcommand{        }{footheight}
584 \eqcommand{        }{footins}
585 \eqcommand{        }{footnote}
586 \eqcommand{        }{footnotemark}
587 \eqcommand{        }{footnoterule}
588 \eqcommand{        }{footnotesep}
589 \eqcommand{        }{footnotesign}
590 \eqcommand{        }{footnotetext}
591 \eqcommand{        }{footskip}
592 \eqcommand{ }{frame}
593 \eqcommand{    }{framebox}
594 \eqcommand{        }{frenchspacing}
595 \eqcommand{    }{frontmatter}
596 \eqcommand{    }{futurelet}
597 \eqcommand{@ }{@gobble}
598 \eqcommand{@ }{@gobbletwo}
599 \eqcommand{@ }{@gobblefour}
600 \eqcommand{@ }{@gtmpa}

```

```

601 \eqcommand{@ }{@gtempb}
602 \eqcommand{ }{gdef}
603 \eqcommand{ }{GenericInfo}
604 \eqcommand{ }{GenericWarning}
605 \eqcommand{ }{GenericError}
606 \eqcommand{ }{global}
607 \eqcommand{ }{globaldefs}
608 \eqcommand{ }{glossary}
609 \eqcommand{ }{glossaryentry}
610 \eqcommand{ }{goodbreak}
611 \eqcommand{ }{graphpaper}
612 \eqcommand{ }{guillemotleft}
613 \eqcommand{ }{guillemotright}
614 \eqcommand{ }{guilsinglleft}
615 \eqcommand{ }{guilsinglright}
616 \eqcommand{ }{halign}
617 \eqcommand{ }{hang}
618 \eqcommand{ }{hangafter}
619 \eqcommand{ }{hangindent}
620 \eqcommand{ }{hbadness}
621 \eqcommand{ }{hbox}
622 \eqcommand{ }{headheight}
623 \eqcommand{ }{headsep}
624 \eqcommand{ }{headtoname}
625 \eqcommand{ }{heartsuit}
626 \eqcommand{ }{height}
627 \eqcommand{ }{hfil}
628 \eqcommand{ }{hfill}
629 \eqcommand{ }{hfilneg}
630 \eqcommand{ }{hfuzz}
631 \eqcommand{ }{hideskip}
632 \eqcommand{ }{hidewidth}
633 \bidi@csletcs{ }{hline}% this is an exception
634 \eqcommand{ }{hoffset}
635 \eqcommand{ }{holdinginserts}
636 \eqcommand{ }{hrboxsep}
637 \eqcommand{ }{hrule}
638 \eqcommand{ }{rulefill}
639 \eqcommand{ }{hsize}
640 \eqcommand{ }{hskip}
641 \eqcommand{ }{hskip}
642 \eqcommand{ }{hss}
643 \eqcommand{ }{ht}
644 \eqcommand{ }{huge}
645 \eqcommand{ }{Huge}
646 \eqcommand{ }{hyperlink}
647 \eqcommand{ }{hypersetup}
648 \eqcommand{ }{hypertarget}
649 \eqcommand{ }{hyphenation}
650 \eqcommand{ }{hyphenchar}

```

```

651 \eqcommand{ }{hyphenpenalty}
652 \eqcommand{@ }{@ifclassloaded}
653 \eqcommand{@ }{@ifdefinable}
654 \eqcommand{@ }{@ifnextchar}
655 \eqcommand{@ }{@ifpackageloaded}
656 \eqcommand{@ }{@ifstar}
657 \eqcommand{@ }{@undefined}
658 \eqcommand{ }{if}
659 \eqcommand{ @ }{@if@tempswa}
660 \eqcommand{ }{ifcase}
661 \eqcommand{ }{ifcat}
662 \eqcommand{ }{ifdefined}
663 \eqcommand{ }{ifdim}
664 \eqcommand{ }{ifeof}
665 \eqcommand{ }{iff}
666 \eqcommand{ }{iffalse}
667 \eqcommand{ }{IfFileExists}
668 \eqcommand{ }{ifhbox}
669 \eqcommand{ }{ifhmode}
670 \eqcommand{ }{ifinner}
671 \eqcommand{ }{ifmmode}
672 \eqcommand{ }{ifnum}
673 \eqcommand{ }{ifodd}
674 \eqcommand{ }{ifthenelse}
675 \eqcommand{ }{iftrue}
676 \eqcommand{ }{ifvbox}
677 \eqcommand{ }{ifvmode}
678 \eqcommand{ }{ifvoid}
679 \eqcommand{ }{ifx}
680 \eqcommand{ }{ignorespaces}
681 \eqcommand{ }{immediate}
682 \eqcommand{ }{include}
683 \eqcommand{ }{includegraphics}
684 \eqcommand{ }{includeonly}
685 \eqcommand{ }{indent}
686 \eqcommand{ }{index}
687 \eqcommand{ }{indexentry}
688 \eqcommand{ }{indexname}
689 \eqcommand{ }{indexspace}
690 \eqcommand{ }{input}
691 \eqcommand{ }{InputIfFileExists}
692 \eqcommand{ }{inputlineno}
693 \eqcommand{ }{insert}
694 \eqcommand{ }{insertpenalties}
695 \eqcommand{ }{interfootnotelinepenalty}
696 \eqcommand{ }{interdisplaylinepenalty}
697 \eqcommand{ }{interlinepenalty}
698 \eqcommand{ }{intertext}
699 \eqcommand{ }{intertextsep}
700 \eqcommand{ }{invisible}

```

```

701 \eqcommand{ }{itdefault}
702 \eqcommand{ }{itshape}
703 \eqcommand{ }{item}
704 \eqcommand{ }{itemindent}
705 \eqcommand{ }{itemsep}
706 \eqcommand{ }{iterate}
707 \eqcommand{ }{itshape}
708 \eqcommand{ }{jobname}
709 \eqcommand{ }{jot}
710 \eqcommand{ }{kern}
711 \eqcommand{ }{kill}
712 \eqcommand{ }{label}
713 \eqcommand{ }{labelenumi}
714 \eqcommand{ }{labelenumii}
715 \eqcommand{ }{labelenumiii}
716 \eqcommand{ }{labelenumiv}
717 \eqcommand{ }{labelitemi}
718 \eqcommand{ }{labelitemii}
719 \eqcommand{ }{labelitemiii}
720 \eqcommand{ }{labelitemiv}
721 \eqcommand{ }{labelsep}
722 \eqcommand{ }{labelwidth}
723 \eqcommand{ }{language}
724 \eqcommand{ }{large}
725 \eqcommand{ }{Large}
726 \eqcommand{ }{LARGE}
727 \eqcommand{ }{lastbox}
728 \eqcommand{ }{lastkern}
729 \eqcommand{ }{lastpenalty}
730 \eqcommand{ }{lastskip}
731 \eqcommand{ }{LaTeX}
732 \eqcommand{ }{LaTeXe}
733 \eqcommand{ }{lccode}
734 \eqcommand{ }{ldots}
735 \eqcommand{ }{leaders}
736 \eqcommand{ }{leavevmode}
737 \eqcommand{ }{left}
738 \eqcommand{ }{leftmargin}
739 \eqcommand{ }{leftmargini}
740 \eqcommand{ }{leftmarginii}
741 \eqcommand{ }{leftmarginiii}
742 \eqcommand{ }{leftmarginiv}
743 \eqcommand{ }{leftmarginv}
744 \eqcommand{ }{leftmarginvi}
745 \eqcommand{ }{leftmark}
746 \eqcommand{ }{leftpageskip}
747 \eqcommand{ }{leftskip}
748 \eqcommand{ }{let}
749 \eqcommand{ }{line}
750 \eqcommand{ }{linebreak}

```

```

751 \eqcommand{ }{\linepenalty}
752 \eqcommand{ }{\lineskip}
753 \eqcommand{ }{\lineskiplimit}
754 \eqcommand{ }{\linespread}
755 \eqcommand{ }{\linethickness}
756 \eqcommand{ }{\linewidth}
757 \eqcommand{ }{\listfigurename}
758 \eqcommand{ }{\listfiles}
759 \eqcommand{ }{\listoffigures}
760 \eqcommand{ }{\listoftables}
761 \eqcommand{ }{\listparindent}
762 \eqcommand{ }{\listtablename}
763 \eqcommand{ }{\LoadClass}
764 \eqcommand{ }{\LoadClassWithOptions}
765 \eqcommand{ }{\location}
766 \eqcommand{ }{\long}
767 \eqcommand{ }{\looseness}
768 \eqcommand{ }{\lower}
769 \eqcommand{@ }{\@makeother}
770 \eqcommand{@ }{\@m}
771 \eqcommand{ @ }{\@M}
772 \eqcommand{ @ }{\@Mi}
773 \eqcommand{ @ }{\@Mii}
774 \eqcommand{ @ }{\@Miii}
775 \eqcommand{ @ }{\@Miv}
776 \eqcommand{ @ }{\@MM}
777 \eqcommand{ @ }{\@ne}
778 \eqcommand{ }{\mag}
779 \eqcommand{ }{\magstep}
780 \eqcommand{ }{\magstephalf}
781 \eqcommand{ }{\mainmatter}
782 \eqcommand{ }{\makeatletter}
783 \eqcommand{ }{\makeatother}
784 \eqcommand{ }{\makebox}
785 \eqcommand{ }{\makeglossary}
786 \eqcommand{ }{\makeindex}
787 \eqcommand{ }{\makelabel}
788 \eqcommand{ }{\makelabels}
789 \eqcommand{ }{\MakeLowercase}
790 \eqcommand{ }{\maketitle}
791 \eqcommand{ }{\MakeUppercase}
792 \eqcommand{ }{\marginpar}
793 \eqcommand{ }{\marginparpush}
794 \eqcommand{ }{\marginparsep}
795 \eqcommand{ }{\marginparwidth}
796 \eqcommand{ }{\mark}
797 \eqcommand{ }{\markboth}
798 \eqcommand{ }{\markright}
799 \eqcommand{ }{\mathaccent}
800 \eqcommand{ }{\mathchar}

```

```

801 \eqcommand{ }{mathchardef}
802 \eqcommand{ }{mathcode}
803 \eqcommand{ }{mathrm}
804 \eqcommand{ }{maxdeadcycles}
805 \eqcommand{ }{maxdepth}
806 \eqcommand{ }{maxdimen}
807 \eqcommand{ }{mbox}
808 \eqcommand{ }{mdseries}
809 \eqcommand{ }{meaning}
810 \eqcommand{ }{mediumseries}
811 \eqcommand{ }{medmuskip}
812 \eqcommand{ }{medskip}
813 \eqcommand{ }{medskipamount}
814 \eqcommand{ }{medspace}
815 \eqcommand{ }{message}
816 \eqcommand{ }{MessageBreak}
817 \eqcommand{ }{minrowclearance}
818 \eqcommand{ }{mkern}
819 \eqcommand{ }{month}
820 \eqcommand{ }{moveleft}
821 \eqcommand{ }{moveright}
822 \eqcommand{ }{mskip}
823 \eqcommand{ @ }{m@th}
824 \eqcommand{ }{multicolumn}
825 \eqcommand{ }{multiply}
826 \eqcommand{ }{multispan}
827 \eqcommand{ }{muskip}
828 \eqcommand{ }{muskipdef}
829 \eqcommand{@ }{@namedef}
830 \eqcommand{@ }{@nameuse}
831 \eqcommand{ @}{@ne}
832 \eqcommand{ }{name}
833 \eqcommand{ }{natural}
834 \eqcommand{ }{nearrow}
835 \eqcommand{ }{nearrower}
836 \eqcommand{ }{NeedsTeXFormat}
837 \eqcommand{ }{neg}
838 \eqcommand{ }{negmedspace}
839 \eqcommand{ }{negthickspace}
840 \eqcommand{ }{negthinspace}
841 \eqcommand{ }{newboolean}
842 \eqcommand{ }{newbox}
843 \eqcommand{ }{newcommand}
844 \eqcommand{ }{newcount}
845 \eqcommand{ }{newcounter}
846 \eqcommand{ }{newdimen}
847 \eqcommand{ }{newenvironment}
848 \eqcommand{ }{newfam}
849 \eqcommand{ }{newfont}
850 \eqcommand{ }{newhelp}

```

```

851 \eqcommand{ }{newinsert}
852 \eqcommand{ }{newlabel}
853 \eqcommand{ }{newlength}
854 \eqcommand{ }{newline}
855 \eqcommand{ }{newlinechar}
856 \eqcommand{ }{newmuskip}
857 \eqcommand{ }{newpage}
858 \eqcommand{ }{newread}
859 \eqcommand{ }{newsavebox}
860 \eqcommand{ }{newskip}
861 \eqcommand{ }{newtheorem}
862 \eqcommand{ }{newtoks}
863 \eqcommand{ }{newwrite}
864 \eqcommand{ }{noalign}
865 \eqcommand{ }{nobreak}
866 \eqcommand{ }{nobreakspace}
867 \eqcommand{ }{nocite}
868 \eqcommand{ }{noexpand}
869 \eqcommand{ }{nofiles}
870 \eqcommand{ }{noindent}
871 \eqcommand{ }{nointerlineskip}
872 \eqcommand{ }{nolimits}
873 \eqcommand{ }{nolinebreak}
874 \eqcommand{ }{nonstopmode}
875 \eqcommand{ }{nonfrenchspacing}
876 \eqcommand{ }{nonumber}
877 \eqcommand{ }{nopagebreak}
878 \eqcommand{ }{normalbaselines}
879 \eqcommand{ }{normalbaselineskip}
880 \eqcommand{ }{normalcolor}
881 \eqcommand{ }{normalfont}
882 \eqcommand{ }{normallineskip}
883 \eqcommand{ }{normallineskiplimit}
884 \eqcommand{ }{normalmarginpar}
885 \eqcommand{ }{normalsize}
886 \eqcommand{ }{notag}
887 \eqcommand{ }{null}
888 \eqcommand{ }{nullfont}
889 \eqcommand{ }{number}
890 \eqcommand{ }{numberline}
891 \eqcommand{ }{numberwithin}
892 \eqcommand{ }{@evenfoot}
893 \eqcommand{ }{@evenhead}
894 \eqcommand{ }{@oddfoot}
895 \eqcommand{ }{@oddhead}
896 \eqcommand{ }{@outeqntrue}
897 \eqcommand{ }{@outeqnfase}
898 \eqcommand{ }{obeylines}
899 \eqcommand{ }{obeyspaces}
900 \eqcommand{ }{oddsidemargin}

```

```

901 \eqcommand{      }{offinterlineskip}
902 \eqcommand{ }{omit}
903 \eqcommand{@      }{@onlypreamble}
904 \eqcommand{ }{onecolumn}
905 \eqcommand{      }{onlynotes}
906 \eqcommand{      }{onlyslides}
907 \eqcommand{      }{openin}
908 \eqcommand{      }{openout}
909 \eqcommand{      }{OptionNotUsed}
910 \eqcommand{ }{or}
911 \eqcommand{      }{outer}
912 \eqcommand{      }{output}
913 \eqcommand{      }{outputpenalty}
914 \eqcommand{      }{overfullrule}
915 \eqcommand{@      }{@preamblecmds}
916 \eqcommand{@ }{p@}
917 \eqcommand{      }{PackageError}
918 \eqcommand{      }{PackageInfo}
919 \eqcommand{      }{PackageWarning}
920 \eqcommand{      }{PackageWarningNoLine}
921 \eqcommand{      }{pagebreak}
922 \eqcommand{      }{pagecolor}
923 \eqcommand{      }{pagedepth}
924 \eqcommand{      }{pagefillstretch}
925 \eqcommand{      }{pagefillstretch}
926 \eqcommand{      }{pagefilstretch}
927 \eqcommand{      }{pagegoal}
928 \eqcommand{      }{pagename}
929 \eqcommand{      }{pagenumbering}
930 \eqcommand{      }{pageref}
931 \eqcommand{      }{pagerulewidth}
932 \eqcommand{      }{pageshrink}
933 \eqcommand{      }{pagestretch}
934 \eqcommand{      }{pagestyle}
935 \eqcommand{      }{pagetotal}
936 \eqcommand{      }{paperheight}
937 \eqcommand{      }{paperwidth}
938 \bidi@csdefcs{ }{par}%
% this is an exception since \par is redefined only in some circumstances
939 \eqcommand{      }{paragraph}
940 \eqcommand{      }{parallel}
941 \eqcommand{      }{parbox}
942 \eqcommand{      }{parfillskip}
943 \eqcommand{      }{parindent}
944 \eqcommand{      }{parsep}
945 \eqcommand{      }{parshape}
946 \eqcommand{      }{parskip}
947 \eqcommand{      }{part}
948 \eqcommand{      }{partname}
949 \eqcommand{      }{partopsep}
950 \eqcommand{      }{PassOptionToClass}

```

```

951 \eqcommand{ }{\PassOptionToPackage}
952 \eqcommand{ }{\path}
953 \eqcommand{ }{\patterns}
954 \eqcommand{ }{\pausing}
955 \eqcommand{ }{\penalty}
956 \eqcommand{ }{\phantom}
957 \eqcommand{ }{\poptabs}
958 \eqcommand{ }{\postdisplaypenalty}
959 \eqcommand{ }{\predisplaydirection}
960 \eqcommand{ }{\predisplaypenalty}
961 \eqcommand{ }{\predisplaysize}
962 \eqcommand{ }{\pretolerance}
963 \eqcommand{ }{\prevdepth}
964 \eqcommand{ }{\prevgraf}
965 \eqcommand{ }{\printindex}
966 \eqcommand{ }{\ProcessOptions}
967 \eqcommand{ }{\protect}
968 \eqcommand{ }{\providetcommand}
969 \eqcommand{ }{\ProvidesClass}
970 \eqcommand{ }{\ProvidesFile}
971 \eqcommand{ }{\ProvidesPackage}
972 \eqcommand{ }{\pushtabs}
973 \eqcommand{ }{\quad}
974 \eqcommand{ }{\quad}
975 \eqcommand{@ }{\@outputpagerestore}
976 \eqcommand{ }{\radical}
977 \eqcommand{ }{\raggedbottom}
978 \eqcommand{ }{\raggedleft}
979 \eqcommand{ }{\raggedright}
980 \eqcommand{ }{\raise}
981 \eqcommand{ }{\raisebox}
982 \eqcommand{ }{\raisetag}
983 \eqcommand{ }{\rangle}
984 \eqcommand{ }{\rceil}
985 \eqcommand{ }{\read}
986 \eqcommand{ }{\ref}
987 \eqcommand{ }{\reflectbox}
988 \eqcommand{ }{\refname}
989 \eqcommand{ }{\refstepcounter}
990 \eqcommand{ }{\relax}
991 \eqcommand{ }{\removelastskip}
992 \eqcommand{ }{\renewcommand}
993 \eqcommand{ }{\renewenvironment}
994 \eqcommand{ }{\RequirePackage}
995 \eqcommand{ }{\RequirePackageWithOptions}
996 \eqcommand{ }{\resizebox}
997 \eqcommand{ }{\reversemarginpar}
998 \eqcommand{ }{\rfloor}
999 \eqcommand{ }{\right}
1000 \eqcommand{ }{\rightmargin}

```

```

1001 \eqcommand{ }{rightmark}
1002 \eqcommand{ }{rightpageskip}
1003 \eqcommand{ }{rightskip}
1004 \eqcommand{ }{rmdefault}
1005 \eqcommand{ }{rmfamily}
1006 \eqcommand{ }{Roman}
1007 \eqcommand{ }{roman}
1008 \eqcommand{ }{romannumberal}
1009 \eqcommand{ }{rotatebox}
1010 \eqcommand{ }{rowcolor}
1011 \eqcommand{ }{rule}
1012 \eqcommand{@ }{@secondoftwo}
1013 \eqcommand{@ }{@spaces}
1014 \eqcommand{ }{samepage}
1015 \eqcommand{ }{savebox}
1016 \eqcommand{ }{sbox}
1017 \eqcommand{ }{scalebox}
1018 \eqcommand{ }{scdefault}
1019 \eqcommand{ }{scshape}
1020 \eqcommand{ }{setkeys}
1021 \eqcommand{ }{scriptfont}
1022 \eqcommand{ }{scriptscriptfont}
1023 \eqcommand{ }{scriptscriptstyle}
1024 \eqcommand{ }{scriptsize}
1025 \eqcommand{ }{scripstyle}
1026 \eqcommand{ }{scrollmode}
1027 \eqcommand{ }{section}
1028 \eqcommand{ }{secdef}
1029 \eqcommand{ }{see}
1030 \eqcommand{ }{seealso}
1031 \eqcommand{ }{seename}
1032 \eqcommand{ }{selectfont}
1033 \eqcommand{ }{setboolean}
1034 \eqcommand{ }{setbox}
1035 \eqcommand{ }{setcounter}
1036 \eqcommand{ }{setlength}
1037 \eqcommand{ }{setminus}
1038 \eqcommand{ }{SetSymbolFont}
1039 \eqcommand{ }{settodepth}
1040 \eqcommand{ }{settoheight}
1041 \eqcommand{ }{settowidth}
1042 \eqcommand{ }{sfcode}
1043 \eqcommand{ }{sfdefault}
1044 \eqcommand{ }{sffamily}
1045 \eqcommand{ }{shadowbox}
1046 \eqcommand{ }{sharp}
1047 \eqcommand{ }{shipout}
1048 \eqcommand{ }{shortstack}
1049 \eqcommand{ }{show}
1050 \eqcommand{ }{showbox}

```

```

1051 \eqcommand{      }{\showboxbreadth}
1052 \eqcommand{      }{\showboxdepth}
1053 \eqcommand{      }{\showlists}
1054 \eqcommand{      }{\showthe}
1055 \eqcommand{      }{\simplefontmode}
1056 \eqcommand{@}{\sixt@@n}
1057 \eqcommand{      }{\skewchar}
1058 \eqcommand{      }{\skip}
1059 \eqcommand{@}{\skip@}
1060 \eqcommand{      }{\skipdef}
1061 \eqcommand{      }{\sl}
1062 \eqcommand{      }{\sldefault}
1063 \eqcommand{      }{\slshape}
1064 \eqcommand{      }{\sloppy}
1065 \eqcommand{      }{\slshape}
1066 \eqcommand{      }{\small}
1067 \eqcommand{      }{\smallskip}
1068 \eqcommand{      }{\smallskipamount}
1069 \eqcommand{      }{\smash}
1070 \eqcommand{      }{\smile}
1071 \eqcommand{      }{\snglfntlocatecode}
1072 \eqcommand{      }{\space}
1073 \eqcommand{      }{\spacefactor}
1074 \eqcommand{      }{\spaceskip}
1075 \eqcommand{      }{\spadesuit}
1076 \eqcommand{      }{\span}
1077 \eqcommand{      }{\special}
1078 \eqcommand{      }{\splitmaxdepth}
1079 \eqcommand{      }{\splittopskip}
1080 \eqcommand{      }{\star}
1081 \eqcommand{      }{\stepcounter}
1082 \eqcommand{      }{\stretch}
1083 \eqcommand{      }{\string}
1084 \eqcommand{      }{\strut}
1085 \eqcommand{      }{\strutbox}
1086 \eqcommand{      }{\subitem}
1087 \eqcommand{      }{\subparagraph}
1088 \eqcommand{      }{\subsection}
1089 \eqcommand{      }{\substack}
1090 \eqcommand{      }{\subsubitem}
1091 \eqcommand{      }{\subsubsection}
1092 \eqcommand{      }{\subset}
1093 \eqcommand{      }{\subsetseteq}
1094 \eqcommand{      }{\supereject}
1095 \eqcommand{      }{\suppressfloats}
1096 \eqcommand{@}{\@tempa}
1097 \eqcommand{@}{\@tempb}
1098 \eqcommand{@}{\@tempc}
1099 \eqcommand{@}{\@tempd}
1100 \eqcommand{@}{\@tempe}

```

```

1101 \eqcommand{@ }{@tempboxa}
1102 \eqcommand{@ }{@tempcnta}
1103 \eqcommand{@ }{@tempcntb}
1104 \eqcommand{@ }{@tempdima}
1105 \eqcommand{@ }{@tempdimb}
1106 \eqcommand{@ }{@tempdimc}
1107 \eqcommand{@ }{@tempskipa}
1108 \eqcommand{@ }{@tempskipb}
1109 \eqcommand{@ }{@tempswafalse}
1110 \eqcommand{@ }{@tempswatrue}
1111 \eqcommand{@ }{@temptokena}
1112 \eqcommand{ }{@thefnmark}
1113 \eqcommand{@ }{@thirdofthree}
1114 \eqcommand{ }{@tabbingsep}
1115 \eqcommand{ }{@tabcolsep}
1116 \eqcommand{ }{@tableofcontents}
1117 \eqcommand{ }{@tablename}
1118 \eqcommand{ }{@tabskip}
1119 \eqcommand{ }{@tabularnewline}
1120 \eqcommand{ }{@tag}
1121 \eqcommand{ }{@telephone}
1122 \eqcommand{ }{@TeX}
1123 \eqcommand{ }{@text}
1124 \eqcommand{ }{@textbullet}
1125 \eqcommand{ }{@textfont}
1126 \eqcommand{ }{@textemdash}
1127 \eqcommand{ }{@textendash}
1128 \eqcommand{ }{@textexclamdown}
1129 \eqcommand{ }{@textperiodcentered}
1130 \eqcommand{ }{@textquestiondown}
1131 \eqcommand{ }{@textquotedblleft}
1132 \eqcommand{ }{@textquotedblright}
1133 \eqcommand{ }{@textquotelleft}
1134 \eqcommand{ }{@textquoteright}
1135 \eqcommand{ }{@textvisiblespace}
1136 \eqcommand{ }{@textbackslash}
1137 \eqcommand{ }{@textbar}
1138 \eqcommand{ }{@textgreater}
1139 \eqcommand{ }{@textless}
1140 \eqcommand{ }{@textbf}
1141 \eqcommand{ }{@textcircled}
1142 \eqcommand{ }{@textcolor}
1143 \eqcommand{ }{@textcompwordmark}
1144 \eqcommand{ }{@textfloatsep}
1145 \eqcommand{ }{@textfraction}
1146 \eqcommand{ }{@textheight}
1147 \eqcommand{ }{@textindent}
1148 \eqcommand{ }{@textit}
1149 \eqcommand{ }{@textmd}
1150 \eqcommand{ }{@textnormal}

```

```

1151 \eqcommand{ }{textregistered}
1152 \eqcommand{ }{textrm}
1153 \eqcommand{ }{textsc}
1154 \eqcommand{ }{textsf}
1155 \eqcommand{ }{textsl}
1156 \eqcommand{ }{textstyle}
1157 \eqcommand{ }{textsuperscript}
1158 \eqcommand{ }{texttrademark}
1159 \eqcommand{ }{texttt}
1160 \eqcommand{ }{textup}
1161 \eqcommand{ }{textwidth}
1162 \eqcommand{ }{thanks}
1163 \eqcommand{ }{the}
1164 \eqcommand{ }{thempfn}
1165 \eqcommand{ }{thicklines}
1166 \eqcommand{ }{thickmuskip}
1167 \eqcommand{ }{thinmuskip}
1168 \eqcommand{ }{thickspace}
1169 \eqcommand{ }{thinlines}
1170 \eqcommand{ }{thinspace}
1171 \eqcommand{ }{thisfancypage}
1172 \eqcommand{ }{thispagestyle}
1173 \eqcommand{ @}{thr@@}
1174 \eqcommand{ }{tilde}
1175 \eqcommand{ }{tiny}
1176 \eqcommand{ }{time}
1177 \eqcommand{ }{times}
1178 \eqcommand{ }{title}
1179 \eqcommand{ }{to}
1180 \eqcommand{ }{today}
1181 \eqcommand{ }{toks}
1182 \eqcommand{ }{toksdef}
1183 \eqcommand{ }{tolerance}
1184 \eqcommand{ }{top}
1185 \eqcommand{ }{topfigrule}
1186 \eqcommand{ }{topfraction}
1187 \eqcommand{ }{topmargin}
1188 \eqcommand{ }{topmark}
1189 \eqcommand{ }{toppageskip}
1190 \eqcommand{ }{topsep}
1191 \eqcommand{ }{topskip}
1192 \eqcommand{ }{totalheight}
1193 \eqcommand{ }{tracingall}
1194 \eqcommand{ }{tracingcommands}
1195 \eqcommand{ }{tracinglostchars}
1196 \eqcommand{ }{tracingmacros}
1197 \eqcommand{ }{tracingonline}
1198 \eqcommand{ }{tracingoutput}
1199 \eqcommand{ }{tracingpages}
1200 \eqcommand{ }{tracingparagraphs}

```

```

1201 \eqcommand{      }{tracingrestores}
1202 \eqcommand{      }{tracingstats}
1203 \eqcommand{  }{triangle}
1204 \eqcommand{      }{ttdefault}
1205 \eqcommand{      }{ttfamily}
1206 \eqcommand{ @}{two@}
1207 \eqcommand{      }{twocolumn}
1208 \eqcommand{      }{typein}
1209 \eqcommand{      }{typeout}
1210 \eqcommand{      }{uccode}
1211 \eqcommand{      }{uchyph}
1212 \eqcommand{      }{underline}
1213 \eqcommand{      }{unhbox}
1214 \eqcommand{      }{unhcopy}
1215 \eqcommand{      }{unitlength}
1216 \eqcommand{      }{unkern}
1217 \eqcommand{      }{unpenalty}
1218 \eqcommand{      }{unskip}
1219 \eqcommand{      }{unvbox}
1220 \eqcommand{      }{unvcopy}
1221 \eqcommand{      }{updefault}
1222 \eqcommand{      }{upshape}
1223 \eqcommand{      }{usebox}
1224 \eqcommand{      }{usecounter}
1225 \eqcommand{      }{usefont}
1226 \eqcommand{      }{usepackage}
1227 \eqcommand{@ }{ @}{vobeyspaces}
1228 \eqcommand{@ }{ @}{void}
1229 \eqcommand{      }{vadjust}
1230 \eqcommand{      }{valign}
1231 \eqcommand{      }{value}
1232 \eqcommand{      }{vbadness}
1233 \eqcommand{      }{vbox}
1234 \eqcommand{      }{vcenter}
1235 \eqcommand{      }{verb}
1236 \eqcommand{      }{vfil}
1237 \eqcommand{      }{vfill}
1238 \eqcommand{      }{vfilneg}
1239 \eqcommand{      }{vfuzz}
1240 \eqcommand{      }{visible}
1241 \eqcommand{      }{vline}
1242 \eqcommand{      }{voffset}
1243 \eqcommand{ @ }{ @}{voidb@x}
1244 \eqcommand{      }{vpageref}
1245 \eqcommand{      }{vrboxsep}
1246 \eqcommand{      }{vref}
1247 \eqcommand{      }{vrule}
1248 \eqcommand{      }{vsized}
1249 \eqcommand{      }{vskip}
1250 \eqcommand{      }{vspace}

```

```

1251 \eqcommand{ }{vsplit}
1252 \eqcommand{ }{vss}
1253 \eqcommand{ }{vtop}
1254 \eqcommand{ }{wd}
1255 \eqcommand{ }{whiledo}
1256 \eqcommand{ }{widehat}
1257 \eqcommand{ }{widetilde}
1258 \eqcommand{ }{widowpenalty}
1259 \eqcommand{ }{width}
1260 \eqcommand{ }{wlog}
1261 \eqcommand{ }{write}
1262 \eqcommand{@ }{@obeysp}
1263 \eqcommand{ @ }{@xxxii}
1264 \eqcommand{ }{xdef}
1265 \eqcommand{ }{xleaders}
1266 \eqcommand{ }{xspaceskip}
1267 \eqcommand{ }{year}
1268 \eqcommand{@ }{z@}
1269 \eqcommand{@ }{z@skip}

```

7.18 color-localise-xepersian.def

```

1270 color}      {-localise-xepersian.def}[2011/03/01 v0.1 localising color package]
1271 0}{rgb}{ }  \0,,0}
1272 1}{rgb}{ }  \1,,1}
1273 1}{rgb}{ }  \0,,0}
1274 0}{rgb}{ }  \1,,0}
1275 0}{rgb}{ }  \0,,1}
1276 1}{cmyk}{ } \0,,0,0}
1277 0}{cmyk}{ } \1,,0,0}
1278 0}{cmyk}{ } \0,,1,0}

```

7.19 xepersian-localise-commands-xepersian.def

```

1279 \ProvidesFile{xepersian-localise-commands-xepersian.def}[2012/07/25 v0.2 Persian localisation o
1280 \eqcommand{ }{autofootnoterule}
1281 \eqcommand{ }{AutoMathsDigits}
1282 \eqcommand{ }{DefaultMathsDigits}
1283 \eqcommand{ @ }{keyval@eq@alias@key}
1284 \eqcommand{ }{deflatinfont}
1285 \eqcommand{ }{defpersianfont}
1286 \eqcommand{ }{hboxL}
1287 \eqcommand{ }{hboxR}
1288 \eqcommand{ }{Latincite}
1289 \eqcommand{ }{latinfont}
1290 \eqcommand{ }{latintoday}
1291 \eqcommand{ }{leftfootnoterule}
1292 \eqcommand{ }{lr}
1293 \eqcommand{ }{LRE}
1294 \eqcommand{ }{LTRdblcol}
1295 \eqcommand{ }{LTRfootnote}

```

```

1296 \eqcommand{ }{LTRfootnotetext}
1297 \eqcommand{ }{LTRthanks}
1298 \eqcommand{ }{persianday}
1299 \eqcommand{ }{persianfont}
1300 \eqcommand{ }{PersianMathsDigits}
1301 \eqcommand{ }{persianmonth}
1302 \eqcommand{ }{persianyear}
1303 \eqcommand{ }{plq}
1304 \eqcommand{ }{prq}
1305 \eqcommand{ }{rightfootnoterule}
1306 \eqcommand{ }{rl}
1307 \eqcommand{ }{RLE}
1308 \eqcommand{ }{RTLdblcol}
1309 \eqcommand{ }{RTLfootnote}
1310 \eqcommand{ }{RTLfootnotetext}
1311 \eqcommand{ }{RTLthanks}
1312 \eqcommand{@ }{@SepMark}
1313 \eqcommand{ }{SepMark}
1314 \eqcommand{ }{setdefaultbibitems}
1315 \eqcommand{ }{setdefaultmarginpar}
1316 \eqcommand{ }{setdigitfont}
1317 \eqcommand{ }{setfootnoteLR}
1318 \eqcommand{ }{setfootnoteRL}
1319 \eqcommand{ }{setlatintextfont}
1320 \eqcommand{ }{setLTR}
1321 \eqcommand{ }{setLTRbibitems}
1322 \eqcommand{ }{setLTRmarginpar}
1323 \eqcommand{ }{setRTL}
1324 \eqcommand{ }{setRTLbibitems}
1325 \eqcommand{ }{setRTLmarginpar}
1326 \eqcommand{ }{settextfont}
1327 \eqcommand{ }{textwidthfootnoterule}
1328 \eqcommand{ }{twocolumnstableofcontents}
1329 \eqcommand{ }{unsetfootnoteRL}
1330 \eqcommand{ }{unsetLTR}
1331 \eqcommand{ }{unsetRTL}
1332 \eqcommand{ }{vboxL}
1333 \eqcommand{ }{vboxR}
1334 \eqcommand{ }{XeLaTeX}
1335 \eqcommand{ }{XePersian}
1336 \eqcommand{ }{xepersianversion}
1337 \eqcommand{ }{xepersiandate}
1338 \eqcommand{ }{XeTeX}

```

7.20 enumerate-xepersian.def

```

1339 \ProvidesFile{enumerate-xepersian.def}[2010/07/25 v0.1 adaptations for enumerate package]
1340 \def\@enloop@{%
1341   \ifx\entemp@\relax \def\@tempa{\@enLabel\harfi} \else
1342   \ifx\entemp@\relax \def\@tempa{\@enLabel\adadi} \else

```

7.21 `fontspec-xetex-xepersian.def`

```
1356 \ProvidesFile{fontspec-xetex-xepersian.def}[2014/10/07 v0.1 fixes for fontspec-xetex package]
1357 \ExplSyntaxOn
1358 \DeclareDocumentCommand \aliasfontfeature {mm}
1359 {
1360   \keys_if_exist:nnTF {fontspec} {#1}
1361   {
1362     \keys_define:nn {fontspec}
1363     { #2 .code:n = { \keys_set:nn {fontspec} { #1 = {##1} } } }
1364   }
1365   {
1366     \keys_if_exist:nnTF {fontspec-renderer} {#1}
1367   }
1368   \keys_define:nn {fontspec-renderer}
1369   { #2 .code:n = { \keys_set:nn {fontspec-renderer} { #1 = {##1} } } }
1370 }
1371 {
1372   \keys_if_exist:nnTF {fontspec-preparse} {#1}
1373   {
1374     \keys_define:nn {fontspec-preparse}
1375     { #2 .code:n = { \keys_set:nn {fontspec-preparse} { #1 = {##1} } } }
1376   }
1377   {
1378     \keys_if_exist:nnTF {fontspec-preparse-external} {#1}
1379   }
1380   \keys_define:nn {fontspec-preparse-external}
1381   {
1382     #2 .code:n =
1383     { \keys_set:nn {fontspec-preparse-external} { #1 = {##1} } }
1384   }
1385 }
1386 {
1387   \__fontspec_warning:nx {rename-feature-not-exist} {#1}
1388 }
1389 }
```

```

1390      }
1391      }
1392  }
1393 \ExplSyntaxOff

```

7.22 latex-localise-environments-xepersian.def

```

1394 \ProvidesFile{latex-localise-environments-xepersian.def}[2010/07/25 v0.2 Persian localisation of
1395 \eqenvironment{ }{abstract}
1396 \eqenvironment{ }{appendix}
1397 \eqenvironment{ }{array}
1398 \eqenvironment{ }{center}
1399 \eqenvironment{ }{description}
1400 \eqenvironment{ }{displaymath}
1401 \eqenvironment{ }{document}
1402 \eqenvironment{ }{enumerate}
1403 \eqenvironment{ }{figure}
1404 \eqenvironment{ *}{figure*}
1405 \eqenvironment{ }{filecontents}
1406 \eqenvironment{ *}{filecontents*}
1407 \eqenvironment{ }{flushleft}
1408 \eqenvironment{ }{flushright}
1409 \eqenvironment{ }{itemize}
1410 \eqenvironment{ }{letter}
1411 \eqenvironment{ }{list}
1412 \eqenvironment{ }{longtable}
1413 \eqenvironment{ }{lrbox}
1414 \eqenvironment{ }{math}
1415 \eqenvironment{ }{matrix}
1416 \eqenvironment{ }{minipage}
1417 \eqenvironment{ }{multiline}
1418 \eqenvironment{ }{note}
1419 \eqenvironment{ }{overlay}
1420 \eqenvironment{ }{picture}
1421 \eqenvironment{ }{quotation}
1422 \eqenvironment{ }{quote}
1423 \eqenvironment{ }{slide}
1424 \eqenvironment{ }{sloppypar}
1425 \eqenvironment{ }{split}
1426 \eqenvironment{ }{subarray}
1427 \eqenvironment{ }{tabbing}
1428 \eqenvironment{ }{table}
1429 \eqenvironment{ *}{table*}
1430 \eqenvironment{ }{tabular}
1431 \eqenvironment{ *}{tabular*}
1432 \eqenvironment{ }{thebibliography}
1433 \eqenvironment{ }{theindex}
1434 \eqenvironment{ }{titlepage}
1435 \eqenvironment{ }{trivlist}
1436 \eqenvironment{ }{verse}

```

7.23 xepersian-localise-environments-xepersian.def

```
1437 \ProvidesFile{xepersian-localise-environments-xepersian.def}[2010/07/25 v0.1 Persian localisat
1438 \eqenvironment{ }{latin}
1439 \eqenvironment{ }{LTR}
1440 \eqenvironment{ }{LTRitems}
1441 \eqenvironment{ }{modernpoem}
1442 \eqenvironment{ *}{modernpoem*}
1443 \eqenvironment{ }{persian}
1444 \eqenvironment{ }{RTL}
1445 \eqenvironment{ }{RTLitems}
1446 \eqenvironment{ }{traditionalpoem}
1447 \eqenvironment{ *}{traditionalpoem*}
```

7.24 extarticle-xepersian.def

```
1448 \ProvidesFile{extarticle-xepersian.def}[2010/07/25 v0.1 adaptations for extarticle class]
1449 \renewcommand{\thepart}{\@tartibi\c@part}
1450 \renewcommand{\appendix}{\par
1451   \setcounter{section}{0}%
1452   \setcounter{subsection}{0}%
1453   \gdef\thesection{\@harfi\c@section}}
```

7.25 extbook-xepersian.def

```
1454 \ProvidesFile{extbook-xepersian.def}[2010/07/25 v0.1 adaptations for extbook class]
1455 \renewcommand{\frontmatter}{%
1456   \cleardoublepage
1457   \mainmatterfalse
1458   \pagenumbering{harfi}}
1459 \renewcommand{\thepart}{\@tartibi\c@part}
1460 \renewcommand{\appendix}{\par
1461   \setcounter{chapter}{0}%
1462   \setcounter{section}{0}%
1463   \gdef\@chapapp{\appendixname}%
1464   \gdef\thechapter{\@harfi\c@chapter}
1465 }%end appendix
```

7.26 extrafootnotefeatures-xepersian.def

```
1466 \ProvidesFile{extrafootnotefeatures-xepersian.def}[2012/01/01 v0.2 footnote macros for extrafoo
1467 \renewcommand{\foottextfont}{\footnotesize\if@RTL@footnote\else\latinfont\fi}
1468 \renewcommand{\LTRfoottextfont}{\footnotesize\latinfont}
1469 \renewcommand{\RTLfoottextfont}{\footnotesize\persianfont}
```

7.27 extreport-xepersian.def

```
1470 \ProvidesFile{extreport-xepersian.def}[2010/07/25 v0.1 adaptations for extreport class]
1471 \renewcommand{\thepart}{\@tartibi\c@part}
1472 \renewcommand{\appendix}{\par
1473   \setcounter{chapter}{0}%
1474   \setcounter{section}{0}%
1475   \gdef\@chapapp{\appendixname}}%
```

```
1476 \gdef\thechapter{\@harfi\c@chapter}}
```

7.28 flowfram-xepersian.def

```
1477 \ProvidesFile{flowfram-xepersian.def}[2010/07/25 v0.1 adaptations for flowfram package]
1478 \def\@outputpage{%
1479 \begingroup
1480   \let\protect\noexpand
1481   \resetactivechars
1482   \global\let\@if@newlist\if@newlist
1483   \global\@newlistfalse\parboxrestore
1484   \shipout\vbox{\set@typeset@protect
1485     \aftergroup
1486     \endgroup
1487     \aftergroup
1488     \set@typeset@protect
1489     \reset@font\normalsize\normalsfcodes
1490     \let\label@gobble
1491     \let\index@gobble
1492     \let\glossary@gobble
1493     \baselineskip\z@skip
1494     \lineskip\z@skip
1495     \lineskiplimit\z@
1496     \vskip\topmargin\moveoveright\themargin
1497     \vbox{%
1498       \vskip\headheight
1499       \vskip\headsep
1500       \box\@outputbox
1501     }%
1502   \global\let\if@newlist\@if@newlist
1503   \stepcounter{page}%
1504   \setcounter{displayedframe}{0}%
1505   \let\firstmark\botmark}
```

7.29 footnote-xepersian.def

```
1506 \ProvidesFile{footnote-xepersian.def}[2013/04/26 v0.4 footnote macros for xepersian package]
1507
1508
1509
1510 \long\def\@footnotetext#1{\insert\footins{%
1511   \if@RTL\footnote\@RTLtrue\else\@RTLfalse\fi%
1512   \reset@font\footnotesize
1513   \interlinepenalty\interfootnotelinepenalty
1514   \splittopskip\footnotesep
1515   \splitmaxdepth \dp\strutbox \floatingpenalty \z@MM
1516   \hsize\columnwidth \parboxrestore
1517   \protected@edef\@currentlabel{%
1518     \csname p@footnote\endcsname\@thefnmark
1519   }%
1520   \color@begingroup
```

```

1521     \@makefntext{%
1522     \rule{z@\footnotesep}{ignorespaces\if@RTL@footnote#1\else\latinfont#1\fi\@finalstrut\strutbox}%
1523     \color@endgroup}%
1524
1525
1526
1527
1528
1529 \long\def\@RTLfootnotetext#1{\insert\footins{%
1530     \@RTLtrue%
1531     \reset@font\footnotesize
1532     \interlinepenalty\interfootnotelinepenalty
1533     \splittopskip\footnotesep
1534     \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
1535     \hsize\columnwidth \parboxrestore
1536     \protected@edef\@currentlabel{%
1537         \csname p@footnote\endcsname\@thefnmark
1538     }%
1539     \color@begingroup
1540         \@makefntext{%
1541             \rule{z@\footnotesep}{ignorespaces\persianfont #1\@finalstrut\strutbox}%
1542             \color@endgroup}%
1543
1544
1545
1546
1547
1548 \long\def\@LTRfootnotetext#1{\insert\footins{%
1549     \@RTLfalse%
1550     \reset@font\footnotesize
1551     \interlinepenalty\interfootnotelinepenalty
1552     \splittopskip\footnotesep
1553     \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
1554     \hsize\columnwidth \parboxrestore
1555     \protected@edef\@currentlabel{%
1556         \csname p@footnote\endcsname\@thefnmark
1557     }%
1558     \color@begingroup
1559         \@makefntext{%
1560             \rule{z@\footnotesep}{ignorespaces\latinfont #1\@finalstrut\strutbox}%
1561             \color@endgroup}%
1562
1563 \footdir@temp\footdir@ORG@xpersian@footnotetext\@footnotetext{\bidi@footdir@footnote}%
1564 \footdir@temp\footdir@ORG@xpersian@RTLfootnotetext\@RTLfootnotetext{R}%
1565 \footdir@temp\footdir@ORG@xpersian@LTRfootnotetext\@LTRfootnotetext{L}%
1566
1567
1568
1569 \long\def\@mpfootnotetext#1{%
1570 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule\relax\else\global\let\bidi@mpfootnoterule\@empty\fi\fi\fi

```

```

1571 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
1572   \unvbox\@mpfootins
1573   \reset@font\footnotesize
1574   \hsize\columnwidth
1575   \parboxrestore
1576   \protected@edef\@currentlabel
1577     {\csname p@mpfootnote\endcsname\@thefnmark}%
1578   \color@begingroup
1579     \makefntext{%
1580       \rule{z@\footnotesep\ignorespaces\if@RTL@footnote#1\else\latinfont#1\fi\@finalstrut\strutbox}%
1581     }%
1582
1583
1584
1585
1586
1587 \long\def\@mpRTLfootnotetext#1{%
1588   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footno%
1589   \global\setbox\@mpfootins\vbox{\@RTLtrue%
1590     \unvbox\@mpfootins
1591     \reset@font\footnotesize
1592     \hsize\columnwidth
1593     \parboxrestore
1594     \protected@edef\@currentlabel
1595       {\csname p@mpfootnote\endcsname\@thefnmark}%
1596     \color@begingroup
1597       \makefntext{%
1598         \rule{z@\footnotesep\ignorespaces\persianfont #1\@finalstrut\strutbox}%
1599       }%
1600
1601
1602 \long\def\@mpLTRfootnotetext#1{%
1603   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footno%
1604   \global\setbox\@mpfootins\vbox{\@RTLfalse%
1605     \unvbox\@mpfootins
1606     \reset@font\footnotesize
1607     \hsize\columnwidth
1608     \parboxrestore
1609     \protected@edef\@currentlabel
1610       {\csname p@mpfootnote\endcsname\@thefnmark}%
1611     \color@begingroup
1612       \makefntext{%
1613         \rule{z@\footnotesep\ignorespaces\latinfont #1\@finalstrut\strutbox}%
1614       }%

```

7.30 framed-xepersian.def

```

1615 \ProvidesFile{framed-xepersian.def}[2012/06/05 v0.1 xepersian adaptations for framed package for%
1616 \renewenvironment{titled-frame}[1]{%
1617   \def\FrameCommand{\fboxsep8pt\fboxrule2pt

```

```

1618     \TitleBarFrame{\textbf{#1}}\%
1619 \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
1620   \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi]\{\textbf{#1}\}}%
1621 \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
1622   \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi]\{\textbf{#1}\} (\if@RTI
1623 \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
1624   \TitleBarFrame{\textbf{#1} (\if@RTL\else\cont\fi)}}\}%
1625 \MakeFramed{\advance\hsize-20pt \FrameRestore}}\%
1626 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
1627 % could interfere with the width measurement.
1628 {\endMakeFramed}

```

7.31 glossaries-xepersian.def

```

1629 \ProvidesFile{glossaries-xepersian.def}[2014/09/04 v0.4 xepersian adaptations for glossaries pa
1630 \glsaddprotectedpagefmt{@harfi}
1631 \glsaddprotectedpagefmt{@tartibi}
1632 \glsaddprotectedpagefmt{@adadi}

```

7.32 hyperref-xepersian.def

```

1633 \ProvidesFile{hyperref-xepersian.def}[2013/04/09 v0.5 bilingual captions for hyperref package]
1634 \def\equationautorefname{\if@RTL else\ Equation\fi}\%
1635 \def\footnoteautorefname{\if@RTL else\ footnote\fi}\%
1636 \def\itemautorefname{\if@RTL else\ item\fi}\%
1637 \def\figureautorefname{\if@RTL else\ Figure\fi}\%
1638 \def\tableautorefname{\if@RTL else\ Table\fi}\%
1639 \def\partautorefname{\if@RTL else\ Part\fi}\%
1640 \def\appendixautorefname{\if@RTL else\ Appendix\fi}\%
1641 \def\chapterautorefname{\if@RTL else\ chapter\fi}\%
1642 \def\sectionautorefname{\if@RTL else\ section\fi}\%
1643 \def\subsectionautorefname{\if@RTL else\ subsection\fi}\%
1644 \def\subsubsectionautorefname{\if@RTL else\ subsubsection\fi}\%
1645 \def\paragraphautorefname{\if@RTL else\ paragraph\fi}\%
1646 \def\ subparagraphautorefname{\if@RTL else\ subparagraph\fi}\%
1647 \def\FancyVerbLineautorefname{\if@RTL else\ line\fi}\%
1648 \def\theoremautorefname{\if@RTL else\ Theorem\fi}\%
1649 \def\pageautorefname{\if@RTL else\ page\fi}\%
1650 \AtBeginDocument{%
1651 \let\HyOrg@appendix\appendix
1652 \def\appendix{%
1653   \ltx@ifundefined{chapter}%
1654     {\gdef\theHsection{\Alph{section}}}%
1655     {\gdef\theHchapter{\Alph{chapter}}}%
1656   \xdef\Hy@chapapp{\Hy@appendixstring}%
1657   \HyOrg@appendix
1658 }
1659 }
1660 \pdfstringdefDisableCommands{%
1661 \let\lr@\firstofone
1662 \let\rl@\firstofone

```

```
1663 \def\XePersian{XePersian}
1664 }
```

7.33 imsproc-xepersian.def

```
1665 \ProvidesFile{imsproc-xepersian.def}[2013/04/26 v0.3 implementation of imsproc class for xepersian]
1666 \newenvironment{thebibliography}[1]{%
1667   \@bibtitlestyle
1668   \normalfont\bibliofont\labelsep .5em\relax
1669   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\emptyset
1670   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1671   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{\#1}}%
1672     \leftmargin\labelwidth \advance\leftmargin\labelsep
1673     \usecounter{enumiv}}%
1674   \sloppy \clubpenalty\OM \widowpenalty\clubpenalty
1675   \sfcodes`.=\OM
1676 }{%
1677   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
1678   \endlist
1679 }
1680 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
1681   \columnseprule\z@\columnsep 35\p@
1682   \indextitlestyle
1683   \thispagestyle{plain}%
1684   \let\item\idxitem
1685   \parindent\z@\parskip\z@\@plus.3\p@\relax
1686   \if@RTL\raggedleft\else\raggedright\fi
1687   \hyphenpenalty\OM
1688   \footnotesize}
1689 \def\idxitem{\par\hangindent \if@RTL-\fi2em}
1690 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
1691 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
1692 \renewcommand{\thepart}{\@tartibi\c@part}
1693 \def\appendix{\par\c@section\z@\c@subsection\z@
1694   \let\sectionname\appendixname
1695   \def\thesection{\@charfi\c@section}%
1696 \def\right@footnoterule{%
1697   \hbox to \columnwidth
1698   {\beginR \vbox{\kern-.4\p@
1699     \hrule\@width 5pc\kern11\p@\kern-\footnotesep\hfil\endR}}%
1700 \def\left@footnoterule{\kern-.4\p@
1701   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}%
1702 \def\@makefnmark{%
1703   \leavevmode
1704   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}}%
1705 }
1706
1707
1708
1709 \long\def\footnotetext#1{%
```

```

1710 \insert\footins{%
1711   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
1712   \normalfont\footnotesize
1713   \interlinepenalty\interfootnotelinepenalty
1714   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
1715   \floatingpenalty\@MM \hsize\columnwidth
1716   \parboxrestore \parindent\normalparindent \sloppy
1717   \protected@edef\@currentlabel{%
1718     \csname p@footnote\endcsname\@thefnmark}%
1719   \maketext{%
1720     \rule{z}{\footnotesep}\ignorespaces\if@RTL@footnote#1\else\latinfont#1\fi\unskip\strut\par}}}
1721
1722
1723
1724
1725
1726 \long\def\@RTLfootnotetext#1{%
1727   \insert\footins{%
1728     \@RTLtrue%
1729     \normalfont\footnotesize
1730     \interlinepenalty\interfootnotelinepenalty
1731     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
1732     \floatingpenalty\@MM \hsize\columnwidth
1733     \parboxrestore \parindent\normalparindent \sloppy
1734     \protected@edef\@currentlabel{%
1735       \csname p@footnote\endcsname\@thefnmark}%
1736     \maketext{%
1737       \rule{z}{\footnotesep}\ignorespaces\persianfont #1\unskip\strut\par}}}
1738
1739
1740
1741
1742
1743
1744
1745 \long\def\@LTRfootnotetext#1{%
1746   \insert\footins{%
1747     \@RTLfalse%
1748     \normalfont\footnotesize
1749     \interlinepenalty\interfootnotelinepenalty
1750     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
1751     \floatingpenalty\@MM \hsize\columnwidth
1752     \parboxrestore \parindent\normalparindent \sloppy
1753     \protected@edef\@currentlabel{%
1754       \csname p@footnote\endcsname\@thefnmark}%
1755     \maketext{%
1756       \rule{z}{\footnotesep}\ignorespaces\latinfont #1\unskip\strut\par}}}
1757
1758 \footdir@temp\footdir@ORG@xepersian@imsproc@footnotetext\@footnotetext{\bidi@footdir@footnote}
1759 \footdir@temp\footdir@ORG@xepersian@imsproc@RTLfootnotetext\@RTLfootnotetext{R}%

```

```

1760 \footdir@temp\footdir@ORG@xepersian@imsproc@LTRfootnotetext\@LTRfootnotetext{L}%
1761
1762 \def\part{\@startsection{part}{0}%
1763   \z@\{ \linespacing\@plus\linespacing\}\,.5\linespacing\}%
1764   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}%
1765 \def\@tocline#1#2#3#4#5#6#7{\relax
1766   \ifnum #1>\c@tocdepth % then omit
1767   \else
1768     \par \addpenalty\@secpenalty\addvspace{\#2}%
1769     \begingroup \hyphenpenalty\@M
1770     \@ifempty{\#4}{%
1771       \atempdima\csname r@tocindent\endcsname\relax
1772     }{%
1773       \atempdima\#4\relax
1774     }%
1775     \parindent\z@\if@RTL\rightskip\else\leftskip\fi\#3\relax \advance\if@RTL\rightskip\else\leftskip\fi\#1\@tempdima\#4\relax \advance\if@RTL\rightskip\else\leftskip\fi\#2\@tempdima\#5\relax \leavevmode\hskip-\atempdima\#6\nobreak\relax
1776     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
1777     \#5\leavevmode\hskip-\atempdima\#6\nobreak\relax
1778     \hfil\hbox to\@pnumwidth{\@tocpagenum{\#7}}\par
1779     \nobreak
1780     \endgroup
1781   \fi}
1782 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
1783 \renewcommand\thesubsubsection {\thesubsection\@SepMark\arabic{subsubsection}}
1784 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
1785 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
1786 \def\maketitle{\par
1787   \atopnum\z@ % this prevents figures from falling at the top of page 1
1788   \setcopyright
1789   \thispagestyle{firstpage}% this sets first page specifications
1790   \uppercaseonmath\shorttitle
1791   \ifx\@empty\shortauthors \let\shortauthors\shorttitle
1792   \else \andify\shortauthors
1793   \fi
1794   \maketitle@hook
1795   \begingroup
1796   \maketitle
1797   \toks@{\exp{\shortauthors}\temptokena\exp{\shorttitle}\}
1798   \toks4{\def\\{\ignorespaces}}% defend against questionable usage
1799   \edef\@tempa{%
1800     \nx\markboth{\the\toks4
1801       \nx\MakeUppercase{\the\toks@}\{\the\temptokena\}\}
1802   \@tempa
1803   \endgroup
1804   \c@footnote\z@
1805   \cleartopmattertags
1806 }

```

7.34 kashida-xepersian.def

```

1807 \ProvidesFile{kashida-xepersian.def}[2013/11/15 v0.3 implementation of Kashida for xepersian package]
1808 \chardef\xepersian@zwj="200D % zero-width joiner
1809
1810 \chardef\xepersian@D=10 % dual-joiner class
1811 \chardef\xepersian@L=11 % lam
1812 \chardef\xepersian@R=12 % right-joiner
1813 \chardef\xepersian@A=13 % alef
1814 \chardef\xepersian@V=256 % vowel or other combining mark (to be ignored)
1815 \def\xepersian@kashida{\xepersian@zwj\nobreak%
1816   \leaders\hrule height \XeTeXglyphbounds2 \the\XeTeXcharglyph"0640 depth \XeTeXglyphbounds4 \XeTeXglyphbounds5}
1817
1818 \def\setclass#1#2{\def\theclass{#1}\def\charlist{#2}%
1819   \expandafter\dosetclass\charlist,\end}
1820 \def\dosetclass#1,#2\end{%
1821   \def\test{#1}\def\charlist{#2}%
1822   \ifx\test\empty\let\next\finishsetclass
1823   \else \XeTeXcharclass "\test = \theclass
1824     \let\next\dosetclass \fi
1825   \expandafter\next\charlist,,\end}
1826 \def\finishsetclass#1,,\end{}}
1827
1828 \setclass \xepersian@A {0622,0623,0625,0627}
1829 \setclass \xepersian@R {0624,0629,062F,0630,0631,0632,0648,0698}
1830 \setclass \xepersian@D {0626,0628,062A,062B,062C,062D,062E}
1831 \setclass \xepersian@D {0633,0634,0635,0636,0637,0638,0639,063A}
1832 \setclass \xepersian@D {0640,0641,0642,0643,0645,0646,0647,0649,064A}
1833 \setclass \xepersian@D {067E,0686,06A9,06AF,06CC}
1834 \setclass \xepersian@L {0644}
1835 \setclass \xepersian@V {064B,064C,064D,064E,064F,0650,0651,0652}
1836
1837 \XeTeXinterchartoks \xepersian@D \xepersian@D = {\xepersian@kashida}
1838 \XeTeXinterchartoks \xepersian@L \xepersian@D = {\xepersian@kashida}
1839 \XeTeXinterchartoks \xepersian@D \xepersian@L = {\xepersian@kashida}
1840 \XeTeXinterchartoks \xepersian@L \xepersian@L = {\xepersian@kashida}
1841 \XeTeXinterchartoks \xepersian@D \xepersian@R = {\xepersian@kashida}
1842 \XeTeXinterchartoks \xepersian@D \xepersian@A = {\xepersian@kashida}
1843 \XeTeXinterchartoks \xepersian@L \xepersian@R = {\xepersian@kashida}
1844 \XeTeXinterchartoks \xepersian@L \xepersian@A = {}
1845
1846 \newcommand{\KashidaOn}{\XeTeXinterchartokenstate=1}
1847 \newcommand{\KashidaOff}{\XeTeXinterchartokenstate=0}
1848 \KashidaOn

```

7.35 listings-xepersian.def

```

1849 \ProvidesFile{listings-xepersian.def}[2014/07/17 v0.3 bilingual captions for listings package]
1850 \def\lstlistingname{\if@RTL else\ Listing\fi}
1851 \def\lstlistlistingname{\if@RTL else\ Listings\fi}

```

7.36 loadingorder-xepersian.def

```

1852 \ProvidesFile{loadingorder-xepersian.def}[2012/01/01 v0.3 making sure that xepersian is the last
1853 \bidi@isloaded{algorithmic}
1854 \bidi@isloaded{algorithm}
1855 \bidi@isloaded{backref}
1856 \bidi@isloaded{enumerate}
1857 \bidi@isloaded{tocloft}
1858 \bidi@isloaded{url}
1859 \AtBeginDocument{
1860   \if@bidi@algorithmicloaded@\else
1861     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithmic after xepersian}]
1862   \fi%
1863   \if@bidi@algorithmloaded@\else
1864     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithm after xepersian}]
1865   \fi%
1866   \if@bidi@backrefloaded@\else
1867     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package backref after xepersian}]
1868   \fi%
1869   \if@bidi@enumerateloaded@\else
1870     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumerate after xepersian}]
1871   \fi%
1872   \if@bidi@tocloftloaded@\else
1873     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package tocloft after xepersian}]
1874   \fi%
1875   \if@bidi@urlloaded@\else
1876     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package url after xepersian pack}]
1877   \fi%
1878 }

```

7.37 localise-xepersian.def

```

1879 \ProvidesFile{localise-xepersian.def}[2014/07/10 v0.2b Persian localisation of LaTeX2e]
1880 \newcommand{\makezwnjletter}{\catcode`=11\relax}
1881 \makezwnjletter
1882 \newcommand*{\eqcommand}[2]{\if@bidi@csprimitive{#2}{\bidi@csletcs{#1}{#2}}{\bidi@csdefcs{#1}{#2}}}
1883 \newcommand*{\eqenvironment}[2]{\newenvironment{#1}{\csname#2\endcsname}{\csname end#2\endcsname}}
1884 \@ifpackageloaded{keyval}{}%
1885 \newcommand*{\keyval@eq@alias@key}[4][KV] {%
1886   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1887   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}%
1888 }{\@ifpackageloaded{xkeyval}{}%
1889 \newcommand*{\keyval@eq@alias@key}[4][KV] {%
1890   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1891   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}%
1892 }{}}
1893 \input{latex-localise-commands-xepersian.def}
1894 \input{xepersian-localise-commands-xepersian.def}
1895 \input{latex-localise-environments-xepersian.def}
1896 \input{xepersian-localise-environments-xepersian.def}
1897 \input{latex-localise-messages-xepersian.def}
1898 \input{latex-localise-misc-xepersian.def}

```

```

1899 \input{packages-localise-xepersian.def}
1900 \aliasfontfeature{ExternalLocation}{ }
1901 \aliasfontfeature{ExternalLocation}{ }
1902 \aliasfontfeature{Renderer}{ }
1903 \aliasfontfeature{BoldFont}{ }
1904 \aliasfontfeature{Language}{ }
1905 \aliasfontfeature{Script}{ }
1906 \aliasfontfeature{UprightFont}{ }
1907 \aliasfontfeature{ItalicFont}{ }
1908 \aliasfontfeature{BoldItalicFont}{ }
1909 \aliasfontfeature{SlantedFont}{ }
1910 \aliasfontfeature{BoldSlantedFont}{ }
1911 \aliasfontfeature{SmallCapsFont}{ }
1912 \aliasfontfeature{UprightFeatures}{ }
1913 \aliasfontfeature{BoldFeatures}{ }
1914 \aliasfontfeature{ItalicFeatures}{ }
1915 \aliasfontfeature{BoldItalicFeatures}{ }
1916 \aliasfontfeature{SlantedFeatures}{ }
1917 \aliasfontfeature{BoldSlantedFeatures}{ }
1918 \aliasfontfeature{SmallCapsFeatures}{ }
1919 \aliasfontfeature{SizeFeatures}{ }
1920 \aliasfontfeature{Scale}{ }
1921 \aliasfontfeature{WordSpace}{ }
1922 \aliasfontfeature{PunctuationSpace}{ }
1923 \aliasfontfeature{FontAdjustment}{ }
1924 \aliasfontfeature{LetterSpace}{ }
1925 \aliasfontfeature{HyphenChar}{ }
1926 \aliasfontfeature{Color}{ }
1927 \aliasfontfeature{Opacity}{ }
1928 \aliasfontfeature{Mapping}{ }
1929 \aliasfontfeature{Weight}{ }
1930 \aliasfontfeature{Width}{ }
1931 \aliasfontfeature{OpticalSize}{ }
1932 \aliasfontfeature{FakeSlant}{ }
1933 \aliasfontfeature{FakeStretch}{ }
1934 \aliasfontfeature{FakeBold}{ }
1935 \aliasfontfeature{AutoFakeSlant}{ }
1936 \aliasfontfeature{AutoFakeBold}{ }
1937 \aliasfontfeature{Ligatures}{ }
1938 \aliasfontfeature{Alternate}{ }
1939 \aliasfontfeature{Variant}{ }
1940 \aliasfontfeature{Variant}{ }
1941 \aliasfontfeature{CharacterVariant}{ }
1942 \aliasfontfeature{Style}{ }
1943 \aliasfontfeature{Annotation}{ }
1944 \aliasfontfeature{RawFeature}{ }
1945 \aliasfontfeature{CharacterWidth}{ }
1946 \aliasfontfeature{Numbers}{ }
1947 \aliasfontfeature{Contextuals}{ }
1948 \aliasfontfeature{Diacritics}{ }

```

```

1949 \aliasfontfeature{Letters}{ }
1950 \aliasfontfeature{Kerning}{ }
1951 \aliasfontfeature{VerticalPosition}{ }
1952 \aliasfontfeature{Fractions}{ }
1953 \aliasfontfeatureoption{Language}{Default}{ }
1954 \aliasfontfeatureoption{Language}{Parsi}{ }
1955 \aliasfontfeatureoption{Script}{Parsi}{ }
1956 \aliasfontfeatureoption{Script}{Latin}{ }
1957 \aliasfontfeatureoption{Style}{MathScript}{ }
1958 \aliasfontfeatureoption{Style}{MathScriptScript}{ }

```

7.38 memoir-xepersian.def

```

1959 \ProvidesFile{memoir-xepersian.def}[2010/07/25 v0.1 adaptations for memoir class]
1960 \renewcommand{\@memfront}{%
1961   \@smemfront\pagenumbering{harfi}}
1962 \renewcommand{\setthesection}{\thechapter\@SepMark\harfi{section}}
1963 \renewcommand*{\thebook}{\@tartibi\c@book}
1964 \renewcommand*{\thepart}{\@tartibi\c@part}
1965 \renewcommand{\appendix}{\par
1966   \setcounter{chapter}{0}%
1967   \setcounter{section}{0}%
1968   \gdef\@chapapp{\appendixname}%
1969   \gdef\thechapter{\@harfi\c@chapter}%
1970   \anappendixtrue}

```

7.39 latex-localise-messages-xepersian.def

```
1971 latex}           -localise-messages-xepersian.def][2011/03/01 v0.1 localising LaTeX2e messages]
```

7.40 minitoc-xepersian.def

```

1972 \ProvidesFile{minitoc-xepersian.def}[2010/07/25 v0.1 bilingual captions for minitoc package]
1973 \def\ptctitle{\if@RTL else\ Table of Contents\fi}%
1974 \def\plftitle{\if@RTL else\ List of Figures\fi}%
1975 \def\pltttitle{\if@RTL else\ List of Tables\fi}%
1976 \def\mtctitle{\if@RTL else\ Contents\fi}%
1977 \def\mlftitle{\if@RTL else\ Figures\fi}%
1978 \def\mltttitle{\if@RTL else\ Tables\fi}%
1979 \def\stctitle{\if@RTL else\ Contents\fi}%
1980 \def\slftitle{\if@RTL else\ Figures\fi}%
1981 \def\sltttitle{\if@RTL else\ Tables\fi}%

```

7.41 latex-localise-misc-xepersian.def

```

1982 \ProvidesFile{latex-localise-misc-xepersian.def}[2012/01/01 v0.2 miscellaneous Persian localisa
1983 %}1#  \\
1984   \@ \    @ \    \
1985   \1# \
1986   \1# @\
1987   \1# @\
1988 {\@ \ \
1989 %}2#1# @\ \

```

```

1990 %1#  \      @\      \    \ \    \
1991   \2#  \      @\      \
1992 {{2#1#  \
1993 undefined\  \  \
1994
1995 %{ \  \  \  \1#}  \ \}  \1#  \ \
1996   \ { \  \  \
1997 \  \  \
1998
1999
2000 \  \  \ %}  \#1
2001   \1#}  \ \ %
2002           \  \  \
2003         }%
2004   \
2005   \  \  \
2006 }
2007 \=  \  \
2008
2009
2010 @ifdefinitionfileloaded{latex-xetex-bidi}{%
2011 \def\xffloat #1[#2]{%
2012   @nодокумент
2013   \def\@capttype {\#1}%
2014   \def\@fps {\#2}%
2015   @onelевел@sanitize \@fps
2016   \def\reserved@b {!}%
2017   \ifx\reserved@b \@fps
2018     \@fpsadddefault
2019   \else
2020     \ifx\@fps\@empty
2021       \@fpsadddefault
2022     \fi
2023   \fi
2024   @ifhmode
2025     @bsphack
2026     @floatpenalty -@Mi
2027   \else
2028     @floatpenalty-@Mii
2029   \fi
2030   @inner
2031     @parmoderr@floatpenalty\z@
2032   \else
2033     @next@currbox@freelist
2034     {%
2035       @tempcnta \sixt@n
2036       \expandafter \tfor \expandafter \reserved@a
2037         \expandafter :\expandafter =\@fps
2038       \do
2039         {%

```

```

2040      \if \reserved@a h%
2041          \ifodd \@tempcnta
2042              \else
2043                  \advance \@tempcnta \@ne
2044          \fi
2045      \fi
2046      \if \reserved@a %
2047          \ifodd \@tempcnta
2048              \else
2049                  \advance \@tempcnta \@ne
2050          \fi
2051      \fi
2052      \if \reserved@a t%
2053          \@setfpsbit \tw@
2054      \fi
2055      \if \reserved@a %
2056          \@setfpsbit \tw@
2057      \fi
2058      \if \reserved@a b%
2059          \@setfpsbit 4%
2060      \fi
2061      \if \reserved@a %
2062          \@setfpsbit 4%
2063      \fi
2064      \if \reserved@a p%
2065          \@setfpsbit 8%
2066      \fi
2067      \if \reserved@a %
2068          \@setfpsbit 8%
2069      \fi
2070      \if \reserved@a !=
2071          \ifnum \@tempcnta>15
2072              \advance\@tempcnta -\sixt@n\relax
2073          \fi
2074      \fi
2075  }%
2076      \@tempcntb \csname ftype@\@capttype \endcsname
2077      \multiply \@tempcntb \xxxii
2078      \advance \@tempcnta \@tempcntb
2079      \global \count\@currbox \@tempcnta
2080  }%
2081      \@fltovf
2082  \fi
2083 \global \setbox\@currbox
2084     \color@vbox
2085     \normalcolor
2086     \vbox \bgroup
2087         \hsize\columnwidth
2088         \parboxrestore
2089     \floatboxreset

```

```

2090 }
2091 \let\bm@\bm@c
2092 \let\bm@\bm@l
2093 \let\bm@\bm@r
2094 \let\bm@\bm@b
2095 \let\bm@\bm@t
2096 \let\bm@\bm@s
2097 \long\def\@iiiparbox#1#2[#3]#4#5{%
2098   \leavevmode
2099   \pboxswfalse
2100   \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
2101   \if@RTL\if#1\@bidi@list@minipage@parboxtrue\else\if#1\@bidi@list@minipage@parboxtrue\else\fi
2102   \setlength\@tempdima{#4}%
2103   \begin@tempboxa\vbox{\hsize\@tempdima\parboxrestore#5\@@par}%
2104   \ifx\relax#2\else
2105     \setlength\@tempdimb{#2}%
2106     \edef\@parboxto{to\the\@tempdimb}%
2107   \fi
2108   \if#1\ vbox
2109   \else\if#1 \vbox
2110   \else\if #1\ vtop
2111   \else\if vtop\ #1
2112   \else\ifmmode\vcenter
2113   \else\pboxswtrue \$\vcenter
2114   \fi\fi\fi\fi\fi
2115   \parboxto{\let\hss\vss\let\unhbox\unvbox
2116   \csname bm@#3\endcsname}%
2117   \if@pboxsw \m@th$\fi
2118 \end@tempboxa}
2119 \def\@iiminipage#1#2[#3]#4{%
2120   \leavevmode
2121   \pboxswfalse
2122   \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
2123   \if@RTL\if#1\@bidi@list@minipage@parboxtrue\else\if#1\@bidi@list@minipage@parboxtrue\else\fi
2124   \setlength\@tempdima{#4}%
2125   \def\@mpargs{{#1}{#2}[#3]{#4}}%
2126   \setbox\@tempboxa\vbox\bgroup
2127   \color@begingroup
2128     \hsize\@tempdima
2129     \textwidth\hsize \columnwidth\hsize
2130     \parboxrestore
2131     \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
2132     \let\@footnotetext\@mpfootnotetext
2133     \let\@LTRfootnotetext\@mpLTRfootnotetext
2134     \let\@RTLfootnotetext\@mpRTLfootnotetext
2135     \let\@listdepth\@mplistdepth \mp@listdepth\z@
2136     \minipagerestore
2137     \c@setminipage}
2138 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4 \else
2139   \ifnum \lastchclass=3 5 \else

```



```

2340 }{ }
2341 \begingroup \catcode `|=0 \catcode [= 1
2342 \catcode `]=2 \catcode `{|=12 \catcode `|=12
2343 \catcode `\\|=12 |gdef|@x@xepersian@localize@verbatim#1|[|] |1#]{      }
2344 |gdef|@sx@xepersian@localize@verbatim#1|[*] |1#]{*}      }
2345 \endgroup
2346 \def\ { \Overline{\frenchspacing}\vobeyspaces \xepersian@localize@verbatim}
2347 \def\end {\if@newlist \leavevmode\fi\endtrivlist}
2348 \ExplSyntaxOn
2349 \AtBeginDocument{\namedef*{\Overline{\fontspec_print_visible_spaces: \sx@xepersian@}}
2350 \ExplSyntaxOff
2351 \expandafter\let\csname end \endcsname =\end

```

7.42 natbib-xepersian.def

```

2352 \ProvidesFile{natbib-xepersian.def}[2011/08/01 v0.1 adaptations for natbib package]
2353 \renewcommand\NAT@set@cites{%
2354   \ifNAT@numbers
2355     \ifNAT@super \let\cite\NAT@citesuper
2356       \def\NAT@mbox##1{\unskip\nobreak\textsuperscript{##1}}%
2357       \let\citeyearpar=\citeyear
2358       \let\NAT@space\relax
2359       \def\NAT@super@kern{\kern\p@}%
2360   \else
2361     \let\NAT@mbox=\mbox
2362     \let\cite\NAT@citenum
2363     \let\NAT@space\NAT@spacechar
2364     \let\NAT@super@kern\relax
2365   \fi
2366   \let\@citex\NAT@citexnum
2367   \let\@Latincitex\NAT@Latin@citexnum
2368   \let\@biblabel\NAT@biblabelnum
2369   \let\@bibsetup\NAT@bibsetnum
2370   \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@num\NAT@close}%
2371   \def\natexlab##1{}%
2372   \def\NAT@penalty{\penalty\@m}%
2373 \else
2374   \let\cite\NAT@cite
2375   \let\@citex\NAT@citex
2376   \let\@Latincitex\NAT@Latin@citex
2377   \let\@biblabel\NAT@biblabel
2378   \let\@bibsetup\NAT@bibsetup
2379   \let\NAT@space\NAT@spacechar
2380   \let\NAT@penalty\empty
2381   \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@date\NAT@close}%
2382   \def\natexlab##1{##1}%
2383 \fi}
2384 \newcommand\NAT@Latin@citex{}
2385 \def\NAT@Latin@citex%{%
2386   [#1] [#2] #3{%

```

```

2387  \NAT@reset@parser
2388  \NAT@sort@cites{#3}%
2389  \NAT@reset@citea
2390  \@cite{\lr{\let\NAT@nm\@empty\let\NAT@year\@empty
2391  \@for\@citere:=\NAT@cite@list\do
2392  {\@safe@activestrue
2393  \edef\@citere{\expandafter\@firstofone\@citere\@empty}%
2394  \@safe@activefalse
2395  \@ifundefined{b@\@citere\@extra@b@\@citere}{\@citea{%
2396  {\reset@font\bfseries ?}\NAT@citeundefined
2397  \PackageWarning{natbib}}%
2398  {Citation `@\@citere' on page \thepage\space undefined}\def\NAT@date{}%
2399  {\let\NAT@last@nm=\NAT@nm\let\NAT@last@yr=\NAT@year
2400  \NAT@parse{\@citere}%
2401  \@ifNAT@longnames{\@ifundefined{bv@\@citere\@extra@b@\@citere}{%
2402  \let\NAT@name=\NAT@all@names
2403  \global\@namedef{bv@\@citere\@extra@b@\@citere}{}{}}{}}%
2404  \fi
2405  \@ifNAT@full{\let\NAT@nm\NAT@all@names\else
2406  \let\NAT@nm\NAT@name\fi
2407  \@ifNAT@swa\@ifcase\NAT@ctype
2408  \if\relax\NAT@date\relax
2409  \@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}\NAT@date}%
2410  \else
2411  \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2412  \ifx\NAT@last@yr\NAT@year
2413  \def\NAT@temp{{?}}%
2414  \ifx\NAT@temp\PackageWarningNoLine{natbib}%
2415  {Multiple citation on page \thepage: same authors and
2416  year\MessageBreak without distinguishing extra
2417  letter,\MessageBreak appears as question mark}\fi
2418  \NAT@hyper@{\NAT@exlab}%
2419  \else\unskip\NAT@spacechar
2420  \NAT@hyper@{\NAT@date}%
2421  \fi
2422  \else
2423  \@citea\NAT@hyper@{%
2424  \NAT@nmfmt{\NAT@nm}%
2425  \hyper@natlinkbreak{%
2426  \NAT@aysep\NAT@spacechar}\{\@citere\@extra@b@\@citere
2427  }\%
2428  \NAT@date
2429  }\%
2430  \fi
2431  \fi
2432  \or\@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}}%
2433  \or\@citea\NAT@hyper@{\NAT@date}%
2434  \or\@citea\NAT@hyper@{\NAT@alias}%
2435  \fi \NAT@def@citea
2436  \else

```

```

2437      \ifcase\NAT@ctype
2438          \if\relax\NAT@date\relax
2439              \citea\NAT@hyper@\{\NAT@nmfmt{\NAT@nm}\}%
2440          \else
2441              \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2442                  \ifx\NAT@last@yr\NAT@year
2443                      \def\NAT@temp{\?}%
2444                      \ifx\NAT@temp\NAT@exlab\PackageWarning{natbib}%
2445                          {Multiple citation on page \thepage: same authors and
2446                           year\MessageBreak without distinguishing extra
2447                           letter,\MessageBreak appears as question mark}\fi
2448                      \NAT@hyper@\{\NAT@exlab\}%
2449                  \else
2450                      \unskip\NAT@spacechar
2451                      \NAT@hyper@\{\NAT@date\}%
2452                  \fi
2453          \else
2454              \citea\NAT@hyper@\%
2455                  \NAT@nmfmt{\NAT@nm}\%
2456                  \hyper@natlinkbreak{\NAT@spacechar\NAT@open\if*\#1*\else#1\NAT@spacechar\fi}%
2457                      {\@citeb\@extra@b@citeb}%
2458                  \NAT@date
2459              }%
2460          \fi
2461          \fi
2462          \or\citea\NAT@hyper@\{\NAT@nmfmt{\NAT@nm}\}%
2463          \or\citea\NAT@hyper@\{\NAT@date\}%
2464          \or\citea\NAT@hyper@\{\NAT@alias\}%
2465          \fi
2466          \if\relax\NAT@date\relax
2467              \NAT@def@citea
2468          \else
2469              \NAT@def@citea@close
2470          \fi
2471      \fi
2472  }\}\ifNAT@swa\else\if*\#2*\else\NAT@cmt#\fi
2473  \if\relax\NAT@date\relax\else\NAT@close\fi\fi}\{\#1\}{\#2}}
2474 \newcommand\NAT@Latin@citexnum{}
2475 \def\NAT@Latin@citexnum[\#1][\#2]\#3{%
2476     \NAT@reset@parser
2477     \NAT@sort@cites{\#3}%
2478     \NAT@reset@citea
2479     \@cite{\lrf{\def\NAT@num{-1}\let\NAT@last@yr\relax\let\NAT@nm\empty
2480         \for\citeb:=\NAT@cite@list\do
2481             \safe@activestrue
2482             \edef\citeb{\expandafter\firstr\@citeb\empty}%
2483             \safe@activesfalse
2484             \ifundefined{b@\citeb\@extra@b@\citeb}{}%
2485                 {\reset@font\bfseries?}
2486                 \NAT@citeundefined\PackageWarning{natbib}%

```

```

2487      {Citation `@\citeb' on page \thepage \space undefined}}%
2488      {\let\NAT@last@num\NAT@num\let\NAT@last@nm\NAT@nm
2489      \NAT@parse{\@citeb}%
2490      \ifNAT@longnames\@ifundefined{bv@\@citeb\@extra@b@\citeb}{%
2491          \let\NAT@name=\NAT@all@names
2492          \global\@namedef{bv@\@citeb\@extra@b@\citeb}{}{}%
2493      }%
2494      \ifNAT@full\let\NAT@nm\NAT@all@names\else
2495          \let\NAT@nm\NAT@name\fi
2496      \ifNAT@swa
2497          \@ifnum{\NAT@ctype}>\@ne}{%
2498          \@citea
2499      \NAT@hyper@{\@ifnum{\NAT@ctype=\tw@}{\NAT@test{\NAT@ctype}}{\NAT@alias}}{%
2500      }%
2501          \@ifnum{\NAT@cmptrs>\z@}{%
2502              \NAT@ifcat@num\NAT@num
2503                  {\let\NAT@nm=\NAT@num}%
2504                  {\def\NAT@nm{-2}}%
2505              \NAT@ifcat@num\NAT@last@num
2506                  {\@tempcnta=\NAT@last@num\relax}%
2507                  {\@tempcnta\m@ne}%
2508              \@ifnum{\NAT@nm=\@tempcnta}{%
2509                  \@ifnum{\NAT@merge>\@ne}{}{\NAT@last@yr@mbox}}%
2510      }%
2511          \advance\@tempcnta by\@ne
2512          \@ifnum{\NAT@nm=\@tempcnta}{%
2513              \ifx\NAT@last@yr\relax
2514                  \def\NAT@last@yr{\@citea}%
2515              \else
2516                  \def\NAT@last@yr{--\NAT@penalty}%
2517              \fi
2518      }%
2519          \NAT@last@yr@mbox
2520      }%
2521  }%
2522 }%
2523 }%
2524 \tempswatrue
2525 \@ifnum{\NAT@merge>\@ne}{\@ifnum{\NAT@last@num=\NAT@num\relax}{\@tempswafalse}{}{}}{%
2526     \if@tempswa\NAT@citea@mbox\fi
2527 }%
2528 \NAT@def@citea
2529 \else
2530     \ifcase\NAT@ctype
2531         \ifx\NAT@last@nm\NAT@nm \NAT@yrsep\NAT@penalty\NAT@space\else
2532             \@citea \NAT@test{\@ne}\NAT@spacechar\NAT@mbox{\NAT@super@kern\NAT@open}%
2533         \fi
2534         \if*#1*\else#1\NAT@spacechar\fi
2535         \NAT@mbox{\NAT@hyper@{\citenumfont{\NAT@num}}}{}%
2536         \NAT@def@citea@box

```

```

2537      \or
2538          \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2539      \or
2540          \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2541      \or
2542          \NAT@hyper@citea@space\NAT@alias
2543      \fi
2544  \fi
2545 }%
2546 }%
2547     @ifnum{\NAT@cmptrs>\z@}{\NAT@last@yr}{}
2548     \ifNAT@swa\else
2549         @ifnum{\NAT@ctype=\z@}{%
2550             \if*#2*\else\NAT@cmt#2\fi
2551         }%
2552         \NAT@mbox{\NAT@@close}%
2553     \fi
2554 }{#1}{#2}%
2555 }%
2556 \AtBeginDocument{\NAT@set@cites}
2557 \DeclareRobustCommand\Latincite
2558     {\begingroup\let\NAT@ctype\z@\NAT@partrue\NAT@swatru
2559     \Cifstar{\NAT@fulltrue\NAT@Latin@cites}{\NAT@fullfalse\NAT@Latin@cites}}
2560 \newcommand\NAT@Latin@cites{\@ifnextchar [{\NAT@@Latin@@citetp}{%
2561     \ifNAT@numbers\else
2562     \NAT@swafalse
2563     \fi
2564     \NAT@@Latin@@citetp[]}}
2565 \newcommand\NAT@@Latin@@citetp{%
2566 \def\NAT@@Latin@@citetp[#1]{\@ifnextchar [{\@Latincitex[#1]}{\@Latincitex[] [#1]}}}
```

7.43 packages-localise-xepersian.def

```

2567 packages}           \localise-xepersian.def}[2013/04/24 v0.2 localising LaTeXe Packages]
2568 color}   \}{color}           @\localise-xepersian.def}{}}
2569 \Cifpackage{multicol}{%
2570 \newenvironment{ }{\begin{multicols}}{\end{multicols}}%
2571 \newenvironment{ *}{\begin{multicols*}}{\end{multicols*}}%
2572 }%
2573 \Cifpackage{verbatim}{%
2574 \begingroup
2575   \verb@catcodes
2576   \lccode`!=`\ \
2577   \catcode`~=`\active \lccode`~=`\^M
2578   \lccode`C=`\C
2579   \lowercase{\endgroup
2580   \def\xepersian@localize@verbatim@start#1{%
2581     \verbatim@startline
2582     \if\noexpand#1\noexpand~%
2583       \let\next\xepersian@localize@verbatim@
```

```

2584     \else \def\next{\xepersian@localize@verbatim@#1}\fi
2585     \next}%
2586 \def\xepersian@localize@verbatim@#1~{\xepersian@localize@verbatim@#1! \nil}%
2587 \def\xepersian@localize@verbatim@#1! {%
2588     \verbatim@addtoline{#1}%
2589     \futurelet\next\xepersian@localize@verbatim@@@}%
2590 \def\xepersian@localize@verbatim@@@\nil{%
2591     \ifx\next\nil
2592         \verbatim@processline
2593         \verbatim@startline
2594         \let\next\xepersian@localize@verbatim@%
2595     \else
2596         \def\@tempa##1! \nil{##1}%
2597         \temptokena{! }%
2598         \def\next{\expandafter\xepersian@localize@verbatim@test\@tempa#1\nil~-}%
2599         \fi \next}%
2600 \def\xepersian@localize@verbatim@test#1{%
2601     \let\next\xepersian@localize@verbatim@test
2602     \if\noexpand#1\noexpand~%
2603         \expandafter\verbatim@addtoline
2604         \expandafter{\the\temptokena}%
2605         \verbatim@processline
2606         \verbatim@startline
2607         \let\next\xepersian@localize@verbatim@
2608     \else \if\noexpand#1
2609         \temptokena\expandafter{\the\temptokena#1}%
2610     \else \if\noexpand#1\noexpand[%
2611         \let\@tempc\empty
2612         \let\next\xepersian@localize@verbatim@testend
2613     \else
2614         \expandafter\verbatim@addtoline
2615         \expandafter{\the\temptokena}%
2616         \def\next{\xepersian@localize@verbatim@#1}%
2617         \fi\fi\fi
2618     \next}%
2619 \def\xepersian@localize@verbatim@testend#1{%
2620     \if\noexpand#1\noexpand~%
2621         \expandafter\verbatim@addtoline
2622         \expandafter{\the\temptokena[]}%
2623         \expandafter\verbatim@addtoline
2624         \expandafter{\@tempc}%
2625         \verbatim@processline
2626         \verbatim@startline
2627         \let\next\xepersian@localize@verbatim@
2628     \else\if\noexpand#1\noexpand]%
2629         \let\next\xepersian@localize@verbatim@@testend
2630     \else\if\noexpand#1\noexpand!%
2631         \expandafter\verbatim@addtoline
2632         \expandafter{\the\temptokena[]}%
2633         \expandafter\verbatim@addtoline

```

```

2634         \expandafter{\@tempc}%
2635         \def\next{\xepersian@localize@verbatim@!}%
2636         \else \expandafter\def\expandafter@\tempc\expandafter%
2637             {\@tempc#1}\fi\fi\fi
2638         \next}%
2639 \def\xepersian@localize@verbatim@@testend{%
2640     \ifx\@tempc\@currenvir
2641         \verbatim@finish
2642         \edef\next{\noexpand\end{\@currenvir}}%
2643             \noexpand\xepersian@localize@verbatim@rescan{\@currenvir}}%
2644     \else
2645         \expandafter\verbatim@addtoline
2646             \expandafter{\the\@temptokena[]}%
2647             \expandafter\verbatim@addtoline
2648                 \expandafter{\@tempc}]%
2649             \let\next\xepersian@localize@verbatim@
2650             \fi
2651             \next}%
2652     \def\xepersian@localize@verbatim@rescan#1#2~{\if\noexpand~\noexpand#2~\else
2653         \@warning{Characters dropped after `~\string\end{#1}'}\fi}%
2654 \def\      {\begingroup\@verbatim \frenchspacing\@vobeyspaces
2655             \xepersian@localize@verbatim@start}
2656 \namedef{      }{\begingroup\@verbatim\xepersian@localize@verbatim@start}
2657 \def\end      {\endtrivlist\endgroup\@doendpe}
2658 \expandafter\let\csname end      *\endcsname =\end
2659 }{}}
2660 \ExplSyntaxOn
2661 \AtBeginDocument{
2662     \xepersian_localize_patch_verbatim:
2663 }
2664 \cs_set:Npn \xepersian_localize_patch_verbatim: {
2665     @ifpackageloaded{verbatim}{
2666         \cs_set:cpx {*} { }
2667         \group_begin: \overbatim \fontspec_print_visible_spaces: \xepersian@localize@verbatim@start
2668     }
2669 }{
2670 }
2671 }
2672 \ExplSyntaxOff
2673 @ifpackageloaded{graphicx}{%
2674 \def\Gin@boolkey#1#2{%
2675 \expandafter\@ifdefinable \csname Gin@#2 \endcsname{%
2676 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2true\endcsname}%
2677 \expandafter\@ifdefinable \csname Gin@#2 \endcsname{%
2678 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2false\endcsname}%
2679 \csname Gin@#2\ifx\relax#1\relax true\else#1\fi\endcsname}%
2680 \define@key{Grot}{origin}[c]{%
2681 \tfor\@tempa:=#1\do{%
2682     \if 1\@tempa \Grot@x\z@ \else
2683     \if tempa@ \Grot@x\z@ \else

```

7.44 parsidigits.map

```
2715 LHSName "Digits"
2716 RHSName "ParsiDigits"
2717
2718 pass(Unicode)
2719 U+0030 <> U+06F0 ;
2720 U+0031 <> U+06F1 ;
2721 U+0032 <> U+06F2 ;
2722 U+0033 <> U+06F3 ;
2723 U+0034 <> U+06F4 ;
2724 U+0035 <> U+06F5 ;
2725 U+0036 <> U+06F6 ;
2726 U+0037 <> U+06F7 ;
2727 U+0038 <> U+06F8 ;
2728 U+0039 <> U+06F9 ;
2729
2730
```

```

2731 U+002C <> U+060C ; comma > arabic comma
2732 U+003F <> U+061F ; question mark -> arabic qm
2733 U+003B <> U+061B ; semicolon -> arabic semicolon
2734
2735 ; ligatures from Knuth's original CMR fonts
2736 U+002D U+002D <> U+2013 ; -- -> en dash
2737 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2738
2739 U+0027 <> U+2019 ; ' -> right single quote
2740 U+0027 U+0027 <> U+201D ; '' -> right double quote
2741 U+0022 > U+201D ; " -> right double quote
2742
2743 U+0060 <> U+2018 ; ` -> left single quote
2744 U+0060 U+0060 <> U+201C ; `` -> left double quote
2745
2746 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2747 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2748
2749 ; additions supported in T1 encoding
2750 U+002C U+002C <> U+201E ; , , -> DOUBLE LOW-9 QUOTATION MARK
2751 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2752 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```

7.45 rapport1-xepersian.def

```

2753 \ProvidesFile{rapport1-xepersian.def}[2010/07/25 v0.1 adaptations for rapport1 class]
2754 \renewcommand*\thechapter{\@tartibi\c@part}
2755 \renewcommand*\appendix{\par
2756   \setcounter{chapter}{0}%
2757   \setcounter{section}{0}%
2758   \gdef\@chapapp{\appendixname}%
2759   \gdef\thechapter{\@harfi\c@chapter}}

```

7.46 rapport3-xepersian.def

```

2760 \ProvidesFile{rapport3-xepersian.def}[2010/07/25 v0.2 adaptations for rapport3 class]
2761 \renewcommand*\thechapter{\@tartibi\c@part}
2762 \renewcommand*\appendix{\par
2763   \setcounter{chapter}{0}%
2764   \setcounter{section}{0}%
2765   \gdef\@chapapp{\appendixname}%
2766   \gdef\thechapter{\@harfi\c@chapter}}

```

7.47 refrep-xepersian.def

```

2767 \ProvidesFile{refrep-xepersian.def}[2010/07/25 v0.2 adaptations for refrep class]
2768 \renewcommand \thechapter {\@tartibi\c@part}
2769 \renewcommand\appendix{\par
2770   \setcounter{chapter}{0}%
2771   \setcounter{section}{0}%
2772   \gdef\@chapapp{\appendixname}%
2773   \gdef\thechapter{\@harfi\c@chapter}}

```

```
2774 }%end appendix
```

7.48 report-xepersian.def

```
2775 \ProvidesFile{report-xepersian.def}[2010/07/25 v0.2 adaptations for standard report class]
2776 \renewcommand \thepart {\@tartibi\c@part}
2777 \renewcommand\appendix{\par
2778   \setcounter{chapter}{0}%
2779   \setcounter{section}{0}%
2780   \gdef\@chapapp{\appendixname}%
2781   \gdef\thechapter{\@harfi\c@chapter}
2782 }%end appendix
```

7.49 scrartcl-xepersian.def

```
2783 \ProvidesFile{scrartcl-xepersian.def}[2010/07/25 v0.2 adaptations for scrartcl class]
2784 \renewcommand*\thepart{\@tartibi\c@part}
2785 \renewcommand*\appendix{\par%
2786   \setcounter{section}{0}%
2787   \setcounter{subsection}{0}%
2788   \gdef\thesection{\@harfi\c@section}%
2789   \csname appendixmore\endcsname
2790 }
2791 \renewcommand*{\@@maybeautodot}[1]{%
2792   \ifx #1\@stop\let\@@maybeautodot\relax
2793   \else
2794     \ifx #1\harfi \autodottrue\fi
2795     \ifx #1\adadi \autodottrue\fi
2796     \ifx #1\tartibi \autodottrue\fi
2797     \ifx #1\Alpha \autodottrue\fi
2798     \ifx #1\alpha \autodottrue\fi
2799     \ifx #1\Roman \autodottrue\fi
2800     \ifx #1\roman \autodottrue\fi
2801     \ifx #1\@harfi \autodottrue\fi
2802     \ifx #1\@adadi \autodottrue\fi
2803     \ifx #1\@tartibi \autodottrue\fi
2804     \ifx #1\@Alpha \autodottrue\fi
2805     \ifx #1\@alpha \autodottrue\fi
2806     \ifx #1\@Roman \autodottrue\fi
2807     \ifx #1\@roman \autodottrue\fi
2808     \ifx #1\romannumeral \autodottrue\fi
2809   \fi
2810   \@@maybeautodot
2811 }
```

7.50 scrbook-xepersian.def

```
2812 \ProvidesFile{scrbook-xepersian.def}[2010/07/25 v0.2 adaptations for scrbook class]
2813 \renewcommand*\frontmatter{%
2814   \if@twoside\cleardoubleoddpage\else\clearpage\fi
2815   \mainmatterfalse\pagenumbering{harfi}%
2816 }
```

```

2817 \renewcommand*{\thepart}{\@tartibi\c@part}
2818 \renewcommand*\appendix{\par%
2819   \setcounter{chapter}{0}%
2820   \setcounter{section}{0}%
2821   \gdef\@chapapp{\appendixname}%
2822   \gdef\thechapter{\@harfi\c@chapter}%
2823   \csname appendixmore\endcsname
2824 }
2825 \renewcommand*{\@@maybeautodot}[1]{%
2826   \ifx #1\@stop\let\@@maybeautodot\relax
2827   \else
2828     \ifx #1\harfi \autodottrue\fi
2829     \ifx #1\adadi \autodottrue\fi
2830     \ifx #1\tartibi \autodottrue\fi
2831     \ifx #1\Alpha \autodottrue\fi
2832     \ifx #1\alpha \autodottrue\fi
2833     \ifx #1\Roman \autodottrue\fi
2834     \ifx #1\roman \autodottrue\fi
2835     \ifx #1\@harfi \autodottrue\fi
2836     \ifx #1\@adadi \autodottrue\fi
2837     \ifx #1\@tartibi \autodottrue\fi
2838     \ifx #1\@Alpha \autodottrue\fi
2839     \ifx #1\@alpha \autodottrue\fi
2840     \ifx #1\@Roman \autodottrue\fi
2841     \ifx #1\@roman \autodottrue\fi
2842     \ifx #1\romannumeral \autodottrue\fi
2843   \fi
2844   \@@maybeautodot
2845 }

```

7.51 scrreprt-xepersian.def

```

2846 \ProvidesFile{scrreprt-xepersian.def}[2010/07/25 v0.2 adaptations for scrreprt class]
2847 \renewcommand*{\thepart}{\@tartibi\c@part}
2848 \renewcommand*\appendix{\par%
2849   \setcounter{chapter}{0}%
2850   \setcounter{section}{0}%
2851   \gdef\@chapapp{\appendixname}%
2852   \gdef\thechapter{\@harfi\c@chapter}%
2853   \csname appendixmore\endcsname
2854 }
2855 \renewcommand*{\@@maybeautodot}[1]{%
2856   \ifx #1\@stop\let\@@maybeautodot\relax
2857   \else
2858     \ifx #1\harfi \autodottrue\fi
2859     \ifx #1\adadi \autodottrue\fi
2860     \ifx #1\tartibi \autodottrue\fi
2861     \ifx #1\Alpha \autodottrue\fi
2862     \ifx #1\alpha \autodottrue\fi
2863     \ifx #1\Roman \autodottrue\fi

```

```

2864      \ifx #1\roman \autodottrue\fi
2865      \ifx #1@\harfi \autodottrue\fi
2866      \ifx #1@\adadi \autodottrue\fi
2867      \ifx #1@\tartibi \autodottrue\fi
2868      \ifx #1@\Alpha \autodottrue\fi
2869      \ifx #1@\alpha \autodottrue\fi
2870      \ifx #1@\Roman \autodottrue\fi
2871      \ifx #1@\roman \autodottrue\fi
2872      \ifx #1\romannumeral \autodottrue\fi
2873  \fi
2874  @@maybeautodot
2875 }

```

7.52 tkz-linknodes-xepersian.def

```

2876 \ProvidesFile{tkz-linknodes-xepersian.def}[2012/06/13 v0.1 adaptations for tkz-linknodes package]
2877 \renewcommand*\@SetTab}{%
2878   \let\@alph\@latinalph%
2879   \ifnum \value{C@NumTab}>25\relax%
2880     \setcounter{C@NumTab}{1}%
2881   \else%
2882     \stepcounter{C@NumTab}%
2883   \fi%
2884   \setcounter{C@NumGroup}{0}%
2885 \newcommand*\PrefixCurrentTab{\alph{C@NumTab}}
2886 \setboolean{B@FirstLink}{true}
2887 \setboolean{B@NewGroup}{false}
2888 \setcounter{C@NumGroup}{0}
2889 \setcounter{C@CurrentGroup}{0}
2890 \setcounter{NumC@Node}{0}
2891 \setcounter{NumC@Stop}{0}
2892 \setcounter{C@NextNode}{0}
2893 \setcounter{C@CurrentStop}{0}
2894 \setcounter{C@CurrentNode}{0}
2895 }%

```

7.53 tocloft-xepersian.def

```

2896 \ProvidesFile{tocloft-xepersian.def}[2010/07/25 v0.1 bilingual captions for tocloft package]
2897 \renewcommand*\cftchapname{\if@RTL else\ chapter\fi}
2898 \renewcommand*\cftsecname{\if@RTL else\ section\fi}
2899 \renewcommand*\cftsubsecname{\if@RTL else\ subsection\fi}
2900 \renewcommand*\cftsubsubsecname{\if@RTL else\ subsubsection\fi}
2901 \renewcommand*\cftp paraname{\if@RTL else\ paragraph\fi}
2902 \renewcommand*\cftsubparaname{\if@RTL else\ subparagraph\fi}
2903 \renewcommand*\cftfigname{\if@RTL else\ figure\fi}
2904 \renewcommand*\cftsubfigname{\if@RTL else\ subfigure\fi}
2905 \renewcommand*\cfttabname{\if@RTL else\ table\fi}
2906 \renewcommand*\cftsubtabname{\if@RTL else\ subtable\fi}

```

7.54 xepersian.sty

```

2907 \NeedsTeXFormat{LaTeX2e}
2908 \def\xepersianversion{v14.4}
2909 \def\xepersiandate{2014/09/08}
2910 \ProvidesPackage{xepersian}[\xepersiandate\space \xepersianversion\space
2911 Persian typesetting in XeLaTeX]
2912 \RequirePackage{fontspec}
2913 \RequirePackage{xepersian-persiancal}
2914 \RequirePackage{xepersian-mathsdigtspec}
2915 \RequirePackage[RTLdocument]{bidi}
2916 \edef\xepersian@info{*****^~J%
2917 * ^~J%
2918 * xepersian package (Persian for LaTeX, using XeTeX engine)^~J%
2919 * ^~J%
2920 * Description: The package supports Persian^~J%
2921 * typesetting, using fonts provided in the^~J%
2922 * distribution.^~J%
2923 * ^~J%
2924 * Copyright © 2008–2013 Vafa Khalighi^~J%
2925 * ^~J%
2926 * \xepersianversion, \xepersiandate^~J%
2927 * ^~J%
2928 * License: LaTeX Project Public License, version^~J%
2929 * 1.3c or higher (your choice)^~J%
2930 * ^~J%
2931 * Location on CTAN: /macros/xetex/latex/xepersian^~J%
2932 * ^~J%
2933 * Support: tex.ctan@gmail.com^~J%
2934 *****^~J%
2935 \typeout{\xepersian@info}
2936 \edef\xepersian@everyjob{\the\everyjob}
2937 \everyjob{\xepersian@everyjob\typeout{\xepersian@info}}
2938 \def\prq{\<}
2939 \def\plq{\>}
2940 \def\xepersian@cmds@temp#1{%
2941   \begingroup\expandafter\expandafter\expandafter\endgroup
2942   \expandafter\ifx\csname xepersian@#1\endcsname\relax
2943     \begingroup
2944       \escapechar=-1 %
2945       \edef\x{\expandafter\meaning\csname#1\endcsname}%
2946       \def\y{\#1}%
2947       \def\z{\#1->{}%}
2948       \edef\y{\expandafter\z\meaning\y}%
2949     \expandafter\endgroup
2950     \ifx\x\y
2951       \expandafter\def\csname xepersian@#1\expandafter\endcsname
2952         \expandafter{%
2953           \csname#1\endcsname
2954         }%
2955     \fi
2956   \fi

```

```

2957 }%
2958 \xepersian@cmds@temp{shellescape}
2959 \newif\ifwritexviii
2960 \ifnum\xepersian@shellescape=1\relax
2961   \writexviiittrue
2962 \else
2963 \writexviiifalse
2964 \fi
2965 \newfontscript{Parsi}{arab}
2966 \newfontlanguage{Parsi}{FAR}
2967 \ExplSyntaxOn
2968 \DeclareDocumentCommand \settextfont { O{} m } {
2969   \fontspec_select:nn{Script=Parsi,Language=Parsi,Mapping=parsidigits,#1}{#2}
2970   \use:x {
2971     \exp_not:N \ DeclareRobustCommand \exp_not:N \persianfont {
2972       \exp_not:N \fontencoding {\g_fontspec_encoding_tl}
2973       \exp_not:N \fontfamily {\l_fontspec_family_tl} \exp_not:N \selectfont
2974     }
2975   }
2976   \cs_set_eq:NN \rmdefault \l_fontspec_family_tl
2977   \normalfont
2978 }
2979 \DeclareDocumentCommand \setlatintextfont { O{} m } {
2980   \fontspec_select:nn{Mapping=tex-text,#1}{#2}
2981   \use:x {
2982     \exp_not:N \ DeclareRobustCommand \exp_not:N \latinfont {
2983       \exp_not:N \fontencoding {\g_fontspec_encoding_tl}
2984       \exp_not:N \fontfamily {\l_fontspec_family_tl} \exp_not:N \selectfont
2985     }
2986   }
2987 }
2988 \cs_set_eq:NN \setlatinsansfont \setsansfont
2989 \cs_set_eq:NN \setlatinmonofont \setmonofont
2990 \DeclareDocumentCommand \defpersianfont { m O{} m } {
2991   \fontspec_select:nn{Script=Parsi,Language=Parsi,Mapping=parsidigits,#2}{#3}
2992   \use:x {
2993     \exp_not:N \ DeclareRobustCommand \exp_not:N #1 {
2994       \exp_not:N \fontencoding {\g_fontspec_encoding_tl}
2995       \exp_not:N \fontfamily {\l_fontspec_family_tl} \exp_not:N \selectfont
2996     }
2997   }
2998 }
2999 \DeclareDocumentCommand \deflatinfont { m O{} m } {
3000   \fontspec_select:nn{Mapping=tex-text,#2}{#3}
3001   \use:x {
3002     \exp_not:N \ DeclareRobustCommand \exp_not:N #1 {
3003       \exp_not:N \fontencoding {\g_fontspec_encoding_tl}
3004       \exp_not:N \fontfamily {\l_fontspec_family_tl} \exp_not:N \selectfont
3005     }
3006   }

```

```

3007 }
3008 \newcommand{\persiansfdefault}{}
3009 \newcommand{\persianttdefault}{}
3010 \newcommand{\iranicdefault}{}
3011 \newcommand{\navardefault}{}
3012 \newcommand{\pookdefault}{}
3013 \newcommand{\sayehdefault}{}
3014 \DeclareRobustCommand{\persiansffamily}
3015     {\not@math@\alphabet\persiansffamily\mathpersiansf
3016         \fontfamily\persiansfdefault\selectfont}
3017 \DeclareRobustCommand{\persianttfamily}
3018     {\not@math@\alphabet\persianttfamily\mathpersiantt
3019         \fontfamily\persianttdefault\selectfont}
3020 \DeclareRobustCommand{\iranicfamily}
3021     {\not@math@\alphabet\iranicfamily\mathiranic
3022         \fontfamily\iranicdefault\selectfont}
3023 \DeclareRobustCommand{\navarfamilly}
3024     {\not@math@\alphabet\navarfamilly\mathnavar
3025         \fontfamily\navardefault\selectfont}
3026 \DeclareRobustCommand{\pookfamily}
3027     {\not@math@\alphabet\pookfamily\mathpook
3028         \fontfamily\pookdefault\selectfont}
3029 \DeclareRobustCommand{\sayehfamily}
3030     {\not@math@\alphabet\sayehfamily\mathsayeh
3031         \fontfamily\sayehdefault\selectfont}
3032 \DeclareTextFontCommand{\textpersiansf}{\persiansffamily}
3033 \DeclareTextFontCommand{\textpersiantt}{\persianttfamily}
3034 \DeclareTextFontCommand{\textiranic}{\iranicfamily}
3035 \DeclareTextFontCommand{\textnavar}{\navarfamilly}
3036 \DeclareTextFontCommand{\textpook}{\pookfamily}
3037 \DeclareTextFontCommand{\textsayeh}{\sayehfamily}
3038 \DeclareDocumentCommand{\setpersiansansfont}{O{} m} {
3039     \fontspec_set_family:Nnn \persiansfdefault {Script=Parsi,Language=Parsi,Mapping=parsidigits,#}
3040     \normalfont
3041 }
3042 \DeclareDocumentCommand{\setpersianmonofont}{O{} m} {
3043     \fontspec_set_family:Nnn \persianttdefault {Script=Parsi,Language=Parsi,Mapping=parsidigits,#}
3044     \normalfont
3045 }
3046 \DeclareDocumentCommand{\setnavarfont}{O{} m} {
3047     \fontspec_set_family:Nnn \navardefault {Script=Parsi,Language=Parsi,Mapping=parsidigits,#1}{#2}
3048     \normalfont
3049 }
3050 \DeclareDocumentCommand{\setpookfont}{O{} m} {
3051     \fontspec_set_family:Nnn \pookdefault {Script=Parsi,Language=Parsi,Mapping=parsidigits,#1}{#2}
3052     \normalfont
3053 }
3054 \DeclareDocumentCommand{\setsayehfont}{O{} m} {
3055     \fontspec_set_family:Nnn \sayehdefault {Script=Parsi,Language=Parsi,Mapping=parsidigits,#1}{#2}
3056     \normalfont

```

```

3057 }
3058 \DeclareDocumentCommand \setiranicfont { O{} m } {
3059   \fontspec_set_family:Nnn \iranicdefault {Script=Parsi,Language=Parsi,Mapping=parsidigits,#1}{}
3060   \normalfont
3061 }
3062 \ExplSyntaxOff
3063 \def\resetlatinfont{%
3064   \let\normalfont\latinfont%
3065   \let\reset@font\normalfont%
3066   \latinfont}
3067 \def\setpersianfont{%
3068   \let\normalfont\persianfont%
3069   \let\reset@font\normalfont%
3070   \persianfont}
3071 \bidi@newrobustcmd*\{\lr}[1]{\LRE{\@Latintrue\latinfont#1}}
3072 \bidi@newrobustcmd*\{\rl}[1]{\RLE{\@Latinfalse\persianfont#1}}
3073 \def\latin{\LTR\LatinAlphs\@Latintrue\@RTL@footnotefalse\resetlatinfont}
3074 \def\endlatin{\endLTR}
3075 \def\persian{\RTL\PersianAlphs\@RTL@footnotetrue\setpersianfont}
3076 \def\endpersian{\endRTL}
3077 \newenvironment{latinitems}{\begin{LTRitems}\LatinAlphs\@Latintrue\@RTL@footnotefalse\resetlatinfont}
3078 \newenvironment{parsiitems}{\begin{RTLitems}\PersianAlphs\@RTL@footnotetrue\setpersianfont}{\endRTL}
3079 \let\originaltoday=\today
3080 \def\latintoday{\lr{\originaltoday}}
3081 \def\today{\rl{\persiantoday}}
3082 \def \@LTRmarginparreset {%
3083   \reset@font
3084   \latinfont
3085   \normalsize
3086   \minipagetrue
3087   \everypar{\minipagefalse\everypar{}\beginL}%
3088 }
3089 \DeclareRobustCommand\Latincite{%
3090   \ifnextchar [{\@tempswatrue\@Latincitex}{\@tempswafalse\@Latincitex[]}]
3091   \def\@Latincitex[#1]#2{\leavevmode
3092     \let\@citea\empty
3093     \@cite{\lr{\@for\@citeb:=#2\do
3094       {\@citea\def\@citea{,\penalty\@m\ }}%
3095       \edef\@citeb{\expandafter\@firstofone\@citeb\empty}%
3096       \if@filesw\immediate\write\auxout{\string\citation{\@citeb}}\fi
3097       \ifundefined{b@\@citeb}{\hbox{\reset@font\bfseries ?}}%
3098         \G@refundefinedtrue
3099         \G@latex@warning
3100           {Citation `@\citeb' on page \thepage \space undefined}}%
3101       {\@cite@ofmt{\csname b@\@citeb\endcsname}}}}\#1}}
3102 \def\@outputpage{%
3103 \begingroup % the \endgroup is put in by \aftergroup
3104   \let \protect \noexpand
3105   \resetactivechars
3106   \global\let\@if@newlist\if@newlist

```

```

3107  \global\@newlistfalse
3108  \@parboxrestore
3109  \shipout \vbox{%
3110  \set@typeset@protect
3111  \aftergroup \endgroup
3112  \aftergroup \set@typeset@protect
3113  % correct? or just restore by ending
3114  % the group?
3115  \if@specialpage
3116  \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
3117  \fi
3118  \if@twoside
3119  \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
3120  \let\@themargin\oddsidemargin
3121  \else \let\@thehead\@evenhead
3122  \let\@thefoot\@evenfoot \let\@themargin\evensidemargin
3123  \fi
3124  \ifx\@thehead\@empty \let\@thehead\hfil \fi
3125  \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
3126  \else %% not @twoside
3127  \ifx\@oddhead\@empty \let\@thehead\hfil \fi
3128  \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
3129  \fi
3130  \reset@font
3131  \normalsize
3132  \if@RTLmain\setpersianfont\else\resetlatinfont\fi
3133  \normalsfcodes
3134  \let\label\gobble
3135  \let\index\gobble
3136  \let\glossary\gobble
3137  \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
3138  \begindvi
3139  \vskip \topmargin
3140  \moveright\@themargin \vbox {%
3141  \setbox\@tempboxa \vbox to\headheight{%
3142  \vfil
3143  \color@hbox
3144  \normalcolor
3145  \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@RTLm
3146  \color@endbox
3147  }%                                %% 22 Feb 87
3148  \dp\@tempboxa \z@
3149  \box\@tempboxa
3150  \vskip \headsep
3151  \box\@outputbox
3152  \baselineskip \footskip
3153  \color@hbox
3154  \normalcolor
3155  \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTLma
3156  \color@endbox

```



```

3206 to be formatted using xepersian}{The largest possible %
3207 number is 999,999,999.}%
3208 }
3209 \def\xepersian@numberstring#1#2#3#4{%
3210 \ifnum\number#1<\@ne%
3211 #3%
3212 \else\ifnum\number#1<1000000000 %
3213 \expandafter\xepersian@adadi\expandafter{\number#1}#2%
3214 \else%
3215 \xepersian@numberoutofrange{#1}{#4}%
3216 \fi\fi%
3217 }
3218 \def\xepersian@adadi#1#2{%
3219 \expandafter\xepersian@@adadi%
3220 \ifcase%
3221 \ifnum#1<10 1%
3222 \else\ifnum#1<100 2%
3223 \else\ifnum#1<\@m 3%
3224 \else\ifnum#1<\@M 4%
3225 \else\ifnum#1<100000 5%
3226 \else\ifnum#1<1000000 6%
3227 \else\ifnum#1<10000000 7%
3228 \else\ifnum#1<100000000 8%
3229 \else9%
3230 \fi\fi\fi\fi\fi\fi %
3231 \or00000000#1% case 1: Add 8 leading zeros
3232 \or0000000#1% case 2: Add 7 leading zeros
3233 \or000000#1% case 3: Add 6 leading zeros
3234 \or00000#1% case 4: Add 5 leading zeros
3235 \or0000#1% case 5: Add 4 leading zeros
3236 \or000#1% case 6: Add 3 leading zeros
3237 \or00#1% case 7: Add 2 leading zeros
3238 \or0#1% case 8: Add 1 leading zero
3239 \or#1% case 9: Add no leading zeros
3240 \or%
3241 \nil#2%
3242 \fi%
3243 }
3244 \def\xepersian@@adadi#1#2#3#4#5#6#7\or#8\@nil#9{%
3245 \ifnum#1#2#3>\z@%
3246 \xepersian@milyoongan#1#2#3%
3247 \ifnum#7>\z@\ifnum#4#5#6>\z@\ \ \else\ \ \fi\else\ifnum#4#5#6>\z@\ \ \fi\fi%
3248 \fi%
3249 \ifnum#4#5#6>\z@%
3250 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3251 \ifnum#4#5#6>\@ne\fi%
3252 %
3253 \ifnum#7>\z@\ \ \fi%
3254 \fi%
3255 \xepersian@sadgan#7{#4#5#6}1#9%

```



```

3306 \newcommand{\@tartibi}[1]{%
3307 \xepersian@numberstring@tartibi{#1}\xepersian@tartibi{ }{ }%
3308 }
3309 \let\tartibinumeral\@tartibi%
3310 \def\xepersian@numberstring@tartibi#1#2#3#4{%
3311 \ifnum\number#1<@ne%
3312 #3%
3313 \else\ifnum\number#1<1000000000 %
3314 \expandafter\xepersian@adadi@tartibi\expandafter{\number#1}#2%
3315 \else%
3316 \xepersian@numberoutofrange{#1}{#4}%
3317 \fi\fi%
3318 }
3319 \def\xepersian@adadi@tartibi#1#2{%
3320 \expandafter\xepersian@@adadi@tartibi%
3321 \ifcase%
3322 \ifnum#1<10 1%
3323 \else\ifnum#1<100 2%
3324 \else\ifnum#1<@m 3%
3325 \else\ifnum#1<@M 4%
3326 \else\ifnum#1<100000 5%
3327 \else\ifnum#1<1000000 6%
3328 \else\ifnum#1<10000000 7%
3329 \else\ifnum#1<100000000 8%
3330 \else9%
3331 \fi\fi\fi\fi\fi\fi %
3332 \or00000000#1% case 1: Add 8 leading zeros
3333 \or0000000#1% case 2: Add 7 leading zeros
3334 \or000000#1% case 3: Add 6 leading zeros
3335 \or00000#1% case 4: Add 5 leading zeros
3336 \or0000#1% case 5: Add 4 leading zeros
3337 \or000#1% case 6: Add 3 leading zeros
3338 \or00#1% case 7: Add 2 leading zeros
3339 \or0#1% case 8: Add 1 leading zero
3340 \or#1% case 9: Add no leading zeros
3341 \or%
3342 \nil#2%
3343 \fi%
3344 }
3345 \def\xepersian@@adadi@tartibi#1#2#3#4#5#6#7\or#8\@nil#9{%
3346 \ifnum#1#2#3>\z@%
3347 \xepersian@milyoongan@tartibi#1#2#3%
3348 \ifnum#7>\z@\ifnum#4#5#6>\z@\ \else\ \fi\else\ifnum#4#5#6>\z@\ \fi\fi%
3349 \fi%
3350 \ifnum#4#5#6>\z@%
3351 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3352 \ifnum#4#5#6>\@ne \fi%
3353 %
3354 \ifnum#7>\z@\ \fi%
3355 \fi%

```

```

3356 \xepersian@sadgan@tartibi#7{#4#5#6}1#9%
3357 }
3358 \def\xepersian@milyoongan@tartibi#1#2#3{%
3359 \ifnum#1#2#3=\@ne%
3360 \xepersian@sadgan@tartibi#1#2#301\xepersian@yekanii%
3361 %
3362 %
3363 \else%
3364 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3365 %
3366 %
3367 \fi%
3368 }
3369 \def\xepersian@sadgan@tartibi#1#2#3#4#5#6{%
3370 \ifnum#1>\z@%
3371 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3372 %
3373 \ifnum#2#3>\z@\
3374 \fi%
3375 \ifnum#2#3<20%
3376 \ifnum#5#2#3>\@ne\ifnum#1#2#3#4#5=10001 %\else#6{#2#3}\fi\fi\
3377 \else%
3378 \xepersian@dahgan#2%
3379 \ifnum#3>\z@\
3380 \xepersian@yekanv#3\fi%
3381 \fi%
3382 }
3383 \def\xepersian@tartibi#1{%
3384 \ifcase#1\or\or\or\or\or\or\%
3385 \or\or\or\or\or\or\or\%
3386 \or\or\or\or\or\or\%
3387 \or\or\or\%
3388 \or\or\or\%fi\
3389 }
3390 \def\xepersian@yekanv#1{%
3391 \ifcase#1\@empty\or\or\or\or\or\or\or\%
3392 \or\or\or\or\or\or\or\or\%
3393 \or\or\or\or\or\%
3394 \or\or\%fi\
3395 }
3396 \providecommand*\xpg@warning}[1]{%
3397   \PackageWarning{XePersian}%
3398   {#1}}
3399 \if@bidi@csundef{abjadnumeral}{%
3400 \def\abjadnumeral#1{%
3401 \ifnum#1>1999 \xpg@warning{Illegal value (#1) for abjad numeral} {#1}%
3402 \else
3403   \ifnum#1<\z@\space\xpg@warning{Illegal value (#1) for abjad numeral}%
3404   \else
3405     \ifnum#1<10\expandafter\abj@num@i\number#1%

```

```

3406   \else
3407     \ifnum#1<100\expandafter\abj@num@ii\number#1%
3408   \else
3409     \ifnum#1<\@m\expandafter\abj@num@iii\number#1%
3410     \else
3411       \ifnum#1<\@M\expandafter\abj@num@iv\number#1%since #1<2000, we must have 1000
3412         \fi
3413       \fi
3414     \fi
3415   \fi
3416 \fi
3417 \fi
3418 }
3419 \def\abjad@zero(){}
3420 \def\abj@num@i#1{%
3421   \ifcase#1\or \or\ \or\ \or\ %
3422   \or \or\ \or\ \or\ \or\ fi\
3423 \ifnum#1=\z@\abjad@zero\fi}
3424 \def\abj@num@ii#1{%
3425   \ifcase#1\or \or\ \or\ \or\ %
3426   \or \or\ \or\ \or\ fi\
3427 \ifnum#1=\z@\fi\abj@num@i}
3428 \def\abj@num@iii#1{%
3429   \ifcase#1\or \or\ \or\ \or\ %
3430   \or \or\ \or\ \or\ fi\
3431 \ifnum#1=\z@\fi\abj@num@ii}
3432 \def\abj@num@iv#1{%
3433   \ifcase#1\or fi\
3434   \ifnum#1=\z@\fi\abj@num@iii}
3435 }{}
3436   \let\@latinalph\@alph%
3437   \let\@latinAlpha\@Alpha%
3438 \def\PersianAlphs{%
3439   \let\@alph\abjadnumeral%
3440   \let\@Alpha\abjadnumeral%
3441 }
3442 \def\LatinAlphs{%
3443   \let\@alph\@latinalph%
3444   \let\@Alpha\@latinAlpha%
3445 }
3446 \PersianAlphs
3447 \bidi@AfterEndPreamble{%
3448 \if@bidi@csundef{persianfont}{%
3449 \PackageError{xepersian}{You have not specified any font\MessageBreak
3450 for the main Persian text}{Either use '\settextfont' to load a font\MessageBreak
3451 or load the package with 'preloadedtextfont' option.}%
3452 }%
3453 \bidi@AfterEndPreamble{%
3454 \if@bidi@csundef{latinfont}{%
3455 \PackageError{xepersian}{You have not specified any font\MessageBreak

```

```

3456 for the main Latin text}{Either use '\setlatintextfont' to load a font\MessageBreak
3457 or load the package with 'preloadedlatintextfont' option.}%
3458 }
3459 \@ifdefinitionfileloaded{loadingorder-xetex-bidi}{\input{loadingorder-xepersian.def}}{}
3460 \@ifpackageloaded{fontspec-xetex}{\input{fontspec-xetex-xepersian.def}}{}
3461 \@ifpackageloaded{listings}{\input{listings-xepersian.def}}{}
3462 \@ifpackageloaded{algorithmic}{\input{algorithmic-xepersian.def}}{}
3463 \@ifpackageloaded{algorithm}{\input{algorithm-xepersian.def}}{}
3464 \@ifpackageloaded{backref}{\input{backref-xepersian.def}}{}
3465 \@ifpackageloaded{flowfram}{\input{flowfram-xepersian.def}}{}
3466 \@ifpackageloaded{bidi}{\input{footnote-xepersian.def}}{}
3467 \@ifpackageloaded{biditufesidenote}{\input{biditufesidenote-xepersian.def}}{}
3468 \@ifpackageloaded{breqn}{\input{breqn-xepersian.def}}{}
3469 \@ifpackageloaded{enumerate}{\input{enumerate-xepersian.def}}{}
3470 \@ifpackageloaded{framed}{\input{framed-xepersian.def}}{}
3471 \@ifpackageloaded{glossaries}{\input{glossaries-xepersian.def}}{}
3472 \@ifpackageloaded{hyperref}{\input{hyperref-xepersian.def}}{}
3473 \@ifpackageloaded{minitoc}{\input{minitoc-xepersian.def}}{}
3474 \@ifpackageloaded{natbib}{\input{natbib-xepersian.def}}{}
3475 \@ifpackageloaded{tkz-linknodes}{\input{tkz-linknodes-xepersian.def}}{}
3476 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xepersian.def}}}={}
3477 \@ifclassloaded{article}{\input{article-xepersian.def}}={}
3478 \@ifclassloaded{extarticle}{\input{extarticle-xepersian.def}}={}
3479 \@ifclassloaded{artikel1}{\input{artikel1-xepersian.def}}={}
3480 \@ifclassloaded{artikel2}{\input{artikel2-xepersian.def}}={}
3481 \@ifclassloaded{artikel3}{\input{artikel3-xepersian.def}}={}
3482 \@ifclassloaded{amsart}{\input{amsart-xepersian.def}}={}
3483 \@ifclassloaded{bidimoderncv}{\input{bidimoderncv-xepersian.def}}={}
3484 \@ifclassloaded{report}{\input{report-xepersian.def}}={}
3485 \@ifclassloaded{extreport}{\input{extreport-xepersian.def}}={}
3486 \@ifclassloaded{rapport1}{\input{rapport1-xepersian.def}}={}
3487 \@ifclassloaded{rapport3}{\input{rapport3-xepersian.def}}={}
3488 \@ifclassloaded{scrartcl}{\input{scrartcl-xepersian.def}}={}
3489 \@ifclassloaded{scrbook}{\input{scrbook-xepersian.def}}={}
3490 \@ifclassloaded{scrreprt}{\input{scrreprt-xepersian.def}}={}
3491 \@ifclassloaded{amsbook}{\input{amsbook-xepersian.def}}={}
3492 \@ifclassloaded{boek3}{\input{boek3-xepersian.def}}={}
3493 \@ifclassloaded{boek}{\input{boek-xepersian.def}}={}
3494 \@ifclassloaded{bookest}{\input{bookest-xepersian.def}}={}
3495 \@ifclassloaded{extbook}{\input{extbook-xepersian.def}}={}
3496 \@ifclassloaded{book}{\input{book-xepersian.def}}={}
3497 \@ifclassloaded{refrep}{\input{refrep-xepersian.def}}={}
3498 \@ifclassloaded{memoir}{\input{memoir-xepersian.def}}={}
3499 \@ifclassloaded{imsproc}{\input{imsproc-xepersian.def}}={}
3500 \DeclareOption{Kashida}{\input{kashida-xepersian.def}}
3501 \DeclareOption{localise}{\input{localise-xepersian.def}}
3502 \DeclareOption{extrafootnotefeatures}{\@extrafootnotefeaturestrue}
3503 \DeclareOption{quickindex}{%
3504 \PackageWarning{xepersian}{Obsolete option}%
3505 \ifwritexviii%

```

```

3506 \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with the memoir
3507 \renewcommand\printindex{\newpage%
3508 \immediate\closeout\@indexfile
3509 \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname.idx}
3510 \@input{\jobname.ind}}%
3511 \else
3512 \PackageError{xepersian}{``shell escape'' (or ``write18'') is not enabled. You need to run ``xelatex --}
3513 \fi}
3514 \DeclareOption{quickindex-variant1}{%
3515 \ifwritexviii%
3516 \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with the memoir
3517 \renewcommand\printindex{\newpage%
3518 \immediate\closeout\@indexfile
3519 \immediate\write18{xindy -L persian-variant1 -C utf8 -M texindy -M page-ranges \jobname.idx}
3520 \@input{\jobname.ind}}%
3521 \else
3522 \PackageError{xepersian}{``shell escape'' (or ``write18'') is not enabled. You need to run ``xelatex --}
3523 \fi}
3524 \DeclareOption{quickindex-variant2}{%
3525 \ifwritexviii%
3526 \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with the memoir
3527 \renewcommand\printindex{\newpage%
3528 \immediate\closeout\@indexfile
3529 \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname.idx}
3530 \@input{\jobname.ind}}%
3531 \else
3532 \PackageError{xepersian}{``shell escape'' (or ``write18'') is not enabled. You need to run ``xelatex --}
3533 \fi}
3534 \DeclareOption{preloadedtextfont}{%
3535 \settextfont[ExternalLocation,BoldFont={parisa-bold},BoldItalicFont={parisa-bolditalic},ItalicFont={parisa-italicoutline},SlantedFont={parisa-obliqueoutline}]
3536 }
3537 \DeclareOption{preloadeddigitfont}{%
3538 \setdigitfont[ExternalLocation,BoldFont={parisa-bold},BoldItalicFont={parisa-bolditalic},ItalicFont={parisa-italicoutline},SlantedFont={parisa-obliqueoutline}]
3539 }
3540 \DeclareOption{preloadedpookfont}{%
3541 \setpookfont[ExternalLocation,ItalicFont={parisa-italicoutline},SlantedFont={parisa-obliqueoutline}]
3542 }
3543 \DeclareOption{preloadedsayehfont}{%
3544 \setsayehfont[ExternalLocation,ItalicFont={parisa-italicshadow},SlantedFont={parisa-obliqueoutline}]
3545 }
3546 \DeclareOption{preloadediranicfont}{%
3547 \setiranicfont[ExternalLocation,BoldFont={parisa-boldoblique}]{parisa-oblique}%
3548 }
3549 \DeclareOption{preloadedlatintextfont}{%
3550 \setlatintextfont[ExternalLocation,BoldFont={lmroman10-bold},BoldItalicFont={lmroman10-bolditalic}]{parisa-oblique}%
3551 }
3552 \ExecuteOptions{localise}
3553 \ProcessOptions
3554
3555 \if@extrafootnotefeatures

```

```

3556 \input{extrafootnotefeatures-xetex-bidi.def}
3557 \input{extrafootnotefeatures-xepersian.def}
3558 \fi

```

7.55 xepersian-magazine.cls

```

3559 \NeedsTeXFormat{LaTeX2e}
3560 \ProvidesClass{xepersian-magazine}[2010/07/25 v0.2 Typesetting Persian magazines in XeLaTeX]
3561 \RequirePackage{ifthen}
3562 \newlength{\xepersian@imgsize}
3563 \newlength{\xepersian@coltitlesize}
3564 \newlength{\xepersian@pageneed}
3565 \newlength{\xepersian@pageleft}
3566 \newlength{\xepersian@indexwidth}
3567 \newcommand{\xepersian@ncolumns}{0}
3568 \newlength{\columnlines}
3569 \setlength{\columnlines}{0 pt} % no lines by default
3570 \newboolean{xepersian@hyphenatedtitles}
3571 \setboolean{xepersian@hyphenatedtitles}{true}
3572 \newboolean{xepersian@ninepoints}
3573 \setboolean{xepersian@ninepoints}{false}
3574 \newboolean{xepersian@showgrid}
3575 \setboolean{xepersian@showgrid}{false}
3576 \newboolean{xepersian@a3paper}
3577 \setboolean{xepersian@a3paper}{false}
3578 \newboolean{xepersian@insidefrontpage}
3579 \setboolean{xepersian@insidefrontpage}{false}
3580 \newboolean{xepersian@insideweather}
3581 \setboolean{xepersian@insideweather}{false}
3582 \newboolean{xepersian@insideindex}
3583 \setboolean{xepersian@insideindex}{false}
3584 \newcount\xepersian@gridrows
3585 \newcount\xepersian@gridcolumns
3586 \xepersian@gridrows=40
3587 \xepersian@gridcolumns=50
3588 \newcount\minraggedcols
3589 \minraggedcols=5
3590 \DeclareOption{10pt}{\PassOptionsToClass{10pt}{article}}
3591 \DeclareOption{11pt}{\PassOptionsToClass{11pt}{article}}
3592 \DeclareOption{12pt}{\PassOptionsToClass{12pt}{article}}
3593 \DeclareOption{twocolumn}%
3594 {\ClassWarning{xepersian-magazine}{Option 'twocolumn' not available for xepersian-magazine.}}
3595 \DeclareOption{notitlepage}%
3596 {\ClassWarning{xepersian-magazine}{Option 'notitlepage' not available for xepersian-magazine.}}
3597 \DeclareOption{twoside}%
3598 {\ClassWarning{xepersian-magazine}{Option 'twoside' not available for xepersian-magazine.}}
3599 \DeclareOption{9pt}{\setboolean{xepersian@ninepoints}{true}}
3600 \DeclareOption{hyphenatedtitles}{\setboolean{xepersian@hyphenatedtitles}{false}}
3601 \DeclareOption{columnlines}{\setlength{\columnlines}{0.1 pt}}
3602 \DeclareOption{showgrid}{\setboolean{xepersian@showgrid}{true}}

```

```

3603 \DeclareOption{a3paper}{\setboolean{xepersian@a3paper}{true}}
3604 \ProcessOptions\relax
3605 \LoadClass[10pt, onecolumn, titlepage, a4paper]{article}
3606 \RequirePackage{ifxetex}
3607 \RequirePackage{multido}
3608 \RequirePackage{datetime}
3609 \RequirePackage{multicol}
3610 \RequirePackage{fancyhdr}
3611 \RequirePackage{fancybox}
3612 \ifthenelse{\boolean{xepersian@a3paper}}{%
3613 \RequirePackage[a3paper,headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
3614 }{
3615 \RequirePackage[headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
3616 }
3617 \RequirePackage[absolute]{textpos} % absoulte positioning
3618 \RequirePackage{hyphenat} % when hyphenate
3619 \RequirePackage{lastpage} % to know the last page number
3620 \RequirePackage{setspace} % set space between lines
3621 \RequirePackage{ragged2e}
3622 \newcommand{\raggedFormat}{\RaggedLeft}
3623 \AtEndOfClass{\xepersianInit}
3624 \ifthenelse{\boolean{xepersian@showgrid}}{%
3625 \AtBeginDocument{
3626 \grid[show]{\xepersian@gridrows}{\xepersian@gridcolumns}}
3627 \advance\minraggedcols by -1
3628 }%
3629 \AtBeginDocument{
3630 \grid[]{\xepersian@gridrows}{\xepersian@gridcolumns}}
3631 \advance\minraggedcols by -1
3632 }
3633 \ifthenelse{\boolean{xepersian@ninepoints}}{%
3634 \renewcommand{\normalsize}{%
3635   \@setfontsize{\normalsize}{9pt}{10pt}%
3636   \setlength{\abovedisplayskip}{5pt plus 1pt minus .5pt}%
3637   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3638   \setlength{\abovedisplayshortskip}{3pt plus 1pt minus 2pt}%
3639   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3640 }
3641 \renewcommand{\tiny}{\@setfontsize{\tiny}{5pt}{6pt}}
3642
3643 \renewcommand{\scriptsize}{\@setfontsize{\scriptsize}{7pt}{8pt}}
3644
3645 \renewcommand{\small}{%
3646   \@setfontsize{\small}{8pt}{9pt}%
3647   \setlength{\abovedisplayskip}{4pt plus 1pt minus 1pt}%
3648   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3649   \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
3650   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3651 }
3652 \renewcommand{\footnotesize}{%

```

```

3653  \setlength{\footnotesize}{8pt}{9pt}%
3654  \setlength{\abovedisplayskip}{4pt plus 1pt minus .5pt}%
3655  \setlength{\belowdisplayskip}{\abovedisplayskip}%
3656  \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
3657  \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3658
3659 \renewcommand{\large}{\@setfontsize{\large}{11pt}{13pt}}
3660 \renewcommand{\Large}{\@setfontsize{\Large}{14pt}{18pt}}
3661 \renewcommand{\LARGE}{\@setfontsize{\LARGE}{18pt}{20pt}}
3662 \renewcommand{\huge}{\@setfontsize{\huge}{20pt}{25pt}}
3663 \renewcommand{\Huge}{\@setfontsize{\Huge}{25pt}{30pt}}
3664 }{%
3665 \def\customwwwTxt#1{\gdef\@customwwwTxt{\lr{#1}}}
3666 \newcommand{\xepersian@wwwFormat}{\sffamily}
3667 \newcommand{\xepersian@www}{%
3668 \raisebox{-3pt}{{\xepersian@wwwFormat\@customwwwTxt}}}
3669 }
3670 \newcommand{\xepersian@edition}{%
3671 \newcommand{\editionFormat}{\large\bfseries\texttt}
3672 \newcommand{\xepersian@editionLogo}{%
3673 \raisebox{-3pt}{%
3674 {\editionFormat\xepersian@edition}}%
3675 }%
3676 }
3677 \newcommand{\indexFormat}{\large\bfseries}
3678 \newcommand{\xepersian@indexFrameTitle}[1]{%
3679 {\begin{flushright}{\indexFormat #1}\end{flushright}}}
3680
3681 \newcommand{\indexEntryFormat}{\normalsize}
3682 \newcommand{\xepersian@indexEntry}[1]{%
3683 {\begin{minipage}{13\TPHorizModule}%
3684 \indexEntryFormat\noindent\ignorespaces{#1}%
3685 \end{minipage}}}
3686 \newcommand{\indexEntrySeparator}{\rule{\xepersian@indexwidth}{.1pt}}
3687 \newcommand{\indexEntryPageTxt}{}
3688 \newcommand{\indexEntryPageFormat}{\footnotesize}
3689 {\indexEntryPageFormat{\indexEntryPageTxt{}~#1}}%
3690 }
3691 \newcommand{\headDateTimeFormat}{}
3692 \newcommand{\xepersian@headDateTime}{%
3693 \headDateTimeFormat\date\hspace{5pt}\$\\parallel\$\\hspace{5pt}%
3694 \currenttime %
3695 }
3696 \newcommand{\weatherFormat}{\bfseries}
3697 \newcommand{\xepersian@weather}[1]{%
3698 \noindent{\weatherFormat #1}%
3699 }
3700 \newcommand{\weatherTempFormat}{\small}
3701 \newcommand{\weatherUnits}{\textdegree{}C}
3702 \newcommand{\xepersian@section}[0]{%

```

```

3703 \newcommand{\xepersian@headleft}{%
3704 {\small\bfseries \@custommagazinename} \date
3705 }
3706 \newcommand{\xepersian@headcenter}{%
3707 \xepersian@section{}}
3708 }
3709 \newcommand{\xepersian@headright}{%
3710 \small\xepersian@edition%
3711 \hspace*{5pt}\beginL\thepage\ / \pageref{LastPage}\endL
3712 }
3713
3714 \newcommand{\heading}[3]{%
3715 \renewcommand{\xepersian@headleft}{\beginR#1\endR}%
3716 \renewcommand{\xepersian@headcenter}{\beginR#2\endR}%
3717 \renewcommand{\xepersian@headright}{\beginR#3\endR}%
3718 }
3719 \newcommand{\xepersian@footright}{%
3720 {\footnotesize\lr{\copyright\ \@customwwwTxt{}}-- - \lr{\XePersian}}%
3721 }
3722 \newcommand{\xepersian@footcenter}{%
3723 }
3724 \newcommand{\xepersian@footleft}{%
3725 }
3726
3727 \newcommand{\foot}[3]{%
3728 \renewcommand{\xepersian@footleft}{\beginR#1\endR}%
3729 \renewcommand{\xepersian@footcenter}{\beginR#2\endR}%
3730 \renewcommand{\xepersian@footright}{\beginR#3\endR}%
3731 }
3732 \newcommand{\firstTitleFormat}{\Huge\bfseries\flushright}
3733 \newcommand{\xepersian@firstTitle}[1]{%
3734 {%
3735 \begin{spacing}{2.0}{%
3736 \noindent\ignorespaces
3737 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3738 {\nohyphens{\firstTitleFormat #1}}{%
3739 {\firstTitleFormat #1}}{%
3740 }{%
3741 \end{spacing}}{%
3742 }{%
3743 }
3744 \newcommand{\firstTextFormat}{}
3745 \newcommand{\xepersian@firstText}[1]{%
3746 {\noindent\ignorespaces\firstTextFormat #1}{%
3747 }
3748 \newcommand{\secondTitleFormat}{\LARGE\bfseries}
3749 \newcommand{\xepersian@secondTitle}[1]{%
3750 \begin{spacing}{1.5}{%
3751 \noindent\ignorespaces\flushright
3752 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%

```

```

3753 {\nohyphens{\secondTitleFormat #1}}%
3754 {{\secondTitleFormat #1}}%
3755 }\end{spacing}%
3756 }%
3757 \newcommand{\secondSubtitleFormat}{\large}%
3758 \newcommand{\xepersian@secondSubtitle}[1]{%
3759 {\noindent\ignorespaces{\secondSubtitleFormat #1}}%
3760 }%
3761 \newcommand{\secondTextFormat}{}%
3762 \newcommand{\xepersian@secondText}[1]{%
3763 \begin{multicols}{2}%
3764 {\noindent\ignorespaces\secondTextFormat #1}%
3765 \end{multicols}%
3766 }%
3767 \newcommand{\thirdTitleFormat}{\Large\bfseries}%
3768 \newcommand{\xepersian@thirdTitle}[1]{%
3769 \begin{spacing}{1.5}{%
3770 \noindent\ignorespaces\flushright%
3771 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3772 {\nohyphens{\thirdTitleFormat #1}}%
3773 {\thirdTitleFormat #1}}%
3774 }\end{spacing}%
3775 }%
3776 \newcommand{\thirdSubtitleFormat}{\large}%
3777 \newcommand{\xepersian@thirdSubtitle}[1]{%
3778 {\noindent\ignorespaces\thirdSubtitleFormat #1}}%
3779 \newcommand{\thirdTextFormat}{}%
3780 \newcommand{\xepersian@thirdText}[1]{{\thirdTextFormat #1}}%
3781 \newcommand{\pictureCaptionFormat}{\small\bfseries}%
3782 \newcommand{\xepersian@pictureCaption}[1]{%
3783 {\noindent\pictureCaptionFormat #1}}%
3784 }%
3785 \newcommand{\pagesFormat}{\bfseries\footnotesize}%
3786 \newcommand{\xepersian@pages}[1]{%
3787 {\noindent{\pagesFormat\MakeUppercase{#1}}}%
3788 \newcommand{\innerTitleFormat}{\Huge}%
3789 \newcommand{\xepersian@innerTitle}[1]{%
3790 \begin{flushright}{%
3791 \noindent%
3792 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3793 {\nohyphens{\innerTitleFormat #1}}%
3794 {\innerTitleFormat #1}}%
3795 }%
3796 \\%
3797 \end{flushright}}%
3798 }%
3799 \newcommand{\innerSubtitleFormat}{\large}%
3800 \newcommand{\xepersian@innerSubtitle}[1]{{\innerSubtitleFormat #1}}%
3801 \newcommand{\timestampTxt}{}%
3802 \newcommand{\timestampSeparator}{|}%

```

```

3803 \newcommand{\timestampFormat}{\small}
3804 \newcommand{\timestamp}[1]{%
3805 {\timestampFormat%
3806 #1~\timestampTxt{}%
3807 }-\timestampSeparator{}%
3808 }
3809 \newcommand{\innerAuthorFormat}{\footnotesize}
3810 \newcommand{\innerPlaceFormat}{\footnotesize\bfseries}
3811 \newcommand{\innerTextFinalMark}{\rule{0.65em}{0.65em}}
3812 \newcommand{\editorialTitleFormat}{\LARGE\textrit}
3813 \newcommand{\xepersian@editorialTitle}[1]{\editorialTitleFormat{#1}}
3814 \newcommand{\editorialAuthorFormat}{\textsc}
3815 \newcommand{\shortarticleTitleFormat}{\LARGE\bfseries}
3816 \newcommand{\xepersian@shortarticleTitle}[1]{{\shortarticleTitleFormat #1}}
3817 \newcommand{\shortarticleSubtitleFormat}{\Large}
3818 \newcommand{\xepersian@shortarticleSubtitle}[1]{{\shortarticleSubtitleFormat #1}}
3819 \newcommand{\shortarticleItemTitleFormat}{\large\bfseries}
3820 \newcommand{\xepersian@shortarticleItemTitle}[1]{{\shortarticleItemTitleFormat #1}}
3821 \renewcommand{\maketitle}{\begin{titlepage}%
3822 \let\footnotesize\small
3823 \let\footnoterule\relax
3824 \let \footnote \thanks
3825 \null\vfil
3826 \vskip 60\p@
3827 \begin{center}%
3828 {\LARGE \@title \par}%
3829 \vskip 1em%
3830 {\LARGE «\xepersian@edition» \par}%
3831 \vskip 3em%
3832 {\large
3833 \lineskip .75em%
3834 \begin{tabular}[t]{c}%
3835 \author
3836 \end{tabular}\par}%
3837 \vskip 1.5em%
3838 {\large \@date \par}%
3839 \end{center}\par
3840 \@thanks
3841 \vfil\null
3842 \end{titlepage}%
3843 \setcounter{footnote}{0}%
3844 \global\let\thanks\relax
3845 \global\let\maketitle\relax
3846 \global\let\@thanks\empty
3847 \global\let\@author\empty
3848 \global\let\@date\empty
3849 \global\let\@title\empty
3850 \global\let\title\relax
3851 \global\let\author\relax
3852 \global\let\date\relax

```

```

3853 \global\let\and\relax
3854 }
3855 \newcommand{\xepersian@say}[1]{\typeout{#1}}
3856 \newsavebox{\xepersian@fmbox}
3857 \newenvironment{xepersian@fmfpage}[1]
3858 {\begin{lrbox}{\xepersian@fmbox}\begin{minipage}{#1}}
3859 {\end{minipage}\end{lrbox}\fbox{\usebox{\xepersian@fmbox}}}
3860 \newcommand{\image}[2]{
3861 \vspace{5pt}
3862 \setlength{\fboxsep}{1pt}
3863 \addtolength{\xepersian@imgsize}{\columnwidth}
3864 \addtolength{\xepersian@imgsize}{-1\columnsep}
3865 \ifxetex
3866 \setlength{\xepersian@pageneed}{1.5\xepersian@imgsize}
3867 \addtolength{\xepersian@pageneed}{50pt}
3868 \ClassWarning{xepersian-magazine}{%
3869 Image #1 needs: \the\xepersian@pageneed \space %
3870 and there is left: \the\page@free\space%
3871 }
3872 \ifdim \xepersian@pageneed < \page@free
3873
3874 {\centering\fbox{%
3875 \includegraphics[width = \xepersian@imgsize,
3876 height = \xepersian@imgsize,
3877 keepaspectratio ]{#1}}}
3878 \xepersian@pictureCaption{#2}
3879
3880 \vspace{5pt}
3881 \else
3882 \ClassWarning{Image #1 needs more space!}%
3883 It was not inserted!
3884 \fi
3885 \fi
3886 }
3887 \textblockorigin{1cm}{1cm}
3888 \newdimen\xepersian@dx
3889 \newdimen\xepersian@dy
3890 \newcount\xepersian@cx
3891 \newcount\xepersian@cy
3892 \newcommand{\grid}[3][]{%
3893 \xepersian@dx=\textwidth%
3894 \xepersian@dy=\textheight%
3895 \xepersian@cx=#3% %columns
3896 \xepersian@cy=#2% %rows
3897
3898 \count1=#3%
3899 \advance\count1 by 1
3900
3901 \count2=#2%
3902 \advance\count2 by 1

```

```

3903
3904 \divide\xepersian@dx by #3
3905 \divide\xepersian@dy by #2
3906
3907 \setlength{\TPHorizModule}{\xepersian@dx}
3908 \setlength{\TPVertModule}{\xepersian@dy}
3909
3910 \ifthenelse{\equal{#1}{show}}{
3911 \multido{\xepersian@nrow=0+1}{\count2} {
3912 \begin{textblock}{\xepersian@cx}(0,\xepersian@nrow)
3913 \rule[0pt]{\textwidth}{.1pt}
3914 \end{textblock}
3915 }
3916
3917 \multido{\xepersian@ncol=0+1}{\count1} {
3918 \begin{textblock}{\xepersian@cy}(\xepersian@ncol,0)
3919 \rule[0pt]{.1pt}{\textheight}
3920 \end{textblock}
3921 }
3922 }()
3923 }
3924 \newcommand{\xepersianInit} {
3925 \setlength{\headheight}{14pt}
3926 \renewcommand{\headrulewidth}{0.4pt}
3927
3928 \pagestyle{fancy}
3929
3930 \setlength{\columnseprule}{\columnlines}
3931 \setlength{\fboxrule}{0.1 pt}
3932
3933 }
3934
3935 \def\customlogo#1{\gdef\@customlogo{\beginR#1\endR}}
3936 \def\customminilogos#1{\gdef\@customminilogos{\beginR#1\endR}}
3937 \def\custommagazinenames#1{\gdef\@custommagazinenames{\beginR#1\endR}}
3938 \newcommand{\logo}[0]{
3939 %% Heading %%
3940 \noindent\hrulefill\hspace{10pt}\xepersian@editionLogo\hspace{5pt}\xepersian@www
3941
3942 \vspace*{-3pt}
3943
3944 {\Large\bfseries \@customlogo}
3945 \hrulefill
3946 \hspace{10pt}\xepersian@headDateTime
3947
3948 }
3949 \newcommand{\minilogos}[0]{
3950 {\large\bfseries \@customminilogos}
3951
3952 \vspace*{5pt}

```

```

3953 }
3954 \newcommand{\mylogo}[1]{
3955 {\beginR#1\endR}
3956
3957 \noindent
3958 \xepersian@editionLogo\hspace{5pt}
3959 \hrulefill
3960 \hspace{5pt}\xepersian@headDateTime
3961 }
3962 \newcommand{\edition}[1]{\renewcommand{\xepersian@edition}{#1}}
3963 \newenvironment{frontpage}[0]
3964 {
3965 \setboolean{xepersian@insidefrontpage}{true}
3966 \thispagestyle{empty}
3967 \logo
3968
3969 }%
3970 {
3971 \thispagestyle{empty}
3972 \clearpage
3973 \newpage
3974 \fancyhead{}
3975 \fancyfoot{}
3976 \fancyhead[RO,LE]{\beginR\xepersian@headright\endR}
3977 \fancyhead[LO,RE]{\beginR\xepersian@headleft\endR}
3978 \fancyhead[C]{\beginR\xepersian@headcenter\endR}
3979 \fancyfoot[RO,LE]{\beginR\xepersian@footright\endR}
3980 \fancyfoot[LO,RE]{\beginR\xepersian@footleft\endR}
3981 \fancyfoot[C]{\beginR\xepersian@footcenter\endR}
3982 \renewcommand{\headrulewidth}{0.4pt}
3983 \setboolean{xepersian@insidefrontpage}{false}
3984
3985 }
3986 \newcommand{\firstarticle}[3]
3987 {
3988 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
3989 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3990 \begin{textblock}{24}(22,5)
3991 }
3992 {
3993 \begin{textblock}{28}(22,5)
3994 }
3995 \vspace{-7pt}
3996 \xepersian@firstTitle{#1}
3997 \end{textblock}
3998 \begin{textblock}{29}(22,10)
3999 \vspace{5pt plus 2pt minus 2pt}
4000
4001 \xepersian@firstText{\timestamp{#3}~#2}
4002

```

```

4003 \end{textblock}
4004
4005 \begin{textblock}{50}(0,15)
4006 \rule{50\TPHorizModule}{.3pt}
4007 \end{textblock}
4008 }{\%else
4009 \ClassError{xepersian-magazine}{%
4010 \protect\firstarticle\space in a wrong place.\MessageBreak
4011 \protect\firstarticle\space may only appear inside frontpage environment.
4012 }{%
4013 \protect\firstarticle\space may only appear inside frontpage environment.
4014 }%
4015 }
4016 }
4017 \newcommand{\secondarticle}[5]
4018 {
4019 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4020 \begin{textblock}{33}(2,16)
4021 \xepersian@pages{#4}
4022 \vspace{-5pt}
4023 \xepersian@secondTitle{#1}
4024
4025 \vspace*{5pt}
4026
4027 \xepersian@secondSubtitle{#2}
4028
4029 \vspace*{-7pt}
4030
4031 \xepersian@secondText{\timestamp{#5}~#3}
4032
4033 \end{textblock}
4034
4035 \begin{textblock}{33}(2,25)
4036 \vspace{5pt plus 2pt minus 2pt}
4037
4038 \noindent\ignorespaces\rule{33\TPHorizModule}{.3pt}
4039 \end{textblock}
4040 }{\%else
4041 \ClassError{xepersian-magazine}{%
4042 \protect\secondarticle\space in a wrong place.\MessageBreak
4043 \protect\secondarticle\space may only appear inside frontpage environment.
4044 }{%
4045 \protect\secondarticle\space may only appear inside frontpage environment.
4046 }%
4047 }
4048 }
4049 \newcommand{\thirdarticle}[6]
4050 {
4051 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4052 \begin{textblock}{32}(2,26)

```

```

4053 \xepersian@pages{#5}
4054 \vspace{-5pt}
4055 \setlength{\fboxsep}{1pt}
4056 \xepersian@thirdTitle{#1}
4057
4058 \vspace*{5pt}
4059
4060 \xepersian@thirdSubtitle{#2}
4061
4062 \vspace*{5pt}
4063
4064 {\noindent\ignorespaces %
4065 \ifthenelse{\equal{#4}{} }{}}
4066
4067 \xepersian@thirdText{\timestamp{#6}~#3}
4068
4069 }
4070
4071 \vspace*{5pt}
4072
4073 \end{textblock}
4074 }{%
4075 \ClassError{xepersian-magazine}{%
4076 \protect\thirdarticle\space in a wrong place.\MessageBreak
4077 \protect\thirdarticle\space may only appear inside frontpage environment.
4078 }{%
4079 \protect\thirdarticle\space may only appear inside frontpage environment.
4080 }{%
4081 }
4082 }
4083 \newcommand{\firstimage}[2]
4084 {
4085 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4086 \begin{textblock}{18}(2,5)
4087 \setlength{\fboxsep}{1pt}
4088 \ifxetex % only in PDF
4089 \noindent\fbox{\includegraphics[width = 18\TPHorizModule ]{#1}}
4090 \fi
4091
4092 \xepersian@pictureCaption{#2}
4093 \end{textblock}%
4094 }
4095 \ClassError{xepersian-magazine}{%
4096 \protect\firstimage\space in a wrong place.\MessageBreak
4097 \protect\firstimage\space may only appear inside frontpage environment.
4098 }{%
4099 \protect\firstimage\space may only appear inside frontpage environment.
4100 }{%
4101 }{%
4102 \newcommand{\weatheritem}[5]{%

```

```

4103 \ifthenelse{\boolean{xepersian@insideweather}}{
4104 \begin{minipage}{45pt}
4105 \ifxetex
4106 \includegraphics[width=40pt]{#1}
4107 \fi
4108 \end{minipage}
4109 \begin{minipage}{50pt}
4110 \weatherTempFormat
4111 #2\\
4112 \begin{L#3 $| $ #4 \lrf{\weatherUnits{}}}\end{L}\\
4113 #5
4114 \end{minipage}
4115 }{\%else
4116 \ClassError{xepersian-magazine}{%
4117 \protect\weatheritem\space in a wrong place.\MessageBreak
4118 \protect\weatheritem\space may only appear inside weatherblock environment.
4119 }{\%
4120 \protect\weatheritem\space may only appear inside weatherblock environment.\MessageBreak
4121 weatherblock environment may only appear inside frontpage environment.
4122 }{\%
4123 }
4124 }
4125 \newenvironment{weatherblock}[1]
4126 {
4127 \ifthenelse{\boolean{xepersian@insidefrontpage}}{\%
4128 \setboolean{xepersian@insideweather}{true}
4129 \begin{textblock}{32}(2,38)
4130 \vspace*{-15pt}
4131
4132 \xepersian@weather{\beginR#1\endR}
4133
4134 \vspace*{5pt}
4135
4136 \noindent\begin{xepersian@fmpage}{32\TPHorizModule}
4137 \begin{minipage}{32\TPHorizModule}
4138 \hspace{5pt}
4139
4140 }{\%
4141 \ClassError{xepersian-magazine}{%
4142 weatherblock in a wrong place.\MessageBreak
4143 weatherblock may only appear inside frontpage environment.
4144 }{\%
4145 weatherblock may only appear inside frontpage environment.
4146 }
4147 }
4148 }{\%
4149 {
4150 \end{minipage}
4151 \end{xepersian@fmpage}
4152 \end{textblock}

```

```

4153 \setboolean{xepersian@insideweather}{false}
4154 }
4155 \newenvironment{authorblock}[0]
4156 {
4157 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4158 \begin{textblock}{15}(36,35)
4159 \setlength{\fboxsep}{5pt}
4160 \begin{xepersian@fmpage}{13\TPHorizModule}
4161 \begin{minipage}{13\TPHorizModule}
4162 \centering
4163 \minilogo
4164
4165 }{%
4166 \ClassError{xepersian-magazine}{%
4167 authorblock in a wrong place.\MessageBreak
4168 authorblock may only appear inside frontpage environment.
4169 }{%
4170 authorblock may only appear inside frontpage environment.
4171 }
4172 }
4173 }
4174 {
4175 \end{minipage}
4176 \end{xepersian@fmpage}
4177 \end{textblock}
4178 }
4179 \newenvironment{indexblock}[1]
4180 {
4181 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4182 \setboolean{xepersian@insideindex}{true}\let's in
4183 \begin{textblock}{15}(36,16)
4184 \setlength{\xepersian@indexwidth}{13\TPHorizModule}
4185 \xepersian@indexFrameTitle{#1}
4186
4187 \setlength{\fboxsep}{5pt} %espacio entre el frame y la imagen
4188 \begin{xepersian@fmpage}{\xepersian@indexwidth}
4189 \begin{minipage}{\xepersian@indexwidth}
4190 \vspace*{10pt}
4191 }{%
4192 \ClassError{xepersian-magazine}{%
4193 indexblock in a wrong place.\MessageBreak
4194 indexblock may only appear inside frontpage environment.
4195 }{%
4196 indexblock may only appear inside frontpage environment.
4197 }
4198 }
4199 }{%
4200 {
4201 \end{minipage}
4202 \end{xepersian@fmpage}

```

```

4203 \end{textblock}
4204 \setboolean{xepersian@insideindex}{false} %let's out
4205 }
4206 \newcommand{\indexitem}[2]
4207 {
4208 \ifthenelse{\boolean{xepersian@insideindex}}{
4209 \xepersian@indexEntry{\#1} \xepersian@indexEntryPage{\pageref{\#2}}}
4210
4211 \vspace{0.5cm}
4212
4213 \noindent\ignorespaces\indexEntrySeparator{}
4214 }%else
4215 \ClassError{xepersian-magazine}{%
4216 \protect\indexitem\space in a wrong place.\MessageBreak
4217 \protect\indexitem\space may only appear inside indexblock environment.
4218 }%
4219 \protect\indexitem\space may only appear inside indexblock environment.\MessageBreak
4220 indexblock environment may only appear inside frontpage environment.
4221 }%
4222 }
4223 }
4224 \newcommand{\xepersian@inexpandedtitle}[1]{
4225 \begin{minipage}{.95\textwidth}
4226 \begin{center}
4227 \noindent\Large\textrm{\bf\begin{R}\end{R}}
4228 \end{center}
4229 \end{minipage}
4230 }
4231 \newcommand{\expandedtitle}[2]{
4232 \end{multicols}
4233
4234 \begin{center}
4235 \setlength{\fboxsep}{5pt}
4236 \setlength{\shadowsize}{2pt}
4237 \ifthenelse{\equal{\#1}{shadowbox}}{%
4238 \shadowbox{%
4239 \xepersian@inexpandedtitle{\#2}}%
4240 }%
4241 }{%
4242 \ifthenelse{\equal{\#1}{doublebox}}{%
4243 \doublebox{%
4244 \xepersian@inexpandedtitle{\#2}}%
4245 }%
4246 }{%
4247 \ifthenelse{\equal{\#1}{ovalbox}}{%
4248 \ovalbox{%
4249 \xepersian@inexpandedtitle{\#2}}%
4250 }%
4251 }{%
4252 \ifthenelse{\equal{\#1}{Ovalbox}}{%

```

```

4253 \Ovalbox{%
4254 \xepersian@inexpandedtitle{#2}%
4255 }%
4256 }{%
4257 \ifthenelse{\equal{#1}{lines}}{%
4258 \hrule
4259 \vspace*{8pt}
4260 \begin{center}
4261 \noindent\Large\textrm{bf}{#2}
4262 \end{center}
4263 \vspace*{8pt}
4264 \hrule
4265 }{%
4266 \end{center}
4267
4268 \begin{multicols}{\xepersian@ncolumns[]}
4269 \ifnum \xepersian@ncolumns > \minraggedcols
4270 \raggedFormat
4271 \fi
4272 }
4273 \newcommand{\xepersian@incolumntitle}[2]{%
4274 \begin{minipage}{#1}
4275 \begin{center}
4276 \noindent\normalsize\textrm{bf}{#2}
4277 \end{center}
4278 \end{minipage}
4279 }
4280
4281 \newcommand{\columntitle}[2]{%
4282 \vspace*{5pt}
4283 \begin{center}
4284 \setlength{\fboxsep}{5pt}
4285 \setlength{\shadowsize}{2pt}
4286 \addtolength{\xepersian@coltitsize}{\columnwidth}
4287 \addtolength{\xepersian@coltitsize}{-\columnsep}
4288 \addtolength{\xepersian@coltitsize}{-5pt}
4289 \addtolength{\xepersian@coltitsize}{-\shadowsize}
4290 \ifthenelse{\equal{#1}{shadowbox}}{%
4291 \shadowbox{%
4292 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
4293 }%
4294 }{%
4295 \ifthenelse{\equal{#1}{doublebox}}{%
4296 \doublebox{%
4297 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
4298 }%
4299 }{%
4300 \ifthenelse{\equal{#1}{ovalbox}}{%
4301 \ovalbox{%
4302 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%

```

```

4303 }%
4304 }{%
4305 \ifthenelse{\equal{#1}{Ovalbox}}{%
4306 \Ovalbox{%
4307 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
4308 }%
4309 }{%
4310 \ifthenelse{\equal{#1}{lines}}{%
4311 \hrule
4312 \vspace*{5pt}
4313 \begin{center}
4314 \noindent\normalsize\textbf{#2}
4315 \end{center}
4316 \vspace*{5pt}
4317 \hrule
4318 }{%
4319 \end{center}
4320 }
4321 \renewcommand{\date}{%
4322 \longdate{\today}%
4323 }
4324 \newcommand{\authorandplace}[2]{%
4325 \rightline{%
4326 {\innerAuthorFormat #1},\space{}{\innerPlaceFormat #2}%
4327 }%
4328 \par %
4329 }
4330 \newcommand{\newsection}[1]{%
4331 \renewcommand{\xepersian@section}{#1}
4332 }
4333 \newenvironment{article}[5]
4334 {
4335 \xepersian@say{Adding a new piece of article}
4336 \renewcommand{\xepersian@ncolumns}{#1}
4337 \begin{multicols}{#1}[
4338 \xepersian@pages{#4}
4339 \xepersian@innerTitle{#2}%
4340 \xepersian@innerSubtitle{#3}%
4341 ] [4cm]%
4342 \label{#5}
4343 \ifnum #1 > \minraggedcols
4344 \raggedFormat
4345 \fi
4346 }
4347 {~\innerTextFinalMark{}}
4348 \end{multicols}
4349 }
4350 \newcommand{\articlesep}{%
4351 \setlength{\xepersian@pagegoal}{16000pt}
4352 \setlength\xepersian@pageleft{\pagegoal}

```

```

4353 \addtolength\xepersian@pageleft{-\pagetotal}
4354
4355 \xepersian@say{How much left \the\xepersian@pageleft}
4356
4357 \ifdim \xepersian@pageneed < \xepersian@pageleft
4358 \xepersian@say{Not enough space}
4359 \else
4360 \xepersian@say{Adding sep line between articles}
4361 \vspace*{10pt plus 10pt minus 5pt}
4362 \hrule
4363 \vspace*{10pt plus 5pt minus 5pt}
4364 \fi
4365
4366 }
4367 \newcommand{\xepersian@editorialTit}[2]{
4368 \setlength{\arrayrulewidth}{.1pt}
4369 \begin{center}
4370 \begin{tabular}{c}
4371 \noindent
4372 \xepersian@editorialTitle{#1}
4373 \vspace{2pt plus 1pt minus 1pt}
4374 \\
4375 \hline
4376 \vspace{2pt plus 1pt minus 1pt}
4377 \\
4378 \editorialAuthorFormat{#2}
4379 \end{tabular}
4380 \end{center}
4381 }
4382 \newenvironment{editorial}[4]
4383 {
4384 \xepersian@say{Adding a new editorial}
4385 \begin{multicols}{#1}[%
4386 \xepersian@editorialTit{#2}{#3}%
4387 ][4cm]
4388 \label{#4}
4389 \ifnum #1 > \minraggedcols
4390 \raggedFormat
4391 \fi
4392 }
4393 {
4394 \end{multicols}
4395 }
4396 \newcommand{\xepersian@shortarticleTit}[2]{
4397 \begin{center}
4398 \vbox{%
4399 \noindent
4400 \xepersian@shortarticleTitle{#1}
4401 \vspace{4pt plus 2pt minus 2pt}
4402 \hrule

```

```

4403 \vspace{4pt plus 2pt minus 2pt}
4404 \xepersian@shortarticleSubtitle{#2}
4405 }
4406 \end{center}
4407 }
4408 \newenvironment{shortarticle}[4]
4409 {
4410 \xepersian@say{Adding a short article block}
4411 \begin{multicols}{#1}[\xepersian@shortarticleTit{#2}{#3}] [4cm] %
4412 \label{#4}
4413 \par %
4414 \ifnum #1 > \minraggedcols
4415 \raggedFormat
4416 \fi
4417 }
4418 {
4419 \end{multicols}
4420 }
4421 \newcommand{\shortarticleitem}[2]{
4422 \goodbreak
4423 \vspace{5pt plus 3pt minus 3pt}
4424 {\vbox{\noindent\xepersian@shortarticleItemTitle{#1}}}
4425 \vspace{5pt plus 3pt minus 3pt}
4426 {\noindent #2}\\
4427 }

```

7.56 xepersian-mathsdigtspec.sty

```

4428 \NeedsTeXFormat{LaTeX2e}
4429 \ProvidesPackage{xepersian-mathsdigtspec}
4430 [2014/07/13 v1.0.7 Unicode Persian maths digits in XeLaTeX]
4431 \def\new@mathgroup{\alloc@8\mathgroup\chardef\@cclvi}
4432 \let\newfam\new@mathgroup
4433 \def\select@group#1#2#3#4{%
4434 \ifx\math@bgroup\math@bgroup\else\relax\expandafter\@firstofone\fi
4435 {%
4436 \ifmmode
4437 \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
4438 \begingroup
4439 \escapechar\m@ne
4440 \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
4441 \globaldefs\@ne \math@fonts
4442 \endgroup
4443 \init@restore@version
4444 \xdef#1{\noexpand\use@mathgroup\noexpand#2%
4445 {\number\csname c@mv@\math@version\endcsname}#3%
4446 \global\advance\csname c@mv@\math@version\endcsname\@ne
4447 \else
4448 \let#1\relax
4449 \@latex@error{Too many math alphabets used in

```

```

4450           version \math@version}%
4451           \@eha
4452           \fi
4453 \else \expandafter\non@alpherr\fi
4454 #1{#4}%
4455 }%
4456 }
4457 \def\document@select@group#1#2#3#4{%
4458 \ifx\math@bgroup\@group\else\relax\expandafter\@firstofone\fi
4459 \%
4460 \ifmmode
4461   \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
4462     \begingroup
4463       \escapechar\m@ne
4464       \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
4465       \globaldefs\@ne \math@fonts
4466     \endgroup
4467     \expandafter\extract@alph@from@version
4468       \csname mv@\math@version\expandafter\endcsname
4469       \expandafter{\number\csname
4470         c@mv@\math@version\endcsname}%
4471       #1%
4472       \global\advance\csname c@mv@\math@version\endcsname\@ne
4473 \else
4474   \let#1\relax
4475   \@latex@error{Too many math alphabets used
4476                 in version \math@version}%
4477   \@eha
4478   \fi
4479 \else \expandafter\non@alpherr\fi
4480 #1{#4}%
4481 }%
4482 }
4483 \ExplSyntaxOn
4484 \bool_set_false:N \g__fontspec_math_bool
4485 \ExplSyntaxOff
4486 \def\@preamblecmds{}
4487 \newcommand\xepersian[1]{%
4488   \def\do##1{\ifx##1\else\noexpand\do\noexpand##1\fi}%
4489   \xdef\@preamblecmds{\@preamblecmds{}}
4490 \xepersian[not@onlypreamble]\@preamblecmds
4491 \def\xepersian[notprerr]{ can be used only in preamble (\on@line)}
4492 \AtBeginDocument{%
4493   \def\do#1{\noexpand\do\noexpand#1}%
4494   \edef\@preamblecmds{%
4495     \def\noexpand\do##1{%
4496       \def##1{\noexpand\xepersian[NotprerrMessage##1]\noexpand\@eha}%
4497     \@preamblecmds}
4498 \def\xepersian[NotprerrMessage#1]{%
4499   \PackageError{xepersian}{%

```

```

4500   {\noexpand\string#1 \noexpand\xepersian@notprerr}{}}%
4501 }
4502 \@ifpackageloaded{natbib}{%
4503 \renewcommand\nocite[1]{\@bsphack
4504   \@for\@citeb:=#1\do{%
4505     \@safe@activestrue
4506     \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}%
4507     \@safe@activesfalse
4508     \if@filesw\immediate\write\auxout{\string\citation{\@citeb}}\fi
4509     \if*\@citeb\else
4510       \@ifundefined{b@\@citeb}\@extra@b@\citeb}{%
4511         \NAT@citeundefined \PackageWarning{natbib}{%
4512           {Citation `@\citeb' undefined}}{}\fi}%
4513   \@esphack}%
4514 }{%
4515 \def\nocite#1{%
4516   \@bsphack{\setbox0=\hbox{\cite{#1}}}\@esphack}%
4517 }
4518 \newcommand\xepersian@PackageInfo[1]{\PackageInfo{xepersian-mathsdigtspec}{#1}}
4519 \newcommand\SetMathCode[4]{%
4520   \Umathcode#1="\\mathchar@type#2 \csname sym#3\endcsname #4\relax}
4521 \newcommand\SetMathCharDef[4]{%
4522   \Umathchardef#1="\\mathchar@type#2 \csname sym#3\endcsname #4\relax}
4523 \ExplSyntaxOn
4524 \cs_new_eq:NN \orig_mathbf:n \mathbf
4525 \cs_new_eq:NN \orig_mathit:n \mathit
4526 \cs_new_eq:NN \orig_mathrm:n \mathrm
4527 \cs_new_eq:NN \orig_mathsf:n \mathsf
4528 \cs_new_eq:NN \orig_mathtt:n \mathtt
4529 \NewDocumentCommand \new@mathbf { m } {
4530   \orig_mathbf:n {
4531     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4532       \mathcode ##1 = \numexpr "100 * \symnew@mathbf@font@digits + ##1 \relax
4533     }
4534     #1
4535   }
4536 }
4537 \NewDocumentCommand \new@mathit { m } {
4538   \orig_mathit:n {
4539     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4540       \mathcode ##1 = \numexpr "100 * \symnew@mathit@font@digits + ##1 \relax
4541     }
4542     #1
4543   }
4544 }
4545 \NewDocumentCommand \new@mathrm { m } {
4546   \orig_mathrm:n {
4547     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4548       \mathcode ##1 = \numexpr "100 * \symnew@mathrm@font@digits + ##1 \relax
4549     }

```

```

4550      #1
4551  }
4552  }
4553 \NewDocumentCommand \new@mathsf{ m } {
4554   \orig_mathsf:n {
4555     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4556       \mathcode ##1 = \numexpr "100 * \symnew@mathsf@font@digits + ##1 \relax
4557     }
4558     #1
4559   }
4560 }
4561 \NewDocumentCommand \new@mathtt{ m } {
4562   \orig_mathtt:n {
4563     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4564       \mathcode ##1 = \numexpr "100 * \symnew@mathtt@font@digits + ##1 \relax
4565     }
4566     #1
4567   }
4568 }
4569 \newcommand\setdigitfont[2][]{%
4570   \let\glb@currsize\relax
4571   \fontspec_set_family:Nnn \xepersian@digits@family {Mapping=parsidigits,#1}{#2}
4572   \xepersian@PackageInfo{Defining the default Persian maths digits font as '#2'}
4573   \DeclareSymbolFont{OPERATORS} {EU1}{\xepersian@digits@family}{m}{n}
4574   \DeclareSymbolFont{new@mathbf@font@digits}{EU1}{\xepersian@digits@family}{bx}{n}
4575   \DeclareSymbolFont{new@mathit@font@digits}{EU1}{\xepersian@digits@family}{m}{it}
4576   \DeclareSymbolFont{new@mathrm@font@digits}{EU1}{\xepersian@digits@family}{m}{n}
4577   \def\persianmathsdigits{%
4578     \SetMathCode`0{\mathalpha}{OPERATORS}{`0}
4579     \SetMathCode`1{\mathalpha}{OPERATORS}{`1}
4580     \SetMathCode`2{\mathalpha}{OPERATORS}{`2}
4581     \SetMathCode`3{\mathalpha}{OPERATORS}{`3}
4582     \SetMathCode`4{\mathalpha}{OPERATORS}{`4}
4583     \SetMathCode`5{\mathalpha}{OPERATORS}{`5}
4584     \SetMathCode`6{\mathalpha}{OPERATORS}{`6}
4585     \SetMathCode`7{\mathalpha}{OPERATORS}{`7}
4586     \SetMathCode`8{\mathalpha}{OPERATORS}{`8}
4587     \SetMathCode`9{\mathalpha}{OPERATORS}{`9}
4588     \SetMathCharDef{\%}{\mathbin}{OPERATORS}{`%}
4589     \SetMathCharDef{\decimalseparator}{\mathord}{OPERATORS}{066B}
4590     \cs_set_eq:NN \mathbf \new@mathbf
4591     \cs_set_eq:NN \mathit \new@mathit
4592     \cs_set_eq:NN \mathrm \new@mathrm
4593   }
4594 \DeclareDocumentCommand \setmathsf digitfont { O{} m } {
4595   \fontspec_set_family:Nnn \g_fontspec_mathsfs_tl {Mapping=parsidigits,#1}{#2}
4596   \DeclareSymbolFont{new@mathsf@font@digits}{EU1}{\g_fontspec_mathsfs_tl}{m}{n}
4597   \def\persianmathsdigits{\cs_set_eq:NN \mathsf \new@mathsf}
4598 }

```

```

4599 \DeclareDocumentCommand \setmathttdigitfont { O{} m } {
4600   \fontspec_set_family:Nnn \g_fontspec_mathtt_t1 {Mapping=parsidigits,#1}{#2}
4601   \ DeclareSymbolFont{new@mathtt@font@digits}{EU1}{\g_fontspec_mathtt_t1}{m}{n}
4602   \def\persianmathttdigits{\cs_set_eq:NN \mathtt \new@mathtt}
4603 }
4604 \ExplSyntaxOff
4605 \ifx\newcommand\undefined\else
4606   \newcommand{\ZifferAn}{}
4607 \fi
4608 \mathchardef\ziffer@Dot@ori="013A
4609 {\ZifferAn
4610 \catcode`\.=\active\gdef .{\begingroup\obeyspaces\futurelet\n\ziffer@dcheck}
4611 \def\ziffer@dcheck{\ziffer@check\ZifferLeer\ziffer@Dot@ori}
4612 \def\ziffer@check#1#2{%
4613   \ifx\n1\endgroup#1\else
4614     \ifx\n2\endgroup#1\else
4615       \ifx\n3\endgroup#1\else
4616         \ifx\n4\endgroup#1\else
4617           \ifx\n5\endgroup#1\else
4618             \ifx\n6\endgroup#1\else
4619               \ifx\n7\endgroup#1\else
4620                 \ifx\n8\endgroup#1\else
4621                   \ifx\n9\endgroup#1\else
4622                     \ifx\n0\endgroup#1\else
4623                       \endgroup#2%
4624                     \fi
4625                   \fi
4626                 \fi
4627               \fi
4628             \fi
4629           \fi
4630         \fi
4631       \fi
4632     \fi
4633   \fi}
4634 \mathcode`.=8000\relax
4635 \def\ZifferLeer{\ifx\decimalseparator\undefined .\else \decimalseparator\fi}
4636 \def\DefaultMathsDigits{\def\SetMathsDigits{}}
4637 \def\PersianMathsDigits{\def\SetMathsDigits{\%
4638 \ifx\persianmathsdigits\undefined\else\persianmathsdigits\fi\%
4639 \ifx\persianmathsfdigits\undefined\else\persianmathsfdigits\fi\%
4640 \ifx\persianmathttdigits\undefined\else\persianmathttdigits\fi\%
4641 \def\AutoMathsDigits{\def\SetMathsDigits{\%
4642 \ifx\persianmathsdigits\undefined\else\if@Latin\else\persianmathsdigits\fi\fi\%
4643 \ifx\persianmathsfdigits\undefined\else\if@Latin\else\persianmathsfdigits\fi\fi\%
4644 \ifx\persianmathttdigits\undefined\else\if@Latin\else\persianmathttdigits\fi\fi\fi\%
4645 \AutoMathsDigits
4646 \everymath\expandafter{\the\everymath\SetMathsDigits}
4647 \g@addto@macro\document{\everydisplay\expandafter{\the\everydisplay\SetMathsDigits}}

```

7.57 xepersian-multiplechoice.sty

```
4648 \NeedsTeXFormat{LaTeX2e}
4649 \ProvidesPackage{xepersian-multiplechoice}[2010/07/25 v0.2
4650             Multiple Choice Questionnaire class for Persian in XeLaTeX]
4651 \RequirePackage{pifont}
4652 \RequirePackage{fullpage}
4653 \RequirePackage{ifthen}
4654 \RequirePackage{calc}
4655 \RequirePackage{verbatim}
4656 \RequirePackage{tabularx}
4657 \def\@headerfont{\bfseries}
4658 \newcommand\headerfont[1]{\gdef\@headerfont{#1}}
4659 \def\@X{X}
4660 \newcommand\X[1]{\gdef\@X{#1}}
4661 \def\pbs#1{\let\tmp=\#1\let\==\tmp}
4662 \newcolumntype{D}{>{\pbs\centering}X}
4663 \newcolumntype{Q}{>{\@headerfont}X}
4664
4665 \renewcommand\tabularxcolumn[1]{m{#1}}
4666 \newcommand\makeform@nocorrection{%
4667   \addtocontents{frm}{\protect\end{tabularx}}
4668   \starttoc{frm}}
4669 \newcommand\makeform@correction{%
4670   \addtocontents{frm}{\protect\end{tabularx}}}
4671 \newcommand\makemask@nocorrection{%
4672   \addtocontents{msk}{\protect\end{tabularx}}}
4673   \starttoc{msk}}
4674 \newcommand\makemask@correction{%
4675   \addtocontents{msk}{\protect\end{tabularx}}}
4676 \newlength\questionspace
4677 \setlength\questionspace{0pt}
4678 \newcommand\answerstitle[1]{\gdef\@answerstitle{#1}}
4679 \def\@answerstitlefont{\bfseries}
4680 \newcommand\answerstitlefont[1]{\gdef\@answerstitlefont{#1}}
4681 \def\@answernumberfont{\bfseries}
4682 \newcommand\answernumberfont[1]{\gdef\@answernumberfont{#1}}
4683 \newcounter{question}\stepcounter{question}
4684 \newcounter{@choice}
4685 \def\@initorcheck{%
4686   \xdef\@choices{\the@choice}%
4687   \setcounter{@choice}{1}%
4688   \gdef\@arraydesc{|Q||}%
4689   \gdef\@headerline{}%
4690   \whiledo{\not{\value{@choice}>\@choices}}{%
4691     \xdef\@arraydesc{\@arraydesc D|}%
4692     \def\@appendheader{\g@addto@macro\@headerline}%
4693     \@appendheader{\&\protect\@headerfont}%
4694     \edef\@the@choice{\alph{@choice}}%
4695     \expandafter\@appendheader\@the@choice}
```

```

4696   \stepcounter{@choice}%%
4697   \addtocontents{frm}{%
4698     \protect\begin{tabularx}{\protect\linewidth}{@arraydesc}
4699     \protect\hline
4700     @headerline\protect\\ \protect\hline\protect\hline}%
4701   \addtocontents{msk}{%
4702     \protect\begin{tabularx}{\protect\linewidth}{@arraydesc}
4703     \protect\hline
4704     @headerline\protect\\ \protect\hline\protect\hline}%
4705 \gdef\@initorcheck{%
4706   \ifthenelse{\value{@choice} = \@choices}{}{%
4707     \ClassError{xepersian-multiplechoice}{Question \thequestion: wrong number of choices
4708       (\the@choice space instead of \@choices)}{%
4709         Questions must all have the same number of proposed answers.%}
4710       \MessageBreak
4711     Type X <return> to quit, fix your MCQ (multiple choice question) and rerun XeLaTeX.}}}}}
4712 \newenvironment{question}[1]{%
4713   %% \begin{question}
4714   \begin{minipage}{\textwidth}
4715     \xdef\@formanswerline{\@questionheader}%
4716     \xdef\@maskanswerline{\@questionheader}%
4717     \fbox{\parbox[c]{\linewidth}{#1}}
4718     \vspace\questionspace\par
4719     {\@answertitlefont\@answertitle}
4720     \begin{list}{\@answernumberfont\alph{@choice})~}{\usecounter{@choice}}}%
4721   %% \end{question}
4722   \end{list}
4723   \@initorcheck%
4724   \addtocontents{frm}{\@formanswerline\protect\\ \protect\hline}%
4725   \addtocontents{msk}{\@maskanswerline\protect\\ \protect\hline}%
4726 \end{minipage}
4727 \stepcounter{question}
4728 \def\@truesymbol{\ding{52}~}
4729 \def\@falsesymbol{\ding{56}~}
4730 \newcommand\truesymbol[1]{\gdef\@truesymbol{#1}}
4731 \newcommand\falsesymbol[1]{\gdef\@falsesymbol{#1}}
4732 \def\@true@nocorrection{\item}
4733 \def\@false@nocorrection{\item}
4734 \def\@true@correction{\item[\@truesymbol\refstepcounter{@choice}]}
4735 \def\@false@correction{\item[\@falsesymbol\refstepcounter{@choice}]}
4736 \newcommand\true{%
4737   \xdef\@formanswerline{\@formanswerline&}%
4738   \xdef\@maskanswerline{\@maskanswerline&\@X}%
4739   \@true}%
4740 \newcommand\false{%
4741   \xdef\@formanswerline{\@formanswerline&}%
4742   \xdef\@maskanswerline{\@maskanswerline&}%
4743   \@false}%
4744 \def\@correctionstyle{\itshape}
4745 \newcommand\correctionstyle[1]{\gdef\@correctionstyle{#1}}

```

```

4746 \newenvironment{@correction}{\@correctionstyle}{}
4747 \def\@questionheader{ \thequestion}
4748 \answerstitle{ :
4749 \DeclareOption{nocorrection}{%
4750   \let\@true\@true@nocorrection
4751   \let\@false\@false@nocorrection
4752   \let\correction\comment
4753   \let\endcorrection\endcomment
4754   \def\makeform{\makeform@nocorrection}
4755   \def\makemask{\makemask@nocorrection}}
4756 \DeclareOption{correction}{%
4757   \let\@true\@true@correction
4758   \let\@false\@false@correction
4759   \let\correction\@correction
4760   \let\endcorrection\end@correction
4761   \def\makeform{\makeform@correction}
4762   \def\makemask{\makemask@correction}}
4763 \ExecuteOptions{nocorrection}
4764 \newcommand\questiontitle[1]{\gdef\@questiontitle{#1}}
4765 \def\@questiontitlefont{\bfseries}
4766 \newcommand\questiontitlefont[1]{\gdef\@questiontitlefont{#1}}
4767 \newlength\questiontitlespace
4768 \setlength\questiontitlespace{5pt}
4769 \newlength\questionsepspace
4770 \setlength\questionsepspace{20pt}
4771 \gdef\questionsepspace{0pt}
4772 \let\old@question\question
4773 \let\old@endquestion\endquestion
4774 \renewenvironment{question}[1]{%
4775   %% \begin{question}
4776   \vspace{\questionsepspace}
4777   \fbox{\parbox[c]{0.25\linewidth}{\@questiontitlefont\@questiontitle}}
4778   \nopagebreak\vspace\questiontitlespace\par
4779   \old@question{#1}}{%
4780   %% \end{question}
4781   \old@endquestion
4782   \gdef\questionsepspace{\questionsepspace}}
4783 \questiontitle{ \thequestion:}
4784 \ProcessOptions

```

7.58 xepersian-persiancal.sty

```

4785 \NeedsTeXFormat{LaTeX2e}
4786 \ProvidesPackage{xepersian-persiancal}[2012/07/25 v0.2 provides Persian calendar]
4787
4788 \newif\ifXePersian@leap \newif\ifXePersian@kabiseh
4789 \newcount\XePersian@i \newcount\XePersian@y \newcount\XePersian@m \newcount\XePersian@d
4790 \newcount\XePersian@latini \newcount\XePersian@persiani
4791 \newcount\XePersian@latinii \newcount\XePersian@persianii
4792 \newcount\XePersian@latiniii \newcount\XePersian@persianiii

```

```

4793 \newcount\XePersian@latiniv    \newcount\XePersian@persianiv
4794 \newcount\XePersian@latinv     \newcount\XePersian@persianv
4795 \newcount\XePersian@latinvi   \newcount\XePersian@persianvi
4796 \newcount\XePersian@latinvii  \newcount\XePersian@persianvii
4797 \newcount\XePersian@latinviii \newcount\XePersian@persianviii
4798 \newcount\XePersian@latinix   \newcount\XePersian@persianix
4799 \newcount\XePersian@latinx   \newcount\XePersian@persianx
4800 \newcount\XePersian@latinxi  \newcount\XePersian@persianxi
4801 \newcount\XePersian@latinxii \newcount\XePersian@persianxii
4802                               \newcount\XePersian@persianxiii
4803
4804 \newcount\XePersian@temp
4805 \newcount\XePersian@temptwo
4806 \newcount\XePersian@tempthree
4807 \newcount\XePersian@yModHundred
4808 \newcount\XePersian@thirtytwo
4809 \newcount\XePersian@dn
4810 \newcount\XePersian@sn
4811 \newcount\XePersian@mminusone
4812
4813
4814 \XePersian@y=\year \XePersian@m=\month \XePersian@d=\day
4815 \XePersian@temp=\XePersian@y
4816 \divide\XePersian@temp by 100\relax
4817 \multiply\XePersian@temp by 100\relax
4818 \XePersian@yModHundred=\XePersian@y
4819 \advance\XePersian@yModHundred by -\XePersian@temp\relax
4820 \ifodd\XePersian@yModHundred
4821   \XePersian@leapfalse
4822 \else
4823   \XePersian@temp=\XePersian@yModHundred
4824   \divide\XePersian@temp by 2\relax
4825   \ifodd\XePersian@temp\XePersian@leapfalse
4826   \else
4827     \ifnum\XePersian@yModHundred=0%
4828       \XePersian@temp=\XePersian@y
4829       \divide\XePersian@temp by 400\relax
4830       \multiply\XePersian@temp by 400\relax
4831     \ifnum\XePersian@y=\XePersian@temp\XePersian@leaptrue\else\XePersian@leapfalse\fi
4832     \else\XePersian@leaptrue
4833     \fi
4834   \fi
4835 \fi
4836 \XePersian@latinii=31\relax
4837 \ifXePersian@leap
4838   \XePersian@latinii = 29\relax
4839 \else
4840   \XePersian@latinii = 28\relax
4841 \fi
4842 \XePersian@latinii = 31\relax

```

```

4843 \XePersian@latiniv = 30\relax
4844 \XePersian@latinv = 31\relax
4845 \XePersian@latinvi = 30\relax
4846 \XePersian@latinvii = 31\relax
4847 \XePersian@latinviii = 31\relax
4848 \XePersian@latinix = 30\relax
4849 \XePersian@latinx = 31\relax
4850 \XePersian@latinxi = 30\relax
4851 \XePersian@latinxii = 31\relax
4852 \XePersian@thirtytwo=32\relax
4853 \XePersian@temp=\XePersian@y
4854 \advance\XePersian@temp by -17\relax
4855 \XePersian@temptwo=\XePersian@temp
4856 \divide\XePersian@temptwo by 33\relax
4857 \multiply\XePersian@temptwo by 33\relax
4858 \advance\XePersian@temp by -\XePersian@temptwo
4859 \ifnum\XePersian@temp=\XePersian@thirtytwo\XePersian@kabisehfalse
4860 \else
4861   \XePersian@temptwo=\XePersian@temp
4862   \divide\XePersian@temptwo by 4\relax
4863   \multiply\XePersian@temptwo by 4\relax
4864   \advance\XePersian@temp by -\XePersian@temptwo
4865 \ifnum\XePersian@temp=\z@\XePersian@kabisehtrue\else\XePersian@kabisehfalse\fi
4866 \fi
4867 \XePersian@tempthree=\XePersian@y          % Number of Leap years
4868 \advance\XePersian@tempthree by -1
4869 \XePersian@temp=\XePersian@tempthree        % T := (MY-1) div 4
4870 \divide\XePersian@temp by 4\relax
4871 \XePersian@temptwo=\XePersian@tempthree      % T := T - ((MY-1) div 100)
4872 \divide\XePersian@temptwo by 100\relax
4873 \advance\XePersian@temp by -\XePersian@temptwo
4874 \XePersian@temptwo=\XePersian@tempthree      % T := T + ((MY-1) div 400)
4875 \divide\XePersian@temptwo by 400\relax
4876 \advance\XePersian@temp by \XePersian@temptwo
4877 \advance\XePersian@tempthree by -611          % Number of Kabise years
4878 \XePersian@temptwo=\XePersian@tempthree      % T := T - ((SY+10) div 33) * 8
4879 \divide\XePersian@temptwo by 33\relax
4880 \multiply\XePersian@temptwo by 8\relax
4881 \advance\XePersian@temp by -\XePersian@temptwo
4882 \XePersian@temptwo=\XePersian@tempthree      %
4883 \divide\XePersian@temptwo by 33\relax
4884 \multiply\XePersian@temptwo by 33\relax
4885 \advance\XePersian@tempthree by -\XePersian@temptwo
4886 \ifnum\XePersian@tempthree=32\advance\XePersian@temp by 1\fi % if (SY+10) mod 33=32 then Inc(T);
4887 \divide\XePersian@tempthree by 4\relax    % T := T - ((SY+10) mod 33) div 4
4888 \advance\XePersian@temp by -\XePersian@tempthree
4889 \advance\XePersian@temp by -137           % T := T - 137 Adjust the value
4890 \XePersian@persiani=31
4891 \advance\XePersian@persiani by -\XePersian@temp          % now 31 - T is the persiani
4892 \XePersian@persianii = 30\relax

```

```

4893 \ifXePersian@kabiseh
4894   \XePersian@persianiii = 30\relax
4895 \else
4896   \XePersian@persianiii = 29\relax
4897 \fi
4898 \XePersian@persianiv = 31\relax
4899 \XePersian@persianv = 31\relax
4900 \XePersian@persianvi = 31\relax
4901 \XePersian@persianvii = 31\relax
4902 \XePersian@persianviii= 31\relax
4903 \XePersian@persianix = 31\relax
4904 \XePersian@persianx = 30\relax
4905 \XePersian@persianxi = 30\relax
4906 \XePersian@persianxii = 30\relax
4907 \XePersian@persianxiii= 30\relax
4908 \XePersian@dn= 0\relax
4909 \XePersian@sn= 0\relax
4910 \XePersian@mminusone=\XePersian@m
4911 \advance\XePersian@mminusone by -1\relax
4912 \XePersian@i=0\relax
4913 \ifnum\XePersian@i < \XePersian@mminusone
4914 \loop
4915 \advance \XePersian@i by 1\relax
4916 \advance\XePersian@dn by \csname XePersian@latin\romannumeral\the\XePersian@i\endcsname
4917 \ifnum\XePersian@i<\XePersian@mminusone \repeat
4918 \fi
4919 \advance \XePersian@dn by \XePersian@d
4920 \XePersian@i=1\relax
4921 \XePersian@sn = \XePersian@persiani
4922 \ifnum \XePersian@sn<\XePersian@dn
4923 \loop
4924 \advance \XePersian@i by 1\relax
4925 \advance\XePersian@sn by \csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
4926 \ifnum \XePersian@sn<\XePersian@dn \repeat
4927 \fi
4928 \ifnum \XePersian@i < 4
4929   \XePersian@m = 9 \advance\XePersian@m by \XePersian@i
4930   \advance \XePersian@y by -622\relax
4931 \else
4932   \XePersian@m = \XePersian@i \advance \XePersian@m by -3\relax
4933   \advance \XePersian@y by -621\relax
4934 \fi
4935 \advance\XePersian@sn by -\csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
4936 \endcsname
4937 \ifnum\XePersian@i = 1
4938   \XePersian@d = \XePersian@dn \advance \XePersian@d by 30 \advance\XePersian@d by -\XePersian@pe
4939 \else
4940   \XePersian@d = \XePersian@dn \advance \XePersian@d by -\XePersian@sn
4941 \fi
4942 \newcommand*\persiantoday}{%

```

```
4943 \number\XePersian@d\space%
4944 \XePersian@persian@month{\XePersian@m}\space\number\XePersian@y%
4945 }
4946 \let\persianyear\XePersian@y
4947 \let\persianmonth\XePersian@m
4948 \let\persianday\XePersian@d
4949 \def\XePersian@persian@month#1{\ifcase#1\or \or \
4950 \or \
4951 \or \or \
4952 \or \
4953 \or \or \
4954 \or \or \
4955 \or \or \
4956 {fi}
```

Index

Symbols	
\!	2576
\%	4588
\.	1675, 4610
\&and	3184
\&if@newlist .	1482, 1502, 3106, 3159
\&math	317
\&maybeautodot .	2791, 2792, 2810, 2825, 2826, 2844, 2855, 2856, 2874
\&par	2103
\&Alpha	2804, 2838, 2868, 3437, 3440, 3444
\&False	305, 307
\<rbidituftesidenote@sidenote .	174
\<rfootnotetext .	50, 66, 112, 127, 186, 193, 1548, 1565, 1745, 1760, 2133
\<rmarginparreset .	3082
\&Latincite{x}	164, 165, 2367, 2376, 2566, 3090, 3091
\&Latinfalse .	3072
\&Latintrue .	3071, 3073, 3077
\&M .	321, 1674, 1687, 1769, 3224, 3325, 3411
\&MM .	20, 37, 56, 82, 99, 118, 1515, 1534, 1553, 1715, 1732, 1751
\&Mi .	317
\&Mii .	2026
\&Miii .	2028
\&RTL@footnotefalse .	3073, 3077
\&RTL@footnotetrue .	3075, 3078
\&RTLbidituftesidenote@sidenote .	201
\&RTLfalse .	. 16, 52, 78, 114, 287, 299, 312, 1511, 1549, 1571, 1604, 1670, 1711, 1747, 3145, 3155
\&RTLfootnotetext .	31, 65, 93, 126, 213, 220, 1529, 1564, 1726, 1759, 2134
\&RTLtrue .	16, 33, 78, 95, 1511, 1530, 1571, 1589, 1670, 1711, 1728, 3145, 3155
\&Roman .	2806, 2840, 2870
\&SepMark .	1782, 1783, 1784, 1785, 1962
\&SetTab .	2877
\&True .	300, 306
\&X .	4659, 4660, 4738
\&acol .	2258, 2266
\&acolampacol .	2256, 2258, 2264, 2266
\&adadi .	2802, 2836, 2866, 3198, 3200, 3203
\&addamp .	2257, 2265
\&addtopreamble .	2225
\&alph .	2805, 2839, 2869, 2878, 3436, 3439, 3443
\&campacol .	2256, 2264
\&answernumberfont .	4681, 4682, 4720
\&answerstitle .	4678, 4719
\&answerstitlefont .	4679, 4680, 4719
\&appendheader .	4692, 4693, 4695
\&arrayclassz .	2256
\&arraydesc .	4688, 4691, 4698, 4702
\&arrayrule .	2204, 2205, 2206, 2248, 2249, 2250
\&author .	3835, 3847
\&autodottrue .	. 2794, 2795, 2796, 2797, 2798, 2799, 2800, 2801, 2802, 2803, 2804, 2805, 2806, 2807, 2808, 2828, 2829, 2830, 2831, 2832, 2833, 2834, 2835, 2836, 2837, 2838, 2839, 2840, 2841, 2842, 2858, 2859, 2860, 2861, 2862, 2863, 2864, 2865, 2866, 2867, 2868, 2869, 2870, 2871, 2872

\@auxout 3096, 4508
 \@begin@tempboxa 2103
 \@begindvi 3138
 \@biblabel 1671, 2368, 2377
 \@bibsetup 2369, 2378
 \@bibtitlestyle 1667
 \@bidi@list@minipage@parbox@not@nobtrue
 2100, 2122
 \@bidi@list@minipage@parboxtrue
 2101, 2123
 \@bidiutfesidenote@citations
 176, 203, 230, 237
 \@bidiutfesidenote@info@note@cite
 175, 202, 229, 236
 \@bidiutfesidenote@margin@par
 231, 238
 \@bidiutfesidenote@marginnote@font
 231, 238
 \@bidiutfesidenote@marginnote@justify@at@mr
 231, 238
 \@bidiutfesidenote@normal@cite
 196, 223, 233, 240
 \@bidiutfesidenote@print@citations
 195, 222, 232, 239
 \@bidiutfesidenote@sidenote@vertical@off@envir
 178, 180, 186, 193, 205,
 207, 213, 220
 \@bsphack 2025, 4503, 4516
 \@capttype 2013, 2076, 2323, 2333
 \@cclvi 4431, 4437, 4461
 \@chapapp 253, 264, 271,
 283, 1463, 1475, 1968, 2758,
 2765, 2772, 2780, 2821, 2851
 \@chclass 2138, 2146, 2154, 2169,
 2183, 2188, 2203, 2219, 2239,
 2247, 2277, 2300, 2314
 \@chnum 2140, 2141, 2142, 2143,
 2144, 2145, 2155, 2162, 2176,
 2189, 2196, 2212, 2225, 2241,
 2242, 2243, 2244, 2245, 2246,
 2260, 2268, 2278, 2285, 2307
 \@choices 4686, 4690, 4706, 4708
 \@cite 2355, 2362, 2374, 2390,
 2479, 3093
 \@cite@ofmt 3101
 \@citea 2395, 2409, 2423, 2432,
 2433, 2434, 2439, 2454, 2462,
 2463, 2464, 2498, 2514, 2532,
 3092, 3094
 \@citeb 2391, 2393, 2395, 2398,
 2400, 2401, 2403, 2426, 2457,
 2480, 2482, 2484, 2487, 2489,
 2490, 2492, 3093, 3095, 3096,
 3097, 3100, 3101, 4504, 4506,
 4508, 4509, 4510, 4512
 \@citec 2366, 2375
 \@classx 2222
 \@classz 2222
 \@cleartopmattertags 1805
 \@colht 3160
 \@correction 4759
 \@correctionstyle 4744, 4745,
 4746
 \@currenlabel 22, 39, 58, 84, 101,
 120, 1517, 1536, 1555, 1576,
 1594, 1609, 1717, 1734, 1753
 \@currenbox 2033, 2079, 2083, 2322,
 2326, 2332, 2336
 \@currentlabel 22, 39, 58, 84, 101,
 120, 1517, 1536, 1555, 1576,
 1594, 1609, 1717, 1734, 1753
 \@currenenvir 2640, 2642, 2643
 \@customlogo 3935, 3944
 \@custommagazinename 3704, 3937
 \@customminilog 3936, 3950
 \@customwwwTxt 3665, 3668, 3720
 \@date 3838, 3848
 \@dgroup 299
 \@dmath 287, 316
 \@doendpe 2657
 \@dseries 312
 \@eha 4451, 4477, 4496
 \@empty 302, 1669, 1791, 2020, 2380,
 2390, 2393, 2479, 2482, 2611,
 3092, 3095, 3124, 3125, 3127,
 3128, 3283, 3289, 3292, 3295,
 3391, 3846, 3847, 3848, 3849,
 4506
 \@emptytoks 301
 \@enGroup 1350
 \@enLabel 1341, 1342, 1343, 1344,
 1345, 1346, 1347, 1348
 \@enOther 1352

\@enSpace 1349
 \@end@tempboxa 2118
 \@endpbbox 2232, 2233
 \@enhook 1353
 \@enloop@ 1340
 \@entemp . 1341, 1342, 1343, 1344,
 1345, 1346, 1347, 1348, 1349,
 1350, 1351
 \@enum@ 1351
 \@esphack 4513, 4516
 \@evenfoot 3122
 \@evenhead 3121
 \@extra@b@citeb
 .. 2395, 2401, 2403, 2426,
 2457, 2484, 2490, 2492, 4510
 \@extrafootnotefeaturestrue ..
 3502
 \@false 4743, 4751, 4758
 \@false@correction . 4735, 4758
 \@false@nocorrection 4733, 4751
 \@falsesymbol .. 4729, 4731, 4735
 \@finalstrut . 1522, 1541, 1560,
 1580, 1598, 1613
 \@firststampfalse 2258, 2266
 \@firstofone
 .. 1661, 1662, 2393, 2482,
 3095, 4434, 4458, 4506
 \@float@HH 2319, 2320
 \@float@Hx 2318, 2319
 \@float@ 2319, 2330
 \@floatboxreset 2089, 2328, 2338
 \@floatcapt 2323, 2333
 \@floatpenalty . 2026, 2028, 2031
 \@flstylefalse 2325, 2335
 \@flstyletrue 2325, 2335
 \@fltovf 2081
 \@footnotemark 186, 193, 213, 220
 \@footnotetext 14, 64, 76,
 125, 1510, 1563, 1709, 1758,
 2132
 \@for 2391, 2480, 3093, 4504
 \@formanswerline .. 4715, 4724,
 4737, 4741
 \@fps 2014, 2015, 2017, 2020, 2037
 \@fpsadddefault 2018, 2021
 \@freelist 2033
 \@gobble . 1351, 1490, 1491, 1492,
 3134, 3135, 3136
 \@harfi 12, 74, 134,
 140, 146, 152, 254, 265, 272,
 284, 1453, 1464, 1476, 1695,
 1969, 2759, 2766, 2773, 2781,
 2788, 2801, 2822, 2835, 2852,
 2865, 3192, 3195, 3196
 \@headerfont . 4657, 4658, 4663,
 4693
 \@headerline . 4689, 4692, 4700,
 4704
 \@idxitem 1684, 1689
 \@ifclassloaded
 .. 3476, 3477, 3478, 3479,
 3480, 3481, 3482, 3483, 3484,
 3485, 3486, 3487, 3488, 3489,
 3490, 3491, 3492, 3493, 3494,
 3495, 3496, 3497, 3498, 3499,
 3506, 3516, 3526
 \@ifdefinable 2675, 2677
 \@ifdefinitionfileloaded
 .. 2010, 2153, 2186, 2276,
 2317, 3459
 \@ifempty 1770
 \@ifnextchar . 2319, 2560, 2566,
 3090
 \@ifnum .. 2497, 2499, 2501, 2508,
 2509, 2512, 2524, 2547, 2549
 \@ifpackageloaded
 .. 167, 1884, 1888, 2569,
 2573, 2665, 2673, 3165, 3460,
 3461, 3462, 3463, 3464, 3465,
 3466, 3467, 3468, 3469, 3470,
 3471, 3472, 3473, 3474, 3475,
 3476, 4502
 \@ifstar 2559
 \@ifundefined .. 163, 2395, 2401,
 2484, 2490, 3097, 4510
 \@ignoretrue 323
 \@iiiminipage 2119
 \@iiiparbox 2097
 \@indexfile .. 3508, 3518, 3528
 \@indextitlestyle 1682
 \@initorcheck .. 4685, 4705, 4723
 \@inlabelfalse 290

\@input@ 3510, 3520, 3530
 \@lastchclass
 .. 2138, 2139, 2155, 2156,
 2157, 2158, 2160, 2189, 2190,
 2191, 2192, 2194, 2239, 2240,
 2256, 2264, 2278, 2279, 2280,
 2281, 2283
 \@latex@error 4449, 4475
 \@latex@warning 1677, 3099
 \@latinAlph 3437, 3444
 \@latinalph ... 2878, 3436, 3443
 \@listdepth 2135
 \@m 1675, 2372, 3094, 3223, 3324,
 3409
 \@mainmatterfalse 248, 259, 277,
 1457, 2815
 \@makefnmark 1702
 \@makefntext 24, 41, 60, 86, 103,
 122, 1521, 1540, 1559, 1579,
 1597, 1612, 1719, 1736, 1755
 \@maketitle 1796
 \@maketitle@hook 1794
 \@maskanswerline .. 4716, 4725,
 4738, 4742
 \@memfront 1960
 \@minipagefalse 3087
 \@minipagerestore 2136
 \@minipagetrue 3086
 \@mpLTRfootnotetext 1602, 2133
 \@mpRTLfootnotetext 1587, 2134
 \@mpargs 2125
 \@mpfn .. 184, 190, 211, 217, 2131
 \@mpfootins .. 1571, 1572, 1589,
 1590, 1604, 1605
 \@mpfootnotetext ... 1569, 2132
 \@mplistdepth 2135
 \@namedef 2349, 2403, 2492, 2656
 \@nameuse 3116
 \@ne 1570, 1588, 1603, 2043, 2049,
 2142, 2143, 2146, 2155, 2165,
 2166, 2170, 2189, 2199, 2200,
 2204, 2205, 2206, 2243, 2244,
 2248, 2249, 2250, 2278, 2288,
 2289, 2301, 2497, 2509, 2511,
 2524, 2532, 3210, 3251, 3258,
 3270, 3275, 3311, 3352, 3359,
 3371, 3376, 4441, 4446, 4465,
 4472
 \@newlistfalse 1483, 3107
 \@next 2033
 \@nextchar 2161, 2163, 2164, 2165,
 2166, 2167, 2168, 2170, 2171,
 2172, 2173, 2174, 2177, 2178,
 2179, 2180, 2181, 2182, 2195,
 2197, 2198, 2199, 2200, 2201,
 2202, 2204, 2205, 2206, 2207,
 2208, 2209, 2210, 2213, 2214,
 2215, 2216, 2217, 2218, 2230,
 2232, 2233, 2284, 2286, 2287,
 2288, 2289, 2290, 2291, 2292,
 2293, 2294, 2295, 2296, 2297,
 2298, 2299, 2301, 2302, 2303,
 2304, 2305, 2308, 2309, 2310,
 2312, 2313
 \@nextchar 2311
 \@nil 2586, 2590, 2591, 2596, 2598,
 3241, 3244, 3342, 3345
 \@nodocument 2012
 \@noitemerr 1677
 \@nx 1800, 1801
 \@oddfoot 3119, 3128
 \@oddhead 3119, 3127
 \@onelevel@sanitize 2015
 \@outputbox 1500, 3151
 \@outputpage 1478, 3102
 \@parboxrestore
 .. 21, 38, 57, 83, 100,
 119, 1483, 1516, 1535, 1554,
 1575, 1593, 1608, 1716, 1733,
 1752, 2088, 2103, 2130, 2327,
 2337, 3108
 \@parboxto 2106, 2115
 \@parmmoderr 2031
 \@pboxswfalse 2099, 2121
 \@pboxswtrue 2113
 \@plus 1685, 1763
 \@pnumwidth 1776, 1778
 \@preamble 2259, 2267
 \@preamblecmds 4486, 4489, 4490,
 4494, 4497
 \@preamerr 2149, 2183, 2219, 2253,
 2314

\@questionheader 4715, 4716,
 4747
 \@questionsepspace 4771, 4776,
 4782
 \@questiontitle 4764, 4777
 \@questiontitlefont 4765, 4766,
 4777
 \@resetactivechars . 1481, 3105
 \@restonecolfalse 1680
 \@restonecoltrue 1680
 \@roman 2807, 2841, 2871
 \@safe@activesfalse 2394, 2483,
 4507
 \@safe@activestrue 2392, 2481,
 4505
 \@secpenalty 1768
 \@setcopyright 1788
 \@setfontsize
 ... 3635, 3641, 3643, 3646,
 3653, 3659, 3660, 3661, 3662,
 3663
 \@setfpsbit .. 2053, 2056, 2059,
 2062, 2065, 2068
 \@setminipage 2137
 \@setnobreak 2328, 2338
 \@sharp .. 2261, 2262, 2263, 2269,
 2270, 2271
 \@smemfront 1961
 \@specialpagefalse 3116
 \@specialstyle 3116
 \@sptoken 1349
 \@startpbox 2232, 2233
 \@startsection 1762
 \@starttoc 3168, 4668, 4673
 \@stop 2792, 2826, 2856
 \@sx@xepersian@localize@verbatim
 2349
 \@tabclassz 2264
 \@tartibi 9, 70, 130,
 136, 142, 148, 245, 256, 267,
 279, 1449, 1459, 1471, 1692,
 1963, 1964, 2754, 2761, 2768,
 2776, 2784, 2803, 2817, 2837,
 2847, 2867, 3304, 3306, 3309
 \@tempa .. 1341, 1342, 1343, 1344,
 1345, 1346, 1347, 1348, 1349,
 1350, 1351, 1352, 1355, 1799,
 1802, 2596, 2598, 2681, 2682,
 2683, 2684, 2685, 2686, 2687,
 2688, 2689, 2690, 2691
 \@tempboxa 2126, 3141, 3148, 3149
 \@tempc .. 2611, 2624, 2634, 2636,
 2637, 2640, 2648
 \@tempcnta 2035, 2041, 2043, 2047,
 2049, 2071, 2072, 2078, 2079,
 2223, 2506, 2507, 2508, 2511,
 2512
 \@tempcntb 2076, 2077, 2078
 \@tempdima 1771, 1773, 1775, 1777,
 2102, 2103, 2124, 2128
 \@tempdimb 2105, 2106
 \@tempswafalse 2524, 3090
 \@tempswatru e 2523, 3090
 \@temptokena
 ... 1797, 1801, 2597, 2604,
 2609, 2615, 2622, 2632, 2646
 \@testpach 2138, 2154, 2188, 2239,
 2277
 \@tfor 2036, 2681
 \@thanks 3840, 3846
 \@the@choice 4694, 4695
 \@thefnmark 23, 40, 59,
 85, 102, 121, 185, 191, 212,
 218, 1518, 1537, 1556, 1577,
 1595, 1610, 1704, 1718, 1735,
 1754
 \@thefoot 3119, 3122, 3125, 3128,
 3155
 \@thehead 3119, 3121, 3124, 3127,
 3145
 \@themargin .. 1496, 3120, 3122,
 3140
 \@title 3828, 3849
 \@tocline 1765
 \@tocpagenum 1778
 \@topnum 1787
 \@true 4739, 4750, 4757
 \@true@correction .. 4734, 4757
 \@true@nocorrection 4732, 4750
 \@truesymbol .. 4728, 4730, 4734
 \@verbatim 2346, 2349, 2654, 2656,
 2667

\@vobeyspaces	2346, 2654
\@warning	2653
\@width	1699, 1701
\@x@xepersian@localize@verbatim	2346
\@xepersian@info	2916, 2935, 2937
\@xfloat	2011, 2318, 2319
\@xp	1797
\@xxxii	2077
@\	1990, 1991
@\`	1986, 1987, 1989
@\`	2568
]\`	2576
\\"	1798, 2343, 2576, 3796, 4111, 4112, 4374, 4377, 4426, 4661, 4700, 4704, 4724, 4725
\{	2342, 2576
\}	2342, 2576
\]	2576
\^	2577
_	1387
\	4112
\~	2577
 __	1622, 1624, 3094, 3247, 3253, 3272, 3278, 3348, 3354, 3373, 3379, 3711, 3720
A	
\abj@num@i	3405, 3420, 3427
\abj@num@ii	3407, 3424, 3431
\abj@num@iii	3409, 3428, 3434
\abj@num@iv	3411, 3432
\abjad@zero	3419, 3423
\abjadnumeral	3400, 3439, 3440
\abovedisplayshortskip	3638, 3639, 3649, 3650, 3656, 3657
\abovedisplayskip	3636, 3637, 3647, 3648, 3654, 3655
\abstractname	3181
\active	2577, 4610
\adadi	1342, 2795, 2829, 2859, 3197
\adadinumeral	3203
\addfontfeatures	287, 299, 312
\addpenalty	1768
\addtocontents	4667, 4670, 4672, 4675, 4697, 4701, 4724, 4725
\addtolength	3863, 3864, 3867, 4286, 4287, 4288, 4289, 4353
\addvspace	1768
\adl@argarraydashrule	2206, 2250
\adl@arraydashrule	2205, 2249
\adl@arrayrule	2204, 2248
\adl@box	2230, 2232, 2233
\adl@class@iii@vii	2236, 2273
\adl@class@start	2235, 2272
\adl@endmbox	2231
\adl@putlrc	2227, 2228, 2229, 2261, 2262, 2263, 2269, 2270, 2271
\adl@startmbox	2230
\advance	1625, 1672, 1775, 2043, 2049, 2072, 2078, 2511, 3627, 3631, 3899, 3902, 4446, 4472, 4819, 4854, 4858, 4864, 4868, 4873, 4876, 4877, 4881, 4885, 4886, 4888, 4889, 4891, 4911, 4915, 4916, 4919, 4924, 4925, 4929, 4930, 4932, 4933, 4935, 4938, 4940
\aftergroup	1485, 1487, 3103, 3111, 3112
\ALG@name	5, 7
\algorithmicensure	3
\algorithmicrequire	2
\ALGS@name	6, 7
\aliasfontfeature	1358, 1900, 1901, 1902, 1903, 1904, 1905, 1906, 1907, 1908, 1909, 1910, 1911, 1912, 1913, 1914, 1915, 1916, 1917, 1918, 1919, 1920, 1921, 1922, 1923, 1924, 1925, 1926, 1927, 1928, 1929, 1930, 1931, 1932, 1933, 1934, 1935, 1936, 1937

1938, 1939, 1940, 1941, 1942,
 1943, 1944, 1945, 1946, 1947,
 1948, 1949, 1950, 1951, 1952
`\aliasfontfeatureoption`
 .. 1953, 1954, 1955, 1956,
 1957, 1958
`\alloc@` 4431
`\Alph` 1344, 1654, 1655, 2797, 2831,
 2861
`\alph` 1345, 2798, 2832, 2862, 2885,
 4694, 4720
`\anappendixtrue` 1970
`\and` 3853
`\andify` 1792
`\answernumberfont` 4682
`\answerstitle` 4678, 4748
`\answerstitlefont` 4680
`\appendix` 10, 71, 131,
 137, 143, 149, 250, 261, 268,
 280, 1450, 1460, 1472, 1651,
 1652, 1693, 1965, 2755, 2762,
 2769, 2777, 2785, 2818, 2848
`\appendixautorefname` 1640
`\appendixname`
 11, 73, 253, 264, 271,
 283, 1463, 1475, 1694, 1968,
 2758, 2765, 2772, 2780, 2821,
 2851, 3178
`\arabic` .. 1348, 1669, 1782, 1783,
 1784, 1785
`\arrayrulewidth` 4368
`\articlesep` 4350
`\AtBeginDocument`
 162, 1650, 1859, 2349,
 2556, 2661, 3625, 3629, 4492
`\AtEndOfClass` 3623
`\author` 3851
`\authorandplace` 4324
`\AutoMathsDigits` 4641, 4645

B

`\backrefpagesname` 154
`\baselineskip` 231, 238, 1493,
 3137, 3152
`\begin` 2570, 2571, 3077, 3078, 3166,
 3679, 3682, 3735, 3750, 3763,

3769, 3790, 3821, 3827, 3834,
 3858, 3912, 3918, 3990, 3993,
 3998, 4005, 4020, 4035, 4052,
 4086, 4104, 4109, 4129, 4136,
 4137, 4158, 4160, 4161, 4183,
 4188, 4189, 4225, 4226, 4234,
 4260, 4268, 4274, 4275, 4283,
 4313, 4337, 4369, 4370, 4385,
 4397, 4411, 4698, 4702, 4713,
 4714, 4720, 4775
`\begingroup` 189, 216,
 295, 1479, 1769, 1795, 2341,
 2558, 2574, 2654, 2656, 2941,
 2943, 3103, 4438, 4462, 4610
`\beginL` .. 3087, 3145, 3155, 3711,
 4112
`\beginR` .. 1698, 3145, 3155, 3715,
 3716, 3717, 3728, 3729, 3730,
 3935, 3936, 3937, 3955, 3976,
 3977, 3978, 3979, 3980, 3981,
 4132, 4227
`\belowdisplayshortskip` .. 3639,
 3650, 3657
`\belowdisplayskip` . . 3637, 3648,
 3655
`\bfseries` 1764, 2396, 2485, 3097,
 3671, 3677, 3696, 3704, 3732,
 3748, 3767, 3781, 3785, 3810,
 3815, 3819, 3944, 3950, 4657,
 4679, 4681, 4765
`\bgroup` .. 1350, 2086, 2126, 2327,
 2337, 4434, 4458
`\biblofont` 1668
`\bibname` 3185
`\bidi@AfterEndPreamble` .. 3447,
 3453
`\bidi@csdefcs` 938, 1882
`\bidi@csletcs` .. 633, 1882, 1886,
 1887, 1890, 1891
`\bidi@footdir@footnote` 64, 125,
 1563, 1758
`\bidi@isloaded`
 .. 1853, 1854, 1855, 1856,
 1857, 1858, 1861, 1864, 1867,
 1870, 1873, 1876

```

\bidi@mpfootnoterule . . . . . 1570,
    1588, 1603
\bidi@newrobustcmd . . . . . 3071, 3072
\bidi@reflect@box . . . . . 3172
\blacktriangleleft . . . . . 1620, 1622
\blacktriangleright . . . . . 1620, 1622
\bm@b . . . . . 2094
\bm@c . . . . . 2091
\bm@l . . . . . 2092
\bm@r . . . . . 2093
\bm@s . . . . . 2096
\bm@t . . . . . 2095
\bm@ . . . . . 2095
\bm@ . . . . . 2093
\bm@ . . . . . 2094
\bm@ . . . . . 2091
\bm@ . . . . . 2092
\bm@ . . . . . 2096
\bool . . . . . 4484
\boolean . . . . . 3612, 3624, 3633, 3737,
    3752, 3771, 3792, 3988, 3989,
    4019, 4051, 4085, 4103, 4127,
    4157, 4181, 4208
\botmark . . . . . 1505, 3162
\box . . . . . 301, 1500, 3149, 3151
\BR@Latincitex . . . . . 155, 165
\BRorg@Latincitex . . . . . 156, 164

C
\C . . . . . 2578
\c . . . . . 4531, 4539, 4547, 4555, 4563
\c@book . . . . . 1963
\c@chapter . . . . . 72, 74, 254, 265, 272,
    284, 1464, 1476, 1969, 2759,
    2766, 2773, 2781, 2822, 2852
\c@footnote . . . . . 1804
\c@mpfootnote . . . . . 1570, 1588, 1603,
    2131
\c@part . . . . . 9, 70, 130,
    136, 142, 148, 245, 256, 267,
    279, 1449, 1459, 1471, 1692,
    1964, 2754, 2761, 2768, 2776,
    2784, 2817, 2847
\c@section . . . . . 10, 12, 72, 134, 140,
    146, 152, 1453, 1693, 1695,
    2788
\c@subsection . . . . . 10, 1693
\c@tocdepth . . . . . 1766
\catcode . . . . . 1880, 2341, 2342, 2343,
    2577, 4610
\ccname . . . . . 3187
\centering . . . . . 3874, 4162, 4662
\cftchapname . . . . . 2897
\cftfigname . . . . . 2903
\cftpargname . . . . . 2901
\cftsecname . . . . . 2898
\cftsubfigname . . . . . 2904
\cftsubparaname . . . . . 2902
\cftsubsecname . . . . . 2899
\cftsubsubsecname . . . . . 2900
\cftsubtabname . . . . . 2906
\cfttabname . . . . . 2905
\chapterautorefname . . . . . 1641
\chaptername . . . . . 73, 3186
\chardef . . . . . 1808, 1810, 1811, 1812,
    1813, 1814, 4431
\charlist . . . . . 1818, 1819, 1821, 1825
\citation . . . . . 3096, 4508
\cite . . . . . 175, 196, 202, 223, 229, 233,
    236, 240, 4516
\citemenumfont . . . . . 2535
\citeyear . . . . . 2357
\citeyearpar . . . . . 2357
\ClassError . . . . .
    . . . . . 4009, 4041, 4075, 4095,
    4116, 4141, 4166, 4192, 4215,
    4707
\ClassWarning . . . . . 3594, 3596, 3598,
    3868, 3882
\cleardoubleoddpage . . . . . 2814
\cleardoublepage . . . . . 69, 247, 258,
    276, 1456
\clearpage . . . . . 2814, 3972
\closeout . . . . . 3508, 3518, 3528
\clubpenalty . . . . . 1674
\color@begingroup . . . . .
    . . . . . 1520, 1539, 1558, 1578,
    1596, 1611, 2127
\color@endbox . . . . . 3146, 3156
\color@endgroup . . . . . 1523, 1542, 1561,
    1581, 1599, 1614
\color@hbox . . . . . 3143, 3153

```

```

\color@vbox ... 2084, 2326, 2336
\columnlines . 3568, 3569, 3601,
               3930
\columnsep .... 1681, 3864, 4287
\columnseprule .... 1681, 3930
\columntitle ..... 4281
\columnwidth . 20, 37, 56, 82, 99,
               118, 1516, 1535, 1554, 1574,
               1592, 1607, 1697, 1715, 1732,
               1751, 2087, 2129, 2327, 2337,
               3863, 4286
\comment ..... 4752
\contentsname ..... 3166, 3175
\copyright ..... 3720
\correction ..... 4752, 4759
\correctionstyle ..... 4745
\count ... 2079, 3119, 3898, 3899,
          3901, 3902, 3911, 3917
\count@ ..... 2223
\cs 2664, 2666, 2976, 2988, 2989,
     4524, 4525, 4526, 4527, 4528,
     4590, 4591, 4592, 4597, 4602
\csname ..... 23,
          40, 59, 85, 102, 121, 190,
          217, 1518, 1537, 1556, 1577,
          1595, 1610, 1718, 1735, 1754,
          1771, 1883, 2076, 2116, 2321,
          2324, 2331, 2334, 2351, 2658,
          2675, 2676, 2677, 2678, 2679,
          2789, 2823, 2853, 2942, 2945,
          2951, 2953, 3101, 3195, 3198,
          3304, 4437, 4440, 4445, 4446,
          4461, 4464, 4468, 4469, 4472,
          4520, 4522, 4916, 4925, 4935
\currenttime ..... 3694
\customlogo ..... 3935
\custommagazinename .... 3937
\customminilogo ..... 3936
\customwwwTxt ..... 3665

D
\dollarbegin .. 2227, 2228, 2229
\dollarend .... 2227, 2228, 2229
\date .... 3693, 3704, 3852, 4321
\datename ..... 3183
\day ..... 4814
\decimalseparator .. 4589, 4635
\DeclareDocumentCommand ..... .
               .. 1358, 2968, 2979, 2990,
               2999, 3038, 3042, 3046, 3050,
               3054, 3058, 4594, 4599
\DeclareOption ..... .
               .. 3500, 3501, 3502, 3503,
               3514, 3524, 3534, 3537, 3540,
               3543, 3546, 3549, 3590, 3591,
               3592, 3593, 3595, 3597, 3599,
               3600, 3601, 3602, 3603, 4749,
               4756
\DeclareRobustCommand ..... .
               .. 2557, 2971, 2982, 2993,
               3002, 3014, 3017, 3020, 3023,
               3026, 3029, 3089
\DeclareSymbolFont 4573, 4574,
               4575, 4576, 4596, 4601
\DeclareTextFontCommand ..... .
               .. 3032, 3033, 3034, 3035,
               3036, 3037
\def ..... 2, 3, 5, 6, 7, 10, 12,
          14, 31, 50, 69, 71, 74, 76,
          93, 112, 154, 155, 168, 174,
          201, 243, 287, 299, 312, 319,
          323, 1340, 1341, 1342, 1343,
          1344, 1345, 1346, 1347, 1348,
          1478, 1510, 1529, 1548, 1569,
          1587, 1602, 1617, 1619, 1621,
          1623, 1634, 1635, 1636, 1637,
          1638, 1639, 1640, 1641, 1642,
          1643, 1644, 1645, 1646, 1647,
          1648, 1649, 1652, 1663, 1677,
          1680, 1689, 1690, 1691, 1693,
          1695, 1696, 1700, 1702, 1709,
          1726, 1745, 1762, 1765, 1786,
          1798, 1815, 1818, 1820, 1821,
          1826, 1850, 1851, 1973, 1974,
          1975, 1976, 1977, 1978, 1979,
          1980, 1981, 2011, 2013, 2014,
          2016, 2097, 2119, 2125, 2131,
          2138, 2154, 2188, 2222, 2235,
          2236, 2239, 2256, 2264, 2272,
          2273, 2277, 2319, 2320, 2323,
          2330, 2333, 2346, 2347, 2356,
          2359, 2371, 2372, 2382, 2385,

```

2398, 2413, 2443, 2475, 2479,
 2504, 2566, 2580, 2584, 2586,
 2587, 2590, 2596, 2598, 2600,
 2616, 2619, 2635, 2636, 2639,
 2652, 2654, 2657, 2674, 2908,
 2909, 2938, 2939, 2940, 2946,
 2947, 2951, 3063, 3067, 3073,
 3074, 3075, 3076, 3080, 3081,
 3082, 3091, 3094, 3102, 3171,
 3173, 3174, 3175, 3176, 3177,
 3178, 3179, 3180, 3181, 3182,
 3183, 3184, 3185, 3186, 3187,
 3188, 3189, 3190, 3191, 3192,
 3195, 3204, 3209, 3218, 3244,
 3257, 3268, 3282, 3288, 3291,
 3294, 3298, 3310, 3319, 3345,
 3358, 3369, 3383, 3390, 3400,
 3419, 3420, 3424, 3428, 3432,
 3438, 3442, 3665, 3935, 3936,
 3937, 4431, 4433, 4457, 4486,
 4488, 4491, 4493, 4495, 4496,
 4498, 4515, 4577, 4597, 4602,
 4611, 4612, 4635, 4636, 4637,
 4641, 4657, 4659, 4661, 4679,
 4681, 4685, 4692, 4728, 4729,
 4732, 4733, 4734, 4735, 4744,
 4747, 4754, 4755, 4761, 4762,
 4765, 4949
`\def@NAT@last@yr` 2514, 2516
`\DefaultMathsDigits` 4636
`\define@key` 2680
`\deflatinfont` 2999
`\defpersianfont` 2990
`\depth` 2688, 2689
`\ding` 4728, 4729
`\display@setup` 288, 313
`\divide` .. 3904, 3905, 4816, 4824,
 4829, 4856, 4862, 4870, 4872,
 4875, 4879, 4883, 4887
`\do` 2038, 2391, 2480, 2681, 3093,
 4488, 4493, 4495, 4504
`\document` 4647
`\document@select@group` .. 4457
`\dosetclass` ... 1819, 1820, 1824
`\doublebox` 4243, 4296
`\dp` 19, 36, 55, 81, 98,
 117, 1515, 1534, 1553, 1714,
 1731, 1750, 3148
`\dquad` 321, 323
`\dseries@display@setup` 313

E

`\edef` 1799, 2106, 2161, 2195, 2259,
 2267, 2284, 2393, 2482, 2642,
 2916, 2936, 2945, 2948, 3095,
 4494, 4506, 4694
`\edition` 3962
`\editionFormat` 3671, 3674
`\editorialAuthorFormat` 3814,
 4378
`\editorialTitleFormat` 3812,
 3813
`\else` 2, 3, 5, 7,
 16, 25, 78, 87, 154, 243, 291,
 321, 1341, 1342, 1343, 1344,
 1345, 1346, 1347, 1348, 1349,
 1350, 1351, 1467, 1511, 1522,
 1570, 1571, 1580, 1620, 1622,
 1624, 1634, 1635, 1636, 1637,
 1638, 1639, 1640, 1641, 1642,
 1643, 1644, 1645, 1646, 1647,
 1648, 1649, 1670, 1686, 1711,
 1720, 1764, 1767, 1775, 1776,
 1792, 1823, 1850, 1851, 1860,
 1863, 1866, 1869, 1872, 1875,
 1973, 1974, 1975, 1976, 1977,
 1978, 1979, 1980, 1981, 2019,
 2027, 2032, 2042, 2048, 2101,
 2104, 2109, 2110, 2111, 2112,
 2113, 2123, 2138, 2139, 2140,
 2141, 2142, 2143, 2144, 2145,
 2146, 2147, 2148, 2149, 2155,
 2156, 2157, 2159, 2160, 2163,
 2164, 2165, 2166, 2167, 2168,
 2170, 2171, 2172, 2173, 2174,
 2177, 2178, 2179, 2180, 2181,
 2182, 2189, 2190, 2191, 2193,
 2194, 2197, 2198, 2199, 2200,
 2201, 2202, 2204, 2205, 2206,
 2207, 2208, 2209, 2210, 2213,
 2214, 2215, 2216, 2217, 2218,

2238, 2239, 2240, 2241, 2242,	3765, 3774, 3797, 3836, 3839,
2243, 2244, 2245, 2246, 2248,	3842, 3859, 3914, 3920, 3997,
2249, 2250, 2251, 2252, 2253,	4003, 4007, 4033, 4039, 4073,
2278, 2279, 2280, 2282, 2283,	4093, 4108, 4114, 4150, 4151,
2286, 2287, 2288, 2289, 2290,	4152, 4175, 4176, 4177, 4201,
2291, 2292, 2293, 2294, 2295,	4202, 4203, 4228, 4229, 4232,
2296, 2297, 2298, 2299, 2301,	4262, 4266, 4277, 4278, 4315,
2302, 2303, 2304, 2305, 2308,	4319, 4348, 4379, 4380, 4394,
2309, 2310, 2311, 2312, 2313,	4406, 4419, 4667, 4670, 4672,
2325, 2335, 2360, 2373, 2405,	4675, 4721, 4722, 4726, 4780
2410, 2419, 2422, 2436, 2440,	\end@correction 4760
2449, 2453, 2456, 2468, 2472,	\endcomment 4753
2473, 2494, 2515, 2529, 2531,	\endcorrection 4753, 4760
2534, 2548, 2550, 2561, 2584,	\endcsname 23,
2595, 2608, 2610, 2613, 2628,	40, 59, 85, 102, 121, 190,
2630, 2636, 2644, 2652, 2679,	217, 1518, 1537, 1556, 1577,
2682, 2683, 2684, 2685, 2686,	1595, 1610, 1718, 1735, 1754,
2687, 2688, 2689, 2690, 2793,	1771, 1883, 2076, 2116, 2321,
2814, 2827, 2857, 2881, 2897,	2324, 2331, 2334, 2351, 2658,
2898, 2899, 2900, 2901, 2902,	2675, 2676, 2677, 2678, 2679,
2903, 2904, 2905, 2906, 2962,	2789, 2823, 2853, 2942, 2945,
3121, 3126, 3132, 3145, 3155,	2951, 2953, 3101, 3195, 3198,
3173, 3174, 3175, 3176, 3177,	3304, 4437, 4440, 4445, 4446,
3178, 3179, 3180, 3181, 3182,	4461, 4464, 4468, 4470, 4472,
3183, 3184, 3185, 3186, 3187,	4520, 4522, 4916, 4925, 4936
3188, 3189, 3190, 3191, 3194,	\endgroup 192,
3212, 3214, 3222, 3223, 3224,	219, 1486, 1780, 1803, 2579,
3225, 3226, 3227, 3228, 3229,	2657, 2941, 2949, 3103, 3111,
3247, 3262, 3276, 3289, 3292,	4442, 4466, 4613, 4614, 4615,
3313, 3315, 3323, 3324, 3325,	4616, 4617, 4618, 4619, 4620,
3326, 3327, 3328, 3329, 3330,	4621, 4622, 4623
3348, 3363, 3376, 3377, 3402,	\endL 3145, 3155, 3711, 4112
3404, 3406, 3408, 3410, 3511,	\endlatin 3074
3521, 3531, 3881, 4359, 4434,	\endlist 1678
4447, 4453, 4458, 4473, 4479,	\endLTR 3074
4488, 4509, 4605, 4613, 4614,	\endMakeFramed 1628
4615, 4616, 4617, 4618, 4619,	\endmath 318
4620, 4621, 4622, 4635, 4638,	\endpersian 3076
4639, 4640, 4642, 4643, 4644,	\endquestion 4773
4822, 4826, 4831, 4832, 4839,	\endR 1699, 3145, 3155, 3715, 3716,
4860, 4865, 4895, 4931, 4939	3717, 3728, 3729, 3730, 3935,
\empty 1822	3936, 3937, 3955, 3976, 3977,
\enclname 3188	3978, 3979, 3980, 3981, 4132,
\end 1819, 1820, 1825, 1826, 2570,	4227
2571, 2642, 2653, 3077, 3078,	\endRTL 3076
3169, 3679, 3684, 3741, 3755,	\ends@math 318

\endtrivlist 2347, 2657
 \end 2347, 2351, 2657, 2658
 \eq@addpunct 323
 \eq@group 291, 300
 \eq@GRP@first@dmath 300
 \eq@prelim 291, 308
 \eq@setnumber 294
 \eq@setup@a 296
 \eq@startup 297
 \eq@wdCond 315
 \eqcommand . . 327, 328, 329, 330,
 331, 332, 333, 334, 335, 336,
 337, 338, 339, 340, 341, 342,
 343, 344, 345, 346, 347, 348,
 349, 350, 351, 352, 353, 354,
 355, 356, 357, 358, 359, 360,
 361, 362, 363, 364, 365, 366,
 367, 368, 369, 370, 371, 372,
 373, 374, 375, 376, 377, 378,
 379, 380, 381, 382, 383, 384,
 385, 386, 387, 388, 389, 390,
 391, 392, 393, 394, 395, 396,
 397, 398, 399, 400, 401, 402,
 403, 404, 405, 406, 407, 408,
 409, 410, 411, 412, 413, 414,
 415, 416, 417, 418, 419, 420,
 421, 422, 423, 424, 425, 426,
 427, 428, 429, 430, 431, 432,
 433, 434, 435, 436, 437, 438,
 439, 440, 441, 442, 443, 444,
 445, 446, 447, 448, 449, 450,
 451, 452, 453, 454, 455, 456,
 457, 458, 459, 460, 461, 462,
 463, 464, 465, 466, 467, 468,
 469, 470, 471, 472, 473, 474,
 475, 476, 477, 478, 479, 480,
 481, 482, 483, 484, 485, 486,
 487, 488, 489, 490, 491, 492,
 493, 494, 495, 496, 497, 498,
 499, 500, 501, 502, 503, 504,
 505, 506, 507, 508, 509, 510,
 511, 512, 513, 514, 515, 516,
 517, 518, 519, 520, 521, 522,
 523, 524, 525, 526, 527, 528,
 529, 530, 531, 532, 533, 534,
 535, 536, 537, 538, 539, 540,
 541, 542, 543, 544, 545, 546,
 547, 548, 549, 550, 551, 552,
 553, 554, 555, 556, 557, 558,
 559, 560, 561, 562, 563, 564,
 565, 566, 567, 568, 569, 570,
 571, 572, 573, 574, 575, 576,
 577, 578, 579, 580, 581, 582,
 583, 584, 585, 586, 587, 588,
 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 600,
 601, 602, 603, 604, 605, 606,
 607, 608, 609, 610, 611, 612,
 613, 614, 615, 616, 617, 618,
 619, 620, 621, 622, 623, 624,
 625, 626, 627, 628, 629, 630,
 631, 632, 634, 635, 636, 637,
 638, 639, 640, 641, 642, 643,
 644, 645, 646, 647, 648, 649,
 650, 651, 652, 653, 654, 655,
 656, 657, 658, 659, 660, 661,
 662, 663, 664, 665, 666, 667,
 668, 669, 670, 671, 672, 673,
 674, 675, 676, 677, 678, 679,
 680, 681, 682, 683, 684, 685,
 686, 687, 688, 689, 690, 691,
 692, 693, 694, 695, 696, 697,
 698, 699, 700, 701, 702, 703,
 704, 705, 706, 707, 708, 709,
 710, 711, 712, 713, 714, 715,
 716, 717, 718, 719, 720, 721,
 722, 723, 724, 725, 726, 727,
 728, 729, 730, 731, 732, 733,
 734, 735, 736, 737, 738, 739,
 740, 741, 742, 743, 744, 745,
 746, 747, 748, 749, 750, 751,
 752, 753, 754, 755, 756, 757,
 758, 759, 760, 761, 762, 763,
 764, 765, 766, 767, 768, 769,
 770, 771, 772, 773, 774, 775,
 776, 777, 778, 779, 780, 781,
 782, 783, 784, 785, 786, 787,
 788, 789, 790, 791, 792, 793,
 794, 795, 796, 797, 798, 799,
 800, 801, 802, 803, 804, 805,
 806, 807, 808, 809, 810, 811,
 812, 813, 814, 815, 816, 817,

818, 819, 820, 821, 822, 823,
824, 825, 826, 827, 828, 829,
830, 831, 832, 833, 834, 835,
836, 837, 838, 839, 840, 841,
842, 843, 844, 845, 846, 847,
848, 849, 850, 851, 852, 853,
854, 855, 856, 857, 858, 859,
860, 861, 862, 863, 864, 865,
866, 867, 868, 869, 870, 871,
872, 873, 874, 875, 876, 877,
878, 879, 880, 881, 882, 883,
884, 885, 886, 887, 888, 889,
890, 891, 892, 893, 894, 895,
896, 897, 898, 899, 900, 901,
902, 903, 904, 905, 906, 907,
908, 909, 910, 911, 912, 913,
914, 915, 916, 917, 918, 919,
920, 921, 922, 923, 924, 925,
926, 927, 928, 929, 930, 931,
932, 933, 934, 935, 936, 937,
939, 940, 941, 942, 943, 944,
945, 946, 947, 948, 949, 950,
951, 952, 953, 954, 955, 956,
957, 958, 959, 960, 961, 962,
963, 964, 965, 966, 967, 968,
969, 970, 971, 972, 973, 974,
975, 976, 977, 978, 979, 980,
981, 982, 983, 984, 985, 986,
987, 988, 989, 990, 991, 992,
993, 994, 995, 996, 997, 998,
999, 1000, 1001, 1002, 1003,
1004, 1005, 1006, 1007, 1008,
1009, 1010, 1011, 1012, 1013,
1014, 1015, 1016, 1017, 1018,
1019, 1020, 1021, 1022, 1023,
1024, 1025, 1026, 1027, 1028,
1029, 1030, 1031, 1032, 1033,
1034, 1035, 1036, 1037, 1038,
1039, 1040, 1041, 1042, 1043,
1044, 1045, 1046, 1047, 1048,
1049, 1050, 1051, 1052, 1053,
1054, 1055, 1056, 1057, 1058,
1059, 1060, 1061, 1062, 1063,
1064, 1065, 1066, 1067, 1068,
1069, 1070, 1071, 1072, 1073,
1074, 1075, 1076, 1077, 1078,
1079, 1080, 1081, 1082, 1083,
1084, 1085, 1086, 1087, 1088,
1089, 1090, 1091, 1092, 1093,
1094, 1095, 1096, 1097, 1098,
1099, 1100, 1101, 1102, 1103,
1104, 1105, 1106, 1107, 1108,
1109, 1110, 1111, 1112, 1113,
1114, 1115, 1116, 1117, 1118,
1119, 1120, 1121, 1122, 1123,
1124, 1125, 1126, 1127, 1128,
1129, 1130, 1131, 1132, 1133,
1134, 1135, 1136, 1137, 1138,
1139, 1140, 1141, 1142, 1143,
1144, 1145, 1146, 1147, 1148,
1149, 1150, 1151, 1152, 1153,
1154, 1155, 1156, 1157, 1158,
1159, 1160, 1161, 1162, 1163,
1164, 1165, 1166, 1167, 1168,
1169, 1170, 1171, 1172, 1173,
1174, 1175, 1176, 1177, 1178,
1179, 1180, 1181, 1182, 1183,
1184, 1185, 1186, 1187, 1188,
1189, 1190, 1191, 1192, 1193,
1194, 1195, 1196, 1197, 1198,
1199, 1200, 1201, 1202, 1203,
1204, 1205, 1206, 1207, 1208,
1209, 1210, 1211, 1212, 1213,
1214, 1215, 1216, 1217, 1218,
1219, 1220, 1221, 1222, 1223,
1224, 1225, 1226, 1227, 1228,
1229, 1230, 1231, 1232, 1233,
1234, 1235, 1236, 1237, 1238,
1239, 1240, 1241, 1242, 1243,
1244, 1245, 1246, 1247, 1248,
1249, 1250, 1251, 1252, 1253,
1254, 1255, 1256, 1257, 1258,
1259, 1260, 1261, 1262, 1263,
1264, 1265, 1266, 1267, 1268,
1269, 1280, 1281, 1282, 1283,
1284, 1285, 1286, 1287, 1288,
1289, 1290, 1291, 1292, 1293,
1294, 1295, 1296, 1297, 1298,
1299, 1300, 1301, 1302, 1303,
1304, 1305, 1306, 1307, 1308,
1309, 1310, 1311, 1312, 1313,
1314, 1315, 1316, 1317, 1318,

1319, 1320, 1321, 1322, 1323,
 1324, 1325, 1326, 1327, 1328,
 1329, 1330, 1331, 1332, 1333,
 1334, 1335, 1336, 1337, 1338,
 1882
\eqenvironment
 .. 1395, 1396, 1397, 1398,
 1399, 1400, 1401, 1402, 1403,
 1404, 1405, 1406, 1407, 1408,
 1409, 1410, 1411, 1412, 1413,
 1414, 1415, 1416, 1417, 1418,
 1419, 1420, 1421, 1422, 1423,
 1424, 1425, 1426, 1427, 1428,
 1429, 1430, 1431, 1432, 1433,
 1434, 1435, 1436, 1438, 1439,
 1440, 1441, 1442, 1443, 1444,
 1445, 1446, 1447, 1883
\eqstyle 293
\equal 3910, 4065, 4237, 4242, 4247,
 4252, 4257, 4290, 4295, 4300,
 4305, 4310
\equationautorefname ... 1634
\escapechar ... 2944, 4439, 4463
\evensidemargin 3122
\everydisplay 288, 4647
\everyjob 2936, 2937
\everymath 4646
\everypar 3087
\ExecuteOptions 3552, 4763
\exp 2971, 2972, 2973, 2982, 2983,
 2984, 2993, 2994, 2995, 3002,
 3003, 3004
\expandafter
 ... 288, 1819, 1825, 2036,
 2037, 2161, 2195, 2284, 2321,
 2324, 2331, 2334, 2351, 2393,
 2482, 2598, 2603, 2604, 2609,
 2614, 2615, 2621, 2622, 2623,
 2624, 2631, 2632, 2633, 2634,
 2636, 2645, 2646, 2647, 2648,
 2658, 2675, 2676, 2677, 2678,
 2941, 2942, 2945, 2948, 2949,
 2951, 2952, 3095, 3195, 3198,
 3213, 3219, 3304, 3314, 3320,
 3405, 3407, 3409, 3411, 4434,
 4453, 4458, 4467, 4468, 4469,
 4479, 4506, 4646, 4647, 4695
\expandedtitle 4231
\ExplSyntaxOff 1393, 2350, 2672,
 3062, 4485, 4604
\ExplSyntaxOn . 1357, 2348, 2660,
 2967, 4483, 4523
\extract@alph@from@version ..
 4467

F
\false 4740
\falsesymbol 4731
\fancyfoot 3975, 3979, 3980, 3981
\fancyhead 3974, 3976, 3977, 3978
\FancyVerbLineautorefname 1647
\fbox 3859, 3874, 4089, 4717, 4777
\fboxrule 1617, 1619, 1621, 1623,
 3931
\fboxsep . 1617, 1619, 1621, 1623,
 3862, 4055, 4087, 4159, 4187,
 4235, 4284
\fi 2, 3, 5, 7, 16, 25,
 78, 87, 154, 159, 243, 287,
 289, 290, 291, 299, 310, 312,
 321, 1354, 1467, 1511, 1522,
 1570, 1571, 1580, 1588, 1603,
 1620, 1622, 1624, 1634, 1635,
 1636, 1637, 1638, 1639, 1640,
 1641, 1642, 1643, 1644, 1645,
 1646, 1647, 1648, 1649, 1670,
 1680, 1686, 1689, 1690, 1691,
 1711, 1720, 1764, 1775, 1776,
 1781, 1793, 1824, 1850, 1851,
 1862, 1865, 1868, 1871, 1874,
 1877, 1973, 1974, 1975, 1976,
 1977, 1978, 1979, 1980, 1981,
 2022, 2023, 2029, 2044, 2045,
 2050, 2051, 2054, 2057, 2060,
 2063, 2066, 2069, 2073, 2074,
 2082, 2100, 2101, 2107, 2114,
 2117, 2122, 2123, 2142, 2143,
 2144, 2145, 2149, 2150, 2151,
 2165, 2166, 2167, 2168, 2183,
 2184, 2199, 2200, 2201, 2202,
 2219, 2220, 2234, 2243, 2244,
 2245, 2246, 2253, 2254, 2258,

2263, 2266, 2271, 2274, 2288,
 2289, 2290, 2291, 2314, 2315,
 2325, 2335, 2347, 2365, 2383,
 2404, 2406, 2417, 2421, 2430,
 2431, 2435, 2447, 2452, 2456,
 2460, 2461, 2465, 2470, 2471,
 2472, 2473, 2493, 2495, 2517,
 2525, 2533, 2534, 2543, 2544,
 2550, 2553, 2563, 2584, 2599,
 2617, 2637, 2650, 2653, 2679,
 2691, 2794, 2795, 2796, 2797,
 2798, 2799, 2800, 2801, 2802,
 2803, 2804, 2805, 2806, 2807,
 2808, 2809, 2814, 2828, 2829,
 2830, 2831, 2832, 2833, 2834,
 2835, 2836, 2837, 2838, 2839,
 2840, 2841, 2842, 2843, 2858,
 2859, 2860, 2861, 2862, 2863,
 2864, 2865, 2866, 2867, 2868,
 2869, 2870, 2871, 2872, 2873,
 2883, 2897, 2898, 2899, 2900,
 2901, 2902, 2903, 2904, 2905,
 2906, 2955, 2956, 2964, 3096,
 3117, 3123, 3124, 3125, 3127,
 3128, 3129, 3132, 3145, 3155,
 3173, 3174, 3175, 3176, 3177,
 3178, 3179, 3180, 3181, 3182,
 3183, 3184, 3185, 3186, 3187,
 3188, 3189, 3190, 3191, 3194,
 3216, 3230, 3242, 3247, 3248,
 3251, 3253, 3254, 3266, 3270,
 3272, 3273, 3275, 3278, 3280,
 3286, 3289, 3292, 3296, 3301,
 3317, 3331, 3343, 3348, 3349,
 3352, 3354, 3355, 3367, 3371,
 3373, 3374, 3376, 3379, 3381,
 3388, 3394, 3412, 3413, 3414,
 3415, 3416, 3417, 3422, 3423,
 3426, 3427, 3430, 3431, 3433,
 3434, 3513, 3523, 3533, 3558,
 3884, 3885, 4090, 4107, 4271,
 4345, 4364, 4391, 4416, 4434,
 4452, 4453, 4458, 4478, 4479,
 4488, 4508, 4512, 4607, 4624,
 4625, 4626, 4627, 4628, 4629,
 4630, 4631, 4632, 4633, 4635,
 4638, 4639, 4640, 4642, 4643,
 4644, 4831, 4833, 4834, 4835,
 4841, 4865, 4866, 4886, 4897,
 4918, 4927, 4934, 4941, 4956
 \figureautorefname 1637
 \figurename 3173
 \finishsetclass 1822, 1826
 \firstarticle 3986, 4010, 4011,
 4013
 \FirstFrameCommand 1619
 \firstimage 4083, 4096, 4097,
 4099
 \firstmark 1505, 3162
 \firstTextFormat 3744, 3746
 \firstTitleFormat 3732, 3738,
 3739
 \float@box 2322, 2332
 \float@endH 2321, 2331
 \floatingpenalty 20, 37,
 56, 82, 99, 118, 1515, 1534,
 1553, 1715, 1732, 1751
 \flushright 3732, 3751, 3770
 \fontencoding 2972, 2983, 2994,
 3003
 \fontfamily
 2973, 2984, 2995, 3004,
 3016, 3019, 3022, 3025, 3028,
 3031
 \fontsize 1704
 \fontspec 2349, 2667, 2969, 2980,
 2991, 3000, 3039, 3043, 3047,
 3051, 3055, 3059, 4571, 4595,
 4600
 \foot 3727
 \footdir@ORG@xepersian@amsart@footnotetext
 64
 \footdir@ORG@xepersian@amsart@LTRfootnotetext
 66
 \footdir@ORG@xepersian@amsart@RTLfootnotetext
 65
 \footdir@ORG@xepersian@amsbook@footnotetext
 125
 \footdir@ORG@xepersian@amsbook@LTRfootnotetext
 127
 \footdir@ORG@xepersian@amsbook@RTLfootnotetext
 126

```

\footdir@ORG@xepersian@footnotetext \G@refundefinedtrue . . . 3098
    ..... 1563 \gdef ..... 134, 140, 146,
\footdir@ORG@xepersian@imsproc@footnotetext 152, 176, 203, 230, 237, 253,
    ..... 1758 254, 264, 265, 271, 272, 283,
\footdir@ORG@xepersian@imsproc@LTRfootnotetext 284, 1453, 1463, 1464, 1475,
    ..... 1760 1476, 1654, 1655, 1968, 1969,
\footdir@ORG@xepersian@imsproc@RTLfootnotetext 2758, 2759, 2765, 2766, 2772,
    ..... 1759 2773, 2780, 2781, 2788, 2821,
\footdir@ORG@xepersian@LTRfootnotetext 2822, 2851, 2852, 3665, 3935,
    ..... 1565 3936, 3937, 4610, 4658, 4660,
\footdir@ORG@xepersian@RTLfootnotetext 4678, 4680, 4682, 4688, 4689,
    ..... 1564 4705, 4730, 4731, 4745, 4764,
\footdir@temp . . . 64, 65, 66, 125, 4766, 4771, 4782
    126, 127, 1563, 1564, 1565, \getanddefine@fonts 4440, 4464
    1758, 1759, 1760 \Gin@boolkey ..... 2674
\footins . . . . . 15, 32, \glb@currsize ..... 4570
    51, 77, 94, 113, 1510, 1529, \global .. 164, 165, 290, 300, 301,
    1548, 1710, 1727, 1746 302, 303, 304, 305, 306, 307,
\footnote . . . . . 3824 315, 1482, 1483, 1502, 1570,
\footnoteautorefname . . . 1635 1571, 1588, 1589, 1603, 1604,
\footnoterule . . . . . 3823 2079, 2083, 2403, 2492, 3106,
\footnotesep . . . 19, 25, 36, 42, 3107, 3116, 3159, 3160, 3844,
    55, 61, 81, 87, 98, 104, 117, 3845, 3846, 3847, 3848, 3849,
    123, 1514, 1522, 1533, 1541, 3850, 3851, 3852, 3853, 4446,
    1552, 1560, 1580, 1598, 1613, 4472
    1699, 1701, 1714, 1720, 1731, \globaldefs ..... 4441, 4465
    1737, 1750, 1756 \glossary ..... 1492, 3136
\footnotesize . . . 17, 34, 53, 79, 96, \glsaddprotectedpagefmt . 1630,
    115, 1467, 1468, 1469, 1512, 1631, 1632
    1531, 1550, 1573, 1591, 1606, \goodbreak ..... 4422
    1688, 1712, 1729, 1748, 3652, \grid ..... 3626, 3630, 3892
    3653, 3687, 3720, 3785, 3809, \Grot@x .. 2682, 2683, 2684, 2685
    3810, 3822 \Grot@y .. 2686, 2687, 2688, 2689,
\footskip . . . . . 3152 2690, 2691
\foottextfont . . . . . 1467 \group ..... 2667
\FrameCommand . . . . . 1617 \grp@aligned ..... 306
\FrameRestore . . . . . 1625 \GRP@box ..... 301
\frenchspacing . . . . . 2346, 2654 \grp@eqs@numbered ..... 305
\frontmatter . . . 69, 246, 257, 275, \grp@hasNumber ..... 310
    1455, 2813 \GRP@label ..... 302
\futurelet . . . . . 2589, 4610 \grp@linewidth ..... 304
\G . . . . . 2972, 2983, 2994, 3003, 4484, \GRP@queue ..... 301
    4595, 4596, 4600, 4601 \grp@setnumber ..... 310
\g@addto@macro . . . . . 4647, 4692 \grp@shiftnumber ..... 307
\grp@wdL ..... 303
\grp@wdNum ..... 304

```

G

\g 2972, 2983, 2994, 3003, 4484,
 4595, 4596, 4600, 4601
\g@addto@macro 4647, 4692

\grp@wdR	303	\hyper@natlinkbreak 2425, 2456
\grp@wdT	303	\hyper@natlinkstart 168
\gsetlength . . 178, 180, 205, 207		\hyphenpenalty 1687, 1769
H		
\hangindent . . .	1689, 1690, 1691	
\harfi	1341, 1962, 2794, 2828, 2858, 3195	
\harfinumeral	3196	
\hb@xt@	3145, 3155	
\hbox	231, 238, 1697, 1704, 1778, 2230, 3097, 3171, 3172, 4516	
\headDateTimeFormat	3691, 3693	
\headerfont	4658	
\headheight	1498, 3141, 3925	
\heading	3714	
\headrulewidth	3926, 3982	
\headsep	1499, 3150	
\headtoname	3190	
\height	2686, 2687	
\hfil	1699, 1778, 2226, 2227, 2228, 2229, 2261, 2262, 2263, 2269, 2270, 2271, 3124, 3125, 3127, 3128	
\hline	4375, 4699, 4700, 4703, 4704, 4724, 4725	
\hrule	1699, 1701, 1816, 4258, 4264, 4311, 4317, 4362, 4402	
\rulefill	3940, 3945, 3959	
\hsize	20, 37, 56, 82, 99, 118, 1516, 1535, 1554, 1574, 1592, 1607, 1625, 1715, 1732, 1751, 2087, 2103, 2128, 2129, 2327, 2337	
\hskip	1777, 1816, 2228, 2229, 2271	
\hspace	1690, 1691, 3693, 3711, 3940, 3946, 3958, 3960, 4138	
\hss	2115	
\Huge	3663, 3732, 3788	
\huge	3662	
\Hy@appendixstring	1656	
\Hy@backout	160, 168	
\Hy@chapapp	1656	
\Hy@org@appendix	1651, 1657	
I		
\if	291, 310, 2040, 2046, 2052, 2055, 2058, 2061, 2064, 2067, 2070, 2101, 2108, 2109, 2110, 2111, 2123, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2163, 2164, 2165, 2166, 2167, 2168, 2170, 2171, 2172, 2173, 2174, 2177, 2178, 2179, 2180, 2181, 2182, 2197, 2198, 2199, 2200, 2201, 2202, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2213, 2214, 2215, 2216, 2217, 2218, 2241, 2242, 2243, 2244, 2245, 2246, 2248, 2249, 2250, 2251, 2252, 2253, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2301, 2302, 2303, 2304, 2305, 2308, 2309, 2310, 2311, 2312, 2313, 2408, 2438, 2456, 2466, 2472, 2473, 2534, 2550, 2582, 2602, 2608, 2610, 2620, 2628, 2630, 2652, 2682, 2683, 2684, 2685, 2686, 2687, 2688, 2689, 2690, 2691, 4509	
\if@bidi@algorithmicloaded@	1860	
\if@bidi@algorithmloaded@	1863	
\if@bidi@backrefloaded@	1866	
\if@bidi@csprimitive	1882	
\if@bidi@csundef	3399, 3448, 3454	
\if@bidi@enumerateloaded@	1869	
\if@bidi@tocloftloaded@	1872	
\if@bidi@urlloaded@	1875	
\if@extrafootnotefeatures	3555	
\if@files w	3096, 4508	
\if@inlabel	290	
\if@Latin	4642, 4643, 4644	

```

\if@LTRbibitems ..... 1670
\if@newlist .. 1482, 1502, 2347,
   3106, 3159
\if@noskipsec ..... 289
\if@pboxsw ..... 2117
\if@RTL ..... 2,
   3, 5, 7, 154, 243, 287, 299,
   312, 1620, 1622, 1624, 1634,
   1635, 1636, 1637, 1638, 1639,
   1640, 1641, 1642, 1643, 1644,
   1645, 1646, 1647, 1648, 1649,
   1670, 1686, 1689, 1690, 1691,
   1764, 1775, 1776, 1850, 1851,
   1973, 1974, 1975, 1976, 1977,
   1978, 1979, 1980, 1981, 2101,
   2123, 2897, 2898, 2899, 2900,
   2901, 2902, 2903, 2904, 2905,
   2906, 3173, 3174, 3175, 3176,
   3177, 3178, 3179, 3180, 3181,
   3182, 3183, 3184, 3185, 3186,
   3187, 3188, 3189, 3190, 3191
\if@RTL@footnote ... 16, 25, 78,
   87, 1467, 1511, 1522, 1570,
   1571, 1580, 1711, 1720
\if@RTLbibitems ..... 1670
\if@RTLmain ... 3132, 3145, 3155
\if@RTLtab 2100, 2122, 2142, 2143,
   2144, 2145, 2165, 2166, 2167,
   2168, 2199, 2200, 2201, 2202,
   2243, 2244, 2245, 2246, 2288,
   2289, 2290, 2291
\if@specialpage ..... 3115
\if@tempswa ..... 2525
\if@twocolumn ..... 1680
\if@twoside ..... 2814, 3118
\ifadl@usingarypkg ..... 2187
\ifbidi@autofootnoterule 1570,
   1588, 1603
\ifBR@verbose ..... 157
\ifcase .. 2225, 2256, 2260, 2264,
   2268, 2407, 2437, 2530, 3192,
   3220, 3283, 3289, 3292, 3295,
   3299, 3321, 3384, 3391, 3421,
   3425, 3429, 3433, 4949
\ifdim ..... 320, 3872, 4357
\ifhmode ..... 2024
\ifinner ..... 2030
\ifmmode ..... 2112, 4436, 4460
\ifNAT@full ..... 2405, 2494
\ifNAT@longnames ... 2401, 2490
\ifNAT@numbers .... 2354, 2561
\ifNAT@super ..... 2355
\ifNAT@swa 2407, 2472, 2496, 2548
\ifnum 321, 1570, 1588, 1603, 1766,
   2071, 2138, 2139, 2155, 2156,
   2157, 2158, 2160, 2189, 2190,
   2191, 2192, 2194, 2239, 2240,
   2278, 2279, 2280, 2281, 2283,
   2879, 2960, 3210, 3212, 3221,
   3222, 3223, 3224, 3225, 3226,
   3227, 3228, 3245, 3247, 3249,
   3251, 3253, 3258, 3269, 3270,
   3272, 3274, 3275, 3278, 3311,
   3313, 3322, 3323, 3324, 3325,
   3326, 3327, 3328, 3329, 3346,
   3348, 3350, 3352, 3354, 3359,
   3370, 3371, 3373, 3375, 3376,
   3379, 3401, 3403, 3405, 3407,
   3409, 3411, 3423, 3427, 3431,
   3434, 4269, 4343, 4389, 4414,
   4437, 4461, 4827, 4831, 4859,
   4865, 4886, 4913, 4917, 4922,
   4926, 4928, 4937
\ifodd ... 2041, 2047, 3119, 4820,
   4825
\ifthenelse ..... 177, 182, 204,
   209, 3612, 3624, 3633, 3737,
   3752, 3771, 3792, 3910, 3988,
   3989, 4019, 4051, 4065, 4085,
   4103, 4127, 4157, 4181, 4208,
   4237, 4242, 4247, 4252, 4257,
   4290, 4295, 4300, 4305, 4310,
   4706
\ifwritexviii . 2959, 3505, 3515,
   3525
\ifx 1341, 1342, 1343, 1344, 1345,
   1346, 1347, 1348, 1349, 1350,
   1351, 1791, 1822, 2017, 2020,
   2104, 2324, 2334, 2411, 2412,
   2414, 2441, 2442, 2444, 2513,
   2531, 2591, 2640, 2679, 2792,
   2794, 2795, 2796, 2797, 2798,
```

2799, 2800, 2801, 2802, 2803,
 2804, 2805, 2806, 2807, 2808,
 2826, 2828, 2829, 2830, 2831,
 2832, 2833, 2834, 2835, 2836,
 2837, 2838, 2839, 2840, 2841,
 2842, 2856, 2858, 2859, 2860,
 2861, 2862, 2863, 2864, 2865,
 2866, 2867, 2868, 2869, 2870,
 2871, 2872, 2942, 2950, 3124,
 3125, 3127, 3128, 4434, 4458,
 4488, 4605, 4613, 4614, 4615,
 4616, 4617, 4618, 4619, 4620,
 4621, 4622, 4635, 4638, 4639,
 4640, 4642, 4643, 4644
`\ifXePersian@kabiseh` 4788, 4893
`\ifXePersian@leap` .. 4788, 4837
`\ifxetex` 3865, 4088, 4105
`\ignorespaces` 25, 42,
 61, 87, 104, 123, 197, 224,
 324, 1522, 1541, 1560, 1580,
 1598, 1613, 1720, 1737, 1756,
 1798, 2329, 2339, 3683, 3736,
 3746, 3751, 3759, 3764, 3770,
 3778, 4038, 4064, 4213
`\image` 3860
`\immediate` 3096, 3508, 3509, 3518,
 3519, 3528, 3529, 4508
`\includegraphics` .. 3875, 4089,
 4106
`\index` 1491, 3135
`\indexEntryFormat` .. 3681, 3683
`\indexEntryPageFormat` ... 3687,
 3689
`\indexEntryPageTxt` . 3686, 3689
`\indexEntrySeparator` 3685, 4213
`\indexFormat` 3677, 3679
`\indexitem` 4206, 4216, 4217, 4219
`\indexname` 3179
`\init@restore@version` ... 4443
`\innerAuthorFormat` . 3809, 4326
`\innerPlaceFormat` .. 3810, 4326
`\innerSubtitleFormat` 3799, 3800
`\innerTextFinalMark` 3811, 4347
`\innerTitleFormat` . 3788, 3793,
 3794
`\input` 1893, 1894, 1895, 1896, 1897,
 1898, 1899, 3459, 3460, 3461,
 3462, 3463, 3464, 3465, 3466,
 3467, 3468, 3469, 3470, 3471,
 3472, 3473, 3474, 3475, 3476,
 3477, 3478, 3479, 3480, 3481,
 3482, 3483, 3484, 3485, 3486,
 3487, 3488, 3489, 3490, 3491,
 3492, 3493, 3494, 3495, 3496,
 3497, 3498, 3499, 3500, 3501,
 3556, 3557
`\insert` 15, 32,
 51, 77, 94, 113, 1510, 1529,
 1548, 1710, 1727, 1746
`\insert@column` 2227, 2228, 2229,
 2230, 2232, 2233
`\int` 4531, 4539, 4547, 4555, 4563
`\interfootnotelinepenalty` ...
 18, 35,
 54, 80, 97, 116, 1513, 1532,
 1551, 1713, 1730, 1749
`\interlinepenalty` 18, 35,
 54, 80, 97, 116, 1513, 1532,
 1551, 1713, 1730, 1749
`\intermath@penalty` 323
`\iranicdefault` . 3010, 3022, 3059
`\iranicfamily` .. 3020, 3021, 3034
`\isempty` 177, 182, 204, 209
`\item` 1684, 4732, 4733, 4734, 4735
`\itemautorefname` 1636
`\itshape` 4744

J

`\jobname` . 3509, 3510, 3519, 3520,
 3529, 3530

K

`\KashidaOff` 1847
`\KashidaOn` 1846, 1848
`\kern` 198, 199,
 225, 226, 1698, 1699, 1700,
 1701, 2359, 3172
`\keys` 1360, 1362, 1363, 1366, 1368,
 1369, 1372, 1374, 1375, 1378,
 1380, 1383
`\keyval@eq@alias@key` 1885, 1889

L

\l ... 2973, 2976, 2984, 2995, 3004
\label ... 1490, 3134, 4342, 4388,
4412
\labelsep 1668, 1672
\labelwidth 1671, 1672
\LARGE ... 3661, 3748, 3812, 3815,
3828, 3830
\Large ... 3660, 3767, 3817, 3944,
4227, 4261
\large 3659, 3671, 3677, 3757, 3776,
3799, 3819, 3832, 3838, 3950
\LastFrameCommand 1623
\lastpenalty 321
\lastskip 320
\latin 3073
\LatinAlphs ... 3073, 3077, 3442
\Latincite 2557, 3089
\latinfont
. 25, 61, 87, 123, 186, 193,
231, 1467, 1468, 1522, 1560,
1580, 1613, 1720, 1756, 2982,
3064, 3066, 3071, 3084
\latintoday 3080
\lccode 2576, 2577, 2578
\leaders 1816
\leavevmode 289,
290, 1703, 1777, 2098, 2120,
2347, 3091, 3171
\left@footnoterule 1570, 1603,
1700
\leftmargin 1672
\leftskip 1775, 1776
\let .. 11, 73, 164, 165, 175, 196,
202, 223, 229, 233, 236, 240,
300, 302, 305, 306, 307, 313,
318, 1349, 1350, 1351, 1352,
1480, 1482, 1490, 1491, 1492,
1502, 1505, 1570, 1588, 1603,
1651, 1661, 1662, 1669, 1684,
1694, 1791, 1822, 1824, 2091,
2092, 2093, 2094, 2095, 2096,
2115, 2132, 2133, 2134, 2135,
2204, 2205, 2206, 2248, 2249,
2250, 2318, 2321, 2322, 2331,
2332, 2351, 2355, 2357, 2358,
2361, 2362, 2363, 2364, 2366,
2367, 2368, 2369, 2374, 2375,
2376, 2377, 2378, 2379, 2380,
2390, 2399, 2402, 2405, 2406,
2479, 2488, 2491, 2494, 2495,
2503, 2558, 2583, 2594, 2601,
2607, 2611, 2612, 2627, 2629,
2649, 2658, 2676, 2678, 2792,
2826, 2856, 2878, 3064, 3065,
3068, 3069, 3079, 3092, 3104,
3106, 3119, 3120, 3121, 3122,
3124, 3125, 3127, 3128, 3134,
3135, 3136, 3159, 3162, 3196,
3203, 3309, 3436, 3437, 3439,
3440, 3443, 3444, 3822, 3823,
3824, 3844, 3845, 3846, 3847,
3848, 3849, 3850, 3851, 3852,
3853, 4432, 4448, 4474, 4570,
4661, 4750, 4751, 4752, 4753,
4757, 4758, 4759, 4760, 4772,
4773, 4946, 4947, 4948
\lineskip 1494, 3137, 3833
\lineskiplimit 1495, 3137
\linespacing 1763
\linewidth 4698, 4702, 4717, 4777
\list 1671
\listalgorithname 7
\listfigurename 3176
\listtablename 3177
\LoadClass 3605
\logo 3938, 3967
\long .. 14, 31, 50, 76, 93, 112, 174,
201, 1510, 1529, 1548, 1569,
1587, 1602, 1709, 1726, 1745,
2097
\longdate 4322
\loop 4914, 4923
\lower 3171
\lowercase 2579
\lr 1661, 2390, 2479, 3071, 3080,
3093, 3665, 3720, 4112
\LRE 3071
\lstlistingname 1850
\lstlistlistingname 1851
\LTR 3073

\LTrbidituffesidenotemarginpar	3030
.....	231
\LTrfoottextfont	4527, 4597
\LTrmarginnote	317
\ltx@IfUndefined	317
M	
\m@ne	2507, 4439, 4463
\m@th	2117
\makeform	4754, 4761
\makeform@correction	4669, 4761
\makeform@nocorrection ..	4666, 4754
\MakeFramed	1625
\makemask	4755, 4762
\makemask@correction	4674, 4762
\makemask@nocorrection ..	4671, 4755
\maketitle	1786, 3821, 3845
\MakeUppercase	1801, 3787
\makezwnjletter	1880, 1881
\markboth	1800
\math@bgroup	4434, 4458
\math@fonts	4441, 4465
\math@version ..	4437, 4440, 4445, 4446, 4450, 4461, 4464, 4468, 4470, 4472, 4476
\mathalpha	4578, 4579, 4580, 4581, 4582, 4583, 4584, 4585, 4586, 4587
\mathbf	4524, 4590
\mathbin	4588
\mathchar@type	4520, 4522
\mathchardef	4608
\mathcode	4532, 4540, 4548, 4556, 4564, 4634
\mathgroup	4431
\mathiranic	3021
\mathit	4525, 4591
\mathnavar	3024
\mathord	4589
\mathpersansf	3015
\mathpersiantt	3018
\mathpook	3027
\mathrm	4526, 4592
\mathsayeh	3030
\mathsf	4527, 4597
\mathsurround	317
\mathtt	4528, 4602
\mbox	2361
\meaning	2945, 2948
\MessageBreak ..	2416, 2417, 2446, 2447, 3449, 3450, 3455, 3456, 4010, 4042, 4076, 4096, 4117, 4120, 4142, 4167, 4193, 4216, 4219, 4710
\MidFrameCommand	1621
\minilogo	3949, 4163
\minaggedcols ..	3588, 3589, 3627, 3631, 4269, 4343, 4389, 4414
\mlfttitle	1977
\mltttitle	1978
\month	4814
\moveright	1496, 3140
\mtctitle	1976
\multido	3911, 3917
\multiplefootnotemarker ..	198, 199, 225, 226
\multiply	2077, 4817, 4830, 4857, 4863, 4880, 4884
\mylogo	3954
N	
\n .	4610, 4613, 4614, 4615, 4616, 4617, 4618, 4619, 4620, 4621, 4622
\NAT@close	2473, 2552
\NAT@Latin@citelp	2560, 2564, 2565, 2566
\NAT@open ..	2456, 2532
\NAT@alias	2434, 2464, 2499, 2542
\NAT@call@names	2402, 2405, 2491, 2494
\NAT@aysep ..	2426
\NAT@biblabel ..	2377
\NAT@biblabelnum ..	2368
\NAT@bibsetnum ..	2369
\NAT@bibsetup ..	2378
\NAT@cite ..	2374

\NAT@cite@list 2391, 2480
 \NAT@citea@mbox 2525
 \NAT@citemum 2362
 \NAT@citesuper 2355
 \NAT@citeundefined 2396, 2486,
 4511
 \NAT@citex 2375
 \NAT@citexnum 2366
 \NAT@close 2370, 2381
 \NAT@cmprs 2501, 2547
 \NAT@cmt 2472, 2550
 \NAT@ctype 2407, 2437, 2497, 2499,
 2530, 2538, 2540, 2549, 2558
 \NAT@date 2381, 2398, 2408, 2409,
 2420, 2428, 2433, 2438, 2451,
 2458, 2463, 2466, 2473
 \NAT@def@citea . 2435, 2467, 2528
 \NAT@def@citea@box 2536
 \NAT@def@citea@close ... 2469
 \NAT@exlab 2414, 2418, 2444, 2448
 \NAT@fullfalse 2559
 \NAT@fulltrue 2559
 \NAT@hyper@
 .. 2409, 2418, 2420, 2423,
 2432, 2433, 2434, 2439, 2448,
 2451, 2454, 2462, 2463, 2464,
 2499, 2535
 \NAT@hyper@citea@space .. 2538,
 2540, 2542
 \NAT@idxtxt 2370, 2381
 \NAT@ifcat@num 2502, 2505
 \NAT@last@nm .. 2399, 2411, 2441,
 2488, 2531
 \NAT@last@num .. 2488, 2505, 2506,
 2524
 \NAT@last@yr .. 2399, 2412, 2442,
 2479, 2513, 2547
 \NAT@last@yr@mbox .. 2509, 2519
 \NAT@Latin@cites ... 2559, 2560
 \NAT@Latin@citex .. 2376, 2384,
 2385
 \NAT@Latin@citexnum 2367, 2474,
 2475
 \NAT@mbox 2356, 2361, 2532, 2535,
 2552
 \NAT@merge 2509, 2524
 \NAT@name 2370, 2381, 2402, 2406,
 2491, 2495
 \NAT@nm .. 2390, 2399, 2405, 2406,
 2409, 2411, 2424, 2432, 2439,
 2441, 2455, 2462, 2479, 2488,
 2494, 2495, 2503, 2504, 2508,
 2512, 2531
 \NAT@nmfmt 2409, 2424, 2432, 2439,
 2455, 2462
 \NAT@num . 2370, 2479, 2488, 2502,
 2503, 2524, 2535
 \NAT@open 2370, 2381
 \NAT@parse 2400, 2489
 \NAT@partrue 2558
 \NAT@penalty . 2372, 2380, 2516,
 2531
 \NAT@reset@citea ... 2389, 2478
 \NAT@reset@parser .. 2387, 2476
 \NAT@set@cites 2353, 2556
 \NAT@sort@cites 2388, 2477
 \NAT@space 2358, 2363, 2379, 2531
 \NAT@spacechar
 .. 2363, 2370, 2379, 2381,
 2419, 2426, 2450, 2456, 2532,
 2534
 \NAT@super@kern 2359, 2364, 2532
 \NAT@swafalse 2562
 \NAT@swatruue 2558
 \NAT@temp 2413, 2414, 2443, 2444
 \NAT@test 2499, 2532, 2538, 2540
 \NAT@year 2390, 2399, 2412, 2442
 \NAT@yrsep ... 2411, 2441, 2531
 \natexlabel 2371, 2382
 \navardefault .. 3011, 3025, 3047
 \navarfamilly .. 3023, 3024, 3035
 \NeedsTeXFormat 2907, 3559, 4428,
 4648, 4785
 \new@mathbf 4529, 4590
 \new@mathgroup 4431, 4432
 \new@mathit 4537, 4591
 \new@mathrm 4545, 4592
 \new@mathsf 4553, 4597
 \new@mathtt 4561, 4602
 \newboolean .. 3570, 3572, 3574,
 3576, 3578, 3580, 3582
 \newcolumntype 4662, 4663

\newcommand	1846, 1847, 1880, 1882, 1883, 1885, 1889, 2384, 2474, 2560, 2565, 2885, 3008, 3009, 3010, 3011, 3012, 3013, 3164, 3197, 3200, 3303, 3306, 3567, 3622, 3666, 3667, 3670, 3671, 3672, 3677, 3678, 3681, 3682, 3685, 3686, 3687, 3688, 3691, 3692, 3696, 3697, 3700, 3701, 3702, 3703, 3706, 3709, 3714, 3719, 3722, 3724, 3727, 3732, 3733, 3744, 3745, 3748, 3749, 3757, 3758, 3761, 3762, 3767, 3768, 3776, 3777, 3779, 3780, 3781, 3782, 3785, 3786, 3788, 3789, 3799, 3800, 3801, 3802, 3803, 3804, 3809, 3810, 3811, 3812, 3813, 3814, 3815, 3816, 3817, 3818, 3819, 3820, 3855, 3860, 3892, 3924, 3938, 3949, 3954, 3962, 3986, 4017, 4049, 4083, 4102, 4206, 4224, 4231, 4273, 4281, 4324, 4330, 4350, 4367, 4396, 4421, 4487, 4518, 4519, 4521, 4569, 4605, 4606, 4658, 4660, 4666, 4669, 4671, 4674, 4678, 4680, 4682, 4730, 4731, 4736, 4740, 4745, 4764, 4766, 4942	
\newcount	3584, 3585, 3588, 3890, 3891, 4789, 4790, 4791, 4792, 4793, 4794, 4795, 4796, 4797, 4798, 4799, 4800, 4801, 4802, 4804, 4805, 4806, 4807, 4808, 4809, 4810, 4811	
\newcounter	4683, 4684	
\newdimen	3888, 3889	
\NewDocumentCommand	4529, 4537, 4545, 4553, 4561	
\newenvironment	1666, 1883, 2570, 2571, 3077, 3078, 3857, 3963, 4125, 4155, 4179, 4333, 4382, 4408, 4712, 4746
\newfam	4432	
\newfontlanguage	2966	
\newfontscript	2965	
\newif	2959, 4788	
\newlength	3562, 3563, 3564, 3565, 3566, 3568, 4676, 4767, 4769	
\newpage	3507, 3517, 3527, 3973	
\newsavebox	3856	
\newsection	4330	
\next	1822, 1824, 1825, 2583, 2584, 2585, 2589, 2591, 2594, 2598, 2599, 2601, 2607, 2612, 2616, 2618, 2627, 2629, 2635, 2638, 2642, 2649, 2651	
\nobreak	1777, 1779, 1815, 2356	
\nocite	4503, 4515	
\noexpand	1480, 2582, 2602, 2608, 2610, 2620, 2628, 2630, 2642, 2643, 2652, 3104, 4444, 4488, 4493, 4495, 4496, 4500	
\nohyphens	3738, 3753, 3772, 3793	
\noindent	231, 238, 3683, 3698, 3736, 3746, 3751, 3759, 3764, 3770, 3778, 3783, 3787, 3791, 3940, 3957, 4038, 4064, 4089, 4136, 4213, 4227, 4261, 4276, 4314, 4371, 4399, 4424, 4426	
\non@alpherr	4453, 4479	
\nopagebreak	4778	
\normalcolor	2085, 2326, 2336, 3144, 3154	
\normalfont	17, 34, 53, 79, 96, 115, 1668, 1704, 1712, 1729, 1748, 1764, 2977, 3040, 3044, 3048, 3052, 3056, 3060, 3064, 3065, 3068, 3069	
\normalparindent	21, 38, 57, 83, 100, 119, 1716, 1733, 1752	
\normalsfcodes	1489, 3133	
\normalsize	1489, 3085, 3131, 3634, 3635, 3681, 4276, 4314
\NOT	177, 204	
\not	4690	
\not@math@alphabet	3015, 3018, 3021, 3024, 3027, 3030	

```

\null ..... 3825, 3841
\number .. 1771, 3210, 3212, 3213,
            3311, 3313, 3314, 3405, 3407,
            3409, 3411, 4445, 4469, 4943,
            4944
\numexpr . 4532, 4540, 4548, 4556,
            4564

    O
\obeyspaces ..... 4610
\oddsidemargin ..... 3120
\old@endquestion ... 4773, 4781
\old@question ..... 4772, 4779
\on@line ..... 4491
\or 2227, 2228, 2229, 2231, 2232,
     2256, 2257, 2258, 2262, 2263,
     2264, 2265, 2266, 2270, 2271,
     2432, 2433, 2434, 2462, 2463,
     2464, 2537, 2539, 2541, 3192,
     3193, 3194, 3231, 3232, 3233,
     3234, 3235, 3236, 3237, 3238,
     3239, 3240, 3244, 3283, 3284,
     3285, 3286, 3289, 3292, 3295,
     3296, 3299, 3300, 3301, 3332,
     3333, 3334, 3335, 3336, 3337,
     3338, 3339, 3340, 3341, 3345,
     3384, 3385, 3386, 3387, 3388,
     3391, 3392, 3393, 3394, 3421,
     3422, 3425, 3426, 3429, 3430,
     3433, 4949, 4950, 4951, 4952,
     4953, 4954, 4955
\orig 4524, 4525, 4526, 4527, 4528,
            4530, 4538, 4546, 4554, 4562
\originaltoday ..... 3079, 3080
\Ovalbox ..... 4253, 4306
\ovalbox ..... 4248, 4301

    P
\p@ 1681, 1685, 1698, 1699, 1700,
     1701, 2359, 3826
\p@enumiv ..... 1669
\PackageError ..... .
            1861, 1864, 1867, 1870,
            1873, 1876, 3170, 3205, 3449,
            3455, 3506, 3512, 3516, 3522,
            3526, 3532, 4499
\PackageInfo ... 158, 170, 4518
\PackageWarning 2397, 2486, 3397,
            3504, 4511
\PackageWarningNoLine ... 2414,
            2444
\page@free ..... 3870, 3872
\pageautorefname ..... 1649
\pagegoal ..... 4352
\pagename ..... 3189
\pagenumbers 69, 249, 260, 278,
            1458, 1961, 2815
\pageref ..... 3711, 4209
\pagesFormat ..... 3785, 3787
\pagestyle ..... 3928
\pagetotal ..... 4353
\par ..... 10, 25, 42, 61,
            71, 87, 104, 123, 131, 137,
            143, 149, 250, 261, 268, 280,
            938, 1450, 1460, 1472, 1689,
            1690, 1691, 1693, 1720, 1737,
            1756, 1768, 1778, 1786, 1965,
            2755, 2762, 2769, 2777, 2785,
            2818, 2848, 3828, 3830, 3836,
            3838, 3839, 4328, 4413, 4718,
            4778
\paragraphautorefname ... 1645
\parallel ..... 3693
\parbox ..... 4717, 4777
\parfillskip ..... 1776
\parindent ..... 21, 38, 57, 83,
            100, 119, 1685, 1716, 1733,
            1752, 1775
\parskip ..... 1685
\part ..... 1762
\partautorefname ..... 1639
\partname ..... 3182
\PassOptionsToClass 3590, 3591,
            3592
\pbs ..... 4661, 4662
\pdfstringdefDisableCommands
            ..... 1660
\penalty ... 317, 323, 2372, 3094
\persian ..... 3075
\PersianAlphs . 3075, 3078, 3438,
            3446
\persianday ..... 4948

```

\persianfont . 42, 104, 213, 220,
 238, 1469, 1541, 1598, 1737,
 2971, 3068, 3070, 3072
 \PersianMathsDigits 4637
 \persianmathsdigits 4577, 4638,
 4642
 \persianmathsf digits 4597,
 4639, 4643
 \persianmathtt digits 4602,
 4640, 4644
 \persianmonth 4947
 \persiansfdefault . 3008, 3016,
 3039
 \persiansffamily .. 3014, 3015,
 3032
 \persiantoday 3081, 4942
 \persianttdefault . 3009, 3019,
 3043
 \persianttfamily .. 3017, 3018,
 3033
 \persianyear 4946
 \pictureCaptionFormat 3781,
 3783
 \plftitle 1974
 \plq 2939
 \pltttitle 1975
 \pookdefault 3012, 3028, 3051
 \pookfamily 3026, 3027, 3036
 \postmath 323
 \PrefixCurrentTab 2885
 \premath 319
 \prepnext@tok 2224, 2234
 \printindex 3507, 3517, 3527
 \ProcessOptions 3553, 3604, 4784
 \proofname 3191
 \protect . 1480, 3104, 4010, 4011,
 4013, 4042, 4043, 4045, 4076,
 4077, 4079, 4096, 4097, 4099,
 4117, 4118, 4120, 4216, 4217,
 4219, 4667, 4670, 4672, 4675,
 4693, 4698, 4699, 4700, 4702,
 4703, 4704, 4724, 4725
 \protected@edef
 22, 39, 58, 84, 101,
 120, 1517, 1536, 1555, 1576,
 1594, 1609, 1717, 1734, 1753
 \protected@xdef 185, 212
 \providecommand 3396
 \ProvidesClass 3560
 \ProvidesFile 1, 4, 8, 68,
 129, 135, 141, 147, 153, 173,
 242, 244, 255, 266, 274, 286,
 326, 1279, 1339, 1356, 1394,
 1437, 1448, 1454, 1466, 1470,
 1477, 1506, 1615, 1629, 1633,
 1665, 1807, 1849, 1852, 1879,
 1959, 1972, 1982, 2352, 2753,
 2760, 2767, 2775, 2783, 2812,
 2846, 2876, 2896
 \ProvidesPackage 2910, 4429,
 4649, 4786
 \prq 2938
 \ptctitle 1973

Q

\question 4772
 \questionsep space . 4769, 4770,
 4782
 \questionspace . 4676, 4677, 4718
 \questiontitle 4764, 4783
 \questiontitlefont 4766
 \questiontitlespace 4767, 4768,
 4778

R

\raggedFormat . 3622, 4270, 4344,
 4390, 4415
 \RaggedLeft 3622
 \raggedleft 1686, 1764
 \raggedright 1686, 1764
 \raise 1704
 \raisebox 3668, 3673
 \refname 243, 3180
 \refstepcounter 4734, 4735
 \relax 190, 199, 217,
 226, 1668, 1685, 1765, 1771,
 1773, 1775, 1777, 1880, 2072,
 2104, 2239, 2240, 2261, 2262,
 2263, 2324, 2334, 2358, 2364,
 2408, 2438, 2466, 2473, 2479,
 2506, 2513, 2524, 2679, 2792,
 2826, 2856, 2879, 2942, 2960,

3604, 3823, 3844, 3845, 3850,
 3851, 3852, 3853, 4434, 4448,
 4458, 4474, 4520, 4522, 4532,
 4540, 4548, 4556, 4564, 4570,
 4634, 4816, 4817, 4819, 4824,
 4829, 4830, 4836, 4838, 4840,
 4842, 4843, 4844, 4845, 4846,
 4847, 4848, 4849, 4850, 4851,
 4852, 4854, 4856, 4857, 4862,
 4863, 4870, 4872, 4875, 4879,
 4880, 4883, 4884, 4887, 4892,
 4894, 4896, 4898, 4899, 4900,
 4901, 4902, 4903, 4904, 4905,
 4906, 4907, 4908, 4909, 4911,
 4912, 4915, 4920, 4924, 4930,
 4932, 4933
\renewcommand . . . 9, 70, 130, 131,
 136, 137, 142, 143, 148, 149,
 228, 235, 245, 246, 250, 256,
 257, 261, 267, 268, 275, 279,
 280, 1449, 1450, 1455, 1459,
 1460, 1467, 1468, 1469, 1471,
 1472, 1669, 1692, 1782, 1783,
 1784, 1785, 1960, 1962, 1963,
 1964, 1965, 2353, 2370, 2381,
 2754, 2755, 2761, 2762, 2768,
 2769, 2776, 2777, 2784, 2785,
 2791, 2813, 2817, 2818, 2825,
 2847, 2848, 2855, 2877, 2897,
 2898, 2899, 2900, 2901, 2902,
 2903, 2904, 2905, 2906, 3507,
 3517, 3527, 3634, 3641, 3643,
 3645, 3652, 3659, 3660, 3661,
 3662, 3663, 3715, 3716, 3717,
 3728, 3729, 3730, 3821, 3926,
 3962, 3982, 4321, 4331, 4336,
 4503, 4665
\renewenvironment . . . 1616, 4774
\repeat 4917, 4926
\RequirePackage
 . . . 2912, 2913, 2914, 2915,
 3561, 3606, 3607, 3608, 3609,
 3610, 3611, 3613, 3615, 3617,
 3618, 3619, 3620, 3621, 4651,
 4652, 4653, 4654, 4655, 4656
\reserved@a
 . . . 2036, 2040, 2046, 2052,
 2055, 2058, 2061, 2064, 2067,
 2070
\reserved@b 2016, 2017
\reset@font
 . . . 1489, 1512, 1531, 1550,
 1573, 1591, 1606, 2396, 2485,
 3065, 3069, 3083, 3097, 3130
\resetlatinfont 3063, 3073, 3077,
 3132
\right@footnoterule 1570, 1588,
 1696
\rightline 4325
\rightskip 1775, 1776
\rl 1662, 3072, 3081
\RLE 3072
\rmdefault 2976
\Roman . . . 1347, 2799, 2833, 2863
\roman . . . 1346, 2800, 2834, 2864
\romannumeral . 2808, 2842, 2872,
 4916, 4925, 4935
\RTL 3075
\RTLbidituftesidenotemarginpar
 238
\RTLfoottextfont 1469
\RTLmarginnote 235
\rule 25, 42, 61, 87, 104,
 123, 1522, 1541, 1560, 1580,
 1598, 1613, 1720, 1737, 1756,
 3685, 3811, 3913, 3919, 4006,
 4038
S
\sayehdefault . . . 3013, 3031, 3055
\sayehfamily . . . 3029, 3030, 3037
\scriptsize 3643
\secondarticle 4017, 4042, 4043,
 4045
\secondSubTitleFormat . . . 3757,
 3759
\secondTextFormat . . . 3761, 3764
\secondTitleFormat 3748, 3753,
 3754
\section 3166
\sectionautorefname 1642

\sectionname 11, 1694
 \select@group 4433
 \selectfont
 .. 2973, 2984, 2995, 3004,
 3016, 3019, 3022, 3025, 3028,
 3031
 \set@typeset@protect ... 1484,
 1488, 3110, 3112
 \setboolean
 .. 2886, 2887, 3571, 3573,
 3575, 3577, 3579, 3581, 3583,
 3599, 3600, 3602, 3603, 3965,
 3983, 4128, 4153, 4182, 4204
 \setbox 301, 1571, 1589, 1604, 2083,
 2126, 2230, 2232, 2233, 2323,
 2326, 2333, 2336, 3141, 4516
 \setclass 1818, 1828, 1829, 1830,
 1831, 1832, 1833, 1834, 1835
 \setcounter 132, 133, 138,
 139, 144, 145, 150, 151, 251,
 252, 262, 263, 269, 270, 281,
 282, 1451, 1452, 1461, 1462,
 1473, 1474, 1504, 1966, 1967,
 2756, 2757, 2763, 2764, 2770,
 2771, 2778, 2779, 2786, 2787,
 2819, 2820, 2849, 2850, 2880,
 2884, 2888, 2889, 2890, 2891,
 2892, 2893, 2894, 3843, 4687
 \setdigitfont 3538, 4569
 \setiranicfont 3058, 3547
 \setkeys 292, 309
 \setlatinmonofont 2989
 \setlatinsansfont 2988
 \setlatintextfont . 2979, 3456,
 3550
 \setlength 2102, 2105, 2124, 3569,
 3601, 3636, 3637, 3638, 3639,
 3647, 3648, 3649, 3650, 3654,
 3655, 3656, 3657, 3862, 3866,
 3907, 3908, 3925, 3930, 3931,
 4055, 4087, 4159, 4184, 4187,
 4235, 4236, 4284, 4285, 4351,
 4352, 4368, 4677, 4768, 4770
 \SetMathCharDef 4521, 4588, 4589
 \SetMathCode
 .. 4519, 4578, 4579, 4580,
 4581, 4582, 4583, 4584, 4585,
 4586, 4587
 \SetMathsDigits 4636, 4637, 4641,
 4646, 4647
 \setmathsf digitfont 4594
 \setmathtt digitfont 4599
 \setmonofont 2989
 \setnavarfont 3046
 \setpersianfont 3067, 3075, 3078,
 3132
 \setpersianmonofont 3042
 \setpersiansansfont 3038
 \setpookfont 3050, 3541
 \setsansfont 2988
 \setsayehfont 3054, 3544
 \settextfont .. 2968, 3450, 3535
 \setthesection 1962
 \settowidth 1671
 \sf @size 1704
 \sfcode 1675
 \sffamily 3666
 \shadowbox 4238, 4291
 \shadowsize ... 4236, 4285, 4289
 \shipout 1484, 3109
 \shortarticleitem 4421
 \shortarticleItemFormat
 3819, 3820
 \shortarticleSubtitleFormat ..
 3817, 3818
 \shortarticleTitleFormat 3815,
 3816
 \shortauthors .. 1791, 1792, 1797
 \shorttitle ... 1790, 1791, 1797
 \sixt@n 2035, 2072
 \slftitle 1980
 \sloppy . 21, 38, 57, 83, 100, 119,
 1674, 1716, 1733, 1752
 \sltttitle 1981
 \small 3167, 3645, 3646, 3700, 3704,
 3710, 3781, 3803, 3822
 \smash 3171
 \space 2398, 2487, 2910, 3100, 3403,
 3869, 3870, 4010, 4011, 4013,
 4042, 4043, 4045, 4076, 4077,
 4079, 4096, 4097, 4099, 4117,
 4118, 4120, 4216, 4217, 4219,

\textbf{4326, 4708, 4943, 4944}	
\splitmaxdepth	19, 36,
	55, 81, 98, 117, 1515, 1534,
	1553, 1714, 1731, 1750
\splittopskip	19, 36,
	55, 81, 98, 117, 1514, 1533,
	1552, 1714, 1731, 1750
\stctitle	1979
\stepcounter	184, 211, 1503, 2882,
	3161, 4683, 4696, 4727
\string . . .	158, 2161, 2195, 2284,
	2653, 3096, 4500, 4508
\strut . .	25, 42, 61, 87, 104, 123,
	1720, 1737, 1756
\strutbox . . .	19, 36, 55, 81, 98,
	117, 1515, 1522, 1534, 1541,
	1553, 1560, 1580, 1598, 1613,
	1714, 1731, 1750
\subitem	1690
\subparagraphautorefname	1646
\subsectionautorefname . .	1643
\subsubitem	1691
\subsubsectionautorefname	1644
\symnew@mathbf@font@digits . .	
	4532
\symnew@mathit@font@digits . .	
	4540
\symnew@mathrm@font@digits . .	
	4548
\symnew@mathsf@font@digits . .	
	4556
\symnew@mathtt@font@digits . .	
	4564
T	
\tableautorefname	1638
\tablename	3174
\tabularxcolumn	4665
\tartibi .	1343, 2796, 2830, 2860,
	3303
\tartibinumeral	3309
\test	1821, 1822, 1823
\textbf	2,
	3, 1618, 1620, 1622, 1624,
	4227, 4261, 4276, 4314
\textblockorigin	3887
\textdegree	3701
\textheight . . .	3160, 3894, 3919
\textiranic	3034
\textit	3812
\textnavar	3035
\textpersiansf	3032
\textpersiantt	3033
\textpook	3036
\textsayeh	3037
\textsc	3814
\textsuperscript	2356
\textttt	3671
\textwidth .	2129, 3145, 3155, 3893,
	3913, 4225, 4714
\thanks	3824, 3844
\the	288,
	293, 1800, 1801, 1816, 2106,
	2604, 2609, 2615, 2622, 2632,
	2646, 2936, 3869, 3870, 4355,
	4646, 4647, 4916, 4925, 4935
\the@choice	4686, 4708
\thebook	1963
\thechapter . . .	74, 254, 265, 272,
	284, 1464, 1476, 1962, 1969,
	2759, 2766, 2773, 2781, 2822,
	2852
\theclass	1818, 1823
\theenumiv	1669, 1671
\theHchapter	1655
\theHsection	1654
\theindex	1680
\thempfn .	185, 191, 212, 218, 2131
\thempfootnote	2131
\theoremautorefname . . .	1648
\thepage .	2398, 2415, 2445, 2487,
	3100, 3711
\theparagraph	1784, 1785
\thepart	9, 70, 130,
	136, 142, 148, 245, 256, 267,
	279, 1449, 1459, 1471, 1692,
	1964, 2754, 2761, 2768, 2776,
	2784, 2817, 2847
\thequestion . .	4707, 4747, 4783
\thesection . . .	12, 134, 140, 146,
	152, 1453, 1695, 1782, 2788
\thesubparagraph	1785

\thesubsection	1782, 1783	\unhbox	2115
\thesubsubsection ..	1783, 1784	\unpenalty	323
\thirdarticle .	4049, 4076, 4077, 4079	\unrestored@protected@xdef	191, 218
\thirdSubtitleFormat	3776, 3778	\unskip	25, 42, 61, 87, 104, 123, 197, 224, 320, 1720, 1737, 1756, 2269, 2270, 2271, 2356, 2419, 2450
\thirdTextFormat ...	3779, 3780	\unvbox ..	1572, 1590, 1605, 2115
\thirdTitleFormat .	3767, 3772, 3773	\uppercaseonmath	1790
\thispagestyle	1683, 1789, 3966, 3971	\use	2970, 2981, 2992, 3001
\thr@C	2158, 2177, 2178, 2192, 2213, 2214, 2240, 2252, 2253, 2281, 2308, 2309	\use@mathgroup	4444
\timestamp	3804, 4001, 4031, 4067	\usebox	3859
\timestampFormat ...	3803, 3805	\usecounter	1673, 4720
\timestampSeparator	3802, 3807		
\timestampTxt	3801, 3806		
\tiny	3641	V	
\title	3850	\value	2879, 4690, 4706
\TitleBarFrame	1618, 1620, 1622, 1624	\vbox	1484, 1497, 1571, 1589, 1604, 1698, 2086, 2103, 2108, 2109, 2126, 2233, 2323, 2327, 2333, 2337, 3109, 3140, 3141, 4398, 4424
\tmp	4661	\vcenter	2112, 2113
\today	3079, 3081, 4322	\verbatim@addtoline	
\toks	1798, 1800	..	2588, 2603, 2614, 2621, 2623, 2631, 2633, 2645, 2647
\toks@	1797, 1801	\verbatim@finish	2641
\topmargin	1496, 3139	\verbatim@processline ..	2592, 2605, 2625
\TPHorizModule		\verbatim@startline	2581, 2593, 2606, 2626
..	3682, 3907, 4006, 4038, 4089, 4136, 4137, 4160, 4161, 4184	\vfil	3142, 3825, 3841
\TPVertModule	3908	\voidb@x	301
\true	4736	\vrb@catcodes	2575
\truesymbol	4730	\vskip	1496, 1498, 1499, 3139, 3150, 3826, 3829, 3831, 3837
\tw@	2053, 2056, 2138, 2144, 2145, 2147, 2157, 2167, 2168, 2191, 2201, 2202, 2239, 2245, 2246, 2251, 2280, 2290, 2291, 2499	\vspace	231, 238, 3861, 3880, 3942, 3952, 3995, 3999, 4022, 4025, 4029, 4036, 4054, 4058, 4062, 4071, 4130, 4134, 4190, 4211, 4259, 4263, 4282, 4312, 4316, 4361, 4363, 4373, 4376, 4401, 4403, 4423, 4425, 4718, 4776, 4778
\twocolumnstableofcontents ..	3164	\vss	2115
\typeout	2935, 2937, 3855	\vtop	2110, 2111, 2232
U			
\Umathchardef	4522		
\Umathcode	4520		
\undefined	1993, 4605, 4635, 4638, 4639, 4640, 4642, 4643, 4644		

W

\weatherFormat 3696, 3698
\weatheritem . 4102, 4117, 4118,
4120
\weatherTempFormat . 3700, 4110
\weatherUnits 3701, 4112
\whiledo 4690
\widowpenalty 1674
\width 1626, 2684, 2685
\write ... 3096, 3509, 3519, 3529,
4508
\writexviiifalse 2963
\writexviiittrue 2961

X

\X 4660
\x 2945, 2950
\xdef 1656, 4444, 4489, 4686, 4691,
4715, 4716, 4737, 4738, 4741,
4742
\XePersian 1663, 3171, 3720
\xepersian 2662, 2664
\xepersian@adadi .. 3219, 3244
\xepersian@adadi@tartibi 3320,
3345
\xepersian@A . 1813, 1828, 1842,
1844
\xepersian@adadi ... 3213, 3218
\xepersian@adadi@tartibi 3314,
3319
\xepersian@cmds@temp 2940, 2958
\xepersian@coltitsize
.. 3563, 4286, 4287, 4288,
4289, 4292, 4297, 4302, 4307
\xepersian@cxx .. 3890, 3895, 3912
\xepersian@cy .. 3891, 3896, 3918
\XePersian@d . 4789, 4814, 4919,
4938, 4940, 4943, 4948
\xepersian@D
.. 1810, 1830, 1831, 1832,
1833, 1837, 1838, 1839, 1841,
1842
\xepersian@dahgan . 3277, 3298,
3378
\xepersian@digits@family 4571,
4573, 4574, 4575, 4576

\XePersian@dn
.. 4809, 4908, 4916, 4919,
4922, 4926, 4938, 4940
\xepersian@dx . 3888, 3893, 3904,
3907
\xepersian@dy . 3889, 3894, 3905,
3908
\xepersian@edition 3670, 3674,
3710, 3830, 3962
\xepersian@editionLogo .. 3672,
3940, 3958
\xepersian@editorialTit . 4367,
4386
\xepersian@editorialTitle 3813,
4372
\xepersian@everyjob 2936, 2937
\xepersian@firstText 3745, 4001
\xepersian@firstTitle ... 3733,
3996
\xepersian@fbox ... 3856, 3858,
3859
\xepersian@footcenter ... 3722,
3729, 3981
\xepersian@footleft 3724, 3728,
3980
\xepersian@footright ... 3719,
3730, 3979
\xepersian@gridcolumns .. 3585,
3587, 3626, 3630
\xepersian@gridrows 3584, 3586,
3626, 3630
\xepersian@headcenter ... 3706,
3716, 3978
\xepersian@headDateTIme . 3692,
3946, 3960
\xepersian@headleft 3703, 3715,
3977
\xepersian@headright ... 3709,
3717, 3976
\XePersian@i
.. 4789, 4912, 4913, 4915,
4916, 4917, 4920, 4924, 4925,
4928, 4929, 4932, 4935, 4937
\xepersian@imgsize 3562, 3863,
3864, 3866, 3875, 3876

\xepersian@incolumntitle 4273,
 4292, 4297, 4302, 4307
 \xepersian@indexEntry ... 3682,
 4209
 \xepersian@indexEntryPage 3688,
 4209
 \xepersian@indexFrameTitle ...
 3678, 4185
 \xepersian@indexwidth ... 3566,
 3685, 4184, 4188, 4189
 \xepersian@inxpandedtitle ...
 4224, 4239, 4244, 4249,
 4254
 \xepersian@innerSubtitle 3800,
 4340
 \xepersian@innerTitle ... 3789,
 4339
 \XePersian@kabisehfalse . 4859,
 4865
 \XePersian@kabisehtrue ... 4865
 \xepersian@kashida
 1815, 1837, 1838, 1839,
 1840, 1841, 1842, 1843
 \xepersian@L . 1811, 1834, 1838,
 1839, 1840, 1843, 1844
 \XePersian@latini .. 4790, 4836
 \XePersian@latinii 4791, 4838,
 4840
 \XePersian@latiniii 4792, 4842
 \XePersian@latiniv . 4793, 4843
 \XePersian@latinix . 4798, 4848
 \XePersian@latinv .. 4794, 4844
 \XePersian@latinvi . 4795, 4845
 \XePersian@latinvii 4796, 4846
 \XePersian@latinviii 4797, 4847
 \XePersian@latinx .. 4799, 4849
 \XePersian@latinxi . 4800, 4850
 \XePersian@latinxii 4801, 4851
 \XePersian@leapfalse ... 4821,
 4825, 4831
 \XePersian@leaptrue 4831, 4832
 \xepersian@localize@verbatim@
 2583, 2584, 2586, 2594,
 2607, 2616, 2627, 2635, 2649
 \xepersian@localize@verbatim@@
 2586, 2587
 \xepersian@localize@verbatim@@@
 2589, 2590
 \xepersian@localize@verbatim@@testend
 2629, 2639
 \xepersian@localize@verbatim@rescan
 2643, 2652
 \xepersian@localize@verbatim@start
 2580, 2655, 2656, 2667
 \xepersian@localize@verbatim@test
 2598, 2600, 2601
 \xepersian@localize@verbatim@testend
 2612, 2619
 \XePersian@m . 4789, 4814, 4910,
 4929, 4932, 4944, 4947
 \xepersian@milyoongan ... 3246,
 3257
 \xepersian@milyoongan@tartibi
 3347, 3358
 \XePersian@mminusone ... 4811,
 4910, 4911, 4913, 4917
 \xepersian@ncol 3917, 3918
 \xepersian@ncolumns 3567, 4268,
 4269, 4336
 \xepersian@not@onlypreamble ...
 4487, 4490
 \xepersian@notprerr 4491, 4500
 \xepersian@NotprerrMessage ...
 4496, 4498
 \xepersian@nrow 3911, 3912
 \xepersian@numberoutoffrange ...
 3204, 3215, 3316
 \xepersian@numberstring . 3201,
 3209
 \xepersian@numberstring@tartibi
 3307, 3310
 \xepersian@PackageInfo .. 4518,
 4572
 \xepersian@pageleft 3565, 4352,
 4353, 4355, 4357
 \xepersian@pageneed
 3564, 3866, 3867, 3869,
 3872, 4351, 4357
 \xepersian@pages .. 3786, 4021,
 4053, 4338
 \XePersian@persian@month 4944,
 4949

\XePersian@persiani 4790, 4890,
 4891, 4921, 4938
 \XePersian@persianii 4791, 4892
 \XePersian@persianiii ... 4792,
 4894, 4896
 \XePersian@persianiv 4793, 4898
 \XePersian@persianix 4798, 4903
 \XePersian@persianv 4794, 4899
 \XePersian@persianvi 4795, 4900
 \XePersian@persianvii ... 4796,
 4901
 \XePersian@persianviii .. 4797,
 4902
 \XePersian@persianx 4799, 4904
 \XePersian@persianxi 4800, 4905
 \XePersian@persianxii ... 4801,
 4906
 \XePersian@persianxiii .. 4802,
 4907
 \xepersian@pictureCaption 3782,
 3878, 4092
 \xepersian@R . 1812, 1829, 1841,
 1843
 \xepersian@sadgan
 .. 3250, 3255, 3259, 3263,
 3268, 3351, 3364
 \xepersian@sadgan@tartibi 3356,
 3360, 3369
 \xepersian@say 3855, 4335, 4355,
 4358, 4360, 4384, 4410
 \xepersian@secondSubtitle 3758,
 4027
 \xepersian@secondText ... 3762,
 4031
 \xepersian@secondTitle .. 3749,
 4023
 \xepersian@section 3702, 3707,
 4331
 \xepersian@shellescape .. 2960
 \xepersian@shortarticleItemTitle
 3820, 4424
 \xepersian@shortarticleSubtitle
 3818, 4404
 \xepersian@shortarticleTit ..
 4396, 4411

 \xepersian@shortarticleTitle
 3816, 4400
 \XePersian@sn
 .. 4810, 4909, 4921, 4922,
 4925, 4926, 4935, 4940
 \xepersian@tartibi . 3307, 3383
 \XePersian@temp
 .. 4804, 4815, 4816, 4817,
 4819, 4823, 4824, 4825, 4828,
 4829, 4830, 4831, 4853, 4854,
 4855, 4858, 4859, 4861, 4864,
 4865, 4869, 4870, 4873, 4876,
 4881, 4886, 4888, 4889, 4891
 \XePersian@tempthree
 .. 4806, 4867, 4868, 4869,
 4871, 4874, 4877, 4878, 4882,
 4885, 4886, 4887, 4888
 \XePersian@temptwo
 .. 4805, 4855, 4856, 4857,
 4858, 4861, 4862, 4863, 4864,
 4871, 4872, 4873, 4874, 4875,
 4876, 4878, 4879, 4880, 4881,
 4882, 4883, 4884, 4885
 \xepersian@thirdSubtitle 3777,
 4060
 \xepersian@thirdText 3780, 4067
 \xepersian@thirdTitle ... 3768,
 4056
 \XePersian@thirtytwo ... 4808,
 4852, 4859
 \xepersian@V 1814, 1835
 \xepersian@weather . 3697, 4132
 \xepersian@www 3667, 3940
 \xepersian@wwwFormat 3666, 3668
 \XePersian@y
 .. 4789, 4814, 4815, 4818,
 4828, 4831, 4853, 4867, 4930,
 4933, 4944, 4946
 \xepersian@yekani . 3250, 3278,
 3282, 3289, 3292, 3351
 \xepersian@yekanii 3201, 3263,
 3288, 3364
 \xepersian@yekaniii 3259, 3291,
 3360
 \xepersian@yekaniv 3270, 3294,
 3371

\xepersian@yekanv	3379, 3390	
\XePersian@yModHundred	4807, 4818, 4819, 4820,	
	4823, 4827	
\xepersian@zpj	1808, 1815, 1816	
\xepersiandate	2909, 2910, 2926	
\xepersianInit	3623, 3924	
\xepersianversion	2908, 2910,	
	2926	
\XeTeXcharclass	1823	
\XeTeXcharglyph	1816	
\XeTeXglyphbounds	1816	
\XeTeXinterchartokenstate	1846,	
	1847	
\XeTeXinterchartoks	1837, 1838, 1839, 1840,	
	1841, 1842, 1843, 1844	
\xpg@warning	3396, 3401, 3403	
Y		
\y	2946, 2948, 2950	
\year	4814	
Z		
\z	2947, 2948	
\z@	10, 25, 42, 61, 72,	
	87, 104, 123, 303, 304, 315,	
	317, 1495, 1522, 1541, 1560,	
	1580, 1598, 1613, 1681, 1685,	
	1693, 1704, 1720, 1737, 1756,	
	1763, 1775, 1787, 1804, 2031,	
	2131, 2135, 2140, 2141, 2149,	
	2159, 2163, 2164, 2169, 2183,	
	2193, 2197, 2198, 2203, 2219,	
	2241, 2242, 2253, 2271, 2282,	
	2286, 2287, 2300, 2314, 2501,	
	2547, 2549, 2558, 2682, 2683,	
	2690, 2691, 3119, 3137, 3148,	
	3245, 3247, 3249, 3253, 3269,	
	3272, 3278, 3346, 3348, 3350,	
	3354, 3370, 3373, 3379, 3403,	
	3423, 3427, 3431, 3434, 4865	
\z@skip	1493, 1494, 3137	
\ziffer@check	4611, 4612	
\ziffer@dcheck	4610, 4611	
\ziffer@DotOri	4608, 4611	
\ZifferAn	4606, 4609	
\ZifferLeer	4611, 4635	
\ \	1270, 1971, 2567	
\ \	1995, 1997, 2000, 2007	
\ \	2000	
\ \	1985, 1992, 1993, 1996, 1997,	
\ \	2005, 2007	
\ \	1990, 1991, 1995, 2002	
\ \	1983, 1989, 1990, 1995, 2000,	
\ \	2001	
\ \	1271, 1272, 1273, 1274, 1275,	
\ \	1276, 1277, 1278, 1993	
\ \	1995, 1996, 2001, 2002, 2004,	
\ \	2005	
\ \	1995, 2000	
\ \	1995, 1996, 2001, 2005	
\ \	1990, 1991	
\ \	1995, 1997, 2002, 2007	
@ \ \	1984, 1988	
@ \ \	2692, 2693, 2694, 2695,	
	2696, 2697, 2698, 2699, 2700,	
	2701, 2702, 2703, 2704, 2705,	
	2706, 2707, 2708, 2709, 2710,	
	2711, 2712, 2713	
@ \ \	1984	
\ \	1990	
\ \	1984, 1988	
\ \	2346, 2654	
\ \	2568	
\ \	1991, 2343, 2344	
\ \	1983	
\ \	1986	
\ \	1985, 1987	

8 Change History

v13.1	General: Added implementation of the package.	1	v13.5	General: Fixed the extra space after Persian decimal separator. . .	151
v13.2	General: Replaced <code>\reflect</code> with <code>\bidi@reflect@box</code>	123	v13.6	General: Used <code>\XeTeXglyphbounds</code> to find the true height and depth of the Kashida character.	95