



The XePersian Package

Documentation for version 19.1

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/tex-xet/xepersian/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2008–2017 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The XePersian Package

Persian for L^AT_EX 2_E, using XeT_EX engine

Documentation for version 19.1

Vafa Khalighi
persian-tex@tug.org

August 27, 2017

Contents

1	Introduction	4		
1.1	Important Notes	4	2.6.1	Basic Font Commands
1.2	XePersian Info On The Terminal and In The Log File	4	2.6.2	Defining Extra Persian and Latin Fonts
2	Basics	5	2.6.3	Choosing Persian Sans Font
2.1	Loading The Package	5	2.6.4	Choosing Persian Mono Font
2.2	XePersian's Symbol	6	2.6.5	Choosing Persian Iranic Font
2.3	Commands for Version number, and Date of The Package	6	2.6.6	Choosing Persian Navar Font
2.4	Options of The Package	6	2.6.7	Choosing Persian Pook Font
2.4.1	defaultlatinfontfeatures Option	6	2.6.8	Choosing Persian Sayeh Font
2.4.2	extrafootnotefeatures Option	7	2.6.9	Choosing Latin Sans Font
2.4.3	Kashida Option	7	2.6.10	Choosing Latin Mono Font
2.4.4	quickindex Option	7		
2.4.5	quickindex-variant1 Option	7		
2.4.6	quickindex-variant2 Option	7	3	Latin and Persian Environment
2.4.7	localise Option	8	3.1	latinitems and parsiitems environments
2.4.8	Localizations of the keys and key values of graphicx package	35	3.2	Short Latin and Persian Texts
2.4.9	Localizations of font features and font feature options	36	3.3	Miscellaneous Commands
2.5	A Sample Input T _E X File	38	3.4	New Commands
2.6	Font Commands	38	3.5	Additional Counters
			3.6	Things To Know About \setdigitfont, \setmathsf{digitfont}, and \setmathtt{digitfont}

4	New Conditionals	43	7	xepersian implementation	55
4.1	Shell escape (or write18) conditional	43	7.1	algorithmic-xepersian.def	55
5	Bilingual Captions	43	7.2	algorithm-xepersian.def	56
5.1	Support For Various Packages	44	7.3	amsart-xepersian.def	56
5.1.1	Things You Should Know about Support For enumerate Package	44	7.4	amsbook-xepersian.def	56
5.2	Index Generation	44	7.5	appendix-xepersian.def	56
5.3	Converting Your FarsiTeX Files To XePersian or Unicode	44	7.6	article-xepersian.def	56
6	Extra Packages And Classes	45	7.7	artikel1-xepersian.def	57
6.1	Magazine Typesetting	45	7.8	artikel2-xepersian.def	57
6.1.1	Introduction	45	7.9	artikel3-xepersian.def	57
6.1.2	Usage	45	7.10	backref-xepersian.def	57
6.1.3	Front Page	45	7.11	biditufesidenote-xepersian.def	58
6.1.4	Inside	47	7.12	bidimoderncv-xepersian.def	58
6.1.5	The article environment	47	7.13	boek3-xepersian.def	58
6.1.6	The editorial environment	48	7.14	boek-xepersian.def	58
6.1.7	The shortarticle environment	49	7.15	bookest-xepersian.def	58
6.1.8	Commands between articles	49	7.16	book-xepersian.def	59
6.1.9	Customization	49	7.17	breqn-xepersian.def	59
6.1.10	Front Page	50	7.18	latex-localise-commands-xepersian.def	60
6.1.11	Inside The Magazine	51	7.19	color-localise-xepersian.def	79
6.1.12	Class Options	52	7.20	xepersian-localise-commands-xepersian.def	79
6.2	Typesetting Multiple-choice Questions	52	7.21	enumerate-xepersian.def	80
6.2.1	Introduction	52	7.22	latex-localise-environments-xepersian.def	81
6.2.2	Usage	53	7.23	xepersian-localise-environments-xepersian.def	82
6.2.3	Loading The Package	53	7.24	extarticle-xepersian.def	82
6.2.4	Creating Questions	53	7.25	extbook-xepersian.def	82
6.2.5	The question Environment	53	7.26	extrafootnotefeatures-xepersian.def	82
6.2.6	Question Numbers	53	7.27	extreport-xepersian.def	82
6.2.7	The Form and the Mask	54	7.28	flowfram-xepersian.def	83
6.2.8	Typesetting corrections	54	7.29	footnote-xepersian.def	83
6.2.9	Important Note	54	7.30	framed-xepersian.def	83
6.3	Customising The Package	54	7.31	glossaries-xepersian.def	84
6.3.1	The question environment	55	7.32	hyperref-xepersian.def	84
6.3.2	The Form and the Mask	55	7.33	imsproc-xepersian.def	85
6.3.3	The correction	55	7.34	kashida-xepersian.def	85



7.44	parsidigits.map	104
7.45	rapport1-xepersian.def	105
7.46	rapport3-xepersian.def	105
7.47	refrep-xepersian.def	105
7.48	report-xepersian.def	105
7.49	scrartcl-xepersian.def	105
7.50	scrbook-xepersian.def	106
7.51	scrrept-xepersian.def	107
7.52	soul-xepersian.def	107
7.53	tkz-linknodes-xepersian.def	107
7.54	tocloft-xepersian.def	108
7.55	xepersian.sty	108
7.56	xepersian-magazine.cls	127
7.57	xepersian-mathsdigitspec.sty	145
7.58	xepersian-multiplechoice.sty	150
7.59	xepersian-persiancal.sty	152
8	Change History	189



1 Introduction

XePersian is a package for typesetting Persian/English documents with Xe \LaTeX . The package includes adaptations for use with many other commonly-used packages.

1.1 Important Notes

- ☒ The XePersian package only works with Xe \TeX engine.
- ☒ Before reading this documentation, you should have read the documentation of the bidi package. The XePersian package automatically loads bidi package with RTLdocument option enabled and hence any commands that bidi package offers, is also available in XePersian package. Here, in this documentation, we will not repeat any of bidi package's commands.
- ☒ In previous versions ($\leq 1.0.3$) of XePersian, a thesis class provided for typesetting thesis. As of version 1.0.4, we no longer provide this class because we are not familiar with specification of a thesis in Iran and even if we were, the specifications are different from University to University. XePersian is a general package like \TeX and should not provide any class for typesetting thesis. So if you really want to have a class file for typesetting thesis, then you should ask your University/department to write one for you.

1.2 XePersian Info On The Terminal and In The Log File

If you use XePersian package to write any input \TeX document, and then run `xelatex` on your document, in addition to what bidi package writes to the terminal and to the log file, the XePersian package also writes some information about itself to the terminal and to the log file, too. The information is something like:

```
*****
*
* xepersian package (Persian for LaTeX, using XeTeX engine)
*
* Description: The package supports Persian
* typesetting, using fonts provided in the
* distribution.
*
* Copyright (c) 2008--2017 Vafa Khalighi
*
* v19.1, 2017/08/27
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/xepersian
*
* Issue tracker: https://github.com/tex-xet/xepersian/issues
```



```

*
* Support: persian-tex@tug.org
*
*****

```

2 Basics

2.1 Loading The Package

You can load the package in the ordinary way;

```
\usepackage [Options] {xepersian}
```

Where options of the package are explained later in subsection 2.4.

When loading the package, it is important to know that:

- ❶ xepersian should be the last package that you load, because otherwise you are certainly going to overwrite bidi and XePersian package's definitions and consequently, you will not get the expected output.
- ❷ In fact, in addition to bidi, XePersian also makes sure that some specific packages are loaded before bidi and XePersian; these are those packages that bidi and XePersian modifies them for bidirectional and Persian/English typesetting. If you load XePersian before any of these packages, then you will get an error saying that you should load XePersian or bidi as your last package. When it says that you should load bidi package as your last package, it really means that you should load XePersian as your last package as bidi package is loaded automatically by XePersian package.

For instance, consider the following minimal example:

```

1 \documentclass{minimal}
2 \usepackage{xepersian}
3 \usepackage{enumerate}
4 \settextfont{XB Niloofar}
5 \begin{document}
6 این فقط یک آزمایش است
7 \end{document}

```

Where enumerate is loaded after XePersian. If you run `xelatex` on this document, you will get an error which looks like this:

```

! Package xepersian Error: Oops! you have loaded package enumerate
after xepersian package. Please load package enumerate before
xepersian package, and then try to run xelatex on your document
again.

```

See the `xepersian` package documentation for explanation.



```
Type H <return> for immediate help.  
...  
1.5 \begin{document}  
?  
?
```

2.2 XePersian's Symbol

As you may know lion symbolizes T_EX but lion does not symbolizes XePersian. Simorgh¹ (shown on the first page of this documentation) symbolizes XePersian.

2.3 Commands for Version number, and Date of The Package

```
\xepersianversion \xepersiandate
```

☞ \xepersianversion gives the current version of the package.

☞ \xepersiandate gives the current date of the package.

```
1 \documentclass{article}  
2 \usepackage{xepersian}  
3 \settextfont{XB Niloofar}  
4 \begin{document}  
5 \begin{latin}  
6 This is typeset by \textsf{\XePersian} package, \xepersianversion,  
7 \xepersiandate.  
8 \end{latin}  
9 \end{document}
```

2.4 Options of The Package

There are few options:

2.4.1 defaultlatinfontfeatures Option

```
defaultlatinfontfeatures=<value>
```

The defaultlatinfontfeatures option allows you to pass font features to the main Latin font. *<value>* is a set of font features.

¹Simorgh is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>



2.4.2 extrafootnotefeatures Option

This is just the `extrafootnotefeatures` Option of `bidi` package. If you enable this option, you can typeset footnotes in paragraph form or in multi-columns (from two-columns to ten-columns). For more details, please read the manual of `bidi` package.

2.4.3 Kashida Option

If you pass `Kashida` option to the package, you will use Kashida for stretching words for better output quality and getting rid of underfull or overfull `\hbox` messages. Note that you can not use `Kashida` option when you are using Nastaliq-like font (well, you still can use `Kashida` option when you use any Nastaliq-like font, but I can not guarantee high quality output!).

The following two commands are provided when you activate the `Kashida` option:

```
\KashidaOn \KashidaOff
```

☞ `\KashidaOn` enables Kashida and is active by default when `Kashida` option is activated.

☞ `\KashidaOff` disables Kashida.

2.4.4 quickindex Option

When you generally want to prepare index for your Persian documents, you need to first run `xelatex`, then `xindy`, and again `xelatex` on your document respectively, which is very time consuming. The `quickindex` option gives you the index with only and only one run of `xelatex`. To use this feature, you will need to run `xelatex --shell-escape` on your `TEX` document; otherwise you get an error which indicates that shell escape (or `write18`) is not enabled.

This option is now obsolete and equivalent to `quickindex-variant2` option.

2.4.5 quickindex-variant1 Option

Same as `quickindex` Option but uses variant one (in which `Í` is grouped under `I`) for sorting Persian alphabets.

2.4.6 quickindex-variant2 Option

Same as `quickindex` Option but uses variant two (in which `Í` is a separate letter) for sorting Persian alphabets.



2.4.7 localise Option

This option allows you to use most frequently-used \LaTeX commands and environments in Persian, almost like what \TeX-e-Parsi offers. This is still work in progress and we wish to add lots more Persian equivalents of \LaTeX and \TeX commands and environments. The Persian equivalents of \LaTeX and \TeX commands are shown in [Table 1](#), The Persian equivalents of XePersian commands are shown in [Table 2](#), Persian equivalents of \LaTeX environments are shown in [Table 3](#) and Persian equivalents of XePersian environments are shown in [Table 4](#)

Please note that the Persian equivalents of \LaTeX and \TeX commands and environments are only available after loading xepersian package. This means that you have to write all commands or environments that come before $\text{\usepackage\{xepersian\}}$, in its original form, i.e. \documentclass .

Not only you can use Persian equivalents of \LaTeX and \TeX commands and environments, but still original \LaTeX and \TeX commands and environments work too.

The \TeX \LaTeX and XePersian commands and environments and their Persian equivalents listed in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) is not the whole story; If any command and environment in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) have a starred version, their starred version also work. For example in [Table 1](#), the Persian equivalent of \chapter is \فصل . I know that \chapter has a starred version, so this means *\فصل is also the Persian equivalent of \chapter* . Is that clear?

However there is more; you can localise any other commands/environments you want. You can use the following commands to localise your own commands/environments:

$\text{\eqcommand\{(command-name in Persian)\}\{(original \LaTeX command-name\)}$	$\text{\eqenvironment\{(environment-name in Persian\}\{(original \LaTeX environment-name\)}$
---	--

Table 1: The Equivalent \LaTeX and \TeX Commands

Command in \TeX or \LaTeX	Equivalent Persian Command
\@arstrut	\شمع جدول
\above	\فوق
$\text{\abovedisplayshortskip}$	\فاصله کوتاه بالای نمایش
\abovedisplayskip	\فاصله بالای نمایش
\abstractname	\عنوان چکیده
\accent	\اکسنت
\active	\فعال
\addcontentsline	\بیفزاسطر فهرست
\addpenalty	\اضافه بر جریمه
\address	\نشانی
\addtocontents	\بیفزایه فهرست
\addtocounter	\اضافه بر شمارنده
\addtolength	\اضافه برعده

Continued on next page



Command in T _E X or L _A T _E X	Equivalent Persian Command
\addvspace	\بیفزایشی و
\adjdemerits	\تنظیم بدنمایی
\advance	\بیفزایر
\afterassignment	\بعد از انتساب
\aftergroup	\بعد از گروه
\aleph	\الف
\aliasfontfeature	\خصیصه مستعار قلم
\aliasfontfeatureoption	\انتخاب خصیصه مستعار قلم
\allowbreak	\شکستنی
\alloc@	\تخصیص @
\allocationnumber	\تخصیص یافته
\allowdisplaybreaks	\شکست نمایش مجاز
\Alph	\حروف بزرگ
\alph	\حروف کوچک
\alsoname	\نام همچنین
\and	\و
\angle	\زاویه
\appendixname	\عنوان پیوست
\approx	\اقریب
\arabic	\عربی
\arg	\آرگ
\arrayrulecolor	\رنگ خط جدول
\arraycolsep	\فاصله ستونهای آرایه
\arrayrulewidth	\ضخامت خط جدول
\arraystretch	\کشیدگی آرایه
\AtBeginDocument	\در آغاز توشتار
\AtEndDocument	\در پایان توشتار
\AtEndOfClass	\در انتهای طبقه
\AtEndOfPackage	\در انتهای سبک
\author	\نویسنده
\backmatter	\مطلوب پشت
\backslash	\شکاف پشت
\badness	\بدنمایی
\bar	\میله
\baselineskip	\فاصله کرسی
\baselinestretch	\کشش فاصله کرسی
\batchmode	\پردازش دسته ای
\begin	\شروع
\beginL	\شروع چپ
\beginR	\شروع راست

Continued on next page



Command in T _E X or L _A T _E X	Equivalent Persian Command
\begingroup	\شروعگروه
\belowdisplayshortskip	\فاصله کوتاه پایین نمایش
\belowdisplayskip	\فاصله پایین نمایش
\bf	\سیاه
\bfdefault	\پیش فرض سیاه
\bfseries	\شمایل سیاه
\bgroup	\شروع
\bibitem	\کتاب نامه
\bibliography	\سبک کتاب نامه
\bibliographystyle	\عنوان کتاب نامه
\bibname	\پرش بلند
\bigskip	\مقدار پرش بلند
\bigskipamount	\خط پایین شناور
\botfigrule	\علامت پایین
\botmark	\کادر تا پایین
\bottompageskip	\نسبت پایین
\bottomfraction	\کادر
\box	\حداکثر عمق کادر
\boxmaxdepth	\ بشکن
\break	\گلو له
\bullet	\دوپن@پنج
\@cclv	\دوپن@شش
\@cclvi	\شرح
\caption	\کدرده
\catcode	\رونوشت
\cc	\نام رونوشت
\ccname	\ نقطه وسط
\cdot	\ نقاط وسط
\cdots	\ تنظیم از وسط
\centering	\ خط وسط
\centerline	\چک@ن
\ch@ck	\فصل
\chapter	\عنوان فصل
\chaptername	\نویسه
\char	\تعريف نویسه
\chardef	\بررسی فرمان
\CheckCommand	\مرجع
\cite	\خطای طبقه
\ClassError	\اطلاع طبقه
\ClassInfo	\

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\ClassWarning	\هشدار طبقه
\ClassWarningNoLine	\هشدار طبقه بی سطر
\cleaders	\انسانگر مرکزی
\cleardoublepage	\دوسصفه پاک
\clearpage	\صفهه پاک
\cline	\خط ناپر
\closein	\ابند و روای
\closeout	\ابند خروجی
\closing	\بستن
\clubpenalty	\جريمه سربند
\clubsuit	\اخراج
\colbotmark	\علامت پایین ستون اول
\colfirstmark	\علامت اول ستون اول
\color	\رنگ
\colorbox	\کادر رنگ
\coltopmark	\علامت بالای ستون اول
\columncolor	\رنگ ستون
\columnsep	\ابین ستون
\columnwidth	\پهنهای ستون
\columnseprule	\خط بین ستون
\contentsline	\سطر فهرست
\contentsname	\عنوان فهرست مطالب
\copy	\کپی
\copyright	\حق تالیف
\count	\شمار
\count@	@\شمار
\countdef	\تعريف شمار
\cr	\اسخ
\crcr	\اسخ سخ
\csname	\نام فرمان
\CurrentOption	\اگرینه جاری
\dashbox	\کادر بینایی
\dashv	\بیناییں ع
\@date	@\تاریخ
\date	\تاریخ
\day	\روز
\dblbotfigrule	\خط پایین شناور پهن
\dblbottomfraction	\نسبت پهن پایین
\dblfigrule	\خط بالای شناور پهن
\dblfloatpagefraction	\نسبت صفحه شناور پهن

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\dblfloatsep	\فاصله بین شناور پهن
\dblntlocatecode	\کد مکان غیر همان طور
\dbltextfloatsep	\فاصله متن و شناور پهن
\dbltopfraction	\نسبت پهن بالا
\DeclareFixedFont	\اعلان قلم ثابت
\DeclareGraphicsExtensions	\اعلان پسوندگار گرافیک
\DeclareGraphicsRule	\اعلان دستور گرافیک
\DeclareOldFontCommand	\اعلان فرمان قلم قدیمی
\DeclareOption	\اعلان گزینه
\DeclareRobustCommand	\اعلان فرمان قوی
\DeclareSymbolFont	\اعلان قلم علائم
\deadcycles	\دور بسته
\def	\تر
\define@key	\تعريف @ کلید
\definecolor	\تعريف رنگ
\deg	\درجہ
\delcode	\کد جدا ساز
\delimiter	\ جدا ساز
\delimiterfactor	\ضریب جدا ساز
\depth	\گودی
\diamondsuit	\خشتمان
\dim	\ابعاد
\dimen	\بعد
\dimen@	\بعد @
\dimen@i	\بعد @ یک
\dimen@ii	\بعد @ دو
\dimendef	\تعريف بعد
\discretionary	\تیره گذاری
\displaybreak	\اشکست نمایش
\displayindent	\تورفتگی نمایش
\displaystyle	\سبک نمایش
\displaywidth	\عرض نمایش
\divide	\ تقسیم
\documentclass	\طبقه نوشتار
\do	\کن
\dospecials	\تعویض کدها
\dot	\ نقطه
\doteq	\ نقطه مساوی
\dotfill	\ پر نقطه ا
\dots	\ نقاط

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\doublebox	\کادردولا
\doublerulesepcolor	\رنگ فاصله دو خط جدول
\doublerulesep	\فاصله بین دو خط
\downarrow	\فلش پایین
\dp	\عمق
\dump	\تخلیه
\edef	\ترگ
\egroup	\پاگروه
\eject	\انتهای فاصله
\else	\گزنه
\em	\اتاکید
\emergencystretch	\کشش لاجرم
\emph	\موکد
\empty	\@پوچ
\emptyset	\پوچ
\end	\مجموعه پوچ
\endL	\پایان چپ
\endR	\پایان راست
\endcsname	\پایان نام فرمان
\endfirsthead	\پایان اولین سر
\endfoot	\پایان پا
\endgraf	\تهدند
\endgroup	\پایان گروه
\endhead	\پایان سر
\endinput	\پایان ورودی
\endlastfoot	\پایان آخرین پا
\enlargethispage	\گسترش این صفحه
\endline	\اه سطر
\endlinechar	\نویسه ته سطر
\enspace	\ان دوری
\enskip	\ان فاصله
\eqcommand	\فرمان جانشین
\eqenvironment	\محیط جانشین
\eqref	\ارجاع فر
\errhelp	\کمک خطأ
\errmessage	\پیام خطأ
\errorcontextlines	\اسطرمنت خطأ
\errorstopmode	\پردازش توقف خطأ
\escapechar	\نویسه ویژه

Continued on next page



Command in \TeX or \LaTeX	Equivalent Persian Command
<code>\euro</code>	\یورو
<code>\evensidemargin</code>	\حاشیه زوج
<code>\everycr</code>	\هر سخ
<code>\everydisplay</code>	\هر نمایش
<code>\everyhbox</code>	\هر کادر را
<code>\everyjob</code>	\هر کار
<code>\everymath</code>	\هر ریاضی
<code>\everypar</code>	\هر بند
<code>\everyvbox</code>	\هر کادر و
<code>\ExecuteOptions</code>	\اجرای گزینه ها
<code>\exhyphenpenalty</code>	\جریمه اضافی تیره بندی
<code>\expandafter</code>	\بگسترنی پس از
<code>\extracolsep</code>	\فاصله اضافی بین ستونها
<code>\@firstofone</code>	\اولی از یک
<code>\@firstoftwo</code>	\اولی از دو
<code>\f@ur</code>	\ج @ ار
<code>\fam</code>	\خانواده
<code>\fancypage</code>	\صفحه تجملی
<code>\fbox</code>	\کادر با
<code>\fboxrule</code>	\ضخامت کادر با
<code>\fboxsep</code>	\حاشیه کادر با
<code>\fcolorbox</code>	\کادر بارنگ
<code>\fi</code>	\اگر
<code>\figurename</code>	\عنوان شکل
<code>\filbreak</code>	\پرسکن
<code>\fill</code>	\پر
<code>\firstmark</code>	\علامت اول
<code>\flat</code>	\پهن
<code>\floatpagefraction</code>	\نسبت صفحه شناور
<code>\floatingpenalty</code>	\جریمه شناور
<code>\floatsep</code>	\فاصله بین شناور
<code>\flushbottom</code>	\تنظيم از پایین
<code>\fmtname</code>	\شکل بندی
<code>\fmtversion</code>	\ردہ شکل بندی
<code>\fnssymbol</code>	\نشانه
<code>\font</code>	\قلم
<code>\fontdimen</code>	\بعد قلم
<code>\fontencoding</code>	\رمزنیه قلم
<code>\fontfamily</code>	\فamilی قلم
<code>\fontname</code>	\نام قلم

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\fontseries	\شمايل قلم
\fontshape	\شكل قلم
\fontsize	\اندازه قلم
\footheight	\بلندای پایین صفحه
\footins	\درج زیرنویس
\footnote	\ازیرنویس
\footnotemark	\علامت زیرنویس
\footnoterule	\خط زیرنویس
\footnotesep	\فاصله تازیرنویس
\footnotetext	\اندازه زیرنویس
\footskip	\امتن زیرنویس
\frame	\فاصله تا پایین صفحه
\framebox	\افریم
\frenchspacing	\کادر با خط
\frontmatter	\فواصل یکنواخت لاتین
\futurelet	\مطلوب پيش
\@gobble	\بعد بگذار
\@gobbletwo	@\خور حریصانه دو
\@gobblefour	@\خور حریصانه چهار
\@gtempa	@\عاقت آ
\@gtempb	@\عاقت ب
\gdef	\ترع
\GenericInfo	\الگوی اطلاع
\GenericWarning	\الگوی هشدار
\GenericError	\الگوی خطأ
\global	\عام
\globaldefs	\تعریف عام
\glossary	\لغت نامه
\glossaryentry	\افقه فرهنگ
\goodbreak	\خوش شکن
\graphpaper	\کاغذگراف
\guillemotleft	\گیومه چپ
\guillemotright	\گیومه راست
\guilsinglleft	\گیومه تکی چپ
\guilsinglright	\گیومه تکی راست
\halign	\ردیف ا
\hang	\برو تو
\hangafter	\بعد از سطر
\hangindent	\تورفتگی ثابت

Continued on next page



Command in T _E X or L _A T _E X	Equivalent Persian Command
\hbadness	\ابدنمایی
\hbox	\کادر
\headheight	\بلندای سرصفحه
\headsep	\فاصله از سرصفحه
\headtoname	\سریه نام
\heartsuit	\دل
\height	\بلندا
\hfil	\پرا
\hfill	\پررا
\hfilneg	\رفع پرا
\hfuzz	\پرزاویقی
\hideskip	\فاصله مخفی
\hidewidth	\عرض پنهان
\hline	\خط پر
\hoffset	\حاشیه
\holdinginserts	\حفظ درج
\hrboxsep	\فاصله اگرد
\hrule	\خط
\rulefill	\پرخط
\hsize	\طول سطر
\hskip	\فاصله
\hspace	\فضای
\hss	\هردوا
\ht	\ارتفاع
\huge	\بزرگ
\Huge	\بزرگ تر
\hyperlink	\ابرپیوند
\hypersetup	\بارگذاری ابر
\hypertarget	\هدف ابر
\hyphenation	\تیره بندی
\hyphenchar	\نویسه تیره
\hyphenpenalty	\جریمه تیره بندی
\@ifclassloaded	@\@گرکلاس فراخوانی شده
\@ifdefinable	@\@گرترشدنی
\@ifnextchar	@\@گرنویسه بعدی
\@ifpackageloaded	@\@گرسیک فراخوانی شده
\@ifstar	@\@گرستاره
\@ifundefined	@\@گرتعریف نشده
\if	\اگر
\if@tempswa	\اگر @سواقت آ

Continued on next page



Command in T _E X or L _A T _E X	Equivalent Persian Command
\ifcase	\اگرانواع
\ifcat	\اگررده
\ifdefined	\اگرتعريف شده
\ifdim	\اگربعد
\ifeof	\اگرته پرونده
\iff	\اگر
\iffalse	\اگنادرست
\IfFileExists	\اگرپرونده موجود
\ifhbox	\اگرکادرا
\ifhmode	\اگرحالت
\ifinner	\اگردرونی
\ifmmode	\اگرحالتریاضی
\ifnum	\اگرعدد
\ifodd	\اگرفرد
\ifthenelse	\اگرآنگاه دیگر
\iftrue	\اگردرست
\ifvbox	\اگرکادرو
\ifvmode	\اگرحالت و
\ifvoid	\اگرتنه
\ifx	\اگرتام
\ignorespaces	\افاصله خالی راندیده بگیر
\immediate	\فوری
\include	\شامل
\includegraphics	\درج تصویر
\includeonly	\مشمولین
\indent	\تورفتگی
\index	\ادرنمايه
\indexentry	\استعلام
\indexname	\عنوان نمایه
\indexspace	\فاصله رهتما
\input	\ورودی
\InputIfFileExists	\ورودپرونده گرموجود
\inputlineno	\شماره سطرومودی
\insert	\درج
\insertpenalties	\جریمه درج
\interfootnotelinepenalty	\جریمه بین سطرهای زیرنویس
\interdisplaylinepenalty	\جریمه بین سطرهای نمایش
\interlinepenalty	\جریمه بین سطرها
\intertext	\امتن داخلی
\intertextsep	\فاصله شتاور در متن

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\invisible	\مخفی
\itdefault	\بیش فرض ای
\itshape	\شكل ایتالیک
\item	\فقره
\itemindent	\تورفتگی فقره
\itemsep	\افاصله فقره
\iterate	\تکرارکن
\itshape	\شكل ای
\jobname	\نام کار
\jot	\قلب
\kern	\دوری
\kill	\الگو
\label	\برچسب
\labelenumi	\برچسب شمارش یک
\labelenumii	\برچسب شمارش دو
\labelenumiii	\برچسب شمارش سه
\labelenumiv	\برچسب شمارش چهار
\labelitemi	\برچسب فقره یک
\labelitemii	\برچسب فقره دو
\labelitemiii	\برچسب فقره سه
\labelitemiv	\برچسب فقره چهار
\labelsep	\افاصله از برچسب
\labelwidth	\پنهانی برچسب
\language	\زبان
\large	\درشت
\Large	\درشت تر
\LARGE	\درشت درشت
\lastbox	\آخرین کادر
\lastkern	\آخرین دوری
\lastpenalty	\آخرین جریمه
\lastskip	\آخرین فاصله
\LaTeX	\لاتک
\LaTeXe	\لاتک ای
\lccode	\اکدکوچک
\ldots	\نقاط خ
\leaders	\انشانگر
\leavevmode	\اترک و
\left	\چپ
\leftmargin	\حاشیه چپ
\leftmargini	\حاشیه چپ یک

Continued on next page



Command in T _E X or L _A T _E X	Equivalent Persian Command
\leftmarginii	\حاشیه چپ دو
\leftmarginiii	\حاشیه چپ سه
\leftmarginiv	\حاشیه چپ چهار
\leftmarginv	\حاشیه چپ پنج
\leftmarginvi	\حاشیه چپ شش
\leftmark	\علامت چپ
\leftpageskip	\کادر تا چپ
\leftskip	\فاصله ابتدای سطر
\let	\ابگذار
\line	\اسطر
\linebreak	\اسطرشکن
\linepenalty	\جریمه سطر
\lineskip	\فاصله سطرها
\lineskiplimit	\حد فاصله سطر
\linespread	\کشن فاصله سطر
\linethickness	\ضخامت خط
\linewidth	\پنهانی سطر
\listfigurename	\عنوان فهرست اشکال
\listfiles	\لیست پرونده ها
\listoffigures	\فهرست اشکال
\listoftables	\فهرست جداول
\listparindent	\تورفتگی بند لیست
\listtablename	\عنوان فهرست جداول
\LoadClass	\بارگذاری طبقه باگزینه
\LoadClassWithOptions	\امکان
\location	\بلند
\long	\حلقه
\loop	\گسیختگی
\looseness	\انتقال بیانی
\lower	@\دیگر
\@makeother	@\زار
\@m	@\اده @\زار
\@M	@\اده @\زاریک
\@Mi	@\اده @\زاردو
\@Mii	@\اده @\زارسه
\@Miii	@\اده @\زارچهار
\@Miv	@\بیس @\زار
\@MM	@\من @\ا
\m@ne	@\بزرگ نمایی
\mag	

Continued on next page



Command in T_EX or L_AT_EX Equivalent Persian Command

\magstep	\اگام
\magstephalf	\نیم‌گام
\mainmatter	\مطلوب اصلی
\makeatletter	\ات حرف
\makeatother	\ات دیگر
\makebox	\کادربی خط
\makeglossary	\اساخت فرهنگ
\makeindex	\تهیه نمایه
\makelabel	\اساخت برچسب
\makelabels	\اساخت برچسب‌ها
\MakeLowercase	\اساخت حروف کوچک
\maketitle	\عنوان ساز
\MakeUppercase	\اساخت حروف بزرگ
\marginpar	\درحاشیه
\marginparpush	\فاصله در حاشیه
\marginparsep	\فاصله تا حاشیه
\marginparwidth	\پنهانی حاشیه
\mark	\علامت
\markboth	\علامت در دو طرف
\markright	\علامت در راست
\mathaccent	\اعراب ریاضی
\mathchar	\نویسه ریاضی
\mathchardef	\تعريف نویسه ریاضی
\mathcode	\کد ریاضی
\mathrm	\ریاضی رومان
\maxdeadcycles	\حداکثر تکرار
\maxdepth	\حداکثر عمق صفحه
\maxdimen	\بعد بیشین
\mbox	\کادربی
\mdseries	\شمایل نازک
\meaning	\معنا
\mediumseries	\نازک
\medmuskip	\فاصله متوسط ریاضی
\medskip	\پرش متوسط
\medskipamount	\مقدار پرش متوسط
\medspace	\فضای متوسط
\message	\پیام
\MessageBreak	\پیام‌شکن
\minrowclearance	\حداقل فاصله ردیف
\mkern	\دوری ریاضی

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\month	\ماه
\moveleft	\انتقال بچپ
\moveright	\انتقال براست
\mskip	\فاصله ریاضی
\m@th	\ری@ضی
\multicolumn	\چندستونی
\multiply	\ضرب
\multispan	\چند ادغام
\muskip	\میوفاصله
\muskipdef	\تعریف میوفاصله
\@namedef	\ترنام@
\@nameuse	\کاربردنام@
\@one	\@یک
\name	\نام
\natural	\طبیعی
\nearrow	\باریک
\nearrower	\باریکتر
\NeedsTeXFormat	\شکلبندی موردنیاز
\neg	\منفی
\negmedspace	\فضای متوسط منفی
\negthickspace	\فضای ضخیم منفی
\negthinspace	\دوری کوچک منفی
\newboolean	\ابولی نو
\newbox	\کادر جدید
\newcommand	\فرمان نو
\newcount	\شمارجديد
\newcounter	\شمارنده جدید
\newdimen	\بعد جدید
\newenvironment	\محیط نو
\newfam	\خانواده جدید
\newfont	\قلم نو
\newhelp	\کمک جدید
\newif	\اگر جدید
\newinsert	\درج جدید
\newlabel	\برچسب جدید
\newlength	\تعریف بعد جدید
\newline	\سطر جدید
\newlinechar	\نویسه سطر جدید
\newmuskip	\میوفاصله جدید
\newpage	\صفحه جدید

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\newread	\بخوان_جديد
\newsavebox	\تعريف_کادر_جديد
\newskip	\فاصله_جديد
\newtheorem	\قضيه_جديد
\newtoks	\جزء_جديد
\newwrite	\بنويس_جديد
\noalign	\ابي_رديف
\nobreak	\انش肯
\nobreakspace	\فاصله_نشکستن
\nocite	\ بدون_سند
\noexpand	\انگستر
\nofiles	\ بدون_پرونده
\noindent	\ بدون_تورفتگی
\nointerlineskip	\ابي_فاصله_سطر
\nolimits	\ بدون_حد
\nonelinebreak	\اسطرنش肯
\nonstopmode	\پردازش_بدون_توقف
\nonfrenchspacing	\فواصل_متعارف_لاتين
\nonumber	\ بدون_شماره
\nopagebreak	\صفحه_نش肯
\normalbaselines	\کرسیهای_متعارف
\normalbaselineskip	\فاصله_کرسی_متعارف
\normalcolor	\ارنگ_عادی
\normalfont	\قلم_عادی
\normallineskip	\فاصله_سطر_متعارف
\normallineskiplimit	\حدفاصله_سطر_متعارف
\normalmarginpar	\درحالیه_عادی
\normalsize	\اندازه_عادی
\notag	\ بدون_اتیکت
\null	\انول
\nullfont	\قلم_تهی
\number	\عدد
\numberline	\اسطرعددی
\numberwithin	\شماره_مطابق
\@evenfoot	\پایین_صفحه_زوج
\@evenhead	\بالای_صفحه_زوج
\@oddfoot	\پایین_صفحه_فرد
\@oddhead	\بالای_صفحه_فرد
\@outeqntrue	\شماره_بیرون_درست
\@outeqnfalase	\شماره_بیرون_نادرست

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\obeylines	\اسطر به سطر
\obeyspaces	\فضا فعال
\oddsidemargin	\حاشیه فرد
\offinterlineskip	\اسطور بی فاصله
\omit	\حذف
\@onlypreamble	\@نهاد ر پیش در آمد
\onecolumn	\یک ستون
\onlynotes	\انهای اداد است ها
\onlyslides	\انها سلайд ها
\openin	\بارگزین ورودی
\openout	\بارگزین خروجی
\OptionNotUsed	\اگرینه مصرف نشده
\or	\یا
\outer	\ابرونی
\output	\صفحه بندی
\outputpenalty	\جریمه صفحه بندی
\overfullrule	\علامت سریز
\@preamblecmds	\@فرمان های پیش در آمد
\p@	\پو
\PackageError	\خطای سبک
\PackageInfo	\اطلاع سبک
\PackageWarning	\هشدار سبک
\PackageWarningNoLine	\هشدار سبک بی سطر
\pagebreak	\صفحه شکن
\pagecolor	\رنگ صفحه
\pagedepth	\اعمق صفحه
\pagefilllstretch	\کشش پر ر صفحه
\pagefillstretch	\کشش پر ر صفحه
\pagefilstretch	\کشش پر صفحه
\pagegoal	\غاایت صفحه
\pagename	\نام صفحه
\pagenumbering	\شماره گذاری صفحه
\pageref	\رجوع صفحه
\pagerulewidth	\ضخامت خط صفحه
\pageshrink	\افشردگی صفحه
\pagestretch	\کشش صفحه
\pagestyle	\سبک صفحه
\pagetotal	\جمع صفحه
\paperheight	\بلندای کاغذ
\paperwidth	\پهنای کاغذ

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\par	\بند
\paragraph	\پاراگراف
\parallel	\موازی
\parbox	\کادرپار
\parfillskip	\فاصله ته بند
\parindent	\توفتنگی سربند
\parsep	\فاصله بند لیست
\parshape	\شکل بند
\parskip	\فاصله بند
\part	\بخش
\partname	\عنوان بخش
\partopsep	\فاصله بالای لیست بند
\PassOptionToClass	\ارسال گزینه به کلاس
\PassOptionToPackage	\ارسال گزینه به پکیج
\path	\مسیر
\patterns	\الگوهای
\pausing	\مکث
\penalty	\جريمه
\phantom	\غیب
\poptabs	\الگوی قبلی
\postdisplaypenalty	\جريمه پس نمایش
\predisplaydirection	\جهت پیش نمایش
\predisplaypenalty	\جريمه پیش نمایش
\predisplaysize	\اندازه پیش نمایش
\pretolerance	\پیش حد بدنمایی
\prevdepth	\اعمق قبلی
\prevgraf	\بند قبلی
\printindex	\نمایه درینجا
\ProcessOptions	\پردازش گزینه ها
\protect	\تامین
\providecommand	\تهیه فرمان
\ProvidesClass	\آماده سازی طبقه
\ProvidesFile	\آماده سازی پرونده
\ProvidesPackage	\آماده سازی سبک
\pushtabs	\ثبت الگو
\quad	\کواد
\quadquad	\کوکواد
\@outputpagerestore	@\ باز آیی خروج صفحه
\radical	\رادیکال
\raggedbottom	\پایین بی تنظیم

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\raggedleft	\تنظيم از راست
\raggedright	\تنظيم از چپ
\raise	\انتقال بالا
\raisebox	\بالا بر
\raisetag	\ترفعی اتیکت
\rangle	\زاویه ر
\rceil	\سقف ر
\read	\بخوان
\ref	\رجوع
\reflectbox	\کادر قرینه
\refname	\عنوان مراجع
\refstepcounter	\گام شمارنده مرجع
\relax	\راحت
\removelastskip	\رفع آخرین فاصله
\renewcommand	\فرمان ازنو
\renewenvironment	\محیط ازنو
\repeat	\از نو
\RequirePackage	\سبک موردنیاز
\RequirePackageWithOptions	\سبک موردنیاز با گزینه
\resizebox	\کادر کشیده
\reversemarginpar	\در حاشیه معکوس
\rfloor	\کف ر
\right	\راست
\rightmargin	\حاشیه راست
\rightmark	\علامت راست
\rightpageskip	\کادر تاراست
\rightskip	\فاصله انتهای سطر
\rmdefault	\رومی عادی
\rmfamily	\فamilی رومی
\Roman	\رومی بزرگ
\roman	\رومی کوچک
\romannumeral	\اعداد رومی
\rotatebox	\کادر چرخان
\rowcolor	\رنگ ردیف
\rule	\خط
\@secondoftwo	@ دومی از دو
\@spaces	@ فضاها
\samepage	\همین صفحه
\savebox	\مقدار کادر
\sbox	\مقکادر

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\scalebox	\کادراندازه
\scdefault	\پیش فرض تمام بزرگ
\scshape	\شكل تمام بزرگ
\scriptfont	\قلم توان
\scriptscriptfont	\قلم توان توان
\scriptscriptstyle	\سبک ته نوشت ته نوشت
\scriptsize	\اندازه پانویس
\scriptstyle	\سبک ته نوشت
\scrollmode	\پردازش گذری
\section	\قسمت
\secdef	\تعريف قسمت
\see	\بینید
\seealso	\انیزبینید
\seename	\نام بینید
\selectfont	\قلم بردار
\setboolean	\تنظیم بولی
\setbox	\در کادر
\setcounter	\مقدار شمارنده
\setkeys	\مقدار کلیدها
\setlength	\مقدار بعد
\setminus	\تنظیم منها
\SetSymbolFont	\تعريف قلم علائم
\settodepth	\تنظیم به عمق
\settoheight	\تنظیم به ارتفاع
\settowidth	\مقدار بعدیه اندازه
\sfcode	\کد ضربی فاصله
\sfdefault	\پیش فرض س ف
\sffamily	\فamilی سن سریف
\shadowbox	\کادر سایه دار
\sharp	\تیز
\shipout	\بفرست
\shortstack	\پشتہ کوتاه
\show	\نمایش بده
\showbox	\نمایش بده کادر
\showboxbreadth	\میزان نمایش کادر
\showboxdepth	\عمق نمایش کادر
\showlists	\نمایش بده لیستها
\showthe	\نمایش بده محتوا
\simplefontmode	\حالت ساده قلم
\sixt@@n	@\شانزد

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\skewchar	\نویسه اریب
\skip	\فاصله
\skip@	@\فاصله
\skipdef	\تعريف فاصله
\sl	\خوابیده
\sldefault	\پیش فرض خو
\slshape	\شكل خوابیده
\sloppy	\راحت چین
\slshape	\شمایل خو
\small	\کوچک
\smallskip	\پرش کوتاه
\smallskipamount	\مقدار پرش کوتاه
\smash	\کوب
\smile	\البخند
\snglfntlocatecode	\اگدمکان همانطور
\space	\فضا
\spacefactor	\ضریب فاصله
\spaceskip	\فاصله کلمات
\spadesuit	\پیک
\span	\ادغام
\special	\اویژه
\splitmaxdepth	\حداکثر عمق ستون
\splittopskip	\فاصله بالای ستون
\star	\ستاره
\stepcounter	\گام شمارنده
\stretch	\اکشی
\string	\رشته
\strut	\شمع
\strutbox	\کادر شمع
\subitem	\زیر بند
\subparagraph	\زیر پاراگراف
\subsection	\زیر قسمت
\substack	\زیر پشتہ
\subsubitem	\زیر زیر بند
\subsubsection	\زیر زیر قسمت
\subset	\زیر مجموعه
\subsepeq	\زیر مجموعه مس
\supereject	\امنتهای صفحه
\suppressfloats	\حذف مکان شناور
\@tempa	\آموخت آ@

Continued on next page



Command in TeX or L^AT_EX Equivalent Persian Command

\@tempb	\@موقتب
\@tempc	\@موقتب
\@tempd	\@موقتب
\@tempe	\@موقتب
\@tempboxa	\@کادرت آ
\@tempcnta	\@شماقت آ
\@tempcntb	\@شماقت ب
\@tempdima	\@بعدقت آ
\@tempdimb	\@بعدقت ب
\@tempdimc	\@بعدقت پ
\@tempskipa	\@فاقت آ
\@tempskipb	\@فاقت ب
\@tempswafalse	\@سواقت آنادرست
\@tempswattrue	\@سواقت آدرست
\@temptokena	\@جزت آ
\@thefnmark	\انگ زیرنویس
\@thirdofthree	\@سومی ازسه
\tabbingsep	\فاصله جاگذاری
\tabcolsep	\فاصله بین ستونها
\tableofcontents	\فهرست مطالب
\tablename	\عنوان جدول
\tabskip	\فاصله ستونها
\tabularnewline	\ته سطرجدول
\tag	\اتیکت
\telephone	\تلفن
\TeX	\اتک
\text	\امتن
\textbullet	\اگلوله متنی
\textfont	\اقلم متن
\textemdash	\ام دش متنی
\textendash	\ان دش متنی
\textexclamdown	\تعجب وارونه متنی
\textperiodcentered	\ نقطه وسط متنی
\textquestiondown	\سوال وارونه متنی
\textquotedblleft	\نقل چپ متنی دولای
\textquotedblright	\نقل راست متنی دولای
\textquotingleft	\نقل متنی چپ
\textquoteright	\نقل متنی راست
\textvisiblespace	\فضای نمایان متنی
\textbackslash	\شکافت پشت متنی

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\textbar	\میله متنی
\textgreater	\بزرگ ترمتنی
\textless	\کمتر متنی
\textbf	\امتن سیاه
\textcircled	\مدور متنی
\textcolor	\رنگ متن
\textcompwordmark	\انشان کلمه مرکب متن
\textfloatsep	\فاصله متن و شناور
\textfraction	\نسبت متن
\textheight	\بلندای متن
\textindent	\امتن تورفتہ
\textit	\امتن ایتالیک
\textmd	\امتن نارک
\textnormal	\امتن نرمال
\textregistered	\ثبتی متنی
\textrm	\امتن رومن
\textsc	\امتن تمام بزرگ
\textsf	\امتن سن سریف
\textsl	\امتن خوابیده
\textstyle	\سبک متنی
\textsuperscript	\بالانویس متنی
\texttrademark	\علامت تجاری متنی
\texttt	\امتن تایپ
\textup	\امتن ایستاده
\textwidth	\پهنهای متن
\thanks	\ازیرنویس عنوان
\the	\محتوای
\thempfn	\این زیرنویس
\thicklines	\خط هاضخیم
\thickmuskip	\فاصله زیاد ریاضی
\thinmuskip	\فاصله کم ریاضی
\thickspace	\فضاضخیم
\thinlines	\خط هانارک
\thinspace	\دوری کوچک
\thisfancypage	\این صفحه تجملی
\thispagestyle	\سبک این صفحه
\thr@@	@ _ه
\tilde	\مد
\tiny	\ظریف
\time	\زمان

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\times	\ضرب در
\title	\عنوان
\to	\به
\today	\امروز
\toks	\جزء
\toksdef	\تعريف جزء
\tolerance	\حدبدنمايی
\top	\بالا
\topfigrule	\خط بالای شناور
\topfraction	\نسبت بالا
\topmargin	\حاشیه بالا
\topmark	\علامت بالا
\topskip	\کادر تابلا
\topsep	\فاصله بالای ليست
\topskip	\فاصله بالا
\totalheight	\بلندای کل
\tracingall	\ردگیری کل
\tracingcommands	\ردگیری فرامین
\tracinglostchars	\ردگیری حروف
\tracingmacros	\ردگیری ماکروها
\tracingonline	\ردگیری نمایشی
\tracingoutput	\ردگیری صفحه بندی
\tracingpages	\ردگیری صفحات
\tracingparagraphs	\ردگیری بندها
\tracingrestores	\ردگیری بازگردانی
\tracingstats	\ردگیری آمارها
\triangle	\مثلث
\ttdefault	\پیش فرض تایپ
\ttfamily	\فamil تایپ
\tw@	@\
\twocolumn	\دوستون
\typein	\درنویس
\typeout	\برنویس
\uccode	\کد بزرگ
\uchyph	\تیره بندی بزرگ
\undefined	\تعريف نشده
\underline	\زیر خط
\unhbox	\بی کادرا
\unhcopy	\بی کی
\unitlength	\واحد طول

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\unkern	\برگشت دوری
\unpenalty	\برگشت جریمه
\unskip	\برگشت فاصله
\unvbox	\ابی کادرو
\unvcopy	\ابی کجی و
\updefault	\پیش فرض ایستاده
\upshape	\اشکل ایستاده
\usebox	\ازکادر
\usecounter	\باشمارشگر
\usefont	\اگرینش قلم
\usepackage	\اسبک لازم
\vobeyspaces	\@فضاهای فعل
\void	\@تهی
\vadjust	\تنظیم و
\valign	\ردیف و
\value	\محتوای شمارنده
\vbadness	\بدنمایی و
\vbox	\کادرو
\vcenter	\کادرو سط
\verb	\همانطور
\vfil	\پرو
\vfill	\پررو
\vfilneg	\رفع پرو
\vfuzz	\پر زعمودی
\visible	\نمایان
\vline	\خط عمود
\voffset	\حاشیه و
\voidb@x	\ک@درتهی
\vpageref	\ارجاع صفحه ع
\vrboxsep	\فاصله و گرد
\vref	\ارجاع
\vrule	\خط و
\vsized	\طول صفحه
\vskip	\فاصله و
\vspace	\فضای و
\vsplit	\شکست و
\vss	\هردو و
\vtop	\کادر گرد
\wd	\عرض
\whiledo	\اماده بکن

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\widehat	\کلاه‌پهن
\widetilde	\مد‌پهن
\widowpenalty	\جریمه‌تہ‌بند
\width	\اپهنا
\wlog	\درکارنامه
\write	\بنویس
\@xobeysp	\فضای لاتین
\@xxxii	\سی‌@دو
\xdef	\ترگع
\xleaders	\انشانگرگسترشی
\xspaceskip	\فاصله‌اضافی کلمات
\year	\سال
\z@	\فر
\z@skip	\فراصله

Table 2: The Equivalent XePersian Commands

Command in XePersian	Equivalent Persian Command
\autofootnoterule	\خط‌زیرنویس‌خودکار
\AutoMathsDigits	\اعداد‌فرموله‌اخودکار
\DefaultMathsDigits	\اعداد‌فرموله‌لاتین
\deflatinfont	\تعريف قلم‌لاتین
\defpersianfont	\تعريف قلم‌پارسی
\hboxL	\کادر‌چپ
\hboxR	\کادر‌است
\keyval@eq@alias@key	\معادل‌@کلید
\Latincite	\مرجع‌لاتین
\latinfont	\قلم‌لاتین
\latintoday	\امروز‌لاتین
\leftfootnoterule	\خط‌زیرنویس‌چپ
\lr	\متن‌لاتین
\LRE	\چپ‌براست
\LTRdblcol	\دوسوئی‌چپ
\LTRfootnote	\پانویس
\LTRfootnotetext	\متن‌پانویس
\LTRthanks	\پانویس‌عنوان
\persianday	\روز‌پارسی
\persianfont	\قلم‌پارسی
\PersianMathsDigits	\اعداد‌فرموله‌پارسی
\persianmonth	\ماه‌پارسی
\persianyear	\سال‌پارسی

Continued on next page



Command in XePersian	Equivalent Persian Command
\plq	\علامت چپ نقل قول پارسی
\prq	\علامت راست نقل قول پارسی
\rightfootnoterule	\خط زیرنویس راست
\rl	\امتن پارسی
\RLE	\راست بچپ
\RTLdblcol	\دوستونی راست
\RTLfootnote	\پانوشت
\RTLfootnotetext	\امتن پانوشت
\RTLthanks	\پانوشت عنوان
\@SepMark	\علامت بین
\SepMark	\علامت بین
\setdefaultbibitems	\بگذارم رجوعات عادی
\setdefaultmarginpar	\بگذارد رحایشی عادی
\setdigitfont	\اگزینش قلم اعداد فرمولها
\setfootnoteLR	\بگذارز بزنویس چپ
\setfootnoteRL	\بگذارز بزنویس راست
\setlatintextfont	\اگزینش قلم لاتین متن
\setLTR	\بگذارم تن چپ
\setLTRbibitems	\بگذارم رجوعات چپ
\setLTRmarginpar	\بگذارد رحایشی چپ
\setRTL	\بگذارم تن راست
\setRTLbibitems	\بگذارم رجوعات راست
\setRTLmarginpar	\بگذارد رحایشی راست
\settextfont	\اگزینش قلم متن
\textwidthfootnoterule	\خط زیرنویس پهنای متن
\twocolumnstableofcontents	\فهرست مطالب دوستونی
\unsetfootnoteRL	\انگذارز بزنویس راست
\unsetLTR	\انگذارم تن چپ
\unsetRTL	\انگذارم تن راست
\vboxL	\کادر و از چپ
\vboxR	\کادر و از راست
\XeLaTeX	\ازی لاتک
\XePersian	\ازی پرشین
\xepersianversion	\گونه ازی پرشین
\xepersiandate	\تاریخ گونه ازی پرشین
\XeTeX	\ازی تک

Table 3: The Equivalent L^AT_EX Environments

Environment in L ^A T _E X	Equivalent Persian Environment
abstract	چکیده
appendix	پیوست

Continued on next page



Environment in L^AT_EX Equivalent Persian Environment

array	آرایه
center	وسط چین
description	توضیح
displaymath	ریاضی نمایشی
document	نوشتار
enumerate	شمارش
figure	شکل
figure*	شکل*
filecontents	محتوای پرونده
filecontents*	محتوای پرونده*
flushleft	چپ چین
flushright	راست چین
itemize	فقرات
letter	نامه
list	لیست
longtable	جدول دراز
lrbox	کادر رج
math	ریاضی
matrix	ماتریس
minipage	صفحه کوچک
multicols	چند ستونی ها
multiline	چند خطی
note	یادداشت
overlay	انباشت
picture	تصویر
quotation	اقتباس
quote	نقل
slide	اسلاید
sloppypar	پارنامه رب
split	شکافتن
subarray	زیر آرایه
tabbing	جاگذاری
table	لوح
table*	لوح*
tabular	جدول
tabular*	جدول*
thebibliography	مراجع
theindex	محتوای نمایه
titlepage	صفحه عنوان
trivlist	لیست بدوى

Continued on next page



Environment in L ^A T _E X	Equivalent Persian Environment
verbatim	همانطورکه هست
verbatim*	همانطورکه هست*
verse	شعر

Table 4: The Equivalent XePersian Environments

Environment in XePersian	Equivalent Persian Environment
latin	لاتین
LTR	متن چپ
LTRitems	دسته‌بندی چپ
persian	پارسی
RTL	متن راست
RTLitems	دسته‌بندی راست

Localisation of position arguments. Some environments like `tabular` and some commands like `\parbox` have an argument which specifies the position. Table [Table 5](#) shows their localisations.

Table 5: The Equivalent L^AT_EX position arguments

Position argument in L ^A T _E X	Equivalent Persian position argument
b	ز
c	و
C	س
h	ا
H	آ
J	ت
l	چ
L	ف
m	م
p	پ
P	ص
r	ر
R	ا
s	ک
t	ب

☞ There are two ps in [Table 5](#), first p and its Persian equivalent پ stand for paragraph (used in `tabular` and similar environments) and the second p and its Persian equivalent ص stand for page (used in float-like environments).

2.4.8 Localizations of the keys and key values of graphicx package

The equivalent Persian keys and key values of `graphicx` package is shown in [Table 6](#) and [Table 7](#) respectively.



Table 6: Persian Equivalent keys of graphicx package

Original Key	Equivalent Persian Key
draft	پیش نویس
origin	مبدأ
clip	بی اضافه
keepaspectratio	حفظ تناسب
natwidth	پنهانی طبیعی
natheight	بلندای طبیعی
bb	مختصات
viewport	محدوده نمایش
trim	حذف اطراف
angle	زاویه
width	پهنا
height	بلندا
totalheight	بلندای کل
scale	ضریب
type	نوع
ext	پسوند
read	خواندنی
command	فرمان
x	طول
y	عرض
units	واحد

Table 7: Persian Equivalent key values of graphicx package

Original Key value	Equivalent Persian Key value
b	ز
B	ک
false	نادرست
l	ج
r	ر
t	ب
true	درست

2.4.9 Localizations of font features and font feature options

The equivalent Persian font features and font feature options is shown in [Table 8](#) and [Table 9](#) respectively.

Table 8: Persian Equivalent font features

Original font feature	Equivalent Persian font feature
ExternalLocation	مکان خارجی
ExternalLocation	مسیر

Continued on next page



Original font feature	Equivalent Persian font feature
Renderer	تحویل دهنده
BoldFont	قلم سیاه
Language	زبان
Script	خط
UprightFont	قلم عمودی
ItalicFont	قلم ایتالیک
BoldItalicFont	قلم ایتالیک سیاه
SlantedFont	قلم خوابیده
BoldSlantedFont	قلم خوابیده سیاه
SmallCapsFont	قلم کلاه کوچک
UprightFeatures	ویرگی های قلم عمودی
BoldFeatures	ویرگی های قلم سیاه
ItalicFeatures	ویرگی های قلم ایتالیک
BoldItalicFeatures	ویرگی های قلم ایتالیک سیاه
SlantedFeatures	ویرگی های قلم خوابیده
BoldSlantedFeatures	ویرگی های قلم خوابیده سیاه
SmallCapsFeatures	ویرگی های قلم کلاه کوچک
SizeFeatures	ویرگی های اندازه
Scale	ضریب
WordSpace	فضای کلمه
PunctuationSpace	فضای نقطه گذاری
FontAdjustment	تنظیم قلم
LetterSpace	فضای حرف
HyphenChar	نویسه تیره
Color	رنگ
Opacity	کدری
Mapping	نگاشت
Weight	سنگینی
Width	پهنا
OpticalSize	اندازه چشمی
FakeSlant	خوابیده تقلی
FakeStretch	کشش تقلی
FakeBold	سیاه تقلی
AutoFakeSlant	خوابیده تقلی خودکار
AutoFakeBold	سیاه تقلی خودکار
Ligatures	دو یا چند حرف متصل به هم
Alternate	متناوب
Variant	گوناگون
Variant	مجموعه سبکی
CharacterVariant	گوناگونی نویسه

Continued on next page



Original font feature	Equivalent Persian font feature
Style	سیک
Annotation	یادداشت
RawFeature	ویژگی های کال
CharacterWidth	پهنانی نویسه
Numbers	ارقام
Contextuals	متغیر
Diacritics	تفکیک کننده ها
Letters	حروف
Kerning	دوری
VerticalPosition	موقعیت عمودی
Fractions	كسر

Table 9: Persian Equivalent font feature options

font feature	font feature option	Persian font feature option
Language	Default	پیش فرض
Language	Parsi	پارسی
Script	Parsi	پارسی
Script	Latin	لاتین
Style	MathScript	اسکریپت ریاضی
Style	MathScriptScript	اسکریپت اسکریپت ریاضی

2.5 A Sample Input T_EX File

```

1 \documentclass{article}
2 \usepackage{xepersian}
3 \settextfont{XB Niloofar}
4 \title{یک سند نمونه}
5 \author{نام نویسنده}
6 \begin{document}
7 \maketitle
8 \tableofcontents
9 \part{عنوان بخش}
10 ...
11 \section{عنوان قسمت}
12 ...
13 \subsection{عنوان زیرقسمت}
14 ...
15 \subsubsection{عنوان زیر زیرقسمت}
16 ...
17 \end{document}

```

2.6 Font Commands



2.6.1 Basic Font Commands

```
\settextfont [Options] {<font name>}  
\setlatintextfont [Options] {<font name>}  
\setdigitfont [Options] {<font name>}  
\setmathsf digitfont [Options] {<font name>}  
\setmathtt digitfont [Options] {<font name>}
```

- ☞ Options in any font command in this documentation are anything that `fontspec` package provides as the option of loading fonts, except `Script` and `Mapping`.
- ☞ `\settextfont` will choose the default font for Persian texts of your document.
- ☞ `\setlatintextfont` will choose the font for Latin texts of your document. If you do not use this command at all, the default T_EX font (fonts used in this documentation) will be used for Latin texts of your document.
- ☞ `\setdigitfont` will choose the Persian font for digits in math mode. By default, digits in math mode will appear in Persian form.
- ☞ `\setmathsf digitfont` will choose the Persian font for digits in math mode inside `\mathsf`. By using this command, digits in math mode inside `\mathsf` will appear in Persian form and if you do not use this command at all, you will get default T_EX font for digits in math mode inside `\mathsf` and digits appear in their original form (Western).
- ☞ `\setmathtt digitfont` will choose the Persian font for digits in math mode inside `\mathtt`. By using this command, digits in math mode inside `\mathtt` will appear in Persian form and if you do not use this command at all, you will get default T_EX font for digits in math mode inside `\mathtt` and digits appear in their original form (Western).

2.6.2 Defining Extra Persian and Latin Fonts

```
\defpersianfont\CS [Options] {<font name>}  
\deflatinfont\CS [Options] {<font name>}
```

- ☞ With `\defpersianfont`, you can define extra Persian fonts.

```
\defpersianfont\Nastaliq[Scale=1]{IranNastaliq}
```

In this example, we define `\Nastaliq` to stand for IranNastaliq font.

- ☞ With `\deflatinfont`, you can define extra Latin fonts.

```
\deflatinfont\junicode[Scale=1]{Junicode}
```

In this example, we define `\junicode` to stand for Junicode font.



2.6.3 Choosing Persian Sans Font

```
\setpersiansansfont [Options] {<font name>}  
\persiansffamily \textpersiansf{<text>}
```

2.6.4 Choosing Persian Mono Font

```
\setpersianmonofont [Options] {<font name>}  
\persianttfamily \textpersiantt{<text>}
```

2.6.5 Choosing Persian Iranic Font

```
\setiranicfont [Options] {<font name>}  
\iranicfamily \textiranic{<text>}
```

2.6.6 Choosing Persian Navar Font

```
\setnavarfont [Options] {<font name>}  
\navarfamilly \textnavar{<text>}
```

2.6.7 Choosing Persian Pook Font

```
\setpookfont [Options] {<font name>}  
\pookfamily \textpook{<text>}
```

2.6.8 Choosing Persian Sayeh Font

```
\setsayehfont [Options] {<font name>}  
\sayehfamily \textsayeh{<text>}
```

2.6.9 Choosing Latin Sans Font

```
\setlatinsansfont [Options] {<font name>}  
\sffamily \textsf{<text>}
```

2.6.10 Choosing Latin Mono Font

```
\setlatinmonofont [Options] {<font name>}  
\ttfamily \texttt{<text>}
```



3 Latin and Persian Environment

```
\begin{latin} <text> \end{latin}
\begin{persian} <text> \end{persian}
```

- ☞ latin environment both changes direction of the paragraphs to LTR and font to Latin font.
- ☞ persian environment both changes direction of the Paragraphs to RTL and font to Persian font.

3.1 latinitems and parsiitems environments

```
\begin{latinitems}
\item <text>
...
\end{latinitems}
```

- ☞ latinitems environment is similar to LTRitems environment but changes the font to Latin font.

```
\begin{parsiitems}
\item <text>
...
\end{parsiitems}
```

- ☞ parsiitems environment is similar to RTLitems environment but changes the font to Persian font.

3.2 Short Latin and Persian Texts

```
\lr{<text>} \rl{<text>}
```

- ☞ With \lr command, you can typeset short LTR texts.
- ☞ With \rl command, you can typeset short RTL texts.

3.3 Miscellaneous Commands

```
\persianyear \persianmonth \persianday
\today \latintoday \twocolumnstableofcontents \XePersian
\plq \prq
```

- ☞ \persianyear is Persian equivalent of \year.



- ☞ \persianmonth is Persian equivalent of \month.
- ☞ \persianday is Persian equivalent of \day.
- ☞ \today typesets current Persian date and \latintoday typesets current Latin date.
- ☞ \twocolumnstableofcontents typesets table of contents in two columns. This requires that you have loaded multicol package before XePersian package, otherwise an error will be issued.
- ☞ \XePersian typesets XePersian's logo.
- ☞ \plq and \prq typeset Persian left quote and Persian right quote respectively.

3.4 New Commands

\Latincite

- ☞ \Latincite functions exactly like \cite command with only one difference; the reference to biblabel item is printed in Latin font in the text.

3.5 Additional Counters

XePersian defines several additional counters to what already L^AT_EX offers. These counters are **harfi**, **adadi**, and **tartibi**. In addition, the following commands are also provided:

\harfinumeral{\<integer>} \adadinumeral{\<integer>} \tartibinumeral{\<integer>}

- ☞ The range of **harfi** counter is integers between 1 and 32 (number of the Persian alphabets) and **adadi** and **tartibi** counters, are integers between 0 and 999,999,999.
- ☞ For **harfi** counter, if you give an integer bigger than 32 or a negative integer (if you give integer 0, it returns nothing), then you get error and for **adadi** and **tartibi** counters, if you give an integer bigger than 999,999,999, then you get an error message.
- ☞ For **adadi** and **tartibi** counters, if you give an integer less than 0 (a negative integer), then **adadi** and **tartibi** counters return **adadi** and **tartibi** form of the integer 0, respectively.
- ☞ \harfinumeral returns the **harfi** form of **\<integer>**, where $1 \leq \text{integer} \leq 32$ and \adadinumeral, and \tartibinumeral return **adadi**, and **tartibi** form of **\<integer>** respectively, where $0 \leq \text{integer} \leq 999,999,999$.



3.6 Things To Know About `\setdigitfont`, `\setmathsf digitfont`, and `\setmathtt digitfont`

```
\DefaultMathsDigits \PersianMathsDigits \AutoMathsDigits
```

- ☞ As we discussed before, `\setdigitfont` will choose the Persian font for digits in math mode. By default, digits in math mode will appear in Persian form.
- ☞ As we discussed before, `\setmathsf digitfont`, and `\setmathtt digitfont` will choose the Persian sans serif and typewriter fonts for digits in math mode. By using this command, digits in math mode will appear in Persian form and if you do not use this command at all, you will get default T_EX font for digits in math mode and digits appear in their original form (Western).

If you use `\setdigitfont`, `\setmathsf digitfont`, and `\setmathtt digitfont`, then you should know that:

- ☞ By default, `\AutoMathsDigits` is active, which means that in Persian mode, you get Persian digits in math mode and in Latin mode, you get T_EX's default font and digits in math mode.
- ☞ If you use `\PersianMathsDigits` anywhere, you will overwrite XePersian's default behaviour and you will always get Persian digits in math mode.
- ☞ If you use `\DefaultMathsDigits` anywhere, again you will overwrite XePersian's default behaviour and you will always get T_EX's default font and digits in math mode.

4 New Conditionals

4.1 Shell escape (or write18) conditional

```
\ifwritexviii
  <material when Shell escape (or write18) is enabled>
\else
  <material when Shell escape (or write18) is not enabled>
\fi
```

5 Bilingual Captions

XePersian sets caption bilingually. This means if you are in RTL mode, you get Persian caption and if you are in LTR mode, you get English caption.



5.1 Support For Various Packages

In addition to what bidi package supports, XePersian also support a few packages. This support is more about language aspect rather than directionality. These packages are algorithmic, algorithm,enumerate, and backref packages.

5.1.1 Things You Should Know about Support For enumerate Package

The enumerate package gives the enumerate environment an optional argument which determines the style in which the counter is printed.

An occurrence of one of the tokens A, a, I, i, or 1 produces the value of the counter printed with (respectively) \Alph, \alph, \Roman, \roman or \arabic.

In addition with the extra support that XePersian provides, an occurrence of one of the tokens l, ی, or ۲ produces the value of the counter printed with (respectively) \harfi, \adadi, or \tartibi.

These letters may be surrounded by any strings involving any other \TeX expressions, however the tokens A, a, I, i, 1, l, ی, ۲ must be inside a {} group if they are not to be taken as special.

To see an Example, please look at enumerate package documentation.

5.2 Index Generation

For generating index, you are advised to use xindy program, any other program such as makeindex is not recommended.

5.3 Converting Your Farsi \TeX Files To XePersian or Unicode

There is a python program written by Mostafa Vahedi that enables you to convert Farsi \TeX files to XePersian or unicode. This program can be found in doc folder with the name ftxe-0.12.py. To convert your Farsi \TeX files to XePersian, put ftxe-0.12.py in the same directory that your Farsi \TeX file is, and then open a terminal/command prompt and do the following:

```
python ftxe-0.12.py file.ftx file.tex
```

This will convert your file.ftx (Farsi \TeX file) to file.tex (XePersian file).
The general syntax of using the python script is as follow:

```
python ftxe-0.12.py [-r] [-s] [-x] [-u] input-filename1 input-filename2
```

Where

- r (DEFAULT) recursively consider files included in the given files
- s do not recursively consider files
- x (DEFAULT) insert XePersian related commands



`-u` only convert to unicode (and not to XePersian)

Please note that the python script will not work with versions of python later than 2.6. So you are encouraged to use version 2.6 of python to benefit from this python script.

6 Extra Packages And Classes

6.1 Magazine Typesetting

6.1.1 Introduction

`xepersian-magazine` class allows you to create magazines, newspapers and any other types of papers. The output document has a front page and as many inner pages as desired. Articles appear one after another, telling the type, number of columns, heading, subheading, images, author and so forth. It is possible to change the aspect of (almost) everything therefore it is highly customisable. Commands to add different titles, headings and footers are also provided.

6.1.2 Usage

To create² a magazine just load the class as usual³, with

```
\documentclass [Options] {xepersian-magazine}
```

at the beginning of your source file. The class options are described in [subsubsection 6.1.12](#).

From this point it is possible to include packages and renew class commands described in [subsubsection 6.1.9](#).

6.1.3 Front Page

As every magazine, `xepersian-magazine` has its own front page. It includes main headings, an index, the magazine logo and other useful information. This environment should be the first you use within `xepersian-magazine` class but it is not mandatory.

```
\firstimage \firstarticle
```

The first two commands you can use inside the `frontpage` environment are `\firstimage` and `\firstarticle` which include, respectively, the main image and the main heading in the front page. The first one takes two arguments $\langle image \rangle$ and $\langle description \rangle$. Notice that second argument is optional and it declares the image

²For a sample file, please look at `magazine-sample.tex` in the doc folder

³You also need to load `graphicx`, `xunicode` and `xepersian` packages respectively, after loading the document class and choose fonts for the main text, Latin text and digits in maths formulas. For more detail see [section 2](#) of the documentation.



caption; *<image>* defines the relative path to the image. In order to include the first piece of article use

```
\firstarticle{\langle title\rangle}{\langle opening\rangle}{\langle time\rangle}
```

first two arguments are mandatory and represent heading and the opening paragraph. Last argument is optional (you can leave it blank) and indicates the time when article happened.

```
\secondarticle
```

The second piece of article is included using the command `\secondarticle` just as the first article. The main difference are that this second piece has two more arguments and it does not include an image.

```
\secondarticle{\langle title\rangle}{\langle subtitle\rangle}{\langle opening\rangle}{\langle pagesof\rangle}{\langle time\rangle}
```

The new arguments *<subtitle>* and *<pagesof>* define a subtitle and the name of the section for this piece of article.

```
\thirdarticle
```

The third piece of article is the last one in the `xepersian-magazine` front page. It works like the `\secondarticle`.

```
\thirdarticle{\langle title\rangle}{\langle subtitle\rangle}{\langle opening\rangle}{\langle pagesof\rangle}{\langle time\rangle}
```

The arguments meaning is the same as `\secondarticle` command.

The front page includes three information blocks besides the news: `indexblock` which contains the index, `authorblock` which includes information about the author and a `weatherblock` containing a weather forecast. All these three environments are mostly a frame in the front page therefore they can be redefined to fit your personal wishes but I kept them to give an example and to respec the original `xepersian-magazine` format.

```
\indexitem
```

The `indexblock` environment contains a manually edited index of `xepersian-magazine`. It takes one optional argument *<title>* and places a title over the index block. To add entries inside the index just type

```
\indexitem{\langle title\rangle}{\langle reference\rangle}
```

inside the environment. The *<title>* is the index entry text and the *<reference>* points to a article inside `xepersian-magazine`. It will be more clear when you read [subsub-](#)



[section 6.1.4](#). In order to get a correct output, it is necessary to leave a blank line between index items.

The `authorblock` environment can include whatever you would like. I called it `authorblock` because I think it is nice to include some author reference in the front page: who you are, why are you doing this... This environment creates a frame box in the bottom right corner of the front page with your own logo at the top.

```
\weatheritem
```

Finally, the `weatherblock` lets you include a weather forecast. It takes one optional argument `<title>` that places a title over the weather block. It can fit up to three weather icons with maximum and minimum temperatures, description and name. To add each of the weather entries type the following

```
\weatheritem{<image>}{<day-name>}{<max>} {<min>}{<short-des>}
```

The first argument includes the path to the weather icon (i.e. sunny or rainy), `<day-name>` like Monday, `<max>` and `<min>` are the highest and lowest day temperatures and `<short-des>` is a brief description of the weather condition: partly cloudy, sunny and windy ...

6.1.4 Inside

Once we have created the front page we should include all articles inside our magazine. `xepersian-magazine` arranges all articles one after each other, expanding headings all over the page and splitting the article text in the number of columns we wish. There are three different environments to define a piece of article: the `article` environment described in [subsubsection 6.1.5](#), the `editorial` environment [subsubsection 6.1.6](#) for opinion articles and the `shortarticle` environment explained in [subsubsection 6.1.7](#).

6.1.5 The article environment

The main environment to include a piece of article is called `article`. It takes four arguments that set up the headings and structure of the article.

```
\begin{article}{<num-of-columns>}{<title>}{<subtitle>} {<pagesof>}{<label>}  
...<text>...  
\end{article}
```

The first argument `<num-of-columns>` sets the number of columns the article will be divided whereas `<label>` is used when pointing an article from the index in the front page. The rest of the arguments are easy to understand.

Inside the `article` environment, besides the main text of the article, it is possible to include additional information using several class commands.



```
\authorandplace \timestamp
```

The `\authorandplace{<author>}{<place>}` inserts the name of the editor and the place where the article happened in the way many magazines do. Another useful command is `\timestamp{<time>}` which includes the time and a separator just before the text. These two commands should be used before the text because they type the text as the same place they are executed.

```
\image
```

To include images within the text of an article, `xepersian-magazine` provides an `\image` command. Since `multicol` package does not provide any float support for its `multicols` environment, I created a macro that includes an image only if that is possible, calculating if there is enough space for the image. It is not the best solution but it works quite well and I could not find a better one. To include an image use the command and its two arguments: the relative path to the image and a short description.

```
\image{<image>}{<description>}
```

```
\columntitle \expandedtitle
```

Within the text of the article, it is possible to add column and expanded titles. The main difference between them is that the first one keeps inside the width of an article column whereas the second expands all over the width of the page, breaking all the columns. Their use is analogous, as follows

```
\columntitle{<type>}{<text>}\expandedtitle{<type>}{<text>}
```

These two commands use `fancybox` package features. That is why there are five different types of titles which correspond mainly with `fancybox` ones: `shadowbox`, `doublebox`, `ovalbox`, `Ovalbox` and `lines`.

6.1.6 The editorial environment

In addition to the editorial article environment, one can use the editorial environment to create editorial or opinion texts. The main feature is that it transforms the style of the heading. Although this environment accepts all the commands article takes, it does not make any sense to use the `\authorandplace` command within it since it includes an author argument. To create an editorial text use



```
\begin{editorial}{<num-of-columns>}{<title>}{<author>}{<label>}  
...<text>...  
\end{editorial}
```

All arguments have the same meaning as article environment (see [subsubsection 6.1.5](#)).

6.1.7 The shortarticle environment

The shortarticle environment creates a block of short article. Although it has its own title and subtitle, each piece of article within it may have a title. To use it just type:

```
\begin{shortarticle}{<num-of-columns>}{<title>}{<subtitle>}{<label>}  
...<text>...  
\shortarticleitem{<title>}{<text>}  
...  
\end{shortarticle}
```

You can also specify the number of columns of the block like editorial and article environments. To add a piece of article inside the shortarticle use the `\shortarticleitem`, indicating a title and the text of the issue.

6.1.8 Commands between articles

```
\articlesep \newsection
```

There are two commands you can use among the articles inside xepersian-magazine: `\articlesep` and `\newsection`. The first one does not take any parameter and just draws a line between two articles. The second changes the content of `\xepersian@section` to the new `<section name>`. From the point it is used, all articles which follow will be grouped within the new section.

```
\newsection{<section name>}
```

6.1.9 Customization

xepersian-magazine includes many commands which can be used to customize its aspect, from the front page to the last page. I will list them grouped so it is easy to find them. Treat them as standard L^AT_EX commands, using `\renewcommand` to change their behaviour.



6.1.10 Front Page

```
\customlogo \customminilogo \custommagazinename
```

When creating a magazine, everyone wants to show its own logo instead of xepersian-magazine default heading. To achieve this, you need to put the following command at the preamble of your document:

```
\customlogo{\text}  
\customminilogo{\text}  
\custommagazinename{\text}
```

```
\edition \editionformat
```

The edition text has to be declared in the preamble of the document. One important thing to know is that \author, \date and \title have no effect inside xepersian-magazine since the magazine date is taken from \today command and the other two are only for the title page (if using \maketitle).

```
\indexFormat \indexEntryFormat \indexEntryPageTxt  
\indexEntryPageFormat \indexEntrySeparator
```

When defining the index in the front page, there are several commands to customize the final index style. \indexFormat sets the format of the title; \indexEntryFormat, the format of each index entry; \indexEntryPageTxt and \indexEntryPageFormat lets you define which is the text that goes with the page number and its format. Finally, xepersian-magazine creates a thin line between index entries, you can redefine it using \indexEntrySeparator. To get the index with \xepersian@indexwidth is provided.

```
\weatherFormat \weatherTempFormat \weatherUnits
```

Relating to the weather block, the title format can be changed redefining \weatherFormat. In order to customize the format of the temperature numbers and their units it is necessary to redefine \weatherTempFormat and \weatherUnits respectively.

```
\*TitleFormat \*SubtitleFormat \*TextFormat
```

The main article that appear in the front page can change their formats. To obtain that there are three standard commands to modify the title, subtitle and text style. You just have to replace the star (*) with first, second or third depending on which article you are editing. Note that first piece of article has no subtitle therefore it does not make any sense to use the non-existent command \firstSubtitleFormat.



```
\pictureCaptionFormat \pagesFormat
```

Two other elements to configure are the picture captions and the pages or section format in the entire document. To proceed just redefine the macros `\pictureCaptionFormat` and `\pagesFormat`.

6.1.11 Inside The Magazine

```
\innerTitleFormat \innerSubtitleFormat \innerAuthorFormat  
\innerPlaceFormat
```

The articles inside `xepersian-magazine` may have a different format from the ones in the front page. To change their title or subtitle format redefine `\innerTitleFormat` and `\innerSubtitleFormat`. The article text format matches the document general definition. When using the `\authorandplace` command, you might want to change the default style. Just renew `\innerAuthorFormat` and `\innerPlaceFormat` to get the results.

```
\timestampTxt \timestampSeparator \timestampFormat
```

The `\timestamp` command described in [subsection 6.1.5](#) lets you introduce the time of the event before the article text. You can configure its appearance by altering several commands: `\timestampTxt` which means the text after the timestamp; `\timestampSeparator` which defines the element between the actual timestamp and the beginning of the text and, finally, `\timestampFormat` to change the entire timestamp format.

```
\innerTextFinalMark
```

`xepersian-magazine` puts a small black square at the end of the article. As I wanted to create a highly customizable `LATEX` class I added the macro `\innerTextFinalMark` to change this black square. This item will appear always following the last character of the text with the `\text{`}` character.

```
\minraggedcols \raggedFormat
```

The `\minraggedcols` counter is used to tell `xepersian-magazine` when article text should be ragged instead of justified. The counter represents the minimum number of columns that are needed in order to use ragged texts. For example, if `\minraggedcols` is set to `3`, all articles with `3` columns or more will be ragged. Articles with `1`, `2` columns will have justified text. By default, `\minraggedcols` is set to `4`.

The `\raggedFormat` macro can be redefined to fit user ragged style. Default value is `\RaggedLeft`.



```
\heading \foot
```

xepersian-magazine includes package fancyhdr for changing headings and footers. Although it is possible to use its own commands to modify xepersian-magazine style, there are two commands to change headings and foot appearance. Place them in the preamble of your xepersian-magazine document.

```
\heading{\left}{\center}{\right}  
\foot{\left}{\center}{\right}
```

If you still prefer to use fancyhdr macros, use them after the `frontpage` environment. xepersian-magazine by default places no headers and footers. If you want headers and footers, then after loading xepersian package, you should write `\pagestyle{fancy}` at the preamble of your document.

6.1.12 Class Options

The xepersian-magazine class is in itself an alteration of the standard article class, thus it inherits most of its class options but `twoside`, `twocolumn`, `notitlepage` and `a4paper`. If you find problems when loading other article features, please let me know to fix it. There are also five own options that xepersian-magazine implements.

a3paper (false) This option makes xepersian-magazine 297 mm width by 420 mm height. This option is implemented because the standard article class does not allow this document size.

9pt (false) Allows the 9pt font size that article class does not include (default is 10pt).

columnlines columnlines (false) Adds lines between columns in the entire xepersian-magazine. The default line width is 0.1pt but it is possible to change this by setting length `\columnlines` in the preamble.

showgrid (false) This option is only for developing purposes. Because the front page has a personal design using the textpos package, I created this grid to make easier the lay out.

6.2 Typesetting Multiple-choice Questions

6.2.1 Introduction

xepersian-multiplechoice is a package for making multiple choices questionnaires under L^AT_EX. A special environment allows you to define questions and possible answers. You can specify which answers are correct and which are not. xepersian-multiplechoice not only formats the questions for you, but also generates a "form" (a grid that your students will have to fill in), and a "mask" (the same grid, only with correct answers properly checked in). You can then print the mask on a slide and correct the questionnaires more easily by superimposing the mask on top of students' forms.



6.2.2 Usage

Here we now explain the usage of this package, however there are four example files, namely `test-question-only.tex`, `test-solution-form.tex`, `test-empty-form.tex` and `test-correction.tex`, available in doc folder that you may want to look at.

6.2.3 Loading The Package

You can load the package as usual by:

```
\usepackage [Options] {xepersian-multiplechoice}
```

The available options are described along the text, where appropriate.

6.2.4 Creating Questions

Here's a simple example demonstrating how to produce a new question:

```
1 \begin{question}{سؤال}
2   جواب ١
3   \true ٢
4   جواب ٣
5   \false ٤
6   جواب
7 \end{question}
8 \begin{correction}
9   جواب واقعی و علت اینکه این جواب، جواب واقعی هست
10 \end{correction}
```

6.2.5 The question Environment

The `question` environment allows you to insert questions into your document. It takes one mandatory argument which specifies the actual question's text. The question will be displayed in a frame box, the size of the line.

```
\true \false
```

The proposed answers are displayed below the question in a list fashion (the question environment is a list-based one). Instead of using `\item` however, use either `\true` or `\false` to insert a possible answer.

6.2.6 Question Numbers

The `question` environment is associated with a L^AT_EX counter named `question`. This counter stores the number of the next (or current) question. It is initialized to 1, and automatically incremented at the end of `question` environments. You might want to use it to format question titles. For instance, you could decide that each question belongs to a subsection in the `article` class, and use something like this before each question: `\subsection*{Question \thequestion}`



6.2.7 The Form and the Mask

```
\makeform \makemask
```

Based on the questions appearing in your document, `xepersian-multiplechoice` has the ability to generate a “form” (a grid that your students will have to fill in), and a “mask” (the same grid, only with correct answers properly checked in). This can make the correction process easier.

To generate a form and a mask, use the macros `\makeform` and `\makemask`. `xepersian-multiplechoice` uses two auxiliary files to build them. These files have respectively an extension of `frm` and `msk`. If you use these macros, you will need two passes of `LATEX` in order to get a correctly formatted document.

6.2.8 Typesetting corrections

The “correction” mode allows you to automatically typeset and distribute corrections to your students. These corrections are slightly modified versions of your questionnaire: each possible answer is prefixed with a small symbol (a visual clue) indicating whether the answer was correct or wrong. In addition, you can typeset explanations below each question.

To activate the correction mode, use the `correction` option. It is off by default.

To typeset explanations below the questions, use the `correction` environment (no argument). The contents of this environment is displayed only in correction mode. In normal mode, it is simply discarded.

In addition, note that `xepersian-multiplechoice` cancels the actions performed by `\makeform` and `\makemask` in correction mode. This is to avoid further edition of the source when typesetting a correction.

6.2.9 Important Note

Currently, `xepersian-multiplechoice` requires that you provide a constant number of proposed answers across all questions in your `xepersian-multiplechoice`. This is something natural when you want to build forms, but this might me too restrictive otherwise, I’m not sure, so it is possible that this restriction will be removed in future versions.

Currently, there is a built-in mechanism for checking that the number of proposed answers remains constant: when `xepersian-multiplechoice` encounters the first occurrence of the `question` environment, it remembers the number of proposed answers from there. Afterwards, any noticed difference in subsequent occurrences will generate an error. As a consequence, you never have to tell `xepersian-multiplechoice` explicitly what that number is.

6.3 Customising The Package



6.3.1 The question environment

```
\questionspace \answerstitlefont \answernumberfont
```

\questionspace is the amount of extra vertical space to put under the question, before the list of proposed answers. This is a \LaTeX length that defaults to 0pt. Before the list of possible answers, a short title is displayed (for English, it reads "Possible answers:"). The \answerstitlefont macro takes one mandatory argument which redefines the font to use for the answers title. By default, \bfseries is used. Each proposed answer in the list is numbered automatically (and alphabetically). The \answernumberfont macro takes one mandatory argument which redefines the font to use for displaying the answer number. By default, \bfseries is used.

6.3.2 The Form and the Mask

```
\headerfont \X
```

The \headerfont macro takes one mandatory argument which redefines the font to use for the headers (first line and first column) of the form and mask arrays. By default, \bfseries is used.

In the mask, correct answers are checked in by filling the corresponding cell with an "X" character. If you want to change this, call the \X macro with one (mandatory) argument.

6.3.3 The correction

```
\truesymbol \falsesymbol
```

In correction mode, labels in front of answers are modified to give a visual clue about whether the answer was correct or wrong. By default, a cross and a small arrow are used. You can change these symbols by using the \truesymbol and \falsesymbol macros. For instance, you could give a fancier look to your correction by using the pifont package and issuing:

```
\truesymbol{\ding{'063}~}\falsesymbol{\ding{'067}~}
```

```
\correctionstyle
```

The appearance of the contents of the correction environment can be adjusted by using the \correctionstyle macro. By default, \itshape is used.

7 xepersian implementation

7.1 algorithmic-xepersian.def



```
1 \ProvidesFile{algorithmic-xepersian.def}[2010/07/25 v0.2 adaptations for algorithmic package]
2 \def\algorithmicrequire{\if@RTL\textrm{bf}{:}\else\textrm{bf}{\textrm{Require}:}\fi}
3 \def\algorithmicensure{\if@RTL\textrm{bf}{:}\else\textrm{bf}{\textrm{Ensure}:}\fi}
```

7.2 algorithm-xepersian.def

```
4 \ProvidesFile{algorithm-xepersian.def}[2010/07/25 v0.2 adaptations for algorithm package]
5 \def\ALG@name{\if@RTL else\Algorithm\fi}
6 \def\ALGS@name{ }
7 \def\listalgorithmname{\if@RTL \ALGS@name\else List of \ALG@name s\fi}
```

7.3 amsart-xepersian.def

```
8 \ProvidesFile{amsart-xepersian.def}[2017/02/04 v0.4 adaptations for amsart class]
9 \renewcommand \thepart {\@startibi\c@part}
10 \def\appendix{\par\c@section\z@\c@subsection\z@
11   \let\sectionname\appendixname
12   \def\thesection{\@harfi\c@section}}
13 }
```

7.4 amsbook-xepersian.def

```
14 \ProvidesFile{amsbook-xepersian.def}[2017/02/04 v0.5 adaptations for amsbook class]
15 \def\frontmatter{\cleardoublepage\pagenumbering{harfi}}
16 \renewcommand \thepart {\@startibi\c@part}
17 \def\appendix{\par
18   \c@chapter\z@\c@section\z@
19   \let\chaptername\appendixname
20   \def\thechapter{\@harfi\c@chapter}}
21
22 }
```

7.5 appendix-xepersian.def

```
23 \ProvidesFile{appendix-xepersian.def}[2015/02/01 v0.1 adaptations for appendix package]
24 \renewcommand{\@resets@pp}{\par
25   \@ppsavesec
26   \stepcounter{@pps}
27   \setcounter{section}{0}%
28   \if@chapter@pp
29     \setcounter{chapter}{0}%
30     \renewcommand{\chapapp}{\appendixname}%
31     \renewcommand{\thechapter}{\@harfi\c@chapter}%
32   \else
33     \setcounter{subsection}{0}%
34     \renewcommand{\thesection}{\@harfi\c@section}%
35   \fi
36   \restoreapp
37 }
```

7.6 article-xepersian.def

```
38 \ProvidesFile{article-xepersian.def}[2010/07/25 v0.2 adaptations for standard article class]
```



```

39 \renewcommand \thepart {\@tartibi\c@part}
40 \renewcommand\appendix{\par
41   \setcounter{section}{0}%
42   \setcounter{subsection}{0}%
43 \gdef\thesection{\@harfi\c@section}}

```

7.7 artikel1-xepersian.def

```

44 \ProvidesFile{artikel1-xepersian.def}[2010/07/25 v0.1 adaptations for artikel1 class]
45 \renewcommand*\thepart{\@tartibi\c@part}
46 \renewcommand*\appendix{\par
47   \setcounter{section}{0}%
48   \setcounter{subsection}{0}%
49 \gdef\thesection{\@harfi\c@section}}

```

7.8 artikel2-xepersian.def

```

50 \ProvidesFile{artikel2-xepersian.def}[2010/07/25 v0.1 adaptations for artikel2 class]
51 \renewcommand*\thepart{\@tartibi\c@part}
52 \renewcommand*\appendix{\par
53   \setcounter{section}{0}%
54   \setcounter{subsection}{0}%
55 \gdef\thesection{\@harfi\c@section}}

```

7.9 artikel3-xepersian.def

```

56 \ProvidesFile{artikel3-xepersian.def}[2010/07/25 v0.1 adaptations for artikel3 class]
57 \renewcommand*\thepart{\@tartibi\c@part}
58 \renewcommand*\appendix{\par
59   \setcounter{section}{0}%
60   \setcounter{subsection}{0}%
61 \gdef\thesection{\@harfi\c@section}}

```

7.10 backref-xepersian.def

```

62 \ProvidesFile{backref-xepersian.def}[2010/07/25 v0.1 adaptations for backref package]
63 \def\backrefpagesname{\if@RTL else\ pages\fi}
64 \def\BR@Latincitex[#1]#2{%
65   \BRorg@Latincitex[\{#1\}]\{#2\}%
66   \ifBR@verbose
67     \PackageInfo{backref}{back Latin cite `string`\#2`string'}%
68   \fi
69   \Hy@backout{\#2}%
70 }
71 \AtBeginDocument{%
72   \@ifundefined{NAT@parse}{%
73     \global\let\BRorg@Latincitex\@Latincitex
74     \global\let\@Latincitex\BR@Latincitex
75   }{%
76     \@ifpackageloaded{hyperref}{}{%
77       \def\hyper@natlinkstart#1{\Hy@backout{\#1}}%
78     }%
79     \PackageInfo{backref}{** backref set up for natbib **}%

```



```
80  }%
81 }%
```

7.11 bidituftesidenote-xepersian.def

```
82 \ProvidesFile{bidituftesidenote-xepersian.def}[2017/02/04 v0.3 xepersian changes to biditufte
83
84 \setLTRcitationfont{\resetlatinfont\footnotesize}
85
86 \renewcommand*{\@bidituftesidenote@LTRmarginfont}{\resetlatinfont\footnotesize}
87
88 \renewcommand*{\@bidituftesidenote@RTLmarginfont}{\setpersianfont\footnotesize}
89
90
```

7.12 bidimoderncv-xepersian.def

```
91 \ProvidesFile{bidimoderncv-xepersian.def}[2010/07/25 v0.1 adaptations for bidimoderncv class]
92 \def\refname{\if@RTL else\ Publications\fi}
```

7.13 boek3-xepersian.def

```
93 \ProvidesFile{boek3-xepersian.def}[2010/07/25 v0.1 adaptations for boek3 class]
94 \renewcommand*\thepart{\@tartibi\c@part}
95 \renewcommand*\frontmatter{%
96   \cleardoublepage
97   \mainmatterfalse
98   \pagenumbering{harfi}}
99 \renewcommand*\appendix{\par
100  \setcounter{chapter}{0}%
101  \setcounter{section}{0}%
102  \gdef\@chapapp{\appendixname}%
103  \gdef\thechapter{\@harfi\c@chapter}}
```

7.14 boek-xepersian.def

```
104 \ProvidesFile{boek-xepersian.def}[2010/07/25 v0.1 adaptations for boek class]
105 \renewcommand*\thepart{\@tartibi\c@part}
106 \renewcommand*\frontmatter{%
107   \cleardoublepage
108   \mainmatterfalse
109   \pagenumbering{harfi}}
110 \renewcommand*\appendix{\par
111  \setcounter{chapter}{0}%
112  \setcounter{section}{0}%
113  \gdef\@chapapp{\appendixname}%
114  \gdef\thechapter{\@harfi\c@chapter}}
```

7.15 bookest-xepersian.def

```
115 \ProvidesFile{bookest-xepersian.def}[2010/07/25 v0.1 adaptations for bookest class]
116 \renewcommand \thepart {\@tartibi\c@part}
117 \renewcommand\appendix{\par
```



```

118 \setcounter{chapter}{0}%
119 \setcounter{section}{0}%
120 \gdef\@chapapp{\appendixname}%
121 \gdef\thechapter{\@arabic\c@chapter}%
122 }%end appendix

```

7.16 book-xepersian.def

```

123 \ProvidesFile{book-xepersian.def}[2010/07/25 v0.2 adaptations for standard book class]
124 \renewcommand\frontmatter{%
125   \cleardoublepage
126   \@mainmatterfalse
127   \pagenumbering{harfi}}
128 \renewcommand\thepart {\@arabic\c@part}
129 \renewcommand\appendix{\par
130   \setcounter{chapter}{0}%
131   \setcounter{section}{0}%
132   \gdef\@chapapp{\appendixname}%
133   \gdef\thechapter{\@arabic\c@chapter}%
134 }%end appendix

```

7.17 breqn-xepersian.def

```

135 \ProvidesFile{breqn-xepersian.def}[2010/07/25 v0.1 adaptations for breqn package]
136 \def@\dmath[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
137   \everydisplay\expandafter{\the\everydisplay \display@setup}%
138   \if@noskipsec \leavevmode \fi
139   \if@inlabel \leavevmode \global\@inlabelfalse \fi
140   \if\eq@group\else\eq@prelim\fi
141   \setkeys{breqn}{#1}%
142   \the\eqstyle
143   \eq@setnumber
144   \begingroup
145   \eq@setup@a
146   \eq@startup
147 }
148 \def@\dgroup[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
149   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
150   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
151   \global\let\GRP@label\empty
152   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
153   \global\grp@linewidth\z@\global\grp@wdNum\z@
154   \global\let\grp@eqs@numbered\@False
155   \global\let\grp@aligned\@True
156   \global\let\grp@shiftnumber\@False
157   \eq@prelim
158   \setkeys{breqn}{#1}%
159   \if\grp@hasNumber \grp@setnumber \fi
160 }
161 \def@\dseries[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
162   \let\display@setup\dseries@display@setup

```



```

163 % Question: should this be the default for dseries???
164 \global\eq@wdCond\z@
165 \@dmath[layout={M},#1]%
166 \mathsurround\z@\@@math \penalty\@Mi
167 \let\endmath\ends@math
168 \def\premath{%
169   \ifdim\lastskip<.3em \unskip
170   \else\ifnum\lastpenalty<\@M \dquad\fi\fi
171 }%
172 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
173 \ignorespaces
174 }

```

7.18 latex-localise-commands-xepersian.def

```

175 \ProvidesFile{latex-localise-commands-xepersian.def}[2014/02/05 v0.3 Persian localisation of L
176 \eqcommand{ }{@arstrut}
177 \eqcommand{ }{@above}
178 \eqcommand{ }{@abovedisplayshortskip}
179 \eqcommand{ }{@abovedisplayskip}
180 \eqcommand{ }{@abstractname}
181 \eqcommand{ }{@accent}
182 \eqcommand{ }{@active}
183 \eqcommand{ }{@addcontentsline}
184 \eqcommand{ }{@addpenalty}
185 \eqcommand{ }{@address}
186 \eqcommand{ }{@addtocontents}
187 \eqcommand{ }{@addtocounter}
188 \eqcommand{ }{@addtolength}
189 \eqcommand{ }{@addvspace}
190 \eqcommand{ }{@adjdemerits}
191 \eqcommand{ }{@advance}
192 \eqcommand{ }{@afterassignment}
193 \eqcommand{ }{@aftergroup}
194 \eqcommand{ }{@aleph}
195 \eqcommand{ }{@aliasfontfeature}
196 \eqcommand{ }{@aliasfontfeatureoption}
197 \eqcommand{ }{@allowbreak}
198 \eqcommand{ @}{@alloc@}
199 \eqcommand{ }{@allocationnumber}
200 \eqcommand{ }{@allowdisplaybreaks}
201 \eqcommand{ }{@Alph}
202 \eqcommand{ }{@alph}
203 \eqcommand{ }{@alsoname}
204 \eqcommand{ }{@and}
205 \eqcommand{ }{@angle}
206 \eqcommand{ }{@appendixname}
207 \eqcommand{ }{@approx}
208 \eqcommand{ }{@arabic}
209 \eqcommand{ }{@arg}

```



```

210 \eqcommand{ }{arrayrulecolor}
211 \eqcommand{ }{arraycolsep}
212 \eqcommand{ }{arrayrulewidth}
213 \eqcommand{ }{arraystretch}
214 \eqcommand{ }{AtBeginDocument}
215 \eqcommand{ }{AtEndDocument}
216 \eqcommand{ }{AtEndOfClass}
217 \eqcommand{ }{AtEndOfPackage}
218 \eqcommand{ }{author}
219 \eqcommand{ }{backmatter}
220 \eqcommand{ }{backslash}
221 \eqcommand{ }{badness}
222 \eqcommand{ }{bar}
223 \eqcommand{ }{baselineskip}
224 \eqcommand{ }{baselinestretch}
225 \eqcommand{ }{batchmode}
226 \eqcommand{ }{begin}
227 \eqcommand{ }{beginL}
228 \eqcommand{ }{beginR}
229 \eqcommand{ }{begingroup}
230 \eqcommand{ }{belowdisplayshortskip}
231 \eqcommand{ }{belowdisplayskip}
232 \eqcommand{ }{bf}
233 \eqcommand{ }{bfdefault}
234 \eqcommand{ }{bfseries}
235 \eqcommand{ }{bgroup}
236 \eqcommand{ }{bibitem}
237 \eqcommand{ }{bibliography}
238 \eqcommand{ }{bibliographystyle}
239 \eqcommand{ }{bibname}
240 \eqcommand{ }{bigskip}
241 \eqcommand{ }{bigskipamount}
242 \eqcommand{ }{botfigrule}
243 \eqcommand{ }{botmark}
244 \eqcommand{ }{bottompageskip}
245 \eqcommand{ }{bottomfraction}
246 \eqcommand{ }{box}
247 \eqcommand{ }{boxmaxdepth}
248 \eqcommand{ }{break}
249 \eqcommand{ }{bullet}
250 \eqcommand{ @ }{@cclv}
251 \eqcommand{ @ }{@cclvi}
252 \eqcommand{ }{caption}
253 \eqcommand{ }{catcode}
254 \eqcommand{ }{cc}
255 \eqcommand{ }{ccname}
256 \eqcommand{ }{cdot}
257 \eqcommand{ }{cdots}
258 \eqcommand{ }{centering}
259 \eqcommand{ }{centerline}

```



```

260 \eqcommand{ @ }{ch@ck}
261 \eqcommand{ }{chapter}
262 \eqcommand{ }{chaptername}
263 \eqcommand{ }{char}
264 \eqcommand{ }{chardef}
265 \eqcommand{ }{CheckCommand}
266 \eqcommand{ }{cite}
267 \eqcommand{ }{ClassError}
268 \eqcommand{ }{ClassInfo}
269 \eqcommand{ }{ClassWarning}
270 \eqcommand{ }{ClassWarningNoLine}
271 \eqcommand{ }{cleaders}
272 \eqcommand{ }{cleardoublepage}
273 \eqcommand{ }{clearpage}
274 \eqcommand{ }{cline}
275 \eqcommand{ }{closein}
276 \eqcommand{ }{closeout}
277 \eqcommand{ }{closing}
278 \eqcommand{ }{clubpenalty}
279 \eqcommand{ }{clubsuit}
280 \eqcommand{ }{colbotmark}
281 \eqcommand{ }{colfirstmark}
282 \eqcommand{ }{color}
283 \eqcommand{ }{colorbox}
284 \eqcommand{ }{coltopmark}
285 \eqcommand{ }{columncolor}
286 \eqcommand{ }{columnsep}
287 \eqcommand{ }{columnwidth}
288 \eqcommand{ }{columnseprule}
289 \eqcommand{ }{contentsline}
290 \eqcommand{ }{contentsname}
291 \eqcommand{ }{copy}
292 \eqcommand{ }{copyright}
293 \eqcommand{ }{count}
294 \eqcommand{ @}{count@}
295 \eqcommand{ }{countdef}
296 \eqcommand{ }{cr}
297 \eqcommand{ }{crcr}
298 \eqcommand{ }{csname}
299 \eqcommand{ }{CurrentOption}
300 \eqcommand{ }{dashbox}
301 \eqcommand{ }{dashv}
302 \eqcommand{@ }{@date}
303 \eqcommand{ }{date}
304 \eqcommand{ }{day}
305 \eqcommand{ }{dblbotfigrule}
306 \eqcommand{ }{dblbottomfraction}
307 \eqcommand{ }{dblfigrule}
308 \eqcommand{ }{dblfloatpagefraction}
309 \eqcommand{ }{dblfloatsep}

```



```

310 \eqcommand{      }{dblfnntlocatecode}
311 \eqcommand{      }{dbltextfloatsep}
312 \eqcommand{      }{dbltopfraction}
313 \eqcommand{      }{DeclareFixedFont}
314 \eqcommand{      }{DeclareGraphicsExtensions}
315 \eqcommand{      }{DeclareGraphicsRule}
316 \eqcommand{      }{DeclareOldFontCommand}
317 \eqcommand{      }{DeclareOption}
318 \eqcommand{      }{DeclareRobustCommand}
319 \eqcommand{      }{DeclareSymbolFont}
320 \eqcommand{      }{deadcycles}
321 \eqcommand{ }{def}
322 \eqcommand{ @ }{define@key}
323 \eqcommand{      }{definecolor}
324 \eqcommand{      }{deg}
325 \eqcommand{      }{delcode}
326 \eqcommand{      }{delimiter}
327 \eqcommand{      }{delimiterfactor}
328 \eqcommand{      }{depth}
329 \eqcommand{      }{diamondsuit}
330 \eqcommand{      }{dim}
331 \eqcommand{      }{dimen}
332 \eqcommand{ @ }{dimen@}
333 \eqcommand{ @ }{dimen@i}
334 \eqcommand{ @ }{dimen@ii}
335 \eqcommand{      }{dimendef}
336 \eqcommand{      }{discretionary}
337 \eqcommand{      }{displaybreak}
338 \eqcommand{      }{displayindent}
339 \eqcommand{      }{displaystyle}
340 \eqcommand{      }{displaywidth}
341 \eqcommand{      }{divide}
342 \eqcommand{      }{documentclass}
343 \eqcommand{ }{do}
344 \eqcommand{      }{dospecials}
345 \eqcommand{      }{dot}
346 \eqcommand{      }{doteq}
347 \eqcommand{      }{dotfill}
348 \eqcommand{      }{dots}
349 \eqcommand{      }{doublebox}
350 \eqcommand{      }{doublerulesepcolor}
351 \eqcommand{      }{doublerulesep}
352 \eqcommand{      }{downarrow}
353 \eqcommand{      }{dp}
354 \eqcommand{      }{dump}
355 \eqcommand{      }{edef}
356 \eqcommand{      }{egroup}
357 \eqcommand{      }{eject}
358 \eqcommand{      }{else}
359 \eqcommand{      }{em}

```



```

360 \eqcommand{ }{emergencystretch}
361 \eqcommand{ }{emph}
362 \eqcommand{@ }{@empty}
363 \eqcommand{ }{empty}
364 \eqcommand{ }{emptyset}
365 \eqcommand{ }{end}
366 \eqcommand{ }{endL}
367 \eqcommand{ }{endR}
368 \eqcommand{ }{endcsname}
369 \eqcommand{ }{endfirsthead}
370 \eqcommand{ }{endfoot}
371 \eqcommand{ }{endgraf}
372 \eqcommand{ }{endgroup}
373 \eqcommand{ }{endhead}
374 \eqcommand{ }{endinput}
375 \eqcommand{ }{endlastfoot}
376 \eqcommand{ }{enlargethispage}
377 \eqcommand{ }{endline}
378 \eqcommand{ }{endlinechar}
379 \eqcommand{ }{enspace}
380 \eqcommand{ }{enskip}
381 \eqcommand{ }{eqcommand}
382 \eqcommand{ }{eqenvironment}
383 \eqcommand{ }{eqref}
384 \eqcommand{ }{errhelp}
385 \eqcommand{ }{errmessage}
386 \eqcommand{ }{errorcontextlines}
387 \eqcommand{ }{errorstopmode}
388 \eqcommand{ }{escapechar}
389 \eqcommand{ }{euro}
390 \eqcommand{ }{evensidemargin}
391 \eqcommand{ }{everycr}
392 \eqcommand{ }{everydisplay}
393 \eqcommand{ }{everyhbox}
394 \eqcommand{ }{everyjob}
395 \eqcommand{ }{everymath}
396 \eqcommand{ }{everypar}
397 \eqcommand{ }{everyvbox}
398 \eqcommand{ }{ExecuteOptions}
399 \eqcommand{ }{exhyphenpenalty}
400 \eqcommand{ }{expandafter}
401 \eqcommand{ }{extracolsep}
402 \eqcommand{@ }{@firstofone}
403 \eqcommand{@ }{@firstoftwo}
404 \eqcommand{ @ }{fcur}
405 \eqcommand{ }{fam}
406 \eqcommand{ }{fancypage}
407 \eqcommand{ }{fbox}
408 \eqcommand{ }{fboxrule}
409 \eqcommand{ }{fboxsep}

```



```

410 \eqcommand{ }{fcolorbox}
411 \eqcommand{ }{fi}
412 \eqcommand{ }{figurename}
413 \eqcommand{ }{filbreak}
414 \eqcommand{ }{fill}
415 \eqcommand{ }{firstmark}
416 \eqcommand{ }{flat}
417 \eqcommand{ }{floatpagefraction}
418 \eqcommand{ }{floatingpenalty}
419 \eqcommand{ }{floatsep}
420 \eqcommand{ }{flushbottom}
421 \eqcommand{ }{fmtname}
422 \eqcommand{ }{fmtversion}
423 \eqcommand{ }{fnssymbol}
424 \eqcommand{ }{font}
425 \eqcommand{ }{fontdimen}
426 \eqcommand{ }{fontencoding}
427 \eqcommand{ }{fontfamily}
428 \eqcommand{ }{fontname}
429 \eqcommand{ }{fontseries}
430 \eqcommand{ }{fontshape}
431 \eqcommand{ }{fontsize}
432 \eqcommand{ }{footheight}
433 \eqcommand{ }{footins}
434 \eqcommand{ }{footnote}
435 \eqcommand{ }{footnotemark}
436 \eqcommand{ }{footnoterule}
437 \eqcommand{ }{footnotesep}
438 \eqcommand{ }{footnotesize}
439 \eqcommand{ }{footnotetext}
440 \eqcommand{ }{footskip}
441 \eqcommand{ }{frame}
442 \eqcommand{ }{framebox}
443 \eqcommand{ }{frenchspacing}
444 \eqcommand{ }{frontmatter}
445 \eqcommand{ }{futurelet}
446 \eqcommand{@ }{@gobble}
447 \eqcommand{@ }{@gobbletwo}
448 \eqcommand{@ }{@gobblefour}
449 \eqcommand{@ }{@gtmpa}
450 \eqcommand{@ }{@gtmpb}
451 \eqcommand{ }{gdef}
452 \eqcommand{ }{GenericInfo}
453 \eqcommand{ }{GenericWarning}
454 \eqcommand{ }{GenericError}
455 \eqcommand{ }{global}
456 \eqcommand{ }{globaldefs}
457 \eqcommand{ }{glossary}
458 \eqcommand{ }{glossaryentry}
459 \eqcommand{ }{goodbreak}

```



```

460 \eqcommand{ }{graphpaper}
461 \eqcommand{ }{guillemotleft}
462 \eqcommand{ }{guillemotright}
463 \eqcommand{ }{guilsinglleft}
464 \eqcommand{ }{guilsinglright}
465 \eqcommand{ }{halign}
466 \eqcommand{ }{hang}
467 \eqcommand{ }{hangafter}
468 \eqcommand{ }{hangindent}
469 \eqcommand{ }{hbadness}
470 \eqcommand{ }{hbox}
471 \eqcommand{ }{headheight}
472 \eqcommand{ }{headsep}
473 \eqcommand{ }{headtoname}
474 \eqcommand{ }{heartsuit}
475 \eqcommand{ }{height}
476 \eqcommand{ }{hfil}
477 \eqcommand{ }{hfill}
478 \eqcommand{ }{hfilneg}
479 \eqcommand{ }{hfuzz}
480 \eqcommand{ }{hideskip}
481 \eqcommand{ }{hidewidth}
482 \bidi@csletcs{ }{hline}% this is an exception
483 \eqcommand{ }{hoffset}
484 \eqcommand{ }{holdinginserts}
485 \eqcommand{ }{hrboxsep}
486 \eqcommand{ }{hrule}
487 \eqcommand{ }{hrulefill}
488 \eqcommand{ }{hsize}
489 \eqcommand{ }{hskip}
490 \eqcommand{ }{hspace}
491 \eqcommand{ }{hss}
492 \eqcommand{ }{ht}
493 \eqcommand{ }{huge}
494 \eqcommand{ }{Huge}
495 \eqcommand{ }{hyperlink}
496 \eqcommand{ }{hypersetup}
497 \eqcommand{ }{hypertarget}
498 \eqcommand{ }{hyphenation}
499 \eqcommand{ }{hyphenchar}
500 \eqcommand{ }{hyphenpenalty}
501 \eqcommand{@ }{@ifclassloaded}
502 \eqcommand{@ }{@ifdefinable}
503 \eqcommand{@ }{@ifnextchar}
504 \eqcommand{@ }{@ifpackageloaded}
505 \eqcommand{@ }{@ifstar}
506 \eqcommand{@ }{@ifundefined}
507 \eqcommand{ }{if}
508 \eqcommand{ @ }{@if@tempswa}
509 \eqcommand{ }{ifcase}

```



```

510 \eqcommand{ }{ifcat}
511 \eqcommand{ }{ifdefined}
512 \eqcommand{ }{ifdim}
513 \eqcommand{ }{ifeof}
514 \eqcommand{ }{iff}
515 \eqcommand{ }{iffalse}
516 \eqcommand{ }{IfFileExists}
517 \eqcommand{ }{ifhbox}
518 \eqcommand{ }{ifhmode}
519 \eqcommand{ }{ifinner}
520 \eqcommand{ }{ifmmode}
521 \eqcommand{ }{ifnum}
522 \eqcommand{ }{ifodd}
523 \eqcommand{ }{ifthenelse}
524 \eqcommand{ }{iftrue}
525 \eqcommand{ }{ifvbox}
526 \eqcommand{ }{ifvmode}
527 \eqcommand{ }{ifvoid}
528 \eqcommand{ }{ifx}
529 \eqcommand{ }{ignorespaces}
530 \eqcommand{ }{immediate}
531 \eqcommand{ }{include}
532 \eqcommand{ }{includegraphics}
533 \eqcommand{ }{includeonly}
534 \eqcommand{ }{indent}
535 \eqcommand{ }{index}
536 \eqcommand{ }{indexentry}
537 \eqcommand{ }{indexname}
538 \eqcommand{ }{indexspace}
539 \eqcommand{ }{input}
540 \eqcommand{ }{InputIfExists}
541 \eqcommand{ }{inputlineno}
542 \eqcommand{ }{insert}
543 \eqcommand{ }{insertpenalties}
544 \eqcommand{ }{interfootnotelinepenalty}
545 \eqcommand{ }{interdisplaylinepenalty}
546 \eqcommand{ }{interlinepenalty}
547 \eqcommand{ }{intertext}
548 \eqcommand{ }{intertextsep}
549 \eqcommand{ }{invisible}
550 \eqcommand{ }{itdefault}
551 \eqcommand{ }{itshape}
552 \eqcommand{ }{item}
553 \eqcommand{ }{itemindent}
554 \eqcommand{ }{itemsep}
555 \eqcommand{ }{iterate}
556 \eqcommand{ }{itshape}
557 \eqcommand{ }{jobname}
558 \eqcommand{ }{jot}
559 \eqcommand{ }{kern}

```



```

560 \eqcommand{ }{kill}
561 \eqcommand{ }{label}
562 \eqcommand{ }{labelenumi}
563 \eqcommand{ }{labelenumii}
564 \eqcommand{ }{labelenumiii}
565 \eqcommand{ }{labelenumiv}
566 \eqcommand{ }{labelitemi}
567 \eqcommand{ }{labelitemii}
568 \eqcommand{ }{labelitemiii}
569 \eqcommand{ }{labelitemiv}
570 \eqcommand{ }{labelsep}
571 \eqcommand{ }{labelwidth}
572 \eqcommand{ }{language}
573 \eqcommand{ }{large}
574 \eqcommand{ }{Large}
575 \eqcommand{ }{LARGE}
576 \eqcommand{ }{lastbox}
577 \eqcommand{ }{lastkern}
578 \eqcommand{ }{lastpenalty}
579 \eqcommand{ }{lastskip}
580 \eqcommand{ }{LaTeX}
581 \eqcommand{ }{LaTeXe}
582 \eqcommand{ }{lccode}
583 \eqcommand{ }{ldots}
584 \eqcommand{ }{leaders}
585 \eqcommand{ }{leavevmode}
586 \eqcommand{ }{left}
587 \eqcommand{ }{leftmargin}
588 \eqcommand{ }{leftmargini}
589 \eqcommand{ }{leftmarginii}
590 \eqcommand{ }{leftmarginiii}
591 \eqcommand{ }{leftmarginiv}
592 \eqcommand{ }{leftmarginv}
593 \eqcommand{ }{leftmarginvi}
594 \eqcommand{ }{leftmark}
595 \eqcommand{ }{leftpageskip}
596 \eqcommand{ }{leftskip}
597 \eqcommand{ }{let}
598 \eqcommand{ }{line}
599 \eqcommand{ }{linebreak}
600 \eqcommand{ }{linepenalty}
601 \eqcommand{ }{lineskip}
602 \eqcommand{ }{lineskiplimit}
603 \eqcommand{ }{linespread}
604 \eqcommand{ }{linethickness}
605 \eqcommand{ }{linewidth}
606 \eqcommand{ }{listfigurename}
607 \eqcommand{ }{listfiles}
608 \eqcommand{ }{listoffigures}
609 \eqcommand{ }{listoftables}

```



```

610 \eqcommand{      }{listparindent}
611 \eqcommand{      }{listtablename}
612 \eqcommand{      }{LoadClass}
613 \eqcommand{      }{LoadClassWithOptions}
614 \eqcommand{  }{location}
615 \eqcommand{  }{long}
616 \eqcommand{  }{looseness}
617 \eqcommand{  }{lower}
618 \eqcommand{@ }{@makeother}
619 \eqcommand{@ }{@m}
620 \eqcommand{ @ }{@M}
621 \eqcommand{ @ }{@Mi}
622 \eqcommand{ @ }{@Mii}
623 \eqcommand{ @ }{@Miii}
624 \eqcommand{ @ }{@Miv}
625 \eqcommand{ @ }{@MM}
626 \eqcommand{ @ }{@one}
627 \eqcommand{      }{mag}
628 \eqcommand{      }{magstep}
629 \eqcommand{      }{magstephalf}
630 \eqcommand{      }{mainmatter}
631 \eqcommand{      }{makeatletter}
632 \eqcommand{      }{makeatother}
633 \eqcommand{      }{makebox}
634 \eqcommand{      }{makeglossary}
635 \eqcommand{      }{makeindex}
636 \eqcommand{      }{makelabel}
637 \eqcommand{      }{makelabels}
638 \eqcommand{      }{MakeLowercase}
639 \eqcommand{      }{maketitle}
640 \eqcommand{      }{MakeUppercase}
641 \eqcommand{      }{marginpar}
642 \eqcommand{      }{marginparpush}
643 \eqcommand{      }{marginparsep}
644 \eqcommand{      }{marginparwidth}
645 \eqcommand{      }{mark}
646 \eqcommand{      }{markboth}
647 \eqcommand{      }{markright}
648 \eqcommand{      }{mathaccent}
649 \eqcommand{      }{mathchar}
650 \eqcommand{      }{mathchardef}
651 \eqcommand{      }{mathcode}
652 \eqcommand{      }{mathrm}
653 \eqcommand{      }{maxdeadcycles}
654 \eqcommand{      }{maxdepth}
655 \eqcommand{      }{maxdimen}
656 \eqcommand{      }{mbox}
657 \eqcommand{      }{mdseries}
658 \eqcommand{      }{meaning}
659 \eqcommand{      }{mediumseries}

```



```

660 \eqcommand{ }{\medmuskip}
661 \eqcommand{ }{\medskip}
662 \eqcommand{ }{\medskipamount}
663 \eqcommand{ }{\medspace}
664 \eqcommand{ }{\message}
665 \eqcommand{ }{\MessageBreak}
666 \eqcommand{ }{\minrowclearance}
667 \eqcommand{ }{\mkern}
668 \eqcommand{ }{\month}
669 \eqcommand{ }{\moveleft}
670 \eqcommand{ }{\moveright}
671 \eqcommand{ }{\mskip}
672 \eqcommand{ @ }{\m@th}
673 \eqcommand{ }{\multicolumn}
674 \eqcommand{ }{\multiply}
675 \eqcommand{ }{\multispan}
676 \eqcommand{ }{\muskip}
677 \eqcommand{ }{\muskipdef}
678 \eqcommand{@ }{\cnamedef}
679 \eqcommand{@ }{\cnameuse}
680 \eqcommand{ @}{\cne}
681 \eqcommand{ }{\name}
682 \eqcommand{ }{\natural}
683 \eqcommand{ }{\nearrow}
684 \eqcommand{ }{\nearrower}
685 \eqcommand{ }{\NeedsTeXFormat}
686 \eqcommand{ }{\neg}
687 \eqcommand{ }{\negmedspace}
688 \eqcommand{ }{\negthickspace}
689 \eqcommand{ }{\negthinspace}
690 \eqcommand{ }{\newboolean}
691 \eqcommand{ }{\newbox}
692 \eqcommand{ }{\newcommand}
693 \eqcommand{ }{\newcount}
694 \eqcommand{ }{\newcounter}
695 \eqcommand{ }{\newdimen}
696 \eqcommand{ }{\newenvironment}
697 \eqcommand{ }{\newfam}
698 \eqcommand{ }{\newfont}
699 \eqcommand{ }{\newhelp}
700 \eqcommand{ }{\newinsert}
701 \eqcommand{ }{\newlabel}
702 \eqcommand{ }{\newlength}
703 \eqcommand{ }{\newline}
704 \eqcommand{ }{\newlinechar}
705 \eqcommand{ }{\newmuskip}
706 \eqcommand{ }{\newpage}
707 \eqcommand{ }{\newread}
708 \eqcommand{ }{\newsavebox}
709 \eqcommand{ }{\newskip}

```



```

710 \eqcommand{ }{newtheorem}
711 \eqcommand{ }{newtoks}
712 \eqcommand{ }{newwrite}
713 \eqcommand{ }{noalign}
714 \eqcommand{ }{nobreak}
715 \eqcommand{ }{nobreakspace}
716 \eqcommand{ }{nocite}
717 \eqcommand{ }{noexpand}
718 \eqcommand{ }{nofiles}
719 \eqcommand{ }{noindent}
720 \eqcommand{ }{nointerlineskip}
721 \eqcommand{ }{nolimits}
722 \eqcommand{ }{nolinebreak}
723 \eqcommand{ }{nonstopmode}
724 \eqcommand{ }{nonfrenchspacing}
725 \eqcommand{ }{nonumber}
726 \eqcommand{ }{nopagebreak}
727 \eqcommand{ }{normalbaselines}
728 \eqcommand{ }{normalbaselineskip}
729 \eqcommand{ }{normalcolor}
730 \eqcommand{ }{normalfont}
731 \eqcommand{ }{normallineskip}
732 \eqcommand{ }{normallineskiplimit}
733 \eqcommand{ }{normalmarginpar}
734 \eqcommand{ }{normalsize}
735 \eqcommand{ }{notag}
736 \eqcommand{ }{null}
737 \eqcommand{ }{nullfont}
738 \eqcommand{ }{number}
739 \eqcommand{ }{numberline}
740 \eqcommand{ }{numberwithin}
741 \eqcommand{ }{@evenfoot}
742 \eqcommand{ }{@evenhead}
743 \eqcommand{ }{@oddfoot}
744 \eqcommand{ }{@oddhead}
745 \eqcommand{ }{@outeqntrue}
746 \eqcommand{ }{@outeqnfase}
747 \eqcommand{ }{obeylines}
748 \eqcommand{ }{obeyspaces}
749 \eqcommand{ }{oddsidemargin}
750 \eqcommand{ }{offinterlineskip}
751 \eqcommand{ }{omit}
752 \eqcommand{@ }{@onlypreamble}
753 \eqcommand{ }{onecolumn}
754 \eqcommand{ }{onlynotes}
755 \eqcommand{ }{onlyslides}
756 \eqcommand{ }{openin}
757 \eqcommand{ }{openout}
758 \eqcommand{ }{OptionNotUsed}
759 \eqcommand{ }{or}

```



```

760 \eqcommand{ }{outer}
761 \eqcommand{ }{output}
762 \eqcommand{ }{outputpenalty}
763 \eqcommand{ }{overfullrule}
764 \eqcommand{@ }{@preamblecmds}
765 \eqcommand{@ }{p@}
766 \eqcommand{ }{PackageError}
767 \eqcommand{ }{PackageInfo}
768 \eqcommand{ }{PackageWarning}
769 \eqcommand{ }{PackageWarningNoLine}
770 \eqcommand{ }{pagebreak}
771 \eqcommand{ }{pagecolor}
772 \eqcommand{ }{pagedepth}
773 \eqcommand{ }{pagefillstretch}
774 \eqcommand{ }{pagefillstretch}
775 \eqcommand{ }{pagefilstretch}
776 \eqcommand{ }{pagegoal}
777 \eqcommand{ }{pagename}
778 \eqcommand{ }{pagenumbering}
779 \eqcommand{ }{pageref}
780 \eqcommand{ }{pagerulewidth}
781 \eqcommand{ }{pageshrink}
782 \eqcommand{ }{pagestretch}
783 \eqcommand{ }{pagestyle}
784 \eqcommand{ }{pagetotal}
785 \eqcommand{ }{paperheight}
786 \eqcommand{ }{paperwidth}
787 \bidi@csdefcs{ }{par}% this is an exception since \par is redefined only in some circumstances
788 \eqcommand{ }{paragraph}
789 \eqcommand{ }{parallel}
790 \eqcommand{ }{parbox}
791 \eqcommand{ }{parfillskip}
792 \eqcommand{ }{parindent}
793 \eqcommand{ }{parsep}
794 \eqcommand{ }{parshape}
795 \eqcommand{ }{parskip}
796 \eqcommand{ }{part}
797 \eqcommand{ }{partname}
798 \eqcommand{ }{partopsep}
799 \eqcommand{ }{PassOptionToClass}
800 \eqcommand{ }{PassOptionToPackage}
801 \eqcommand{ }{path}
802 \eqcommand{ }{patterns}
803 \eqcommand{ }{pausing}
804 \eqcommand{ }{penalty}
805 \eqcommand{ }{phantom}
806 \eqcommand{ }{poptabs}
807 \eqcommand{ }{postdisplaypenalty}
808 \eqcommand{ }{predisplaydirection}
809 \eqcommand{ }{predisplaypenalty}

```



```

810 \eqcommand{ }{predisplaysize}
811 \eqcommand{ }{pretolerance}
812 \eqcommand{ }{prevdepth}
813 \eqcommand{ }{prevgraf}
814 \eqcommand{ }{printindex}
815 \eqcommand{ }{ProcessOptions}
816 \eqcommand{ }{protect}
817 \eqcommand{ }{providecommand}
818 \eqcommand{ }{ProvidesClass}
819 \eqcommand{ }{ProvidesFile}
820 \eqcommand{ }{ProvidesPackage}
821 \eqcommand{ }{pushtabs}
822 \eqcommand{ }{quad}
823 \eqcommand{ }{qqquad}
824 \eqcommand{@ }{@outputpagerestore}
825 \eqcommand{ }{radical}
826 \eqcommand{ }{raggedbottom}
827 \eqcommand{ }{raggedleft}
828 \eqcommand{ }{raggedright}
829 \eqcommand{ }{raise}
830 \eqcommand{ }{raisebox}
831 \eqcommand{ }{raisetag}
832 \eqcommand{ }{rangle}
833 \eqcommand{ }{rceil}
834 \eqcommand{ }{read}
835 \eqcommand{ }{ref}
836 \eqcommand{ }{reflectbox}
837 \eqcommand{ }{refname}
838 \eqcommand{ }{refstepcounter}
839 \eqcommand{ }{relax}
840 \eqcommand{ }{removelastskip}
841 \eqcommand{ }{renewcommand}
842 \eqcommand{ }{renewenvironment}
843 \eqcommand{ }{RequirePackage}
844 \eqcommand{ }{RequirePackageWithOptions}
845 \eqcommand{ }{resizebox}
846 \eqcommand{ }{reversemarginpar}
847 \eqcommand{ }{rfloor}
848 \eqcommand{ }{right}
849 \eqcommand{ }{rightmargin}
850 \eqcommand{ }{rightmark}
851 \eqcommand{ }{rightpageskip}
852 \eqcommand{ }{rightskip}
853 \eqcommand{ }{rmdefault}
854 \eqcommand{ }{rmfamily}
855 \eqcommand{ }{Roman}
856 \eqcommand{ }{roman}
857 \eqcommand{ }{romannumeral}
858 \eqcommand{ }{rotatebox}
859 \eqcommand{ }{rowcolor}

```



```

860 \eqcommand{ }{rule}
861 \eqcommand{@ }{@secondoftwo}
862 \eqcommand{@ }{@spaces}
863 \eqcommand{ }{samepage}
864 \eqcommand{ }{savebox}
865 \eqcommand{ }{sbox}
866 \eqcommand{ }{scalebox}
867 \eqcommand{ }{scdefault}
868 \eqcommand{ }{scshape}
869 \eqcommand{ }{setkeys}
870 \eqcommand{ }{scriptfont}
871 \eqcommand{ }{scriptschriftfont}
872 \eqcommand{ }{scriptschriftstyle}
873 \eqcommand{ }{scriptsize}
874 \eqcommand{ }{scripstyle}
875 \eqcommand{ }{scrollmode}
876 \eqcommand{ }{section}
877 \eqcommand{ }{secdef}
878 \eqcommand{ }{see}
879 \eqcommand{ }{seealso}
880 \eqcommand{ }{seename}
881 \eqcommand{ }{selectfont}
882 \eqcommand{ }{setboolean}
883 \eqcommand{ }{setbox}
884 \eqcommand{ }{setcounter}
885 \eqcommand{ }{setlength}
886 \eqcommand{ }{setminus}
887 \eqcommand{ }{SetSymbolFont}
888 \eqcommand{ }{settodepth}
889 \eqcommand{ }{settoheight}
890 \eqcommand{ }{settowidth}
891 \eqcommand{ }{sfcode}
892 \eqcommand{ }{sfdefault}
893 \eqcommand{ }{sffamily}
894 \eqcommand{ }{shadowbox}
895 \eqcommand{ }{sharp}
896 \eqcommand{ }{shipout}
897 \eqcommand{ }{shortstack}
898 \eqcommand{ }{show}
899 \eqcommand{ }{showbox}
900 \eqcommand{ }{showboxbreadth}
901 \eqcommand{ }{showboxdepth}
902 \eqcommand{ }{showlists}
903 \eqcommand{ }{showthe}
904 \eqcommand{ }{simplefontmode}
905 \eqcommand{@}{sixt@On}
906 \eqcommand{ }{skewchar}
907 \eqcommand{ }{skip}
908 \eqcommand{@}{skip@}
909 \eqcommand{ }{skipdef}

```



```

910 \eqcommand{ }{s1}
911 \eqcommand{ }{s1default}
912 \eqcommand{ }{s1shape}
913 \eqcommand{ }{sloppy}
914 \eqcommand{ }{s1shape}
915 \eqcommand{ }{small}
916 \eqcommand{ }{smallskip}
917 \eqcommand{ }{smallskipamount}
918 \eqcommand{ }{smash}
919 \eqcommand{ }{smile}
920 \eqcommand{ }{snglfntlocatecode}
921 \eqcommand{ }{space}
922 \eqcommand{ }{spacefactor}
923 \eqcommand{ }{spaceskip}
924 \eqcommand{ }{spadesuit}
925 \eqcommand{ }{span}
926 \eqcommand{ }{special}
927 \eqcommand{ }{splitmaxdepth}
928 \eqcommand{ }{splittopskip}
929 \eqcommand{ }{star}
930 \eqcommand{ }{stepcounter}
931 \eqcommand{ }{stretch}
932 \eqcommand{ }{string}
933 \eqcommand{ }{strut}
934 \eqcommand{ }{strutbox}
935 \eqcommand{ }{subitem}
936 \eqcommand{ }{subparagraph}
937 \eqcommand{ }{subsection}
938 \eqcommand{ }{substack}
939 \eqcommand{ }{subsubitem}
940 \eqcommand{ }{subsubsection}
941 \eqcommand{ }{subset}
942 \eqcommand{ }{subsepeq}
943 \eqcommand{ }{supereject}
944 \eqcommand{ }{suppressfloats}
945 \eqcommand{@ }{@tempa}
946 \eqcommand{@ }{@tempb}
947 \eqcommand{@ }{@tempc}
948 \eqcommand{@ }{@tempd}
949 \eqcommand{@ }{@tempe}
950 \eqcommand{@ }{@tempboxa}
951 \eqcommand{@ }{@tempcpta}
952 \eqcommand{@ }{@tempcntb}
953 \eqcommand{@ }{@tempdimA}
954 \eqcommand{@ }{@tempdimB}
955 \eqcommand{@ }{@tempdimC}
956 \eqcommand{@ }{@tempskipa}
957 \eqcommand{@ }{@tempskipb}
958 \eqcommand{@ }{@tempswafalse}
959 \eqcommand{@ }{@tempswatrue}

```



```

960 \eqcommand{ @temptokena}
961 \eqcommand{ @thefnmark}
962 \eqcommand{ @thirdofthree}
963 \eqcommand{ tabbingsep}
964 \eqcommand{ tabcolsep}
965 \eqcommand{ tableofcontents}
966 \eqcommand{ tablename}
967 \eqcommand{ tabskip}
968 \eqcommand{ tabularnewline}
969 \eqcommand{ tag}
970 \eqcommand{ telephone}
971 \eqcommand{ TeX}
972 \eqcommand{ text}
973 \eqcommand{ textbullet}
974 \eqcommand{ textfont}
975 \eqcommand{ textemdash}
976 \eqcommand{ textendash}
977 \eqcommand{ textexclamdown}
978 \eqcommand{ textperiodcentered}
979 \eqcommand{ textquestiondown}
980 \eqcommand{ textquotedblleft}
981 \eqcommand{ textquotedblright}
982 \eqcommand{ textquotyleft}
983 \eqcommand{ textquoteright}
984 \eqcommand{ textvisiblespace}
985 \eqcommand{ textbackslash}
986 \eqcommand{ textbar}
987 \eqcommand{ textgreater}
988 \eqcommand{ textless}
989 \eqcommand{ textbf}
990 \eqcommand{ textcircled}
991 \eqcommand{ textcolor}
992 \eqcommand{ textcompwordmark}
993 \eqcommand{ textfloatsep}
994 \eqcommand{ textfraction}
995 \eqcommand{ textheight}
996 \eqcommand{ textindent}
997 \eqcommand{ textit}
998 \eqcommand{ textmd}
999 \eqcommand{ textnormal}
1000 \eqcommand{ textregistered}
1001 \eqcommand{ textrm}
1002 \eqcommand{ textsc}
1003 \eqcommand{ textsf}
1004 \eqcommand{ textsl}
1005 \eqcommand{ textstyle}
1006 \eqcommand{ textsuperscript}
1007 \eqcommand{ texttrademark}
1008 \eqcommand{ texttt}
1009 \eqcommand{ textup}

```



```

1010 \eqcommand{ }{textwidth}
1011 \eqcommand{ }{thanks}
1012 \eqcommand{ }{the}
1013 \eqcommand{ }{thempfn}
1014 \eqcommand{ }{thicklines}
1015 \eqcommand{ }{thickmuskip}
1016 \eqcommand{ }{thinmuskip}
1017 \eqcommand{ }{thickspace}
1018 \eqcommand{ }{thinlines}
1019 \eqcommand{ }{thinspace}
1020 \eqcommand{ }{thisfancypage}
1021 \eqcommand{ }{thispagestyle}
1022 \eqcommand{ @}{thr@@}
1023 \eqcommand{ }{tilde}
1024 \eqcommand{ }{tiny}
1025 \eqcommand{ }{time}
1026 \eqcommand{ }{times}
1027 \eqcommand{ }{title}
1028 \eqcommand{ }{to}
1029 \eqcommand{ }{today}
1030 \eqcommand{ }{toks}
1031 \eqcommand{ }{toksdef}
1032 \eqcommand{ }{tolerance}
1033 \eqcommand{ }{top}
1034 \eqcommand{ }{topfigrule}
1035 \eqcommand{ }{topfraction}
1036 \eqcommand{ }{topmargin}
1037 \eqcommand{ }{topmark}
1038 \eqcommand{ }{toppageskip}
1039 \eqcommand{ }{topsep}
1040 \eqcommand{ }{topskip}
1041 \eqcommand{ }{totalheight}
1042 \eqcommand{ }{tracingall}
1043 \eqcommand{ }{tracingcommands}
1044 \eqcommand{ }{tracinglostchars}
1045 \eqcommand{ }{tracingmacros}
1046 \eqcommand{ }{tracingonline}
1047 \eqcommand{ }{tracingoutput}
1048 \eqcommand{ }{tracingpages}
1049 \eqcommand{ }{tracingparagraphs}
1050 \eqcommand{ }{tracingrestores}
1051 \eqcommand{ }{tracingstats}
1052 \eqcommand{ }{triangle}
1053 \eqcommand{ }{ttdefault}
1054 \eqcommand{ }{ttfamily}
1055 \eqcommand{ @}{tw@}
1056 \eqcommand{ }{twocolumn}
1057 \eqcommand{ }{typein}
1058 \eqcommand{ }{typeout}
1059 \eqcommand{ }{uccode}

```



```

1060 \eqcommand{ }{uchyph}
1061 \eqcommand{ }{underline}
1062 \eqcommand{ }{unhbox}
1063 \eqcommand{ }{unhcopy}
1064 \eqcommand{ }{unitlength}
1065 \eqcommand{ }{unkern}
1066 \eqcommand{ }{unpenalty}
1067 \eqcommand{ }{unskip}
1068 \eqcommand{ }{unvbox}
1069 \eqcommand{ }{unvcopy}
1070 \eqcommand{ }{updefault}
1071 \eqcommand{ }{upshape}
1072 \eqcommand{ }{usebox}
1073 \eqcommand{ }{usecounter}
1074 \eqcommand{ }{usefont}
1075 \eqcommand{ }{usepackage}
1076 \eqcommand{@ }{@vobeyspaces}
1077 \eqcommand{@ }{@void}
1078 \eqcommand{ }{vadjust}
1079 \eqcommand{ }{valign}
1080 \eqcommand{ }{value}
1081 \eqcommand{ }{vbadness}
1082 \eqcommand{ }{vbox}
1083 \eqcommand{ }{vcenter}
1084 \eqcommand{ }{verb}
1085 \eqcommand{ }{vfil}
1086 \eqcommand{ }{vfill}
1087 \eqcommand{ }{vfilneg}
1088 \eqcommand{ }{vfuzz}
1089 \eqcommand{ }{visible}
1090 \eqcommand{ }{vline}
1091 \eqcommand{ }{voffset}
1092 \eqcommand{ @ }{@voidb@x}
1093 \eqcommand{ }{vpageref}
1094 \eqcommand{ }{vrboxsep}
1095 \eqcommand{ }{vref}
1096 \eqcommand{ }{vrule}
1097 \eqcommand{ }{vsize}
1098 \eqcommand{ }{vskip}
1099 \eqcommand{ }{vspace}
1100 \eqcommand{ }{vsplit}
1101 \eqcommand{ }{vss}
1102 \eqcommand{ }{vtop}
1103 \eqcommand{ }{wd}
1104 \eqcommand{ }{whiledo}
1105 \eqcommand{ }{widehat}
1106 \eqcommand{ }{widetilde}
1107 \eqcommand{ }{widowpenalty}
1108 \eqcommand{ }{width}
1109 \eqcommand{ }{wlog}

```



```

1110 \eqcommand{ }{write}
1111 \eqcommand{@ }{@xobeysp}
1112 \eqcommand{ @ }{@xxxii}
1113 \eqcommand{ }{xdef}
1114 \eqcommand{ }{xleaders}
1115 \eqcommand{ }{xspaceskip}
1116 \eqcommand{ }{year}
1117 \eqcommand{@ }{z@}
1118 \eqcommand{@ }{z@skip}

```

7.19 color-localise-xepersian.def

```

1119 color}      \-localise-xepersian.def}[2011/03/01 v0.1 localising color package]
1120 0}{rgb}{ }  \0,,0}
1121 1}{rgb}{ }  \1,,1}
1122 1}{rgb}{ }  \0,,0}
1123 0}{rgb}{ }  \1,,0}
1124 0}{rgb}{ }  \0,,1}
1125 1}{cmyk}{ } \0,,0,0}
1126 0}{cmyk}{ } \1,,0,0}
1127 0}{cmyk}{ } \0,,1,0}

```

7.20 xepersian-localise-commands-xepersian.def

```

1128 \ProvidesFile{xepersian-localise-commands-xepersian.def}[2012/07/25 v0.2 Persian localisation
1129 \eqcommand{ }{autofootnoterule}
1130 \eqcommand{ }{AutoMathsDigits}
1131 \eqcommand{ }{DefaultMathsDigits}
1132 \eqcommand{ @ }{keyval@eq@alias@key}
1133 \eqcommand{ }{deflatinfont}
1134 \eqcommand{ }{defpersianfont}
1135 \eqcommand{ }{hboxL}
1136 \eqcommand{ }{hboxR}
1137 \eqcommand{ }{Latincite}
1138 \eqcommand{ }{latinfont}
1139 \eqcommand{ }{latintoday}
1140 \eqcommand{ }{leftfootnoterule}
1141 \eqcommand{ }{lr}
1142 \eqcommand{ }{LRE}
1143 \eqcommand{ }{LTRdblcol}
1144 \eqcommand{ }{LTRfootnote}
1145 \eqcommand{ }{LTRfootnotetext}
1146 \eqcommand{ }{LTRthanks}
1147 \eqcommand{ }{persianday}
1148 \eqcommand{ }{persianfont}
1149 \eqcommand{ }{PersianMathsDigits}
1150 \eqcommand{ }{persianmonth}
1151 \eqcommand{ }{persianyear}
1152 \eqcommand{ }{plq}
1153 \eqcommand{ }{prq}
1154 \eqcommand{ }{rightfootnoterule}

```



```

1155 \eqcommand{ }{rl}
1156 \eqcommand{ }{RLE}
1157 \eqcommand{ }{RTLdblcol}
1158 \eqcommand{ }{RTLfootnote}
1159 \eqcommand{ }{RTLfootnotetext}
1160 \eqcommand{ }{RTLthanks}
1161 \eqcommand{@ }{@SepMark}
1162 \eqcommand{ }{SepMark}
1163 \eqcommand{ }{setdefaultbibitems}
1164 \eqcommand{ }{setdefaultmarginpar}
1165 \eqcommand{ }{setdigitfont}
1166 \eqcommand{ }{setfootnoteLR}
1167 \eqcommand{ }{setfootnoteRL}
1168 \eqcommand{ }{setlatintextfont}
1169 \eqcommand{ }{setLTR}
1170 \eqcommand{ }{setLTRbibitems}
1171 \eqcommand{ }{setLTRmarginpar}
1172 \eqcommand{ }{setRTL}
1173 \eqcommand{ }{setRTLbibitems}
1174 \eqcommand{ }{setRTLmarginpar}
1175 \eqcommand{ }{settextfont}
1176 \eqcommand{ }{textwidthfootnoterule}
1177 \eqcommand{ }{twocolumnstableofcontents}
1178 \eqcommand{ }{unsetfootnoteRL}
1179 \eqcommand{ }{unsetLTR}
1180 \eqcommand{ }{unsetRTL}
1181 \eqcommand{ }{vboxL}
1182 \eqcommand{ }{vboxR}
1183 \eqcommand{ }{XeTeX}
1184 \eqcommand{ }{XePersian}
1185 \eqcommand{ }{xepersianversion}
1186 \eqcommand{ }{xepersiandate}
1187 \eqcommand{ }{XeTeX}

```

7.21 enumerate-xepersian.def

```

1188 \ProvidesFile{enumerate-xepersian.def}[2010/07/25 v0.1 adaptations for enumerate package]
1189 \def\@enloop@{%
1190   \ifx \entemp@\      \def\@tempa{\@enLabel\harfi } \else
1191   \ifx \entemp@\      \def\@tempa{\@enLabel\adadi } \else
1192   \ifx \entemp@\      \def\@tempa{\@enLabel\tartibi } \else
1193   \ifx A\@entemp     \def\@tempa{\@enLabel\Alph } \else
1194   \ifx a\@entemp     \def\@tempa{\@enLabel\alph } \else
1195   \ifx i\@entemp     \def\@tempa{\@enLabel\roman } \else
1196   \ifx I\@entemp     \def\@tempa{\@enLabel\Roman } \else
1197   \ifx 1\@entemp     \def\@tempa{\@enLabel\arabic} \else
1198   \ifx \@sptoken\@entemp \let\@tempa\@enSpace      \else
1199   \ifx \bgroup\@entemp \let\@tempa\@enGroup      \else
1200   \ifx \c@enum\@entemp \let\@tempa\@gobble      \else
1201                                \let\@tempa\@enOther

```



```

1202           \@enhook
1203           \fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi
1204 \@tempa}

```

7.22 `latex-localise-environments-xepersian.def`

```

1205 \ProvidesFile{latex-localise-environments-xepersian.def}[2010/07/25 v0.2 Persian localisation
1206 \eqenvironment{ }{abstract}
1207 \eqenvironment{ }{appendix}
1208 \eqenvironment{ }{array}
1209 \eqenvironment{ }{center}
1210 \eqenvironment{ }{description}
1211 \eqenvironment{ }{displaymath}
1212 \eqenvironment{ }{document}
1213 \eqenvironment{ }{enumerate}
1214 \eqenvironment{ }{figure}
1215 \eqenvironment{ *}{figure*}
1216 \eqenvironment{ }{filecontents}
1217 \eqenvironment{ *}{filecontents*}
1218 \eqenvironment{ }{flushleft}
1219 \eqenvironment{ }{flushright}
1220 \eqenvironment{ }{itemize}
1221 \eqenvironment{ }{letter}
1222 \eqenvironment{ }{list}
1223 \eqenvironment{ }{longtable}
1224 \eqenvironment{ }{lrbox}
1225 \eqenvironment{ }{math}
1226 \eqenvironment{ }{matrix}
1227 \eqenvironment{ }{minipage}
1228 \eqenvironment{ }{multiline}
1229 \eqenvironment{ }{note}
1230 \eqenvironment{ }{overlay}
1231 \eqenvironment{ }{picture}
1232 \eqenvironment{ }{quotation}
1233 \eqenvironment{ }{quote}
1234 \eqenvironment{ }{slide}
1235 \eqenvironment{ }{sloppypar}
1236 \eqenvironment{ }{split}
1237 \eqenvironment{ }{subarray}
1238 \eqenvironment{ }{tabbing}
1239 \eqenvironment{ }{table}
1240 \eqenvironment{ *}{table*}
1241 \eqenvironment{ }{tabular}
1242 \eqenvironment{ *}{tabular*}
1243 \eqenvironment{ }{thebibliography}
1244 \eqenvironment{ }{theindex}
1245 \eqenvironment{ }{titlepage}
1246 \eqenvironment{ }{trivlist}
1247 \eqenvironment{ }{verse}

```



7.23 xepersian-localise-environments-xepersian.def

```
1248 \ProvidesFile{xepersian-localise-environments-xepersian.def}[2010/07/25 v0.1 Persian localisat
1249 \eqenvironment{ }{latin}
1250 \eqenvironment{ }{LTR}
1251 \eqenvironment{ }{LTRitems}
1252 \eqenvironment{ }{modernpoem}
1253 \eqenvironment{ *}{modernpoem*}
1254 \eqenvironment{ }{persian}
1255 \eqenvironment{ }{RTL}
1256 \eqenvironment{ }{RTLitems}
1257 \eqenvironment{ }{traditionalpoem}
1258 \eqenvironment{ *}{traditionalpoem*}
```

7.24 extarticle-xepersian.def

```
1259 \ProvidesFile{extarticle-xepersian.def}[2010/07/25 v0.1 adaptations for extarticle class]
1260 \renewcommand{\thepart}{\@tartibi\c@part}
1261 \renewcommand{\appendix}{\par
1262   \setcounter{section}{0}%
1263   \setcounter{subsection}{0}%
1264   \gdef\thesection{\@harfi\c@section}}
```

7.25 extbook-xepersian.def

```
1265 \ProvidesFile{extbook-xepersian.def}[2010/07/25 v0.1 adaptations for extbook class]
1266 \renewcommand{\frontmatter}{%
1267   \cleardoublepage
1268   \mainmatterfalse
1269   \pagenumbering{harfi}}
1270 \renewcommand{\thepart}{\@tartibi\c@part}
1271 \renewcommand{\appendix}{\par
1272   \setcounter{chapter}{0}%
1273   \setcounter{section}{0}%
1274   \gdef\@chapapp{\appendixname}%
1275   \gdef\thechapter{\@harfi\c@chapter}
1276 }%end appendix
```

7.26 extrafootnotefeatures-xepersian.def

```
1277 \ProvidesFile{extrafootnotefeatures-xepersian.def}[2012/01/01 v0.2 footnote macros for extrafo
1278 \renewcommand{\foottextfont}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}
1279 \renewcommand{\LTRfoottextfont}{\footnotesize\resetlatinfont}
1280 \renewcommand{\RTLfoottextfont}{\footnotesize\setpersianfont}
```

7.27 extreport-xepersian.def

```
1281 \ProvidesFile{extreport-xepersian.def}[2010/07/25 v0.1 adaptations for extreport class]
1282 \renewcommand{\thepart}{\@tartibi\c@part}
1283 \renewcommand{\appendix}{\par
1284   \setcounter{chapter}{0}%
1285   \setcounter{section}{0}%
1286   \gdef\@chapapp{\appendixname}}%
```



```
1287 \gdef\thechapter{\@harfi\c@chapter}
```

7.28 flowfram-xepersian.def

```
1288 \ProvidesFile{flowfram-xepersian.def}[2010/07/25 v0.1 adaptations for flowfram package]
1289 \def\@outputpage{%
1290 \begingroup
1291 \let\protect\noexpand
1292 \resetactivechars
1293 \global\let\@@if@newlist\if@newlist
1294 \global\@newlistfalse\parboxrestore
1295 \shipout\vbox{\set@typeset@protect
1296 \aftergroup
1297 \endgroup
1298 \aftergroup
1299 \set@typeset@protect
1300 \reset@font\normalsize\normalsfcodes
1301 \let\label@gobble
1302 \let\index@gobble
1303 \let\glossary@gobble
1304 \baselineskip\z@skip
1305 \lineskip\z@skip
1306 \lineskiplimit\z@
1307 \vskip\topmargin\overright\themargin
1308 \vbox{%
1309 \vskip\headheight
1310 \vskip\headsep
1311 \box\@outputbox
1312 }}%
1313 \global\let\if@newlist\@@if@newlist
1314 \stepcounter{page}%
1315 \setcounter{displayedframe}{0}%
1316 \let\firstmark\botmark}
```

7.29 footnote-xepersian.def

```
1317 \ProvidesFile{footnote-xepersian.def}[2017/08/09 v0.6 footnote macros for xepersian package]
1318
1319 \renewcommand*{\bidi@@footnotetext@font}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}
1320
1321 \renewcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize\resetlatinfont}
1322
1323 \renewcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize\setpersianfont}
1324
```

7.30 framed-xepersian.def

```
1325 \ProvidesFile{framed-xepersian.def}[2012/06/05 v0.1 xepersian adaptations for framed package]
1326 \renewenvironment{titled-frame}[1]{%
1327 \def\FrameCommand{\fboxsep8pt\fboxrule2pt
1328 \TitleBarFrame{\textbf{\#1}}}}%
1329 \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt}
```



```

1330   \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi]{\textbf{\#1}}}%
1331 \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
1332   \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi]{\textbf{\#1}\ (\if@R
1333 \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
1334   \TitleBarFrame{\textbf{\#1}\ (\if@RTL\else\ cont\fi)}}}%
1335 \MakeFramed{\advance\hsize-20pt \FrameRestore}}}%
1336 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
1337 % could interfere with the width measurement.
1338 {\endMakeFramed}

```

7.31 glossaries-xepersian.def

```

1339 \ProvidesFile{glossaries-xepersian.def}[2014/09/04 v0.4 xepersian adaptations for glossaries p
1340 \glsaddprotectedpagefmt{@harfi}
1341 \glsaddprotectedpagefmt{@tartibi}
1342 \glsaddprotectedpagefmt{@adadi}

```

7.32 hyperref-xepersian.def

```

1343 \ProvidesFile{hyperref-xepersian.def}[2015/02/02 v0.6 bilingual captions for hyperref package]
1344 \def\equationautorefname{\if@RTL\else\ Equation\fi}%
1345 \def\footnoteautorefname{\if@RTL\else\ footnote\fi}%
1346 \def\itemautorefname{\if@RTL\else\ item\fi}%
1347 \def\figureautorefname{\if@RTL\else\ Figure\fi}%
1348 \def\tableautorefname{\if@RTL\else\ Table\fi}%
1349 \def\partautorefname{\if@RTL\else\ Part\fi}%
1350 \def\appendixautorefname{\if@RTL\else\ Appendix\fi}%
1351 \def\chapterautorefname{\if@RTL\else\ chapter\fi}%
1352 \def\sectionautorefname{\if@RTL\else\ section\fi}%
1353 \def\subsectionautorefname{\if@RTL\else\ subsection\fi}%
1354 \def\subsubsectionautorefname{\if@RTL\else\ subsubsection\fi}%
1355 \def\paragraphautorefname{\if@RTL\else\ paragraph\fi}%
1356 \def\ subparagraphautorefname{\if@RTL\else\ subparagraph\fi}%
1357 \def\FancyVerbLineautorefname{\if@RTL\else\ line\fi}%
1358 \def\theoremautorefname{\if@RTL\else\ Theorem\fi}%
1359 \def\pageautorefname{\if@RTL\else\ page\fi}%
1360 \AtBeginDocument{%
1361 \let\HyOrg@appendix\appendix
1362 \def\appendix{%
1363   \ltx@ifundefined{chapter}%
1364     {\gdef\theHsection{\Alph{section}}}%
1365     {\gdef\theHchapter{\Alph{chapter}}}%
1366   \xdef\Hy@chapapp{\Hy@appendixstring}%
1367   \HyOrg@appendix
1368 }
1369 }
1370 \pdfstringdefDisableCommands{%
1371 \let\lr@firstofone
1372 \let\rl@firstofone
1373 \def\XePersian{\XePersian}
1374 }

```



```

1375 \ltx@IfUndefined{@resets@pp}{%
1376 }{%
1377   \let\HyOrg@resets@pp\@resets@pp
1378   \def\@resets@pp{%
1379     \ltx@IfUndefined{chapter}{%
1380       \gdef\theHsection{\Hy@AlphNoErr{section}}%
1381     }{%
1382       \gdef\theHchapter{\Hy@AlphNoErr{chapter}}%
1383     }%
1384   \xdef\Hy@chapapp{\Hy@appendixstring}%
1385   \HyOrg@resets@pp
1386 }%
1387 }

```

7.33 imsproc-xepersian.def

```

1388 \ProvidesFile{imsproc-xepersian.def}[2017/06/09 v0.5 xepersian adaptations for imsproc class f
1389
1390 \renewcommand \thepart {\@startibi\c@part}
1391 \def\appendix{\par\c@section\z@\c@subsection\z@
1392   \let\sectionname\appendixname
1393   \def\thesection{\@harfi\c@section}}
1394

```

7.34 kashida-xepersian.def

```

1395 \ProvidesFile{kashida-xepersian.def}[2016/09/09 v0.5 implementation of Kashida for xepersian p
1396 \chardef\xepersian@zwj="200D % zero-width joiner
1397
1398 \chardef\xepersian@D=10 % dual-joiner class
1399 \chardef\xepersian@L=11 % lam
1400 \chardef\xepersian@R=12 % right-joiner
1401 \chardef\xepersian@A=13 % alef
1402 \chardef\xepersian@V=4096 % vowel or other combining mark (to be ignored)
1403 \newif\if@Kashida@on
1404 \def\xepersian@kashida{\if@Kashida@on\xepersian@zwj\nobreak%
1405   \leaders\hrule height \XeTeXglyphbounds\tw@ \the\XeTeXcharglyph"0640 depth \XeTeXglyphbou
1406
1407 \def\setclass#1#2{\def\theclass{#1}\def\charlist{#2}%
1408   \expandafter\dosetclass\charlist,\end}
1409 \def\dosetclass#1,#2\end{%
1410   \def\test{#1}\def\charlist{#2}%
1411   \ifx\test\empty\let\next\finishsetclass
1412   \else \XeTeXcharclass "\test = \theclass
1413   \let\next\dosetclass \fi
1414   \expandafter\next\charlist,,\end}
1415 \def\finishsetclass#1,,\end{}%
1416
1417 \setclass\xepersian@A {0622,0623,0625,0627}
1418 \setclass\xepersian@R {0624,0629,062F,0630,0631,0632,0648,0698}
1419 \setclass\xepersian@D {0626,0628,062A,062B,062C,062D,062E}

```



```

1420 \setclass \xepersian@D {0633,0634,0635,0636,0637,0638,0639,063A}
1421 \setclass \xepersian@D {0640,0641,0642,0643,0645,0646,0647,0649,064A}
1422 \setclass \xepersian@D {067E,0686,06A9,06AF,06CC}
1423 \setclass \xepersian@L {0644}
1424 \setclass \xepersian@V {064B,064C,064D,064E,064F,0650,0651,0652}
1425
1426 \XeTeXinterchartoks \xepersian@D \xepersian@D = {\xepersian@kashida}
1427 \XeTeXinterchartoks \xepersian@L \xepersian@D = {\xepersian@kashida}
1428 \XeTeXinterchartoks \xepersian@D \xepersian@L = {\xepersian@kashida}
1429 \XeTeXinterchartoks \xepersian@L \xepersian@L = {\xepersian@kashida}
1430 \XeTeXinterchartoks \xepersian@D \xepersian@R = {\xepersian@kashida}
1431 \XeTeXinterchartoks \xepersian@D \xepersian@A = {\xepersian@kashida}
1432 \XeTeXinterchartoks \xepersian@L \xepersian@R = {\xepersian@kashida}
1433 \XeTeXinterchartoks \xepersian@L \xepersian@A = {}
1434
1435 \newcommand{\KashidaOn}{\@Kashida@ontrue}
1436 \newcommand{\KashidaOff}{\@Kashida@onfalse}
1437 \KashidaOn

```

7.35 listings-xepersian.def

```

1438 \ProvidesFile{listings-xepersian.def}[2014/07/17 v0.3 bilingual captions for listings package]
1439 \def\lstlistingname{\if@RTL else\ Listing\fi}
1440 \def\lstlistlistingname{\if@RTL else\ Listings\fi}

```

7.36 loadingorder-xepersian.def

```

1441 \ProvidesFile{loadingorder-xepersian.def}[2012/01/01 v0.3 making sure that xepersian is the last
1442 \bidi@isloaded{algorithmic}
1443 \bidi@isloaded{algorithm}
1444 \bidi@isloaded{backref}
1445 \bidi@isloaded{enumerate}
1446 \bidi@isloaded{tocloft}
1447 \bidi@isloaded{url}
1448 \AtBeginDocument{
1449   \if@bidi@algorithmicloaded@\else
1450     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package algorithmic after xepersian}}]
1451   \fi%
1452   \if@bidi@algorithmloaded@\else
1453     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package algorithm after xepersian}}]
1454   \fi%
1455   \if@bidi@backrefloaded@\else
1456     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package backref after xepersian}}]
1457   \fi%
1458   \if@bidi@enumerateloaded@\else
1459     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package enumerate after xepersian}}]
1460   \fi%
1461   \if@bidi@tocloftloaded@\else
1462     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package tocloft after xepersian}}]
1463   \fi%
1464   \if@bidi@urlloaded@\else

```



```

1465      \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package url after xepersian
1466    \fi%
1467 }

```

7.37 localise-xepersian.def

```

1468 \ProvidesFile{localise-xepersian.def}[2014/07/10 v0.2b Persian localisation of LaTeXe]
1469 \newcommand{\makezwnjletter}{\catcode`=11\relax}
1470 \makezwnjletter
1471 \newcommand*\eqcommand[2]{\if@bidi@csprimitive{#2}{\bidi@csletcs{#1}{#2}}{\bidi@csdefcs{#1}{#2}}}
1472 \newcommand*\eqenvironment[2]{\newenvironment{#1}{\csname#2\endcsname}{\csname end#2\endcsname}}
1473 \@ifpackageloaded[keyval]{%
1474   \newcommand*\keyval@eq@alias@key[4][KV]{%
1475     \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1476     \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1477 }{\@ifpackageloaded{xkeyval}{%
1478   \newcommand*\keyval@eq@alias@key[4][KV]{%
1479     \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1480     \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1481 }{}}
1482 \input{latex-localise-commands-xepersian.def}
1483 \input{xepersian-localise-commands-xepersian.def}
1484 \input{latex-localise-environments-xepersian.def}
1485 \input{xepersian-localise-environments-xepersian.def}
1486 \input{latex-localise-messages-xepersian.def}
1487 \input{latex-localise-misc-xepersian.def}
1488 \input{packages-localise-xepersian.def}
1489 \aliasfontfeature{ExternalLocation}{  }
1490 \aliasfontfeature{ExternalLocation}{  }
1491 \aliasfontfeature{Renderer}{  }
1492 \aliasfontfeature{BoldFont}{  }
1493 \aliasfontfeature{Language}{  }
1494 \aliasfontfeature{Script}{  }
1495 \aliasfontfeature{UprightFont}{  }
1496 \aliasfontfeature{ItalicFont}{  }
1497 \aliasfontfeature{BoldItalicFont}{  }
1498 \aliasfontfeature{SlantedFont}{  }
1499 \aliasfontfeature{BoldSlantedFont}{  }
1500 \aliasfontfeature{SmallCapsFont}{  }
1501 \aliasfontfeature{UprightFeatures}{  }
1502 \aliasfontfeature{BoldFeatures}{  }
1503 \aliasfontfeature{ItalicFeatures}{  }
1504 \aliasfontfeature{BoldItalicFeatures}{  }
1505 \aliasfontfeature{SlantedFeatures}{  }
1506 \aliasfontfeature{BoldSlantedFeatures}{  }
1507 \aliasfontfeature{SmallCapsFeatures}{  }
1508 \aliasfontfeature{SizeFeatures}{  }
1509 \aliasfontfeature{Scale}{  }
1510 \aliasfontfeature{WordSpace}{  }
1511 \aliasfontfeature{PunctuationSpace}{  }

```



```

1512 \aliasfontfeature{FontAdjustment}{      }
1513 \aliasfontfeature{LetterSpace}{      }
1514 \aliasfontfeature{HyphenChar}{      }
1515 \aliasfontfeature{Color}{      }
1516 \aliasfontfeature{Opacity}{      }
1517 \aliasfontfeature{Mapping}{      }
1518 \aliasfontfeature{Weight}{      }
1519 \aliasfontfeature{Width}{      }
1520 \aliasfontfeature{OpticalSize}{      }
1521 \aliasfontfeature{FakeSlant}{      }
1522 \aliasfontfeature{FakeStretch}{      }
1523 \aliasfontfeature{FakeBold}{      }
1524 \aliasfontfeature{AutoFakeSlant}{      }
1525 \aliasfontfeature{AutoFakeBold}{      }
1526 \aliasfontfeature{Ligatures}{      }
1527 \aliasfontfeature{Alternate}{      }
1528 \aliasfontfeature{Variant}{      }
1529 \aliasfontfeature{Variant}{      }
1530 \aliasfontfeature{CharacterVariant}{      }
1531 \aliasfontfeature{Style}{      }
1532 \aliasfontfeature{Annotation}{      }
1533 \aliasfontfeature{RawFeature}{      }
1534 \aliasfontfeature{CharacterWidth}{      }
1535 \aliasfontfeature{Numbers}{      }
1536 \aliasfontfeature{Contextuals}{      }
1537 \aliasfontfeature{Diacritics}{      }
1538 \aliasfontfeature{Letters}{      }
1539 \aliasfontfeature{Kerning}{      }
1540 \aliasfontfeature{VerticalPosition}{      }
1541 \aliasfontfeature{Fractions}{      }
1542 \aliasfontfeatureoption{Language}{Default}{      }
1543 \aliasfontfeatureoption{Language}{Parsi}{      }
1544 \aliasfontfeatureoption{Script}{Parsi}{      }
1545 \aliasfontfeatureoption{Script}{Latin}{      }
1546 \aliasfontfeatureoption{Style}{MathScript}{      }
1547 \aliasfontfeatureoption{Style}{MathScriptScript}{      }

```

7.38 memoir-xepersian.def

```

1548 \ProvidesFile{memoir-xepersian.def}[2010/07/25 v0.1 adaptations for memoir class]
1549 \renewcommand{\@memfront}{%
1550   \@smemfront\pagenumbering{harfi}}
1551 \renewcommand{\setthesection}{\thechapter\@SepMark\harfi{section}}
1552 \renewcommand*{\thebook}{\@tartibi\c@book}
1553 \renewcommand*{\thepart}{\@tartibi\c@part}
1554 \renewcommand{\appendix}{\par
1555   \setcounter{chapter}{0}%
1556   \setcounter{section}{0}%
1557   \gdef\@chapapp{\appendixname}%
1558   \gdef\thechapter{\harfi\c@chapter}%

```



```
1559 \anappendixtrue}
```

7.39 latex-localise-messages-xepersian.def

```
1560 latex}      \-localise-messages-xepersian.def}[2011/03/01 v0.1 localising LaTeX2e messages]
```

7.40 minitoc-xepersian.def

```
1561 \ProvidesFile{minitoc-xepersian.def}[2010/07/25 v0.1 bilingual captions for minitoc package]
1562 \def\ptctitle{\if@RTL else\ Table of Contents\fi}%
1563 \def\plftitle{\if@RTL else\ List of Figures\fi}%
1564 \def\pltttitle{\if@RTL else\ List of Tables\fi}%
1565 \def\mtctitle{\if@RTL else\ Contents\fi}%
1566 \def\mlftitle{\if@RTL else\ Figures\fi}%
1567 \def\mltttitle{\if@RTL else\ Tables\fi}%
1568 \def\stctitle{\if@RTL else\ Contents\fi}%
1569 \def\slftitle{\if@RTL else\ Figures\fi}%
1570 \def\sltttitle{\if@RTL else\ Tables\fi}%
```

7.41 latex-localise-misc-xepersian.def

```
1571 \ProvidesFile{latex-localise-misc-xepersian.def}[2012/01/01 v0.2 miscellaneous Persian localis
1572 %}1#  \
1573   \o  \    @ \    \
1574   \1#  \
1575   \1# @\
1576   \1# @\
1577 {@ \  \
1578 %}2#1# @\ \
1579 %1#  \
1580   \2#  \    @\    \
1581 {{2#1#  \
1582 undefined\  \
1583
1584 %{ \  \
1585   \ { \  \
1586   \  \
1587
1588
1589 \  \
1590   \1#}  \
1591   \  \
1592   }%
1593   \
1594   \
1595 }
1596 \= \
1597
1598
1599 \@ifdefinitionfileloaded{latex-xetex-bidi}{%
1600 \def\@xfloat #1[#2]{%
1601   \@nodocument
```



```

1602 \def \@capttype {\#1}%
1603 \def \@fps {\#2}%
1604 \onelevel@sanitize \@fps
1605 \def \reserved@b {!}%
1606 \ifx \reserved@b \@fps
1607     \@fpsadddefault
1608 \else
1609     \ifx \@fps \empty
1610         \@fpsadddefault
1611     \fi
1612 \fi
1613 \ifhmode
1614     \obsphack
1615     \floatpenalty -\Mii
1616 \else
1617     \floatpenalty-\Miii
1618 \fi
1619 \ifinner
1620     \parmoderr\floatpenalty\z@\relax
1621 \else
1622     \next\currbox\freelist
1623     {%
1624         \tempcnta \sixt@n
1625         \expandafter \tfor \expandafter \reserved@a
1626             \expandafter :\expandafter =\@fps
1627             \do
1628                 {%
1629                     \if \reserved@a \h%
1630                         \ifodd \tempcnta
1631                         \else
1632                             \advance \tempcnta \one
1633                         \fi
1634                     \fi
1635                     \if \reserved@a %
1636                         \ifodd \tempcnta
1637                         \else
1638                             \advance \tempcnta \one
1639                         \fi
1640                     \fi
1641                     \if \reserved@a t%
1642                         \setfpsbit \tw@
1643                     \fi
1644                     \if \reserved@a %
1645                         \setfpsbit \tw@
1646                     \fi
1647                     \if \reserved@a b%
1648                         \setfpsbit 4%
1649                     \fi
1650                     \if \reserved@a %
1651                         \setfpsbit 4%

```



```

1652      \fi
1653      \if \reserved@a p%
1654          \@setfpsbit 8%
1655      \fi
1656      \if \reserved@a %
1657          \@setfpsbit 8%
1658      \fi
1659      \if \reserved@a !=
1660          \ifnum \@tempcnta>15
1661              \advance\@tempcnta -\sixt@@n\relax
1662          \fi
1663      \fi
1664  }%
1665      \@tempcntb \csname ftype@\@capttype \endcsname
1666      \multiply \@tempcntb \xxxii
1667      \advance \@tempcnta \@tempcntb
1668      \global \count\currbox \@tempcnta
1669  }%
1670      \@fltovf
1671  \fi
1672  \global \setbox\currbox
1673      \color@vbox
1674      \normalcolor
1675      \vbox \bgroup
1676          \hsize\columnwidth
1677          \parboxrestore
1678          \floatboxreset
1679  }
1680 \let\bm@ \bm@c
1681 \let\bm@ \bm@l
1682 \let\bm@ \bm@r
1683 \let\bm@ \bm@b
1684 \let\bm@ \bm@t
1685 \let\bm@ \bm@s
1686 \long\def\@iiparbox#1#2[#3]#4#5{%
1687     \leavevmode
1688     \pboxswfalse
1689     \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1690     \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\else\fi\fi
1691     \setlength\@tempdima{#4}%
1692     \begin@tempboxa\vbox{\hsize\@tempdima\parboxrestore#5\@par}%
1693         \ifx\relax#2\else
1694             \setlength\@tempdimb{#2}%
1695             \edef\@parboxto{to\the\@tempdimb}%
1696         \fi
1697         \if#1b\vbox
1698             \else\if#1 \vbox
1699                 \else\if #1\vtop
1700                     \else\if vtop\ #1
1701                     \else\ifmmode\vcenter

```



```

1702     \else\@pboxswtrue $\\vcenter
1703     \\fi\\fi\\fi\\fi\\fi
1704     \\@parboxto{\\let\\hss\\vss\\let\\unhbox\\unvbox
1705         \\csname bm@#3\\endcsname}%
1706     \\if@pboxsw \\m@th$\\fi
1707     \\@end@tempboxa}
1708 \\def\\@iiminipage#1#2[#3]#4{%
1709     \\leavevmode
1710     \\@pboxswfalse
1711     \\if@hboxRconstruct\\@bidi@list@minipage@parbox@not@nobtrue\\fi
1712     \\if@RTL\\if#1\\@bidi@list@minipage@parboxtrue\\else\\if#1b\\@bidi@list@minipage@parboxtrue\\els
1713     \\setlength\\@tempdima{#4}%
1714     \\def\\@mpargs{{#1}{#2}[#3]{#4}}%
1715     \\setbox\\@tempboxa\\vbox\\bgroup
1716     \\color@begingroup
1717     \\hsize\\@tempdima
1718     \\textwidth\\hsize \\columnwidth\\hsize
1719     \\@parboxrestore
1720     \\def\\@mpfn{mpfootnote}\\def\\thempfn{\\thempfootnote}\\c@mpfootnote\\z@\\let\\@footnotetext\\@mpfootnotetext
1721     \\let\\@LTRfootnotetext\\@mpLTRfootnotetext
1722     \\let\\@RTLfootnotetext\\@mpRTLfootnotetext
1723     \\let\\@listdepth\\@mplistdepth \\@mplistdepth\\z@\\@minipagerestore
1724     \\@setminipage}
1725     \\@testpach#1{\\@chclass \\ifnum \\@lastchclass=\\tw@ 4 \\else
1726     \\ifnum \\@lastchclass=3 5 \\else
1727     \\z@ \\if #1c\\@chnum \\z@ \\else
1728         \\if chnum@\\ #1 \\z@ \\else
1729             \\if \\if@RTLtab#1r\\else#1l\\fi\\@chnum \\@ne \\else
1730                 \\if \\if@RTLtab#1 \\else#1 \\fi\\@chnum \\@ne \\else
1731                     \\if \\if@RTLtab#1l\\else#1r\\fi\\@chnum \\tw@ \\else
1732                         \\if \\if@RTLtab#1 \\else#1 \\fi\\@chnum \\tw@ \\else
1733                         \\@chclass \\if #1||\\@ne \\else
1734                             \\if #1@\\tw@ \\else
1735                                 \\if #1p3 \\else
1736                                     \\if 3 #1 \\else \\z@ \\@preamerr 0\\fi
1737                                     \\fi \\else \\z@ \\@preamerr 0\\fi
1738                                     \\fi \\else \\z@ \\@preamerr 0\\fi
1739                                     \\fi \\else \\z@ \\@preamerr 0\\fi
1740                                     \\fi \\else \\z@ \\@preamerr 0\\fi
1741     \\fi}%
1742     \\@ifdefinitionfileloaded{array-xetex-bidi}{%
1743     \\def\\@testpach{\\@chclass
1744     \\ifnum \\@lastchclass=6 \\@ne \\@chnum \\@ne \\else
1745     \\ifnum \\@lastchclass=7 5 \\else
1746     \\ifnum \\@lastchclass=8 \\tw@ \\else
1747     \\ifnum \\@lastchclass=9 \\thr@@
1748     \\else \\z@
1749     \\ifnum \\@lastchclass = 10 \\else
1750     \\edef\\@nextchar{\\expandafter\\string\\@nextchar}%
1751     \\@chnum

```




```

1802 \if \@nextchar m\thr@@\else
1803   \if \@nextchar thr@@\else\
1804   \if \@nextchar p4 \else
1805   \if \@nextchar 4 \else
1806   \if \@nextchar b5 \else
1807   \if \@nextchar 5 \else
1808   \z@\@chclass \z@\@preamerr \z@\fi \fi \fi \fi \fi \fi \fi \fi \fi
1809   \fi \fi
1810
1811 \def\@classz{\@classx
1812   \tempcnta \count@
1813   \prepnex\tok
1814   \addtopreamble{\ifcase \chnum
1815     \hfil
1816     \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1817     \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1818     \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1819     \setbox\adl@box\hbox \adl@startbox{\@nextchar}\insert@column
1820       \adl@endbox\or
1821     \setbox\adl@box\vtop \startpbox{\@nextchar}\insert@column \endpbox \or
1822     \setbox\adl@box\vbox \startpbox{\@nextchar}\insert@column \endpbox
1823     \fi}\prepnex\tok}
1824 \def\adl@class@start{4}
1825 \def\adl@class@iiiorvii{7}
1826
1827 \else
1828 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1829   \ifnum \@lastchclass=\thr@@ 5\relax \else
1830     \z@\if #1c\chnum \z@\else
1831       \if \chnum\z@#1 \else
1832         \if \if@RTLtab#1\else#1\fi\chnum \one \else
1833         \if \if@RTLtab#1\else#1\fi\chnum \one \else
1834         \if \if@RTLtab#1\else#1\fi\chnum \tw@\else
1835         \if \if@RTLtab#1\else#1\fi\chnum \tw@\else
1836           \chclass
1837             \if #1|\one \let\arrayrule\adl@arrayrule \else
1838             \if #1:\one \let\arrayrule\adl@arraydashrule \else
1839             \if #1;\one \let\arrayrule\adl@argarraydashrule \else
1840               \if #1@\tw@\else
1841                 \if #1p\thr@@ \else
1842                   \if @thr\#1 \else\z@\@preamerr 0\fi
1843                   \fi \fi
1844
1845 \def\@arrayclassz{\ifcase \@lastchclass \acolampacol \or \ampacol \or
1846   \or \or \caddamp \or
1847   \acolampacol \or \firstfalse \acol \fi
1848   \edef\@preamble{\@preamble
1849     \ifcase \chnum
1850       \hfil\adl@putlrc{\$relax\$}\hfil
1851       \or \adl@putlrc{\$relax\$}\hfil

```



```

1852          \or \hfil\adl@putlrc{\$relax\@sharp\$}\fi}}}
1853 \def\@tabclassz{\ifcase \@lastchclass \acolampacol \or \ampacol \or
1854             \or \or \caddamp \or
1855             \acolampacol \or \firststampfalse \acol \fi
1856     \edef\@preamble{\@preamble
1857     \ifcase \chnum
1858         \hfil\adl@putlrc{\@sharp\unskip}\hfil
1859         \or \adl@putlrc{\@sharp\unskip}\hfil
1860         \or \hfil\hskip\z@\adl@putlrc{\@sharp\unskip}\fi}}
1861 \def\adl@class@start{6}
1862 \def\adl@class@iiiorvii{3}
1863 \fi
1864 {}}
1865 \@ifdefinitionfileloaded{tabulary-xetex-bidi}{%
1866 \def\@testpach{\chclass
1867 \ifnum \lastchclass=6 \one \chnum \one \else
1868   \ifnum \lastchclass=7 5 \else
1869     \ifnum \lastchclass=8 \tw@ \else
1870       \ifnum \lastchclass=9 \thr@%
1871       \else \z@
1872     \ifnum \lastchclass = 10 \else
1873       \edef\@nextchar{\expandafter\string\@nextchar}%
1874       \chnum
1875       \if \@nextchar c\z@ \else
1876         \if \@nextchar @z\ \else
1877           \if \@nextchar \if@RTLtab r\else l\fi\one \else
1878             \if \@nextchar \if@RTLtab else\ fi\one\ \else
1879               \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1880                 \if \@nextchar \if@RTLtab else\ @fi\tw\ \else
1881                   \if \@nextchar C7 \else
1882                     \if \@nextchar 7 \else
1883                       \if \@nextchar L8 \else
1884                         \if \@nextchar 8 \else
1885                           \if \@nextchar R9 \else
1886                             \if \@nextchar 9 \else
1887                               \if \@nextchar J10 \else
1888                                 \if \@nextchar 10 \else
1889                                   \z@ \chclass
1890                                   \if\@nextchar |\one \else
1891                                     \if \@nextchar !6 \else
1892                                       \if \@nextchar @7 \else
1893                                         \if \@nextchar <8 \else
1894                                           \if \@nextchar >9 \else
1895                                             10
1896                                             \chnum
1897                                             \if \@nextchar m\thr@@\else
1898                                               \if \@nextchar thr@@\else\
1899                                                 \if \@nextchar p4 \else
1900                                                 \if \@nextchar4 \else
1901                                                   \if \@nextchar b5 \else

```



```

1902  \if \nextchar 5 \else
1903    \z@ \chclass \z@ \preamerr \z@ \fi \fi
1904      \fi \fi
1905  }{}}
1906 \@ifdefinitionfileloaded{float-xetex-bidi}{%
1907 \let\@float@Hx\xfloat
1908 \def\@xfloat#1[{\@ifnextchar{H}{\@float@HH{#1}}}{\@ifnextchar{ }{\@float@{#1}}}{\@float@Hx{#1}}
1909 \def\@float@HH#1[H]{%
1910   \expandafter\let\csname end#1\endcsname\float@endH
1911   \let\currbox\float@box
1912   \def\@cattyp{{#1}}\setbox\@floatcapt=\vbox{%
1913     \expandafter\ifx\csname fst@#1\endcsname\relax
1914       \@flstylefalse\else\@flstyletrue\fi
1915     \setbox\currbox\color@vbox\normalcolor
1916       \vbox\bgrouphsize\columnwidth\@parboxrestore
1917         \@floatboxreset\@setnobreak
1918       \ignorespaces
1919   }\def\@float@[]#1{%
1920     \expandafter\let\csname end#1\endcsname\float@endH
1921     \let\currbox\float@box
1922     \def\@cattyp{{#1}}\setbox\@floatcapt=\vbox{%
1923       \expandafter\ifx\csname fst@#1\endcsname\relax
1924         \@flstylefalse\else\@flstyletrue\fi
1925       \setbox\currbox\color@vbox\normalcolor
1926         \vbox\bgrouphsize\columnwidth\@parboxrestore
1927           \@floatboxreset\@setnobreak
1928         \ignorespaces
1929   }{}}
1930 \begingroup \catcode `|=0 \catcode `[^= 1
1931 \catcode`]=2 \catcode `|=12 \catcode `}`=12
1932 \catcode`\\=12 \gdef|@x@xepersian@localize@verbatim#1|[|]||1#|{|}
1933 |gdef|@sx@xepersian@localize@verbatim#1|[|*||1#|{*}||]
1934 |endgroup
1935 \def| {|\overline{e}rbatim \frenchspacing\@vobeyspaces \@x@xepersian@localize@verbatim}
1936 \def|end| {|\if@newlist \leavevmode\fi\endtrivlist}
1937 |ExplSyntaxOn
1938 |AtBeginDocument{\@namedef{ |}*{\@overline{e}rbatim \fontspec_printVisibleSpaces: \@sx@xepersian}
1939 |ExplSyntaxOff
1940 \expandafter\let\csname end |*|\endcsname =\end

```

7.42 natbib-xepersian.def

```

1941 |ProvidesFile{natbib-xepersian.def}[2011/08/01 v0.1 adaptations for natbib package]
1942 |renewcommand|\NAT@set@cites{%
1943   \ifNAT@numbers
1944     \ifNAT@super \let\cite\NAT@citesuper
1945       \def\NAT@mbox##1{\unskip\nobreak\textsuperscript{##1}}%
1946       \let\citeyearpar=\citeyear
1947       \let\NAT@space\relax
1948       \def\NAT@super@kern{\kern\p@}%

```



```

1949 \else
1950   \let\NAT@mbox=\mbox
1951   \let\@cite\NAT@citenum
1952   \let\NAT@space\NAT@spacechar
1953   \let\NAT@super@kern\relax
1954 \fi
1955 \let\@citex\NAT@citexnum
1956 \let\@Latincitex\NAT@Latin@citexnum
1957 \let\@biblabel\NAT@biblabelnum
1958 \let\@bibsetup\NAT@bibsetnum
1959 \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@num\NAT@close}%
1960 \def\natexlab##1{%
1961   \def\NAT@penalty{\penalty\@m}%
1962 \else
1963   \let\@cite\NAT@cite
1964   \let\@citex\NAT@citex
1965   \let\@Latincitex\NAT@Latin@citex
1966   \let\@biblabel\NAT@biblabel
1967   \let\@bibsetup\NAT@bibsetup
1968   \let\NAT@space\NAT@spacechar
1969   \let\NAT@penalty\@empty
1970   \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@date\NAT@close}%
1971   \def\natexlab##1{%
1972     \fi}
1973 \newcommand\NAT@Latin@citex{}
1974 \def\NAT@Latin@citex{%
1975   [#1] [#2]#3{%
1976     \NAT@reset@parser
1977     \NAT@sort@cites{#3}%
1978     \NAT@reset@citea
1979     \@cite{\lrf{\let\NAT@nm\@empty\let\NAT@year\@empty
1980       \@for\@citeb:=\NAT@cite@list\do
1981         {\@safe@activestrue
1982           \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}%
1983           \@safe@activesfalse
1984           \@ifundefined{b@\@citeb\@extra@b@\@citeb}{\@citea{%
1985             \reset@font\bfseries }{\NAT@citeundefined
1986               \PackageWarning{natbib}%
1987               {Citation `@\@citeb' on page \thepage\space undefined}\def\NAT@date{}%
1988             {\let\NAT@last@nm=\NAT@nm\let\NAT@last@yr=\NAT@year
1989               \NAT@parse{\@citeb}%
1990               \ifNAT@longnames\@ifundefined{bv@\@citeb\@extra@b@\@citeb}{%
1991                 \let\NAT@name=\NAT@all@names
1992                 \global\@namedef{bv@\@citeb\@extra@b@\@citeb}{}%{}}%
1993               \fi
1994             \ifNAT@full\let\NAT@nm\NAT@all@names\else
1995               \let\NAT@nm\NAT@name\fi
1996             \ifNAT@swa\ifcase\NAT@ctype
1997               \if\relax\NAT@date\relax
1998                 \@citea\NAT@hyper@\{\NAT@nmfmt{\NAT@nm}\NAT@date\}%

```



```

1999 \else
2000   \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2001     \ifx\NAT@last@yr\NAT@year
2002       \def\NAT@temp{{?}}%
2003       \ifx\NAT@temp\NAT@exlab\PackageWarning{natbib}%
2004         {Multiple citation on page \thepage: same authors and
2005           year\MessageBreak without distinguishing extra
2006             letter,\MessageBreak appears as question mark}\fi
2007           \NAT@hyper{\NAT@exlab}%
2008         \else\unskip\NAT@spacechar
2009           \NAT@hyper{\NAT@date}%
2010         \fi
2011       \else
2012         \ocitea\NAT@hyper{%
2013           \NAT@nmfmt{\NAT@nm}%
2014           \hyper@natlinkbreak{%
2015             \NAT@aysep\NAT@spacechar}{\citereb\extra@b@citeb
2016           }%
2017           \NAT@date
2018         }%
2019       \fi
2020     \fi
2021   \or\ocitea\NAT@hyper{\NAT@nmfmt{\NAT@nm}}%
2022   \or\ocitea\NAT@hyper{\NAT@date}%
2023   \or\ocitea\NAT@hyper{\NAT@alias}%
2024   \fi \NAT@def@citea
2025 \else
2026   \ifcase\NAT@ctype
2027     \if\relax\NAT@date\relax
2028       \ocitea\NAT@hyper{\NAT@nmfmt{\NAT@nm}}%
2029     \else
2030       \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2031         \ifx\NAT@last@yr\NAT@year
2032           \def\NAT@temp{{?}}%
2033           \ifx\NAT@temp\NAT@exlab\PackageWarning{natbib}%
2034             {Multiple citation on page \thepage: same authors and
2035               year\MessageBreak without distinguishing extra
2036                 letter,\MessageBreak appears as question mark}\fi
2037               \NAT@hyper{\NAT@exlab}%
2038             \else
2039               \unskip\NAT@spacechar
2040               \NAT@hyper{\NAT@date}%
2041             \fi
2042           \else
2043             \ocitea\NAT@hyper{%
2044               \NAT@nmfmt{\NAT@nm}%
2045               \hyper@natlinkbreak{\NAT@spacechar\NAT@open\if*\#1*\else#1\NAT@spacechar\fi}%
2046               {\citereb\extra@b@citeb}%
2047               \NAT@date
2048             }%

```



```

2049     \fi
2050     \fi
2051     \or\@citea\NAT@hyper@\{\NAT@nmfmt{\NAT@nm}\}%
2052     \or\@citea\NAT@hyper@\{\NAT@date\}%
2053     \or\@citea\NAT@hyper@\{\NAT@alias\}%
2054     \fi
2055     \if\relax\NAT@date\relax
2056         \NAT@def@citea
2057     \else
2058         \NAT@def@citea@close
2059     \fi
2060     \fi
2061 } }\ifNAT@swa\else\if#*#2*\else\NAT@cmt#2\fi
2062 \if\relax\NAT@date\relax\else\NAT@@close\fi\fi} }{#1}{#2} }
2063 \newcommand\NAT@Latin@citexnum{}
2064 \def\NAT@Latin@citexnum[#1] [#2] #3{%
2065     \NAT@reset@parser
2066     \NAT@sort@cites{#3}%
2067     \NAT@reset@citea
2068     \@cite{\lr{\def\NAT@num{-1}\let\NAT@last@yr\relax\let\NAT@nm\@empty
2069         \@for\@citeb:=\NAT@cite@list\do
2070             {\@safe@activestru
2071                 \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}%
2072                 \@safe@activesfa
2073                 \@ifundefined{b@\@citeb\@extra@b@\citeb}%
2074                     {\reset@font\bfseries?}
2075                     \NAT@citeundefined\PackageWarning{natbib}%
2076                     {Citation `@\citeb' on page \thepage\space undefined}%
2077             \let\NAT@last@num\NAT@num\let\NAT@last@nm\NAT@nm
2078             \NAT@parse{\@citeb}%
2079             \ifNAT@longnames\@ifundefined{bv@\@citeb\@extra@b@\citeb}%
2080                 \let\NAT@name=\NAT@all@names
2081                 \global\@namedef{bv@\@citeb\@extra@b@\citeb}{}{}%
2082             \fi
2083             \ifNAT@full\let\NAT@nm\NAT@all@names\else
2084                 \let\NAT@nm\NAT@name\fi
2085             \ifNAT@swa
2086                 \@ifnum{\NAT@ctype}>\@ne}%
2087                 \@citea
2088                 \NAT@hyper@\{\@ifnum{\NAT@ctype=\tw@}{\NAT@test{\NAT@ctype}}{\NAT@alias}\}%
2089             }%
2090             \@ifnum{\NAT@cmprs>\z@}%
2091                 \NAT@ifcat@num\NAT@num
2092                 {\let\NAT@nm=\NAT@num}%
2093                 {\def\NAT@nm{-2}}%
2094                 \NAT@ifcat@num\NAT@last@num
2095                 {\@tempcnta=\NAT@last@num\relax}%
2096                 {\@tempcnta\m@ne}%
2097                 \@ifnum{\NAT@nm=\@tempcnta}%
2098                 {\@ifnum{\NAT@merge>\@ne}{}{\NAT@last@yr@mbox}}%

```



```

2099 }{%
2100   \advance\@tempcnta by\@ne
2101   \@ifnum{\NAT@nm=\@tempcnta}{%
2102     \ifx\NAT@last@yr\relax
2103       \def\NAT@last@yr{\@citea}%
2104     \else
2105       \def\NAT@last@yr{--\NAT@penalty}%
2106     \fi
2107   }{%
2108     \NAT@last@yr@mbox
2109   }%
2110 }%
2111 }{%
2112   \iftrue
2113   \ifnum{\NAT@merge}>\@ne}{\ifnum{\NAT@last@num=\NAT@num}\relax}{\iffalse}{()}%
2114   \if@tempswa\NAT@citea@mbox\fi
2115 }%
2116 }%
2117 \NAT@def@citea
2118 \else
2119   \ifcase\NAT@ctype
2120     \ifx\NAT@last@nm\NAT@nm \NAT@yrsep\NAT@penalty\NAT@space\else
2121       \@citea \NAT@test{\@ne}\NAT@spacechar\NAT@mbox{\NAT@super@kern\NAT@@open}%
2122     \fi
2123     \if*#1*\else#1\NAT@spacechar\fi
2124     \NAT@mbox{\NAT@hyper@{\{\citemarkfont{\NAT@num}}}}%
2125     \NAT@def@citea@box
2126   \or
2127     \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2128   \or
2129     \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2130   \or
2131     \NAT@hyper@citea@space\NAT@alias
2132   \fi
2133 }%
2134 }%
2135 }{%
2136   \ifnum{\NAT@cmprs}>\z@}{\NAT@last@yr}{()}%
2137   \ifNAT@swa\else
2138     \ifnum{\NAT@ctype=\z@}{%
2139       \if*#2*\else\NAT@cmt#2\fi
2140     }{%
2141       \NAT@mbox{\NAT@@close}%
2142     \fi
2143   }{#1}{#2}%
2144 }%
2145 \AtBeginDocument{\NAT@set@cites}
2146 \DeclareRobustCommand\Latincite
2147   {\begingroup\let\NAT@ctype\z@\NAT@partrue\NAT@swatue
2148     \@ifstar{\NAT@fulltrue\NAT@Latin@cites}{\NAT@fullfalse\NAT@Latin@cites}}%

```



```

2149 \newcommand{\NAT@Latin@cites}{\ifnextchar [{\NAT@@Latin@@citetp}{%
2150     \ifNAT@numbers\else
2151     \NAT@swafalse
2152     \fi
2153     \NAT@@Latin@@citetp[]]}
2154 \newcommand{\NAT@@Latin@@citetp}{}
2155 \def{\NAT@@Latin@@citetp}[#1]{\ifnextchar [{\@Latincitex[#1]}{\@Latincitex[] [#1]}}

```

7.43 packages-localise-xepersian.def

```

2156 packages}          \-localise-xepersian.def}[2013/04/24 v0.2 localising LaTeX2e Packages]
2157 color}    \}{color}          @-localise-xepersian.def}{}}
2158 @ifpackageloaded{multicol}{%
2159 \newenvironment{ }{\begin{multicols}}{\end{multicols}}%
2160 \newenvironment{*}{\begin{multicols*}}{\end{multicols*}}%
2161 }{}}
2162 @ifpackageloaded{verbatim}{%
2163 \begingroup
2164 \vrb@catcodes
2165 \lccode`!=`\ \\
2166 \catcode`~=\active \lccode`~=`^M
2167 \lccode`C=`
2168 \lowercase{\endgroup
2169 \def\xepersian@localize@verbatim@start#1{%
2170     \verbatim@startline
2171     \if\noexpand#1\noexpand~%
2172         \let\next\xepersian@localize@verbatim@
2173     \else \def\next{\xepersian@localize@verbatim@#1}\fi
2174     \next}%
2175 \def\xepersian@localize@verbatim@#1{\xepersian@localize@verbatim@@#1! \ @nil}%
2176 \def\xepersian@localize@verbatim@#1! {%
2177     \verbatim@addtoline#1}%
2178     \futurelet\next\xepersian@localize@verbatim@@@}%
2179 \def\xepersian@localize@verbatim@#1\@nil{%
2180     \ifx\next\@nil
2181         \verbatim@processline
2182         \verbatim@startline
2183         \let\next\xepersian@localize@verbatim@
2184     \else
2185         \def\@tempa##1! \ @nil{##1}%
2186         \temptokena{! }%
2187         \def\next{\expandafter\xepersian@localize@verbatim@test\@tempa#1\@nil~}%
2188     \fi \next}%
2189 \def\xepersian@localize@verbatim@test#1{%
2190     \let\next\xepersian@localize@verbatim@test
2191     \if\noexpand#1\noexpand~%
2192         \expandafter\verbatim@addtoline
2193         \expandafter{\the\temptokena}%
2194         \verbatim@processline
2195         \verbatim@startline

```



```

2196           \let\next\xepersian@localize@verbatim@
2197           \else \if\noexpand#1
2198               \temptokena\expandafter{\the\temptokena#1}%
2199           \else \if\noexpand#1\noexpand[%
2200               \let\next\xepersian@localize@verbatim@testend
2201           \else
2202               \expandafter\verbatim@addtoline
2203                   \expandafter{\the\temptokena}%
2204                   \def\next{\xepersian@localize@verbatim@#1}%
2205                   \fi\fi\fi
2206                   \next]%
2207           \def\xepersian@localize@verbatim@testend#1{%
2208               \if\noexpand#1\noexpand~%
2209                   \expandafter\verbatim@addtoline
2210                       \expandafter{\the\temptokena[]}%
2211                   \expandafter\verbatim@addtoline
2212                       \expandafter{\@tempc}%
2213                   \verbatim@processline
2214                   \verbatim@startline
2215                   \let\next\xepersian@localize@verbatim@
2216           \else\if\noexpand#1\noexpand]%
2217               \let\next\xepersian@localize@verbatim@testend
2218           \else\if\noexpand#1\noexpand!%
2219               \expandafter\verbatim@addtoline
2220                   \expandafter{\the\temptokena[]}%
2221                   \expandafter\verbatim@addtoline
2222                       \expandafter{\@tempc}%
2223                   \def\next{\xepersian@localize@verbatim@!}%
2224           \else \expandafter\def\expandafter\@tempc\expandafter
2225               {\@tempc#1}\fi\fi\fi
2226               \next}%
2227           \def\xepersian@localize@verbatim@!testend{%
2228               \ifx\@tempc\@currenvir
2229                   \verbatim@finish
2230                   \edef\next{\noexpand\end{\@currenvir}}%
2231                       \noexpand\xepersian@localize@verbatim@rescan{\@currenvir}}%
2232           \else
2233               \expandafter\verbatim@addtoline
2234                   \expandafter{\the\temptokena[]}%
2235                   \expandafter\verbatim@addtoline
2236                       \expandafter{\@tempc}]%
2237                   \let\next\xepersian@localize@verbatim@
2238                   \fi
2239                   \next}%
2240           \def\xepersian@localize@verbatim@rescan#1#2~{\if\noexpand~\noexpand#2~\else
2241               \warning{Characters dropped after `\\string\\end{#1}'\\fi}%
2242           \def\      {\begingroup\verbatim\frenchspacing\vobeyspaces
2243           \xepersian@localize@verbatim@start}
2244           \namedef{      *}{\begingroup\verbatim\xepersian@localize@verbatim@start}
2245

```



```

2246 \def\end      {\endtrivlist\endgroup\@doendpe}
2247 \expandafter\let\csname end      *\endcsname =\end
2248 }{}}
2249 \ExplSyntaxOn
2250 \AtBeginDocument{
2251   \xepersian_localize_patch_verbatim:
2252 }
2253 \cs_set:Npn \xepersian_localize_patch_verbatim: {
2254   \ifpackageloaded{verbatim}{}{
2255     \cs_set:cpx {*} {}
2256     \group_begin: \cverb|\fontspec_print_visible_spaces|: \xepersian@localize@verbatim@st
2257   }
2258 }{
2259 }
2260 }
2261 \ExplSyntaxOff
2262 \ifpackageloaded{graphicx}{%
2263 \def\Gin@boolkey#1#2{%
2264 \expandafter\@if definable \csname Gin@#2 \endcsname{%
2265 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2true\endcsname}%
2266 \expandafter\@if definable \csname Gin@#2 \endcsname{%
2267 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2false\endcsname}%
2268 \csname Gin@#2\fi\xrelax#1\relax true\else#1\fi\endcsname}%
2269 \define@key{Grot}{origin}[c]{%
2270 \c@iffor\@tempa:=#1\do{%
2271   \if l\@tempa \Grot@x\z@\else
2272   \if tempa@l \Grot@x\z@\else
2273   \if r\@tempa \Grot@x\width\else
2274   \if tempa@r \Grot@x\width\else
2275   \if t\@tempa \Grot@y\height\else
2276   \if tempa@t \Grot@y\height\else
2277   \if b\@tempa \Grot@y-\depth\else
2278   \if tempa@b \Grot@y-\depth\else
2279   \if B\@tempa \Grot@y\z@\else
2280   \if tempa@B \Grot@y\z@\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi}%
2281 {draft}{ \}{Gin} @ \
2282 {origin}{ \}{Gin} @ \
2283 {origin}{ \}{Grot} @ \
2284 {clip}{ \}{Gin} @ \
2285 {keepaspectratio}{ \}{Gin} @ \
2286 {natwidth}{ \}{Gin} @ \
2287 {natheight}{ \}{Gin} @ \
2288 {bb}{ \}{Gin} @ \
2289 {viewport}{ \}{Gin} @ \
2290 {trim}{ \}{Gin} @ \
2291 {angle}{ \}{Gin} @ \
2292 {width}{ \}{Gin} @ \
2293 {height}{ \}{Gin} @ \
2294 {totalheight}{ \}{Gin} @ \
2295 {scale}{ \}{Gin} @ \

```



```

2296 {type}{ }{Gin} @ \
2297 {ext}{ }{Gin} @ \
2298 {read}{ }{Gin} @ \
2299 {command}{ }{Gin} @ \
2300 {x}{ }{Grot} @ \
2301 {y}{ }{Grot} @ \
2302 {units}{ }{Grot} @ \
2303 {}

7.44 parsidigits.map

2304 LHSName "Digits"
2305 RHSName "ParsiDigits"
2306
2307 pass(Unicode)
2308 U+0030 <> U+06F0 ;
2309 U+0031 <> U+06F1 ;
2310 U+0032 <> U+06F2 ;
2311 U+0033 <> U+06F3 ;
2312 U+0034 <> U+06F4 ;
2313 U+0035 <> U+06F5 ;
2314 U+0036 <> U+06F6 ;
2315 U+0037 <> U+06F7 ;
2316 U+0038 <> U+06F8 ;
2317 U+0039 <> U+06F9 ;
2318
2319
2320 U+002C <> U+060C ; comma > arabic comma
2321 U+003F <> U+061F ; question mark -> arabic qm
2322 U+003B <> U+061B ; semicolon -> arabic semicolon
2323
2324 ; ligatures from Knuth's original CMR fonts
2325 U+002D U+002D <> U+2013 ; -- -> en dash
2326 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2327
2328 U+0027 <> U+2019 ; ' -> right single quote
2329 U+0027 U+0027 <> U+201D ; '' -> right double quote
2330 U+0022 > U+201D ; " -> right double quote
2331
2332 U+0060 <> U+2018 ; ` -> left single quote
2333 U+0060 U+0060 <> U+201C ; `` -> left double quote
2334
2335 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2336 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2337
2338 ; additions supported in T1 encoding
2339 U+002C U+002C <> U+201E ; , , -> DOUBLE LOW-9 QUOTATION MARK
2340 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2341 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```



7.45 rapport1-xepersian.def

```
2342 \ProvidesFile{rapport1-xepersian.def}[2010/07/25 v0.1 adaptations for rapport1 class]
2343 \renewcommand*\thepart{\@tartibi\c@part}
2344 \renewcommand*\appendix{\par
2345   \setcounter{chapter}{0}%
2346   \setcounter{section}{0}%
2347   \gdef\@chapapp{\appendixname}%
2348   \gdef\thechapter{\@harfi\c@chapter}}
```

7.46 rapport3-xepersian.def

```
2349 \ProvidesFile{rapport3-xepersian.def}[2010/07/25 v0.2 adaptations for rapport3 class]
2350 \renewcommand*\thepart{\@tartibi\c@part}
2351 \renewcommand*\appendix{\par
2352   \setcounter{chapter}{0}%
2353   \setcounter{section}{0}%
2354   \gdef\@chapapp{\appendixname}%
2355   \gdef\thechapter{\@harfi\c@chapter}}
```

7.47 refrep-xepersian.def

```
2356 \ProvidesFile{refrep-xepersian.def}[2010/07/25 v0.2 adaptations for refrep class]
2357 \renewcommand \thepart {\@tartibi\c@part}
2358 \renewcommand\appendix{\par
2359   \setcounter{chapter}{0}%
2360   \setcounter{section}{0}%
2361   \gdef\@chapapp{\appendixname}%
2362   \gdef\thechapter{\@harfi\c@chapter}
2363 }%end appendix
```

7.48 report-xepersian.def

```
2364 \ProvidesFile{report-xepersian.def}[2010/07/25 v0.2 adaptations for standard report class]
2365 \renewcommand \thepart {\@tartibi\c@part}
2366 \renewcommand\appendix{\par
2367   \setcounter{chapter}{0}%
2368   \setcounter{section}{0}%
2369   \gdef\@chapapp{\appendixname}%
2370   \gdef\thechapter{\@harfi\c@chapter}
2371 }%end appendix
```

7.49 scrartcl-xepersian.def

```
2372 \ProvidesFile{scrartcl-xepersian.def}[2010/07/25 v0.2 adaptations for scrartcl class]
2373 \renewcommand*{\thepart}{\@tartibi\c@part}
2374 \renewcommand*\appendix{\par%
2375   \setcounter{section}{0}%
2376   \setcounter{subsection}{0}%
2377   \gdef\thesection{\@harfi\c@section}%
2378   \csname appendixmore\endcsname
2379 }
2380 \renewcommand*{\@@maybeautodot}[1]{%
```



```

2381 \ifx #1\@stop\let\@maybeautodot\relax
2382 \else
2383   \ifx #1\harfi \autodottrue\fi
2384   \ifx #1\adadi \autodottrue\fi
2385   \ifx #1\tartibi \autodottrue\fi
2386   \ifx #1\Alph \autodottrue\fi
2387   \ifx #1\alph \autodottrue\fi
2388   \ifx #1\Roman \autodottrue\fi
2389   \ifx #1\roman \autodottrue\fi
2390   \ifx #1\@harfi \autodottrue\fi
2391   \ifx #1\@adadi \autodottrue\fi
2392   \ifx #1\@tartibi \autodottrue\fi
2393   \ifx #1\@Alph \autodottrue\fi
2394   \ifx #1\@alph \autodottrue\fi
2395   \ifx #1\@Roman \autodottrue\fi
2396   \ifx #1\@roman \autodottrue\fi
2397   \ifx #1\@roman numeral \autodottrue\fi
2398 \fi
2399 \@maybeautodot
2400 }

```

7.5o scrbook-xepersian.def

```

2401 \ProvidesFile{scrbook-xepersian.def}[2010/07/25 v0.2 adaptations for scrbook class]
2402 \renewcommand*\frontmatter{%
2403   \if@twoside\cleardoubleoddpage\else\clearpage\fi
2404   \mainmatterfalse\pagenumbering{harfi}%
2405 }
2406 \renewcommand*{\thepart}{\tartibi\c@part}
2407 \renewcommand*\appendix{\par%
2408   \setcounter{chapter}{0}%
2409   \setcounter{section}{0}%
2410   \gdef\chapapp{\appendixname}%
2411   \gdef\thechapter{\harfi\c@chapter}%
2412   \csname appendixmore\endcsname
2413 }
2414 \renewcommand*{\@maybeautodot}[1]{%
2415   \ifx #1\@stop\let\@maybeautodot\relax
2416   \else
2417     \ifx #1\harfi \autodottrue\fi
2418     \ifx #1\adadi \autodottrue\fi
2419     \ifx #1\tartibi \autodottrue\fi
2420     \ifx #1\Alph \autodottrue\fi
2421     \ifx #1\alph \autodottrue\fi
2422     \ifx #1\Roman \autodottrue\fi
2423     \ifx #1\roman \autodottrue\fi
2424     \ifx #1\@harfi \autodottrue\fi
2425     \ifx #1\@adadi \autodottrue\fi
2426     \ifx #1\@tartibi \autodottrue\fi
2427     \ifx #1\@Alph \autodottrue\fi

```



```

2428     \ifx #1\@alph \@autodottrue\fi
2429     \ifx #1\@Roman \@autodottrue\fi
2430     \ifx #1\@roman \@autodottrue\fi
2431     \ifx #1\romannumeral \@autodottrue\fi
2432 \fi
2433 \@@maybeautodot
2434 }

```

7.51 scrreprt-xepersian.def

```

2435 \ProvidesFile{scrreprt-xepersian.def}[2010/07/25 v0.2 adaptations for scrreprt class]
2436 \renewcommand*{\thepart}{\@tartibi\c@part}
2437 \renewcommand*\appendix{\par%
2438   \setcounter{chapter}{0}%
2439   \setcounter{section}{0}%
2440   \gdef\@chapapp{\appendixname}%
2441   \gdef\thechapter{\@harfi\c@chapter}%
2442   \csname appendixmore\endcsname
2443 }
2444 \renewcommand*{\@maybeautodot}[1]{%
2445   \ifx #1\stop\let\@@maybeautodot\relax
2446   \else
2447     \ifx #1\harfi \@autodottrue\fi
2448     \ifx #1\adadi \@autodottrue\fi
2449     \ifx #1\tartibi \@autodottrue\fi
2450     \ifx #1\Alph \@autodottrue\fi
2451     \ifx #1\alph \@autodottrue\fi
2452     \ifx #1\Roman \@autodottrue\fi
2453     \ifx #1\roman \@autodottrue\fi
2454     \ifx #1\@harfi \@autodottrue\fi
2455     \ifx #1\@adadi \@autodottrue\fi
2456     \ifx #1\@tartibi \@autodottrue\fi
2457     \ifx #1\@Alph \@autodottrue\fi
2458     \ifx #1\@alph \@autodottrue\fi
2459     \ifx #1\@Roman \@autodottrue\fi
2460     \ifx #1\@roman \@autodottrue\fi
2461     \ifx #1\romannumeral \@autodottrue\fi
2462   \fi
2463 \@@maybeautodot
2464 }

```

7.52 soul-xepersian.def

```

2465 \ProvidesFile{soul-xepersian.def}[2015/10/16 v0.1 adaptations for soul package]
2466 \let\SOUL@tt\relax
2467 \newfontface{\SOUL@tt}{Times New Roman}

```

7.53 tkz-linknodes-xepersian.def

```

2468 \ProvidesFile{tkz-linknodes-xepersian.def}[2012/06/13 v0.1 adaptations for tkz-linknodes packa
2469 \renewcommand*{\@SetTab}{%
2470   \let\@alph\@latinalph%

```



```

2471 \ifnum \value{C@NumTab}>25\relax%
2472   \setcounter{C@NumTab}{1}%
2473 \else%
2474   \stepcounter{C@NumTab}%
2475 \fi%
2476 \setcounter{C@NumGroup}{0}%
2477 \newcommand*\PrefixCurrentTab{\alph{C@NumTab}}
2478 \setboolean{B@FirstLink}{true}
2479 \setboolean{B@NewGroup}{false}
2480 \setcounter{C@NumGroup}{0}
2481 \setcounter{C@CurrentGroup}{0}
2482 \setcounter{NumC@Node}{0}
2483 \setcounter{NumC@Stop}{0}
2484 \setcounter{C@NextNode}{0}
2485 \setcounter{C@CurrentStop}{0}
2486 \setcounter{C@CurrentNode}{0}
2487 }%

```

7.54 tocloft-xepersian.def

```

2488 \ProvidesFile{tocloft-xepersian.def}[2010/07/25 v0.1 bilingual captions for tocloft package]
2489 \renewcommand*\cftchapname{\if@RTL else\ chapter\fi}
2490 \renewcommand*\cftsecname{\if@RTL else\ section\fi}
2491 \renewcommand*\cftsubsecname{\if@RTL else\ subsection\fi}
2492 \renewcommand*\cftsubsubsecname{\if@RTL else\ subsubsection\fi}
2493 \renewcommand*\cftpasename{\if@RTL else\ paragraph\fi}
2494 \renewcommand*\cftsubparaname{\if@RTL else\ subparagraph\fi}
2495 \renewcommand*\cftfigname{\if@RTL else\ figure\fi}
2496 \renewcommand*\cftsubfigname{\if@RTL else\ subfigure\fi}
2497 \renewcommand*\cfttabname{\if@RTL else\ table\fi}
2498 \renewcommand*\cftsubtabname{\if@RTL else\ subtable\fi}

```

7.55 xepersian.sty

```

2499 \NeedsTeXFormat{LaTeX2e}
2500 \def\xepersianversion{v19.1}
2501 \def\xepersiandate{2017/08/27}
2502 \ProvidesPackage{xepersian}[\xepersiandate\space \xepersianversion\space
2503 Persian typesetting in XeLaTeX]
2504 \RequirePackage{fontspec}
2505 \RequirePackage{xepersian-persiancal}
2506 \RequirePackage{xepersian-mathsdigtspec}
2507 \RequirePackage{bidi}
2508 \edef\@xepersian@info{*****^J%}
2509 * ^J%
2510 * xepersian package (Persian for LaTeX, using XeTeX engine)^J%
2511 * ^J%
2512 * Description: The package supports Persian^J%
2513 * typesetting, using fonts provided in the^J%
2514 * distribution.^J%
2515 * ^J%

```



```

2516 * Copyright (c) 2008--2017 Vafa Khalighi^^J%
2517 * ^^J%
2518 * \xepersianversion, \xepersiandate^^J%
2519 * ^^J%
2520 * License: LaTeX Project Public License, version^^J%
2521 * 1.3c or higher (your choice)^J%
2522 * ^J%
2523 * Location on CTAN: /macros/xetex/latex/xepersian^^J%
2524 * ^J%
2525 * Issue tracker: https://github.com/tex-xet/xepersian/issues^^J%
2526 * ^J%
2527 * Support: persian-tex@tug.org^J%
2528 * ^J%
2529 ****}
2530 \typeout{\xepersian@info}
2531 \edef\xepersian@everyjob{\the\everyjob}
2532 \everyjob{\xepersian@everyjob\typeout{\xepersian@info}}
2533 \edef\bidi@strip@v@xepersianversion{\expandafter\gobble\xepersianversion}
2534 \newcommand*{\IfxepersianPackageVersionLater}[1]{%
2535   \ifdim\bidi@strip@v@xepersianversion pt > #1 pt %
2536     \expandafter\@firstoftwo
2537   \else
2538     \expandafter\@secondoftwo
2539   \fi}
2540 \newcommand*{\IfxepersianPackageVersionBefore}[1]{%
2541   \ifdim\bidi@strip@v@xepersianversion pt < #1 pt %
2542     \expandafter\@firstoftwo
2543   \else
2544     \expandafter\@secondoftwo
2545   \fi}
2546 \newcommand*{\IfxepersianPackageVersion}[1]{%
2547   \ifdim\bidi@strip@v@xepersianversion pt = #1 pt %
2548     \expandafter\@firstoftwo
2549   \else
2550     \expandafter\@secondoftwo
2551   \fi}
2552 \def\prq{<}
2553 \def\plq{>}
2554 \def\xepersian@cmds@temp#1{%
2555   \begingroup\expandafter\expandafter\expandafter\endgroup
2556   \expandafter\ifx\csname xepersian@\#1\endcsname\relax
2557     \begingroup
2558       \escapechar=-1 %
2559       \edef\x{\expandafter\meaning\csname\#1\endcsname}%
2560       \def\y{\#1}%
2561       \def\z{\#1->}%
2562       \edef\y{\expandafter\z\meaning\y}%
2563     \expandafter\endgroup
2564     \ifx\x\y
2565       \expandafter\def\csname xepersian@\#1\expandafter\endcsname

```



```

2566      \expandafter{%
2567          \csname#1\endcsname
2568      }%
2569      \fi
2570  \fi
2571 }%
2572 \xepersian@cmds@temp{shellescape}
2573 \newif\ifwritexviii
2574 \ifnum\xepersian@shellescape=1\relax
2575   \writexviiittrue
2576 \else
2577 \writexviiifalse
2578 \fi
2579 \newfontscript{Parsi}{arab}
2580 \newfontlanguage{Parsi}{FAR}
2581 \ExplSyntaxOn
2582
2583 \DeclareDocumentCommand \settextfont { O{} m O{} }
2584 {
2585     \__xepersian_main_settextfont:nnn {#1} {#2} {#3}
2586 }
2587 \cs_set:Nn \__xepersian_main_settextfont:nnn
2588 {
2589     \fontspec_set_family:Nnn \g_xepersian_persianfont_family {Script=Parsi,Language=Parsi,Mappi
2590     \tl_set_eq:NN \rmdefault \g_xepersian_persianfont_family
2591     \use:x { \exp_not:n { \ DeclareRobustCommand \persianfont }
2592     {
2593         \exp_not:N \fontencoding { \l_fontspec_nfss_enc_tl }
2594         \exp_not:N \fontfamily { \g_xepersian_persianfont_family }
2595         \exp_not:N \selectfont
2596     }
2597 }
2598 \str_if_eq_x:nnT {\familydefault} {\rmdefault}
2599   { \tl_set_eq:NN \encodingdefault \l_fontspec_nfss_enc_tl }
2600 \normalfont
2601 \ignorespaces
2602 }
2603
2604 \DeclareDocumentCommand \setlatintextfont { O{} m O{} }
2605 {
2606     \__xepersian_main_setlatintextfont:nnn {#1} {#2} {#3}
2607 }
2608 \cs_set:Nn \__xepersian_main_setlatintextfont:nnn
2609 {
2610     \fontspec_set_family:Nnn \g_xepersian_latinfont_family {Mapping=tex-text,#1,#3} {#2}
2611     \use:x { \exp_not:n { \ DeclareRobustCommand \latinfont }
2612     {
2613         \exp_not:N \fontencoding { \l_fontspec_nfss_enc_tl }
2614         \exp_not:N \fontfamily { \g_xepersian_latinfont_family }
2615         \exp_not:N \selectfont

```



```

2616     }
2617   }
2618 \str_if_eq_x:n{nnT}{\familydefault}{\rmdefault}
2619   { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2620 \normalfont
2621 \ignorespaces
2622 }
2623
2624 \tl_set_eq:NN \setlatinsansfont \setsansfont
2625 \tl_set_eq:NN \setlatinmonofont \setmonofont
2626
2627 \DeclareDocumentCommand \defpersianfont { m O{} m O{} }
2628   {
2629     \__xepersian_main_defpersianfont:nnnn {#1} {#2} {#3} {#4}
2630   }
2631 \cs_set:Nn \__xepersian_main_defpersianfont:nnnn
2632   {
2633     \fontspec_set_family:cnn { g__xepersian_ \cs_to_str:N #1 _family } {Script=Parsi,Language=Pa
2634     \use:x
2635     {
2636       \exp_not:N \DeclareRobustCommand \exp_not:N #1
2637       {
2638         \exp_not:N \fontfamily { \use:c {g__xepersian_ \cs_to_str:N #1 _family} }
2639         \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2640         \exp_not:N \selectfont
2641       }
2642     }
2643   }
2644
2645 \DeclareDocumentCommand \deflatinfont { m O{} m O{} }
2646   {
2647     \__xepersian_main_deflatinfont:nnnn {#1} {#2} {#3} {#4}
2648   }
2649 \cs_set:Nn \__xepersian_main_deflatinfont:nnnn
2650   {
2651     \fontspec_set_family:cnn { g__xepersian_ \cs_to_str:N #1 _family } {Mapping=tex-text,#2,#4}
2652     \use:x
2653     {
2654       \exp_not:N \DeclareRobustCommand \exp_not:N #1
2655       {
2656         \exp_not:N \fontfamily { \use:c {g__xepersian_ \cs_to_str:N #1 _family} }
2657         \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2658         \exp_not:N \selectfont
2659       }
2660     }
2661   }
2662
2663 \newcommand\persiansfdefault{}
2664 \newcommand\persianttdefault{}
2665 \newcommand\iranicdefault{}

```



```

2666 \newcommand\navardefault{}
2667 \newcommand\pookdefault{}
2668 \newcommand\sayehdefault{}
2669 \DeclareRobustCommand\persiansffamily
2670     {\not@math@\alphabetsf\persiansffamily\mathpersiansf
2671      \fontfamily\persiansfdefault\selectfont}
2672 \DeclareRobustCommand\persianttfamily
2673     {\not@math@\alphabetsf\persianttfamily\mathpersiantt
2674      \fontfamily\persianttdefault\selectfont}
2675 \DeclareRobustCommand\iranicfamily
2676     {\not@math@\alphabetsf\iranicfamily\mathiranic
2677      \fontfamily\iranicdefault\selectfont}
2678 \DeclareRobustCommand\navarfamilly
2679     {\not@math@\alphabetsf\navarfamilly\mathnavar
2680      \fontfamily\navardefault\selectfont}
2681 \DeclareRobustCommand\pookfamily
2682     {\not@math@\alphabetsf\pookfamily\mathpook
2683      \fontfamily\pookdefault\selectfont}
2684 \DeclareRobustCommand\sayehfamily
2685     {\not@math@\alphabetsf\sayehfamily\mathsayeh
2686      \fontfamily\sayehdefault\selectfont}
2687 \DeclareTextFontCommand{\textpersiansf}{\persiansffamily}
2688 \DeclareTextFontCommand{\textpersiantt}{\persianttfamily}
2689 \DeclareTextFontCommand{\textiranic}{\iranicfamily}
2690 \DeclareTextFontCommand{\textnavar}{\navarfamilly}
2691 \DeclareTextFontCommand{\textpook}{\pookfamily}
2692 \DeclareTextFontCommand{\textsayeh}{\sayehfamily}
2693
2694 \DeclareDocumentCommand \setpersiansansfont { O{} m O{} }
2695   {
2696     \__xepersian_main_setpersiansansfont:nnn {#1} {#2} {#3}
2697   }
2698 \cs_set:Nn \__xepersian_main_setpersiansansfont:nnn
2699   {
2700     \fontspec_set_family:Nnn \g_xepersian_persiansffamily {Script=Parsi,Language=Parsi,Math=Persian}
2701     \tl_set_eq:NN \persiansfdefault \g_xepersian_persiansffamily
2702     \use:x { \exp_not:n { \DeclareRobustCommand \persiansffamily }
2703       {
2704         \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2705         \exp_not:N \fontfamily { \g_xepersian_persiansffamily }
2706         \exp_not:N \selectfont
2707       }
2708     }
2709     \str_if_eq_x:nnT {familydefault} {\persiansfdefault}
2710       { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2711     \normalfont
2712     \ignorespaces
2713   }
2714
2715 \DeclareDocumentCommand \setpersianmonofont { O{} m O{} }

```



```

2716  {
2717    \__xepersian_main_setpersianmonofont:nnn {#1} {#2} {#3}
2718  }
2719 \cs_set:Nn \__xepersian_main_setpersianmonofont:nnn
2720  {
2721    \fontspec_set_family:Nnn \g__xepersian_persianttfamily_family {Script=Parsi,Language=Parsi,Mappi
2722    \tl_set_eq:NN \persianttdefault \g__xepersian_persianttfamily_family
2723    \use:x { \exp_not:n { \DeclareRobustCommand \persianttfamily }
2724      {
2725        \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2726        \exp_not:N \fontfamily { \g__xepersian_persianttfamily_family }
2727        \exp_not:N \selectfont
2728      }
2729    }
2730    \str_if_eq_x:nnT {\familydefault} {\persianttdefault}
2731      { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2732    \normalfont
2733    \ignorespaces
2734  }
2735
2736 \DeclareDocumentCommand \setnavarfont { O{} m O{} }
2737  {
2738    \__xepersian_main_setnavarfont:nnn {#1} {#2} {#3}
2739  }
2740 \cs_set:Nn \__xepersian_main_setnavarfont:nnn
2741  {
2742    \fontspec_set_family:Nnn \g__xepersian_navarfamily_family {Script=Parsi,Language=Parsi,Mappi
2743    \tl_set_eq:NN \navardefault \g__xepersian_navarfamily_family
2744    \use:x { \exp_not:n { \DeclareRobustCommand \navarfam
2745      {
2746        \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2747        \exp_not:N \fontfamily { \g__xepersian_navarfamily_family }
2748        \exp_not:N \selectfont
2749      }
2750    }
2751    \str_if_eq_x:nnT {\familydefault} {\navardefault}
2752      { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2753    \normalfont
2754    \ignorespaces
2755  }
2756
2757 \DeclareDocumentCommand \setpookfont { O{} m O{} }
2758  {
2759    \__xepersian_main_setpookfont:nnn {#1} {#2} {#3}
2760  }
2761 \cs_set:Nn \__xepersian_main_setpookfont:nnn
2762  {
2763    \fontspec_set_family:Nnn \g__xepersian_pookfamily_family {Script=Parsi,Language=Parsi,Mappi
2764    \tl_set_eq:NN \pookdefault \g__xepersian_pookfamily_family
2765    \use:x { \exp_not:n { \DeclareRobustCommand \pookfamily }

```



```

2766  {
2767    \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2768    \exp_not:N \fontfamily { \g__xepersian_pookfamily_family }
2769    \exp_not:N \selectfont
2770  }
2771 }
2772 \str_if_eq_x:nnT {\familydefault} {\pookdefault}
2773   { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2774 \normalfont
2775 \ignorespaces
2776 }
2777
2778 \DeclareDocumentCommand \setsayehfont { O{} m O{} }
2779 {
2780   \__xepersian_main_setsayehfont:nnn {#1} {#2} {#3}
2781 }
2782 \cs_set:Nn \__xepersian_main_setsayehfont:nnn
2783 {
2784   \fontspec_set_family:Nnn \g__xepersian_sayehfamily_family {Script=Parsi,Language=Parsi,Mappi}
2785   \tl_set_eq:NN \sayehdefault \g__xepersian_sayehfamily_family
2786   \use:x { \exp_not:n { \DeclareRobustCommand \sayehfamily }
2787   {
2788     \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2789     \exp_not:N \fontfamily { \g__xepersian_sayehfamily_family }
2790     \exp_not:N \selectfont
2791   }
2792 }
2793 \str_if_eq_x:nnT {\familydefault} {\sayehdefault}
2794   { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2795 \normalfont
2796 \ignorespaces
2797 }
2798
2799 \DeclareDocumentCommand \setiranicfont { O{} m O{} }
2800 {
2801   \__xepersian_main_setiranicfont:nnn {#1} {#2} {#3}
2802 }
2803 \cs_set:Nn \__xepersian_main_setiranicfont:nnn
2804 {
2805   \fontspec_set_family:Nnn \g__xepersian_iranicfamily_family {Script=Parsi,Language=Parsi,Mappi}
2806   \tl_set_eq:NN \iranicdefault \g__xepersian_iranicfamily_family
2807   \use:x { \exp_not:n { \DeclareRobustCommand \iranicfamily }
2808   {
2809     \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2810     \exp_not:N \fontfamily { \g__xepersian_iranicfamily_family }
2811     \exp_not:N \selectfont
2812   }
2813 }
2814 \str_if_eq_x:nnT {\familydefault} {\iranicdefault}
2815   { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }

```



```

2816  \normalfont
2817  \ignorespaces
2818 }
2819
2820
2821 \ExplSyntaxOff
2822 \def\resetlatinfont{%
2823 @nonlatinfalse%
2824 \let\normalfont\latinfont%
2825 \let\reset@font\normalfont%
2826 \latinfont%
2827 \fontsize\f@size\f@baselineskip%
2828 \selectfont}
2829 \def\setpersianfont{%
2830 @nonlatintrue%
2831 \let\normalfont\persianfont%
2832 \let\reset@font\normalfont%
2833 \persianfont%
2834 \fontsize\f@size\f@baselineskip%
2835 \selectfont}
2836 \bidi@newrobustcmd*\{\lr}[1]{\LRE{\resetlatinfont#1}}
2837 \bidi@newrobustcmd*\{\rl}[1]{\RLE{\setpersianfont#1}}
2838 \def\latin{\LTR\LatinAlphs\@RTL@footnotefalse\resetlatinfont}
2839 \def\endlatin{\endLTR}
2840 \def\persian{\RTL\PersianAlphs\@RTL@footnotetrue\setpersianfont}
2841 \def\endpersian{\endRTL}
2842 \newenvironment{latinitems}{\begin{LTRitems}\LatinAlphs\@RTL@footnotefalse\resetlatinfont}{\end{LTRitems}}
2843 \newenvironment{parsiitems}{\begin{RTLitems}\PersianAlphs\@RTL@footnotetrue\setpersianfont}{\end{RTLitems}}
2844 \let\originaltoday=\today
2845 \def\latintoday{\lr{\originaltoday}}
2846 \def\today{\rl{\persiantoday}}
2847 \def \OLTRmarginparreset {%
2848     \reset@font
2849     \resetlatinfont
2850     \normalsize
2851     @minipagetrue
2852     \everypart{@minipagefalse\everypar{}\beginL}%
2853 }
2854 \DeclareRobustCommand\Latincite{%
2855     @ifnextchar [{\@tempswatru\@Latincitex}{\@tempswafalse\@Latincitex[]]}
2856 \def\@Latincitex[#1]#2{\leavevmode
2857     \let\@cited\@empty
2858     \cited{\lr{\for\@cited:=#2\do
2859         {\@cited\def\@cited{\penalty\@m\ }%
2860         \edef\@cited{\expandafter\firstofone\@cited\@empty}%
2861         \if@filesw\immediate\write\auxout{\string\citation{\@cited}}\fi
2862         \@ifundefined{b@\@cited}{\hbox{\reset@font\bfseries ?}}%
2863         \G@refundefinedtrue
2864         \@latex@warning
2865             {Citation `@\cited' on page \thepage \space undefined}}}}%

```



```

2866      {\@cite@ofmt{\csname b@\citereb\endcsname}}}}}{#1}}
2867
2868 \renewcommand*{\bidi@font@@outputpage}{\if@RTLmain\setpersianfont\else\resetlatinfont\fi}
2869
2870 \newif\if@xepersian@@computeautoilg
2871 \newcount\xepersian@tcl
2872 \newdimen\xepersian@ilg
2873 \newdimen\xepersian@strutilg
2874 \chardef\f@ur=4
2875 \newcommand*{\xepersian@computeautoilg}{% compute the interline glue
2876 \xepersian@tcl=1536\xepersian@ilg\z@\xepersian@strutilg\z@
2877 \loop
2878 \iffontchar\font\xepersian@tcl
2879 \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\z@
2880 \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
2881   \xepersian@ilg=\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
2882 \fi
2883 \else
2884 \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl<\z@
2885 \ifdim-\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
2886   \xepersian@ilg=-\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
2887 \fi
2888 \fi
2889 \fi
2890 \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\z@
2891 \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
2892   \xepersian@strutilg=\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl
2893 \fi
2894 \else
2895 \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl<\z@
2896 \ifdim-\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
2897   \xepersian@strutilg=-\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl
2898 \fi
2899 \fi
2900 \fi
2901 \fi
2902 \advance\xepersian@tcl\@ne
2903 \ifnum\xepersian@tcl<1792\repeat
2904 \advance\xepersian@strutilg\xepersian@ilg
2905 % \ifdim\xepersian@strutilg>\baselineskip
2906 % \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
2907 % \PackageInfo{xepersian}{baselineskip changed to that height+depth!}
2908 % \linespread{\strip@pt\dimexpr 1pt * \xepersian@strutilg / \baselineskip\relax}
2909 % \selectfont
2910 % \fi
2911 }
2912
2913 \newcommand\twocolumnstableofcontents{%
2914 \if@bidi@csundef{multi@column@out}{%
2915 \PackageError{xepersian}{Ops! you should load multicol package before xepersian package for b

```



```

2916 \begin{multicols}{2}[\section*{\contentsname}]%
2917   \small
2918   \starttoc{toc}%
2919 \end{multicols}]

2920 \bidi@newrobustcmd*\XePersian{\leavevmode$\smash{\hbox{X\lower.5ex}}%
2921 \hbox{\kern-.125em\bidi@reflect@box{E}} Persian}}$}
2922 \def\figurename{\if@RTL else\ Figure\fi}
2923 \def\tablename{\if@RTL else\ Table\fi}
2924 \def\contentsname{\if@RTL else\ Contents\fi}
2925 \def\listfigurename{\if@RTL else\ List of Figures\fi}
2926 \def\listtablename{\if@RTL else\ List of Tables\fi}
2927 \def\appendixname{\if@RTL else\ Appendix\fi}
2928 \def\indexname{\if@RTL else\ Index\fi}
2929 \def\refname{\if@RTL else\ References\fi}
2930 \def\abstractname{\if@RTL else\ Abstract\fi}
2931 \def\partname{\if@RTL else\ Part\fi}
2932 \def\datename{\if@RTL else\ Date:\fi}
2933 \def\@and{\if@RTL else\ and\fi}
2934 \def\bibname{\if@RTL else\ Bibliography\fi}
2935 \def\chaptername{\if@RTL else\ Chapter\fi}
2936 \def\ccname{\if@RTL else\ cc\fi}
2937 \def\enclname{\if@RTL else\ encl\fi}
2938 \def\pagename{\if@RTL else\ Page\fi}
2939 \def\headtoname{\if@RTL else\ To\fi}
2940 \def\proofname{\if@RTL else\ Proof\fi}
2941 \def\@Abjad#1{%
2942   \ifcase#1\or \or\ or\ or\ or\ %
2943     \or \or\ or\ or\ or\ or\ %
2944     \or \or\ or\ or\ or\ or\ %
2945     \or \or\ or\ or\ %
2946     \or \or\ or\ or\ or\ or\ %
2947     \or \or\ or\ or\ or\ or\ %
2948     \else\@ctrerr\fi}
2949 \def\Abjad#1{\expandafter\@Abjad\csname c@#1\endcsname}
2950 \let\Abjadnumeral\@Abjad
2951 \def\@harfi#1{\ifcase#1\or \or\ or\ or\ or\ or\ %
2952 \or\ or\ %
2953 \or\ or\ %
2954 \else\@ctrerr\fi}
2955 \def\harfi#1{\expandafter\@harfi\csname c@#1\endcsname}
2956 \let\harfinumeral\@harfi
2957 \newcommand{\adadi}[1]{%
2958 }
2959 \newcommand{\@adadi}[1]{%
2960 \xepersian@numberstring{\#1}\xepersian@yekanii{ }{}%}
2961 }
2962 \let\adadinumeral\@adadi%
2963 \def\xepersian@numberoutoffrange#1#2{%
2964 \PackageError{xepersian}{The number `#1' is too large }%

```



```

2965 to be formatted using xepersian}{The largest possible %
2966 number is 999,999,999.%}
2967 }
2968 \def\xepersian@numberstring#1#2#3#4{%
2969 \ifnum\number#1<\@ne%
2970 #3%
2971 \else\ifnum\number#1<1000000000 %
2972 \expandafter\xepersian@adadi\expandafter{\number#1}#2%
2973 \else%
2974 \xepersian@numberoutoffrange{#1}{#4}%
2975 \fi\fi%
2976 }
2977 \def\xepersian@adadi#1#2{%
2978 \expandafter\xepersian@adadi%
2979 \ifcase%
2980 \ifnum#1<10 1%
2981 \else\ifnum#1<100 2%
2982 \else\ifnum#1<\@m 3%
2983 \else\ifnum#1<\@M 4%
2984 \else\ifnum#1<100000 5%
2985 \else\ifnum#1<1000000 6%
2986 \else\ifnum#1<10000000 7%
2987 \else\ifnum#1<100000000 8%
2988 \else9%
2989 \fi\fi\fi\fi\fi\fi %
2990 \or0000000#1% case 1: Add 8 leading zeros
2991 \or0000000#1% case 2: Add 7 leading zeros
2992 \or000000#1% case 3: Add 6 leading zeros
2993 \or00000#1% case 4: Add 5 leading zeros
2994 \or0000#1% case 5: Add 4 leading zeros
2995 \or000#1% case 6: Add 3 leading zeros
2996 \or00#1% case 7: Add 2 leading zeros
2997 \or0#1% case 8: Add 1 leading zero
2998 \or#1% case 9: Add no leading zeros
2999 \or%
3000 \nil#2%
3001 \fi%
3002 }
3003 \def\xepersian@adadi#1#2#3#4#5#6#7\or#8\nil#9{%
3004 \ifnum#1#2#3>\z@%
3005 \xepersian@milyoongan#1#2#3%
3006 \ifnum#7>\z@\ifnum#4#5#6>\z@ \ \else\ \ \fi\else\ifnum#4#5#6>\z@ \ \ \fi\fi%
3007 \fi%
3008 \ifnum#4#5#6>\z@%
3009 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3010 \ifnum#4#5#6>\@ne\fi%
3011 %
3012 \ifnum#7>\z@ \ \ \fi%
3013 \fi%
3014 \xepersian@sadgan#7{#4#5#6}1#9%

```



```

3015 }
3016 \def\xepersian@milyoongan#1#2#3{%
3017 \ifnum#1#2#3=\@ne%
3018 \xepersian@sadgan#1#2#301\xepersian@yekaniii%
3019 %
3020 %
3021 \else%
3022 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3023 %
3024 %
3025 \fi%
3026 }
3027 \def\xepersian@sadgan#1#2#3#4#5#6{%
3028 \ifnum#1>\z@%
3029 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3030 %
3031 \ifnum#2#3>\z@ \ \fi%
3032 \fi%
3033 \ifnum#2#3<20%
3034 \ifnum#5#2#3>\@ne#6{#2#3}\fi%
3035 \else%
3036 \xepersian@dahgan#2%
3037 \ifnum#3>\z@ \ \xepersian@yekani#3\fi%
3038 #60%
3039 \fi%
3040 }
3041 \def\xepersian@yekani#1{%
3042 \ifcase#1\@empty\or\or\ \or\ \or\ \or\ \or\ \or\ \ %
3043 \or\or\ \or\ \or\ \or\ \or\ \or\ \or\ \ %
3044 \or\or\ \or\ \or\ \ %
3045 \or\or\ \ %\fi%
3046 }
3047 \def\xepersian@yekanii#1{%
3048 \ifcase#1\@empty\or \else\xepersian@yekani{#1}\fi\%
3049 }
3050 \def\xepersian@yekaniii#1{%
3051 \ifcase#1\@empty\or \else\xepersian@yekani{#1}\fi\%
3052 }
3053 \def\xepersian@yekaniv#1{%
3054 \ifcase#1\@empty\or\or\or\ \or\ \or\ \or\ \ %
3055 \or\or\ \or\ \ %\fi%
3056 }
3057 \def\xepersian@dahgan#1{%
3058 \ifcase#1\or\or\or\ \or\ \ %
3059 \or\or\ \or\ \or\ \ %
3060 \or\ %\fi%
3061 }
3062 \newcommand{\tartibi}[1]{%
3063 \expandafter\tartibi\csname c@\#1\endcsname%
3064 }

```



```

3065 \newcommand{\@tartibi}[1]{%
3066 \xepersian@numberstring@tartibi{#1}\xepersian@tartibi{ }{ }%
3067 }
3068 \let\tartibinumeral\@tartibi%
3069 \def\xepersian@numberstring@tartibi#1#2#3#4{%
3070 \ifnum\number#1<\@ne%
3071 #3%
3072 \else\ifnum\number#1<1000000000 %
3073 \expandafter\xepersian@adadi@tartibi\expandafter{\number#1}#2%
3074 \else%
3075 \xepersian@numberoutoffrange{#1}{#4}%
3076 \fi\fi%
3077 }
3078 \def\xepersian@adadi@tartibi#1#2{%
3079 \expandafter\xepersian@@adadi@tartibi%
3080 \ifcase%
3081 \ifnum#1<10 1%
3082 \else\ifnum#1<100 2%
3083 \else\ifnum#1<\@m 3%
3084 \else\ifnum#1<\@M 4%
3085 \else\ifnum#1<100000 5%
3086 \else\ifnum#1<1000000 6%
3087 \else\ifnum#1<10000000 7%
3088 \else\ifnum#1<100000000 8%
3089 \else9%
3090 \fi\fi\fi\fi\fi\fi %
3091 \or0000000#1% case 1: Add 8 leading zeros
3092 \or000000#1% case 2: Add 7 leading zeros
3093 \or00000#1% case 3: Add 6 leading zeros
3094 \or00000#1% case 4: Add 5 leading zeros
3095 \or0000#1% case 5: Add 4 leading zeros
3096 \or000#1% case 6: Add 3 leading zeros
3097 \or00#1% case 7: Add 2 leading zeros
3098 \or0#1% case 8: Add 1 leading zero
3099 \or#1% case 9: Add no leading zeros
3100 \or%
3101 \@nil#2%
3102 \fi%
3103 }
3104 \def\xepersian@@adadi@tartibi#1#2#3#4#5#6#7\or#8\@nil#9{%
3105 \ifnum#1#2#3>\z@%
3106 \xepersian@milyoongan@tartibi#1#2#3%
3107 \ifnum#7>\z@\ifnum#4#5#6>\z@ \ \else\ \fi\else\ifnum#4#5#6>\z@ \ \fi\fi%
3108 \fi%
3109 \ifnum#4#5#6>\z@%
3110 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3111 \ifnum#4#5#6>\@ne \fi%
3112 %
3113 \ifnum#7>\z@ \ \fi%
3114 \fi%

```



```

3115 \xepersian@sadgan@tartibi#7{#4#5#6}1#9%
3116 }
3117 \def\xepersian@milyoongan@tartibi#1#2#3{%
3118 \ifnum#1#2#3=\@ne%
3119 \xepersian@sadgan@tartibi#1#2#301\xepersian@yekaniii%
3120 %
3121 %
3122 \else%
3123 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3124 %
3125 %
3126 \fi%
3127 }
3128 \def\xepersian@sadgan@tartibi#1#2#3#4#5#6{%
3129 \ifnum#1>\z@%
3130 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3131 %
3132 \ifnum#2#3>\z@\
3133 \fi%
3134 \ifnum#2#3<20%
3135 \ifnum#5#2#3>\@ne\ifnum#1#2#3#4#5=10001 %else#6{#2#3}\fi\fi\
3136 \else%
3137 \ifnum#2#3=30%
3138 \xepersian@dahgan@tartibi#2%
3139 \else%
3140 \xepersian@dahgan#2%
3141 \fi%
3142 \ifnum#3>\z@\
3143 \xepersian@yekanv#3\fi%
3144 #60%
3145 \fi%
3146 \def\xepersian@dahgan@tartibi#1{%
3147 \ifcase#1\or\or\or\or\or\ %
3148 \or\or\or\or\or\or\ %
3149 \or\%fi\ %
3150 }
3151 \def\xepersian@tartibi#1{%
3152 \ifcase#1\or\or\or\or\or\or\ %
3153 \or\or\or\or\or\or\or\ %
3154 \or\or\or\or\or\or\ %
3155 \or\or\or\or\ %
3156 \or\or\or\or\%fi\ %
3157 }
3158 \def\xepersian@yekanv#1{%
3159 \ifcase#1\empty\or\or\or\or\or\or\or\or\ %
3160 \or\or\or\or\or\or\or\or\or\ %
3161 \or\or\or\or\or\ %
3162 \or\or\%fi\ %
3163 }
3164 \providecommand*\xpg@warning}[1]{%

```



```

3165  \PackageWarning{XePersian}%
3166  {#1}%
3167 \if@bidi@csundef{\abjad}{%
3168 \def\abjad#1{%
3169 \ifnum#1>1999 \xpg@warning{Illegal value (#1) for abjad numeral} {#1}%
3170 \else
3171 \ifnum#1<\z@\space\xpg@warning{Illegal value (#1) for abjad numeral}%
3172 \else
3173 \ifnum#1<10\expandafter\abj@num@i\number#1%
3174 \else
3175 \ifnum#1<100\expandafter\abj@num@ii\number#1%
3176 \else
3177 \ifnum#1<\m@\expandafter\abj@num@iii\number#1%
3178 \else
3179 \ifnum#1<\M@\expandafter\abj@num@iv\number#1%since #1<2000, we must have 1000
3180 \fi
3181 \fi
3182 \fi
3183 \fi
3184 \fi
3185 \fi
3186 }
3187 \def\abjad#1{\expandafter\abjad\csname c@#1\endcsname}
3188 \let\abjadnumeral\abjad
3189 \def\abjad@zero{%
3190 \def\abj@num@i#1{%
3191 \ifcase#1\or\or\or\or\or\ %
3192 \or\or\or\or\or\or\ fi\%
3193 \ifnum#1=\z@\abjad@zero\fi}
3194 \def\abj@num@ii#1{%
3195 \ifcase#1\or\or\or\or\or\or\ %
3196 \or\or\or\or\or\or\ fi\%
3197 \ifnum#1=\z@\fi\abj@num@i}
3198 \def\abj@num@iii#1{%
3199 \ifcase#1\or\or\or\or\or\or\ %
3200 \or\or\or\or\or\or\ fi\%
3201 \ifnum#1=\z@\fi\abj@num@ii}
3202 \def\abj@num@iv#1{%
3203 \ifcase#1\or\fi\%
3204 \ifnum#1=\z@\fi\abj@num@iii}
3205 }{}}
3206 \let\latinalph\alph%
3207 \let\latinAlpha\Alpha%
3208 \def\LatinAlphs{%
3209 \let\@alph\latinalph%
3210 \let\@Alpha\latinAlpha%
3211 }
3212 \def\thempfootnote{{\itshape\latinalph\c@mpfootnote}}%
3213 \renewcommand*{\bidi@@thebibliography@font@hook}{%
3214 \if@LTRbibitems

```



```

3215 \resetlatinfont
3216 \fi}
3217 \bidi@AfterEndPreamble{%
3218 \if@bidi@csundef{persianfont}{%
3219 \PackageError{xepersian}{You have not specified any font\MessageBreak
3220 for the main Persian text}{Use `\\settextfont' to load a font.}%
3221 }{}}
3222 \@ifdefinitionfileloaded{loadingorder-xetex-bidi}{\input{loadingorder-xepersian.def}}{}
3223 \@ifdefinitionfileloaded{footnote-xetex-bidi}{\input{footnote-xepersian.def}}{}
3224 \@ifpackageloaded{appendix}{\input{appendix-xepersian.def}}{}
3225 \@ifpackageloaded{listings}{\input{listings-xepersian.def}}{}
3226 \@ifpackageloaded{algorithmic}{\input{algorithmic-xepersian.def}}{}
3227 \@ifpackageloaded{algorithm}{\input{algorithm-xepersian.def}}{}
3228 \@ifpackageloaded{backref}{\input{backref-xepersian.def}}{}
3229 \@ifpackageloaded{flowfram}{\input{flowfram-xepersian.def}}{}
3230 \@ifpackageloaded{biditufte sidenote}{\input{biditufte sidenote-xepersian.def}}{}
3231 \@ifpackageloaded{breqn}{\input{breqn-xepersian.def}}{}
3232 \@ifpackageloaded{enumerate}{\input{enumerate-xepersian.def}}{}
3233 \@ifpackageloaded{framed}{\input{framed-xepersian.def}}{}
3234 \@ifpackageloaded{glossaries}{\input{glossaries-xepersian.def}}{}
3235 \@ifpackageloaded{hyperref}{\input{hyperref-xepersian.def}}{}
3236 \@ifpackageloaded{minitoc}{\input{minitoc-xepersian.def}}{}
3237 \@ifpackageloaded{natbib}{\input{natbib-xepersian.def}}{}
3238 \@ifpackageloaded{soul}{\input{soul-xepersian.def}}{}
3239 \@ifpackageloaded{tkz-linknodes}{\input{tkz-linknodes-xepersian.def}}{}
3240 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xepersian.def}}{}}
3241 \@ifclassloaded{article}{\input{article-xepersian.def}}{}
3242 \@ifclassloaded{extarticle}{\input{extarticle-xepersian.def}}{}
3243 \@ifclassloaded{artikel1}{\input{artikel1-xepersian.def}}{}
3244 \@ifclassloaded{artikel2}{\input{artikel2-xepersian.def}}{}
3245 \@ifclassloaded{artikel3}{\input{artikel3-xepersian.def}}{}
3246 \@ifclassloaded{amsart}{\input{amsart-xepersian.def}}{}
3247 \@ifclassloaded{bidimoderncv}{\input{bidimoderncv-xepersian.def}}{}
3248 \@ifclassloaded{report}{\input{report-xepersian.def}}{}
3249 \@ifclassloaded{extreport}{\input{extreport-xepersian.def}}{}
3250 \@ifclassloaded{rapport1}{\input{rapport1-xepersian.def}}{}
3251 \@ifclassloaded{rapport3}{\input{rapport3-xepersian.def}}{}
3252 \@ifclassloaded{scrartcl}{\input{scrartcl-xepersian.def}}{}
3253 \@ifclassloaded{scrbook}{\input{scrbook-xepersian.def}}{}
3254 \@ifclassloaded{scrreprt}{\input{scrreprt-xepersian.def}}{}
3255 \@ifclassloaded{amsbook}{\input{amsbook-xepersian.def}}{}
3256 \@ifclassloaded{boek3}{\input{boek3-xepersian.def}}{}
3257 \@ifclassloaded{boek}{\input{boek-xepersian.def}}{}
3258 \@ifclassloaded{bookest}{\input{bookest-xepersian.def}}{}
3259 \@ifclassloaded{extbook}{\input{extbook-xepersian.def}}{}
3260 \@ifclassloaded{book}{\input{book-xepersian.def}}{}
3261 \@ifclassloaded{refrep}{\input{refrep-xepersian.def}}{}
3262 \@ifclassloaded{memoir}{\input{memoir-xepersian.def}}{}
3263 \@ifclassloaded{imsproc}{\input{imsproc-xepersian.def}}{}
3264 \define@choicekey{xepersian.sty}{mathdigits}[\xepersian@tempa\xepersian@tempb]{automatic,defau

```



```

3265 \ifcase\xepersian@tempb\relax
3266   \AutoMathsDigits
3267 \or
3268   \DefaultMathsDigits
3269 \or
3270   \PersianMathsDigits
3271 \fi}
3272 \define@choicekey{xepersian.sty}{RTLdocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3273 \ifcase\xepersian@tempb\relax
3274   \@RTLtrue
3275 \or
3276   \@RTLfalse
3277 \fi}
3278
3279 \define@choicekey{xepersian.sty}{documentdirection}[\xepersian@tempa\xepersian@tempb]{righttoltop}[%
3280 \ifcase\xepersian@tempb\relax
3281   \@RTLtrue
3282 \or
3283   \@RTLfalse
3284 \fi}
3285
3286
3287 \define@choicekey{xepersian.sty}{tabledirection}[\xepersian@tempa\xepersian@tempb]{righttoleft}[%
3288 \ifcase\xepersian@tempb\relax
3289   \@RTLtabtrue
3290 \or
3291   \@RTLtabfalse
3292 \fi}
3293
3294 \define@choicekey{xepersian.sty}{script}[\xepersian@tempa\xepersian@tempb]{latin,nonlatin}[lat]
3295 \ifcase\xepersian@tempb\relax
3296   \@nonlatinfalse
3297 \or
3298   \@nonlatintrue
3299 \fi}
3300
3301 \define@choicekey{xepersian.sty}{rldocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3302 \ifcase\xepersian@tempb\relax
3303   \@RTLtrue
3304 \or
3305   \@RTLfalse
3306 \fi}
3307 \define@choicekey{xepersian.sty}{footnoterule}[\xepersian@tempa\xepersian@tempb]{automatic,lef}
3308 \ifcase\xepersian@tempb\relax
3309   \autofootnoterule
3310 \or
3311   \leftfootnoterule
3312 \or
3313   \rightfootnoterule
3314 \or

```



```

3315     \SplitFootnoteRule
3316   \or
3317     \textwidthfootnoterule
3318   \fi}
3319 \define@choicekey{xepersian.sty}{footnotedirection}[\xepersian@tempa\xepersian@tempb]{righttol}
3320   \ifcase\xepersian@tempb\relax
3321     \RTL@footnotetrue
3322   \or
3323     \RTL@footnotefalse
3324   \fi}
3325 \define@choicekey{xepersian.sty}{debugfootnotedirection}[\xepersian@tempa\xepersian@tempb]{on,}
3326   \ifcase\xepersian@tempb\relax
3327     \footdir@debugtrue
3328   \or
3329     \footdir@debugfalse
3330   \fi}
3331 \define@choicekey{xepersian.sty}{Kashida}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3332   \ifcase\xepersian@tempb\relax
3333     \input{kashida-xepersian.def}
3334   \fi}
3335 \define@choicekey{xepersian.sty}{localise}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3336   \ifcase\xepersian@tempb\relax
3337     \input{localise-xepersian.def}
3338   \fi}
3339 \define@choicekey{xepersian.sty}{extrafootnotefeatures}[\xepersian@tempa\xepersian@tempb]{on,}
3340   \ifcase\xepersian@tempb\relax
3341     \extrafootnotefeaturestrue
3342   \or
3343     \extrafootnotefeaturesfalse
3344   \fi}
3345 \define@choicekey{xepersian.sty}{quickindex}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3346   \ifcase\xepersian@tempb\relax
3347     \PackageWarning{xepersian}{Obsolete option}%
3348     \ifwritexviii%
3349       \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with th}
3350         \renewcommand{\printindex}{\newpage%
3351           \immediate\closeout\@indexfile
3352           \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname.%
3353             \input{\jobname.ind}}%
3354           \else
3355             \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run "}
3356           \fi
3357         \fi}
3358 \define@choicekey{xepersian.sty}{quickindex-variant1}[\xepersian@tempa\xepersian@tempb]{on,off}
3359   \ifcase\xepersian@tempb\relax
3360     \ifwritexviii%
3361       \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with th}
3362         \renewcommand{\printindex}{\newpage%
3363           \immediate\closeout\@indexfile
3364           \immediate\write18{xindy -L persian-variant1 -C utf8 -M texindy -M page-ranges \jobnam

```



```

3365      \@input{\jobname.ind}%
3366      \else
3367      \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run
3368      \fi
3369      \fi}
3370 \define@choicekey{xepersian.sty}{quickindex-variant2}[\xepersian@tempa\xepersian@tempb]{on,off}
3371 \ifcase\xepersian@tempb\relax
3372     \ifwritexviii%
3373         \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with the
3374             \renewcommand{\printindex}{\newpage%
3375             \immediate\closeout\@indexfile
3376             \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname
3377             \@input{\jobname.ind}}%
3378             \else
3379                 \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run
3380                 \fi
3381             \fi}
3382 \define@choicekey{xepersian.sty}{abjadvariant}[\xepersian@tempa\xepersian@tempb]{one,two}{%
3383     \ifcase\xepersian@tempb\relax
3384         \def\PersianAlphs{%
3385             \let\@alph\@abjad%
3386             \let\@Alpha\@Abjad%
3387         }
3388     \or
3389         \def\PersianAlphs{%
3390             \let\@alph\@Abjad%
3391             \let\@Alpha\@Abjad%
3392         }
3393     \fi}
3394 \DeclareOptionX{defaultlatinfontfeatures}{%
3395 \defaultfontfeatures
3396 [\latinfont]
3397 {#1}
3398 }
3399
3400
3401 \define@choicekey{xepersian.sty}{computeautoilg}[\xepersian@tempa\xepersian@tempb]{on,off}[on]
3402 \ifcase\xepersian@tempb\relax
3403     \xepersian@@computeautoilgtrue
3404 \or
3405     \xepersian@@computeautoilgfalse
3406 \fi}
3407
3408 \define@choicekey{xepersian.sty}{DetectColumn}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3409     \ifcase\xepersian@tempb\relax
3410         \def\bidi@firstcolumn@status@write{%
3411             \protected@write\@auxout{}{%
3412                 \string\bidi@column@status
3413                 {1}}{}}%
3414         \def\bidi@lastcolumn@status@write{%

```



```

3415         \protected@write\@auxout{}%
3416         {\string\bidi@column@status{2}}}%
3417     \or
3418     \let\bidi@firstcolumn@status@write\relax
3419     \let\bidi@lastcolumn@status@write\relax
3420   \fi}
3421
3422
3423 \ExecuteOptionsX{%
3424   documentdirection=righttoleft,
3425   tabledirection=righttoleft,
3426   script=nonlatin,
3427   footnotedirection=righttoleft,
3428   footnoterule=automatic,
3429   abjadvariant=two,
3430   DetectColumn=off
3431 }
3432
3433 \ProcessOptionsX
3434
3435 \if@extrafootnotefeatures
3436   \input{extrafootnotefeatures-xetex-bidi.def}
3437   \input{extrafootnotefeatures-xepersian.def}
3438 \fi
3439
3440 \if@xepersian@@computeautoilg
3441 \bidi@patchcmd{\set@fontsize}{%
3442 \baselineskip\f@baselineskip\relax
3443 }{%
3444 \baselineskip\f@baselineskip\relax
3445 \xepersian@computeautoilg
3446 \ifdim\xepersian@strutilg>\baselineskip
3447   \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
3448   \PackageInfo{xepersian}{baselineskip changed to that height+depth!}%
3449 \baselineskip\xepersian@strutilg
3450 \ifdim\footnotesep=.7\baselineskip
3451 \else
3452   \footnotesep.7\baselineskip
3453 \fi
3454 \fi
3455 }{}{%
3456 \fi
3457
3458 \setlatintextfont[ExternalLocation,BoldFont={lmroman10-bold},BoldItalicFont={lmroman10-bolditalic}]
3459 \PersianAlphs

```

7.56 xepersian-magazine.cls

```

3460 \NeedsTeXFormat{LaTeX2e}
3461 \ProvidesClass{xepersian-magazine}[2010/07/25 v0.2 Typesetting Persian magazines in XeLaTeX]

```



```

3462 \RequirePackage{ifthen}
3463 \newlength{\xepersian@imgsize}
3464 \newlength{\xepersian@coltitlesize}
3465 \newlength{\xepersian@pageneed}
3466 \newlength{\xepersian@pageleft}
3467 \newlength{\xepersian@indexwidth}
3468 \newcommand{\xepersian@ncolumns}{0}
3469 \newlength{\columnlines}
3470 \setlength{\columnlines}{0 pt} % no lines by default
3471 \newboolean{xepersian@hyphenatedtitles}
3472 \setboolean{xepersian@hyphenatedtitles}{true}
3473 \newboolean{xepersian@ninepoints}
3474 \setboolean{xepersian@ninepoints}{false}
3475 \newboolean{xepersian@showgrid}
3476 \setboolean{xepersian@showgrid}{false}
3477 \newboolean{xepersian@a3paper}
3478 \setboolean{xepersian@a3paper}{false}
3479 \newboolean{xepersian@insidefrontpage}
3480 \setboolean{xepersian@insidefrontpage}{false}
3481 \newboolean{xepersian@insideweather}
3482 \setboolean{xepersian@insideweather}{false}
3483 \newboolean{xepersian@insideindex}
3484 \setboolean{xepersian@insideindex}{false}
3485 \newcount\xepersian@gridrows
3486 \newcount\xepersian@gridcolumns
3487 \xepersian@gridrows=40
3488 \xepersian@gridcolumns=50
3489 \newcount\minraggedcols
3490 \minraggedcols=5
3491 \DeclareOption{10pt}{\PassOptionsToClass{10pt}{article}}
3492 \DeclareOption{11pt}{\PassOptionsToClass{11pt}{article}}
3493 \DeclareOption{12pt}{\PassOptionsToClass{12pt}{article}}
3494 \DeclareOption{twocolumn}%
3495 {\ClassWarning{xepersian-magazine}{Option 'twocolumn' not available for xepersian-magazine.}}
3496 \DeclareOption{notitlepage}%
3497 {\ClassWarning{xepersian-magazine}{Option 'notitlepage' not available for xepersian-magazine.}}
3498 \DeclareOption{twoside}%
3499 {\ClassWarning{xepersian-magazine}{Option 'twoside' not available for xepersian-magazine.}}
3500 \DeclareOption{9pt}{\setboolean{xepersian@ninepoints}{true}}
3501 \DeclareOption{hyphenatedtitles}{\setboolean{xepersian@hyphenatedtitles}{false}}
3502 \DeclareOption{columnlines}{\setlength{\columnlines}{0.1 pt}}
3503 \DeclareOption{showgrid}{\setboolean{xepersian@showgrid}{true}}
3504 \DeclareOption{a3paper}{\setboolean{xepersian@a3paper}{true}}
3505 \ProcessOptions\relax
3506 \LoadClass[10pt, onecolumn, titlepage, a4paper]{article}
3507 \RequirePackage{ifxetex}
3508 \RequirePackage{multido}
3509 \RequirePackage{datetime}
3510 \RequirePackage{multicol}
3511 \RequirePackage{fancyhdr}

```



```

3512 \RequirePackage{fancybox}
3513 \ifthenelse{\boolean{xepersian@a3paper}}{%
3514 \RequirePackage[a3paper,headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
3515 }{
3516 \RequirePackage[headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
3517 }
3518 \RequirePackage[absolute]{textpos} % absoulte positioning
3519 \RequirePackage{hyphenat} % when hyphenate
3520 \RequirePackage{lastpage} % to know the last page number
3521 \RequirePackage{setspace} % set space between lines
3522 \RequirePackage{ragged2e}
3523 \newcommand{\raggedFormat}{\RaggedLeft}
3524 \AtEndOfClass{\xepersianInit}
3525 \ifthenelse{\boolean{xepersian@showgrid}}{%
3526 \AtBeginDocument{
3527 \grid[show]{\xepersian@gridrows}{\xepersian@gridcolumns}}
3528 \advance\minraggedcols by -1
3529 }{%
3530 \AtBeginDocument{
3531 \grid[]{\xepersian@gridrows}{\xepersian@gridcolumns}}
3532 \advance\minraggedcols by -1
3533 }
3534 \ifthenelse{\boolean{xepersian@ninepoints}}{%
3535 \renewcommand{\normalsize}{%
3536   \setfontsize{\normalsize}{9pt}{10pt}%
3537   \setlength{\abovedisplayskip}{5pt plus 1pt minus .5pt}%
3538   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3539   \setlength{\abovedisplayshortskip}{3pt plus 1pt minus 2pt}%
3540   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3541 }%
3542 \renewcommand{\tiny}{\setfontsize{\tiny}{5pt}{6pt}}%
3543 }%
3544 \renewcommand{\scriptsize}{\setfontsize{\scriptsize}{7pt}{8pt}}%
3545 }%
3546 \renewcommand{\small}{%
3547   \setfontsize{\small}{8pt}{9pt}%
3548   \setlength{\abovedisplayskip}{4pt plus 1pt minus 1pt}%
3549   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3550   \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
3551   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3552 }%
3553 \renewcommand{\footnotesize}{%
3554   \setfontsize{\footnotesize}{8pt}{9pt}%
3555   \setlength{\abovedisplayskip}{4pt plus 1pt minus .5pt}%
3556   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3557   \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
3558   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3559 }%
3560 \renewcommand{\large}{\setfontsize{\large}{11pt}{13pt}}%
3561 \renewcommand{\Large}{\setfontsize{\Large}{14pt}{18pt}}%

```



```

3562 \renewcommand{\LARGE}{\@setfontsize{\LARGE}{18pt}{20pt}}
3563 \renewcommand{\huge}{\@setfontsize{\huge}{20pt}{25pt}}
3564 \renewcommand{\Huge}{\@setfontsize{\Huge}{25pt}{30pt}}
3565 }{}
3566 \def\customwwwTxt#1{\gdef\@customwwwTxt{\lr{#1}}}
3567 \newcommand{\xepersian@wwwFormat}{\sffamily}
3568 \newcommand{\xepersian@www}{%
3569 \raisebox{-3pt}{{\xepersian@wwwFormat\@customwwwTxt}}}
3570 }
3571 \newcommand{\xepersian@edition}{%
3572 \newcommand{\editionFormat}{\large\bfseries\texttt}
3573 \newcommand{\xepersian@editionLogo}{\%}
3574 \raisebox{-3pt}{\%}
3575 {\editionFormat\xepersian@edition}\%
3576 }%
3577 }
3578 \newcommand{\indexFormat}{\large\bfseries}
3579 \newcommand{\xepersian@indexFrameTitle}[1]
3580 {\begin{flushright}{\indexFormat #1}\end{flushright}}
3581
3582 \newcommand{\indexEntryFormat}{\normalsize}
3583 \newcommand{\xepersian@indexEntry}[1]{\begin{minipage}{13\TPHorizModule}\%
3584 {\indexEntryFormat\noindent\ignorespaces{#1}}\%
3585 \end{minipage}}
3586 \newcommand{\indexEntrySeparator}{\rule{\xepersian@indexwidth}{.1pt}}
3587 \newcommand{\indexEntryPageTxt}{ }
3588 \newcommand{\indexEntryPageFormat}{\footnotesize}
3589 \newcommand{\xepersian@indexEntryPage}[1]\%
3590 {\indexEntryPageFormat{\indexEntryPageTxt{}~#1}}\%
3591 }
3592 \newcommand{\headDateTimeFormat}{}
3593 \newcommand{\xepersian@headDateTime}{\%
3594 \headDateTimeFormat\date\hspace{5pt}\$\\parallel\$\\hspace{5pt}\%
3595 \currenttime \%
3596 }
3597 \newcommand{\weatherFormat}{\bfseries}
3598 \newcommand{\xepersian@weather}[1]\%
3599 \noindent{\weatherFormat #1}\%
3600 }
3601 \newcommand{\weatherTempFormat}{\small}
3602 \newcommand{\weatherUnits}{\textdegree C}
3603 \newcommand{\xepersian@section}[0]{%
3604 \newcommand{\xepersian@headleft}{\%
3605 {\small\bfseries \@custommagazinename} \date
3606 }
3607 \newcommand{\xepersian@headcenter}{\%
3608 \xepersian@section{%
3609 }
3610 \newcommand{\xepersian@headright}{\%
3611 \small\xepersian@edition\%

```



```

3612 \hspace*{5pt}\beginL\thepage\ / \pageref{LastPage}\endL
3613 }
3614
3615 \newcommand{\heading}[3]{%
3616 \renewcommand{\xepersian@headleft}{\beginR#1\endR}%
3617 \renewcommand{\xepersian@headcenter}{\beginR#2\endR}%
3618 \renewcommand{\xepersian@headright}{\beginR#3\endR}%
3619 }
3620 \newcommand{\xepersian@footright}{%
3621 {\footnotesize\lrf{\copyright\ \@customwwwTxt{}}-- - \lrf{\XePersian}}%
3622 }
3623 \newcommand{\xepersian@footcenter}{%
3624 }
3625 \newcommand{\xepersian@footleft}{%
3626 }
3627
3628 \newcommand{\foot}[3]{%
3629 \renewcommand{\xepersian@footleft}{\beginR#1\endR}%
3630 \renewcommand{\xepersian@footcenter}{\beginR#2\endR}%
3631 \renewcommand{\xepersian@footright}{\beginR#3\endR}%
3632 }
3633 \newcommand{\firstTitleFormat}{\Huge\bfseries\flushright}
3634 \newcommand{\xepersian@firstTitle}[1]{%
3635 %
3636 \begin{spacing}{2.0}%
3637 \noindent\ignorespaces
3638 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3639 {\nohyphens{\firstTitleFormat #1}}%
3640 {{\firstTitleFormat #1}}%
3641 }%
3642 \end{spacing}%
3643 }%
3644 }
3645 \newcommand{\firstTextFormat}{}%
3646 \newcommand{\xepersian@firstText}[1]{%
3647 {\noindent\ignorespaces\firstTextFormat #1}%
3648 }
3649 \newcommand{\secondTitleFormat}{\LARGE\bfseries}
3650 \newcommand{\xepersian@secondTitle}[1]{%
3651 \begin{spacing}{1.5}%
3652 \noindent\ignorespaces\flushright
3653 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3654 {\nohyphens{\secondTitleFormat #1}}%
3655 {{\secondTitleFormat #1}}%
3656 }\end{spacing}%
3657 }
3658 \newcommand{\secondSubtitleFormat}{\large}
3659 \newcommand{\xepersian@secondSubtitle}[1]{%
3660 {\noindent\ignorespaces\secondSubtitleFormat #1}}%
3661 }

```



```

3662 \newcommand{\secondTextFormat}{}
3663 \newcommand{\xepersian@secondText}[1]{%
3664 \begin{multicols}{2}
3665 {\noindent\ignorespaces\secondTextFormat #1}
3666 \end{multicols}
3667 }
3668 \newcommand{\thirdTitleFormat}{\Large\bfseries}
3669 \newcommand{\xepersian@thirdTitle}[1]{%
3670 \begin{spacing}{1.5}{%
3671 \noindent\ignorespaces\flushright
3672 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3673 {\nohyphens{\thirdTitleFormat #1}}}{%
3674 {\thirdTitleFormat #1}}{%
3675 }\end{spacing}}
3676 }
3677 \newcommand{\thirdSubtitleFormat}{\large}
3678 \newcommand{\xepersian@thirdSubtitle}[1]{%
3679 {{\noindent\ignorespaces\thirdSubtitleFormat #1}}{%
3680 \newcommand{\thirdTextFormat}{}
3681 \newcommand{\xepersian@thirdText}[1]{{\thirdTextFormat #1}}
3682 \newcommand{\pictureCaptionFormat}{\small\bfseries}
3683 \newcommand{\xepersian@pictureCaption}[1]{%
3684 {\noindent\pictureCaptionFormat #1}}{%
3685 }
3686 \newcommand{\pagesFormat}{\bfseries\footnotesize}
3687 \newcommand{\xepersian@pages}[1]{%
3688 {\noindent{\pagesFormat\MakeUppercase{#1}}}{%
3689 \newcommand{\innerTitleFormat}{\Huge}
3690 \newcommand{\xepersian@innerTitle}[1]{%
3691 \begin{flushright}{%
3692 \noindent
3693 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3694 {\nohyphens{\innerTitleFormat #1}}}{%
3695 {\innerTitleFormat #1}}}{%
3696 }{%
3697 \\%
3698 \end{flushright}}{%
3699 }
3700 \newcommand{\innerSubtitleFormat}{\large}
3701 \newcommand{\xepersian@innerSubtitle}[1]{{\innerSubtitleFormat #1}}
3702 \newcommand{\timestampTxt}{}
3703 \newcommand{\timestampSeparator}{|}
3704 \newcommand{\timestampFormat}{\small}
3705 \newcommand{\timestamp}[1]{%
3706 {\timestampFormat}%
3707 #1~\timestampTxt{}%
3708 }~\timestampSeparator{}{%
3709 }
3710 \newcommand{\innerAuthorFormat}{\footnotesize}
3711 \newcommand{\innerPlaceFormat}{\footnotesize\bfseries}

```



```

3712 \newcommand{\innerTextFinalMark}{\rule{0.65em}{0.65em}}
3713 \newcommand{\editorialTitleFormat}{\LARGE\textrit}
3714 \newcommand{\xepersian@editorialTitle}[1]{\editorialTitleFormat{#1}}
3715 \newcommand{\editorialAuthorFormat}{\textsc}
3716 \newcommand{\shortarticleTitleFormat}{\LARGE\bfseries}
3717 \newcommand{\xepersian@shortarticleTitle}[1]{{\shortarticleTitleFormat #1}}
3718 \newcommand{\shortarticleSubtitleFormat}{\Large}
3719 \newcommand{\xepersian@shortarticleSubtitle}[1]{{\shortarticleSubtitleFormat #1}}
3720 \newcommand{\shortarticleItemFormat}{\large\bfseries}
3721 \newcommand{\xepersian@shortarticleItemTitle}[1]{{\shortarticleItemFormat #1}}
3722 \renewcommand{\maketitle}{\begin{titlepage}%
3723   \let\footnotesize\small
3724   \let\footnoterule\relax
3725   \let \footnote \thanks
3726   \null\vfil
3727   \vskip 60\p@
3728   \begin{center}%
3729     {\LARGE @title \par}%
3730     \vskip 1em%
3731     {\LARGE «\xepersian@edition» \par}%
3732     \vskip 3em%
3733     {\large
3734       \lineskip .75em%
3735       \begin{tabular}[t]{c}%
3736         \author
3737       \end{tabular}\par}%
3738     \vskip 1.5em%
3739     {\large @date \par}%
3740   \end{center}\par
3741   @thanks
3742   \vfil\null
3743   \end{titlepage}%
3744   \setcounter{footnote}{0}%
3745   \global\let\thanks\relax
3746   \global\let\maketitle\relax
3747   \global\let{@thanks}@empty
3748   \global\let\author\empty
3749   \global\let{@date}\empty
3750   \global\let@title\empty
3751   \global\let\title\relax
3752   \global\let\author\relax
3753   \global\let\date\relax
3754   \global\let\and\relax
3755 }
3756 \newcommand{\xepersian@say}[1]{\typeout{#1}}
3757 \newsavebox{\xepersian@fmbox}
3758 \newenvironment{\xepersian@fmpage}[1]
3759   {\begin{lrbox}{\xepersian@fmbox}\begin{minipage}{#1}}
3760   {\end{minipage}\end{lrbox}\fbox{\usebox{\xepersian@fmbox}}}
3761 \newcommand{\image}[2]{
```



```

3762 \vspace{5pt}
3763 \setlength{\fboxsep}{1pt}
3764 \addtolength{\xepersian@imgsize}{\columnwidth}
3765 \addtolength{\xepersian@imgsize}{-\columnsep}
3766 \ifxetex
3767 \setlength{\xepersian@pageneed}{1.5\xepersian@imgsize}
3768 \addtolength{\xepersian@pageneed}{50pt}
3769 \ClassWarning{xepersian-magazine}{%
3770 Image #1 needs: \the\xepersian@pageneed \space %
3771 and there is left: \the\page@free\space%
3772 }
3773 \ifdim \xepersian@pageneed < \page@free
3774
3775 {\centering\fbox{%
3776 \includegraphics[width = \xepersian@imgsize,
3777 height = \xepersian@imgsize,
3778 keepaspectratio ]{#1}}}
3779 \xepersian@pictureCaption{#2}
3780
3781 \vspace{5pt}
3782 \else
3783 \ClassWarning{Image #1 needs more space!}{%
3784 It was not inserted!}
3785 \fi
3786 \fi
3787 }
3788 \textblockorigin{1cm}{1cm}
3789 \newdimen\xepersian@dx
3790 \newdimen\xepersian@dy
3791 \newcount\xepersian@cx
3792 \newcount\xepersian@cy
3793 \newcommand{\grid}[3][]{%
3794 \xepersian@dx=\textwidth%
3795 \xepersian@dy=\textheight%
3796 \xepersian@cx=#3% %columns
3797 \xepersian@cy=#2% %rows
3798
3799 \count1=#3%
3800 \advance\count1 by 1
3801
3802 \count2=#2%
3803 \advance\count2 by 1
3804
3805 \divide\xepersian@dx by #3
3806 \divide\xepersian@dy by #2
3807
3808 \setlength{\TPHorizModule}{\xepersian@dx}
3809 \setlength{\TPVertModule}{\xepersian@dy}
3810
3811 \ifthenelse{\equal{#1}{show}}{%

```



```

3812 \multido{\xepersian@nrow=0+1}{\count2}{
3813 \begin{textblock}{\xepersian@cx}(0,\xepersian@nrow)
3814 \rule[0pt]{\textwidth}{.1pt}
3815 \end{textblock}
3816 }
3817
3818 \multido{\xepersian@ncol=0+1}{\count1} {
3819 \begin{textblock}{\xepersian@cy}(\xepersian@ncol,0)
3820 \rule[0pt]{.1pt}{\textheight}
3821 \end{textblock}
3822 }
3823 }()
3824 }
3825 \newcommand{\xepersianInit}{%
3826 \setlength{\headheight}{14pt}
3827 \renewcommand{\headrulewidth}{0.4pt}
3828
3829 \pagestyle{fancy}
3830
3831 \setlength{\columnseprule}{\columnlines}
3832 \setlength{\fboxrule}{0.1 pt}
3833 }
3834 }
3835
3836 \def\customlogo#1{\gdef\@customlogo{\beginR#1\endR}}
3837 \def\customminilog#1{\gdef\@customminilog{\beginR#1\endR}}
3838 \def\custommagazinename#1{\gdef\@custommagazinename{\beginR#1\endR}}
3839 \newcommand{\logo}[0]{
3840 %% Heading %%
3841 \noindent\hrulefill\hspace{10pt}\xepersian@editionLogo\hspace{5pt}\xepersian@www
3842
3843 \vspace*{-3pt}
3844
3845 {\Large\bfseries \@customlogo}
3846 \hrulefill
3847 \hspace{10pt}\xepersian@headDateTime
3848
3849 }
3850 \newcommand{\minilog}[0]{
3851 {\large\bfseries \@customminilog}
3852
3853 \vspace*{5pt}
3854 }
3855 \newcommand{\mylogo}[1]{
3856 {\beginR#1\endR}
3857
3858 \noindent
3859 \xepersian@editionLogo\hspace{5pt}
3860 \hrulefill
3861 \hspace{5pt}\xepersian@headDateTime

```



```

3862 }
3863 \newcommand{\edition}[1]{\renewcommand{\xepersian@edition}{#1}}
3864 \newenvironment{frontpage}[0]
3865 {
3866 \setboolean{xepersian@insidefrontpage}{true}
3867 \thispagestyle{empty}
3868 \logo
3869
3870 }%
3871 {
3872 \thispagestyle{empty}
3873 \clearpage
3874 \newpage
3875 \fancyhead{}
3876 \fancyfoot{}
3877 \fancyhead[RO,LE]{\beginR\xepersian@headright\endR}
3878 \fancyhead[LO,RE]{\beginR\xepersian@headleft\endR}
3879 \fancyhead[C]{\beginR\xepersian@headcenter\endR}
3880 \fancyfoot[RO,LE]{\beginR\xepersian@footright\endR}
3881 \fancyfoot[LO,RE]{\beginR\xepersian@footleft\endR}
3882 \fancyfoot[C]{\beginR\xepersian@footcenter\endR}
3883 \renewcommand{\headrulewidth}{0.4pt}
3884 \setboolean{xepersian@insidefrontpage}{false}
3885
3886 }
3887 \newcommand{\firstarticle}[3]
3888 {
3889 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
3890 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3891 \begin{textblock}{24}(22,5)
3892 }
3893 {
3894 \begin{textblock}{28}(22,5)
3895 }
3896 \vspace{-7pt}
3897 \xepersian@firstTitle{#1}
3898 \end{textblock}
3899 \begin{textblock}{29}(22,10)
3900 \vspace{5pt plus 2pt minus 2pt}
3901
3902 \xepersian@firstText{\timestamp{#3}~#2}
3903
3904 \end{textblock}
3905
3906 \begin{textblock}{50}(0,15)
3907 \rule{50\TPHorizModule}{.3pt}
3908 \end{textblock}
3909 }{\%else
3910 \ClassError{xepersian-magazine}{%
3911 \protect\firstarticle\space in a wrong place.\MessageBreak

```



```

3912 \protect\firstarticle\space may only appear inside frontpage environment.
3913 }{%
3914 \protect\firstarticle\space may only appear inside frontpage environment.
3915 }%
3916 }
3917 }
3918 \newcommand{\secondarticle}[5]
3919 {
3920 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
3921 \begin{textblock}{33}(2,16)
3922 \xepersian@pages{#4}
3923 \vspace{-5pt}
3924 \xepersian@secondTitle{#1}
3925
3926 \vspace*{5pt}
3927
3928 \xepersian@secondSubtitle{#2}
3929
3930 \vspace*{-7pt}
3931
3932 \xepersian@secondText{\timestamp{#5}~#3}
3933
3934 \end{textblock}
3935
3936 \begin{textblock}{33}(2,25)
3937 \vspace{5pt plus 2pt minus 2pt}
3938
3939 \noindent\ignorespaces\rule{33\TPHorizModule}{.3pt}
3940 \end{textblock}
3941 }{%else
3942 \ClassError{xepersian-magazine}{%
3943 \protect\secondarticle\space in a wrong place.\MessageBreak
3944 \protect\secondarticle\space may only appear inside frontpage environment.
3945 }%
3946 \protect\secondarticle\space may only appear inside frontpage environment.
3947 }%
3948 }
3949 }
3950 \newcommand{\thirdarticle}[6]
3951 {
3952 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
3953 \begin{textblock}{32}(2,26)
3954 \xepersian@pages{#5}
3955 \vspace{-5pt}
3956 \setlength{\fboxsep}{1pt}
3957 \xepersian@thirdTitle{#1}
3958
3959 \vspace*{5pt}
3960
3961 \xepersian@thirdSubtitle{#2}

```



```

3962
3963 \vspace*{5pt}
3964
3965 {\noindent\ignorespaces %
3966 \ifthenelse{\equal{#4}{}}{}{%
3967
3968 \xepersian@thirdText{\timestamp{#6}~#3}%
3969 }
3970 }
3971
3972 \vspace*{5pt}
3973
3974 \end{textblock}
3975 }%else
3976 \ClassError{xepersian-magazine}{%
3977 \protect\thirdarticle\space in a wrong place.\MessageBreak
3978 \protect\thirdarticle\space may only appear inside frontpage environment.
3979 }%
3980 \protect\thirdarticle\space may only appear inside frontpage environment.
3981 }%
3982 }
3983 }
3984 \newcommand{\firstimage}[2]{%
3985 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
3986 \begin{textblock}{18}(2,5)
3987 \setlength{\fboxsep}{1pt}
3988 \ifxetex % only in PDF
3989 \noindent\fbox{\includegraphics[width = 18\TPHorizModule ]{#1}}
3990 \fi
3991
3992
3993 \xepersian@pictureCaption{#2}
3994 \end{textblock}%
3995 }
3996 \ClassError{xepersian-magazine}{%
3997 \protect\firstimage\space in a wrong place.\MessageBreak
3998 \protect\firstimage\space may only appear inside frontpage environment.
3999 }%
4000 \protect\firstimage\space may only appear inside frontpage environment.
4001 }%
4002 }%
4003 \newcommand{\weatheritem}[5]{%
4004 \ifthenelse{\boolean{xepersian@insideweather}}{%
4005 \begin{minipage}{45pt}
4006 \ifxetex
4007 \includegraphics[width=40pt]{#1}%
4008 \fi
4009 \end{minipage}
4010 \begin{minipage}{50pt}
4011 \weatherTempFormat

```



```

4012 #2\\
4013 \begin{L#3} $\\ #4 \lr{\weatherUnits{}}\end{L}\\
4014 #5
4015 \end{minipage}
4016 }{%
4017 \ClassError{xepersian-magazine}{%
4018 \protect\weatheritem\space in a wrong place.\MessageBreak
4019 \protect\weatheritem\space may only appear inside weatherblock environment.
4020 }{%
4021 \protect\weatheritem\space may only appear inside weatherblock environment.\MessageBreak
4022 weatherblock environment may only appear inside frontpage environment.
4023 }%
4024 }
4025 }
4026 \newenvironment{weatherblock}[1]
4027 {
4028 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4029 \setboolean{xepersian@insideweather}{true}
4030 \begin{textblock}{32}(2,38)
4031 \vspace*{-15pt}
4032
4033 \xepersian@weather{\beginR#1\endR}
4034
4035 \vspace*{5pt}
4036
4037 \noindent\begin{xepersian@fmpage}{32\TPHorizModule}
4038 \begin{minipage}{32\TPHorizModule}
4039 \hspace{5pt}
4040
4041 }{%
4042 \ClassError{xepersian-magazine}{%
4043 weatherblock in a wrong place.\MessageBreak
4044 weatherblock may only appear inside frontpage environment.
4045 }{%
4046 weatherblock may only appear inside frontpage environment.
4047 }
4048 }
4049 }%
4050 {
4051 \end{minipage}
4052 \end{xepersian@fmpage}
4053 \end{textblock}
4054 \setboolean{xepersian@insideweather}{false}
4055 }
4056 \newenvironment{authorblock}[0]
4057 {
4058 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4059 \begin{textblock}{15}(36,35)
4060 \setlength{\fboxsep}{5pt}
4061 \begin{xepersian@fmpage}{13\TPHorizModule}

```



```

4062 \begin{minipage}{13\TPHorizModule}
4063 \centering
4064 \minilogo
4065
4066 }{\%else
4067 \ClassError{xepersian-magazine}{%
4068 authorblock in a wrong place.\MessageBreak
4069 authorblock may only appear inside frontpage environment.
4070 }{%
4071 authorblock may only appear inside frontpage environment.
4072 }
4073 }
4074 }
4075 {
4076 \end{minipage}
4077 \end{xepersian@fmpage}
4078 \end{textblock}
4079 }
4080 \newenvironment{indexblock}[1]
4081 {
4082 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4083 \setboolean{xepersian@insideindex}{true}\let\s in
4084 \begin{textblock}{15}(36,16)
4085 \setlength{\xepersian@indexwidth}{13\TPHorizModule}
4086 \xepersian@indexFrameTitle{#1}
4087
4088 \setlength{\fboxsep}{5pt} %espacio entre el frame y la imagen
4089 \begin{xepersian@fmpage}{\xepersian@indexwidth}
4090 \begin{minipage}{\xepersian@indexwidth}
4091 \vspace*{10pt}
4092 }{\%else
4093 \ClassError{xepersian-magazine}{%
4094 indexblock in a wrong place.\MessageBreak
4095 indexblock may only appear inside frontpage environment.
4096 }{%
4097 indexblock may only appear inside frontpage environment.
4098 }
4099 }
4100 }{%
4101 {
4102 \end{minipage}
4103 \end{xepersian@fmpage}
4104 \end{textblock}
4105 \setboolean{xepersian@insideindex}{false}\let\s out
4106 }
4107 \newcommand{\indexitem}[2]
4108 {
4109 \ifthenelse{\boolean{xepersian@insideindex}}{%
4110 \xepersian@indexEntry{#1} \xepersian@indexEntryPage{\pageref{#2}}}}
4111

```



```

4112 \vspace{0.5cm}
4113
4114 \noindent\ignorespaces\indexEntrySeparator{}
4115 }{\%else
4116 \ClassError{xepersian-magazine}{%
4117 \protect\indexitem\space in a wrong place.\MessageBreak
4118 \protect\indexitem\space may only appear inside indexblock environment.
4119 }{%
4120 \protect\indexitem\space may only appear inside indexblock environment.\MessageBreak
4121 indexblock environment may only appear inside frontpage environment.
4122 }{%
4123 }
4124 }
4125 \newcommand{\xepersian@inexpandedtitle}[1]{%
4126 \begin{minipage}{.95\textwidth}
4127 \begin{center}
4128 \noindent\Large\textbf{\beginR#1\endR}
4129 \end{center}
4130 \end{minipage}
4131 }
4132 \newcommand{\expandedtitle}[2]{%
4133 \end{multicols}
4134
4135 \begin{center}
4136 \setlength{\fboxsep}{5pt}
4137 \setlength{\shadowsize}{2pt}
4138 \ifthenelse{\equal{#1}{shadowbox}}{%
4139 \shadowbox{%
4140 \xepersian@inexpandedtitle{#2}}%
4141 }{%
4142 }{%
4143 \ifthenelse{\equal{#1}{doublebox}}{%
4144 \doublebox{%
4145 \xepersian@inexpandedtitle{#2}}%
4146 }{%
4147 }{%
4148 \ifthenelse{\equal{#1}{ovalbox}}{%
4149 \ovalbox{%
4150 \xepersian@inexpandedtitle{#2}}%
4151 }{%
4152 }{%
4153 \ifthenelse{\equal{#1}{Ovalbox}}{%
4154 \Ovalbox{%
4155 \xepersian@inexpandedtitle{#2}}%
4156 }{%
4157 }{%
4158 \ifthenelse{\equal{#1}{lines}}{%
4159 \hrule
4160 \vspace*{8pt}
4161 \begin{center}
```



```

4162 \noindent\Large\textrm{#2}
4163 \end{center}
4164 \vspace*{8pt}
4165 \hrule
4166 }{}
4167 \end{center}
4168
4169 \begin{multicols}{\xepersian@ncolumns{}}
4170 \ifnum \xepersian@ncolumns > \minraggedcols
4171 \raggedFormat
4172 \fi
4173 }
4174 \newcommand{\xepersian@incolunmttitle}[2]{
4175 \begin{minipage}{#1}
4176 \begin{center}
4177 \noindent\normalsize\textrm{#2}
4178 \end{center}
4179 \end{minipage}
4180 }
4181
4182 \newcommand{\columnttitle}[2]{
4183 \vspace*{5pt}
4184 \begin{center}
4185 \setlength{\fboxsep}{5pt}
4186 \setlength{\shadowsize}{2pt}
4187 \addtolength{\xepersian@coltitsize}{\columnwidth}
4188 \addtolength{\xepersian@coltitsize}{-1\columnsep}
4189 \addtolength{\xepersian@coltitsize}{-5pt}
4190 \addtolength{\xepersian@coltitsize}{-1\shadowsize}
4191 \ifthenelse{\equal{#1}{shadowbox}}{%
4192 \shadowbox{%
4193 \xepersian@incolunmttitle{\xepersian@coltitsize}{#2}%
4194 }%
4195 }{}%
4196 \ifthenelse{\equal{#1}{doublebox}}{%
4197 \doublebox{%
4198 \xepersian@incolunmttitle{\xepersian@coltitsize}{#2}%
4199 }%
4200 }{}%
4201 \ifthenelse{\equal{#1}{ovalbox}}{%
4202 \ovalbox{%
4203 \xepersian@incolunmttitle{\xepersian@coltitsize}{#2}%
4204 }%
4205 }{}%
4206 \ifthenelse{\equal{#1}{Ovalbox}}{%
4207 \Ovalbox{%
4208 \xepersian@incolunmttitle{\xepersian@coltitsize}{#2}%
4209 }%
4210 }{}%
4211 \ifthenelse{\equal{#1}{lines}}{%

```



```

4212 \hrule
4213 \vspace*{5pt}
4214 \begin{center}
4215 \noindent\normalsize\textbf{\#2}
4216 \end{center}
4217 \vspace*{5pt}
4218 \hrule
4219 }{}}
4220 \end{center}
4221 }
4222 \renewcommand{\date}{%
4223 \longdate{\today}%
4224 }
4225 \newcommand{\authorandplace}[2]{%
4226 \rightline{%
4227 {\innerAuthorFormat #1},\space{}{\innerPlaceFormat #2}%
4228 }%
4229 \par %
4230 }
4231 \newcommand{\newsection}[1]{%
4232 \renewcommand{\xepersian@section}{#1}
4233 }
4234 \newenvironment{article}[5]
4235 {
4236 \xepersian@say{Adding a new piece of article}
4237 \renewcommand{\xepersian@ncolumns}{#1}
4238 \begin{multicols}{#1}[
4239 \xepersian@pages{#4}
4240 \xepersian@innerTitle{#2}%
4241 \xepersian@innerSubtitle{#3}%
4242 ] [4cm]%
4243 \label{#5}
4244 \ifnum #1 > \minraggedcols
4245 \raggedFormat
4246 \fi
4247 }
4248 {\~\innerTextFinalMark{}}
4249 \end{multicols}
4250 }
4251 \newcommand{\articlesep}{%
4252 \setlength{\xepersian@pageneed}{16000pt}
4253 \setlength\xepersian@pageleft{\pagegoal}
4254 \addtolength\xepersian@pageleft{-\pagetotal}
4255
4256 \xepersian@say{How much left \the\xepersian@pageleft}
4257
4258 \ifdim \xepersian@pageneed < \xepersian@pageleft
4259 \xepersian@say{Not enough space}
4260 \else
4261 \xepersian@say{Adding sep line between articles}

```



```

4262 \vspace*{10pt plus 10pt minus 5pt}
4263 \hrule
4264 \vspace*{10pt plus 5pt minus 5pt}
4265 \fi
4266 }
4267 }
4268 \newcommand{\xepersian@editorialTit}[2]{
4269 \setlength{\arrayrulewidth}{.1pt}
4270 \begin{center}
4271 \begin{tabular}{c}
4272 \noindent
4273 \xepersian@editorialTitle{#1}
4274 \vspace{2pt plus 1pt minus 1pt}
4275 \\
4276 \hline
4277 \vspace{2pt plus 1pt minus 1pt}
4278 \\
4279 \editorialAuthorFormat{#2}
4280 \end{tabular}
4281 \end{center}
4282 }
4283 \newenvironment{editorial}[4]
4284 {
4285 \xepersian@say{Adding a new editorial}
4286 \begin{multicols}{#1}[%
4287 \xepersian@editorialTit{#2}{#3}%
4288 ] [4cm]
4289 \label{#4}
4290 \ifnum #1 > \minraggedcols
4291 \raggedFormat
4292 \fi
4293 }
4294 {
4295 \end{multicols}
4296 }
4297 \newcommand{\xepersian@shortarticleTit}[2]{
4298 \begin{center}
4299 \vbox{%
4300 \noindent
4301 \xepersian@shortarticleTitle{#1}
4302 \vspace{4pt plus 2pt minus 2pt}
4303 \hrule
4304 \vspace{4pt plus 2pt minus 2pt}
4305 \xepersian@shortarticleSubtitle{#2}
4306 }
4307 \end{center}
4308 }
4309 \newenvironment{shortarticle}[4]
4310 {
4311 \xepersian@say{Adding a short article block}

```



```

4312 \begin{multicols}{#1}[\xepersian@shortarticleTit{#2}{#3}] [4cm] %
4313     \label{#4}
4314 \par %
4315 \ifnum #1 > \minraggedcols
4316 \raggedFormat
4317 \fi
4318 }
4319 {
4320 \end{multicols}
4321 }
4322 \newcommand{\shortarticleitem}[2]{%
4323 \goodbreak
4324 \vspace{5pt plus 3pt minus 3pt}
4325 {\vbox{\noindent\xepersian@shortarticleItemTitle{#1}}}
4326 \vspace{5pt plus 3pt minus 3pt}
4327 {\noindent #2}\relax
4328 }

```

7.57 xepersian-mathsdigtspec.sty

```

4329 \NeedsTeXFormat{LaTeX2e}
4330 \ProvidesPackage{xepersian-mathsdigtspec}
4331   [2017/08/27 v1.1.3 Unicode Persian maths digits in XeLaTeX]
4332 \def\new@mathgroup{\alloc@8\mathgroup\chardef\@cclvi}
4333 \let\newfam\new@mathgroup
4334 \def\select@group#1#2#3#4{%
4335   \ifx\math@bgroup\else\relax\expandafter\@firstofone\fi
4336   {%
4337     \ifmmode
4338       \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
4339         \begingroup
4340           \escapechar`m@ne
4341           \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
4342           \globaldefs`m@ne \math@fonts
4343         \endgroup
4344         \init@restore@version
4345         \xdef#1{\noexpand\use@mathgroup\noexpand#2%
4346           \number\csname c@mv@\math@version\endcsname}%
4347         \global\advance\csname c@mv@\math@version\endcsname`m@ne
4348     \else
4349       \let#1\relax
4350       \@latex@error{Too many math alphabets used in
4351                     version \math@version}%
4352       \eha
4353     \fi
4354   \else \expandafter\non@alpherr\fi
4355   #1{#4}%
4356 }%
4357 }
4358 \def\document@select@group#1#2#3#4{%

```



```

4359 \ifx\math@bgroup\bgroupt\else\relax\expandafter\f@irstofone\f@i
4360 {%
4361 \ifmmode
4362   \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
4363     \begingroup
4364       \escapechar\m@ne
4365       \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
4366       \globaldefs\@ne \math@fonts
4367     \endgroup
4368     \expandafter\extract@alph@from@version
4369       \csname mv@\math@version\expandafter\endcsname
4370       \expandafter{\number\csname
4371         c@mv@\math@version\endcsname}%
4372       #1%
4373     \global\advance\csname c@mv@\math@version\endcsname\@ne
4374   \else
4375     \let#1\relax
4376     \@latex@error{Too many math alphabets used
4377                   in version \math@version}%
4378     \@eha
4379   \fi
4380 \else \expandafter\non@alpherr\fi
4381 #1{#4}%
4382 }%
4383 }
4384 \ExplSyntaxOn
4385 \bool_set_false:N \g__fontspec_math_bool
4386 \tl_map_inline:nn
4387 {
4388   \new@mathgroup\cdp@list\cdp@elt\DeclareMathSizes
4389   \@DeclareMathSizes\newmathalphabet\newmathalphabet@@\newmathalphabet@@@
4390   \DeclareMathVersion\define@mathalphabet\define@mathgroup\addtoversion
4391   \version@list\version@elt\alpha@list\alpha@elt
4392   \restore@mathversion\init@restore@version\dorestore@version\process@table
4393   \new@mathversion\DeclareSymbolFont\group@list\group@elt
4394   \new@symbolfont\SetSymbolFont\SetSymbolFont@\get@cdp
4395   \DeclareMathAlphabet\new@mathalphabet\SetMathAlphabet\SetMathAlphabet@0
4396   \DeclareMathAccent\set@mathaccent\DeclareMathSymbol\set@mathchar
4397   \set@mathsymbol\DeclareMathDelimiter\@xxDeclareMathDelimiter
4398   \@DeclareMathDelimiter\@xDeclareMathDelimiter\set@mathdelimiter
4399   \set@mathdelimiter\DeclareMathRadical\mathchar@type
4400   \DeclareSymbolFontAlphabet\DeclareSymbolFontAlphabet@0
4401 }
4402 {
4403   \tl_remove_once:Nn \@preamblecmds {\do#1}
4404 }
4405 \ExplSyntaxOff
4406 \newcommand\xepersian@PackageInfo[1]{\PackageInfo{xepersian-mathsdigit}{#1}}
4407 \newcommand\SetMathCode[4]%
4408   \Umathcode#1="\mathchar@type#2 \csname sym#3\endcsname #4\relax}

```



```

4409 \newcommand\SetMathCharDef[4]{%
4410   \Umathchardef#1="\mathchar@type#2 \csname sym#3\endcsname #4\relax}
4411 \ExplSyntaxOn
4412 \cs_new_eq:NN \orig_mathbf:n \mathbf
4413 \cs_new_eq:NN \orig_mathit:n \mathit
4414 \cs_new_eq:NN \orig_mathrm:n \mathrm
4415 \cs_new_eq:NN \orig_mathsf:n \mathsf
4416 \cs_new_eq:NN \orig_mathtt:n \mathtt
4417 \NewDocumentCommand \new@mathbf { m } {
4418   \orig_mathbf:n {
4419     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4420       \mathcode ##1 = \numexpr "100 * \symnew@mathbf@font@digits + ##1 \relax
4421     }
4422     #1
4423   }
4424 }
4425 \NewDocumentCommand \new@mathit { m } {
4426   \orig_mathit:n {
4427     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4428       \mathcode ##1 = \numexpr "100 * \symnew@mathit@font@digits + ##1 \relax
4429     }
4430     #1
4431   }
4432 }
4433 \NewDocumentCommand \new@mathrm { m } {
4434   \orig_mathrm:n {
4435     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4436       \mathcode ##1 = \numexpr "100 * \symnew@mathrm@font@digits + ##1 \relax
4437     }
4438     #1
4439   }
4440 }
4441 \NewDocumentCommand \new@mathsf{ m } {
4442   \orig_mathsf:n {
4443     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4444       \mathcode ##1 = \numexpr "100 * \symnew@mathsf@font@digits + ##1 \relax
4445     }
4446     #1
4447   }
4448 }
4449 \NewDocumentCommand \new@mathtt{ m } {
4450   \orig_mathtt:n {
4451     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4452       \mathcode ##1 = \numexpr "100 * \symnew@mathtt@font@digits + ##1 \relax
4453     }
4454     #1
4455   }
4456 }
4457
4458 \DeclareDocumentCommand \setdigitfont { O{} m O{} }

```



```

4459  {
4460    \__xepersian_main_setdigitfont:nnn {#1} {#2} {#3}
4461  }
4462 \cs_set:Nn \__xepersian_main_setdigitfont:nnn
4463  {
4464  \let\glb@currsize\relax
4465  \fontspec_set_family:Nnn \g_xepersian_digitsfamily_tl {Mapping=parsidigits,#1,#3} {#2}
4466  \xepersian@PackageInfo{Defining the default Persian maths digits font as '#2'}
4467  \DeclareSymbolFont{OPERATORS}  {\g_fontspec_encoding_t1}{\g_xepersian_digitsfamily_tl} {m}
4468  \DeclareSymbolFont{new@mathbf@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_digitsfamily_tl} {m}
4469  \DeclareSymbolFont{new@mathit@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_digitsfamily_tl} {m}
4470  \DeclareSymbolFont{new@mathrm@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_digitsfamily_tl} {m}
4471  \def\persianmathsdigits{%
4472  \SetMathCode`0{\mathalpha}{OPERATORS}`0}
4473  \SetMathCode`1{\mathalpha}{OPERATORS}`1}
4474  \SetMathCode`2{\mathalpha}{OPERATORS}`2}
4475  \SetMathCode`3{\mathalpha}{OPERATORS}`3}
4476  \SetMathCode`4{\mathalpha}{OPERATORS}`4}
4477  \SetMathCode`5{\mathalpha}{OPERATORS}`5}
4478  \SetMathCode`6{\mathalpha}{OPERATORS}`6}
4479  \SetMathCode`7{\mathalpha}{OPERATORS}`7}
4480  \SetMathCode`8{\mathalpha}{OPERATORS}`8}
4481  \SetMathCode`9{\mathalpha}{OPERATORS}`9}
4482  \SetMathCode`\%{\mathbin}{OPERATORS}`}
4483  \SetMathCharDef{\decimalseparator}{\mathord}{OPERATORS}`"066B}
4484  \tl_set_eq:NN \mathbf \new@mathbf
4485  \tl_set_eq:NN \mathit \new@mathit
4486  \tl_set_eq:NN \mathrm \new@mathrm
4487  }
4488
4489
4490 \DeclareDocumentCommand \setmathsf digitfont { O{} m O{} } {
4491  \__xepersian_main_setmathsf digitfont:nnn {#1} {#2} {#3}
4492  }
4493
4494 \cs_set:Nn \__xepersian_main_setmathsf digitfont:nnn
4495  {
4496  \fontspec_set_family:Nnn \g_xepersian_mathsfdigitfamily_tl {Mapping=parsidigits,#1,#3} {#2}
4497  \DeclareSymbolFont{new@mathsf@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_mathsfdigitfamily_tl} {m}
4498  \def\persianmathsf digits{\tl_set_eq:NN \mathsf \new@mathsf}
4499  }
4500
4501
4502
4503 \DeclareDocumentCommand \setmathtt digitfont { O{} m O{} } {
4504  \__xepersian_main_setmathtt digitfont:nnn {#1} {#2} {#3}
4505  }
4506
4507 \cs_set:Nn \__xepersian_main_setmathtt digitfont:nnn

```



```

4508  {
4509  \fontspec_set_family:Nnn \g_xepersian_mathtdigitfamily_tl {Mapping=parsidigits,#1,#3} {#2}
4510  \DeclareSymbolFont{new@mathtt@font@digits}{\g_fontspec_encoding_tl}{\g_xepersian_mathtt}
4511  \def\persianmathtdigits{\tl_set_eq:NN \mathtt \new@mathtt}
4512 }
4513
4514 \ExplSyntaxOff
4515 \ifx\newcommand\undefined\else
4516  \newcommand{\ZifferAn}{}
4517 \fi
4518 \mathchardef\ziffer@DotOri="013A
4519 {\ZifferAn
4520  \catcode`\.=\active\gdef.\begingroup\obeyspaces\futurelet\n\ziffer@dcheck\}
4521 \def\ziffer@dcheck{\ziffer@check\ZifferLeer\ziffer@DotOri}
4522 \def\ziffer@check#1#2{%
4523  \ifx\n1\endgroup#1\else
4524  \ifx\n2\endgroup#1\else
4525  \ifx\n3\endgroup#1\else
4526  \ifx\n4\endgroup#1\else
4527  \ifx\n5\endgroup#1\else
4528  \ifx\n6\endgroup#1\else
4529  \ifx\n7\endgroup#1\else
4530  \ifx\n8\endgroup#1\else
4531  \ifx\n9\endgroup#1\else
4532  \ifx\n0\endgroup#1\else
4533  \ifx\n\overline\endgroup#1\else
4534  \endgroup#2%
4535  \fi
4536  \fi
4537  \fi
4538  \fi
4539  \fi
4540  \fi
4541  \fi
4542  \fi
4543  \fi
4544  \fi
4545 \fi}
4546 \mathcode`."=8000\relax
4547 \def\ZifferLeer{\ifx\decimalseparator\undefined .\else \decimalseparator\fi}
4548 \def\DefaultMathsDigits{\def\SetMathsDigits{}}
4549 \def\PersianMathsDigits{\def\SetMathsDigits{%
4550 \ifx\persianmathsdigits\undefined\else\persianmathsdigits\fi%
4551 \ifx\persianmathsfdigits\undefined\else\persianmathsf digits\fi%
4552 \ifx\persianmathtdigits\undefined\else\persianmathtdigits\fi}}
4553 \def\AutoMathsDigits{\def\SetMathsDigits{%
4554 \ifx\persianmathsdigits\undefined\else\if@nonlatin\persianmathsdigits\fi\fi%
4555 \ifx\persianmathsf digits\undefined\else\if@nonlatin\persianmathsf digits\fi\fi%
4556 \ifx\persianmathtdigits\undefined\else\if@nonlatin\persianmathtdigits\fi\fi}}
4557 \AutoMathsDigits

```



```

4558 \everymath\expandafter{\the\everymath\SetMathsDigits}
4559 \g@addto@macro\document{\everydisplay\expandafter{\the\everydisplay\SetMathsDigits}}

```

7.5.8 xepersian-multiplechoice.sty

```

4560 \NeedsTeXFormat{LaTeX2e}
4561 \ProvidesPackage{xepersian-multiplechoice}[2010/07/25 v0.2
4562                                     Multiple Choice Questionnaire class for Persian in XeLaTeX]
4563 \RequirePackage{pifont}
4564 \RequirePackage{fullpage}
4565 \RequirePackage{ifthen}
4566 \RequirePackage{calc}
4567 \RequirePackage{verbatim}
4568 \RequirePackage{tabularx}
4569 \def\@headerfont{\bfseries}
4570 \newcommand\headerfont[1]{\gdef\@headerfont{#1}}
4571 \def\@X{X}
4572 \newcommand\X[1]{\gdef\@X{#1}}
4573 \def\pbs#1{\let\tmp=\#1\let\\=\tmp}
4574 \newcolumntype{D}{>{\pbs\centering}X}
4575 \newcolumntype{Q}{>{\@headerfont}X}
4576
4577 \renewcommand\tabularxcolumn[1]{m{#1}}
4578 \newcommand\makeform@nocorrection{%
4579   \addtocontents{frm}{\protect\end{tabularx}}
4580   \starttoc{frm}}
4581 \newcommand\makeform@correction{%
4582   \addtocontents{frm}{\protect\end{tabularx}}}
4583 \newcommand\makemask@nocorrection{%
4584   \addtocontents{msk}{\protect\end{tabularx}}
4585   \starttoc{msk}}
4586 \newcommand\makemask@correction{%
4587   \addtocontents{msk}{\protect\end{tabularx}}}
4588 \newlength\questionspace
4589 \setlength\questionspace{0pt}
4590 \newcommand\answerstitle[1]{\gdef\@answerstitle{#1}}
4591 \def\@answerstitlefont{\bfseries}
4592 \newcommand\answerstitlefont[1]{\gdef\@answerstitlefont{#1}}
4593 \def\@answernumberfont{\bfseries}
4594 \newcommand\answernumberfont[1]{\gdef\@answernumberfont{#1}}
4595 \newcounter{question}\stepcounter{question}
4596 \newcounter{@choice}
4597 \def\@initorcheck{%
4598   \xdef\@choices{\the\@choice}%
4599   \setcounter{@choice}{1}%
4600   \gdef\@arraydesc{|Q||}%
4601   \gdef\@headerline{}%
4602   \whiledo{\not{\value{@choice}>\@choices}}{%
4603     \xdef\@arraydesc{\@arraydesc D|}%
4604     \def\@appendheader{\g@addto@macro\@headerline}%
}

```



```

4605   \@appendheader{&\protect\@headerfont}
4606   \edef\@the@choice{\{\@alph{@choice}\}}
4607   \expandafter\@appendheader\@the@choice
4608   \stepcounter{@choice}%
4609 \addtocontents{frm}{%
4610   \protect\begin{tabularx}{\protect\linewidth}{\@arraydesc}
4611   \protect\hline
4612   \@headerline\protect\\ \protect\hline\protect\hline\%}
4613 \addtocontents{msk}{%
4614   \protect\begin{tabularx}{\protect\linewidth}{\@arraydesc}
4615   \protect\hline
4616   \@headerline\protect\\ \protect\hline\protect\hline\%}
4617 \gdef\@initorcheck{%
4618   \ifthenelse{\value{@choice} = \@choices}{}{%
4619     \ClassError{xpersian-multiplechoice}{Question \thequestion: wrong number of choices
4620     (\the@choice space instead of \@choices)}{%
4621       Questions must all have the same number of proposed answers.%}
4622       \MessageBreak
4623       Type X <return> to quit, fix your MCQ (multiple choice question) and rerun XeLaTeX.}}}
4624 \newenvironment{question}[1]{%
4625   %% \begin{question}
4626   \begin{minipage}{\textwidth}
4627     \xdef\@formanswerline{\@questionheader}%
4628     \xdef\@maskanswerline{\@questionheader}%
4629     \fbox{\parbox[c]{\linewidth}{\#1}}
4630     \vspace\questionspace\par
4631     {\@answertitlefont\@answertitle}
4632     \begin{list}{\@answernumberfont\@alph{@choice})~}{\usecounter{@choice}}}%
4633   %% \end{question}
4634   \end{list}
4635   \@initorcheck%
4636   \addtocontents{frm}{\@formanswerline\protect\\ \protect\hline\%}
4637   \addtocontents{msk}{\@maskanswerline\protect\\ \protect\hline\%}
4638 \end{minipage}
4639 \stepcounter{question}}
4640 \def\@truesymbol{\ding{52}~}
4641 \def\@falsesymbol{\ding{56}~}
4642 \newcommand\truesymbol[1]{\gdef\@truesymbol{\#1}}
4643 \newcommand\falsesymbol[1]{\gdef\@falsesymbol{\#1}}
4644 \def\@true@nocorrection{\item}
4645 \def\@false@nocorrection{\item}
4646 \def\@true@correction{\item[\@truesymbol\refstepcounter{@choice}]}
4647 \def\@false@correction{\item[\@falsesymbol\refstepcounter{@choice}]}
4648 \newcommand\true{%
4649   \xdef\@formanswerline{\@formanswerline&}%
4650   \xdef\@maskanswerline{\@maskanswerline&\@X}%
4651   \@true}%
4652 \newcommand\false{%
4653   \xdef\@formanswerline{\@formanswerline&}%
4654   \xdef\@maskanswerline{\@maskanswerline&}%

```



```

4655  \@false}%
4656 \def\@correctionstyle{\itshape}
4657 \newcommand\correctionstyle[1]{\gdef\@correctionstyle{#1}}
4658 \newenvironment{@correction}{\@correctionstyle{}}
4659 \def\@questionheader{\thequestion}
4660 \answerstyle{:
4661 \DeclareOption{nocorrection}{%
4662 \let\@true\@true@nocorrection
4663 \let\@false\@false@nocorrection
4664 \let\correction\comment
4665 \let\endcorrection\endcomment
4666 \def\makeform{\makeform@nocorrection}
4667 \def\makemask{\makemask@nocorrection}}
4668 \DeclareOption{correction}{%
4669 \let\@true\@true@correction
4670 \let\@false\@false@correction
4671 \let\correction\@correction
4672 \let\endcorrection\end@correction
4673 \def\makeform{\makeform@correction}
4674 \def\makemask{\makemask@correction}}
4675 \ExecuteOptions{nocorrection}
4676 \newcommand\questiontitle[1]{\gdef\@questiontitle{#1}}
4677 \def\@questiontitlefont{\bfseries}
4678 \newcommand\questiontitlefont[1]{\gdef\@questiontitlefont{#1}}
4679 \newlength\questiontitlespace
4680 \setlength\questiontitlespace{5pt}
4681 \newlength\questionsepspace
4682 \setlength\questionsepspace{20pt}
4683 \gdef\@questionsepspace{0pt}
4684 \let\old@question\question
4685 \let\old@endquestion\endquestion
4686 \renewenvironment{question}[1]{%
4687 %% \begin{question}
4688 \vspace{\questionsepspace}
4689 \fbox{\parbox[c]{0.25\linewidth}{\@questiontitlefont\@questiontitle}}
4690 \nopagebreak\vspace\questiontitlespace\par
4691 \old@question{#1}}{%
4692 %% \end{question}
4693 \old@endquestion
4694 \gdef\@questionsepspace{\questionsepspace}}
4695 \questiontitle{\thequestion:}
4696 \ProcessOptions

```

7.59 xepersian-persiancal.sty

```

4697 \NeedsTeXFormat{LaTeX2e}
4698 \ProvidesPackage{xepersian-persiancal}[2012/07/25 v0.2 provides Persian calendar]
4699
4700 \newif\ifXePersian@leap \newif\ifXePersian@kabiseh
4701 \newcount\XePersian@i \newcount\XePersian@y \newcount\XePersian@m \newcount\XePersian@d

```



```

4702 \newcount\XePersian@latini      \newcount\XePersian@persiani
4703 \newcount\XePersian@latinii     \newcount\XePersian@persianii
4704 \newcount\XePersian@latiniii    \newcount\XePersian@persianiii
4705 \newcount\XePersian@latiniv     \newcount\XePersian@persianiv
4706 \newcount\XePersian@latinv      \newcount\XePersian@persianv
4707 \newcount\XePersian@latinvi     \newcount\XePersian@persianvi
4708 \newcount\XePersian@latinvii    \newcount\XePersian@persianvii
4709 \newcount\XePersian@latinviii   \newcount\XePersian@persianviii
4710 \newcount\XePersian@latinix     \newcount\XePersian@persianix
4711 \newcount\XePersian@latinx     \newcount\XePersian@persianx
4712 \newcount\XePersian@latinxi     \newcount\XePersian@persianxi
4713 \newcount\XePersian@latinxii    \newcount\XePersian@persianxii
4714                               \newcount\XePersian@persianxiii
4715
4716 \newcount\XePersian@temp
4717 \newcount\XePersian@temptwo
4718 \newcount\XePersian@tempthree
4719 \newcount\XePersian@yModHundred
4720 \newcount\XePersian@thirtytwo
4721 \newcount\XePersian@dn
4722 \newcount\XePersian@sn
4723 \newcount\XePersian@mminusone
4724
4725
4726 \XePersian@y=\year \XePersian@m=\month \XePersian@d=\day
4727 \XePersian@temp=\XePersian@y
4728 \divide\XePersian@temp by 100\relax
4729 \multiply\XePersian@temp by 100\relax
4730 \XePersian@yModHundred=\XePersian@y
4731 \advance\XePersian@yModHundred by -\XePersian@temp\relax
4732 \ifodd\XePersian@yModHundred
4733   \XePersian@leapfalse
4734 \else
4735   \XePersian@temp=\XePersian@yModHundred
4736   \divide\XePersian@temp by 2\relax
4737   \ifodd\XePersian@temp\XePersian@leapfalse
4738   \else
4739     \ifnum\XePersian@yModHundred=0%
4740       \XePersian@temp=\XePersian@y
4741       \divide\XePersian@temp by 400\relax
4742       \multiply\XePersian@temp by 400\relax
4743       \ifnum\XePersian@y=\XePersian@temp\XePersian@leaptrue\else\XePersian@leapfalse\fi
4744     \else\XePersian@leaptrue
4745     \fi
4746   \fi
4747 \fi
4748 \XePersian@latini=31\relax
4749 \ifXePersian@leap
4750   \XePersian@latinii = 29\relax
4751 \else

```



```

4752 \XePersian@latinii = 28\relax
4753 \fi
4754 \XePersian@latinii = 31\relax
4755 \XePersian@latiniv = 30\relax
4756 \XePersian@latinv = 31\relax
4757 \XePersian@latinvi = 30\relax
4758 \XePersian@latinvii = 31\relax
4759 \XePersian@latinviii = 31\relax
4760 \XePersian@latinix = 30\relax
4761 \XePersian@latinx = 31\relax
4762 \XePersian@latinxi = 30\relax
4763 \XePersian@latinxii = 31\relax
4764 \XePersian@thirtytwo=32\relax
4765 \XePersian@temp=\XePersian@y
4766 \advance\XePersian@temp by -17\relax
4767 \XePersian@temptwo=\XePersian@temp
4768 \divide\XePersian@temptwo by 33\relax
4769 \multiply\XePersian@temptwo by 33\relax
4770 \advance\XePersian@temp by -\XePersian@temptwo
4771 \ifnum\XePersian@temp=\XePersian@thirtytwo\XePersian@kabisehfalse
4772 \else
4773 \XePersian@temptwo=\XePersian@temp
4774 \divide\XePersian@temptwo by 4\relax
4775 \multiply\XePersian@temptwo by 4\relax
4776 \advance\XePersian@temp by -\XePersian@temptwo
4777 \ifnum\XePersian@temp=z@\XePersian@kabisehtrue\else\XePersian@kabisehfalse\fi
4778 \fi
4779 \XePersian@tempthree=\XePersian@y % Number of Leap years
4780 \advance\XePersian@tempthree by -1
4781 \XePersian@temp=\XePersian@tempthree % T := (MY-1) div 4
4782 \divide\XePersian@temp by 4\relax
4783 \XePersian@temptwo=\XePersian@tempthree % T := T - ((MY-1) div 100)
4784 \divide\XePersian@temptwo by 100\relax
4785 \advance\XePersian@temp by -\XePersian@temptwo
4786 \XePersian@temptwo=\XePersian@tempthree % T := T + ((MY-1) div 400)
4787 \divide\XePersian@temptwo by 400\relax
4788 \advance\XePersian@temp by \XePersian@temptwo
4789 \advance\XePersian@tempthree by -611 % Number of Kabise years
4790 \XePersian@temptwo=\XePersian@tempthree % T := T - ((SY+10) div 33) * 8
4791 \divide\XePersian@temptwo by 33\relax
4792 \multiply\XePersian@temptwo by 8\relax
4793 \advance\XePersian@temp by -\XePersian@temptwo
4794 \XePersian@temptwo=\XePersian@tempthree %
4795 \divide\XePersian@temptwo by 33\relax
4796 \multiply\XePersian@temptwo by 33\relax
4797 \advance\XePersian@tempthree by -\XePersian@temptwo
4798 \ifnum\XePersian@tempthree=32\advance\XePersian@temp by 1\fi % if (SY+10) mod 33=32 then Inc(T)
4799 \divide\XePersian@tempthree by 4\relax % T := T - ((SY+10) mod 33) div 4
4800 \advance\XePersian@temp by -\XePersian@tempthree
4801 \advance\XePersian@temp by -137 % T := T - 137 Adjust the value

```



```

4802 \XePersian@persiani=31
4803 \advance\XePersian@persiani by -\XePersian@temp % now 31 - T is the persiani
4804 \XePersian@persianii = 30\relax
4805 \ifXePersian@kabiseh
4806   \XePersian@persianiii = 30\relax
4807 \else
4808   \XePersian@persianiii = 29\relax
4809 \fi
4810 \XePersian@persianiv = 31\relax
4811 \XePersian@persianv = 31\relax
4812 \XePersian@persianvi = 31\relax
4813 \XePersian@persianvii = 31\relax
4814 \XePersian@persianviii= 31\relax
4815 \XePersian@persianix = 31\relax
4816 \XePersian@persianx = 30\relax
4817 \XePersian@persianxi = 30\relax
4818 \XePersian@persianxii = 30\relax
4819 \XePersian@persianxiii= 30\relax
4820 \XePersian@dn= 0\relax
4821 \XePersian@sn= 0\relax
4822 \XePersian@mminusone=\XePersian@m
4823 \advance\XePersian@mminusone by -1\relax
4824 \XePersian@i=0\relax
4825 \ifnum\XePersian@i < \XePersian@mminusone
4826 \loop
4827 \advance \XePersian@i by 1\relax
4828 \advance\XePersian@dn by \csname XePersian@latin\romannumeral\the\XePersian@i\endcsname
4829 \ifnum\XePersian@i<\XePersian@mminusone \repeat
4830 \fi
4831 \advance \XePersian@dn by \XePersian@d
4832 \XePersian@i=1\relax
4833 \XePersian@sn = \XePersian@persiani
4834 \ifnum \XePersian@sn<\XePersian@dn
4835 \loop
4836 \advance \XePersian@i by 1\relax
4837 \advance\XePersian@sn by \csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
4838 \ifnum \XePersian@sn<\XePersian@dn \repeat
4839 \fi
4840 \ifnum \XePersian@i < 4
4841   \XePersian@m = 9 \advance\XePersian@m by \XePersian@i
4842   \advance \XePersian@y by -622\relax
4843 \else
4844   \XePersian@m = \XePersian@i \advance \XePersian@m by -3\relax
4845   \advance \XePersian@y by -621\relax
4846 \fi
4847 \advance\XePersian@sn by -\csname XePersian@persian\romannumeral\the\XePersian@i\%
4848 \endcsname
4849 \ifnum\XePersian@i = 1
4850   \XePersian@d = \XePersian@dn \advance \XePersian@d by 30 \advance\XePersian@d by -\XePersian@
4851 \else

```



```
4852 \XePersian@d = \XePersian@dn \advance \XePersian@d by -\XePersian@sn
4853 \fi
4854 \newcommand*{\persiantoday}{%
4855 \number\XePersian@d\space%
4856 \XePersian@persian@month{\XePersian@m}\space\number\XePersian@y%
4857 }
4858 \let\persianyear\XePersian@y
4859 \let\persianmonth\XePersian@m
4860 \let\persianday\XePersian@d
4861 \def\XePersian@persian@month#1{\ifcase#1\or \or \
4862 \or \
4863 \or \ \or \
4864 \or \
4865 \or \ \or \
4866 \or \ \or \
4867 \or \ \or \
4868 \{fi\}
```



Index

Symbols	
\!	2165
\%	4482
\.	4520
\@and	2933
\@if@newlist	1293, 1313
\@math	166
\@maybeautodot	2380, 2381, 2399, 2414, 2415, 2433, 2444, 2445, 2463
\@par	1692
\@Abjad	2941, 2949, 2950, 3390, 3391
\@Alph	2393, 2427, 2457, 3207, 3210, 3386, 3391
\@DeclareMathDelimiter	4398
\@DeclareMathSizes	4389
\@False	154, 156
\@Kashida@onfalse	1436
\@Kashida@ontrue	1435
\@LTRfootnotetext	1722
\@LTRmarginparreset	2847
\@Latincitex	73, 74, 1956, 1965, 2155, 2855, 2856
\@M	170, 2983, 3084, 3179
\@Mi	166
\@Mii	1615
\@Miii	1617
\@RTL@footnotefalse	2838, 2842, 3323
\@RTL@footnotettrue	2840, 2843, 3321
\@RTLfalse	136, 148, 161, 3276, 3283, 3305
\@RTLfootnotetext	1723
\@RTLtabfalse	3291
\@RTLtabtrue	3289
\@RTLtrue	3274, 3281, 3303
\@Roman	2395, 2429, 2459
\@SepMark	1551
\@SetTab	2469
\@True	149, 155
\@X	4571, 4572, 4650
\@abjad	3168, 3187, 3188, 3385, 3386
\@acol	1847, 1855
\@acolampacol	1845, 1847, 1853, 1855
\@adadi	2391, 2425, 2455, 2957, 2959, 2962
\@addamp	1846, 1854
\@addtopreamble	1814
\@alph	2394, 2428, 2458, 2470, 3206, 3209, 3385, 3390
\@ampacol	1845, 1853
\@answernumberfont	4593, 4594, 4632
\@answerstitle	4590, 4631
\@answerstitlefont	4591, 4592, 4631
\@appendheader	4604, 4605, 4607
\@arrayclassz	1845
\@arraydesc	4600, 4603, 4610, 4614
\@arrayrule	1793, 1794, 1795, 1837, 1838, 1839
\@author	3736, 3748
\@autodottrue	2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461
\@auxout	2861, 3411, 3415
\@begin@tempboxa	1692
\@biblabel	1957, 1966
\@bibsetup	1958, 1967
\@bidi@list@minipage@parbox@not@nobtrue	1689, 1711
\@bidi@list@minipage@parboxtrue	

..... 1690, 1712
`\@bidi@strip@v@xpersianversion`
 . 2533, 2535, 2541, 2547
`\@biditufte sidenote@LTRmarginfont`
 86
`\@biditufte sidenote@RTLmarginfont`
 88
`\@bsphack` 1614
`\@capttype` . 1602, 1665, 1912, 1922
`\@cclvi` 4332, 4338, 4362
`\@chapapp` .. 30, 102, 113, 120, 132,
 1274, 1286, 1557, 2347, 2354,
 2361, 2369, 2410, 2440
`\@chclass` . 1727, 1735, 1743, 1758,
 1772, 1777, 1792, 1808, 1828,
 1836, 1866, 1889, 1903
`\@chnum` .. 1729, 1730, 1731, 1732,
 1733, 1734, 1744, 1751, 1765,
 1778, 1785, 1801, 1814, 1830,
 1831, 1832, 1833, 1834, 1835,
 1849, 1857, 1867, 1874, 1896
`\@choices` 4598, 4602, 4618, 4620
`\@cite` 1944, 1951, 1963, 1979, 2068,
 2858
`\@cite@ofmt` 2866
`\@citea` 1984, 1998, 2012, 2021, 2022,
 2023, 2028, 2043, 2051, 2052,
 2053, 2087, 2103, 2121, 2857,
 2859
`\@citereb` .. 1980, 1982, 1984, 1987,
 1989, 1990, 1992, 2015, 2046,
 2069, 2071, 2073, 2076, 2078,
 2079, 2081, 2858, 2860, 2861,
 2862, 2865, 2866
`\@citex` 1955, 1964
`\@classx` 1811
`\@classz` 1811
`\@correction` 4671
`\@correctionstyle` .. 4656, 4657,
 4658
`\@ctrerr` 2948, 2953
`\@currbox` .. 1622, 1668, 1672, 1911,
 1915, 1921, 1925
`\@currenvir` .. 2229, 2231, 2232
`\@customlogo` 3836, 3845
`\@custommagazinename` 3605, 3838
`\@customminilogo` ... 3837, 3851
`\@customwwwTxt` 3566, 3569, 3621
`\@date` 3739, 3749
`\@dgroup` 148
`\@dmath` 136, 165
`\@doendpe` 2246
`\@dseries` 161
`\@eha` 4352, 4378
`\@empty` 151, 1609,
 1969, 1979, 1982, 2068, 2071,
 2200, 2857, 2860, 3042, 3048,
 3051, 3054, 3159, 3747, 3748,
 3749, 3750
`\@emptytoks` 150
`\@enGroup` 1199
`\@enLabel` .. 1190, 1191, 1192, 1193,
 1194, 1195, 1196, 1197
`\@enOther` 1201
`\@enSpace` 1198
`\@end@tempboxa` 1707
`\@endpbox` 1821, 1822
`\@enhook` 1202
`\@enloop@` 1189
`\@entemp` 1190, 1191, 1192, 1193, 1194,
 1195, 1196, 1197, 1198, 1199,
 1200
`\@enum@` 1200
`\@extra@b@citeb`
 ... 1984, 1990, 1992, 2015,
 2046, 2073, 2079, 2081
`\@extrafootnotefeaturesfalse` .
 3343
`\@extrafootnotefeaturestrue` .
 3341
`\@false` 4655, 4663, 4670
`\@false@correction` . 4647, 4670
`\@false@nocorrection` 4645, 4663
`\@falsesymbol` .. 4641, 4643, 4647
`\@firststampfalse` 1847, 1855
`\@firstofone` .. 1371, 1372, 1982,
 2071, 2860, 4335, 4359
`\@firstoftwo` .. 2536, 2542, 2548
`\@float@HH` 1908, 1909
`\@float@Hx` 1907, 1908
`\@float@` 1908, 1919
`\@floatboxreset` 1678, 1917, 1927



\@floatcapt 1912, 1922
 \@floatpenalty .. 1615, 1617, 1620
 \@flstylefalse 1914, 1924
 \@flstyletrue 1914, 1924
 \@fltovf 1670
 \@footnotetext 1721
 \@for 1980, 2069, 2858
 \@formanswerline ... 4627, 4636,
 4649, 4653
 \@fps . 1603, 1604, 1606, 1609, 1626
 \@fpsadddefault 1607, 1610
 \@freelist 1622
 \@gobble .. 1200, 1301, 1302, 1303,
 2533
 \@charfi 12, 20, 31, 34, 43, 49, 55, 61,
 103, 114, 121, 133, 1264, 1275,
 1287, 1393, 1558, 2348, 2355,
 2362, 2370, 2377, 2390, 2411,
 2424, 2441, 2454, 2951, 2954,
 2955
 \@headerfont .. 4569, 4570, 4575,
 4605
 \@headerline ... 4601, 4604, 4612,
 4616
 \@ifclassloaded
 .. 3240, 3241, 3242, 3243,
 3244, 3245, 3246, 3247, 3248,
 3249, 3250, 3251, 3252, 3253,
 3254, 3255, 3256, 3257, 3258,
 3259, 3260, 3261, 3262, 3263,
 3349, 3361, 3373
 \@ifdefinable 2264, 2266
 \@ifdefinitionfileloaded 1599,
 1742, 1775, 1865, 1906, 3222,
 3223
 \@ifnextchar ... 1908, 2149, 2155,
 2855
 \@ifnum .. 2086, 2088, 2090, 2097,
 2098, 2101, 2113, 2136, 2138
 \@ifpackageloaded 76, 1473,
 1477, 2158, 2162, 2254, 2262,
 3224, 3225, 3226, 3227, 3228,
 3229, 3230, 3231, 3232, 3233,
 3234, 3235, 3236, 3237, 3238,
 3239, 3240
 \@ifstar 2148
 \@ifundefined ... 72, 1984, 1990,
 2073, 2079, 2862
 \@ignoretrue 172
 \@iiiminipage 1708
 \@iiiparbox 1686
 \@indexfile ... 3351, 3363, 3375
 \@initorcheck .. 4597, 4617, 4635
 \@inlabelfalse 139
 \@input@ 3353, 3365, 3377
 \@lastchclass .. 1727, 1728, 1744,
 1745, 1746, 1747, 1749, 1778,
 1779, 1780, 1781, 1783, 1828,
 1829, 1845, 1853, 1867, 1868,
 1869, 1870, 1872
 \@latex@error 4350, 4376
 \@latex@warning 2864
 \@latinAlph 3207, 3210
 \@latinalph .. 2470, 3206, 3209,
 3212
 \@listdepth 1724
 \@m . 1961, 2859, 2982, 3083, 3177
 \@mainmatterfalse .. 97, 108, 126,
 1268, 2404
 \@maskanswerline ... 4628, 4637,
 4650, 4654
 \@memfront 1549
 \@minipagefalse 2852
 \@minipagerestore 1725
 \@minipagetrue 2851
 \@mpLTRfootnotetext 1722
 \@mpRTLfootnotetext 1723
 \@mpargs 1714
 \@mpfn 1720
 \@mpfootnotetext 1721
 \@mplistdepth 1724
 \@namedef . 1938, 1992, 2081, 2245
 \@ne 1632, 1638, 1731,
 1732, 1735, 1744, 1754, 1755,
 1759, 1778, 1788, 1789, 1793,
 1794, 1795, 1832, 1833, 1837,
 1838, 1839, 1867, 1877, 1878,
 1890, 2086, 2098, 2100, 2113,
 2121, 2902, 2969, 3010, 3017,
 3029, 3034, 3070, 3111, 3118,
 3130, 3135, 4342, 4347, 4366,
 4373



\@newlistfalse 1294
 \@next 1622
 \@nextchar 1750, 1752, 1753, 1754,
 1755, 1756, 1757, 1759, 1760,
 1761, 1762, 1763, 1766, 1767,
 1768, 1769, 1770, 1771, 1784,
 1786, 1787, 1788, 1789, 1790,
 1791, 1793, 1794, 1795, 1796,
 1797, 1798, 1799, 1802, 1803,
 1804, 1805, 1806, 1807, 1819,
 1821, 1822, 1873, 1875, 1876,
 1877, 1878, 1879, 1880, 1881,
 1882, 1883, 1884, 1885, 1886,
 1887, 1888, 1890, 1891, 1892,
 1893, 1894, 1897, 1898, 1899,
 1901, 1902
 \@nextchar 1900
 \@nil . 2175, 2179, 2180, 2185, 2187,
 3000, 3003, 3101, 3104
 \@nodocument 1601
 \@nonlatinfalse 2823, 3296
 \@nonlatintrue 2830, 3298
 \@onelevel@sanitize 1604
 \@outputbox 1311
 \@outputpage 1289
 \@parboxrestore 1294, 1677, 1692,
 1719, 1916, 1926
 \@parboxto 1695, 1704
 \@parmoderr 1620
 \@pboxswfalse 1688, 1710
 \@pboxswtrue 1702
 \@ppsavesec 25
 \@preamble 1848, 1856
 \@preamblecmds 4403
 \@preamerr 1738, 1772, 1808, 1842,
 1903
 \@questionheader 4627, 4628,
 4659
 \@questionsepspace 4683, 4688,
 4694
 \@questiontitle 4676, 4689
 \@questiontitlefont 4677, 4678,
 4689
 \@resetactivechars 1292
 \@resets@pp 24, 1377, 1378
 \@roman 2396, 2430, 2460
 \@safe@activesfalse 1983, 2072
 \@safe@activestru 1981, 2070
 \@secondoftwo 2538, 2544, 2550
 \@setfontsize
 3536, 3542, 3544, 3547,
 3554, 3560, 3561, 3562, 3563,
 3564
 \@setfpsbit 1642, 1645, 1648, 1651,
 1654, 1657
 \@setminipage 1726
 \@setnobreak 1917, 1927
 \@sharp 1850, 1851, 1852, 1858,
 1859, 1860
 \@smemfront 1550
 \@sptoken 1198
 \@startpbox 1821, 1822
 \@starttoc 2918, 4580, 4585
 \@stop 2381, 2415, 2445
 \@sx@xepersian@localize@verbatim
 1938
 \@tabclassz 1853
 \@tartibi 9, 16, 39, 45, 51, 57,
 94, 105, 116, 128, 1260, 1270,
 1282, 1390, 1552, 1553, 2343,
 2350, 2357, 2365, 2373, 2392,
 2406, 2426, 2436, 2456, 3063,
 3065, 3068
 \@tempa 1190, 1191, 1192,
 1193, 1194, 1195, 1196, 1197,
 1198, 1199, 1200, 1201, 1204,
 2185, 2187, 2270, 2271, 2272,
 2273, 2274, 2275, 2276, 2277,
 2278, 2279, 2280
 \@tempboxa 1715
 \@tempc 2200, 2213, 2223, 2225,
 2226, 2229, 2237
 \@tempcnta 1624,
 1630, 1632, 1636, 1638, 1660,
 1661, 1667, 1668, 1812, 2095,
 2096, 2097, 2100, 2101
 \@tempcntb 1665, 1666, 1667
 \@tempdima 1691, 1692, 1713, 1717
 \@tempdimb 1694, 1695
 \@tempswfalse 2113, 2855
 \@tempswtrue 2112, 2855
 \@temptokena 2186, 2193, 2198,



\~	2166
\u	1332, 1334, 2859, 3006, 3012, 3031, 3037, 3107, 3113, 3132, 3142, 3612, 3621
A	
\abj@num@i	3173, 3190, 3197
\abj@num@ii	3175, 3194, 3201
\abj@num@iii	3177, 3198, 3204
\abj@num@iv	3179, 3202
\Abjad	2949
\abjad	3187
\abjad@zero	3189, 3193
\Abjadnumeral	2950
\abjadnumeral	3188
\abovedisplayshortskip	3539, 3540, 3550, 3551, 3557, 3558
\abovedisplayskip	3537, 3538, 3548, 3549, 3555, 3556
\abstractname	2930
\active	2166, 4520
\adadi	1191, 2384, 2418, 2448, 2956
\adadinumeral	2962
\addfontfeatures	136, 148, 161
\addtocontents	4579, 4582, 4584, 4587, 4609, 4613, 4636, 4637
\addtolength	3764, 3765, 3768, 4187, 4188, 4189, 4190, 4254
\addtoversion	4390
\adl@argarraydashrule	1795, 1839
\adl@arraydashrule	1794, 1838
\adl@arrayrule	1793, 1837
\adl@box	1819, 1821, 1822
\adl@class@iiiorvii	1825, 1862
\adl@class@start	1824, 1861
\adl@endmbox	1820
\adl@putlrc	1816, 1817, 1818, 1850, 1851, 1852, 1858, 1859, 1860
\adl@startmbox	1819
\advance	1335, 1632, 1638, 1661, 1667, 2100, 2902, 2904, 3528, 3532, 3800, 3803, 4347
\i	4013



4373, 4731, 4766, 4770, 4776,
 4780, 4785, 4788, 4789, 4793,
 4797, 4798, 4800, 4801, 4803,
 4823, 4827, 4828, 4831, 4836,
 4837, 4841, 4842, 4844, 4845,
 4847, 4850, 4852
`\aftergroup` 1296, 1298
`\ALG@name` 5, 7
`\algorithmicensure` 3
`\algorithmicrequire` 2
`\ALGS@name` 6, 7
`\aliasfontfeature` .. 1489, 1490,
 1491, 1492, 1493, 1494, 1495,
 1496, 1497, 1498, 1499, 1500,
 1501, 1502, 1503, 1504, 1505,
 1506, 1507, 1508, 1509, 1510,
 1511, 1512, 1513, 1514, 1515,
 1516, 1517, 1518, 1519, 1520,
 1521, 1522, 1523, 1524, 1525,
 1526, 1527, 1528, 1529, 1530,
 1531, 1532, 1533, 1534, 1535,
 1536, 1537, 1538, 1539, 1540,
 1541
`\aliasfontfeatureoption` . 1542,
 1543, 1544, 1545, 1546, 1547
`\alloc@` 4332
`\Alph` 1193, 1364, 1365, 2386, 2420,
 2450
`\alph` . 1194, 2387, 2421, 2451, 2477,
 4606, 4632
`\alpha@elt` 4391
`\alpha@list` 4391
`\anappendixtrue` 1559
`\and` 3754
`\answernumberfont` 4594
`\answerstitle` 4590, 4660
`\answerstitlefont` 4592
`\appendix` 10, 17, 40,
 46, 52, 58, 99, 110, 117, 129,
 1261, 1271, 1283, 1361, 1362,
 1391, 1554, 2344, 2351, 2358,
 2366, 2374, 2407, 2437
`\appendixautorefname` 1350
`\appendixname` 11, 19, 30,
 102, 113, 120, 132, 1274, 1286,
 1392, 1557, 2347, 2354, 2361,
 2369, 2410, 2440, 2927
`\arabic` 1197
`\arrayrulewidth` 4269
`\articlesep` 4251
`\AtBeginDocument` 71,
 1360, 1448, 1938, 2145, 2250,
 3526, 3530
`\AtEndOfClass` 3524
`\author` 3752
`\authorandplace` 4225
`\autofootnoterule` 3309
`\AutoMathsDigits` ... 3266, 4553,
 4557

B

`\backrefpagesname` 63
`\baselineskip`
 .. 1304, 2905, 2908, 3442,
 3444, 3446, 3449, 3450, 3452
`\begin` 2159, 2160, 2842, 2843, 2916,
 3580, 3583, 3636, 3651, 3664,
 3670, 3691, 3722, 3728, 3735,
 3759, 3813, 3819, 3891, 3894,
 3899, 3906, 3921, 3936, 3953,
 3987, 4005, 4010, 4030, 4037,
 4038, 4059, 4061, 4062, 4084,
 4089, 4090, 4126, 4127, 4135,
 4161, 4169, 4175, 4176, 4184,
 4214, 4238, 4270, 4271, 4286,
 4298, 4312, 4610, 4614, 4625,
 4626, 4632, 4687
`\begingroup` 144, 1290,
 1930, 2147, 2163, 2243, 2245,
 2555, 2557, 4339, 4363, 4520
`\beginL` 2852, 3612, 4013
`\beginR` .. 3616, 3617, 3618, 3629,
 3630, 3631, 3836, 3837, 3838,
 3856, 3877, 3878, 3879, 3880,
 3881, 3882, 4033, 4128
`\belowdisplayshortskip` .. 3540,
 3551, 3558
`\belowdisplayskip` .. 3538, 3549,
 3556
`\bfseries` 1985, 2074, 2862, 3572,
 3578, 3597, 3605, 3633, 3649,
 3668, 3682, 3686, 3711, 3716,



3720, 3845, 3851, 4569, 4591,
 4593, 4677
`\bgroup` 1199, 1675, 1715, 1916, 1926,
 4335, 4359
`\bibname` 2934
`\bidi@footnotetext@font` . 1319
`\bidi@LTRfootnotetext@font` .
 1321
`\bidi@RTLfootnotetext@font` .
 1323
`\bidi@thebibliography@font@hook`
 3213
`\bidi@AfterEndPreamble` .. 3217
`\bidi@column@status` 3412, 3416
`\bidi@csdefcs` 787, 1471
`\bidi@csletcs` ... 482, 1471, 1475,
 1476, 1479, 1480
`\bidi@firstcolumn@status@write`
 3410, 3418
`\bidi@font@outputpage` .. 2868
`\bidi@isloaded` . 1442, 1443, 1444,
 1445, 1446, 1447, 1450, 1453,
 1456, 1459, 1462, 1465
`\bidi@lastcolumn@status@write`
 3414, 3419
`\bidi@newrobustcmd` . 2836, 2837,
 2920
`\bidi@patchcmd` 3441
`\bidi@reflect@box` 2921
`\blacktriangleleft` . 1330, 1332
`\blacktriangleright` 1330, 1332
`\bm@b` 1683
`\bm@c` 1680
`\bm@l` 1681
`\bm@r` 1682
`\bm@s` 1685
`\bm@t` 1684
`\bm@` 1684
`\bm@` 1682
`\bm@` 1683
`\bm@` 1680
`\bm@` 1681
`\bm@` 1685
`\bool` 4385
`\boolean` . 3513, 3525, 3534, 3638,
 3653, 3672, 3693, 3889, 3890,
 3920, 3952, 3986, 4004, 4028,
 4058, 4082, 4109
`\botmark` 1316
`\box` 150, 1311
`\BR@Latincitex` 64, 74
`\BRorg@Latincitex` 65, 73

C

`\C` 2167
`\c` .. 4419, 4427, 4435, 4443, 4451
`\c@book` 1552
`\c@chapter` 18, 20, 31, 103, 114, 121,
 133, 1275, 1287, 1558, 2348,
 2355, 2362, 2370, 2411, 2441
`\c@mpfootnote` 1720, 3212
`\c@part` 9, 16, 39, 45,
 51, 57, 94, 105, 116, 128, 1260,
 1270, 1282, 1390, 1553, 2343,
 2350, 2357, 2365, 2373, 2406,
 2436
`\c@section` 10, 12, 18, 34, 43, 49, 55,
 61, 1264, 1391, 1393, 2377
`\c@subsection` 10, 1391
`\catcode` .. 1469, 1930, 1931, 1932,
 2166, 4520
`\ccname` 2936
`\cdp@elt` 4388
`\cdp@list` 4388
`\centering` .. 3775, 4063, 4574
`\cftchapname` 2489
`\cftfigname` 2495
`\cftpargname` 2493
`\cftsecname` 2490
`\cftsubfigname` 2496
`\cftsubparaname` 2494
`\cftsubsecname` 2491
`\cftsubsubsecname` 2492
`\cftsubtabname` 2498
`\cfttabname` 2497
`\chapterautorefname` 1351
`\chaptername` 19, 2935
`\chardef` .. 1396, 1398, 1399, 1400,
 1401, 1402, 2874, 4332
`\charlist` .. 1407, 1408, 1410, 1414
`\citation` 2861
`\citemumfont` 2124



\citeyear	1946
\citeyearpar	1946
\ClassError	3910, 3942, 3976, 3996, 4017, 4042, 4067, 4093, 4116, 4619
\ClassWarning	3495, 3497, 3499, 3769, 3783
\cleardoubleoddpage	2403
\cleardoublepage	15, 96, 107, 125, 1267
\clearpage	2403, 3873
\closeout	3351, 3363, 3375
\color@begingroup	1716
\color@vbox	1673, 1915, 1925
\columnlines	3469, 3470, 3502, 3831
\columnsep	3765, 4188
\columnseprule	3831
\columntitle	4182
\columnwidth	1676, 1718, 1916, 1926, 3764, 4187
\comment	4664
\contentsname	2916, 2924
\copyright	3621
\correction	4664, 4671
\correctionstyle	4657
\count	1668, 3799, 3800, 3802, 3803, 3812, 3818
\count@	1812
\cs	2253, 2255, 2587, 2608, 2631, 2633, 2638, 2649, 2651, 2656, 2698, 2719, 2740, 2761, 2782, 2803, 4412, 4413, 4414, 4415, 4416, 4462, 4494, 4507
\csname	1472, 1665, 1705, 1910, 1913, 1920, 1923, 1940, 2247, 2264, 2265, 2266, 2267, 2268, 2378, 2412, 2442, 2556, 2559, 2565, 2567, 2866, 2949, 2954, 2957, 3063, 3187, 4338, 4341, 4346, 4347, 4362, 4365, 4369, 4370, 4373, 4408, 4410, 4828, 4837, 4847
\currenttime	3595
\customlogo	3836
\custommagazinename	3838
\customminilogo	3837
\customwwwTxt	3566
D	
\dollarbegin	1816, 1817, 1818
\dollarend	1816, 1817, 1818
\date	3594, 3605, 3753, 4222
\datename	2932
\day	4726
\decimalseparator	4483, 4547
\DeclareDocumentCommand	2583, 2604, 2627, 2645, 2694, 2715, 2736, 2757, 2778, 2799, 4458, 4490, 4503
\DeclareMathAccent	4396
\DeclareMathAlphabet	4395
\DeclareMathDelimiter	4397
\DeclareMathRadical	4399
\DeclareMathSizes	4388
\DeclareMathSymbol	4396
\DeclareMathVersion	4390
\DeclareOption	3491, 3492, 3493, 3494, 3496, 3498, 3500, 3501, 3502, 3503, 3504, 4661, 4668
\DeclareOptionX	3394
\DeclareRobustCommand	2146, 2591, 2611, 2636, 2654, 2669, 2672, 2675, 2678, 2681, 2684, 2702, 2723, 2744, 2765, 2786, 2807, 2854
\DeclareSymbolFont	4393, 4467, 4468, 4469, 4470, 4497, 4510
\DeclareSymbolFontAlphabet	4400
\DeclareSymbolFontAlphabet@	4400
\DeclareTextFontCommand	2687, 2688, 2689, 2690, 2691, 2692
\def	2, 3, 5, 6, 7, 10, 12, 15, 17, 20, 63, 64, 77, 92, 136, 148, 161, 168, 172, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1289, 1327, 1329, 1331, 1333, 1344, 1345, 1346,



1347, 1348, 1349, 1350, 1351,
 1352, 1353, 1354, 1355, 1356,
 1357, 1358, 1359, 1362, 1373,
 1378, 1391, 1393, 1404, 1407,
 1409, 1410, 1415, 1439, 1440,
 1562, 1563, 1564, 1565, 1566,
 1567, 1568, 1569, 1570, 1600,
 1602, 1603, 1605, 1686, 1708,
 1714, 1720, 1727, 1743, 1777,
 1811, 1824, 1825, 1828, 1845,
 1853, 1861, 1862, 1866, 1908,
 1909, 1912, 1919, 1922, 1935,
 1936, 1945, 1948, 1960, 1961,
 1971, 1974, 1987, 2002, 2032,
 2064, 2068, 2093, 2155, 2169,
 2173, 2175, 2176, 2179, 2185,
 2187, 2189, 2205, 2208, 2224,
 2225, 2228, 2241, 2243, 2246,
 2263, 2500, 2501, 2552, 2553,
 2554, 2560, 2561, 2565, 2822,
 2829, 2838, 2839, 2840, 2841,
 2845, 2846, 2847, 2856, 2859,
 2922, 2923, 2924, 2925, 2926,
 2927, 2928, 2929, 2930, 2931,
 2932, 2933, 2934, 2935, 2936,
 2937, 2938, 2939, 2940, 2941,
 2949, 2951, 2954, 2963, 2968,
 2977, 3003, 3016, 3027, 3041,
 3047, 3050, 3053, 3057, 3069,
 3078, 3104, 3117, 3128, 3146,
 3151, 3158, 3168, 3187, 3189,
 3190, 3194, 3198, 3202, 3208,
 3212, 3384, 3389, 3410, 3414,
 3566, 3836, 3837, 3838, 4332,
 4334, 4358, 4471, 4498, 4511,
 4521, 4522, 4547, 4548, 4549,
 4553, 4569, 4571, 4573, 4591,
 4593, 4597, 4604, 4640, 4641,
 4644, 4645, 4646, 4647, 4656,
 4659, 4666, 4667, 4673, 4674,
 4677, 4861
\def@NAT@last@cyr ... 2103, 2105
\defaultfontfeatures ... 3395
\DefaultMathsDigits 3268, 4548
\define@choicekey ... 3264, 3272, 3279, 3287,
 3294, 3301, 3307, 3319, 3325,
 3331, 3335, 3339, 3345, 3358,
 3370, 3382, 3401, 3408
\define@key 2269
\define@mathalphabet ... 4390
\define@mathgroup ... 4390
\deflatinfont 2645
\defpersianfont 2627
\depth 2277, 2278
\dimexpr 2908
\ding 4640, 4641
\display@setup ... 137, 162
\divide ... 3805, 3806, 4728, 4736,
 4741, 4768, 4774, 4782, 4784,
 4787, 4791, 4795, 4799
\do . 1627, 1980, 2069, 2270, 2858,
 4403
\document 4559
\document@select@group ... 4358
\dorestore@version ... 4392
\dosetclass ... 1408, 1409, 1413
\doublebox 4144, 4197
\qquad 170, 172
\dsseries@display@setup ... 162

E

\edef 1695,
 1750, 1784, 1848, 1856, 1873,
 1982, 2071, 2231, 2508, 2531,
 2533, 2559, 2562, 2860, 4606
\edition 3863
\editionFormat ... 3572, 3575
\editorialAuthorFormat ... 3715,
 4279
\editorialTitleFormat 3713, 3714
\else 2, 3, 5, 7, 32, 63, 92, 140, 170,
 1190, 1191, 1192, 1193, 1194,
 1195, 1196, 1197, 1198, 1199,
 1200, 1278, 1319, 1330, 1332,
 1334, 1344, 1345, 1346, 1347,
 1348, 1349, 1350, 1351, 1352,
 1353, 1354, 1355, 1356, 1357,
 1358, 1359, 1412, 1439, 1440,
 1449, 1452, 1455, 1458, 1461,
 1464, 1562, 1563, 1564, 1565,
 1566, 1567, 1568, 1569, 1570,



1608, 1616, 1621, 1631, 1637,
 1690, 1693, 1698, 1699, 1700,
 1701, 1702, 1712, 1727, 1728,
 1729, 1730, 1731, 1732, 1733,
 1734, 1735, 1736, 1737, 1738,
 1744, 1745, 1746, 1748, 1749,
 1752, 1753, 1754, 1755, 1756,
 1757, 1759, 1760, 1761, 1762,
 1763, 1766, 1767, 1768, 1769,
 1770, 1771, 1778, 1779, 1780,
 1782, 1783, 1786, 1787, 1788,
 1789, 1790, 1791, 1793, 1794,
 1795, 1796, 1797, 1798, 1799,
 1802, 1803, 1804, 1805, 1806,
 1807, 1827, 1828, 1829, 1830,
 1831, 1832, 1833, 1834, 1835,
 1837, 1838, 1839, 1840, 1841,
 1842, 1867, 1868, 1869, 1871,
 1872, 1875, 1876, 1877, 1878,
 1879, 1880, 1881, 1882, 1883,
 1884, 1885, 1886, 1887, 1888,
 1890, 1891, 1892, 1893, 1894,
 1897, 1898, 1899, 1900, 1901,
 1902, 1914, 1924, 1949, 1962,
 1994, 1999, 2008, 2011, 2025,
 2029, 2038, 2042, 2045, 2057,
 2061, 2062, 2083, 2104, 2118,
 2120, 2123, 2137, 2139, 2150,
 2173, 2184, 2197, 2199, 2202,
 2217, 2219, 2225, 2233, 2241,
 2268, 2271, 2272, 2273, 2274,
 2275, 2276, 2277, 2278, 2279,
 2382, 2403, 2416, 2446, 2473,
 2489, 2490, 2491, 2492, 2493,
 2494, 2495, 2496, 2497, 2498,
 2537, 2543, 2549, 2576, 2868,
 2883, 2894, 2922, 2923, 2924,
 2925, 2926, 2927, 2928, 2929,
 2930, 2931, 2932, 2933, 2934,
 2935, 2936, 2937, 2938, 2939,
 2940, 2948, 2953, 2971, 2973,
 2981, 2982, 2983, 2984, 2985,
 2986, 2987, 2988, 3006, 3021,
 3035, 3048, 3051, 3072, 3074,
 3082, 3083, 3084, 3085, 3086,
 3087, 3088, 3089, 3107, 3122,
 3135, 3136, 3139, 3170, 3172,
 3174, 3176, 3178, 3354, 3366,
 3378, 3451, 3782, 4260, 4335,
 4348, 4354, 4359, 4374, 4380,
 4515, 4523, 4524, 4525, 4526,
 4527, 4528, 4529, 4530, 4531,
 4532, 4533, 4547, 4550, 4551,
 4552, 4554, 4555, 4556, 4734,
 4738, 4743, 4744, 4751, 4772,
 4777, 4807, 4843, 4851
\empty 1411
\enclname 2937
\encodingdefault 2599,
 2619, 2710, 2731, 2752, 2773,
 2794, 2815
\end 1408, 1409, 1414, 1415,
 2159, 2160, 2231, 2242, 2842,
 2843, 2919, 3580, 3585, 3642,
 3656, 3666, 3675, 3698, 3737,
 3740, 3743, 3760, 3815, 3821,
 3898, 3904, 3908, 3934, 3940,
 3974, 3994, 4009, 4015, 4051,
 4052, 4053, 4076, 4077, 4078,
 4102, 4103, 4104, 4129, 4130,
 4133, 4163, 4167, 4178, 4179,
 4216, 4220, 4249, 4280, 4281,
 4295, 4307, 4320, 4579, 4582,
 4584, 4587, 4633, 4634, 4638,
 4692
\end@correction 4672
\endcomment 4665
\endcorrection 4665, 4672
\endcsname
 1472, 1665, 1705, 1910, 1913,
 1920, 1923, 1940, 2247, 2264,
 2265, 2266, 2267, 2268, 2378,
 2412, 2442, 2556, 2559, 2565,
 2567, 2866, 2949, 2954, 2957,
 3063, 3187, 4338, 4341, 4346,
 4347, 4362, 4365, 4369, 4371,
 4373, 4408, 4410, 4828, 4837,
 4848
\endgroup 1297, 2168, 2246, 2555,
 2563, 4343, 4367, 4523, 4524,
 4525, 4526, 4527, 4528, 4529,
 4530, 4531, 4532, 4533, 4534



\endL 3612, 4013
 \endlatin 2839
 \endLTR 2839
 \endMakeFramed 1338
 \endmath 167
 \endpersian 2841
 \endquestion 4685
 \endR 3616, 3617, 3618, 3629, 3630,
 3631, 3836, 3837, 3838, 3856,
 3877, 3878, 3879, 3880, 3881,
 3882, 4033, 4128
 \endRTL 2841
 \ends@math 167
 \endtrivlist 1936, 2246
 \end 1936, 1940, 2246, 2247
 \eq@addpunct 172
 \eq@group 140, 149
 \eq@GRP@first@dmath 149
 \eq@prelim 140, 157
 \eq@setnumber 143
 \eq@setup@a 145
 \eq@startup 146
 \eq@wdCond 164
 \eqcommand 176, 177, 178, 179,
 180, 181, 182, 183, 184, 185,
 186, 187, 188, 189, 190, 191,
 192, 193, 194, 195, 196, 197,
 198, 199, 200, 201, 202, 203,
 204, 205, 206, 207, 208, 209,
 210, 211, 212, 213, 214, 215,
 216, 217, 218, 219, 220, 221,
 222, 223, 224, 225, 226, 227,
 228, 229, 230, 231, 232, 233,
 234, 235, 236, 237, 238, 239,
 240, 241, 242, 243, 244, 245,
 246, 247, 248, 249, 250, 251,
 252, 253, 254, 255, 256, 257,
 258, 259, 260, 261, 262, 263,
 264, 265, 266, 267, 268, 269,
 270, 271, 272, 273, 274, 275,
 276, 277, 278, 279, 280, 281,
 282, 283, 284, 285, 286, 287,
 288, 289, 290, 291, 292, 293,
 294, 295, 296, 297, 298, 299,
 300, 301, 302, 303, 304, 305,
 306, 307, 308, 309, 310, 311,
 312, 313, 314, 315, 316, 317,
 318, 319, 320, 321, 322, 323,
 324, 325, 326, 327, 328, 329,
 330, 331, 332, 333, 334, 335,
 336, 337, 338, 339, 340, 341,
 342, 343, 344, 345, 346, 347,
 348, 349, 350, 351, 352, 353,
 354, 355, 356, 357, 358, 359,
 360, 361, 362, 363, 364, 365,
 366, 367, 368, 369, 370, 371,
 372, 373, 374, 375, 376, 377,
 378, 379, 380, 381, 382, 383,
 384, 385, 386, 387, 388, 389,
 390, 391, 392, 393, 394, 395,
 396, 397, 398, 399, 400, 401,
 402, 403, 404, 405, 406, 407,
 408, 409, 410, 411, 412, 413,
 414, 415, 416, 417, 418, 419,
 420, 421, 422, 423, 424, 425,
 426, 427, 428, 429, 430, 431,
 432, 433, 434, 435, 436, 437,
 438, 439, 440, 441, 442, 443,
 444, 445, 446, 447, 448, 449,
 450, 451, 452, 453, 454, 455,
 456, 457, 458, 459, 460, 461,
 462, 463, 464, 465, 466, 467,
 468, 469, 470, 471, 472, 473,
 474, 475, 476, 477, 478, 479,
 480, 481, 483, 484, 485, 486,
 487, 488, 489, 490, 491, 492,
 493, 494, 495, 496, 497, 498,
 499, 500, 501, 502, 503, 504,
 505, 506, 507, 508, 509, 510,
 511, 512, 513, 514, 515, 516,
 517, 518, 519, 520, 521, 522,
 523, 524, 525, 526, 527, 528,
 529, 530, 531, 532, 533, 534,
 535, 536, 537, 538, 539, 540,
 541, 542, 543, 544, 545, 546,
 547, 548, 549, 550, 551, 552,
 553, 554, 555, 556, 557, 558,
 559, 560, 561, 562, 563, 564,
 565, 566, 567, 568, 569, 570,
 571, 572, 573, 574, 575, 576,
 577, 578, 579, 580, 581, 582,
 583, 584, 585, 586, 587, 588,



589, 590, 591, 592, 593, 594,
595, 596, 597, 598, 599, 600,
601, 602, 603, 604, 605, 606,
607, 608, 609, 610, 611, 612,
613, 614, 615, 616, 617, 618,
619, 620, 621, 622, 623, 624,
625, 626, 627, 628, 629, 630,
631, 632, 633, 634, 635, 636,
637, 638, 639, 640, 641, 642,
643, 644, 645, 646, 647, 648,
649, 650, 651, 652, 653, 654,
655, 656, 657, 658, 659, 660,
661, 662, 663, 664, 665, 666,
667, 668, 669, 670, 671, 672,
673, 674, 675, 676, 677, 678,
679, 680, 681, 682, 683, 684,
685, 686, 687, 688, 689, 690,
691, 692, 693, 694, 695, 696,
697, 698, 699, 700, 701, 702,
703, 704, 705, 706, 707, 708,
709, 710, 711, 712, 713, 714,
715, 716, 717, 718, 719, 720,
721, 722, 723, 724, 725, 726,
727, 728, 729, 730, 731, 732,
733, 734, 735, 736, 737, 738,
739, 740, 741, 742, 743, 744,
745, 746, 747, 748, 749, 750,
751, 752, 753, 754, 755, 756,
757, 758, 759, 760, 761, 762,
763, 764, 765, 766, 767, 768,
769, 770, 771, 772, 773, 774,
775, 776, 777, 778, 779, 780,
781, 782, 783, 784, 785, 786,
788, 789, 790, 791, 792, 793,
794, 795, 796, 797, 798, 799,
800, 801, 802, 803, 804, 805,
806, 807, 808, 809, 810, 811,
812, 813, 814, 815, 816, 817,
818, 819, 820, 821, 822, 823,
824, 825, 826, 827, 828, 829,
830, 831, 832, 833, 834, 835,
836, 837, 838, 839, 840, 841,
842, 843, 844, 845, 846, 847,
848, 849, 850, 851, 852, 853,
854, 855, 856, 857, 858, 859,
860, 861, 862, 863, 864, 865,
866, 867, 868, 869, 870, 871,
872, 873, 874, 875, 876, 877,
878, 879, 880, 881, 882, 883,
884, 885, 886, 887, 888, 889,
890, 891, 892, 893, 894, 895,
896, 897, 898, 899, 900, 901,
902, 903, 904, 905, 906, 907,
908, 909, 910, 911, 912, 913,
914, 915, 916, 917, 918, 919,
920, 921, 922, 923, 924, 925,
926, 927, 928, 929, 930, 931,
932, 933, 934, 935, 936, 937,
938, 939, 940, 941, 942, 943,
944, 945, 946, 947, 948, 949,
950, 951, 952, 953, 954, 955,
956, 957, 958, 959, 960, 961,
962, 963, 964, 965, 966, 967,
968, 969, 970, 971, 972, 973,
974, 975, 976, 977, 978, 979,
980, 981, 982, 983, 984, 985,
986, 987, 988, 989, 990, 991,
992, 993, 994, 995, 996, 997,
998, 999, 1000, 1001, 1002,
1003, 1004, 1005, 1006, 1007,
1008, 1009, 1010, 1011, 1012,
1013, 1014, 1015, 1016, 1017,
1018, 1019, 1020, 1021, 1022,
1023, 1024, 1025, 1026, 1027,
1028, 1029, 1030, 1031, 1032,
1033, 1034, 1035, 1036, 1037,
1038, 1039, 1040, 1041, 1042,
1043, 1044, 1045, 1046, 1047,
1048, 1049, 1050, 1051, 1052,
1053, 1054, 1055, 1056, 1057,
1058, 1059, 1060, 1061, 1062,
1063, 1064, 1065, 1066, 1067,
1068, 1069, 1070, 1071, 1072,
1073, 1074, 1075, 1076, 1077,
1078, 1079, 1080, 1081, 1082,
1083, 1084, 1085, 1086, 1087,
1088, 1089, 1090, 1091, 1092,
1093, 1094, 1095, 1096, 1097,
1098, 1099, 1100, 1101, 1102,
1103, 1104, 1105, 1106, 1107,
1108, 1109, 1110, 1111, 1112,
1113, 1114, 1115, 1116, 1117,



\expandafter
	137, 1408, 1414, 1625, 1626,
	1750, 1784, 1873, 1910, 1913,
	1920, 1923, 1940, 1982, 2071,
	2187, 2192, 2193, 2198, 2203,
	2204, 2210, 2211, 2212, 2213,
	2220, 2221, 2222, 2223, 2225,
	2234, 2235, 2236, 2237, 2247,
	2264, 2265, 2266, 2267, 2533,
	2536, 2538, 2542, 2544, 2548,
	2550, 2555, 2556, 2559, 2562,
	2563, 2565, 2566, 2860, 2949,
	2954, 2957, 2972, 2978, 3063,
	3073, 3079, 3173, 3175, 3177,
	3179, 3187, 4335, 4354, 4359,
	4368, 4369, 4370, 4380, 4558,
	4559, 4607
\expandedtitle 4132
\ExplSyntaxOff	. 1939, 2261, 2821,
	4405, 4514
\ExplSyntaxOn	. . 1937, 2249, 2581,
	4384, 4411
\extract@alph@from@version 4368
F	
\f@baselineskip	2827, 2834, 3442,
	3444
\f@size 2827, 2834
\f@ur	1405, 2874, 2890, 2891, 2892,
	2895, 2896, 2897
\false 4652
\falsesymbol 4643
\familydefault	2598, 2618, 2709,
	2730, 2751, 2772, 2793, 2814
\fancyfoot	3876, 3880, 3881, 3882
\fancyhead	3875, 3877, 3878, 3879
\FancyVerbLineautorefname	1357
\fbox	3760, 3775, 3990, 4629, 4689
\fboxrule	. 1327, 1329, 1331, 1333,
	3832
\fboxsep 1327,
	1329, 1331, 1333, 3763, 3956,
	3988, 4060, 4088, 4136, 4185
\fi 2, 3, 5, 7,
	35, 63, 68, 92, 136, 138, 139,



140, 148, 159, 161, 170, 1203,
 1278, 1319, 1330, 1332, 1334,
 1344, 1345, 1346, 1347, 1348,
 1349, 1350, 1351, 1352, 1353,
 1354, 1355, 1356, 1357, 1358,
 1359, 1405, 1413, 1439, 1440,
 1451, 1454, 1457, 1460, 1463,
 1466, 1562, 1563, 1564, 1565,
 1566, 1567, 1568, 1569, 1570,
 1611, 1612, 1618, 1633, 1634,
 1639, 1640, 1643, 1646, 1649,
 1652, 1655, 1658, 1662, 1663,
 1671, 1689, 1690, 1696, 1703,
 1706, 1711, 1712, 1731, 1732,
 1733, 1734, 1738, 1739, 1740,
 1754, 1755, 1756, 1757, 1772,
 1773, 1788, 1789, 1790, 1791,
 1808, 1809, 1823, 1832, 1833,
 1834, 1835, 1842, 1843, 1847,
 1852, 1855, 1860, 1863, 1877,
 1878, 1879, 1880, 1903, 1904,
 1914, 1924, 1936, 1954, 1972,
 1993, 1995, 2006, 2010, 2019,
 2020, 2024, 2036, 2041, 2045,
 2049, 2050, 2054, 2059, 2060,
 2061, 2062, 2082, 2084, 2106,
 2114, 2122, 2123, 2132, 2133,
 2139, 2142, 2152, 2173, 2188,
 2206, 2226, 2239, 2242, 2268,
 2280, 2383, 2384, 2385, 2386,
 2387, 2388, 2389, 2390, 2391,
 2392, 2393, 2394, 2395, 2396,
 2397, 2398, 2403, 2417, 2418,
 2419, 2420, 2421, 2422, 2423,
 2424, 2425, 2426, 2427, 2428,
 2429, 2430, 2431, 2432, 2447,
 2448, 2449, 2450, 2451, 2452,
 2453, 2454, 2455, 2456, 2457,
 2458, 2459, 2460, 2461, 2462,
 2475, 2489, 2490, 2491, 2492,
 2493, 2494, 2495, 2496, 2497,
 2498, 2539, 2545, 2551, 2569,
 2570, 2578, 2861, 2868, 2882,
 2887, 2888, 2889, 2893, 2898,
 2899, 2900, 2901, 2910, 2922,
 2923, 2924, 2925, 2926, 2927,
 2928, 2929, 2930, 2931, 2932,
 2933, 2934, 2935, 2936, 2937,
 2938, 2939, 2940, 2948, 2953,
 2975, 2989, 3001, 3006, 3007,
 3010, 3012, 3013, 3025, 3029,
 3031, 3032, 3034, 3037, 3039,
 3045, 3048, 3051, 3055, 3060,
 3076, 3090, 3102, 3107, 3108,
 3111, 3113, 3114, 3126, 3130,
 3132, 3133, 3135, 3141, 3142,
 3144, 3149, 3156, 3162, 3180,
 3181, 3182, 3183, 3184, 3185,
 3192, 3193, 3196, 3197, 3200,
 3201, 3203, 3204, 3216, 3271,
 3277, 3284, 3292, 3299, 3306,
 3318, 3324, 3330, 3334, 3338,
 3344, 3356, 3357, 3368, 3369,
 3380, 3381, 3393, 3406, 3420,
 3438, 3453, 3454, 3456, 3785,
 3786, 3991, 4008, 4172, 4246,
 4265, 4292, 4317, 4335, 4353,
 4354, 4359, 4379, 4380, 4517,
 4535, 4536, 4537, 4538, 4539,
 4540, 4541, 4542, 4543, 4544,
 4545, 4547, 4550, 4551, 4552,
 4554, 4555, 4556, 4743, 4745,
 4746, 4747, 4753, 4777, 4778,
 4798, 4809, 4830, 4839, 4846,
 4853, 4868
 \figureautorefname 1347
 \figurename 2922
 \finishsetclass 1411, 1415
 \firstarticle . . 3887, 3911, 3912,
 3914
 \FirstFrameCommand 1329
 \firstimage . . 3984, 3997, 3998,
 4000
 \firstmark 1316
 \firstTextFormat . . 3645, 3647
 \firstTitleFormat . . 3633, 3639,
 3640
 \float@box 1911, 1921
 \float@endH 1910, 1920
 \flushright . . 3633, 3652, 3671
 \font 2878
 \fontencoding



\fontfamily	2594, 2614, 2638, 2656, 2671, 2674, 2677, 2680, 2683, 2686, 2705, 2726, 2747, 2768, 2789, 2810	1382, 1557, 1558, 2347, 2348, 2354, 2355, 2361, 2362, 2369, 2370, 2377, 2410, 2411, 2440, 2441, 3566, 3836, 3837, 3838, 4520, 4570, 4572, 4590, 4592, 4594, 4600, 4601, 4617, 4642, 4643, 4657, 4676, 4678, 4683, 4694
\fontsize	2827, 2834	\get@cdp 4394
\fontspec	1938, 2256, 2589, 2610, 2633, 2651, 2700, 2721, 2742, 2763, 2784, 2805, 4465, 4496, 4509	\getanddefine@fonts 4341, 4365
\foot	3628	\Gin@boolkey 2263
\footdir@debugfalse	3329	\glb@currsize 4464
\footdir@debugtrue	3327	\global 73, 74, 139, 149, 150, 151, 152, 153, 154, 155, 156, 164, 1293, 1294, 1313, 1668, 1672, 1992, 2081, 3745, 3746, 3747, 3748, 3749, 3750, 3751, 3752, 3753, 3754, 4347, 4373
\footnote	3725	\globaldefs 4342, 4366
\footnoteautorefname	1345	\glossary 1303
\footnoterule	3724	\glsaddprotectedpagefmt . 1340, 1341, 1342
\footnotesep	3450, 3452	\goodbreak 4323
\footnotesize	84, 86, 88, 1278, 1279, 1280, 1319, 1321, 1323, 3553, 3554, 3588, 3621, 3686, 3710, 3711, 3723	\grid 3527, 3531, 3793
\foottextfont	1278	\Grot@x 2271, 2272, 2273, 2274
\FrameCommand	1327	\Grot@y 2275, 2276, 2277, 2278, 2279, 2280
\FrameRestore	1335	\group 2256
\frenchspacing	1935, 2243	\group@elt 4393
\frontmatter	15, 95, 106, 124, 1266, 2402	\group@list 4393
\futurelet	2178, 4520	\grp@aligned 155
G		
\g	2589, 2590, 2594, 2610, 2614, 2700, 2701, 2705, 2721, 2722, 2726, 2742, 2743, 2747, 2763, 2764, 2768, 2784, 2785, 2789, 2805, 2806, 2810, 4385, 4465, 4467, 4468, 4469, 4470, 4496, 4497, 4509, 4510	\GRP@box 150
\g@addto@macro	4559, 4604	\grp@eqs@numbered 154
\G@refundefinedtrue	2863	\grp@hasNumber 159
\gdef	43, 49, 55, 61, 102, 103, 113, 114, 120, 121, 132, 133, 1264, 1274, 1275, 1286, 1287, 1364, 1365, 1380,	\GRP@label 151
H		
\harfi	1190, 1551, 2383, 2417, 2447,	



2954
 \harfinumeral 2955
 \hbox 1819, 2862, 2920, 2921
 \headDateTimeFormat 3592, 3594
 \headerfont 4570
 \headheight 1309, 3826
 \heading 3615
 \headrulewidth 3827, 3883
 \headsep 1310
 \headtoname 2939
 \height 2275, 2276
 \hfil . 1815, 1816, 1817, 1818, 1850,
 1851, 1852, 1858, 1859, 1860
 \hline 4276, 4611, 4612, 4615, 4616,
 4636, 4637
 \hrule 1405, 4159, 4165, 4212, 4218,
 4263, 4303
 \hrulefill 3841, 3846, 3860
 \hspace 1335, 1676, 1692, 1717, 1718,
 1916, 1926
 \hskip 1405, 1817, 1818, 1860
 \hspace .. 3594, 3612, 3841, 3847,
 3859, 3861, 4039
 \hss 1704
 \Huge 3564, 3633, 3689
 \huge 3563
 \Hy@AlphNoErr 1380, 1382
 \Hy@appendixstring . 1366, 1384
 \Hy@backout 69, 77
 \Hy@chapapp 1366, 1384
 \Hy@Org@appendix 1361, 1367
 \Hy@Org@resets@pp 1377, 1385
 \hyper@natlinkbreak 2014, 2045
 \hyper@natlinkstart 77

I

\if 140, 159, 1629,
 1635, 1641, 1644, 1647, 1650,
 1653, 1656, 1659, 1690, 1697,
 1698, 1699, 1700, 1712, 1729,
 1730, 1731, 1732, 1733, 1734,
 1735, 1736, 1737, 1738, 1752,
 1753, 1754, 1755, 1756, 1757,
 1759, 1760, 1761, 1762, 1763,
 1766, 1767, 1768, 1769, 1770,
 1771, 1786, 1787, 1788, 1789,
 1790, 1791, 1793, 1794, 1795,
 1796, 1797, 1798, 1799, 1802,
 1803, 1804, 1805, 1806, 1807,
 1830, 1831, 1832, 1833, 1834,
 1835, 1837, 1838, 1839, 1840,
 1841, 1842, 1875, 1876, 1877,
 1878, 1879, 1880, 1881, 1882,
 1883, 1884, 1885, 1886, 1887,
 1888, 1890, 1891, 1892, 1893,
 1894, 1897, 1898, 1899, 1900,
 1901, 1902, 1997, 2027, 2045,
 2055, 2061, 2062, 2123, 2139,
 2171, 2191, 2197, 2199, 2209,
 2217, 2219, 2241, 2271, 2272,
 2273, 2274, 2275, 2276, 2277,
 2278, 2279, 2280

\if@bidi@algorithmicloaded@ .
 1449
 \if@bidi@algorithmloaded@ 1452
 \if@bidi@backrefloaded@ . 1455
 \if@bidi@csprimitive 1471
 \if@bidi@csundef 2914, 3167, 3218
 \if@bidi@enumerateloaded@ 1458
 \if@bidi@tocloftloaded@ . 1461
 \if@bidi@urlloaded@ 1464
 \if@chapter@pp 28
 \if@extrafootnotefeatures 3435
 \if@filesw 2861
 \if@hboxRconstruct .. 1689, 1711
 \if@inlabel 139
 \if@Kashida@on 1403, 1404
 \if@LTRbibitems 3214
 \if@newlist ... 1293, 1313, 1936
 \if@nonlatin .. 4554, 4555, 4556
 \if@noskipsec 138
 \if@pboxsw 1706
 \if@RTL 2, 3, 5,
 7, 63, 92, 136, 148, 161, 1330,
 1332, 1334, 1344, 1345, 1346,
 1347, 1348, 1349, 1350, 1351,
 1352, 1353, 1354, 1355, 1356,
 1357, 1358, 1359, 1439, 1440,
 1562, 1563, 1564, 1565, 1566,
 1567, 1568, 1569, 1570, 1690,
 1712, 2489, 2490, 2491, 2492,
 2493, 2494, 2495, 2496, 2497



2498, 2922, 2923, 2924, 2925,
 2926, 2927, 2928, 2929, 2930,
 2931, 2932, 2933, 2934, 2935,
 2936, 2937, 2938, 2939, 2940
`\if@RTL@footnote` ... 1278, 1319
`\if@RTLmain` 2868
`\if@RTLtab` 1731, 1732, 1733, 1734,
 1754, 1755, 1756, 1757, 1788,
 1789, 1790, 1791, 1832, 1833,
 1834, 1835, 1877, 1878, 1879,
 1880
`\if@tempswa` 2114
`\if@twoside` 2403
`\if@xepersian@@computeautoilg`
 2870, 3440
`\ifadl@usingarypkg` 1776
`\ifBR@verbose` 66
`\ifcase` 1814, 1845,
 1849, 1853, 1857, 1996, 2026,
 2119, 2942, 2951, 2979, 3042,
 3048, 3051, 3054, 3058, 3080,
 3147, 3152, 3159, 3191, 3195,
 3199, 3203, 3265, 3273, 3280,
 3288, 3295, 3302, 3308, 3320,
 3326, 3332, 3336, 3340, 3346,
 3359, 3371, 3383, 3402, 3409,
 4861
`\ifdim` 169, 2535, 2541, 2547, 2879,
 2880, 2884, 2885, 2890, 2891,
 2895, 2896, 2905, 3446, 3450,
 3773, 4258
`\iffontchar` 2878
`\ifhmode` 1613
`\ifinner` 1619
`\ifmmode` 1701, 4337, 4361
`\ifNAT@full` 1994, 2083
`\ifNAT@longnames` ... 1990, 2079
`\ifNAT@numbers` 1943, 2150
`\ifNAT@super` 1944
`\ifNAT@sua` 1996, 2061, 2085, 2137
`\ifnum` 170, 1660, 1727, 1728,
 1744, 1745, 1746, 1747, 1749,
 1778, 1779, 1780, 1781, 1783,
 1828, 1829, 1867, 1868, 1869,
 1870, 1872, 2471, 2574, 2903,
 2969, 2971, 2980, 2981, 2982,
 2983, 2984, 2985, 2986, 2987,
 3004, 3006, 3008, 3010, 3012,
 3017, 3028, 3029, 3031, 3033,
 3034, 3037, 3070, 3072, 3081,
 3082, 3083, 3084, 3085, 3086,
 3087, 3088, 3105, 3107, 3109,
 3111, 3113, 3118, 3129, 3130,
 3132, 3134, 3135, 3137, 3142,
 3169, 3171, 3173, 3175, 3177,
 3179, 3193, 3197, 3201, 3204,
 4170, 4244, 4290, 4315, 4338,
 4362, 4739, 4743, 4771, 4777,
 4798, 4825, 4829, 4834, 4838,
 4840, 4849
`\ifodd` ... 1630, 1636, 4732, 4737
`\ifthenelse` 3513, 3525, 3534, 3638,
 3653, 3672, 3693, 3811, 3889,
 3890, 3920, 3952, 3966, 3986,
 4004, 4028, 4058, 4082, 4109,
 4138, 4143, 4148, 4153, 4158,
 4191, 4196, 4201, 4206, 4211,
 4618
`\ifwritexviii` . 2573, 3348, 3360,
 3372
`\ifx` ... 1190, 1191, 1192, 1193, 1194,
 1195, 1196, 1197, 1198, 1199,
 1200, 1411, 1606, 1609, 1693,
 1913, 1923, 2000, 2001, 2003,
 2030, 2031, 2033, 2102, 2120,
 2180, 2229, 2268, 2381, 2383,
 2384, 2385, 2386, 2387, 2388,
 2389, 2390, 2391, 2392, 2393,
 2394, 2395, 2396, 2397, 2415,
 2417, 2418, 2419, 2420, 2421,
 2422, 2423, 2424, 2425, 2426,
 2427, 2428, 2429, 2430, 2431,
 2445, 2447, 2448, 2449, 2450,
 2451, 2452, 2453, 2454, 2455,
 2456, 2457, 2458, 2459, 2460,
 2461, 2556, 2564, 4335, 4359,
 4515, 4523, 4524, 4525, 4526,
 4527, 4528, 4529, 4530, 4531,
 4532, 4533, 4547, 4550, 4551,
 4552, 4554, 4555, 4556
`\ifXePersian@kabiseh` 4700, 4805
`\ifXePersian@leap` .. 4700, 4749



```

\IfxepersianPackageVersion . .
    .....
\IfxepersianPackageVersionBefore .
    .....
\IfxepersianPackageVersionLater .
    .....
\ifxetex .....
\ignorespaces .....
\image .....
\immediate .....
\includegraphics .....
\index .....
\indexEntryFormat .....
\indexEntryPageFormat .....
\indexEntryPageTxt .....
\indexEntrySeparator .....
\indexFormat .....
\indexitem .....
\indexname .....
\init@restore@version .....
\innerAuthorFormat .....
\innerPlaceFormat .....
\innerSubtitleFormat .....
\innerTextFinalMark .....
\innerTitleFormat .....
\input .....
\insert@column .....
\int . .
\intermath@penalty .....
\iranicdefault .....
\iranicfamily .....
\item .....
\itemautorefname .....
\itshape .....
\jobname .....
\keyval@eq@alias@key .....
\KashidaOff .....
\KashidaOn .....
\kern .....
\keyval@eq@alias@key .....
\l .....
\l .....
\label .....
\LARGE .....
\Large .....
\large .....
\LastFrameCommand .....
\lastpenalty .....
\lastskip .....
\latin .....
\LatinAlphs .....
\Latincite .....
\latinfont .....
\latintoday .....
\lccode .....
\leaders .....
\leavevmode .....
\leftfootnoterule .....

```



\let	11, 19, 73, 74, 149, 151, 154, 155, 156, 162, 167, 1198, 1199, 1200, 1201, 1291, 1293, 1301, 1302, 1303, 1313, 1316, 1361, 1371, 1372, 1377, 1392, 1411, 1413, 1680, 1681, 1682, 1683, 1684, 1685, 1704, 1721, 1722, 1723, 1724, 1793, 1794, 1795, 1837, 1838, 1839, 1907, 1910, 1911, 1920, 1921, 1940, 1944, 1946, 1947, 1950, 1951, 1952, 1953, 1955, 1956, 1957, 1958, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1979, 1988, 1991, 1994, 1995, 2068, 2077, 2080, 2083, 2084, 2092, 2147, 2172, 2183, 2190, 2196, 2200, 2201, 2216, 2218, 2238, 2247, 2265, 2267, 2381, 2415, 2445, 2466, 2470, 2824, 2825, 2831, 2832, 2844, 2857, 2950, 2955, 2962, 3068, 3188, 3206, 3207, 3209, 3210, 3385, 3386, 3390, 3391, 3418, 3419, 3723, 3724, 3725, 3745, 3746, 3747, 3748, 3749, 3750, 3751, 3752, 3753, 3754, 4333, 4349, 4375, 4464, 4573, 4662, 4663, 4664, 4665, 4669, 4670, 4671, 4672, 4684, 4685, 4858, 4859, 4860	
\lineskip	1305, 3734	
\lineskiplimit	1306	
\linespread	2908	
\linewidth	4610, 4614, 4629, 4689	
\listalgorithmname	7	
\listfigurename	2925	
\listtablename	2926	
\LoadClass	3506	
\logo	3839, 3868	
\long	1686	
\longdate	4223	
\loop	2877, 4826, 4835	
\lower	2920	
\lowercase	2168	
\lr	1371, 1979, 2068, 2836, 2845, 2858, 3566, 3621, 4013	
\LRE	2836	
\lstlistingname	1439	
\lstlistlistingname	1440	
\LTR	2838	
\LTRfoottextfont	1279	
\ltx@IfUndefined	1363, 1375, 1379	
M		
\m@ne	2096, 4340, 4364	
\m@th	1706	
\makeform	4666, 4673	
\makeform@correction	4581, 4673	
\makeform@nocorrection . . .	4578, 4666	
\MakeFramed	1335	
\makemask	4667, 4674	
\makemask@correction	4586, 4674	
\makemask@nocorrection . . .	4583, 4667	
\maketitle	3722, 3746	
\MakeUppercase	3688	
\makezwnjletter	1469, 1470	
\math@bgroup	4335, 4359	
\math@fonts	4342, 4366	
\math@version	4338, 4341, 4346, 4347, 4351, 4362, 4365, 4369, 4371, 4373, 4377	
\mathalpha	4472, 4473, 4474, 4475, 4476, 4477, 4478, 4479, 4480, 4481	
\mathbf	4412, 4484	
\mathbin	4482	
\mathchar@type	4399, 4408, 4410	
\mathchardef	4518	
\mathcode	4420, 4428, 4436, 4444, 4452, 4546	
\mathgroup	4332	
\mathiranic	2676	
\mathit	4413, 4485	
\mathnavar	2679	
\mathord	4483	
\mathpersiansf	2670	
\mathpersiantt	2673	
\mathpook	2682	
\mathrm	4414, 4486	
\mathsayeh	2685	



\mathsf	4415, 4498
\mathsurround	166
\mathtt	4416, 4511
\mbox	1950
\meaning	2559, 2562
\MessageBreak	2005, 2006, 2035, 2036, 3219, 3911, 3943, 3977, 3997, 4018, 4021, 4043, 4068, 4094, 4117, 4120, 4622
\MidFrameCommand	1331
\minilogo	3850, 4064
\minraggedcols	3489, 3490, 3528, 3532, 4170, 4244, 4290, 4315
\mlftitle	1566
\mltttitle	1567
\month	4726
\overright	1307
\mtctitle	1565
\multido	3812, 3818
\multiply	1666, 4729, 4742, 4769, 4775, 4792, 4796
\mylogo	3855
N	
\n	4520, 4523, 4524, 4525, 4526, 4527, 4528, 4529, 4530, 4531, 4532, 4533
\NAT@close	2062, 2141
\NAT@Latin@citep	2149, 2153, 2154, 2155
\NAT@open	2045, 2121
\NAT@alias	2023, 2053, 2088, 2131
\NAT@all@names	1991, 1994, 2080, 2083
\NAT@aysep	2015
\NAT@biblabel	1966
\NAT@biblabelnum	1957
\NAT@bibsetnum	1958
\NAT@bibsetup	1967
\NAT@cite	1963
\NAT@cite@list	1980, 2069
\NAT@citea@mbox	2114
\NAT@citemum	1951
\NAT@citesuper	1944
\NAT@citeundefined	1985, 2075
\NAT@citex	1964
\NAT@citexnum	1955
\NAT@close	1959, 1970
\NAT@cmprs	2090, 2136
\NAT@cmt	2061, 2139
\NAT@ctype	1996, 2026, 2086, 2088, 2119, 2127, 2129, 2138, 2147
\NAT@date	1970, 1987, 1997, 1998, 2009, 2017, 2022, 2027, 2040, 2047, 2052, 2055, 2062
\NAT@def@citea	2024, 2056, 2117
\NAT@def@citea@box	2125
\NAT@def@citea@close	2058
\NAT@exlab	2003, 2007, 2033, 2037
\NAT@fullfalse	2148
\NAT@fulltrue	2148
\NAT@hyper@	1998, 2007, 2009, 2012, 2021, 2022, 2023, 2028, 2037, 2040, 2043, 2051, 2052, 2053, 2088, 2124
\NAT@hyper@citea@space	2127, 2129, 2131
\NAT@idxtxt	1959, 1970
\NAT@ifcat@num	2091, 2094
\NAT@last@nm	1988, 2000, 2030, 2077, 2120
\NAT@last@num	2077, 2094, 2095, 2113
\NAT@last@yr	1988, 2001, 2031, 2068, 2102, 2136
\NAT@last@yr@mbox	2098, 2108
\NAT@Latin@cites	2148, 2149
\NAT@Latin@citex	1965, 1973, 1974
\NAT@Latin@citexnum	1956, 2063, 2064
\NAT@mbox	1945, 1950, 2121, 2124, 2141
\NAT@merge	2098, 2113
\NAT@name	1959, 1970, 1991, 1995, 2080, 2084
\NAT@nm	1979, 1988, 1994, 1995, 1998, 2000, 2013, 2021, 2028, 2030, 2044, 2051, 2068, 2077, 2083, 2084, 2092, 2093, 2097, 2101, 2120



\NAT@nmfmt . 1998, 2013, 2021, 2028,
 2044, 2051
 \NAT@num . 1959, 2068, 2077, 2091,
 2092, 2113, 2124
 \NAT@open 1959, 1970
 \NAT@parse 1989, 2078
 \NAT@partrue 2147
 \NAT@penalty 1961, 1969, 2105,
 2120
 \NAT@reset@citea 1978, 2067
 \NAT@reset@parser 1976, 2065
 \NAT@set@cites 1942, 2145
 \NAT@sort@cites 1977, 2066
 \NAT@space 1947, 1952, 1968, 2120
 \NAT@spacechar 1952,
 1959, 1968, 1970, 2008, 2015,
 2039, 2045, 2121, 2123
 \NAT@super@kern 1948, 1953, 2121
 \NAT@swafalse 2151
 \NAT@swatru 2147
 \NAT@temp 2002, 2003, 2032, 2033
 \NAT@test 2088, 2121, 2127, 2129
 \NAT@year 1979, 1988, 2001, 2031
 \NAT@yrsep 2000, 2030, 2120
 \natexlab 1960, 1971
 \navardefault 2666, 2680, 2743,
 2751
 \navarfam 2678, 2679, 2690,
 2744
 \NeedsTeXFormat 2499, 3460, 4329,
 4560, 4697
 \new@mathalphabet 4395
 \new@mathbf 4417, 4484
 \new@mathgroup 4332, 4333, 4388
 \new@mathit 4425, 4485
 \new@mathrm 4433, 4486
 \new@mathsf 4441, 4498
 \new@mathtt 4449, 4511
 \new@mathversion 4393
 \new@symbolfont 4394
 \newboolean 3471, 3473, 3475,
 3477, 3479, 3481, 3483
 \newcolumntype 4574, 4575
 \newcommand 1435, 1436,
 1469, 1471, 1472, 1474, 1478,
 1973, 2063, 2149, 2154, 2477,
 2534, 2540, 2546, 2663, 2664,
 2665, 2666, 2667, 2668, 2875,
 2913, 2956, 2959, 3062, 3065,
 3468, 3523, 3567, 3568, 3571,
 3572, 3573, 3578, 3579, 3582,
 3583, 3586, 3587, 3588, 3589,
 3592, 3593, 3597, 3598, 3601,
 3602, 3603, 3604, 3607, 3610,
 3615, 3620, 3623, 3625, 3628,
 3633, 3634, 3645, 3646, 3649,
 3650, 3658, 3659, 3662, 3663,
 3668, 3669, 3677, 3678, 3680,
 3681, 3682, 3683, 3686, 3687,
 3689, 3690, 3700, 3701, 3702,
 3703, 3704, 3705, 3710, 3711,
 3712, 3713, 3714, 3715, 3716,
 3717, 3718, 3719, 3720, 3721,
 3756, 3761, 3793, 3825, 3839,
 3850, 3855, 3863, 3887, 3918,
 3950, 3984, 4003, 4107, 4125,
 4132, 4174, 4182, 4225, 4231,
 4251, 4268, 4297, 4322, 4406,
 4407, 4409, 4515, 4516, 4570,
 4572, 4578, 4581, 4583, 4586,
 4590, 4592, 4594, 4642, 4643,
 4648, 4652, 4657, 4676, 4678,
 4854
 \newcount 2871, 3485, 3486, 3489,
 3791, 3792, 4701, 4702, 4703,
 4704, 4705, 4706, 4707, 4708,
 4709, 4710, 4711, 4712, 4713,
 4714, 4716, 4717, 4718, 4719,
 4720, 4721, 4722, 4723
 \newcounter 4595, 4596
 \newdimen 2872, 2873, 3789, 3790
 \NewDocumentCommand 4417, 4425,
 4433, 4441, 4449
 \newenvironment
 1472, 2159, 2160, 2842,
 2843, 3758, 3864, 4026, 4056,
 4080, 4234, 4283, 4309, 4624,
 4658
 \newfam 4333
 \newfontface 2467
 \newfontlanguage 2580
 \newfontscript 2579



\newif ... 1403, 2573, 2870, 4700
 \newlength 3463, 3464, 3465, 3466,
 3467, 3469, 4588, 4679, 4681
 \newmathalphabet 4389
 \newmathalphabet@@ 4389
 \newmathalphabet@@ 4389
 \newpage . 3350, 3362, 3374, 3874
 \newsavebox 3757
 \newsection 4231
 \next .. 1411, 1413, 1414, 2172, 2173,
 2174, 2178, 2180, 2183, 2187,
 2188, 2190, 2196, 2201, 2205,
 2207, 2216, 2218, 2224, 2227,
 2231, 2238, 2240
 \nobreak 1404, 1945
 \noexpand 1291,
 2171, 2191, 2197, 2199, 2209,
 2217, 2219, 2231, 2232, 2241,
 4345
 \nohyphens 3639, 3654, 3673, 3694
 \noindent 3584, 3599, 3637, 3647,
 3652, 3660, 3665, 3671, 3679,
 3684, 3688, 3692, 3841, 3858,
 3939, 3965, 3990, 4037, 4114,
 4128, 4162, 4177, 4215, 4272,
 4300, 4325, 4327
 \non@alpherr 4354, 4380
 \nopagebreak 4690
 \normalcolor .. 1674, 1915, 1925
 \normalfont 2600, 2620,
 2711, 2732, 2753, 2774, 2795,
 2816, 2824, 2825, 2831, 2832
 \normalsfcode 1300
 \normalsize .. 1300, 2850, 3535,
 3536, 3582, 4177, 4215
 \not 4602
 \not@math@alphabet . 2670, 2673,
 2676, 2679, 2682, 2685
 \null 3726, 3742
 \number .. 2969, 2971, 2972, 3070,
 3072, 3073, 3173, 3175, 3177,
 3179, 4346, 4370, 4855, 4856
 \numexpr . 4420, 4428, 4436, 4444,
 4452

O

\obeyspaces 4520
 \old@endquestion 4685, 4693
 \old@question 4684, 4691
 \or 1816, 1817,
 1818, 1820, 1821, 1845, 1846,
 1847, 1851, 1852, 1853, 1854,
 1855, 1859, 1860, 2021, 2022,
 2023, 2051, 2052, 2053, 2126,
 2128, 2130, 2942, 2943, 2944,
 2945, 2946, 2947, 2951, 2952,
 2953, 2990, 2991, 2992, 2993,
 2994, 2995, 2996, 2997, 2998,
 2999, 3003, 3042, 3043, 3044,
 3045, 3048, 3051, 3054, 3055,
 3058, 3059, 3060, 3091, 3092,
 3093, 3094, 3095, 3096, 3097,
 3098, 3099, 3100, 3104, 3147,
 3148, 3149, 3152, 3153, 3154,
 3155, 3156, 3159, 3160, 3161,
 3162, 3191, 3192, 3195, 3196,
 3199, 3200, 3203, 3267, 3269,
 3275, 3282, 3290, 3297, 3304,
 3310, 3312, 3314, 3316, 3322,
 3328, 3342, 3388, 3404, 3417,
 4861, 4862, 4863, 4864, 4865,
 4866, 4867
 \orig 4412, 4413,
 4414, 4415, 4416, 4418, 4426,
 4434, 4442, 4450
 \originaltoday 2844, 2845
 \Ovalbox 4154, 4207
 \ovalbox 4149, 4202
 \overline 4533

P

\p@ 1948, 3727
 \PackageError
 1450, 1453, 1456, 1459, 1462,
 1465, 2915, 2964, 3219, 3349,
 3355, 3361, 3367, 3373, 3379
 \PackageInfo . 67, 79, 2906, 2907,
 3447, 3448, 4406
 \PackageWarning 1986, 2075, 3165,
 3347
 \PackageWarningNoLine . . . 2003,



2033
 \page@free 377¹, 3773
 \pageautorefname 1359
 \pagegoal 4253
 \pagename 2938
 \pagenumbering .. 15, 98, 109, 127,
 1269, 1550, 2404
 \pageref 3612, 4110
 \pagesFormat 3686, 3688
 \pagestyle 3829
 \pagetotal 4254
 \par 10, 17, 24,
 40, 46, 52, 58, 99, 110, 117,
 129, 787, 1261, 1271, 1283,
 1391, 1554, 2344, 2351, 2358,
 2366, 2374, 2407, 2437, 3729,
 373¹, 3737, 3739, 3740, 4229,
 4314, 4630, 4690
 \paragraphautorefname ... 1355
 \parallel 3594
 \parbox 4629, 4689
 \partautorefname 1349
 \partname 2931
 \PassOptionsToClass 349¹, 3492,
 3493
 \pbs 4573, 4574
 \pdfstringdefDisableCommands ..
 1370
 \penalty 166, 172, 1961, 2859
 \persian 2840
 \PersianAlphs . 2840, 2843, 3384,
 3389, 3459
 \persianday 4860
 \persianfont ... 2591, 2831, 2833
 \PersianMathsDigits 3270, 4549
 \persianmathsdigits 4471, 4550,
 4554
 \persianmathsfdigits 4498, 4551,
 4555
 \persianmathtdigits 4511, 4552,
 4556
 \persianmonth 4859
 \persiansfdefault .. 2663, 2671,
 2701, 2709
 \persiansffamily ... 2669, 2670,
 2687, 2702
 \persiantoday 2846, 4854
 \persianttdefault .. 2664, 2674,
 2722, 2730
 \persianttfamily ... 2672, 2673,
 2688, 2723
 \persianyear 4858
 \pictureCaptionFormat ... 3682,
 3684
 \plftitle 1563
 \plq 2553
 \pltttitle 1564
 \pookdefault .. 2667, 2683, 2764,
 2772
 \pookfamily 2681, 2682, 2691, 2765
 \postmath 172
 \PrefixCurrentTab 2477
 \premath 168
 \prepnext@tok 1813, 1823
 \printindex ... 3350, 3362, 3374
 \process@table 4392
 \ProcessOptions 3505, 4696
 \ProcessOptionsX 3433
 \proofname 2940
 \protect 1291,
 3911, 3912, 3914, 3943, 3944,
 3946, 3977, 3978, 3980, 3997,
 3998, 4000, 4018, 4019, 4021,
 4117, 4118, 4120, 4579, 4582,
 4584, 4587, 4605, 4610, 4611,
 4612, 4614, 4615, 4616, 4636,
 4637
 \protected@write 3411, 3415
 \providecommand 3164
 \ProvidesClass 3461
 \ProvidesFile 1, 4, 8,
 14, 23, 38, 44, 50, 56, 62, 82,
 91, 93, 104, 115, 123, 135, 175,
 1128, 1188, 1205, 1248, 1259,
 1265, 1277, 1281, 1288, 1317,
 1325, 1339, 1343, 1388, 1395,
 1438, 1441, 1468, 1548, 1561,
 1571, 1941, 2342, 2349, 2356,
 2364, 2372, 2401, 2435, 2465,
 2468, 2488
 \ProvidesPackage ... 2502, 4330,
 4561, 4698



\prq	2552
\ptctitle	1562
Q	
\question	4684
\questionsepsspace . . .	4681, 4682, 4694
\questionspace	4588, 4589, 4630
\questiontitle	4676, 4695
\questiontitlefont	4678
\questiontitlespace . . .	4679, 4680, 4690
R	
\raggedFormat . . .	3523, 4171, 4245, 4291, 4316
\RaggedLeft	3523
\raisebox	3569, 3574
\refname	92, 2929
\refstepcounter	4646, 4647
\relax	1469, 1661, 1693, 1828, 1829, 1850, 1851, 1852, 1913, 1923, 1947, 1953, 1997, 2027, 2055, 2062, 2068, 2095, 2102, 2113, 2268, 2381, 2415, 2445, 2466, 2471, 2556, 2574, 2908, 3265, 3273, 3280, 3288, 3295, 3302, 3308, 3320, 3326, 3332, 3336, 3340, 3346, 3359, 3371, 3383, 3402, 3409, 3418, 3419, 3442, 3444, 3505, 3724, 3745, 3746, 3751, 3752, 3753, 3754, 4335, 4349, 4359, 4375, 4408, 4410, 4420, 4428, 4436, 4444, 4452, 4464, 4546, 4728, 4729, 4731, 4736, 4741, 4742, 4748, 4750, 4752, 4754, 4755, 4756, 4757, 4758, 4759, 4760, 4761, 4762, 4763, 4764, 4766, 4768, 4769, 4774, 4775, 4782, 4784, 4787, 4791, 4792, 4795, 4796, 4799, 4804, 4806, 4808, 4810, 4811, 4812, 4813, 4814, 4815, 4816, 4817, 4818, 4819, 4820, 4821, 4823, 4824, 4827, 4832, 4836, 4842, 4844, 4845
\renewcommand . . .	9, 16, 24, 30, 31, 34, 39, 40, 45, 46, 51, 52, 57, 58, 86, 88, 94, 95, 99, 105, 106, 110, 116, 117, 124, 128, 129, 1260, 1261, 1266, 1270, 1271, 1278, 1279, 1280, 1282, 1283, 1319, 1321, 1323, 1390, 1549, 1551, 1552, 1553, 1554, 1942, 1959, 1970, 2343, 2344, 2350, 2351, 2357, 2358, 2365, 2366, 2373, 2374, 2380, 2402, 2406, 2407, 2414, 2436, 2437, 2444, 2469, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2868, 3213, 3350, 3362, 3374, 3535, 3542, 3544, 3546, 3553, 3560, 3561, 3562, 3563, 3564, 3616, 3617, 3618, 3629, 3630, 3631, 3722, 3827, 3863, 3883, 4222, 4232, 4237, 4577
\renewenvironment . . .	1326, 4686
\repeat	2903, 4829, 4838
\RequirePackage 2504, 2505, 2506, 2507, 3462, 3507, 3508, 3509, 3510, 3511, 3512, 3514, 3516, 3518, 3519, 3520, 3521, 3522, 4563, 4564, 4565, 4566, 4567, 4568
\reserved@a	1625, 1629, 1635, 1641, 1644, 1647, 1650, 1653, 1656, 1659
\reserved@b	1605, 1606
\reset@font	1300, 1985, 2074, 2825, 2832, 2848, 2862
\resetlatinfont	84, 86, 1278, 1279, 1319, 1321, 2822, 2836, 2838, 2842, 2849, 2868, 3215
\restore@mathversion	4392
\restoreapp	36
\rightfootnoterule	3313
\rightline	4226
\rl	1372, 2837, 2846
\RLE	2837
\rmdefault	2590, 2598, 2618
\Roman	1196, 2388, 2422, 2452



\roman ... 1195, 2389, 2423, 2453
 \romannumeral .. 2397, 2431, 2461,
 4828, 4837, 4847
 \RTL 2840
 \RTLfoottextfont 1280
 \rule 3586, 3712, 3814, 3820, 3907,
 3939

S

\sayehdefault . 2668, 2686, 2785,
 2793
 \sayehfamily .. 2684, 2685, 2692,
 2786
 \scriptsize 3544
 \secondarticle 3918, 3943, 3944,
 3946
 \secondSubtitleFormat ... 3658,
 3660
 \secondTextFormat .. 3662, 3665
 \secondTitleFormat . 3649, 3654,
 3655
 \section 2916
 \sectionautorefname 1352
 \sectionname 11, 1392
 \select@group 4334
 \selectfont 2595, 2615, 2640, 2658,
 2671, 2674, 2677, 2680, 2683,
 2686, 2706, 2727, 2748, 2769,
 2790, 2811, 2828, 2835, 2909
 \set@mathdelimiter 4399
 \set@fontsize 3441
 \set@mathaccent 4396
 \set@mathchar 4396
 \set@mathdelimiter 4398
 \set@mathsymbol 4397
 \set@typeset@protect 1295, 1299
 \setboolean 2478, 2479, 3472, 3474,
 3476, 3478, 3480, 3482, 3484,
 3500, 3501, 3503, 3504, 3866,
 3884, 4029, 4054, 4083, 4105
 \setbox 150, 1672, 1715, 1819, 1821,
 1822, 1912, 1915, 1922, 1925
 \setclass .. 1407, 1417, 1418, 1419,
 1420, 1421, 1422, 1423, 1424
 \setcounter
 .. 27, 29, 33, 41, 42, 47, 48,

53, 54, 59, 60, 100, 101, 111,
 112, 118, 119, 130, 131, 1262,
 1263, 1272, 1273, 1284, 1285,
 1315, 1555, 1556, 2345, 2346,
 2352, 2353, 2359, 2360, 2367,
 2368, 2375, 2376, 2408, 2409,
 2438, 2439, 2472, 2476, 2480,
 2481, 2482, 2483, 2484, 2485,
 2486, 3744, 4599

\setdigitfont 4458
 \setiranicfont 2799
 \setkeys 141, 158
 \setlatinmonofont 2625
 \setlatinsansfont 2624
 \setlatintextfont .. 2604, 3458
 \setlength 1691,
 1694, 1713, 3470, 3502, 3537,
 3538, 3539, 3540, 3548, 3549,
 3550, 3551, 3555, 3556, 3557,
 3558, 3763, 3767, 3808, 3809,
 3826, 3831, 3832, 3956, 3988,
 4060, 4085, 4088, 4136, 4137,
 4185, 4186, 4252, 4253, 4269,
 4589, 4680, 4682

\setLTRcitationfont 84
 \SetMathAlphabet 4395
 \SetMathAlphabet@ 4395
 \SetMathCharDef 4409, 4483
 \SetMathCode
 .. 4407, 4472, 4473, 4474,
 4475, 4476, 4477, 4478, 4479,
 4480, 4481, 4482

\SetMathsDigits 4548, 4549, 4553,
 4558, 4559

\setmathsfdigitfont 4490
 \setmathtdigitfont 4503
 \setmonofont 2625
 \setnavarfont 2736
 \setpersianfont
 88, 1280, 1323, 2829, 2837,
 2840, 2843, 2868

\setpersianmonofont 2715
 \setpersiansansfont 2694
 \setpookfont 2757
 \setsansfont 2624
 \setsayehfont 2778



\SetSymbolFont	4394
\SetSymbolFont@	4394
\settextfont	2583, 3220
\setthesection	1551
\sfamily	3567
\shadowbox	4139, 4192
\shadowsize ...	4137, 4186, 4190
\shipout	1295
\shortarticleitem	4322
\shortarticleItemFormat	3720, 3721
\shortarticleSubtitleFormat	3718, 3719
\shortarticleTitleFormat	3716, 3717
\sixt@@n	1624, 1661
\slftitle	1569
\sltttitle	1570
\small 2917, 3546, 3547, 3601, 3605, 3611, 3682, 3704, 3723	
\smash	2920
\SOUL@tt	2466, 2467
\space	1987, 2076, 2502, 2865, 3171, 3770, 3771, 3911, 3912, 3914, 3943, 3944, 3946, 3977, 3978, 3980, 3997, 3998, 4000, 4018, 4019, 4021, 4117, 4118, 4120, 4227, 4620, 4855, 4856
\SplitFootnoteRule	3315
\stctitle	1568
\stepcounter 26, 1314, 2474, 4595, 4608, 4639	
\str . 2598, 2618, 2709, 2730, 2751, 2772, 2793, 2814	
\string 67, 1750, 1784, 1873, 2242, 2861, 3412, 3416	
\strip@pt	2908
\subparagraphautorefname	1356
\subsectionautorefname ..	1353
\subsubsectionautorefname	1354
\symnew@mathbf@font@digits	4420
\symnew@mathit@font@digits	4428
\symnew@mathrm@font@digits	4436
\symnew@mathsf@font@digits	4444
\symnew@mathtt@font@digits	4452
T	
\tableautorefname	1348
\tablename	2923
\tabularxcolumn	4577
\tartibi .. 1192, 2385, 2419, 2449, 3062	
\tartibinumeral	3068
\test	1410, 1411, 1412
\textbf 2, 3, 1328, 1330, 1332, 1334, 4128, 4162, 4177, 4215	
\textblockorigin	3788
\textdegree	3602
\textheight	3795, 3820
\textiranic	2689
\textit	3713
\textnavar	2690
\textpersiansf	2687
\textpersiantt	2688
\textpook	2691
\textsayeh	2692
\textsc	3715
\textsuperscript	1945
\textttt	3572
\textwidth 1718, 3794, 3814, 4126, 4626	
\textwidthfootnoterule ..	3317
\thanks	3725, 3745
\the	137, 142, 1405, 1695, 2193, 2198, 2204, 2211, 2221, 2235, 2531, 2879, 2880, 2881, 2884, 2885, 2886, 2890, 2891, 2892, 2895, 2896, 2897, 3770, 3771, 4256, 4558, 4559, 4828, 4837, 4847
\the@choice	4598, 4620
\thebook	1552
\thechapter 20, 31, 103, 114, 121, 133, 1275, 1287, 1551, 1558, 2348, 2355, 2362, 2370, 2411, 2441	



\theclass	1407, 1412	
\theHchapter	1365, 1382	
\theHsection	1364, 1380	
\thempfn	1720	
\thempfootnote	1720, 3212	
\theoremautorefname	1358	
\thepage	1987, 2004, 2034, 2076, 2865, 3612	
\thepart	9, 16, 39, 45, 51, 57, 94, 105, 116, 128, 1260, 1270, 1282, 1390, 1553, 2343, 2350, 2357, 2365, 2373, 2406, 2436	
\thequestion	4619, 4659, 4695	
\thesection	12, 34, 43, 49, 55, 61, 1264, 1393, 2377	
\thirdarticle	3950, 3977, 3978, 3980	
\thirdSubtitleFormat	3677, 3679	
\thirdTextFormat	3680, 3681	
\thirdTitleFormat	3668, 3673, 3674	
\thispagestyle	3867, 3872	
\thr@@	1747, 1766, 1767, 1781, 1802, 1803, 1829, 1841, 1842, 1870, 1897, 1898	
\timestamp	3705, 3902, 3932, 3968	
\timestampFormat	3704, 3706	
\timestampSeparator	3703, 3708	
\timestampTxt	3702, 3707	
\tiny	3542	
\title	3751	
\TitleBarFrame	1328, 1330, 1332, 1334	
\tl	2590, 2599, 2619, 2624, 2625, 2701, 2710, 2722, 2731, 2743, 2752, 2764, 2773, 2785, 2794, 2806, 2815, 4386, 4403, 4484, 4485, 4486, 4498, 4511	
\tmp	4573	
\today	2844, 2846, 4223	
\topmargin	1307	
\TPHorizModule 3583, 3808, 3907, 3939, 3990, 4037, 4038, 4061, 4062, 4085	
\TPVertModule	3809	
\true	4648	
\truesymbol	4642	
\tw@	1405, 1642, 1645, 1727, 1733, 1734, 1736, 1746, 1756, 1757, 1780, 1790, 1791, 1828, 1834, 1835, 1840, 1869, 1879, 1880, 2088, 2879, 2880, 2881, 2884, 2885, 2886	
\twocolumnstableofcontents	2913	
\typeout	2530, 2532, 3756	
U		
\Umathchardef	4410	
\Umathcode	4408	
\undefined	1582, 4515, 4547, 4550, 4551, 4552, 4554, 4555, 4556	
\unhbox	1704	
\unpenalty	172	
\unskip	169, 1858, 1859, 1860, 1945, 2008, 2039	
\unvbox	1704	
\use	2591, 2611, 2634, 2638, 2652, 2656, 2702, 2723, 2744, 2765, 2786, 2807	
\use@mathgroup	4345	
\usebox	3760	
\usecounter	4632	
V		
\value	2471, 4602, 4618	
\vbox	1295, 1308, 1675, 1692, 1697, 1698, 1715, 1822, 1912, 1916, 1922, 1926, 4299, 4325	
\vcenter	1701, 1702	
\verbatim@addtoline 2177, 2192, 2203, 2210, 2212, 2220, 2222, 2234, 2236	
\verbatim@finish	2230	
\verbatim@processline	2181, 2194, 2214	
\verbatim@startline	2170, 2182, 2195, 2215	
\version@elt	4391	
\version@list	4391	



\vfil 3726, 3742
 \voidb@x 150
 \vrbb@catcodes 2164
 \vskip 1307, 1309, 1310, 3727, 3730,
 3732, 3738
 \vspace .. 3762, 3781, 3843, 3853,
 3896, 3900, 3923, 3926, 3930,
 3937, 3955, 3959, 3963, 3972,
 4031, 4035, 4091, 4112, 4160,
 4164, 4183, 4213, 4217, 4262,
 4264, 4274, 4277, 4302, 4304,
 4324, 4326, 4630, 4688, 4690
 \vss 1704
 \vtop 1699, 1700, 1821

W

\weatherFormat 3597, 3599
 \weatheritem .. 4003, 4018, 4019,
 4021
 \weatherTempFormat .. 3601, 4011
 \weatherUnits 3602, 4013
 \whiledo 4602
 \width 1336, 2273, 2274
 \write ... 2861, 3352, 3364, 3376
 \writexviiifalse 2577
 \writexviiittrue 2575

X

\X 4572
 \x 2559, 2564
 \xdef 1366, 1384, 4345, 4598, 4603,
 4627, 4628, 4649, 4650, 4653,
 4654
 \XePersian 1373, 2920, 3621
 \xepersian 2251, 2253
 \xepersian@adadi .. 2978, 3003
 \xepersian@adadi@tartibi 3079,
 3104
 \xepersian@A 1401, 1417, 1431, 1433
 \xepersian@adadi .. 2972, 2977
 \xepersian@adadi@tartibi 3073,
 3078
 \xepersian@cmds@temp 2554, 2572
 \xepersian@coltitsize ... 3464,
 4187, 4188, 4189, 4190, 4193,
 4198, 4203, 4208

\xepersian@computeautoilg 2875,
 3445
 \xepersian@cx .. 3791, 3796, 3813
 \xepersian@cy .. 3792, 3797, 3819
 \XePersian@d .. 4701, 4726, 4831,
 4850, 4852, 4855, 4860
 \xepersian@D 1398, 1419,
 1420, 1421, 1422, 1426, 1427,
 1428, 1430, 1431
 \xepersian@dahgan .. 3036, 3057,
 3140
 \xepersian@dahgan@tartibi 3138,
 3146
 \XePersian@dn
 ... 4721, 4820, 4828, 4831,
 4834, 4838, 4850, 4852
 \xepersian@dx .. 3789, 3794, 3805,
 3808
 \xepersian@dy .. 3790, 3795, 3806,
 3809
 \xepersian@edition .. 3571, 3575,
 3611, 3731, 3863
 \xepersian@editionLogo .. 3573,
 3841, 3859
 \xepersian@editorialTit .. 4268,
 4287
 \xepersian@editorialTitle 3714,
 4273
 \xepersian@everyjob 2531, 2532
 \xepersian@firstText 3646, 3902
 \xepersian@firstTitle ... 3634,
 3897
 \xepersian@fmbox ... 3757, 3759,
 3760
 \xepersian@footcenter ... 3623,
 3630, 3882
 \xepersian@footleft 3625, 3629,
 3881
 \xepersian@footright 3620, 3631,
 3880
 \xepersian@gridcolumns .. 3486,
 3488, 3527, 3531
 \xepersian@gridrows 3485, 3487,
 3527, 3531
 \xepersian@headcenter ... 3607,
 3617, 3879



\xepersian@headDateTime . 3593,
 3847, 3861
 \xepersian@headleft 3604, 3616,
 3878
 \xepersian@headright 3610, 3618,
 3877
 \XePersian@i
 ... 4701, 4824, 4825, 4827,
 4828, 4829, 4832, 4836, 4837,
 4840, 4841, 4844, 4847, 4849
 \xepersian@ilg 2872, 2876, 2880,
 2881, 2885, 2886, 2904
 \xepersian@imgsize . 3463, 3764,
 3765, 3767, 3776, 3777
 \xepersian@inolumntitle 4174,
 4193, 4198, 4203, 4208
 \xepersian@indexEntry 3583, 4110
 \xepersian@indexEntryPage 3589,
 4110
 \xepersian@indexFrameTitle ..
 3579, 4086
 \xepersian@indexwidth ... 3467,
 3586, 4085, 4089, 4090
 \xepersian@inxpandedtitle ..
 4125, 4140, 4145, 4150, 4155
 \xepersian@innerSubtitle 3701,
 4241
 \xepersian@innerTitle ... 3690,
 4240
 \XePersian@kabisehfalse . 4771,
 4777
 \XePersian@kabisehtrue .. 4777
 \xepersian@kashida 1404,
 1426, 1427, 1428, 1429, 1430,
 1431, 1432
 \xepersian@L ... 1399, 1423, 1427,
 1428, 1429, 1432, 1433
 \XePersian@latini .. 4702, 4748
 \XePersian@latinii . 4703, 4750,
 4752
 \XePersian@latiniii 4704, 4754
 \XePersian@latiniv . 4705, 4755
 \XePersian@latinix . 4710, 4760
 \XePersian@latinv .. 4706, 4756
 \XePersian@latinvi . 4707, 4757
 \XePersian@latinvii 4708, 4758
 \XePersian@latinviii 4709, 4759
 \XePersian@latinx ... 4711, 4761
 \XePersian@latinxi . 4712, 4762
 \XePersian@latinxii 4713, 4763
 \XePersian@leapfalse 4733, 4737,
 4743
 \XePersian@leaptrue 4743, 4744
 \xepersian@localize@verbatim@
 2172,
 2173, 2175, 2183, 2196, 2205,
 2216, 2224, 2238
 \xepersian@localize@verbatim@0
 2175, 2176
 \xepersian@localize@verbatim@00
 2178, 2179
 \xepersian@localize@verbatim@0testend
 2218, 2228
 \xepersian@localize@verbatim@rescan
 2232, 2241
 \xepersian@localize@verbatim@start
 . 2169, 2244, 2245, 2256
 \xepersian@localize@verbatim@test
 ... 2187, 2189, 2190
 \xepersian@localize@verbatim@testend
 2201, 2208
 \XePersian@m ... 4701, 4726, 4822,
 4841, 4844, 4856, 4859
 \xepersian@milyoongan ... 3005,
 3016
 \xepersian@milyoongan@tartibi
 3106, 3117
 \XePersian@mminusone 4723, 4822,
 4823, 4825, 4829
 \xepersian@ncol 3818, 3819
 \xepersian@ncolumns 3468, 4169,
 4170, 4237
 \xepersian@nrow 3812, 3813
 \xepersian@numberoutofrange ..
 ... 2963, 2974, 3075
 \xepersian@numberstring . 2960,
 2968
 \xepersian@numberstring@tartibi
 3066, 3069
 \xepersian@PackageInfo .. 4406,
 4466
 \xepersian@pageleft 3466, 4253,



4254, 4256, 4258
 \xepersian@pageneed
 .. 3465, 3767, 3768, 3770,
 3773, 4252, 4258
 \xepersian@pages . . . 3687, 3922,
 3954, 4239
 \XePersian@persian@month 4856,
 4861
 \XePersian@persiani 4702, 4802,
 4803, 4833, 4850
 \XePersian@persianii 4703, 4804
 \XePersian@persianiii . . . 4704,
 4806, 4808
 \XePersian@persianiv 4705, 4810
 \XePersian@persianix 4710, 4815
 \XePersian@persianv 4706, 4811
 \XePersian@persianvi 4707, 4812
 \XePersian@persianvii . . . 4708,
 4813
 \XePersian@persianviii . . . 4709,
 4814
 \XePersian@persianx . . . 4711, 4816
 \XePersian@persianxi 4712, 4817
 \XePersian@persianxii 4713, 4818
 \XePersian@persianxiii . . . 4714,
 4819
 \xepersian@pictureCaption 3683,
 3779, 3993
 \xepersian@R . . . 1400, 1418, 1430,
 1432
 \xepersian@sadgan . . . 3009, 3014,
 3018, 3022, 3027, 3110, 3123
 \xepersian@sadgan@tartibi 3115,
 3119, 3128
 \xepersian@say 3756, 4236, 4256,
 4259, 4261, 4285, 4311
 \xepersian@secondSubtitle 3659,
 3928
 \xepersian@secondText . . . 3663,
 3932
 \xepersian@secondTitle . . . 3650,
 3924
 \xepersian@section 3603, 3608,
 4232
 \xepersian@shellescape . . . 2574
 \xepersian@shortarticleItemTitle
 3721, 4325
 \xepersian@shortarticleSubtitle
 3719, 4305
 \xepersian@shortarticleTit . . .
 4297, 4312
 \xepersian@shortarticleTitle . . .
 3717, 4301
 \XePersian@sn
 .. 4722, 4821, 4833, 4834,
 4837, 4838, 4847, 4852
 \xepersian@strutilg
 .. 2873, 2876, 2891, 2892,
 2896, 2897, 2904, 2905, 2908,
 3446, 3449
 \xepersian@tartibi . . . 3066, 3151
 \xepersian@tcl
 .. 2871, 2876, 2878, 2879,
 2880, 2881, 2884, 2885, 2886,
 2890, 2891, 2892, 2895, 2896,
 2897, 2902, 2903
 \XePersian@temp
 . . . 4716, 4727, 4728, 4729,
 4731, 4735, 4736, 4737, 4740,
 4741, 4742, 4743, 4765, 4766,
 4767, 4770, 4771, 4773, 4776,
 4777, 4781, 4782, 4785, 4788,
 4793, 4798, 4800, 4801, 4803
 \xepersian@tempa
 .. 3264, 3272, 3279, 3287,
 3294, 3301, 3307, 3319, 3325,
 3331, 3335, 3339, 3345, 3358,
 3370, 3382, 3401, 3408
 \xepersian@tempb
 .. 3264, 3265, 3272, 3273,
 3279, 3280, 3287, 3288, 3294,
 3295, 3301, 3302, 3307, 3308,
 3319, 3320, 3325, 3326, 3331,
 3332, 3335, 3336, 3339, 3340,
 3345, 3346, 3358, 3359, 3370,
 3371, 3382, 3383, 3401, 3402,
 3408, 3409
 \XePersian@tempthree
 .. 4718, 4779, 4780, 4781,
 4783, 4786, 4789, 4790, 4794,
 4797, 4798, 4799, 4800
 \XePersian@temptwo



. . . 4717, 4767, 4768, 4769,
 4770, 4773, 4774, 4775, 4776,
 4783, 4784, 4785, 4786, 4787,
 4788, 4790, 4791, 4792, 4793,
 4794, 4795, 4796, 4797
`\xepersian@thirdSubtitle` 3678,
 3961
`\xepersian@thirdText` 3681, 3968
`\xepersian@thirdTitle` . . . 3669,
 3957
`\XePersian@thirtytwo` 4720, 4764,
 4771
`\xepersian@V` 1402, 1424
`\xepersian@weather` . 3598, 4033
`\xepersian@www` 3568, 3841
`\xepersian@wwwFormat` 3567, 3569
`\XePersian@y`
 . . . 4701, 4726, 4727, 4730,
 4740, 4743, 4765, 4779, 4842,
 4845, 4856, 4858
`\xepersian@yekani` . 3009, 3037,
 3041, 3048, 3051, 3110
`\xepersian@yekanii` 2960, 3022,
 3047, 3123
`\xepersian@yekaniii` 3018, 3050,
 3119
`\xepersian@yekaniv` 3029, 3053,
 3130
`\xepersian@yekanv` . . 3142, 3158
`\XePersian@ModHundred` . . 4719,
 4730, 4731, 4732, 4735, 4739
`\xepersian@zwj` . 1396, 1404, 1405
`\xepersiandate` . 2501, 2502, 2518
`\xepersianInit` 3524, 3825
`\xepersianversion` . 2500, 2502,
 2518, 2533
`\XeTeXcharclass` 1412
`\XeTeXcharglyph`
 . . . 1405, 2879, 2880, 2881,
 2884, 2885, 2886, 2890, 2891,
 2892, 2895, 2896, 2897
`\XeTeXglyphbounds`
 . . . 1405, 2879, 2880, 2881,
 2884, 2885, 2886, 2890, 2891,
 2892, 2895, 2896, 2897
`\XeTeXinterchartoks` 1426, 1427,
 1428, 1429, 1430, 1431, 1432,
 1433
`\xpg@warning` 3164, 3169, 3171

 Y
`\y` 2560, 2562, 2564
`\year` 4726

 Z
`\z` 2561, 2562
`\z@` 10, 18, 152, 153, 164,
 166, 1306, 1391, 1620, 1720,
 1724, 1729, 1730, 1738, 1748,
 1752, 1753, 1758, 1772, 1782,
 1786, 1787, 1792, 1808, 1830,
 1831, 1842, 1860, 1871, 1875,
 1876, 1889, 1903, 2090, 2136,
 2138, 2147, 2271, 2272, 2279,
 2280, 2876, 2879, 2884, 2890,
 2895, 3004, 3006, 3008, 3012,
 3028, 3031, 3037, 3105, 3107,
 3109, 3113, 3129, 3132, 3142,
 3171, 3193, 3197, 3201, 3204,
 4777
`\z@skip` 1304, 1305
`\ziffer@check` 4521, 4522
`\ziffer@dcheck` 4520, 4521
`\ziffer@DotOri` 4518, 4521
`\ZifferAn` 4516, 4519
`\ZifferLeer` 4521, 4547

\ 1110, 1560, 2156
 \ 1584, 1586, 1589, 1596
 \ 1589
 \ 1574, 1581, 1582, 1585, 1586,
 1594, 1596
 \ 1579, 1580, 1584, 1591
\ 1572, 1578, 1579, 1584, 1589, 1590
\ 1120, 1121, 1122, 1123, 1124,
 1125, 1126, 1127, 1582
\ 1584, 1585, 1590, 1591, 1593,
 1594
\ 1584, 1589
\ 1584, 1585, 1590, 1594
\ 1579, 1580



\ 1584, 1586, 1591, 1596
© \ 1573, 1577

© \ .. 2281, 2282, 2283, 2284,
2285, 2286, 2287, 2288, 2289,
2290, 2291, 2292, 2293, 2294,
2295, 2296, 2297, 2298, 2299,
2300, 2301, 2302

© \ 1573
\ 1579
\ 1573, 1577
\ 1935, 2243
\ 2157
\ 1580, 1932, 1933

\ 1572
\ 1575
\ 1574, 1576



8 Change History

v13.1	General: Added implementation of the package.	o	v13.5	General: Fixed the extra space after Persian decimal separator.	148
v13.2	General: Replaced \reflect with \bidi@reflect@box.	117	v13.6	General: Used \XeTeXglyphbounds to find the true height and depth of the Kashida character.	85

