



The XePersian Package

Documentation for version 18

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/tex-xet/xepersian/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2008–2017 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The XePersian Package

Persian for L^AT_EX 2_E, using XeT_EX engine

Documentation for version 18

Vafa Khalighi
persian-tex@tug.org

February 23, 2017

Contents

1	Introduction	4		
1.1	Important Notes	4	2.6.1	Basic Font Commands
1.2	XePersian Info On The Terminal and In The Log File	4	2.6.2	Defining Extra Persian and Latin Fonts
2	Basics	5	2.6.3	Choosing Persian Sans Font
2.1	Loading The Package	5	2.6.4	Choosing Persian Mono Font
2.2	XePersian's Symbol	6	2.6.5	Choosing Persian Iranic Font
2.3	Commands for Version number, and Date of The Package	6	2.6.6	Choosing Persian Navar Font
2.4	Options of The Package	6	2.6.7	Choosing Persian Pook Font
2.4.1	defaultlatinfontfeatures Option	6	2.6.8	Choosing Persian Sayeh Font
2.4.2	extrafootnotefeatures Option	6	2.6.9	Choosing Latin Sans Font
2.4.3	Kashida Option	7	2.6.10	Choosing Latin Mono Font
2.4.4	quickindex Option	7		
2.4.5	quickindex-variant1 Option	7		
2.4.6	quickindex-variant2 Option	7	3	Latin and Persian Environment
2.4.7	localise Option	7	3.1	latinitems and parsiitems environments
2.4.8	Localizations of the keys and key values of graphicx package	35	3.2	Short Latin and Persian Texts
2.4.9	Localizations of font features and font feature options	36	3.3	Miscellaneous Commands
2.5	A Sample Input T _E X File	38	3.4	New Commands
2.6	Font Commands	38	3.5	Additional Counters
			3.6	Things To Know About \setdigitfont, \setmathsf{digitfont}, and \setmathtt{digitfont}

4	New Conditionals	43	7	xepersian implementation	55
4.1	Shell escape (or write18) conditional	43	7.1	algorithmic-xepersian.def	55
5	Bilingual Captions	43	7.2	algorithm-xepersian.def	56
5.1	Support For Various Packages	44	7.3	amsart-xepersian.def	56
5.1.1	Things You Should Know about Support For enumerate Package	44	7.4	amsbook-xepersian.def	56
5.2	Index Generation	44	7.5	appendix-xepersian.def	56
5.3	Converting Your FarsiTeX Files To XePersian or Unicode	44	7.6	article-xepersian.def	56
6	Extra Packages And Classes	45	7.7	artikel1-xepersian.def	57
6.1	Magazine Typesetting	45	7.8	artikel2-xepersian.def	57
6.1.1	Introduction	45	7.9	artikel3-xepersian.def	57
6.1.2	Usage	45	7.10	backref-xepersian.def	57
6.1.3	Front Page	45	7.11	bidiutfesidenote-xepersian.def	58
6.1.4	Inside	47	7.12	bidimoderncv-xepersian.def	58
6.1.5	The article environment	47	7.13	boek3-xepersian.def	58
6.1.6	The editorial environment	48	7.14	boek-xepersian.def	58
6.1.7	The shortarticle environment	49	7.15	bookest-xepersian.def	58
6.1.8	Commands between articles	49	7.16	book-xepersian.def	59
6.1.9	Customization	49	7.17	breqn-xepersian.def	59
6.1.10	Front Page	50	7.18	latex-localise-commands-xepersian.def	60
6.1.11	Inside The Magazine	51	7.19	color-localise-xepersian.def	79
6.1.12	Class Options	52	7.20	xepersian-localise-commands-xepersian.def	79
6.2	Typesetting Multiple-choice Questions	52	7.21	enumerate-xepersian.def	80
6.2.1	Introduction	52	7.22	latex-localise-environments-xepersian.def	81
6.2.2	Usage	53	7.23	xepersian-localise-environments-xepersian.def	82
6.2.3	Loading The Package	53	7.24	extarticle-xepersian.def	82
6.2.4	Creating Questions	53	7.25	extbook-xepersian.def	82
6.2.5	The question Environment	53	7.26	extrafootnotefeatures-xepersian.def	82
6.2.6	Question Numbers	53	7.27	extreport-xepersian.def	82
6.2.7	The Form and the Mask	54	7.28	flowfram-xepersian.def	83
6.2.8	Typesetting corrections	54	7.29	footnote-xepersian.def	83
6.2.9	Important Note	54	7.30	framed-xepersian.def	83
6.3	Customising The Package	54	7.31	glossaries-xepersian.def	84
6.3.1	The question environment	55	7.32	hyperref-xepersian.def	84
6.3.2	The Form and the Mask	55	7.33	improc-xepersian.def	85
6.3.3	The correction	55	7.34	kashida-xepersian.def	87



7.44 <i>parsidigits.map</i>	105		
7.45 <i>rapport1-xepersian.def</i>	106		
7.46 <i>rapport3-xepersian.def</i>	106		
7.47 <i>refrep-xepersian.def</i>	107		
7.48 <i>report-xepersian.def</i>	107		
7.49 <i>scrartcl-xepersian.def</i>	107		
7.50 <i>scrbook-xepersian.def</i>	108		
7.51 <i>scrreprt-xepersian.def</i>	108		
7.52 <i>soul-xepersian.def</i>	109		
		7.53 <i>tkz-linknodes-xepersian.def</i> . . .	109
		<i>7.54 tocloft-xepersian.def</i>	109
		<i>7.55 xepersian.sty</i>	110
		<i>7.56 xepersian-magazine.cls</i>	127
		<i>7.57 xepersian-mathsdigitspec.sty</i> . .	145
		<i>7.58 xepersian-multiplechoice.sty</i> . .	149
		<i>7.59 xepersian-persiancal.sty</i>	152
		8 Change History	189



1 Introduction

XePersian is a package for typesetting Persian/English documents with Xe \LaTeX . The package includes adaptations for use with many other commonly-used packages.

1.1 Important Notes

- ☒ The XePersian package only works with Xe \TeX engine.
- ☒ Before reading this documentation, you should have read the documentation of the bidi package. The XePersian package automatically loads bidi package with RTLdocument option enabled and hence any commands that bidi package offers, is also available in XePersian package. Here, in this documentation, we will not repeat any of bidi package's commands.
- ☒ In previous versions ($\leq 1.0.3$) of XePersian, a thesis class provided for typesetting thesis. As of version 1.0.4, we no longer provide this class because we are not familiar with specification of a thesis in Iran and even if we were, the specifications are different from University to University. XePersian is a general package like \TeX and should not provide any class for typesetting thesis. So if you really want to have a class file for typesetting thesis, then you should ask your University/department to write one for you.

1.2 XePersian Info On The Terminal and In The Log File

If you use XePersian package to write any input \TeX document, and then run `xelatex` on your document, in addition to what bidi package writes to the terminal and to the log file, the XePersian package also writes some information about itself to the terminal and to the log file, too. The information is something like:

```
*****
*
* xepersian package (Persian for LaTeX, using XeTeX engine)
*
* Description: The package supports Persian
* typesetting, using fonts provided in the
* distribution.
*
* Copyright (c) 2008--2017 Vafa Khalighi
*
* v18, 2017/02/23
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/xepersian
*
* Issue tracker: https://github.com/tex-xet/xepersian/issues
```



```

*
* Support: persian-tex@tug.org
*****

```

2 Basics

2.1 Loading The Package

You can load the package in the ordinary way;

```
\usepackage [Options] {xepersian}
```

Where options of the package are explained later in [subsection 2.4](#).

When loading the package, it is important to know that:

- ❶ xepersian should be the last package that you load, because otherwise you are certainly going to overwrite bidi and XePersian package's definitions and consequently, you will not get the expected output.
- ❷ In fact, in addition to bidi, XePersian also makes sure that some specific packages are loaded before bidi and XePersian; these are those packages that bidi and XePersian modifies them for bidirectional and Persian/English typesetting.

If you load XePersian before any of these packages, then you will get an error saying that you should load XePersian or bidi as your last package. When it says that you should load bidi package as your last package, it really means that you should load XePersian as your last package as bidi package is loaded automatically by XePersian package.

For instance, consider the following minimal example:

```

1 \documentclass{minimal}
2 \usepackage{xepersian}
3 \usepackage{enumerate}
4 \settextfont{XB Niloofar}
5 \begin{document}
6 این فقط یک آزمایش است
7 \end{document}

```

Where enumerate is loaded after XePersian. If you run `xelatex` on this document, you will get an error which looks like this:

```

! Package xepersian Error: Oops! you have loaded package enumerate
after xepersian package. Please load package enumerate before
xepersian package, and then try to run xelatex on your document
again.

See the xepersian package documentation for explanation.
Type H <return> for immediate help.

```



```
...
1.5 \begin{document}
?
```

2.2 XePersian's Symbol

As you may know lion symbolizes T_EX but lion does not symbolizes XePersian. **Simorgh**¹ (shown on the first page of this documentation) symbolizes XePersian.

2.3 Commands for Version number, and Date of The Package

```
\xepersianversion \xepersiandate
```

☞ \xepersianversion gives the current version of the package.

☞ \xepersiandate gives the current date of the package.

```
1 \documentclass{article}
2 \usepackage{xepersian}
3 \settextfont{XB Niloofar}
4 \begin{document}
5 \begin{latin}
6 This is typeset by \textsf{\XePersian} package, \xepersianversion,
7 \xepersiandate.
8 \end{latin}
9 \end{document}
```

2.4 Options of The Package

There are few options:

2.4.1 defaultlatinfontfeatures Option

```
defaultlatinfontfeatures=<value>
```

The defaultlatinfontfeatures option allows you to pass font features to the main Latin font. <value> is a set of font features.

2.4.2 extrafootnotefeatures Option

This is just the extrafootnotefeatures Option of bidi package. If you enable this option, you can typeset footnotes in paragraph form or in multi-columns (from two-columns to ten-columns). For more details, please read the manual of bidi package.

¹Simorgh is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>



2.4.3 Kashida Option

If you pass Kashida option to the package, you will use Kashida for stretching words for better output quality and getting rid of underfull or overfull `\hbox` messages.

Note that you can not use Kashida option when you are using Nastaliq-like font (well, you still can use Kashida option when you use any Nastaliq-like font, but I can not guarantee high quality output!).

The following two commands are provided when you activate the Kashida option:

```
\KashidaOn \KashidaOff
```

☞ `\KashidaOn` enables Kashida and is active by default when Kashida option is activated.

☞ `\KashidaOff` disables Kashida.

2.4.4 quickindex Option

When you generally want to prepare index for your Persian documents, you need to first run `xelatex`, then `xindy`, and again `xelatex` on your document respectively, which is very time consuming. The `quickindex` option gives you the index with only and only one run of `xelatex`. To use this feature, you will need to run `xelatex --shell-escape` on your `TEX` document; otherwise you get an error which indicates that shell escape (or `write18`) is not enabled.

This option is now obsolete and equivalent to `quickindex-variant2` option.

2.4.5 quickindex-variant1 Option

Same as `quickindex` Option but uses variant one (in which `\tilde{I}` is grouped under `I`) for sorting Persian alphabets.

2.4.6 quickindex-variant2 Option

Same as `quickindex` Option but uses variant two (in which `\tilde{I}` is a separate letter) for sorting Persian alphabets.

2.4.7 localise Option

This option allows you to use most frequently-used `LATEX` commands and environments in Persian, almost like what `TEX-e-Parsi` offers. This is still work in progress and we wish to add lots more Persian equivalents of `LATEX` and `TEX` commands and environments. The Persian equivalents of `LATEX` and `TEX` commands are shown in [Table 1](#), The Persian equivalents of XePersian commands are shown in [Table 2](#), Persian equivalents of `LATEX` environments are shown in [Table 3](#) and Persian equivalents of XePersian environments are shown in [Table 4](#)



Please note that the Persian equivalents of \LaTeX and \TeX commands and environments are only available after loading `xepersian` package. This means that you have to write all commands or environments that come before `\usepackage{xepersian}`, in its original form, i.e. `\documentclass`.

Not only you can use Persian equivalents of \LaTeX and \TeX commands and environments, but still original \LaTeX and \TeX commands and environments work too.

The \TeX \LaTeX and XePersian commands and environments and their Persian equivalents listed in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) is not the whole story; If any command and environment in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) have a starred version, their starred version also work. For example in [Table 1](#), the Persian equivalent of `\chapter` is `\فصل`. I know that `\chapter` has a starred version, so this means `*فصل` is also the Persian equivalent of `\chapter*`. Is that clear?

However there is more; you can localise any other commands/environments you want. You can use the following commands to localise your own commands/environments:

<code>\eqcommand{<command-name in Persian>} {<original \LaTeX command-name>}</code>
<code>\eqenvironment{<environment-name in Persian>} {<original \TeX environment-name>}</code>

Table 1: The Equivalent \LaTeX and \TeX Commands

Command in \TeX or \LaTeX	Equivalent Persian Command
<code>\@arstrut</code>	<code>\شمع جدول</code>
<code>\above</code>	<code>\ فوق</code>
<code>\abovedisplayshortskip</code>	<code>\فاصله کوتاه بالای نمایش</code>
<code>\abovedisplayskip</code>	<code>\فاصله بالای نمایش</code>
<code>\abstractname</code>	<code>\عنوان چکیده</code>
<code>\accent</code>	<code>\اکسنت</code>
<code>\active</code>	<code>\فعال</code>
<code>\addcontentsline</code>	<code>\بیفزاسطرفهرست</code>
<code>\addpenalty</code>	<code>\اضافه بر جریمه</code>
<code>\address</code>	<code>\نشانی</code>
<code>\addtocontents</code>	<code>\بیفزایه فهرست</code>
<code>\addtocounter</code>	<code>\اضافه بر شمارنده</code>
<code>\addtolength</code>	<code>\اضافه بر بعد</code>
<code>\addvspace</code>	<code>\بیفزایه فضای و</code>
<code>\adjdemerits</code>	<code>\تنظیم بد نمایی</code>
<code>\advance</code>	<code>\بیفزایبر</code>
<code>\afterassignment</code>	<code>\بعد از انتساب</code>
<code>\aftergroup</code>	<code>\بعد از گروه</code>
<code>\aleph</code>	<code>\الف</code>
<code>\aliasfontfeature</code>	<code>\خصیصه مستعار قلم</code>
<code>\aliasfontfeatureoption</code>	<code>\انتخاب خصیصه مستعار قلم</code>

Continued on next page



Command in T _E X or L _A T _E X	Equivalent Persian Command
\allowbreak	\اشکستنی
\alloc@	@تخصی
\allocationnumber	\تخصیص یافته
\allowdisplaybreaks	\اشکست نمایش مجاز
\Alph	\حروف بزرگ
\alph	\حروف کوچک
\alsoname	\نام همچنین
\and	\و
\angle	\زاویه
\appendixname	\عنوان پیوست
\approx	\اقریب
\arabic	\عربی
\arg	\آرگ
\arrayrulecolor	\رنگ خط جدول
\arraycolsep	\فاصله ستونهای آرایه
\arrayrulewidth	\ضخامت خط جدول
\arraystretch	\کشیدگی آرایه
\AtBeginDocument	\در آغاز توشتار
\AtEndDocument	\در پایان توشتار
\AtEndOfClass	\در اننهای طبقه
\AtEndOfPackage	\در اننهای سبک
\author	\نویسنده
\backmatter	\مطلوب پشت
\backslash	\شکاف پشت
\badness	\بد نمایی
\bar	\امیله
\baselineskip	\فاصله کرسی
\baselineskip	\کشش فاصله کرسی
\batchmode	\پردازش دسته ای
\begin	\شروع
\beginL	\شروع چپ
\beginR	\شروع راست
\begingroup	\شروع گروه
\belowdisplayshortskip	\فاصله کوتاه پایین نمایش
\belowdisplayskip	\فاصله پایین نمایش
\bf	\سیاه
\bfdefault	\پیش فرض سیاه
\bfseries	\شمایل سیاه
\bgroup	\شرگروه
\bibitem	\مرجوع

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\bibliography	\کتاب نامه
\bibliographystyle	\سبک کتاب نامه
\biblename	\عنوان کتاب نامه
\bigskip	\پرش بلند
\bigskipamount	\مقدار پرش بلند
\botfigrule	\خط پایین شناور
\botmark	\علامت پایین
\bottompageskip	\کادر تا پایین
\bottomfraction	\نسبت پایین
\box	\کادر
\boxmaxdepth	\حداکثر عمق کادر
\break	\ بشکن
\bullet	\گلوله
\@cclv	\دوپن@پنج
\@cclvi	\دوپن@شش
\caption	\شرح
\catcode	\کدرده
\cc	\رونوشت
\ccname	\نام رونوشت
\cdot	\ نقطه وسط
\cdots	\ نقاط وسط
\centering	\تنظيم از وسط
\centerline	\خط وسط
\ch@ck	\چک@ن
\chapter	\فصل
\chaptername	\عنوان فصل
\char	\نویسه
\chardef	\تعريف نویسه
\CheckCommand	\بررسی فرمان
\cite	\مرجع
\ClassError	\خطای طبقه
\ClassInfo	\اطلاع طبقه
\ClassWarning	\هشدار طبقه
\ClassWarningNoLine	\هشدار طبقه بی سطر
\cleaders	\نشانگر مرکزی
\cleardoublepage	\دروصفحه پاک
\clearpage	\صفحه پاک
\cline	\خط ناپر
\closein	\بند و رو دی
\closeout	\بند خروجی

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\closing	\بستن
\clubpenalty	\حریمه سربند
\clubsuit	\خاج
\colbotmark	\علامت پایین ستون اول
\colfirstmark	\علامت اول ستون اول
\color	\رنگ
\colorbox	\کادر رنگ
\coltopmark	\علامت بالای ستون اول
\columncolor	\رنگ ستون
\columnsep	\بین ستون
\columnwidth	\پهنهای ستون
\columnseprule	\خط بین ستون
\contentsline	\اسطرفرهست
\contentsname	\عنوان فهرست مطالب
\copy	\کپی
\copyright	\حق تالیف
\count	\شمار
\count@	\@شمار
\countdef	\تعريف شمار
\cr	\اسخ
\crcr	\اسخ سخ
\csname	\نام فرمان
\CurrentOption	\گزینه جاری
\dashbox	\کادر بینابین
\dashv	\بینایین ع
\@date	\@تاریخ
\date	\تاریخ
\day	\روز
\dblbotfigrule	\خط پایین شناور پهن
\dblbottomfraction	\نسبت پهن پایین
\dblfigrule	\خط بالای شناور پهن
\dblfloatpagefraction	\نسبت صفحه شناور پهن
\dblfloatsep	\فاصله بین شناور پهن
\dblfontlocatecode	\کد مکان غیره مانطور
\dbltextfloatsep	\فاصله متن و شناور پهن
\dbltopfraction	\نسبت پهن بالا
\DeclareFixedFont	\اعلان قلم ثابت
\DeclareGraphicsExtensions	\اعلان پسوندگرافیک
\DeclareGraphicsRule	\اعلان دستور گرافیک
\DeclareOldFontCommand	\اعلان فرمان قلم قدیمی

Continued on next page



Command in \TeX or \LaTeX	Equivalent Persian Command
<code>\DeclareOption</code>	\اعلان_گزینه
<code>\DeclareRobustCommand</code>	\اعلان_فرمان_قوی
<code>\DeclareSymbolFont</code>	\اعلان_قلم_علائم
<code>\deadcycles</code>	\دوربسته
<code>\def</code>	\اتر
<code>\define@key</code>	\تعريف_@کلید
<code>\definecolor</code>	\تعريف_رنگ
<code>\deg</code>	\درجہ
<code>\delcode</code>	\کد_جدا_ساز
<code>\delimiter</code>	\جداساز
<code>\delimiterfactor</code>	\ضریب_جداساز
<code>\depth</code>	\اگودی
<code>\diamondsuit</code>	\خشتش
<code>\dim</code>	\ابعاد
<code>\dimen</code>	\بعد
<code>\dimen@</code>	\بعد_@
<code>\dimen@i</code>	\بعد_@یک
<code>\dimen@ii</code>	\بعد_@دو
<code>\dimendef</code>	\تعريف_بعد
<code>\discretionary</code>	\اتیره_گذاری
<code>\displaybreak</code>	\شکست_نمایش
<code>\displayindent</code>	\تورفتگی_نمایش
<code>\displaystyle</code>	\سبک_نمایش
<code>\displaywidth</code>	\عرض_نمایش
<code>\divide</code>	\ تقسیم
<code>\documentclass</code>	\طبقه_نوشتار
<code>\do</code>	\اکن
<code>\dospecials</code>	\اعویض_کدها
<code>\dot</code>	\ نقطه
<code>\doteq</code>	\ نقطه_مساوی
<code>\dotfill</code>	\ پر نقطه_ا
<code>\dots</code>	\ نقاط
<code>\doublebox</code>	\کادر_دولا
<code>\doublerulesepcolor</code>	\رنگ_فاصله_دو خط_جدول
<code>\doublerulesep</code>	\فاصله_بین_دو خط
<code>\downarrow</code>	\فلش_پایین
<code>\dp</code>	\عمق
<code>\dump</code>	\تخلیه
<code>\edef</code>	\اترگ
<code>\egroup</code>	\اپاگروه

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\reject	\انتهای فاصله
\else	\اگرنه
\em	\اتاکید
\emergencystretch	\اکشش لاجرم
\emph	\اموکد
\empty	\اپوج @\
\emptyset	\اچموعه‌پوج
\end	\اپیان
\endL	\اپیان چپ
\endR	\اپیان راست
\endcsname	\اپیان نام فرمان
\endfirsthead	\اپیان اولین سر
\endfoot	\اپیان پا
\endgraf	\اته بند
\endgroup	\اپیان گروه
\endhead	\اپیان سر
\endinput	\اپیان ورودی
\endlastfoot	\اپیان آخرین پا
\enlargethispage	\اگسترش این صفحه
\endline	\اوه سطر
\endlinechar	\انویسه ته سطر
\enspace	\ان دوری
\enskip	\ان فاصله
\eqcommand	\فرمان جانشین
\eqenvironment	\محیط جانشین
\eqref	\ارجاع فر
\errhelp	\اکمک خطا
\errmessage	\اپیام خطا
\errorcontextlines	\اسطرمتن خطا
\errorstopmode	\اپردازش توقف خطا
\escapechar	\انویسه ویژه
\euro	\یورو
\evensidemargin	\حاشیه زوج
\everycr	\هرسخ
\everydisplay	\هرنمايش
\everyhbox	\هرکادرا
\everyjob	\هرکار
\everymath	\هرریاضی
\everypar	\هربند

Continued on next page



Command in \TeX or \LaTeX	Equivalent Persian Command
<code>\everyvbox</code>	\هـرڪـارـو
<code>\ExecuteOptions</code>	\اـجـرـايـ گـزـينـهـ هـا
<code>\exhyphenpenalty</code>	\اـجـريـمهـ اـضـافـيـ تـيـرهـ بـندـيـ
<code>\expandafter</code>	\اـبـگـسـتـرـپـسـ اـزـ
<code>\extracolsep</code>	\اـفـاصـلـهـ اـضـافـيـ بـيـنـ سـتوـنـهاـ
<code>\@firstofone</code>	\اـولـيـ اـزيـكـ
<code>\@firstoftwo</code>	\اـولـيـ اـرـدوـ
<code>\f@ur</code>	\اـجـ@ـاـرـ
<code>\fam</code>	\اـخـانـوـادـهـ
<code>\fancypage</code>	\اـصـفحـهـ تـجمـلـيـ
<code>\fbox</code>	\اـكـادـرـبـاـ
<code>\fboxrule</code>	\اـضـخـامـتـ کـادـرـبـاـ
<code>\fboxsep</code>	\اـحـاشـيـهـ کـادـرـبـاـ
<code>\fcolorbox</code>	\اـکـادـرـبـارـنـگـ
<code>\fi</code>	\اـرـگـ
<code>\figurename</code>	\اـعنـوانـ شـكـلـ
<code>\filbreak</code>	\اـپـرـشـكـنـ
<code>\fill</code>	\اـپـرـ
<code>\firstmark</code>	\اـعـلامـ اـولـ
<code>\flat</code>	\اـپـهـنـ
<code>\floatpagefraction</code>	\اـنـسـبـتـ صـفحـهـ شـناـورـ
<code>\floatingpenalty</code>	\اـجـريـمهـ شـناـورـ
<code>\floatsep</code>	\اـفـاصـلـهـ بـيـنـ شـناـورـ
<code>\flushbottom</code>	\اـتـنظـيمـ اـزـيـابـيـنـ
<code>\fmtname</code>	\اـشـكـلـبـندـيـ
<code>\fmtversion</code>	\اـرـدـهـ شـكـلـبـندـيـ
<code>\fnsymbol</code>	\اـنـشـانـهـ
<code>\font</code>	\اـقـلمـ
<code>\fontdimen</code>	\اـبعـدـقـلمـ
<code>\fontencoding</code>	\اـرمـيـنهـ قـلمـ
<code>\fontfamily</code>	\اـفـاميـلـ قـلمـ
<code>\fontname</code>	\اـنـامـ قـلمـ
<code>\fontseries</code>	\اـشـمـايـلـ قـلمـ
<code>\fontshape</code>	\اـشـكـلـ قـلمـ
<code>\fontsize</code>	\اـنـداـزـهـ قـلمـ
<code>\footheight</code>	\اـبلـنـدـاـيـ پـايـيـنـ صـفحـهـ
<code>\footins</code>	\اـدرـجـ زـيـرـنوـيـسـ
<code>\footnote</code>	\اـزـيـرـنوـيـسـ
<code>\footnotemark</code>	\اـعـلامـ زـيـرـنوـيـسـ
<code>\footnoterule</code>	\اـخطـ زـيـرـنوـيـسـ

Continued on next page



Command in \TeX or \LaTeX	Equivalent Persian Command
<code>\footnotesep</code>	\فاصله تازیرنویس
<code>\footnotysize</code>	\اندازه زیرنویس
<code>\footnotetext</code>	\متن زیرنویس
<code>\footskip</code>	\فاصله تاپایین صفحه
<code>\frame</code>	\فریم
<code>\framebox</code>	\کادر با خطر
<code>\frenchspacing</code>	\فواصل یکنواخت لاتین
<code>\frontmatter</code>	\مطلوب پیش
<code>\futurelet</code>	\بعد بگذار
<code>\@gobble</code>	\@خور حریصانه
<code>\@gobbletwo</code>	\@خور حریصانه دو
<code>\@gobblefour</code>	\@خور حریصانه چهار
<code>\@gtempa</code>	\@عاقت آ
<code>\@gtempb</code>	\@عاقت ب
<code>\gdef</code>	\ترع
<code>\GenericInfo</code>	\الگوی اطلاع
<code>\GenericWarning</code>	\الگوی هشدار
<code>\GenericError</code>	\الگوی خطأ
<code>\global</code>	\عام
<code>\globaldefs</code>	\تعاریف عام
<code>\glossary</code>	\لغت نامه
<code>\glossaryentry</code>	\اققره فرهنگ
<code>\goodbreak</code>	\خوش شکن
<code>\graphpaper</code>	\کاغذگراف
<code>\guillemotleft</code>	\گیومه چپ
<code>\guillemotright</code>	\گیومه راست
<code>\guilsinglleft</code>	\گیومه تکی چپ
<code>\guilsinglright</code>	\گیومه تکی راست
<code>\halign</code>	\ردیف ا
<code>\hang</code>	\برو تو
<code>\hangafter</code>	\بعد از سطر
<code>\hangindent</code>	\تورفتگی ثابت
<code>\hbadness</code>	\ابدنمایی ا
<code>\hbox</code>	\کادرا
<code>\headheight</code>	\بلندای سرصفحه
<code>\headsep</code>	\فاصله از سرصفحه
<code>\headtoname</code>	\سر به نام
<code>\heartsuit</code>	\دل
<code>\height</code>	\بلندا
<code>\hfil</code>	\پرا

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\hfill	\پررا
\hfilneg	\رفع پرا
\hfuzz	\پرزاوی
\hideskip	\فاصله مخفی
\hidewidth	\عرض پنهان
\hline	\خط پر
\hoffset	\حاشیه ا
\holdinginserts	\حفظ درج
\hrboxsep	\فاصله اگرد
\hrule	\خط ا
\rulefill	\پرخط ا
\hsize	\طول سطر
\hskip	\فاصله ا
\hspace	\فضای ا
\hss	\هردوا
\ht	\ارتفاع
\huge	\بزرگ
\Huge	\بزرگ تر
\hyperlink	\ابرپیوند
\hypersetup	\بارگذاری ابر
\hypertarget	\هدف ابر
\hyphenation	\تیره بندی
\hyphenchar	\نویسه تیره
\hyphenpenalty	\جریمه تیره بندی
\@ifclassloaded	@\گرکلاس فراخوانی شده
\@ifdefinable	@\گرترشدنی
\@ifnextchar	@\گرزنی سه بعدی
\@ifpackageloaded	@\گرسیک فراخوانی شده
\@ifstar	@\گرستاره
\@ifundefined	@\گرتعریف نشده
\if	\اگر
\if@tempswa	\اگر @ سواقت آ
\ifcase	\گرانواع
\ifcat	\اگر ده
\ifdefined	\اگرتعریف شده
\ifdim	\اگر بعد
\ifeof	\اگر ته پرونده
\iff	\اگرر
\iffalse	\اگر نادرست
\IfFileExists	\اگر پرونده موجود

Continued on next page



Command in T _E X or L _A T _E X	Equivalent Persian Command
\ifhbox	\اگرکادر
\ifhmode	\اگرحالت
\ifinner	\اگدروني
\ifmmode	\اگرhalt رياضي
\ifnum	\اگرعدد
\ifodd	\اگرفد
\ifthenelse	\اگرآنگاه ديجر
\iftrue	\اگردرست
\ifvbox	\اگرکادر
\ifvmode	\اگرhalt و
\ifvoid	\اگرتنه
\ifx	\اگرتم
\ignorespaces	\فاصله خالي رانديده بغير
\immediate	\فورى
\include	\شامل
\includegraphics	\درج تصوير
\includeonly	\مشمولين
\indent	\تورفتگى
\index	\ادرنيايه
\indexentry	\استعلام
\indexname	\عنوان نمايه
\indexspace	\فاصله رهتما
\input	\ورودى
\InputIfFileExists	\ورودپرونده گرموجود
\inputlineno	\شماره سطرورودى
\insert	\درج
\insertpenalties	\اجريمه درج
\interfootnotelinepenalty	\اجريمه بين سطرهای زيرنويس
\interdisplaylinepenalty	\اجريمه بين سطرهای نمايش
\interlinepenalty	\اجريمه بين سطرها
\intertext	\امتن داخلی
\intertextsep	\فاصله شناور در متن
\invisible	\امخفي
\itdefault	\پيش فرض اي
\itshape	\اشكل ايتاليك
\item	\فقره
\itemindent	\تورفتگي فقره
\itemsep	\فاصله فقره
\iterate	\تكراركن
\itshape	\اشكل اي

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\jobname	\نام کار
\jot	\قلپ
\kern	\دوری
\kill	\الگو
\label	\برچسب
\labelenumi	\برچسب شمارش یک
\labelenumii	\برچسب شمارش دو
\labelenumiii	\برچسب شمارش سه
\labelenumiv	\برچسب شمارش چهار
\labelitemi	\برچسب فقره یک
\labelitemii	\برچسب فقره دو
\labelitemiii	\برچسب فقره سه
\labelitemiv	\برچسب فقره چهار
\labelsep	\فاصله از برچسب
\labelwidth	\پهنای برچسب
\language	\زبان
\large	\درشت
\Large	\درشت تر
\LARGE	\درشت درشت
\lastbox	\آخرین کادر
\lastkern	\آخرین دوری
\lastpenalty	\آخرین جریمه
\lastskip	\آخرین فاصله
\LaTeX	\لاتک
\LaTeXe	\لاتک ای
\lccode	\اکدکوچک
\ldots	\نقاط خ
\leaders	\انسانگر
\leavevmode	\ترک و
\left	\اچ پ
\leftmargin	\حاشیه چپ
\leftmargini	\حاشیه چپ یک
\leftmarginii	\حاشیه چپ دو
\leftmarginiii	\حاشیه چپ سه
\leftmarginiv	\حاشیه چپ چهار
\leftmarginv	\حاشیه چپ پنج
\leftmarginvi	\حاشیه چپ شش
\leftmark	\علامت چپ
\leftpageskip	\کادر تا چپ
\leftskip	\فاصله آبتدای سطر

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\let	\بگذار
\line	\سطر
\linebreak	\سطرشنکن
\linepenalty	\جریمه سطر
\lineskip	\فاصله سطرها
\lineskiplimit	\حد فاصله سطر
\linespread	\کشش فاصله سطر
\linethickness	\ضخامت خط
\linewidth	\پهنای سطر
\listfigurename	\عنوان فهرست اشکال
\listfiles	\لیست پرونده ها
\listoffigures	\فهرست اشکال
\listoftables	\فهرست جداول
\listparindent	\توفتفگی بند لیست
\listtablename	\عنوان فهرست جداول
\LoadClass	\بارگذاری طبقه
\LoadClassWithOptions	\بارگذاری طبقه با گزینه
\location	\امکان
\long	\بلند
\loop	\حلقه
\looseness	\گسیختگی
\lower	\انتقال پایین
\@makeother	\دیگر
\@m	\@زار
\@M	\@زار
\@Mi	\@زاریک
\@Mii	\@زاردو
\@Miii	\@زارسه
\@Miv	\@زارچهار
\@MM	\@بیس
\m@ne	\@من
\mag	\بزرگ نمایی
\magstep	\گام
\magstephalf	\نیم گام
\mainmatter	\مطلوب اصلی
\makeatletter	\ات حرف
\makeatother	\ات دیگر
\makebox	\کادر بی خلط
\makeglossary	\اساخت فرهنگ
\makeindex	\تهیه نمایه

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\makelabel	\اساختبرچسب
\makelabels	\اساختبرچسب‌ها
\MakeLowercase	\اساخت حروف کوچک
\maketitle	\عنوان ساز
\MakeUppercase	\اساخت حروف بزرگ
\margininpar	\درحاشیه
\margininparpush	\فاصله دو حاشیه
\margininparsep	\فاصله تا حاشیه
\margininparwidth	\پنهانی حاشیه
\mark	\علامت
\markboth	\علامت در دو طرف
\markright	\علامت در راست
\mathaccent	\اعراب ریاضی
\mathchar	\نویسه ریاضی
\mathchardef	\تعريف نویسه ریاضی
\mathcode	\کد ریاضی
\mathrm	\ریاضی رومان
\maxdeadcycles	\حداکثر تکرار
\maxdepth	\حداکثر عمق صفحه
\maxdimen	\بعد بیشین
\mbox	\کادر بی
\mdseries	\شمایل ناری
\meaning	\معنا
\mediumseries	\ناری
\medmuskip	\فاصله متوسط ریاضی
\medskip	\پرش متوسط
\medskipamount	\مقدار پرش متوسط
\medspace	\فضای متوسط
\message	\پیام
\MessageBreak	\پیام شکن
\minrowclearance	\حداقل فاصله ردیف
\mkern	\دوری ریاضی
\month	\ماه
\moveleft	\انتقال بچپ
\moveright	\انتقال براست
\mskip	\فاصله ریاضی
\m@th	\اری @ ضی
\multicolumn	\چندستونی
\multiply	\ضرب
\multispan	\چند ادغام

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\muskip	\میوفاصله
\muskipdef	\تعریف میوفاصله
\@namedef	\@_نام
\@nameuse	\@_کاربردنام
\@ne	\@_یک
\name	\نام
\natural	\طبیعی
\nearrow	\باریک
\nearrower	\باریکتر
\NeedsTeXFormat	\شکلبندی موردنیاز
\neg	\منفی
\negmedspace	\فضای متوسط منفی
\negthickspace	\فضای ضخیم منفی
\negthinspace	\دوری کوچک منفی
\newboolean	\ابولی نو
\newbox	\کادر جدید
\newcommand	\فرمان نو
\newcount	\شمارجديد
\newcounter	\شمارنده جدید
\newdimen	\بعد جدید
\newenvironment	\محیط نو
\newfam	\خانواده جدید
\newfont	\قلم نو
\newhelp	\آمک جدید
\newif	\گرجید
\newinsert	\درج جدید
\newlabel	\برچسب جدید
\newlength	\تعریف بعد جدید
\newline	\اسطرجید
\newlinechar	\نویسه سطرجید
\newmuskip	\میوفاصله جدید
\newpage	\صفحه جدید
\newread	\بخوان جدید
\newsavebox	\تعریف کادر جدید
\newskip	\فاصله جدید
\newtheorem	\قضیه جدید
\newtoks	\جزء جدید
\newwrite	\بنویس جدید
\noalign	\ابی ردیف
\nobreak	\اشکن

Continued on next page



Command in \TeX or \LaTeX	Equivalent Persian Command
<code>\nobreakspace</code>	\فاصله نشکستنی
<code>\nocite</code>	\ابدون سند
<code>\noexpand</code>	\انگستر
<code>\nofiles</code>	\ابدون پرونده
<code>\noindent</code>	\ابدون تورفتگی
<code>\nointerlineskip</code>	\ابی فاصله سطر
<code>\nolimits</code>	\ابدون حد
<code>\nolinebreak</code>	\اسطرنشکن
<code>\nonstopmode</code>	\پردازش بدون توقف
<code>\nonfrenchspacing</code>	\فوacial متعارف لاتین
<code>\nonumber</code>	\ابدون شماره
<code>\nopagebreak</code>	\صفحه نشکن
<code>\normalbaselines</code>	\کرسیهای متعارف
<code>\normalbaselineskip</code>	\فاصله کرسی متعارف
<code>\normalcolor</code>	\رنگ عادی
<code>\normalfont</code>	\قلم عادی
<code>\normallineskip</code>	\فاصله سطرمتعارف
<code>\normallineskiplimit</code>	\حد فاصله سطرمتعارف
<code>\normalmarginpar</code>	\در راهشیه عادی
<code>\normalsize</code>	\اندازه عادی
<code>\notag</code>	\ابدون آنیکت
<code>\null</code>	\انول
<code>\nullfont</code>	\قلم تهی
<code>\number</code>	\عدد
<code>\numberline</code>	\سطر عددی
<code>\numberwithin</code>	\شماره مطابق
<code>\@evenfoot</code>	\پایین صفحه زوج
<code>\@evenhead</code>	\بالای صفحه زوج
<code>\@oddfoot</code>	\پایین صفحه فرد
<code>\@oddhead</code>	\بالای صفحه فرد
<code>\@outeqnttrue</code>	\شماره بیرون درست
<code>\@outeqnfalse</code>	\شماره بیرون نادرست
<code>\obeylines</code>	\اسطربه سطر
<code>\obeyspaces</code>	\فضافعال
<code>\oddsidemargin</code>	\حاشیه فرد
<code>\offinterlineskip</code>	\اسطوربی فاصله
<code>\omit</code>	\حذف
<code>\@onlypreamble</code>	\@ تنها در پیش درآمد
<code>\onecolumn</code>	\یک ستون
<code>\onlynotes</code>	\تنها یادداشت ها

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\onlyslides	\انه‌ا‌سلايد‌ها
\openin	\بازکن‌ورودی
\openout	\بازکن‌خروجی
\OptionNotUsed	\اگرینه‌مصرف‌نشده
\or	\یا
\outer	\ابرونی
\output	\صفحه‌بندی
\outputpenalty	\جریمه‌صفحه‌بندی
\overfullrule	\علامت‌سرریز
\@preamblecmds	\فرمان‌های‌پیش‌درآمد
\p@	\@‌پو
\PackageError	\خطای‌سبک
\PackageInfo	\اطلاع‌سبک
\PackageWarning	\هشدار‌سبک
\PackageWarningNoLine	\هشدار‌سبک‌بی‌سطر
\pagebreak	\صفحه‌شکن
\pagecolor	\رنگ‌صفحه
\pagedepth	\اعمق‌صفحه
\pagefilllstretch	\کشش‌پررصفحه
\pagefillstretch	\کشش‌پررصفحه
\pagefilstretch	\کشش‌پررصفحه
\pagegoal	\غايت‌صفحه
\pagename	\نام‌صفحه
\pagenumbering	\شماره‌گذاري‌صفحه
\pageref	\رجوع‌صفحه
\pagerulewidth	\ضخامت‌خط‌صفحه
\pageshrink	\افشادگي‌صفحه
\pagestretch	\کشش‌صفحه
\pagestyle	\سبک‌صفحه
\pagetotal	\جمع‌صفحه
\paperheight	\بلنداي‌کاغذ
\paperwidth	\پهني‌کاغذ
\par	\بند
\paragraph	\پاراگراف
\parallel	\موازي
\parbox	\کادر‌پار
\parfillskip	\فاصله‌ته‌بند
\parindent	\تورفتگي‌سربند
\parsep	\فاصله‌بند‌ليست
\parshape	\شكل‌بند

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\parskip	\فاصله بند
\part	\بخش
\partname	\عنوان بخش
\partopsep	\فاصله بالای لیست بند
\PassOptionToClass	\ارسال گزینه به کلاس
\PassOptionToPackage	\ارسال گزینه به پکیج
\path	\مسیر
\patterns	\الگوهای
\pausing	\مکث
\penalty	\جريمه
\phantom	\غیب
\poptabs	\الگوی قبلی
\postdisplaypenalty	\جريمه پس نمایش
\predisplaydirection	\جهت پیش نمایش
\predisplaypenalty	\جريمه پیش نمایش
\predisplaysize	\اندازه پیش نمایش
\pretolerance	\پیش حد بدنمایی
\prevdepth	\اعمق قبلی
\prevgraf	\بند قبلی
\printindex	\نمایه دراینجا
\ProcessOptions	\پردازش گزینه ها
\protect	\تامین
\providetcommand	\تهیه فرمان
\ProvidesClass	\آماده سازی طبقه
\ProvidesFile	\آماده سازی پرونده
\ProvidesPackage	\آماده سازی سبک
\pushtabs	\ثبت الگو
\quad	\کواد
\quad	\کوکواد
\@outputpagerestore	@\باز آیی خروج صفحه
\radical	\رادیکال
\raggedbottom	\پایین بی تنظیم
\raggedleft	\تنظیم از راست
\raggedright	\تنظیم از چپ
\raise	\انتقال ببالا
\raisebox	\بالابر
\raisetag	\ترفع اتیکت
\rangle	\زاویه ر
\rceil	\سقف ر
\read	\بخوان

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\ref	\ارجوع
\reflectbox	\کادرقرینه
\refname	\عنوان مراجع
\refstepcounter	\گام شمارنده مرجع
\relax	\راحت
\removelastskip	\رفع آخرین فاصله
\renewcommand	\فرمان ازنو
\renewenvironment	\محیط ازنو
\repeat	\ازنو
\RequirePackage	\سبک موردنیاز
\RequirePackageWithOptions	\سبک موردنیاز با گزینه
\resizebox	\کادرکشیده
\reversemarginpar	\در حاشیه معکوس
\rfloor	\کف ر
\right	\راست
\rightmargin	\حاشیه راست
\rightmark	\علامت راست
\rightpageskip	\کادرتاراست
\rightskip	\فاصله انتهای سطر
\rmdefault	\روم من عادی
\rmfamily	\فamilی رومان
\Roman	\روم بزرگ
\roman	\روم کوچک
\romannumeral	\عدد رومی
\rotatebox	\کادر چرخان
\rowcolor	\رنگ ردیف
\rule	\خط
\@secondoftwo	@ دومی از دو
\@spaces	@ فضاهای
\samepage	\همین صفحه
\savebox	\مقدار کادر
\sbox	\مقکادر
\scalebox	\کادر راندازه
\scdefault	\پیش فرض تمام بزرگ
\scshape	\شکل تمام بزرگ
\scriptfont	\قلم توان
\scriptscriptfont	\قلم توان توان
\scriptscriptstyle	\سبک ته نوشته نوشته
\scriptsize	\اندازه پانویس
\scriptstyle	\سبک ته نوشته

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\scrollmode	\پردازش گذری
\section	\قسمت
\secdef	\تعريف قسمت
\see	\بینید
\seealso	\انیزبینید
\seename	\نامبینید
\selectfont	\قلمبردار
\setboolean	\تنظیمبولی
\setbox	\درکادر
\setcounter	\مقدارشمارنده
\setkeys	\مقدارکلیدها
\setlength	\مقداربعد
\setminus	\تنظیمنهای
\SetSymbolFont	\تعريف قلم علائم
\settodepth	\تنظیمبه عمق
\settoheight	\تنظیمبه ارتفاع
\settowidth	\مقداربعدیه اندازه
\sfcode	\کدضریب فاصله
\sfdefault	\پیشفرض سف
\sffamily	\فamilی سن سریف
\shadowbox	\کادرسایه دار
\sharp	\تیز
\shipout	\بفرست
\shortstack	\پشته کوتاه
\show	\نمایش بده
\showbox	\نمایش بده کادر
\showboxbreadth	\میزان نمایش کادر
\showboxdepth	\عمق نمایش کادر
\showlists	\نمایش بده لیستها
\showthe	\نمایش بده محتوای
\simplefontmode	\حالت ساده قلم
\sixt@@n	@\شانزده
\skewchar	\نویسه اریب
\skip	\فاصله
\skip@	@\فاصله
\skipdef	\تعريف فاصله
\sl	\خوابیده
\sldefault	\پیشفرض خو
\slshape	\شكل خوابیده
\sloppy	\راحت چین

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\slshape	\شمايل خو
\small	\کوچك
\smallskip	\پرش کوتاه
\smallskipamount	\امقدار پرش کوتاه
\smash	\کوب
\smile	\بخند
\snglfntlocatecode	\کدمکان همانطور
\space	\فضا
\spacefactor	\ضربي فاصله
\spaceskip	\فاصله کلمات
\spadesuit	\پيک
\span	\ادغام
\special	\ويژه
\splitmaxdepth	\حداکثر عمق ستون
\splittopskip	\فاصله بالاي ستون
\star	\ستاره
\stepcounter	\گام شمارنده
\stretch	\اکشي
\string	\رشه
\strut	\شمع
\strutbox	\کادر شمع
\subitem	\زيربند
\subparagraph	\زيرپاراگراف
\subsection	\زيرقسمت
\substack	\زيرپشت
\subsubitem	\زيرزيربند
\subsubsection	\زيرزيرقسمت
\subset	\زيرمجموعه
\subsepeq	\زيرمجموعه مس
\supereject	\امتهای صفحه
\suppressfloats	\حذف مكان شناور
\@tempa	\@موقت آ
\@tempb	\@موقتب
\@tempc	\@موقتب
\@tempd	\@موقت ت
\@tempe	\@موقت ث
\@tempboxa	\@کادر قت آ
\@tempcnta	\@شماقت آ
\@tempcntb	\@شماقت ب
\@tempdima	\@بعد قت آ

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\@tempdimb	\بعدقت ب
\@tempdimc	\بعدقت پ
\@tempskipa	\فاقت آ
\@tempskipb	\فاقت ب
\@tempswafalse	\سواقت آنادرست
\@tempswattrue	\سواقت آدرست
\@temptokena	\جزقت آ
\@thefnmark	\انگ زیرنویس
\@thirdofthree	\سومی ازسه
\tabbingsep	\فاصله جاگذاری
\tabcolsep	\فاصله بین ستونها
\tableofcontents	\افهرست مطالب
\tablename	\عنوان جدول
\tabskip	\فاصله ستونها
\tabularnewline	\ته سطرجدول
\tag	\اتیکت
\telephone	\تلفن
\TeX	\اتک
\text	\امتن
\textbullet	\گلوله متنی
\textfont	\قلم متن
\textemdash	\ام دش متنی
\textendash	\ان دش متنی
\textexclamdown	\تعجب وارونه متنی
\textperiodcentered	\ نقطه وسط متنی
\textquestiondown	\سوال وارونه متنی
\textquotedblleft	\نقل چپ متنی دولای
\textquotedblright	\نقل راست متنی دولای
\textquotingleft	\نقل متنی چپ
\textquoteright	\نقل متنی راست
\textvisiblespace	\فضای نمایان متنی
\textbackslash	\شکافت پشت متنی
\textbar	\امیله متنی
\textgreater	\بزرگ تر متنی
\textless	\کمتر متنی
\textbf	\امن سیاه
\textcircled	\امدوار متنی
\textcolor	\رنگ متن
\textcompwordmark	\انشان کلمه مرکب متن
\textfloatsep	\فاصله متن و شناور

Continued on next page



Command in \TeX or \LaTeX	Equivalent Persian Command
<code>\textfraction</code>	\نسبت متن
<code>\textheight</code>	\بلندای متن
<code>\textindent</code>	\متن تورفته
<code>\textit</code>	\متن ایتالیک
<code>\textmd</code>	\متن نارک
<code>\textnormal</code>	\متن نرمال
<code>\textregistered</code>	\ثبتی متنی
<code>\textrm</code>	\متن رومان
<code>\textsc</code>	\متن تمام بزرگ
<code>\textsf</code>	\متن سن سریف
<code>\textsl</code>	\متن خوابیده
<code>\textstyle</code>	\سبک متنی
<code>\textsuperscript</code>	\بالانویس متنی
<code>\texttrademark</code>	\علامت تجاری متنی
<code>\texttt</code>	\متن تایپ
<code>\textup</code>	\متن ایستاده
<code>\textwidth</code>	\پهنه‌ی متن
<code>\thanks</code>	\زیرنویس عنوان
<code>\the</code>	\محتوای
<code>\thempfn</code>	\این زیرنویس
<code>\thicklines</code>	\خط هاضخیم
<code>\thickmuskip</code>	\فاصله زیاد ریاضی
<code>\thinmuskip</code>	\فاصله کم ریاضی
<code>\thickspace</code>	\فضاضخیم
<code>\thinlines</code>	\خط هانارک
<code>\thinspace</code>	\دوری کوچک
<code>\thisfancypage</code>	\این صفحه تجملی
<code>\thispagestyle</code>	\سبک این صفحه
<code>\thr@@</code>	@سه\
<code>\tilde</code>	\مد
<code>\tiny</code>	\ظریف
<code>\time</code>	\ازمان
<code>\times</code>	\ضرب در
<code>\title</code>	\عنوان
<code>\to</code>	\به
<code>\today</code>	\امروز
<code>\toks</code>	\جزء
<code>\toksdef</code>	\تعریف جزء
<code>\tolerance</code>	\حد بدنمایی
<code>\top</code>	\بالا

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\topfigrule	\خط بالای شناور
\topfraction	\نسبت بالا
\topmargin	\حاشیه بالا
\topmark	\علامت بالا
\toppageskip	\کادر تابلا
\topsep	\فاصله بالای لیست
\topskip	\فاصله بالا
\totalheight	\بلندای کل
\tracingall	\ردگیری کل
\tracingcommands	\ردگیری فرمانین
\tracinglostchars	\ردگیری حروف
\tracingmacros	\ردگیری ماکروها
\tracingonline	\ردگیری نمایشی
\tracingoutput	\ردگیری صفحه بندی
\tracingpages	\ردگیری صفحات
\tracingparagraphs	\ردگیری بندها
\tracingrestores	\ردگیری بازگردانی
\tracingstats	\ردگیری آمارها
\triangle	\مثلث
\ttdefault	\پیش فرض تایپ
\ttfamily	\فamilی تایپ
\tw@	\دو
\twocolumn	\دو ستون
\typein	\در زویس
\typeout	\برنزویس
\uccode	\کد بزرگ
\uchyph	\تیره بندی بزرگ
\undefined	\تعريف نشده
\underline	\ازیر خط
\unhbox	\ابی کادر
\unhcopy	\ابی کپی ا
\unitlength	\واحد طول
\unkern	\برگشت دوری
\unpenalty	\برگشت جریمه
\unskip	\برگشت فاصله
\unvbox	\ابی کادر و
\unvcopy	\ابی کپی و
\updefault	\پیش فرض ایستاده
\upshape	\شكل ایستاده
\usebox	\ارکادر

Continued on next page



Command in T _E X or L _A T _E X	Equivalent Persian Command
\usecounter	\باشمارشگر
\usefont	\گزینش قلم
\usepackage	\سبک لازم
\@obeyspaces	\@فضاهای فعال
\@void	\@تهی
\vadjust	\تنظیم و
\valign	\ردیف و
\value	\محتوای شمارنده
\vbadness	\ابد نمایی و
\vbox	\کادرو
\vcenter	\کادر وسط
\verb	\همانطور
\vfil	\پرو
\vfill	\پر پرو
\vfilneg	\رفع پرو
\vfuzz	\پرز عمودی
\visible	\نمایان
\vline	\خط عمود
\voffset	\حاشیه و
\voidb@x	\ک@در تهی
\vpageref	\ارجاع صفحه ع
\vrboxsep	\افاصله و گرد
\vref	\ارجاع ع
\vrule	\خط و
\vsize	\طول صفحه
\vskip	\افاصله و
\vspace	\فضای و
\vsplit	\شکست و
\vss	\اهردو و
\vtop	\کادر گرد
\wd	\عرض
\whiledo	\مادام بکن
\widehat	\کلاه پهن
\widetilde	\مد پهن
\widowpenalty	\جریمه ته بند
\width	\اپهنا
\wlog	\در کار نامه
\write	\بنویس
\@obeysp	\@فضای لاتین
\@xxxii	\سی@دو

Continued on next page



Command in TeX or L ^A T _E X	Equivalent Persian Command
\xdef	\اترگع
\xleaders	\انشانگرگسترشی
\xspaceskip	\فاصله اضافی کلمات
\year	\سال
\z@	\فر
\z@skip	\فرافصله

Table 2: The Equivalent XePersian Commands

Command in XePersian	Equivalent Persian Command
\autofootnoterule	\خط زیرنویس خودکار
\AutoMathsDigits	\اعداد فرمولهای خودکار
\DefaultMathsDigits	\اعداد فرمولهای لاتین
\deflatinfont	\تعريف قلم لاتین
\defpersianfont	\تعريف قلم پارسی
\hboxL	\کادر راچپ
\hboxR	\کادر راست
\keyval@eq@alias@key	\معادل @ کلید
\Latincite	\مرجع لاتین
\latinfont	\قلم لاتین
\latintoday	\امروز لاتین
\leftfootnoterule	\خط زیرنویس چپ
\lr	\متن لاتین
\LRE	\چپ برایست
\LTRdblcol	\دوستونی چپ
\LTRfootnote	\پانویس
\LTRfootnotetext	\متن پانویس
\LTRthanks	\پانویس عنوان
\persianday	\روز پارسی
\persianfont	\قلم پارسی
\PersianMathsDigits	\اعداد فرمولهای پارسی
\persianmonth	\ماه پارسی
\persianyear	\سال پارسی
\plq	\علامت چپ نقل قول پارسی
\prq	\علامت راست نقل قول پارسی
\rightfootnoterule	\خط زیرنویس راست
\rl	\متن پارسی
\RLE	\راست بچپ
\RTLdblcol	\دوستونی راست
\RTLfootnote	\پانوشت

Continued on next page



Command in XePersian	Equivalent Persian Command
\RTLfootnotetext	\متن پانوشت
\RTLthanks	\پانوشت عنوان
\@SepMark	\علامت بین
\SepMark	\علامت بین
\setdefaultbibitems	\بگذارم رجوعات عادی
\setdefaultmarginpar	\بگذار در رحایه عادی
\setdigitfont	\اگزینش قلم اعداد فرمولها
\setfootnoteLR	\بگذار زیرنویس چپ
\setfootnoteRL	\بگذار زیرنویس راست
\setlatintextfont	\اگزینش قلم لاتین متن
\setLTR	\بگذار متن چپ
\setLTRbibitems	\بگذار مرجوعات چپ
\setLTRmarginpar	\بگذار در رحایه چپ
\setRTL	\بگذار متن راست
\setRTLbibitems	\بگذار مرجوعات راست
\setRTLmarginpar	\بگذار در رحایه راست
\settextfont	\اگزینش قلم متن
\textwidthfootnoterule	\خط زیرنویس پهنای متن
\twocolumnstableofcontents	\فهرست مطالب دوستونی
\unsetfootnoteRL	\انگذار زیرنویس راست
\unsetLTR	\انگذار متن چپ
\unsetRTL	\انگذار متن راست
\vboxL	\کادر رواز چپ
\vboxR	\کادر رواز راست
\XeLaTeX	\ازی لاتک
\XePersian	\ازی پرشین
\xepersianversion	\گونه ازی پرشین
\xepersiandate	\تاریخ گونه ازی پرشین
\XeTeX	\ازی تک

Table 3: The Equivalent \LaTeX Environments

Environment in \LaTeX	Equivalent Persian Environment
abstract	چکیده
appendix	پیوست
array	آرایه
center	وسط چین
description	توضیح
displaymath	ریاضی نمایشی
document	نوشتار
enumerate	شمارش
figure	شکل

Continued on next page



Environment in L ^A T _E X	Equivalent Persian Environment
figure*	شکل*
filecontents	محتوای پرونده
filecontents*	* محتوای پرونده
flushleft	چپ چین
flushright	راست چین
itemize	فقرات
letter	نامه
list	لیست
longtable	جدول دراز
lrbox	کادر رج
math	ریاضی
matrix	ماتریس
minipage	صفحه کوچک
multicols	چند ستونی ها
multiline	چند خطی
note	یادداشت
overlay	انباشت
picture	تصویر
quotation	اقتباس
quote	نقل
slide	اسلاید
sloppypar	پارنامرب
split	شکافتن
subarray	زیر آرایه
tabbing	جاگذاری
table	لوح
table*	* لوح
tabular	جدول
tabular*	* جدول
thebibliography	مراجع
theindex	محتوای نمایه
titlepage	صفحه عنوان
trivlist	لیست بدروی
verbatim	همانطور که هست
verbatim*	* همانطور که هست
verse	شعر

Table 4: The Equivalent XePersian Environments

Environment in XePersian	Equivalent Persian Environment
latin	لاتین
LTR	متن چپ

Continued on next page



Environment in XePersian	Equivalent Persian Environment
LTRitems	دسته‌بندی چپ
persian	پارسی
RTL	متن راست
RTLitems	دسته‌بندی راست

Localisation of position arguments. Some environments like `tabular` and some commands like `\parbox` have an argument which specifies the position. Table [Table 5](#) shows their localisations.

Table 5: The Equivalent \LaTeX position arguments

Position argument in \LaTeX	Equivalent Persian position argument
b	ز
c	و
C	س
h	ا
H	آ
J	ت
l	ج
L	ف
m	م
p	پ
P	ص
r	ر
R	ا
s	ک
t	ب

☞ There are two ps in [Table 5](#), first p and its Persian equivalent پ stand for paragraph (used in `tabular` and similar environments) and the second p and its Persian equivalent ص stand for page (used in float-like environments).

2.4.8 Localizations of the keys and key values of `graphicx` package

The equivalent Persian keys and key values of `graphicx` package is shown in [Table 6](#) and [Table 7](#) respectively.

Table 6: Persian Equivalent keys of `graphicx` package

Original Key	Equivalent Persian Key
<code>draft</code>	پیش نویس
<code>origin</code>	مبدا
<code>clip</code>	بی اضافه
<code>keepaspectratio</code>	حفظ تناسب
<code>natwidth</code>	پنهانی طبیعی

Continued on next page



Original Key	Equivalent Persian Key
nheight	بلندای طبیعی
bb	مختصات
viewport	محدوده نمایش
trim	حذف اطراف
angle	زاویه
width	پهنا
height	بلندا
totalheight	بلندای کل
scale	ضریب
type	نوع
ext	پسوند
read	خواندنی
command	فرمان
x	طول
y	عرض
units	واحد

Table 7: Persian Equivalent key values of graphicx package

Original Key value	Equivalent Persian Key value
b	ز
B	ک
false	نادرست
l	ج
r	ر
t	ب
true	درست

2.4.9 Localizations of font features and font feature options

The equivalent Persian font features and font feature options is shown in [Table 8](#) and [Table 9](#) respectively.

Table 8: Persian Equivalent font features

Original font feature	Equivalent Persian font feature
ExternalLocation	مکان خارجی
ExternalLocation	مسیر
Renderer	تحویل دهنده
BoldFont	قلم سیاه
Language	زبان
Script	خط
UprightFont	قلم عمودی
ItalicFont	قلم ایتالیک

Continued on next page



Original font feature	Equivalent Persian font feature
BoldItalicFont	قلم ایتالیک سیاه
SlantedFont	قلم خوابیده
BoldSlantedFont	قلم خوابیده سیاه
SmallCapsFont	قلم کلاه کوچک
UprightFeatures	ویرگی های قلم عمودی
BoldFeatures	ویرگی های قلم سیاه
ItalicFeatures	ویرگی های قلم ایتالیک
BoldItalicFeatures	ویرگی های قلم ایتالیک سیاه
SlantedFeatures	ویرگی های قلم خوابیده
BoldSlantedFeatures	ویرگی های قلم خوابیده سیاه
SmallCapsFeatures	ویرگی های قلم کلاه کوچک
SizeFeatures	ویرگی های اندازه
Scale	ضریب
WordSpace	فضای کلمه
PunctuationSpace	فضای نقطه گذاری
FontAdjustment	تنظیم قلم
LetterSpace	فضای حرف
HyphenChar	نویسه تیره
Color	رنگ
Opacity	کدری
Mapping	نگاشت
Weight	سنگینی
Width	پهنا
OpticalSize	اندازه چشمی
FakeSlant	خوابیده تقلی
FakeStretch	کشش تقلی
FakeBold	سیاه تقلی
AutoFakeSlant	خوابیده تقلی خودکار
AutoFakeBold	سیاه تقلی خودکار
Ligatures	دویاچند حرف متصل به هم
Alternate	متناوب
Variant	گوناگون
Variant	مجموعه سبکی
CharacterVariant	گوناگونی نویسه
Style	سیک
Annotation	یادداشت
RawFeature	ویرگی های کال
CharacterWidth	پهنا نویسه
Numbers	ارقام
Contextuals	متñی

Continued on next page



Original font feature	Equivalent Persian font feature
Diacritics	تفکیک کننده ها
Letters	حروف
Kerning	دوری
VerticalPosition	موقعیت عمودی
Fractions	كسر

Table 9: Persian Equivalent font feature options

font feature	font feature option	Persian font feature option
Language	Default	پیش فرض
Language	Parsi	پارسی
Script	Parsi	پارسی
Script	Latin	لاتین
Style	MathScript	اسکریپت ریاضی
Style	MathScriptScript	اسکریپت اسکریپت ریاضی

2.5 A Sample Input T_EX File

```

1 \documentclass{article}
2 \usepackage{xepersian}
3 \settextfont[XB Niloofer]
4 \title{یک سند نمونه}
5 \author{نام نویسنده}
6 \begin{document}
7 \maketitle
8 \tableofcontents
9 \part{عنوان بخش}
10 ...
11 \section{عنوان قسمت}
12 ...
13 \subsection{عنوان زیرقسمت}
14 ...
15 \subsubsection{عنوان زیر زیرقسمت}
16 ...
17 \end{document}

```

2.6 Font Commands



2.6.1 Basic Font Commands

```
\settextfont [Options] {<font name>}  
\setlatintextfont [Options] {<font name>}  
\setdigitfont [Options] {<font name>}  
\setmathsf digitfont [Options] {<font name>}  
\setmathtt digitfont [Options] {<font name>}
```

- ☞ Options in any font command in this documentation are anything that `fontspec` package provides as the option of loading fonts, except `Script` and `Mapping`.
- ☞ `\settextfont` will choose the default font for Persian texts of your document.
- ☞ `\setlatintextfont` will choose the font for Latin texts of your document. If you do not use this command at all, the default T_EX font (fonts used in this documentation) will be used for Latin texts of your document.
- ☞ `\setdigitfont` will choose the Persian font for digits in math mode. By default, digits in math mode will appear in Persian form.
- ☞ `\setmathsf digitfont` will choose the Persian font for digits in math mode inside `\mathsf`. By using this command, digits in math mode inside `\mathsf` will appear in Persian form and if you do not use this command at all, you will get default T_EX font for digits in math mode inside `\mathsf` and digits appear in their original form (Western).
- ☞ `\setmathtt digitfont` will choose the Persian font for digits in math mode inside `\mathtt`. By using this command, digits in math mode inside `\mathtt` will appear in Persian form and if you do not use this command at all, you will get default T_EX font for digits in math mode inside `\mathtt` and digits appear in their original form (Western).

2.6.2 Defining Extra Persian and Latin Fonts

```
\defpersianfont\CS [Options] {<font name>}  
\deflatinfont\CS [Options] {<font name>}
```

- ☞ With `\defpersianfont`, you can define extra Persian fonts.

```
\defpersianfont\Nastaliq[Scale=1]{IranNastaliq}
```

In this example, we define `\Nastaliq` to stand for IranNastaliq font.

- ☞ With `\deflatinfont`, you can define extra Latin fonts.

```
\deflatinfont\junicode[Scale=1]{Junicode}
```

In this example, we define `\junicode` to stand for Junicode font.



2.6.3 Choosing Persian Sans Font

```
\setpersiansansfont [Options] {<font name>}  
\persiansffamily \textpersiansf{<text>}
```

2.6.4 Choosing Persian Mono Font

```
\setpersianmonofont [Options] {<font name>}  
\persianttfamily \textpersiantt{<text>}
```

2.6.5 Choosing Persian Iranic Font

```
\setiranicfont [Options] {<font name>}  
\iranicfamily \textiranic{<text>}
```

2.6.6 Choosing Persian Navar Font

```
\setnavarfont [Options] {<font name>}  
\navarfamilly \textnavar{<text>}
```

2.6.7 Choosing Persian Pook Font

```
\setpookfont [Options] {<font name>}  
\pookfamily \textpook{<text>}
```

2.6.8 Choosing Persian Sayeh Font

```
\setsayehfont [Options] {<font name>}  
\sayehfamily \textsayeh{<text>}
```

2.6.9 Choosing Latin Sans Font

```
\setlatinsansfont [Options] {<font name>}  
\sffamily \textsf{<text>}
```

2.6.10 Choosing Latin Mono Font

```
\setlatinmonofont [Options] {<font name>}  
\ttfamily \texttt{<text>}
```



3 Latin and Persian Environment

```
\begin{latin} <text> \end{latin}
\begin{persian} <text> \end{persian}
```

☞ latin environment both changes direction of the paragraphs to LTR and font to Latin font.

☞ persian environment both changes direction of the Paragraphs to RTL and font to Persian font.

3.1 latinitems and parsiitems environments

```
\begin{latinitems}
\item <text>
...
\end{latinitems}
```

☞ latinitems environment is similar to LTRitems environment but changes the font to Latin font.

```
\begin{parsiitems}
\item <text>
...
\end{parsiitems}
```

☞ parsiitems environment is similar to RTLitems environment but changes the font to Persian font.

3.2 Short Latin and Persian Texts

```
\lr{<text>} \rl{<text>}
```

☞ With \lr command, you can typeset short LTR texts.

☞ With \rl command, you can typeset short RTL texts.

3.3 Miscellaneous Commands

```
\persianyear \persianmonth \persianday
\today \latintoday \twocolumnstableofcontents \XePersian
\plq \prq
```

☞ \persianyear is Persian equivalent of \year.



- ☞ \persianmonth is Persian equivalent of \month.
- ☞ \persianday is Persian equivalent of \day.
- ☞ \today typesets current Persian date and \latintoday typesets current Latin date.
- ☞ \twocolumnstableofcontents typesets table of contents in two columns. This requires that you have loaded multicol package before XePersian package, otherwise an error will be issued.
- ☞ \XePersian typesets XePersian's logo.
- ☞ \plq and \prq typeset Persian left quote and Persian right quote respectively.

3.4 New Commands

\Latincite

- ☞ \Latincite functions exactly like \cite command with only one difference; the reference to biblabel item is printed in Latin font in the text.

3.5 Additional Counters

XePersian defines several additional counters to what already L^AT_EX offers. These counters are **harfi**, **adadi**, and **tartibi**. In addition, the following commands are also provided:

\harfinumeral{\<integer>} \adadinumeral{\<integer>} \tartibinumeral{\<integer>}

- ☞ The range of **harfi** counter is integers between 1 and 32 (number of the Persian alphabets) and **adadi** and **tartibi** counters, are integers between 0 and 999,999,999.
- ☞ For **harfi** counter, if you give an integer bigger than 32 or a negative integer (if you give integer 0, it returns nothing), then you get error and for **adadi** and **tartibi** counters, if you give an integer bigger than 999,999,999, then you get an error message.
- ☞ For **adadi** and **tartibi** counters, if you give an integer less than 0 (a negative integer), then **adadi** and **tartibi** counters return **adadi** and **tartibi** form of the integer 0, respectively.
- ☞ \harfinumeral returns the **harfi** form of **\<integer>**, where $1 \leq \text{integer} \leq 32$ and \adadinumeral, and \tartibinumeral return **adadi**, and **tartibi** form of **\<integer>** respectively, where $0 \leq \text{integer} \leq 999,999,999$.



3.6 Things To Know About `\setdigitfont`, `\setmathsf digitfont`, and `\setmathtt digitfont`

```
\DefaultMathsDigits \PersianMathsDigits \AutoMathsDigits
```

- ☞ As we discussed before, `\setdigitfont` will choose the Persian font for digits in math mode. By default, digits in math mode will appear in Persian form.
- ☞ As we discussed before, `\setmathsf digitfont`, and `\setmathtt digitfont` will choose the Persian sans serif and typewriter fonts for digits in math mode. By using this command, digits in math mode will appear in Persian form and if you do not use this command at all, you will get default T_EX font for digits in math mode and digits appear in their original form (Western).

If you use `\setdigitfont`, `\setmathsf digitfont`, and `\setmathtt digitfont`, then you should know that:

- ☞ By default, `\AutoMathsDigits` is active, which means that in Persian mode, you get Persian digits in math mode and in Latin mode, you get T_EX's default font and digits in math mode.
- ☞ If you use `\PersianMathsDigits` anywhere, you will overwrite XePersian's default behaviour and you will always get Persian digits in math mode.
- ☞ If you use `\DefaultMathsDigits` anywhere, again you will overwrite XePersian's default behaviour and you will always get T_EX's default font and digits in math mode.

4 New Conditionals

4.1 Shell escape (or write18) conditional

```
\ifwritexviii
  <material when Shell escape (or write18) is enabled>
\else
  <material when Shell escape (or write18) is not enabled>
\fi
```

5 Bilingual Captions

XePersian sets caption bilingually. This means if you are in RTL mode, you get Persian caption and if you are in LTR mode, you get English caption.



5.1 Support For Various Packages

In addition to what bidi package supports, XePersian also support a few packages. This support is more about language aspect rather than directionality. These packages are algorithmic, algorithm,enumerate, and backref packages.

5.1.1 Things You Should Know about Support For enumerate Package

The enumerate package gives the enumerate environment an optional argument which determines the style in which the counter is printed.

An occurrence of one of the tokens A, a, I, i, or 1 produces the value of the counter printed with (respectively) \Alpha, \alpha, \Roman, \roman or \arabic.

In addition with the extra support that XePersian provides, an occurrence of one of the tokens l, ی, or ۲ produces the value of the counter printed with (respectively) \harfi, \adadi, or \tartibi.

These letters may be surrounded by any strings involving any other \TeX expressions, however the tokens A, a, I, i, 1, l, ی, ۲ must be inside a {} group if they are not to be taken as special.

To see an Example, please look at enumerate package documentation.

5.2 Index Generation

For generating index, you are advised to use xindy program, any other program such as makeindex is not recommended.

5.3 Converting Your Farsi \TeX Files To XePersian or Unicode

There is a python program written by Mostafa Vahedi that enables you to convert Farsi \TeX files to XePersian or unicode. This program can be found in doc folder with the name ftxe-0.12.py. To convert your Farsi \TeX files to XePersian, put ftxe-0.12.py in the same directory that your Farsi \TeX file is, and then open a terminal/command prompt and do the following:

```
python ftxe-0.12.py file.ftx file.tex
```

This will convert your file.ftx (Farsi \TeX file) to file.tex (XePersian file).

The general syntax of using the python script is as follow:

```
python ftxe-0.12.py [-r] [-s] [-x] [-u] input-filename1 input-filename2
```

Where

-r (DEFAULT) recursively consider files included in the given files

-s do not recursively consider files

-x (DEFAULT) insert XePersian related commands



`-u` only convert to unicode (and not to XePersian)

Please note that the python script will not work with versions of python later than 2.6. So you are encouraged to use version 2.6 of python to benefit from this python script.

6 Extra Packages And Classes

6.1 Magazine Typesetting

6.1.1 Introduction

`xepersian-magazine` class allows you to create magazines, newspapers and any other types of papers. The output document has a front page and as many inner pages as desired. Articles appear one after another, telling the type, number of columns, heading, subheading, images, author and so forth. It is possible to change the aspect of (almost) everything therefore it is highly customisable. Commands to add different titles, headings and footers are also provided.

6.1.2 Usage

To create² a magazine just load the class as usual³, with

```
\documentclass [Options] {xepersian-magazine}
```

at the beginning of your source file. The class options are described in [subsubsection 6.1.12](#).

From this point it is possible to include packages and renew class commands described in [subsubsection 6.1.9](#).

6.1.3 Front Page

As every magazine, `xepersian-magazine` has its own front page. It includes main headings, an index, the magazine logo and other useful information. This environment should be the first you use within `xepersian-magazine` class but it is not mandatory.

```
\firstimage \firstarticle
```

The first two commands you can use inside the `frontpage` environment are `\firstimage` and `\firstarticle` which include, respectively, the main image and the main heading in the front page. The first one takes two arguments `<image>` and `<description>`. Notice that second argument is optional and it declares the image

²For a sample file, please look at `magazine-sample.tex` in the doc folder

³You also need to load `graphicx`, `xunicode` and `xepersian` packages respectively, after loading the document class and choose fonts for the main text, Latin text and digits in maths formulas. For more detail see [section 2](#) of the documentation.



caption; *<image>* defines the relative path to the image. In order to include the first piece of article use

```
\firstarticle{\langle title\rangle}{\langle opening\rangle}{\langle time\rangle}
```

first two arguments are mandatory and represent heading and the opening paragraph. Last argument is optional (you can leave it blank) and indicates the time when article happened.

```
\secondarticle
```

The second piece of article is included using the command `\secondarticle` just as the first article. The main difference are that this second piece has two more arguments and it does not include an image.

```
\secondarticle{\langle title\rangle}{\langle subtitle\rangle}{\langle opening\rangle}{\langle pagesof\rangle}{\langle time\rangle}
```

The new arguments *<subtitle>* and *<pagesof>* define a subtitle and the name of the section for this piece of article.

```
\thirdarticle
```

The third piece of article is the last one in the `xepersian-magazine` front page. It works like the `\secondarticle`.

```
\thirdarticle{\langle title\rangle}{\langle subtitle\rangle}{\langle opening\rangle}{\langle pagesof\rangle}{\langle time\rangle}
```

The arguments meaning is the same as `\secondarticle` command.

The front page includes three information blocks besides the news: `indexblock` which contains the index, `authorblock` which includes information about the author and a `weatherblock` containing a weather forecast. All these three environments are mostly a frame in the front page therefore they can be redefined to fit your personal wishes but I kept them to give an example and to respec the original `xepersian-magazine` format.

```
\indexitem
```

The `indexblock` environment contains a manually edited index of `xepersian-magazine`. It takes one optional argument *<title>* and places a title over the index block. To add entries inside the index just type

```
\indexitem{\langle title\rangle}{\langle reference\rangle}
```

inside the environment. The *<title>* is the index entry text and the *<reference>* points to a article inside `xepersian-magazine`. It will be more clear when you read [subsub-](#)



[section 6.1.4](#). In order to get a correct output, it is necessary to leave a blank line between index items.

The `authorblock` environment can include whatever you would like. I called it `authorblock` because I think it is nice to include some author reference in the front page: who you are, why are you doing this... This environment creates a frame box in the bottom right corner of the front page with your own logo at the top.

```
\weatheritem
```

Finally, the `weatherblock` lets you include a weather forecast. It takes one optional argument `<title>` that places a title over the weather block. It can fit up to three weather icons with maximum and minimum temperatures, description and name. To add each of the weather entries type the following

```
\weatheritem{<image>}{<day-name>}{<max>} {<min>}{<short-des>}
```

The first argument includes the path to the weather icon (i.e. sunny or rainy), `<day-name>` like Monday, `<max>` and `<min>` are the highest and lowest day temperatures and `<short-des>` is a brief description of the weather condition: partly cloudy, sunny and windy ...

6.1.4 Inside

Once we have created the front page we should include all articles inside our magazine. `xepersian-magazine` arranges all articles one after each other, expanding headings all over the page and splitting the article text in the number of columns we wish. There are three different environments to define a piece of article: the `article` environment described in [subsubsection 6.1.5](#), the `editorial` environment [subsubsection 6.1.6](#) for opinion articles and the `shortarticle` environment explained in [subsubsection 6.1.7](#).

6.1.5 The article environment

The main environment to include a piece of article is called `article`. It takes four arguments that set up the headings and structure of the article.

```
\begin{article}{<num-of-columns>}{<title>}{<subtitle>} {<pagesof>}{<label>}  
...<text>...  
\end{article}
```

The first argument `<num-of-columns>` sets the number of columns the article will be divided whereas `<label>` is used when pointing an article from the index in the front page. The rest of the arguments are easy to understand.

Inside the `article` environment, besides the main text of the article, it is possible to include additional information using several class commands.



```
\authorandplace \timestamp
```

The `\authorandplace{<author>}{<place>}` inserts the name of the editor and the place where the article happened in the way many magazines do. Another useful command is `\timestamp{<time>}` which includes the time and a separator just before the text. These two commands should be used before the text because they type the text as the same place they are executed.

```
\image
```

To include images within the text of an article, `xepersian-magazine` provides an `\image` command. Since `multicol` package does not provide any float support for its `multicols` environment, I created a macro that includes an image only if that is possible, calculating if there is enough space for the image. It is not the best solution but it works quite well and I could not find a better one. To include an image use the command and its two arguments: the relative path to the image and a short description.

```
\image{<image>}{<description>}
```

```
\columntitle \expandedtitle
```

Within the text of the article, it is possible to add column and expanded titles. The main difference between them is that the first one keeps inside the width of an article column whereas the second expands all over the width of the page, breaking all the columns. Their use is analogous, as follows

```
\columntitle{<type>}{<text>}\expandedtitle{<type>}{<text>}
```

These two commands use `fancybox` package features. That is why there are five different types of titles which correspond mainly with `fancybox` ones: `shadowbox`, `doublebox`, `ovalbox`, `Ovalbox` and `lines`.

6.1.6 The editorial environment

In addition to the editorial article environment, one can use the editorial environment to create editorial or opinion texts. The main feature is that it transforms the style of the heading. Although this environment accepts all the commands article takes, it does not make any sense to use the `\authorandplace` command within it since it includes an author argument. To create an editorial text use



```
\begin{editorial}{<num-of-columns>}{<title>}{<author>}{<label>}  
...<text>...  
\end{editorial}
```

All arguments have the same meaning as article environment (see [subsubsection 6.1.5](#)).

6.1.7 The shortarticle environment

The shortarticle environment creates a block of short article. Although it has its own title and subtitle, each piece of article within it may have a title. To use it just type:

```
\begin{shortarticle}{<num-of-columns>}{<title>}{<subtitle>}{<label>}  
...<text>...  
\shortarticleitem{<title>}{<text>}  
...  
\end{shortarticle}
```

You can also specify the number of columns of the block like editorial and article environments. To add a piece of article inside the shortarticle use the `\shortarticleitem`, indicating a title and the text of the issue.

6.1.8 Commands between articles

```
\articlesep \newsection
```

There are two commands you can use among the articles inside xepersian-magazine: `\articlesep` and `\newsection`. The first one does not take any parameter and just draws a line between two articles. The second changes the content of `\xepersian@section` to the new `<section name>`. From the point it is used, all articles which follow will be grouped within the new section.

```
\newsection{<section name>}
```

6.1.9 Customization

xepersian-magazine includes many commands which can be used to customize its aspect, from the front page to the last page. I will list them grouped so it is easy to find them. Treat them as standard L^AT_EX commands, using `\renewcommand` to change their behaviour.



6.1.10 Front Page

```
\customlogo \customminilogo \custommagazinename
```

When creating a magazine, everyone wants to show its own logo instead of xepersian-magazine default heading. To achieve this, you need to put the following command at the preamble of your document:

```
\customlogo{\text}  
\customminilogo{\text}  
\custommagazinename{\text}
```

```
\edition \editionformat
```

The edition text has to be declared in the preamble of the document. One important thing to know is that \author, \date and \title have no effect inside xepersian-magazine since the magazine date is taken from \today command and the other two are only for the title page (if using \maketitle).

```
\indexFormat \indexEntryFormat \indexEntryPageTxt  
\indexEntryPageFormat \indexEntrySeparator
```

When defining the index in the front page, there are several commands to customize the final index style. \indexFormat sets the format of the title; \indexEntryFormat, the format of each index entry; \indexEntryPageTxt and \indexEntryPageFormat lets you define which is the text that goes with the page number and its format. Finally, xepersian-magazine creates a thin line between index entries, you can redefine it using \indexEntrySeparator. To get the index with \xepersian@indexwidth is provided.

```
\weatherFormat \weatherTempFormat \weatherUnits
```

Relating to the weather block, the title format can be changed redefining \weatherFormat. In order to customize the format of the temperature numbers and their units it is necessary to redefine \weatherTempFormat and \weatherUnits respectively.

```
\*TitleFormat \*SubtitleFormat \*TextFormat
```

The main article that appear in the front page can change their formats. To obtain that there are three standard commands to modify the title, subtitle and text style. You just have to replace the star (*) with first, second or third depending on which article you are editing. Note that first piece of article has no subtitle therefore it does not make any sense to use the non-existent command \firstSubtitleFormat.



```
\pictureCaptionFormat \pagesFormat
```

Two other elements to configure are the picture captions and the pages or section format in the entire document. To proceed just redefine the macros `\pictureCaptionFormat` and `\pagesFormat`.

6.1.11 Inside The Magazine

```
\innerTitleFormat \innerSubtitleFormat \innerAuthorFormat  
\innerPlaceFormat
```

The articles inside `xepersian-magazine` may have a different format from the ones in the front page. To change their title or subtitle format redefine `\innerTitleFormat` and `\innerSubtitleFormat`. The article text format matches the document general definition. When using the `\authorandplace` command, you might want to change the default style. Just renew `\innerAuthorFormat` and `\innerPlaceFormat` to get the results.

```
\timestampTxt \timestampSeparator \timestampFormat
```

The `\timestamp` command described in [subsubsection 6.1.5](#) lets you introduce the time of the event before the article text. You can configure its appearance by altering several commands: `\timestampTxt` which means the text after the timestamp; `\timestampSeparator` which defines the element between the actual timestamp and the beginning of the text and, finally, `\timestampFormat` to change the entire timestamp format.

```
\innerTextFinalMark
```

`xepersian-magazine` puts a small black square at the end of the article. As I wanted to create a highly customizable `LATEX` class I added the macro `\innerTextFinalMark` to change this black square. This item will appear always following the last character of the text with the `\text{`}` character.

```
\minraggedcols \raggedFormat
```

The `\minraggedcols` counter is used to tell `xepersian-magazine` when article text should be ragged instead of justified. The counter represents the minimum number of columns that are needed in order to use ragged texts. For example, if `\minraggedcols` is set to `3`, all articles with `3` columns or more will be ragged. Articles with `1`, `2` columns will have justified text. By default, `\minraggedcols` is set to `4`.

The `\raggedFormat` macro can be redefined to fit user ragged style. Default value is `\RaggedLeft`.



```
\heading \foot
```

xepersian-magazine includes package fancyhdr for changing headings and footers. Although it is possible to use its own commands to modify xepersian-magazine style, there are two commands to change headings and foot appearance. Place them in the preamble of your xepersian-magazine document.

```
\heading{\left}{\center}{\right}  
\foot{\left}{\center}{\right}
```

If you still prefer to use fancyhdr macros, use them after the `frontpage` environment. xepersian-magazine by default places no headers and footers. If you want headers and footers, then after loading xepersian package, you should write `\pagestyle{fancy}` at the preamble of your document.

6.1.12 Class Options

The xepersian-magazine class is in itself an alteration of the standard article class, thus it inherits most of its class options but `twoside`, `twocolumn`, `notitlepage` and `a4paper`. If you find problems when loading other article features, please let me know to fix it. There are also five own options that xepersian-magazine implements.

a3paper (false) This option makes xepersian-magazine 297 mm width by 420 mm height. This option is implemented because the standard article class does not allow this document size.

9pt (false) Allows the 9pt font size that article class does not include (default is 10pt).

columnlines columnlines (false) Adds lines between columns in the entire xepersian-magazine. The default line width is 0.1pt but it is possible to change this by setting length `\columnlines` in the preamble.

showgrid (false) This option is only for developing purposes. Because the front page has a personal design using the textpos package, I created this grid to make easier the lay out.

6.2 Typesetting Multiple-choice Questions

6.2.1 Introduction

xepersian-multiplechoice is a package for making multiple choices questionnaires under L^AT_EX. A special environment allows you to define questions and possible answers. You can specify which answers are correct and which are not. xepersian-multiplechoice not only formats the questions for you, but also generates a "form" (a grid that your students will have to fill in), and a "mask" (the same grid, only with correct answers properly checked in). You can then print the mask on a slide and correct the questionnaires more easily by superimposing the mask on top of students' forms.



6.2.2 Usage

Here we now explain the usage of this package, however there are four example files, namely `test-question-only.tex`, `test-solution-form.tex`, `test-empty-form.tex` and `test-correction.tex`, available in doc folder that you may want to look at.

6.2.3 Loading The Package

You can load the package as usual by:

```
\usepackage [Options] {xepersian-multiplechoice}
```

The available options are described along the text, where appropriate.

6.2.4 Creating Questions

Here's a simple example demonstrating how to produce a new question:

```
1 \begin{question}{سؤال}
2   جواب ١
3   \true ٢
4   \false ٣
5   \false ٤
6 \end{question}
7 \begin{correction}
8   جواب واقعی و علت اینکه این جواب، جواب واقعی هست
9 \end{correction}
```

6.2.5 The question Environment

The `question` environment allows you to insert questions into your document. It takes one mandatory argument which specifies the actual question's text. The question will be displayed in a frame box, the size of the line.

```
\true \false
```

The proposed answers are displayed below the question in a list fashion (the question environment is a list-based one). Instead of using `\item` however, use either `\true` or `\false` to insert a possible answer.

6.2.6 Question Numbers

The `question` environment is associated with a L^AT_EX counter named `question`. This counter stores the number of the next (or current) question. It is initialized to 1, and automatically incremented at the end of `question` environments. You might want to use it to format question titles. For instance, you could decide that each question belongs to a subsection in the `article` class, and use something like this before each question: `\subsection*{Question \thequestion}`



6.2.7 The Form and the Mask

```
\makeform \makemask
```

Based on the questions appearing in your document, `xepersian-multiplechoice` has the ability to generate a “form” (a grid that your students will have to fill in), and a “mask” (the same grid, only with correct answers properly checked in). This can make the correction process easier.

To generate a form and a mask, use the macros `\makeform` and `\makemask`. `xepersian-multiplechoice` uses two auxiliary files to build them. These files have respectively an extension of `frm` and `msk`. If you use these macros, you will need two passes of `LATEX` in order to get a correctly formatted document.

6.2.8 Typesetting corrections

The “correction” mode allows you to automatically typeset and distribute corrections to your students. These corrections are slightly modified versions of your questionnaire: each possible answer is prefixed with a small symbol (a visual clue) indicating whether the answer was correct or wrong. In addition, you can typeset explanations below each question.

To activate the correction mode, use the `correction` option. It is off by default.

To typeset explanations below the questions, use the `correction` environment (no argument). The contents of this environment is displayed only in correction mode. In normal mode, it is simply discarded.

In addition, note that `xepersian-multiplechoice` cancels the actions performed by `\makeform` and `\makemask` in correction mode. This is to avoid further edition of the source when typesetting a correction.

6.2.9 Important Note

Currently, `xepersian-multiplechoice` requires that you provide a constant number of proposed answers across all questions in your `xepersian-multiplechoice`. This is something natural when you want to build forms, but this might me too restrictive otherwise, I’m not sure, so it is possible that this restriction will be removed in future versions.

Currently, there is a built-in mechanism for checking that the number of proposed answers remains constant: when `xepersian-multiplechoice` encounters the first occurrence of the `question` environment, it remembers the number of proposed answers from there. Afterwards, any noticed difference in subsequent occurrences will generate an error. As a consequence, you never have to tell `xepersian-multiplechoice` explicitly what that number is.

6.3 Customising The Package



6.3.1 The question environment

```
\questionspace \answerstitlefont \answernumberfont
```

\questionspace is the amount of extra vertical space to put under the question, before the list of proposed answers. This is a \LaTeX length that defaults to 0pt. Before the list of possible answers, a short title is displayed (for English, it reads "Possible answers:"). The \answerstitlefont macro takes one mandatory argument which redefines the font to use for the answers title. By default, \bfseries is used. Each proposed answer in the list is numbered automatically (and alphabetically). The \answernumberfont macro takes one mandatory argument which redefines the font to use for displaying the answer number. By default, \bfseries is used.

6.3.2 The Form and the Mask

```
\headerfont \X
```

The \headerfont macro takes one mandatory argument which redefines the font to use for the headers (first line and first column) of the form and mask arrays. By default, \bfseries is used.

In the mask, correct answers are checked in by filling the corresponding cell with an "X" character. If you want to change this, call the \X macro with one (mandatory) argument.

6.3.3 The correction

```
\truesymbol \falsesymbol
```

In correction mode, labels in front of answers are modified to give a visual clue about whether the answer was correct or wrong. By default, a cross and a small arrow are used. You can change these symbols by using the \truesymbol and \falsesymbol macros. For instance, you could give a fancier look to your correction by using the pifont package and issuing:

```
\truesymbol{\ding{'063}~}  
\falsesymbol{\ding{'067}~}
```

```
\correctionstyle
```

The appearance of the contents of the correction environment can be adjusted by using the \correctionstyle macro. By default, \itshape is used.

7 xepersian implementation

7.1 algorithmic-xepersian.def



```
1 \ProvidesFile{algorithmic-xepersian.def}[2010/07/25 v0.2 adaptations for algorithmic package]
2 \def\algorithmicrequire{\if@RTL\textbf{:}\else\textbf{Require:}\fi}
3 \def\algorithmicensure{\if@RTL\textbf{:}\else\textbf{Ensure:}\fi}
```

7.2 algorithm-xepersian.def

```
4 \ProvidesFile{algorithm-xepersian.def}[2010/07/25 v0.2 adaptations for algorithm package]
5 \def\ALG@name{\if@RTL else\Algorithm\fi}
6 \def\ALGS@name{ }
7 \def\listalgorithmname{\if@RTL \ALGS@name\else List of \ALG@name s\fi}
```

7.3 amsart-xepersian.def

```
8 \ProvidesFile{amsart-xepersian.def}[2017/02/04 v0.4 adaptations for amsart class]
9 \renewcommand \thepart {\@startibi\c@part}
10 \def\appendix{\par\c@section\z@\c@subsection\z@
11   \let\sectionname\appendixname
12   \def\thesection{\@harfi\c@section}}
13 }
```

7.4 amsbook-xepersian.def

```
14 \ProvidesFile{amsbook-xepersian.def}[2017/02/04 v0.5 adaptations for amsbook class]
15 \def\frontmatter{\cleardoublepage\pagenumbering{harfi}}
16 \renewcommand \thepart {\@startibi\c@part}
17 \def\appendix{\par
18   \c@chapter\z@\c@section\z@
19   \let\chaptername\appendixname
20   \def\thechapter{\@harfi\c@chapter}}
21
22 }
```

7.5 appendix-xepersian.def

```
23 \ProvidesFile{appendix-xepersian.def}[2015/02/01 v0.1 adaptations for appendix package]
24 \renewcommand{\@resets@pp}{\par
25   \@ppsavesec
26   \stepcounter{@pps}
27   \setcounter{section}{0}%
28   \if@chapter@pp
29     \setcounter{chapter}{0}%
30     \renewcommand{\chapapp}{\appendixname}%
31     \renewcommand{\thechapter}{\@harfi\c@chapter}%
32   \else
33     \setcounter{subsection}{0}%
34     \renewcommand{\thesection}{\@harfi\c@section}%
35   \fi
36   \restoreapp
37 }
```

7.6 article-xepersian.def

```
38 \ProvidesFile{article-xepersian.def}[2010/07/25 v0.2 adaptations for standard article class]
```



```

39 \renewcommand \thepart {\@tartibi\c@part}
40 \renewcommand\appendix{\par
41   \setcounter{section}{0}%
42   \setcounter{subsection}{0}%
43 \gdef\thesection{\@harfi\c@section}}

```

7.7 artikel1-xepersian.def

```

44 \ProvidesFile{artikel1-xepersian.def}[2010/07/25 v0.1 adaptations for artikel1 class]
45 \renewcommand*\thepart{\@tartibi\c@part}
46 \renewcommand*\appendix{\par
47   \setcounter{section}{0}%
48   \setcounter{subsection}{0}%
49 \gdef\thesection{\@harfi\c@section}}

```

7.8 artikel2-xepersian.def

```

50 \ProvidesFile{artikel2-xepersian.def}[2010/07/25 v0.1 adaptations for artikel2 class]
51 \renewcommand*\thepart{\@tartibi\c@part}
52 \renewcommand*\appendix{\par
53   \setcounter{section}{0}%
54   \setcounter{subsection}{0}%
55 \gdef\thesection{\@harfi\c@section}}

```

7.9 artikel3-xepersian.def

```

56 \ProvidesFile{artikel3-xepersian.def}[2010/07/25 v0.1 adaptations for artikel3 class]
57 \renewcommand*\thepart{\@tartibi\c@part}
58 \renewcommand*\appendix{\par
59   \setcounter{section}{0}%
60   \setcounter{subsection}{0}%
61 \gdef\thesection{\@harfi\c@section}}

```

7.10 backref-xepersian.def

```

62 \ProvidesFile{backref-xepersian.def}[2010/07/25 v0.1 adaptations for backref package]
63 \def\backrefpagesname{\if@RTL else\ pages\fi}
64 \def\BR@Latincitex[#1]#2{%
65   \BRorg@Latincitex[\{#1\}]\{#2\}%
66   \ifBR@verbose
67     \PackageInfo{backref}{back Latin cite `string`\#2`string'}%
68   \fi
69   \Hy@backout{\#2}%
70 }
71 \AtBeginDocument{%
72   \@ifundefined{NAT@parse}{%
73     \global\let\BRorg@Latincitex\@Latincitex
74     \global\let\@Latincitex\BR@Latincitex
75   }{%
76     \@ifpackageloaded{hyperref}{%
77       \def\hyper@natlinkstart#1{\Hy@backout{\#1}}%
78     }%
79     \PackageInfo{backref}{** backref set up for natbib **}%

```



```
80  }%
81 }%
```

7.11 bidituftesidenote-xepersian.def

```
82 \ProvidesFile{bidituftesidenote-xepersian.def}[2017/02/04 v0.3 xepersian changes to biditufte
83
84 \setLTRcitationfont{\resetlatinfont\footnotesize}
85
86 \renewcommand*{\@bidituftesidenote@LTRmarginfont}{\resetlatinfont\footnotesize}
87
88 \renewcommand*{\@bidituftesidenote@RTLmarginfont}{\setpersianfont\footnotesize}
89
90
```

7.12 bidimoderncv-xepersian.def

```
91 \ProvidesFile{bidimoderncv-xepersian.def}[2010/07/25 v0.1 adaptations for bidimoderncv class]
92 \def\refname{\if@RTL else\ Publications\fi}
```

7.13 boek3-xepersian.def

```
93 \ProvidesFile{boek3-xepersian.def}[2010/07/25 v0.1 adaptations for boek3 class]
94 \renewcommand*\thepart{\@tartibi\c@part}
95 \renewcommand*\frontmatter{%
96   \cleardoublepage
97   \atmainmatterfalse
98   \pagenumbering{harfi}}
99 \renewcommand*\appendix{\par
100  \setcounter{chapter}{0}%
101  \setcounter{section}{0}%
102  \gdef\@chapapp{\appendixname}%
103  \gdef\thechapter{\@harfi\c@chapter}}
```

7.14 boek-xepersian.def

```
104 \ProvidesFile{boek-xepersian.def}[2010/07/25 v0.1 adaptations for boek class]
105 \renewcommand*\thepart{\@tartibi\c@part}
106 \renewcommand*\frontmatter{%
107   \cleardoublepage
108   \atmainmatterfalse
109   \pagenumbering{harfi}}
110 \renewcommand*\appendix{\par
111  \setcounter{chapter}{0}%
112  \setcounter{section}{0}%
113  \gdef\@chapapp{\appendixname}%
114  \gdef\thechapter{\@harfi\c@chapter}}
```

7.15 bookest-xepersian.def

```
115 \ProvidesFile{bookest-xepersian.def}[2010/07/25 v0.1 adaptations for bookest class]
116 \renewcommand \thepart {\@tartibi\c@part}
117 \renewcommand\appendix{\par
```



```

118 \setcounter{chapter}{0}%
119 \setcounter{section}{0}%
120 \gdef\@chapapp{\appendixname}%
121 \gdef\thechapter{\@arabic\c@chapter}%
122 }%end appendix

```

7.16 book-xepersian.def

```

123 \ProvidesFile{book-xepersian.def}[2010/07/25 v0.2 adaptations for standard book class]
124 \renewcommand\frontmatter{%
125   \cleardoublepage
126   \@mainmatterfalse
127   \pagenumbering{harfi}}
128 \renewcommand\thepart{\@arabic\c@part}
129 \renewcommand\appendix{\par
130   \setcounter{chapter}{0}%
131   \setcounter{section}{0}%
132   \gdef\@chapapp{\appendixname}%
133   \gdef\thechapter{\@arabic\c@chapter}%
134 }%end appendix

```

7.17 breqn-xepersian.def

```

135 \ProvidesFile{breqn-xepersian.def}[2010/07/25 v0.1 adaptations for breqn package]
136 \def@\dmath[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
137   \everydisplay\expandafter{\the\everydisplay \display@setup}%
138   \if@noskipsec \leavevmode \fi
139   \if@inlabel \leavevmode \global\@inlabelfalse \fi
140   \if\eq@group\else\eq@prelim\fi
141   \setkeys{breqn}{#1}%
142   \the\eqstyle
143   \eq@setnumber
144   \begingroup
145   \eq@setup@a
146   \eq@startup
147 }
148 \def@\dgroup[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
149   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
150   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
151   \global\let\GRP@label\empty
152   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
153   \global\grp@linewidth\z@\global\grp@wdNum\z@
154   \global\let\grp@eqs@numbered\@False
155   \global\let\grp@aligned\@True
156   \global\let\grp@shiftnumber\@False
157   \eq@prelim
158   \setkeys{breqn}{#1}%
159   \if\grp@hasNumber \grp@setnumber \fi
160 }
161 \def@\dseries[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
162   \let\display@setup\dseries@display@setup

```



```

163 % Question: should this be the default for dseries???
164 \global\eq@wdCond\z@
165 \@dmath[layout={M},#1]%
166 \mathsurround\z@\@@math \penalty\@Mi
167 \let\endmath\ends@math
168 \def\premath{%
169   \ifdim\lastskip<.3em \unskip
170   \else\ifnum\lastpenalty<\@M \dquad\fi\fi
171 }%
172 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
173 \ignorespaces
174 }

```

7.18 latex-localise-commands-xepersian.def

```

175 \ProvidesFile{latex-localise-commands-xepersian.def}[2014/02/05 v0.3 Persian localisation of L
176 \eqcommand{ }{@arstrut}
177 \eqcommand{ }{@above}
178 \eqcommand{ }{@abovedisplayshortskip}
179 \eqcommand{ }{@abovedisplayskip}
180 \eqcommand{ }{@abstractname}
181 \eqcommand{ }{@accent}
182 \eqcommand{ }{@active}
183 \eqcommand{ }{@addcontentsline}
184 \eqcommand{ }{@addpenalty}
185 \eqcommand{ }{@address}
186 \eqcommand{ }{@addtocontents}
187 \eqcommand{ }{@addtocounter}
188 \eqcommand{ }{@addtolength}
189 \eqcommand{ }{@addvspace}
190 \eqcommand{ }{@adjdemerits}
191 \eqcommand{ }{@advance}
192 \eqcommand{ }{@afterassignment}
193 \eqcommand{ }{@aftergroup}
194 \eqcommand{ }{@aleph}
195 \eqcommand{ }{@aliasfontfeature}
196 \eqcommand{ }{@aliasfontfeatureoption}
197 \eqcommand{ }{@allowbreak}
198 \eqcommand{ }{@alloc@}
199 \eqcommand{ }{@allocationnumber}
200 \eqcommand{ }{@allowdisplaybreaks}
201 \eqcommand{ }{@Alph}
202 \eqcommand{ }{@alph}
203 \eqcommand{ }{@alsoname}
204 \eqcommand{ }{@and}
205 \eqcommand{ }{@angle}
206 \eqcommand{ }{@appendixname}
207 \eqcommand{ }{@approx}
208 \eqcommand{ }{@arabic}
209 \eqcommand{ }{@arg}

```



```

210 \eqcommand{ }{arrayrulecolor}
211 \eqcommand{ }{arraycolsep}
212 \eqcommand{ }{arrayrulewidth}
213 \eqcommand{ }{arraystretch}
214 \eqcommand{ }{AtBeginDocument}
215 \eqcommand{ }{AtEndDocument}
216 \eqcommand{ }{AtEndOfClass}
217 \eqcommand{ }{AtEndOfPackage}
218 \eqcommand{ }{author}
219 \eqcommand{ }{backmatter}
220 \eqcommand{ }{backslash}
221 \eqcommand{ }{badness}
222 \eqcommand{ }{bar}
223 \eqcommand{ }{baselineskip}
224 \eqcommand{ }{baselinestretch}
225 \eqcommand{ }{batchmode}
226 \eqcommand{ }{begin}
227 \eqcommand{ }{beginL}
228 \eqcommand{ }{beginR}
229 \eqcommand{ }{begingroup}
230 \eqcommand{ }{belowdisplayshortskip}
231 \eqcommand{ }{belowdisplayskip}
232 \eqcommand{ }{bf}
233 \eqcommand{ }{bfdefault}
234 \eqcommand{ }{bfseries}
235 \eqcommand{ }{bgroup}
236 \eqcommand{ }{bibitem}
237 \eqcommand{ }{bibliography}
238 \eqcommand{ }{bibliographystyle}
239 \eqcommand{ }{bibname}
240 \eqcommand{ }{bigskip}
241 \eqcommand{ }{bigskipamount}
242 \eqcommand{ }{botfigrule}
243 \eqcommand{ }{botmark}
244 \eqcommand{ }{bottompageskip}
245 \eqcommand{ }{bottomfraction}
246 \eqcommand{ }{box}
247 \eqcommand{ }{boxmaxdepth}
248 \eqcommand{ }{break}
249 \eqcommand{ }{bullet}
250 \eqcommand{ @ }{@cclv}
251 \eqcommand{ @ }{@cclvi}
252 \eqcommand{ }{caption}
253 \eqcommand{ }{catcode}
254 \eqcommand{ }{cc}
255 \eqcommand{ }{ccname}
256 \eqcommand{ }{cdot}
257 \eqcommand{ }{cdots}
258 \eqcommand{ }{centering}
259 \eqcommand{ }{centerline}

```



```

260 \eqcommand{ @ }{ch@ck}
261 \eqcommand{ }{chapter}
262 \eqcommand{ }{chaptername}
263 \eqcommand{ }{char}
264 \eqcommand{ }{chardef}
265 \eqcommand{ }{CheckCommand}
266 \eqcommand{ }{cite}
267 \eqcommand{ }{ClassError}
268 \eqcommand{ }{ClassInfo}
269 \eqcommand{ }{ClassWarning}
270 \eqcommand{ }{ClassWarningNoLine}
271 \eqcommand{ }{cleaders}
272 \eqcommand{ }{cleardoublepage}
273 \eqcommand{ }{clearpage}
274 \eqcommand{ }{cline}
275 \eqcommand{ }{closein}
276 \eqcommand{ }{closeout}
277 \eqcommand{ }{closing}
278 \eqcommand{ }{clubpenalty}
279 \eqcommand{ }{clubsuit}
280 \eqcommand{ }{colbotmark}
281 \eqcommand{ }{colfirstmark}
282 \eqcommand{ }{color}
283 \eqcommand{ }{colorbox}
284 \eqcommand{ }{coltopmark}
285 \eqcommand{ }{columncolor}
286 \eqcommand{ }{columnsep}
287 \eqcommand{ }{columnwidth}
288 \eqcommand{ }{columnseprule}
289 \eqcommand{ }{contentsline}
290 \eqcommand{ }{contentsname}
291 \eqcommand{ }{copy}
292 \eqcommand{ }{copyright}
293 \eqcommand{ }{count}
294 \eqcommand{ @}{count@}
295 \eqcommand{ }{countdef}
296 \eqcommand{ }{cr}
297 \eqcommand{ }{crcr}
298 \eqcommand{ }{csname}
299 \eqcommand{ }{CurrentOption}
300 \eqcommand{ }{dashbox}
301 \eqcommand{ }{dashv}
302 \eqcommand{@ }{@date}
303 \eqcommand{ }{date}
304 \eqcommand{ }{day}
305 \eqcommand{ }{dblbotfigrule}
306 \eqcommand{ }{dblbottomfraction}
307 \eqcommand{ }{dblfigrule}
308 \eqcommand{ }{dblfloatpagefraction}
309 \eqcommand{ }{dblfloatsep}

```



```

310 \eqcommand{      }{dblfnntlocatecode}
311 \eqcommand{      }{dbltextfloatsep}
312 \eqcommand{      }{dbltopfraction}
313 \eqcommand{      }{DeclareFixedFont}
314 \eqcommand{      }{DeclareGraphicsExtensions}
315 \eqcommand{      }{DeclareGraphicsRule}
316 \eqcommand{      }{DeclareOldFontCommand}
317 \eqcommand{      }{DeclareOption}
318 \eqcommand{      }{DeclareRobustCommand}
319 \eqcommand{      }{DeclareSymbolFont}
320 \eqcommand{      }{deadcycles}
321 \eqcommand{ }{def}
322 \eqcommand{ @ }{define@key}
323 \eqcommand{      }{definecolor}
324 \eqcommand{      }{deg}
325 \eqcommand{      }{delcode}
326 \eqcommand{      }{delimiter}
327 \eqcommand{      }{delimiterfactor}
328 \eqcommand{      }{depth}
329 \eqcommand{      }{diamondsuit}
330 \eqcommand{      }{dim}
331 \eqcommand{      }{dimen}
332 \eqcommand{ @ }{dimen@}
333 \eqcommand{ @ }{dimen@i}
334 \eqcommand{ @ }{dimen@ii}
335 \eqcommand{      }{dimendef}
336 \eqcommand{      }{discretionary}
337 \eqcommand{      }{displaybreak}
338 \eqcommand{      }{displayindent}
339 \eqcommand{      }{displaystyle}
340 \eqcommand{      }{displaywidth}
341 \eqcommand{      }{divide}
342 \eqcommand{      }{documentclass}
343 \eqcommand{ }{do}
344 \eqcommand{      }{dospecials}
345 \eqcommand{      }{dot}
346 \eqcommand{      }{doteq}
347 \eqcommand{      }{dotfill}
348 \eqcommand{      }{dots}
349 \eqcommand{      }{doublebox}
350 \eqcommand{      }{doublerulesepcolor}
351 \eqcommand{      }{doublerulesep}
352 \eqcommand{      }{downarrow}
353 \eqcommand{      }{dp}
354 \eqcommand{      }{dump}
355 \eqcommand{      }{edef}
356 \eqcommand{      }{egroup}
357 \eqcommand{      }{eject}
358 \eqcommand{      }{else}
359 \eqcommand{      }{em}

```



```

360 \eqcommand{ }{emergencystretch}
361 \eqcommand{ }{emph}
362 \eqcommand{@ }{@empty}
363 \eqcommand{ }{empty}
364 \eqcommand{ }{emptyset}
365 \eqcommand{ }{end}
366 \eqcommand{ }{endL}
367 \eqcommand{ }{endR}
368 \eqcommand{ }{endcsname}
369 \eqcommand{ }{endfirsthead}
370 \eqcommand{ }{endfoot}
371 \eqcommand{ }{endgraf}
372 \eqcommand{ }{endgroup}
373 \eqcommand{ }{endhead}
374 \eqcommand{ }{endinput}
375 \eqcommand{ }{endlastfoot}
376 \eqcommand{ }{enlargethispage}
377 \eqcommand{ }{endline}
378 \eqcommand{ }{endlinechar}
379 \eqcommand{ }{enspace}
380 \eqcommand{ }{enskip}
381 \eqcommand{ }{eqcommand}
382 \eqcommand{ }{eqenvironment}
383 \eqcommand{ }{eqref}
384 \eqcommand{ }{errhelp}
385 \eqcommand{ }{errmessage}
386 \eqcommand{ }{errorcontextlines}
387 \eqcommand{ }{errorstopmode}
388 \eqcommand{ }{escapechar}
389 \eqcommand{ }{euro}
390 \eqcommand{ }{evensidemargin}
391 \eqcommand{ }{everycr}
392 \eqcommand{ }{everydisplay}
393 \eqcommand{ }{everyhbox}
394 \eqcommand{ }{everyjob}
395 \eqcommand{ }{everymath}
396 \eqcommand{ }{everypar}
397 \eqcommand{ }{everyvbox}
398 \eqcommand{ }{ExecuteOptions}
399 \eqcommand{ }{exhyphenpenalty}
400 \eqcommand{ }{expandafter}
401 \eqcommand{ }{extracolsep}
402 \eqcommand{@ }{@firstofone}
403 \eqcommand{@ }{@firstoftwo}
404 \eqcommand{ @ }{fcur}
405 \eqcommand{ }{fam}
406 \eqcommand{ }{fancypage}
407 \eqcommand{ }{fbox}
408 \eqcommand{ }{fboxrule}
409 \eqcommand{ }{fboxsep}

```



```

410 \eqcommand{ }{fcolorbox}
411 \eqcommand{ }{fi}
412 \eqcommand{ }{figurename}
413 \eqcommand{ }{filbreak}
414 \eqcommand{ }{fill}
415 \eqcommand{ }{firstmark}
416 \eqcommand{ }{flat}
417 \eqcommand{ }{floatpagefraction}
418 \eqcommand{ }{floatingpenalty}
419 \eqcommand{ }{floatsep}
420 \eqcommand{ }{flushbottom}
421 \eqcommand{ }{fmtname}
422 \eqcommand{ }{fmtversion}
423 \eqcommand{ }{fnssymbol}
424 \eqcommand{ }{font}
425 \eqcommand{ }{fontdimen}
426 \eqcommand{ }{fontencoding}
427 \eqcommand{ }{fontfamily}
428 \eqcommand{ }{fontname}
429 \eqcommand{ }{fontseries}
430 \eqcommand{ }{fontshape}
431 \eqcommand{ }{fontsize}
432 \eqcommand{ }{footheight}
433 \eqcommand{ }{footins}
434 \eqcommand{ }{footnote}
435 \eqcommand{ }{footnotemark}
436 \eqcommand{ }{footnoterule}
437 \eqcommand{ }{footnotesep}
438 \eqcommand{ }{footnotesize}
439 \eqcommand{ }{footnotetext}
440 \eqcommand{ }{footskip}
441 \eqcommand{ }{frame}
442 \eqcommand{ }{framebox}
443 \eqcommand{ }{frenchspacing}
444 \eqcommand{ }{frontmatter}
445 \eqcommand{ }{futurelet}
446 \eqcommand{@ }{@gobble}
447 \eqcommand{@ }{@gobbletwo}
448 \eqcommand{@ }{@gobblefour}
449 \eqcommand{@ }{@gtmpa}
450 \eqcommand{@ }{@gtmpb}
451 \eqcommand{ }{gdef}
452 \eqcommand{ }{GenericInfo}
453 \eqcommand{ }{GenericWarning}
454 \eqcommand{ }{GenericError}
455 \eqcommand{ }{global}
456 \eqcommand{ }{globaldefs}
457 \eqcommand{ }{glossary}
458 \eqcommand{ }{glossaryentry}
459 \eqcommand{ }{goodbreak}

```



```

460 \eqcommand{ }{graphpaper}
461 \eqcommand{ }{guillemotleft}
462 \eqcommand{ }{guillemotright}
463 \eqcommand{ }{guilsinglleft}
464 \eqcommand{ }{guilsinglright}
465 \eqcommand{ }{halign}
466 \eqcommand{ }{hang}
467 \eqcommand{ }{hangafter}
468 \eqcommand{ }{hangindent}
469 \eqcommand{ }{hbadness}
470 \eqcommand{ }{hbox}
471 \eqcommand{ }{headheight}
472 \eqcommand{ }{headsep}
473 \eqcommand{ }{headtoname}
474 \eqcommand{ }{heartsuit}
475 \eqcommand{ }{height}
476 \eqcommand{ }{hfil}
477 \eqcommand{ }{hfill}
478 \eqcommand{ }{hfilneg}
479 \eqcommand{ }{hfuzz}
480 \eqcommand{ }{hideskip}
481 \eqcommand{ }{hidewidth}
482 \bidi@csletcs{ }{hline}% this is an exception
483 \eqcommand{ }{hoffset}
484 \eqcommand{ }{holdinginserts}
485 \eqcommand{ }{hrboxsep}
486 \eqcommand{ }{hrule}
487 \eqcommand{ }{hrulefill}
488 \eqcommand{ }{hsize}
489 \eqcommand{ }{hskip}
490 \eqcommand{ }{hspace}
491 \eqcommand{ }{hss}
492 \eqcommand{ }{ht}
493 \eqcommand{ }{huge}
494 \eqcommand{ }{Huge}
495 \eqcommand{ }{hyperlink}
496 \eqcommand{ }{hypersetup}
497 \eqcommand{ }{hypertarget}
498 \eqcommand{ }{hyphenation}
499 \eqcommand{ }{hyphenchar}
500 \eqcommand{ }{hyphenpenalty}
501 \eqcommand{@ }{@ifclassloaded}
502 \eqcommand{@ }{@ifdefinable}
503 \eqcommand{@ }{@ifnextchar}
504 \eqcommand{@ }{@ifpackageloaded}
505 \eqcommand{@ }{@ifstar}
506 \eqcommand{@ }{@ifundefined}
507 \eqcommand{ }{if}
508 \eqcommand{ @ }{@if@tempswa}
509 \eqcommand{ }{ifcase}

```



```

510 \eqcommand{ }{ifcat}
511 \eqcommand{ }{ifdefined}
512 \eqcommand{ }{ifdim}
513 \eqcommand{ }{ifeof}
514 \eqcommand{ }{iff}
515 \eqcommand{ }{iffalse}
516 \eqcommand{ }{IfFileExists}
517 \eqcommand{ }{ifhbox}
518 \eqcommand{ }{ifhmode}
519 \eqcommand{ }{ifinner}
520 \eqcommand{ }{ifmmode}
521 \eqcommand{ }{ifnum}
522 \eqcommand{ }{ifodd}
523 \eqcommand{ }{ifthenelse}
524 \eqcommand{ }{iftrue}
525 \eqcommand{ }{ifvbox}
526 \eqcommand{ }{ifvmode}
527 \eqcommand{ }{ifvoid}
528 \eqcommand{ }{ifx}
529 \eqcommand{ }{ignorespaces}
530 \eqcommand{ }{immediate}
531 \eqcommand{ }{include}
532 \eqcommand{ }{includegraphics}
533 \eqcommand{ }{includeonly}
534 \eqcommand{ }{indent}
535 \eqcommand{ }{index}
536 \eqcommand{ }{indexentry}
537 \eqcommand{ }{indexname}
538 \eqcommand{ }{indexspace}
539 \eqcommand{ }{input}
540 \eqcommand{ }{InputIfExists}
541 \eqcommand{ }{inputlineno}
542 \eqcommand{ }{insert}
543 \eqcommand{ }{insertpenalties}
544 \eqcommand{ }{interfootnotelinepenalty}
545 \eqcommand{ }{interdisplaylinepenalty}
546 \eqcommand{ }{interlinepenalty}
547 \eqcommand{ }{intertext}
548 \eqcommand{ }{intertextsep}
549 \eqcommand{ }{invisible}
550 \eqcommand{ }{itdefault}
551 \eqcommand{ }{itshape}
552 \eqcommand{ }{item}
553 \eqcommand{ }{itemindent}
554 \eqcommand{ }{itemsep}
555 \eqcommand{ }{iterate}
556 \eqcommand{ }{itshape}
557 \eqcommand{ }{jobname}
558 \eqcommand{ }{jot}
559 \eqcommand{ }{kern}

```



```

560 \eqcommand{ }{kill}
561 \eqcommand{ }{label}
562 \eqcommand{ }{labelenumi}
563 \eqcommand{ }{labelenumii}
564 \eqcommand{ }{labelenumiii}
565 \eqcommand{ }{labelenumiv}
566 \eqcommand{ }{labelitemi}
567 \eqcommand{ }{labelitemii}
568 \eqcommand{ }{labelitemiii}
569 \eqcommand{ }{labelitemiv}
570 \eqcommand{ }{labelsep}
571 \eqcommand{ }{labelwidth}
572 \eqcommand{ }{language}
573 \eqcommand{ }{large}
574 \eqcommand{ }{Large}
575 \eqcommand{ }{LARGE}
576 \eqcommand{ }{lastbox}
577 \eqcommand{ }{lastkern}
578 \eqcommand{ }{lastpenalty}
579 \eqcommand{ }{lastskip}
580 \eqcommand{ }{LaTeX}
581 \eqcommand{ }{LaTeXe}
582 \eqcommand{ }{lccode}
583 \eqcommand{ }{ldots}
584 \eqcommand{ }{leaders}
585 \eqcommand{ }{leavevmode}
586 \eqcommand{ }{left}
587 \eqcommand{ }{leftmargin}
588 \eqcommand{ }{leftmargini}
589 \eqcommand{ }{leftmarginii}
590 \eqcommand{ }{leftmarginiii}
591 \eqcommand{ }{leftmarginiv}
592 \eqcommand{ }{leftmarginv}
593 \eqcommand{ }{leftmarginvi}
594 \eqcommand{ }{leftmark}
595 \eqcommand{ }{leftpageskip}
596 \eqcommand{ }{leftskip}
597 \eqcommand{ }{let}
598 \eqcommand{ }{line}
599 \eqcommand{ }{linebreak}
600 \eqcommand{ }{linepenalty}
601 \eqcommand{ }{lineskip}
602 \eqcommand{ }{lineskiplimit}
603 \eqcommand{ }{linespread}
604 \eqcommand{ }{linethickness}
605 \eqcommand{ }{linewidth}
606 \eqcommand{ }{listfigurename}
607 \eqcommand{ }{listfiles}
608 \eqcommand{ }{listoffigures}
609 \eqcommand{ }{listoftables}

```



```

610 \eqcommand{      }{listparindent}
611 \eqcommand{      }{listtablename}
612 \eqcommand{      }{LoadClass}
613 \eqcommand{      }{LoadClassWithOptions}
614 \eqcommand{  }{location}
615 \eqcommand{  }{long}
616 \eqcommand{  }{looseness}
617 \eqcommand{  }{lower}
618 \eqcommand{@ }{@makeother}
619 \eqcommand{@ }{@m}
620 \eqcommand{ @ }{@M}
621 \eqcommand{ @ }{@Mi}
622 \eqcommand{ @ }{@Mii}
623 \eqcommand{ @ }{@Miii}
624 \eqcommand{ @ }{@Miv}
625 \eqcommand{ @ }{@MM}
626 \eqcommand{ @ }{@one}
627 \eqcommand{      }{mag}
628 \eqcommand{      }{magstep}
629 \eqcommand{      }{magstephalf}
630 \eqcommand{      }{mainmatter}
631 \eqcommand{      }{makeatletter}
632 \eqcommand{      }{makeatother}
633 \eqcommand{      }{makebox}
634 \eqcommand{      }{makeglossary}
635 \eqcommand{      }{makeindex}
636 \eqcommand{      }{makelabel}
637 \eqcommand{      }{makelabels}
638 \eqcommand{      }{MakeLowercase}
639 \eqcommand{      }{maketitle}
640 \eqcommand{      }{MakeUppercase}
641 \eqcommand{      }{marginpar}
642 \eqcommand{      }{marginparpush}
643 \eqcommand{      }{marginparsep}
644 \eqcommand{      }{marginparwidth}
645 \eqcommand{      }{mark}
646 \eqcommand{      }{markboth}
647 \eqcommand{      }{markright}
648 \eqcommand{      }{mathaccent}
649 \eqcommand{      }{mathchar}
650 \eqcommand{      }{mathchardef}
651 \eqcommand{      }{mathcode}
652 \eqcommand{      }{mathrm}
653 \eqcommand{      }{maxdeadcycles}
654 \eqcommand{      }{maxdepth}
655 \eqcommand{      }{maxdimen}
656 \eqcommand{      }{mbox}
657 \eqcommand{      }{mdseries}
658 \eqcommand{      }{meaning}
659 \eqcommand{      }{mediumseries}

```



```

660 \eqcommand{ }{\medmuskip}
661 \eqcommand{ }{\medskip}
662 \eqcommand{ }{\medskipamount}
663 \eqcommand{ }{\medspace}
664 \eqcommand{ }{\message}
665 \eqcommand{ }{\MessageBreak}
666 \eqcommand{ }{\minrowclearance}
667 \eqcommand{ }{\mkern}
668 \eqcommand{ }{\month}
669 \eqcommand{ }{\moveleft}
670 \eqcommand{ }{\moveright}
671 \eqcommand{ }{\mskip}
672 \eqcommand{ @ }{\m@th}
673 \eqcommand{ }{\multicolumn}
674 \eqcommand{ }{\multiply}
675 \eqcommand{ }{\multispan}
676 \eqcommand{ }{\muskip}
677 \eqcommand{ }{\muskipdef}
678 \eqcommand{@ }{\cnamedef}
679 \eqcommand{@ }{\cnameuse}
680 \eqcommand{ @}{\cne}
681 \eqcommand{ }{\name}
682 \eqcommand{ }{\natural}
683 \eqcommand{ }{\nearrow}
684 \eqcommand{ }{\nearrower}
685 \eqcommand{ }{\NeedsTeXFormat}
686 \eqcommand{ }{\neg}
687 \eqcommand{ }{\negmedspace}
688 \eqcommand{ }{\negthickspace}
689 \eqcommand{ }{\negthinspace}
690 \eqcommand{ }{\newboolean}
691 \eqcommand{ }{\newbox}
692 \eqcommand{ }{\newcommand}
693 \eqcommand{ }{\newcount}
694 \eqcommand{ }{\newcounter}
695 \eqcommand{ }{\newdimen}
696 \eqcommand{ }{\newenvironment}
697 \eqcommand{ }{\newfam}
698 \eqcommand{ }{\newfont}
699 \eqcommand{ }{\newhelp}
700 \eqcommand{ }{\newinsert}
701 \eqcommand{ }{\newlabel}
702 \eqcommand{ }{\newlength}
703 \eqcommand{ }{\newline}
704 \eqcommand{ }{\newlinechar}
705 \eqcommand{ }{\newmuskip}
706 \eqcommand{ }{\newpage}
707 \eqcommand{ }{\newread}
708 \eqcommand{ }{\newsavebox}
709 \eqcommand{ }{\newskip}

```



```

710 \eqcommand{ }{newtheorem}
711 \eqcommand{ }{newtoks}
712 \eqcommand{ }{newwrite}
713 \eqcommand{ }{noalign}
714 \eqcommand{ }{nobreak}
715 \eqcommand{ }{nobreakspace}
716 \eqcommand{ }{nocite}
717 \eqcommand{ }{noexpand}
718 \eqcommand{ }{nofiles}
719 \eqcommand{ }{noindent}
720 \eqcommand{ }{nointerlineskip}
721 \eqcommand{ }{nolimits}
722 \eqcommand{ }{nolinebreak}
723 \eqcommand{ }{nonstopmode}
724 \eqcommand{ }{nonfrenchspacing}
725 \eqcommand{ }{nonumber}
726 \eqcommand{ }{nopagebreak}
727 \eqcommand{ }{normalbaselines}
728 \eqcommand{ }{normalbaselineskip}
729 \eqcommand{ }{normalcolor}
730 \eqcommand{ }{normalfont}
731 \eqcommand{ }{normallineskip}
732 \eqcommand{ }{normallineskiplimit}
733 \eqcommand{ }{normalmarginpar}
734 \eqcommand{ }{normalsize}
735 \eqcommand{ }{notag}
736 \eqcommand{ }{null}
737 \eqcommand{ }{nullfont}
738 \eqcommand{ }{number}
739 \eqcommand{ }{numberline}
740 \eqcommand{ }{numberwithin}
741 \eqcommand{ }{@evenfoot}
742 \eqcommand{ }{@evenhead}
743 \eqcommand{ }{@oddfoot}
744 \eqcommand{ }{@oddhead}
745 \eqcommand{ }{@outeqntrue}
746 \eqcommand{ }{@outeqnfase}
747 \eqcommand{ }{obeylines}
748 \eqcommand{ }{obeyspaces}
749 \eqcommand{ }{oddsidemargin}
750 \eqcommand{ }{offinterlineskip}
751 \eqcommand{ }{omit}
752 \eqcommand{@ }{@onlypreamble}
753 \eqcommand{ }{onecolumn}
754 \eqcommand{ }{onlynotes}
755 \eqcommand{ }{onlyslides}
756 \eqcommand{ }{openin}
757 \eqcommand{ }{openout}
758 \eqcommand{ }{OptionNotUsed}
759 \eqcommand{ }{or}

```



```

760 \eqcommand{ }{outer}
761 \eqcommand{ }{output}
762 \eqcommand{ }{outputpenalty}
763 \eqcommand{ }{overfullrule}
764 \eqcommand{@ }{@preamblecmds}
765 \eqcommand{@ }{p@}
766 \eqcommand{ }{PackageError}
767 \eqcommand{ }{PackageInfo}
768 \eqcommand{ }{PackageWarning}
769 \eqcommand{ }{PackageWarningNoLine}
770 \eqcommand{ }{pagebreak}
771 \eqcommand{ }{pagecolor}
772 \eqcommand{ }{pagedepth}
773 \eqcommand{ }{pagefillstretch}
774 \eqcommand{ }{pagefillstretch}
775 \eqcommand{ }{pagefilstretch}
776 \eqcommand{ }{pagegoal}
777 \eqcommand{ }{pagename}
778 \eqcommand{ }{pagenumbering}
779 \eqcommand{ }{pageref}
780 \eqcommand{ }{pagerulewidth}
781 \eqcommand{ }{pageshrink}
782 \eqcommand{ }{pagestretch}
783 \eqcommand{ }{pagestyle}
784 \eqcommand{ }{pagetotal}
785 \eqcommand{ }{paperheight}
786 \eqcommand{ }{paperwidth}
787 \bidi@csdefcs{ }{par}% this is an exception since \par is redefined only in some circumstances
788 \eqcommand{ }{paragraph}
789 \eqcommand{ }{parallel}
790 \eqcommand{ }{parbox}
791 \eqcommand{ }{parfillskip}
792 \eqcommand{ }{parindent}
793 \eqcommand{ }{parsep}
794 \eqcommand{ }{parshape}
795 \eqcommand{ }{parskip}
796 \eqcommand{ }{part}
797 \eqcommand{ }{partname}
798 \eqcommand{ }{partopsep}
799 \eqcommand{ }{PassOptionToClass}
800 \eqcommand{ }{PassOptionToPackage}
801 \eqcommand{ }{path}
802 \eqcommand{ }{patterns}
803 \eqcommand{ }{pausing}
804 \eqcommand{ }{penalty}
805 \eqcommand{ }{phantom}
806 \eqcommand{ }{poptabs}
807 \eqcommand{ }{postdisplaypenalty}
808 \eqcommand{ }{predisplaydirection}
809 \eqcommand{ }{predisplaypenalty}

```



```

810 \eqcommand{ }{predisplaysize}
811 \eqcommand{ }{pretolerance}
812 \eqcommand{ }{prevdepth}
813 \eqcommand{ }{prevgraf}
814 \eqcommand{ }{printindex}
815 \eqcommand{ }{ProcessOptions}
816 \eqcommand{ }{protect}
817 \eqcommand{ }{providecommand}
818 \eqcommand{ }{ProvidesClass}
819 \eqcommand{ }{ProvidesFile}
820 \eqcommand{ }{ProvidesPackage}
821 \eqcommand{ }{pushtabs}
822 \eqcommand{ }{quad}
823 \eqcommand{ }{qqquad}
824 \eqcommand{@ }{@outputpagerestore}
825 \eqcommand{ }{radical}
826 \eqcommand{ }{raggedbottom}
827 \eqcommand{ }{raggedleft}
828 \eqcommand{ }{raggedright}
829 \eqcommand{ }{raise}
830 \eqcommand{ }{raisebox}
831 \eqcommand{ }{raisetag}
832 \eqcommand{ }{rangle}
833 \eqcommand{ }{rceil}
834 \eqcommand{ }{read}
835 \eqcommand{ }{ref}
836 \eqcommand{ }{reflectbox}
837 \eqcommand{ }{refname}
838 \eqcommand{ }{refstepcounter}
839 \eqcommand{ }{relax}
840 \eqcommand{ }{removelastskip}
841 \eqcommand{ }{renewcommand}
842 \eqcommand{ }{renewenvironment}
843 \eqcommand{ }{RequirePackage}
844 \eqcommand{ }{RequirePackageWithOptions}
845 \eqcommand{ }{resizebox}
846 \eqcommand{ }{reversemarginpar}
847 \eqcommand{ }{rfloor}
848 \eqcommand{ }{right}
849 \eqcommand{ }{rightmargin}
850 \eqcommand{ }{rightmark}
851 \eqcommand{ }{rightpageskip}
852 \eqcommand{ }{rightskip}
853 \eqcommand{ }{rmdefault}
854 \eqcommand{ }{rmfamily}
855 \eqcommand{ }{Roman}
856 \eqcommand{ }{roman}
857 \eqcommand{ }{romannumeral}
858 \eqcommand{ }{rotatebox}
859 \eqcommand{ }{rowcolor}

```



```

860 \eqcommand{ }{rule}
861 \eqcommand{@ }{@secondoftwo}
862 \eqcommand{@ }{@spaces}
863 \eqcommand{ }{samepage}
864 \eqcommand{ }{savebox}
865 \eqcommand{ }{sbox}
866 \eqcommand{ }{scalebox}
867 \eqcommand{ }{scdefault}
868 \eqcommand{ }{scshape}
869 \eqcommand{ }{setkeys}
870 \eqcommand{ }{scriptfont}
871 \eqcommand{ }{scriptschriftfont}
872 \eqcommand{ }{scriptschriftstyle}
873 \eqcommand{ }{scriptsize}
874 \eqcommand{ }{scripstyle}
875 \eqcommand{ }{scrollmode}
876 \eqcommand{ }{section}
877 \eqcommand{ }{secdef}
878 \eqcommand{ }{see}
879 \eqcommand{ }{seealso}
880 \eqcommand{ }{seename}
881 \eqcommand{ }{selectfont}
882 \eqcommand{ }{setboolean}
883 \eqcommand{ }{setbox}
884 \eqcommand{ }{setcounter}
885 \eqcommand{ }{setlength}
886 \eqcommand{ }{setminus}
887 \eqcommand{ }{SetSymbolFont}
888 \eqcommand{ }{settodepth}
889 \eqcommand{ }{settoheight}
890 \eqcommand{ }{settowidth}
891 \eqcommand{ }{sfcode}
892 \eqcommand{ }{sfdefault}
893 \eqcommand{ }{sffamily}
894 \eqcommand{ }{shadowbox}
895 \eqcommand{ }{sharp}
896 \eqcommand{ }{shipout}
897 \eqcommand{ }{shortstack}
898 \eqcommand{ }{show}
899 \eqcommand{ }{showbox}
900 \eqcommand{ }{showboxbreadth}
901 \eqcommand{ }{showboxdepth}
902 \eqcommand{ }{showlists}
903 \eqcommand{ }{showthe}
904 \eqcommand{ }{simplefontmode}
905 \eqcommand{@}{sixt@On}
906 \eqcommand{ }{skewchar}
907 \eqcommand{ }{skip}
908 \eqcommand{@}{skip@}
909 \eqcommand{ }{skipdef}

```



```

910 \eqcommand{ }{s1}
911 \eqcommand{ }{s1default}
912 \eqcommand{ }{s1shape}
913 \eqcommand{ }{sloppy}
914 \eqcommand{ }{s1shape}
915 \eqcommand{ }{small}
916 \eqcommand{ }{smallskip}
917 \eqcommand{ }{smallskipamount}
918 \eqcommand{ }{smash}
919 \eqcommand{ }{smile}
920 \eqcommand{ }{snglfntlocatecode}
921 \eqcommand{ }{space}
922 \eqcommand{ }{spacefactor}
923 \eqcommand{ }{spaceskip}
924 \eqcommand{ }{spadesuit}
925 \eqcommand{ }{span}
926 \eqcommand{ }{special}
927 \eqcommand{ }{splitmaxdepth}
928 \eqcommand{ }{splittopskip}
929 \eqcommand{ }{star}
930 \eqcommand{ }{stepcounter}
931 \eqcommand{ }{stretch}
932 \eqcommand{ }{string}
933 \eqcommand{ }{strut}
934 \eqcommand{ }{strutbox}
935 \eqcommand{ }{subitem}
936 \eqcommand{ }{subparagraph}
937 \eqcommand{ }{subsection}
938 \eqcommand{ }{substack}
939 \eqcommand{ }{subsubitem}
940 \eqcommand{ }{subsubsection}
941 \eqcommand{ }{subset}
942 \eqcommand{ }{subsepeq}
943 \eqcommand{ }{supereject}
944 \eqcommand{ }{suppressfloats}
945 \eqcommand{@ }{@tempa}
946 \eqcommand{@ }{@tempb}
947 \eqcommand{@ }{@tempc}
948 \eqcommand{@ }{@tempd}
949 \eqcommand{@ }{@tempe}
950 \eqcommand{@ }{@tempboxa}
951 \eqcommand{@ }{@tempcpta}
952 \eqcommand{@ }{@tempcntb}
953 \eqcommand{@ }{@tempdimA}
954 \eqcommand{@ }{@tempdimB}
955 \eqcommand{@ }{@tempdimC}
956 \eqcommand{@ }{@tempskipa}
957 \eqcommand{@ }{@tempskipb}
958 \eqcommand{@ }{@tempswafalse}
959 \eqcommand{@ }{@tempswatrue}

```



```

960 \eqcommand{ @temptokena}
961 \eqcommand{ @thefnmark}
962 \eqcommand{ @thirdofthree}
963 \eqcommand{ tabbingsep}
964 \eqcommand{ tabcolsep}
965 \eqcommand{ tableofcontents}
966 \eqcommand{ tablename}
967 \eqcommand{ tabskip}
968 \eqcommand{ tabularnewline}
969 \eqcommand{ tag}
970 \eqcommand{ telephone}
971 \eqcommand{ TeX}
972 \eqcommand{ text}
973 \eqcommand{ textbullet}
974 \eqcommand{ textfont}
975 \eqcommand{ textemdash}
976 \eqcommand{ textendash}
977 \eqcommand{ textexclamdown}
978 \eqcommand{ textperiodcentered}
979 \eqcommand{ textquestiondown}
980 \eqcommand{ textquotedblleft}
981 \eqcommand{ textquotedblright}
982 \eqcommand{ textquotyleft}
983 \eqcommand{ textquoteright}
984 \eqcommand{ textvisiblespace}
985 \eqcommand{ textbackslash}
986 \eqcommand{ textbar}
987 \eqcommand{ textgreater}
988 \eqcommand{ textless}
989 \eqcommand{ textbf}
990 \eqcommand{ textcircled}
991 \eqcommand{ textcolor}
992 \eqcommand{ textcompwordmark}
993 \eqcommand{ textfloatsep}
994 \eqcommand{ textfraction}
995 \eqcommand{ textheight}
996 \eqcommand{ textindent}
997 \eqcommand{ textit}
998 \eqcommand{ textmd}
999 \eqcommand{ textnormal}
1000 \eqcommand{ textregistered}
1001 \eqcommand{ textrm}
1002 \eqcommand{ textsc}
1003 \eqcommand{ textsf}
1004 \eqcommand{ textsl}
1005 \eqcommand{ textstyle}
1006 \eqcommand{ textsuperscript}
1007 \eqcommand{ texttrademark}
1008 \eqcommand{ texttt}
1009 \eqcommand{ textup}

```



```

1010 \eqcommand{ }{textwidth}
1011 \eqcommand{ }{thanks}
1012 \eqcommand{ }{the}
1013 \eqcommand{ }{thempfn}
1014 \eqcommand{ }{thicklines}
1015 \eqcommand{ }{thickmuskip}
1016 \eqcommand{ }{thinmuskip}
1017 \eqcommand{ }{thickspace}
1018 \eqcommand{ }{thinlines}
1019 \eqcommand{ }{thinspace}
1020 \eqcommand{ }{thisfancypage}
1021 \eqcommand{ }{thispagestyle}
1022 \eqcommand{ @}{thr@@}
1023 \eqcommand{ }{tilde}
1024 \eqcommand{ }{tiny}
1025 \eqcommand{ }{time}
1026 \eqcommand{ }{times}
1027 \eqcommand{ }{title}
1028 \eqcommand{ }{to}
1029 \eqcommand{ }{today}
1030 \eqcommand{ }{toks}
1031 \eqcommand{ }{toksdef}
1032 \eqcommand{ }{tolerance}
1033 \eqcommand{ }{top}
1034 \eqcommand{ }{topfigrule}
1035 \eqcommand{ }{topfraction}
1036 \eqcommand{ }{topmargin}
1037 \eqcommand{ }{topmark}
1038 \eqcommand{ }{toppageskip}
1039 \eqcommand{ }{topsep}
1040 \eqcommand{ }{topskip}
1041 \eqcommand{ }{totalheight}
1042 \eqcommand{ }{tracingall}
1043 \eqcommand{ }{tracingcommands}
1044 \eqcommand{ }{tracinglostchars}
1045 \eqcommand{ }{tracingmacros}
1046 \eqcommand{ }{tracingonline}
1047 \eqcommand{ }{tracingoutput}
1048 \eqcommand{ }{tracingpages}
1049 \eqcommand{ }{tracingparagraphs}
1050 \eqcommand{ }{tracingrestores}
1051 \eqcommand{ }{tracingstats}
1052 \eqcommand{ }{triangle}
1053 \eqcommand{ }{ttdefault}
1054 \eqcommand{ }{ttfamily}
1055 \eqcommand{ @}{tw@}
1056 \eqcommand{ }{twocolumn}
1057 \eqcommand{ }{typein}
1058 \eqcommand{ }{typeout}
1059 \eqcommand{ }{uccode}

```



```

1060 \eqcommand{ }{uchyph}
1061 \eqcommand{ }{underline}
1062 \eqcommand{ }{unhbox}
1063 \eqcommand{ }{unhcopy}
1064 \eqcommand{ }{unitlength}
1065 \eqcommand{ }{unkern}
1066 \eqcommand{ }{unpenalty}
1067 \eqcommand{ }{unskip}
1068 \eqcommand{ }{unvbox}
1069 \eqcommand{ }{unvcopy}
1070 \eqcommand{ }{updefault}
1071 \eqcommand{ }{upshape}
1072 \eqcommand{ }{usebox}
1073 \eqcommand{ }{usecounter}
1074 \eqcommand{ }{usefont}
1075 \eqcommand{ }{usepackage}
1076 \eqcommand{@ }{@vobeyspaces}
1077 \eqcommand{@ }{@void}
1078 \eqcommand{ }{vadjust}
1079 \eqcommand{ }{valign}
1080 \eqcommand{ }{value}
1081 \eqcommand{ }{vbadness}
1082 \eqcommand{ }{vbox}
1083 \eqcommand{ }{vcenter}
1084 \eqcommand{ }{verb}
1085 \eqcommand{ }{vfil}
1086 \eqcommand{ }{vfill}
1087 \eqcommand{ }{vfilneg}
1088 \eqcommand{ }{vfuzz}
1089 \eqcommand{ }{visible}
1090 \eqcommand{ }{vline}
1091 \eqcommand{ }{voffset}
1092 \eqcommand{ @ }{@voidb@x}
1093 \eqcommand{ }{vpageref}
1094 \eqcommand{ }{vrboxsep}
1095 \eqcommand{ }{vref}
1096 \eqcommand{ }{vrule}
1097 \eqcommand{ }{vsize}
1098 \eqcommand{ }{vskip}
1099 \eqcommand{ }{vspace}
1100 \eqcommand{ }{vsplit}
1101 \eqcommand{ }{vss}
1102 \eqcommand{ }{vtop}
1103 \eqcommand{ }{wd}
1104 \eqcommand{ }{whiledo}
1105 \eqcommand{ }{widehat}
1106 \eqcommand{ }{widetilde}
1107 \eqcommand{ }{widowpenalty}
1108 \eqcommand{ }{width}
1109 \eqcommand{ }{wlog}

```



```

1110 \eqcommand{ }{write}
1111 \eqcommand{@ }{@xobeysp}
1112 \eqcommand{ @ }{@xxxii}
1113 \eqcommand{ }{xdef}
1114 \eqcommand{ }{xleaders}
1115 \eqcommand{ }{xspaceskip}
1116 \eqcommand{ }{year}
1117 \eqcommand{@ }{z@}
1118 \eqcommand{@ }{z@skip}

```

7.19 color-localise-xepersian.def

```

1119 color}      \-localise-xepersian.def}[2011/03/01 v0.1 localising color package]
1120 0}{rgb}{ }  \0,,0}
1121 1}{rgb}{ }  \1,,1}
1122 1}{rgb}{ }  \0,,0}
1123 0}{rgb}{ }  \1,,0}
1124 0}{rgb}{ }  \0,,1}
1125 1}{cmyk}{ } \0,,0,0}
1126 0}{cmyk}{ } \1,,0,0}
1127 0}{cmyk}{ } \0,,1,0}

```

7.20 xepersian-localise-commands-xepersian.def

```

1128 \ProvidesFile{xepersian-localise-commands-xepersian.def}[2012/07/25 v0.2 Persian localisation
1129 \eqcommand{ }{autofootnoterule}
1130 \eqcommand{ }{AutoMathsDigits}
1131 \eqcommand{ }{DefaultMathsDigits}
1132 \eqcommand{ @ }{keyval@eq@alias@key}
1133 \eqcommand{ }{deflatinfont}
1134 \eqcommand{ }{defpersianfont}
1135 \eqcommand{ }{hboxL}
1136 \eqcommand{ }{hboxR}
1137 \eqcommand{ }{Latincite}
1138 \eqcommand{ }{latinfont}
1139 \eqcommand{ }{latintoday}
1140 \eqcommand{ }{leftfootnoterule}
1141 \eqcommand{ }{lr}
1142 \eqcommand{ }{LRE}
1143 \eqcommand{ }{LTRdblcol}
1144 \eqcommand{ }{LTRfootnote}
1145 \eqcommand{ }{LTRfootnotetext}
1146 \eqcommand{ }{LTRthanks}
1147 \eqcommand{ }{persianday}
1148 \eqcommand{ }{persianfont}
1149 \eqcommand{ }{PersianMathsDigits}
1150 \eqcommand{ }{persianmonth}
1151 \eqcommand{ }{persianyear}
1152 \eqcommand{ }{plq}
1153 \eqcommand{ }{prq}
1154 \eqcommand{ }{rightfootnoterule}

```



```

1155 \eqcommand{ }{rl}
1156 \eqcommand{ }{RLE}
1157 \eqcommand{ }{RTLdblcol}
1158 \eqcommand{ }{RTLfootnote}
1159 \eqcommand{ }{RTLfootnotetext}
1160 \eqcommand{ }{RTLthanks}
1161 \eqcommand{@ }{@SepMark}
1162 \eqcommand{ }{SepMark}
1163 \eqcommand{ }{setdefaultbibitems}
1164 \eqcommand{ }{setdefaultmarginpar}
1165 \eqcommand{ }{setdigitfont}
1166 \eqcommand{ }{setfootnoteLR}
1167 \eqcommand{ }{setfootnoteRL}
1168 \eqcommand{ }{setlatintextfont}
1169 \eqcommand{ }{setLTR}
1170 \eqcommand{ }{setLTRbibitems}
1171 \eqcommand{ }{setLTRmarginpar}
1172 \eqcommand{ }{setRTL}
1173 \eqcommand{ }{setRTLbibitems}
1174 \eqcommand{ }{setRTLmarginpar}
1175 \eqcommand{ }{settextfont}
1176 \eqcommand{ }{textwidthfootnoterule}
1177 \eqcommand{ }{twocolumnstableofcontents}
1178 \eqcommand{ }{unsetfootnoteRL}
1179 \eqcommand{ }{unsetLTR}
1180 \eqcommand{ }{unsetRTL}
1181 \eqcommand{ }{vboxL}
1182 \eqcommand{ }{vboxR}
1183 \eqcommand{ }{XeTeX}
1184 \eqcommand{ }{XePersian}
1185 \eqcommand{ }{xepersianversion}
1186 \eqcommand{ }{xepersiandate}
1187 \eqcommand{ }{XeTeX}

```

7.21 enumerate-xepersian.def

```

1188 \ProvidesFile{enumerate-xepersian.def}[2010/07/25 v0.1 adaptations for enumerate package]
1189 \def\@enloop@{%
1190   \ifx \entemp@\      \def\@tempa{\@enLabel\harfi } \else
1191   \ifx \entemp@\      \def\@tempa{\@enLabel\adadi } \else
1192   \ifx \entemp@\      \def\@tempa{\@enLabel\tartibi } \else
1193   \ifx A\@entemp     \def\@tempa{\@enLabel\Alph } \else
1194   \ifx a\@entemp     \def\@tempa{\@enLabel\alph } \else
1195   \ifx i\@entemp     \def\@tempa{\@enLabel\roman } \else
1196   \ifx I\@entemp     \def\@tempa{\@enLabel\Roman } \else
1197   \ifx 1\@entemp     \def\@tempa{\@enLabel\arabic} \else
1198   \ifx \@sptoken\@entemp \let\@tempa\@enSpace      \else
1199   \ifx \bgroup\@entemp \let\@tempa\@enGroup      \else
1200   \ifx \c@enum\@entemp \let\@tempa\@gobble      \else
1201                                \let\@tempa\@enOther

```



```
1202                                \c@enhook  
1203                                \fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi  
1204 \c@tempa}
```

7.22 latex-localise-environments-xepersian.def

```
1205 \ProvidesFile{latex-localise-environments-xepersian.def}[2010/07/25 v0.2 Persian localisation
1206 \eqenvironment{ }{\abstract}
1207 \eqenvironment{ }{\appendix}
1208 \eqenvironment{ }{\array}
1209 \eqenvironment{ }{\center}
1210 \eqenvironment{ }{\description}
1211 \eqenvironment{ }{\displaymath}
1212 \eqenvironment{ }{\document}
1213 \eqenvironment{ }{\enumerate}
1214 \eqenvironment{ }{\figure}
1215 \eqenvironment{ *}{\figure*}
1216 \eqenvironment{ }{\filecontents}
1217 \eqenvironment{ }{\filecontents*}
1218 \eqenvironment{ }{\flushleft}
1219 \eqenvironment{ }{\flushright}
1220 \eqenvironment{ }{\itemize}
1221 \eqenvironment{ }{\letter}
1222 \eqenvironment{ }{\list}
1223 \eqenvironment{ }{\longtable}
1224 \eqenvironment{ }{\lrbox}
1225 \eqenvironment{ }{\math}
1226 \eqenvironment{ }{\matrix}
1227 \eqenvironment{ }{\minipage}
1228 \eqenvironment{ }{\multiline}
1229 \eqenvironment{ }{\note}
1230 \eqenvironment{ }{\overlay}
1231 \eqenvironment{ }{\picture}
1232 \eqenvironment{ }{\quotation}
1233 \eqenvironment{ }{\quote}
1234 \eqenvironment{ }{\slide}
1235 \eqenvironment{ }{\sloppypar}
1236 \eqenvironment{ }{\split}
1237 \eqenvironment{ }{\subarray}
1238 \eqenvironment{ }{\tabbing}
1239 \eqenvironment{ }{\table}
1240 \eqenvironment{ *}{\table*}
1241 \eqenvironment{ }{\tabular}
1242 \eqenvironment{ *}{\tabular*}
1243 \eqenvironment{ }{\thebibliography}
1244 \eqenvironment{ }{\theindex}
1245 \eqenvironment{ }{\titlepage}
1246 \eqenvironment{ }{\trivlist}
1247 \eqenvironment{ }{\verse}
```



7.23 xepersian-localise-environments-xepersian.def

```
1248 \ProvidesFile{xepersian-localise-environments-xepersian.def}[2010/07/25 v0.1 Persian localisat
1249 \eqenvironment{ }{latin}
1250 \eqenvironment{ }{LTR}
1251 \eqenvironment{ }{LTRitems}
1252 \eqenvironment{ }{modernpoem}
1253 \eqenvironment{ *}{modernpoem*}
1254 \eqenvironment{ }{persian}
1255 \eqenvironment{ }{RTL}
1256 \eqenvironment{ }{RTLitems}
1257 \eqenvironment{ }{traditionalpoem}
1258 \eqenvironment{ *}{traditionalpoem*}
```

7.24 extarticle-xepersian.def

```
1259 \ProvidesFile{extarticle-xepersian.def}[2010/07/25 v0.1 adaptations for extarticle class]
1260 \renewcommand{\thepart}{\@tartibi\c@part}
1261 \renewcommand{\appendix}{\par
1262   \setcounter{section}{0}%
1263   \setcounter{subsection}{0}%
1264   \gdef\thesection{\@harfi\c@section}}
```

7.25 extbook-xepersian.def

```
1265 \ProvidesFile{extbook-xepersian.def}[2010/07/25 v0.1 adaptations for extbook class]
1266 \renewcommand{\frontmatter}{%
1267   \cleardoublepage
1268   \mainmatterfalse
1269   \pagenumbering{harfi}}
1270 \renewcommand{\thepart}{\@tartibi\c@part}
1271 \renewcommand{\appendix}{\par
1272   \setcounter{chapter}{0}%
1273   \setcounter{section}{0}%
1274   \gdef\@chapapp{\appendixname}%
1275   \gdef\thechapter{\@harfi\c@chapter}
1276 }%end appendix
```

7.26 extrafootnotefeatures-xepersian.def

```
1277 \ProvidesFile{extrafootnotefeatures-xepersian.def}[2012/01/01 v0.2 footnote macros for extrafo
1278 \renewcommand{\foottextfont}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}
1279 \renewcommand{\LTRfoottextfont}{\footnotesize\resetlatinfont}
1280 \renewcommand{\RTLfoottextfont}{\footnotesize\setpersianfont}
```

7.27 extreport-xepersian.def

```
1281 \ProvidesFile{extreport-xepersian.def}[2010/07/25 v0.1 adaptations for extreport class]
1282 \renewcommand{\thepart}{\@tartibi\c@part}
1283 \renewcommand{\appendix}{\par
1284   \setcounter{chapter}{0}%
1285   \setcounter{section}{0}%
1286   \gdef\@chapapp{\appendixname}}%
```



```
1287 \gdef\thechapter{\@harfi\c@chapter}
```

7.28 flowfram-xepersian.def

```
1288 \ProvidesFile{flowfram-xepersian.def}[2010/07/25 v0.1 adaptations for flowfram package]
1289 \def\@outputpage{%
1290 \begingroup
1291 \let\protect\noexpand
1292 \resetactivechars
1293 \global\let\@@if@newlist\if@newlist
1294 \global\@newlistfalse\parboxrestore
1295 \shipout\vbox{\set@typeset@protect
1296 \aftergroup
1297 \endgroup
1298 \aftergroup
1299 \set@typeset@protect
1300 \reset@font\normalsize\normalsfcodes
1301 \let\label@gobble
1302 \let\index@gobble
1303 \let\glossary@gobble
1304 \baselineskip\z@skip
1305 \lineskip\z@skip
1306 \lineskiplimit\z@
1307 \vskip\topmargin\overright\themargin
1308 \vbox{%
1309 \vskip\headheight
1310 \vskip\headsep
1311 \box\@outputbox
1312 }}%
1313 \global\let\if@newlist\@@if@newlist
1314 \stepcounter{page}%
1315 \setcounter{displayedframe}{0}%
1316 \let\firstmark\botmark}
```

7.29 footnote-xepersian.def

```
1317 \ProvidesFile{footnote-xepersian.def}[2017/02/04 v0.5 footnote macros for xepersian package]
1318
1319 \renewcommand*{\bidi@@footnotetext@font}{\if@RTL@footnote\reset@font\else\resetlatinfont\fi\font}
1320
1321 \renewcommand*{\bidi@@LTRfootnotetext@font}{\resetlatinfont\footnotesize}
1322
1323 \renewcommand*{\bidi@@RTLfootnotetext@font}{\setpersianfont\footnotesize}
1324
```

7.30 framed-xepersian.def

```
1325 \ProvidesFile{framed-xepersian.def}[2012/06/05 v0.1 xepersian adaptations for framed package]
1326 \renewenvironment{titled-frame}[1]{%
1327 \def\FrameCommand{\fboxsep8pt\fboxrule2pt
1328 \TitleBarFrame{\textbf{\#1}}}}%
1329 \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
```



```

1330   \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi]{\textbf{\#1}}}%
1331 \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
1332   \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi]{\textbf{\#1}\ (\if@R
1333 \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
1334   \TitleBarFrame{\textbf{\#1}\ (\if@RTL\else\ cont\fi)}}}%
1335 \MakeFramed{\advance\hsize-20pt \FrameRestore}}}%
1336 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
1337 % could interfere with the width measurement.
1338 {\endMakeFramed}

```

7.31 glossaries-xepersian.def

```

1339 \ProvidesFile{glossaries-xepersian.def}[2014/09/04 v0.4 xepersian adaptations for glossaries p
1340 \glsaddprotectedpagefmt{@harfi}
1341 \glsaddprotectedpagefmt{@tartibi}
1342 \glsaddprotectedpagefmt{@adadi}

```

7.32 hyperref-xepersian.def

```

1343 \ProvidesFile{hyperref-xepersian.def}[2015/02/02 v0.6 bilingual captions for hyperref package]
1344 \def\equationautorefname{\if@RTL\else\ Equation\fi}%
1345 \def\footnoteautorefname{\if@RTL\else\ footnote\fi}%
1346 \def\itemautorefname{\if@RTL\else\ item\fi}%
1347 \def\figureautorefname{\if@RTL\else\ Figure\fi}%
1348 \def\tableautorefname{\if@RTL\else\ Table\fi}%
1349 \def\partautorefname{\if@RTL\else\ Part\fi}%
1350 \def\appendixautorefname{\if@RTL\else\ Appendix\fi}%
1351 \def\chapterautorefname{\if@RTL\else\ chapter\fi}%
1352 \def\sectionautorefname{\if@RTL\else\ section\fi}%
1353 \def\subsectionautorefname{\if@RTL\else\ subsection\fi}%
1354 \def\subsubsectionautorefname{\if@RTL\else\ subsubsection\fi}%
1355 \def\paragraphautorefname{\if@RTL\else\ paragraph\fi}%
1356 \def\ subparagraphautorefname{\if@RTL\else\ subparagraph\fi}%
1357 \def\FancyVerbLineautorefname{\if@RTL\else\ line\fi}%
1358 \def\theoremautorefname{\if@RTL\else\ Theorem\fi}%
1359 \def\pageautorefname{\if@RTL\else\ page\fi}%
1360 \AtBeginDocument{%
1361 \let\HyOrg@appendix\appendix
1362 \def\appendix{%
1363   \ltx@ifundefined{chapter}%
1364     {\gdef\theHsection{\Alph{section}}}%
1365     {\gdef\theHchapter{\Alph{chapter}}}%
1366   \xdef\Hy@chapapp{\Hy@appendixstring}%
1367   \HyOrg@appendix
1368 }
1369 }
1370 \pdfstringdefDisableCommands{%
1371 \let\lr@firstofone
1372 \let\rl@firstofone
1373 \def\XePersian{\XePersian}
1374 }

```



```

1375 \ltx@IfUndefined{@resets@pp}{%
1376 }{%
1377   \let\HyOrg@resets@pp\@resets@pp
1378   \def\@resets@pp{%
1379     \ltx@IfUndefined{chapter}{%
1380       \gdef\theHsection{\Hy@AlphNoErr{section}}%
1381     }{%
1382       \gdef\theHchapter{\Hy@AlphNoErr{chapter}}%
1383     }%
1384   \xdef\Hy@chapapp{\Hy@appendixstring}%
1385   \HyOrg@resets@pp
1386 }%
1387 }

```

7.33 imsproc-xepersian.def

```

1388 \ProvidesFile{imsproc-xepersian.def}[2015/12/07 v0.4 implementation of imsproc class for xepersian]
1389 \newenvironment{thebibliography}[1]{%
1390   \bibtitlestyle
1391   \normalfont\bibliofont\labelsep .5em\relax
1392   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
1393   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1394   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth\{\@biblabel{\#1}\}%
1395     \leftmargin\labelwidth \advance\leftmargin\labelsep
1396     \usecounter{enumiv}}%
1397   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
1398   \sfcodes`.=\@m
1399 }{%
1400   \def\noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
1401   \endlist
1402 }
1403 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
1404   \columnseprule\z@\columnsep 35\p@
1405   \indextitlestyle
1406   \thispagestyle{plain}%
1407   \let\item\idxitem
1408   \parindent\z@\parskip\z@\plus.3\p@\relax
1409   \if@RTL\raggedleft\else\raggedright\fi
1410   \hyphenpenalty\@M
1411   \footnotesize}
1412 \def\idxitem{\par\hangindent \if@RTL-\fi2em}
1413 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
1414 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
1415 \renewcommand{\thepart}{\@tartibi\c@part}
1416 \def\appendix{\par\c@section\z@\c@subsection\z@
1417   \let\sectionname\appendixname
1418   \def\thesection{\@harfi\c@section}%
1419 \def\right@footnoterule{%
1420   \kern-.4\p@
1421   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill } }
```



```

1422 \kern11\p@\kern-\footnotesep}
1423 \def\left@footnoterule{\kern-.4\p@
1424         \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
1425 \def\@makefnmark{%
1426   \leavevmode
1427   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
1428 }
1429
1430
1431
1432 \def\part{\@startsection{part}{0}%
1433   \z@\{ \linespacing\@plus\linespacing\}\,.5\linespacing\}%
1434   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}%
1435 \def\@tocline#1#2#3#4#5#6#7{\relax
1436   \ifnum #1>\c@tocdepth % then omit
1437   \else
1438     \par \addpenalty\@secpenalty\addvspace{\#2}%
1439     \begingroup \hyphenpenalty\@M
1440     \@ifempty{\#4}{%
1441       \tempdima\csname r@tocindent\number#1\endcsname\relax
1442     }{%
1443       \tempdima\#4\relax
1444     }%
1445     \parindent\z@\if@RTL\rightskip\else\leftskip\fi\#3\relax \advance\if@RTL\rightskip\else\leftskip\fi\#5\leftskip\relax
1446     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
1447     \leavevmode\hskip-\tempdima \#6\nobreak\relax
1448     \hfil\hbox to \@pnumwidth{\@tocpagenum{\#7}}\par
1449     \nobreak
1450     \endgroup
1451   \fi}
1452 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
1453 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
1454 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
1455 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
1456 \def\maketitle{\par
1457   \topnum\z@ % this prevents figures from falling at the top of page 1
1458   \setcopyright
1459   \thispagestyle{firstpage} % this sets first page specifications
1460   \uppercaseonmath\shorttitle
1461   \ifx\empty\shortauthors \let\shortauthors\shorttitle
1462   \else \andify\shortauthors
1463   \fi
1464   \maketitle@hook
1465   \begingroup
1466   \maketitle
1467   \toks@\xp{\shortauthors}\temptokena\xp{\shorttitle}%
1468   \toks4{\def\\{\ignorespaces}}% defend against questionable usage
1469   \edef\tempa{%
1470     \nx\markboth{\the\toks4
1471     \nx\MakeUppercase{\the\toks@}}{\the\temptokena}}%

```



```

1472  \@tempa
1473  \endgroup
1474  \c@footnote\z@
1475  \@cleartopmattertags
1476 }

```

7.34 kashida-xepersian.def

```

1477 \ProvidesFile{kashida-xepersian.def}[2016/09/09 v0.5 implementation of Kashida for xepersian p
1478 \chardef\xepersian@zwj="200D % zero-width joiner
1479
1480 \chardef\xepersian@D=10 % dual-joiner class
1481 \chardef\xepersian@L=11 % lam
1482 \chardef\xepersian@R=12 % right-joiner
1483 \chardef\xepersian@A=13 % alef
1484 \chardef\xepersian@V=4096 % vowel or other combining mark (to be ignored)
1485 \newif\if@Kashida@on
1486 \def\xepersian@kashida{\if@Kashida@on\xepersian@zwj\nobreak%
1487   \leaders\hrule height \XeTeXglyphbounds\tw@ \the\XeTeXcharglyph"0640 depth \XeTeXglyphbou
1488
1489 \def\setclass#1#2{\def\theclass{#1}\def\charlist{#2}%
1490   \expandafter\dosetclass\charlist,\end}
1491 \def\dosetclass#1,#2\end{%
1492   \def\test{#1}\def\charlist{#2}%
1493   \ifx\test\empty\let\next\finishsetclass
1494   \else \XeTeXcharclass "\test = \theclass
1495     \let\next\dosetclass \fi
1496   \expandafter\next\charlist,,\end}
1497 \def\finishsetclass#1,,\end{}}
1498
1499 \setclass \xepersian@A {0622,0623,0625,0627}
1500 \setclass \xepersian@R {0624,0629,062F,0630,0631,0632,0648,0698}
1501 \setclass \xepersian@D {0626,0628,062A,062B,062C,062D,062E}
1502 \setclass \xepersian@D {0633,0634,0635,0636,0637,0638,0639,063A}
1503 \setclass \xepersian@D {0640,0641,0642,0643,0645,0646,0647,0649,064A}
1504 \setclass \xepersian@D {067E,0686,06A9,06AF,06CC}
1505 \setclass \xepersian@L {0644}
1506 \setclass \xepersian@V {064B,064C,064D,064E,064F,0650,0651,0652}
1507
1508 \XeTeXinterchartoks \xepersian@D \xepersian@D = {\xepersian@kashida}
1509 \XeTeXinterchartoks \xepersian@L \xepersian@D = {\xepersian@kashida}
1510 \XeTeXinterchartoks \xepersian@D \xepersian@L = {\xepersian@kashida}
1511 \XeTeXinterchartoks \xepersian@L \xepersian@L = {\xepersian@kashida}
1512 \XeTeXinterchartoks \xepersian@D \xepersian@R = {\xepersian@kashida}
1513 \XeTeXinterchartoks \xepersian@D \xepersian@A = {\xepersian@kashida}
1514 \XeTeXinterchartoks \xepersian@L \xepersian@R = {\xepersian@kashida}
1515 \XeTeXinterchartoks \xepersian@L \xepersian@A = {}
1516
1517 \newcommand{\KashidaOn}{\@Kashida@ontrue}
1518 \newcommand{\KashidaOff}{\@Kashida@offfalse}

```



```
1519 \KashidaOn
```

7.35 listings-xepersian.def

```
1520 \ProvidesFile{listings-xepersian.def}[2014/07/17 v0.3 bilingual captions for listings package]
1521 \def\lstlistingname{\if@RTL else\ Listing\fi}
1522 \def\lstlistlistingname{\if@RTL else\ Listings\fi}
```

7.36 loadingorder-xepersian.def

```
1523 \ProvidesFile{loadingorder-xepersian.def}[2012/01/01 v0.3 making sure that xepersian is the last
1524 \bidi@isloaded{algorithmic}
1525 \bidi@isloaded{algorithm}
1526 \bidi@isloaded{backref}
1527 \bidi@isloaded{enumerate}
1528 \bidi@isloaded{tocloft}
1529 \bidi@isloaded{url}
1530 \AtBeginDocument{
1531   \if@bidi@algorithmicloaded@\else
1532     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package algorithmic after xepersian}}]
1533   \fi%
1534   \if@bidi@algorithmloaded@\else
1535     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package algorithm after xepersian}}]
1536   \fi%
1537   \if@bidi@backrefloaded@\else
1538     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package backref after xepersian}}]
1539   \fi%
1540   \if@bidi@enumerateloaded@\else
1541     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package enumerate after xepersian}}]
1542   \fi%
1543   \if@bidi@tocloftloaded@\else
1544     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package tocloft after xepersian}}]
1545   \fi%
1546   \if@bidi@urlloaded@\else
1547     \bidi@isloaded[{\PackageError{xepersian}{Oops! you have loaded package url after xepersian}}]
1548   \fi%
1549 }
```

7.37 localise-xepersian.def

```
1550 \ProvidesFile{localise-xepersian.def}[2014/07/10 v0.2b Persian localisation of LaTeX2e]
1551 \newcommand{\makezwnjletter}{\catcode`=11\relax}
1552 \makezwnjletter
1553 \newcommand*\eqcommand[2]{\if@bidi@csprimitive{#2}{\bidi@csletcs{#1}{#2}}{\bidi@csdefcs{#1}{#2}}}
1554 \newcommand*\eqenvironment[2]{\newenvironment{#1}{\csname#2\endcsname}{\csname end#2\endcsname}}
1555 \@ifpackageloaded{keyval}{%
1556   \newcommand*\keyval@eq@alias@key[4][KV]{%
1557     \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1558     \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}%
1559   }%
1560   \newcommand*\keyval@eq@alias@key[4][KV]{%
1561     \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1562   }%
1563 }
```



```

1562 \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1563 }{}}
1564 \input{latex-localise-commands-xepersian.def}
1565 \input{xepersian-localise-commands-xepersian.def}
1566 \input{latex-localise-environments-xepersian.def}
1567 \input{xepersian-localise-environments-xepersian.def}
1568 \input{latex-localise-messages-xepersian.def}
1569 \input{latex-localise-misc-xepersian.def}
1570 \input{packages-localise-xepersian.def}
1571 \aliasfontfeature{ExternalLocation}{ }
1572 \aliasfontfeature{ExternalLocation}{ }
1573 \aliasfontfeature{Renderer}{ }
1574 \aliasfontfeature{BoldFont}{ }
1575 \aliasfontfeature{Language}{ }
1576 \aliasfontfeature{Script}{ }
1577 \aliasfontfeature{UprightFont}{ }
1578 \aliasfontfeature{ItalicFont}{ }
1579 \aliasfontfeature{BoldItalicFont}{ }
1580 \aliasfontfeature{SlantedFont}{ }
1581 \aliasfontfeature{BoldSlantedFont}{ }
1582 \aliasfontfeature{SmallCapsFont}{ }
1583 \aliasfontfeature{UprightFeatures}{ }
1584 \aliasfontfeature{BoldFeatures}{ }
1585 \aliasfontfeature{ItalicFeatures}{ }
1586 \aliasfontfeature{BoldItalicFeatures}{ }
1587 \aliasfontfeature{SlantedFeatures}{ }
1588 \aliasfontfeature{BoldSlantedFeatures}{ }
1589 \aliasfontfeature{SmallCapsFeatures}{ }
1590 \aliasfontfeature{SizeFeatures}{ }
1591 \aliasfontfeature{Scale}{ }
1592 \aliasfontfeature{WordSpace}{ }
1593 \aliasfontfeature{PunctuationSpace}{ }
1594 \aliasfontfeature{FontAdjustment}{ }
1595 \aliasfontfeature{LetterSpace}{ }
1596 \aliasfontfeature{HyphenChar}{ }
1597 \aliasfontfeature{Color}{ }
1598 \aliasfontfeature{Opacity}{ }
1599 \aliasfontfeature{Mapping}{ }
1600 \aliasfontfeature{Weight}{ }
1601 \aliasfontfeature{Width}{ }
1602 \aliasfontfeature{OpticalSize}{ }
1603 \aliasfontfeature{FakeSlant}{ }
1604 \aliasfontfeature{FakeStretch}{ }
1605 \aliasfontfeature{FakeBold}{ }
1606 \aliasfontfeature{AutoFakeSlant}{ }
1607 \aliasfontfeature{AutoFakeBold}{ }
1608 \aliasfontfeature{Ligatures}{ }
1609 \aliasfontfeature{Alternate}{ }
1610 \aliasfontfeature{Variant}{ }
1611 \aliasfontfeature{Variant}{ }

```



```

1612 \aliasfontfeature{CharacterVariant}{      }
1613 \aliasfontfeature{Style}{      }
1614 \aliasfontfeature{Annotation}{      }
1615 \aliasfontfeature{RawFeature}{      }
1616 \aliasfontfeature{CharacterWidth}{      }
1617 \aliasfontfeature{Numbers}{      }
1618 \aliasfontfeature{Contextuals}{      }
1619 \aliasfontfeature{Diacritics}{      }
1620 \aliasfontfeature{Letters}{      }
1621 \aliasfontfeature{Kerning}{      }
1622 \aliasfontfeature{VerticalPosition}{      }
1623 \aliasfontfeature{Fractions}{      }
1624 \aliasfontfeatureoption{Language}{Default}{      }
1625 \aliasfontfeatureoption{Language}{Parsi}{      }
1626 \aliasfontfeatureoption{Script}{Parsi}{      }
1627 \aliasfontfeatureoption{Script}{Latin}{      }
1628 \aliasfontfeatureoption{Style}{MathScript}{      }
1629 \aliasfontfeatureoption{Style}{MathScriptScript}{      }

```

7.38 memoir-xepersian.def

```

1630 \ProvidesFile{memoir-xepersian.def}[2010/07/25 v0.1 adaptations for memoir class]
1631 \renewcommand{\@memfront}{%
1632   \@smemfront\pagenumbering{harfi}}
1633 \renewcommand{\setthesection}{\thechapter\@SepMark\harfi{section}}
1634 \renewcommand*{\thebook}{\@tartibi\c@book}
1635 \renewcommand*{\thepart}{\@tartibi\c@part}
1636 \renewcommand{\appendix}{\par
1637   \setcounter{chapter}{0}%
1638   \setcounter{section}{0}%
1639   \gdef\@chapapp{\appendixname}%
1640   \gdef\thechapter{\charfi\c@chapter}%
1641   \anappendixtrue}

```

7.39 latex-localise-messages-xepersian.def

```

1642 latex}          -localise-messages-xepersian.def}[2011/03/01 v0.1 localising LaTeXe messages]

```

7.40 minitoc-xepersian.def

```

1643 \ProvidesFile{minitoc-xepersian.def}[2010/07/25 v0.1 bilingual captions for minitoc package]
1644 \def\ptctitle{\ifRTL else\ Table of Contents\fi}%
1645 \def\plftitle{\ifRTL else\ List of Figures\fi}%
1646 \def\pltttitle{\ifRTL else\ List of Tables\fi}%
1647 \def\mtctitle{\ifRTL else\ Contents\fi}%
1648 \def\mlftitle{\ifRTL else\ Figures\fi}%
1649 \def\mltttitle{\ifRTL else\ Tables\fi}%
1650 \def\stctitle{\ifRTL else\ Contents\fi}%
1651 \def\slftitle{\ifRTL else\ Figures\fi}%
1652 \def\sltttitle{\ifRTL else\ Tables\fi}%

```

7.41 latex-localise-misc-xepersian.def



```

1653 \ProvidesFile{latex-localise-misc-xepersian.def}[2012/01/01 v0.2 miscellaneous Persian localis
1654 %}1#  \ \
1655   \@  \     @ \    \
1656   \1#  \
1657   \1# @\
1658   \1# @\
1659 {@  \
1660 %}2#1# @\ \
1661 %1#  \     @\    \  \ \    \
1662   \2#  \     @\    \
1663 {{2#1#  \
1664 undefined\  \
1665
1666 %{ \    \  \  \1#}  \ \}  \1#  \ \
1667   \ { \  \  \
1668   \  \
1669
1670
1671 \  \  \ %}  \#1
1672   \1#}  \ \ %  \
1673       \  \  \
1674   }%
1675   \
1676   \  \  \
1677 }
1678 \= \  \
1679
1680
1681 \@ifdefinitionfileloaded{latex-xetex-bidi}{%
1682 \def\@xfloat #1[#2]{%
1683   @nodocument
1684   \def\@capttype {\#1}%
1685   \def\@fps {\#2}%
1686   \onelevel@sanitize\@fps
1687   \def\@reserved@b {\!}%
1688   \ifx\@reserved@b\@fps
1689     \@fpsadddefault
1690   \else
1691     \ifx\@fps\empty
1692       \@fpsadddefault
1693     \fi
1694   \fi
1695   \ifhmode
1696     \obspshack
1697     \floatpenalty-\@Mii
1698   \else
1699     \floatpenalty-\@Miii
1700   \fi
1701 \ifinner
1702   \parmoderr\floatpenalty\z@
```



```

1703 \else
1704   \cnext\currbox\freetlist
1705   {%
1706     \tempcnta\sixt@n
1707     \expandafter\@tfor\expandafter\reserved@a
1708       \expandafter:\expandafter=\@fps
1709     \do
1710       {%
1711         \if\reserved@a h%
1712           \ifodd\tempcnta
1713             \else
1714               \advance\tempcnta\@ne
1715             \fi
1716           \fi
1717         \if\reserved@a %
1718           \ifodd\tempcnta
1719             \else
1720               \advance\tempcnta\@ne
1721             \fi
1722           \fi
1723         \if\reserved@a t%
1724           \@setfpsbit\@tw@
1725         \fi
1726         \if\reserved@a %
1727           \@setfpsbit\@tw@
1728         \fi
1729         \if\reserved@a b%
1730           \@setfpsbit 4%
1731         \fi
1732         \if\reserved@a %
1733           \@setfpsbit 4%
1734         \fi
1735         \if\reserved@a p%
1736           \@setfpsbit 8%
1737         \fi
1738         \if\reserved@a %
1739           \@setfpsbit 8%
1740         \fi
1741         \if\reserved@a !%
1742           \ifnum\tempcnta>15
1743             \advance\tempcnta-\sixt@n\relax
1744           \fi
1745         \fi
1746       }%
1747     \tempcntb\csname ftype@\captype\endcsname
1748     \multiply\tempcntb\@xxxii
1749     \advance\tempcnta\tempcntb
1750     \global\count\currbox\tempcnta
1751   }%
1752 \@fltovf

```



```

1753   \fi
1754   \global \setbox\@currbox
1755     \color@vbox
1756       \normalcolor
1757       \vbox \bgroup
1758         \hsize\columnwidth
1759         \parboxrestore
1760         \floatboxreset
1761   }
1762 \let\bm@\bm@c
1763 \let\bm@\bm@l
1764 \let\bm@\bm@r
1765 \let\bm@\bm@b
1766 \let\bm@\bm@t
1767 \let\bm@\bm@s
1768 \long\def\@iiiparbox#1#2[#3]#4#5{%
1769   \leavevmode
1770   \pboxswfalse
1771   \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1772   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\else\fi
1773   \setlength\@tempdima{#4}%
1774   \begin@tempboxa\vbox{\hsize\@tempdima\parboxrestore#5\@par}%
1775     \ifx\relax#2\else
1776       \setlength\@tempdimb{#2}%
1777       \edef\@parboxto{to\the\@tempdimb}%
1778     \fi
1779     \if#1b\vbox
1780     \else\if#1\vtop
1781     \else\if vtop\ #1
1782     \else\ifmmode\vcenter
1783     \else\@pboxswtrue \$\vcenter
1784     \fi\fi\fi\fi\fi
1785     \parboxto{\let\hss\vss\let\unhbox\unvbox
1786       \csname bm@\#3\endcsname}%
1787     \if@pboxsw \m@th$\fi
1788   \end@tempboxa}
1789 \def\@iiiminipage#1#2[#3]#4{%
1790   \leavevmode
1791   \pboxswfalse
1792   \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1793   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\else\fi
1794   \setlength\@tempdima{#4}%
1795   \def\@mpargs{{#1}{#2}[#3]{#4}}%
1796   \setbox\@tempboxa\vbox\bgroup
1797     \color@begingroup
1798       \hsize\@tempdima
1799       \textwidth\hsize \columnwidth\hsize
1800       \parboxrestore
1801       \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
```



```

1803      \let\@footnotetext\@mpfootnotetext
1804      \let\@LTRfootnotetext\@mpLTRfootnotetext
1805      \let\@RTLfootnotetext\@mpRTLfootnotetext
1806      \let\@listdepth\@mplistdepth \@mplistdepth\z@
1807      \@minipagerestore
1808      \@setminipage}
1809 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4 \else
1810   \ifnum \lastchclass=3 5 \else
1811     \z@ \if #1c\@chnum \z@ \else
1812       \if \chnum@#1 \z@ \else
1813         \if \if@RTLtab#1r\else#1l\fi\@chnum \one \else
1814           \if \if@RTLtab#1 \else#1 \fi\@chnum \one \else
1815             \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1816               \if \if@RTLtab#1 \else#1 \fi\@chnum \tw@ \else
1817                 \@chclass \if #1|\one \else
1818                   \if #1@\tw@ \else
1819                     \if #1p3 \else
1820                       \if 3#1 \else \z@ \@preamerr 0\fi
1821                         \fi \fi \fi \fi \fi \fi \fi \fi \fi
1822 \fi}%
1823 }{}%
1824 \@ifdefinitionfileloaded{array-xetex-bidi}{%
1825 \def\@testpach{\@chclass
1826 \ifnum \lastchclass=6 \one \@chnum \one \else
1827   \ifnum \lastchclass=7 5 \else
1828     \ifnum \lastchclass=8 \tw@ \else
1829       \ifnum \lastchclass=9 \thr@@
1830       \else \z@
1831       \ifnum \lastchclass = 10 \else
1832         \edef\@nextchar{\expandafter\string\@nextchar}%
1833         \@chnum
1834         \if \@nextchar c\z@ \else
1835           \if \@nextchar @z\ \else
1836             \if \@nextchar \if@RTLtab r\else l\fi\one \else
1837               \if \@nextchar \if@RTLtab else\ fi\one\ \else
1838                 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1839                   \if \@nextchar \if@RTLtab else\ @fi\tw\ \else
1840                     \z@ \@chclass
1841                     \if\@nextchar |\one \else
1842                       \if \@nextchar !6 \else
1843                         \if \@nextchar @7 \else
1844                           \if \@nextchar <8 \else
1845                             \if \@nextchar >9 \else
1846                               10
1847                               \@chnum
1848                               \if \@nextchar m\thr@@\else
1849                                 \if \@nextchar thr@@\else\
1850                                   \if \@nextchar p4 \else
1851                                     \if \@nextchar 4 \else
1852                                       \if \@nextchar b5 \else

```





```

1903 \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1904 \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1905 \fi}\prepnext@tok}
1906 \def\adl@class@start{4}
1907 \def\adl@class@iiiorvii{7}
1908
1909 \else
1910 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1911 \ifnum \@lastchclass=\thr@@ 5\relax \else
1912 \if #1c\@chnum \z@ \else
1913 \if \@chnum\z@\#1 \else
1914 \if \if@RTLtab#1\else#1\fi\@chnum \cne \else
1915 \if \if@RTLtab#1\else#1\fi\@chnum \cne \else
1916 \if \if@RTLtab#1\else#1\fi\@chnum \tw@ \else
1917 \if \if@RTLtab#1\else#1\fi\@chnum \tw@ \else
1918 \@chclass
1919 \if #1|\cne \let\@arrayrule\adl@arrayrule \else
1920 \if #1:\cne \let\@arrayrule\adl@arraydashrule \else
1921 \if #1;\cne \let\@arrayrule\adl@argarraydashrule \else
1922 \if #1@ \tw@ \else
1923 \if #1p\thr@@ \else
1924 \if @@thr\#1 \else\z@ \cpreamerr 0\fi
1925 \fi \fi
1926
1927 \def\@arrayclassz{\ifcase \@lastchclass \acolampacol \or \ampacol \or
1928 \or \or \caddamp \or
1929 \acolampacol \or \cfirststampfalse \acol \fi
1930 \edef\@preamble{\@preamble
1931 \ifcase \@chnum
1932 \hfil\adl@putlrc{\relax\sharp}\hfil
1933 \or \adl@putlrc{\relax\sharp}\hfil
1934 \or \hfil\adl@putlrc{\relax\sharp}\fi}}
1935 \def\@tabclassz{\ifcase \@lastchclass \acolampacol \or \ampacol \or
1936 \or \or \caddamp \or
1937 \acolampacol \or \cfirststampfalse \acol \fi
1938 \edef\@preamble{\@preamble
1939 \ifcase \@chnum
1940 \hfil\adl@putlrc{\sharp\unskip}\hfil
1941 \or \adl@putlrc{\sharp\unskip}\hfil
1942 \or \hfil\hskip\z@ \adl@putlrc{\sharp\unskip}\fi}}
1943 \def\adl@class@start{6}
1944 \def\adl@class@iiiorvii{3}
1945 \fi
1946 \{}%
1947 \cifdefinitionfileloaded{tabulary-xetex-bidi}{%
1948 \def\@testpach{\@chclass
1949 \ifnum \@lastchclass=6 \cne \@chnum \cne \else
1950 \ifnum \@lastchclass=7 5 \else
1951 \ifnum \@lastchclass=8 \tw@ \else
1952 \ifnum \@lastchclass=9 \thr@@

```





```

2003 \let\@currbox\float@box
2004 \def\@capttype[#1]{\setbox\@floatcapt=\vbox{}%
2005 \expandafter\ifx\csname fst@\#1\endcsname\relax
2006   \relax\@flstylefalse\else\relax\@flstyletrue\fi
2007 \setbox\@currbox\color@vbox\normalcolor
2008 \vbox\bgroup \hsize\columnwidth \parboxrestore
2009   \relax\@floatboxreset \relax\@setnobreak
2010 \ignorespaces}
2011 }{%
2012 \begingroup \catcode `|=0 \catcode `[:= 1
2013 \catcode`]=2 \catcode `[\={=12 \catcode `]\={=12
2014 \catcode`\|=12 \gdef|\@x@xepersian@localize@verbatim#1[[      ]|1#]{      }
2015 \gdef|\@sx@xepersian@localize@verbatim#1[[*      ]|1#]{*      }
2016 \endgroup
2017 \def\ {|\@verbatim \frenchspacing\@vobeyspaces \@x@xepersian@localize@verbatim}
2018 \def\end {|\if@newlist \leavevmode\fi\endtrivlist}
2019 \ExplSyntaxOn
2020 \AtBeginDocument{\@namedef{ }{|\@verbatim \fontspec_print_visible_spaces: \@sx@xepersian}}
2021 \ExplSyntaxOff
2022 \expandafter\let\csname end \endcsname =\end

```

7.42 natbib-xepersian.def

```

2023 \ProvidesFile{natbib-xepersian.def}[2011/08/01 v0.1 adaptations for natbib package]
2024 \renewcommand\NAT@set@cites{%
2025   \ifNAT@numbers
2026     \ifNAT@super \let\@cite\NAT@citesuper
2027       \def\NAT@mbox##1{\unskip\nobreak\textsuperscript{##1}}%
2028       \let\citeyearpar=\citeyear
2029       \let\NAT@space\relax
2030       \def\NAT@super@kern{\kern\p@}%
2031   \else
2032     \let\NAT@mbox=\mbox
2033     \let\@cite\NAT@citemum
2034     \let\NAT@space\NAT@spacechar
2035     \let\NAT@super@kern\relax
2036   \fi
2037   \let\@citex\NAT@citexnum
2038 \let\@Latincitex\NAT@Latin@citexnum
2039 \let\@biblabel\NAT@biblabelnum
2040 \let\@bibsetup\NAT@bibsetnum
2041 \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@num\NAT@close}%
2042 \def\natexlab##1{%
2043   \def\NAT@penalty{\penalty\@m}%
2044 }%
2045 \else
2046   \let\@cite\NAT@cite
2047   \let\@citex\NAT@citex
2048   \let\@Latincitex\NAT@Latin@citex
2049   \let\@biblabel\NAT@biblabel
2050   \let\@bibsetup\NAT@bibsetup

```



```

2050   \let\NAT@space\NAT@spacechar
2051   \let\NAT@penalty\empty
2052   \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@date\NAT@close}%
2053   \def\natexlab##1{##1}%
2054   \fi}
2055 \newcommand\NAT@Latin@citex{}
2056 \def\NAT@Latin@citex%
2057   [##1] [##2]#3{%
2058   \NAT@reset@parser
2059   \NAT@sort@cites{##3}%
2060   \NAT@reset@citea
2061   \Cite{\lr{\let\NAT@nm\empty\let\NAT@year\empty
2062     \for\@citeb:=\NAT@cite@list\do
2063       {\@safe@activestrue
2064         \edef\@citeb{\expandafter\firstofone\@citeb\empty}%
2065         \@safe@activesfalse
2066         \ifundefined{b@\@citeb\@extra@b@\citeb}{\@citea{%
2067           \reset@font\bfseries ?}\NAT@citeundefined
2068             \PackageWarning{natbib}%
2069             {Citation `@citeb' on page \thepage\space undefined}\def\NAT@date{}%}
2070           \let\NAT@last@nm=\NAT@nm\let\NAT@last@yr=\NAT@year
2071           \NAT@parse{\@citeb}%
2072           \ifNAT@longnames\ifundefined{bv@\@citeb\@extra@b@\citeb}{%
2073             \let\NAT@name=\NAT@all@names
2074             \global\@namedef{bv@\@citeb\@extra@b@\citeb}{}%}
2075           \fi
2076           \ifNAT@full\let\NAT@nm\NAT@all@names\else
2077             \let\NAT@nm\NAT@name\fi
2078           \ifNAT@swa\ifcase\NAT@ctype
2079             \ifrelax\NAT@date\relax
2080               \Citea\NAT@hyper@\{NAT@nmfmt{\NAT@nm}\NAT@date}%
2081             \else
2082               \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2083                 \ifx\NAT@last@yr\NAT@year
2084                   \def\NAT@temp{?}%
2085                   \ifx\NAT@temp\NAT@exlab\PackageWarning{natbib}%
2086                     {Multiple citation on page \thepage: same authors and
2087                     year\MessageBreak without distinguishing extra
2088                     letter,\MessageBreak appears as question mark}\fi
2089                     \NAT@hyper@\{NAT@exlab}%
2090                   \else\unskip\NAT@spacechar
2091                     \NAT@hyper@\{NAT@date}%
2092                   \fi
2093                 \else
2094                   \Citea\NAT@hyper@{%
2095                     \NAT@nmfmt{\NAT@nm}%
2096                     \hyper@natlinkbreak{%
2097                       \NAT@aysep\NAT@spacechar}\{@citeb\@extra@b@\citeb
2098                     }%
2099                     \NAT@date

```



```

2100 }%
2101 \fi
2102 \fi
2103 \or\@citea\NAT@hyper@\{\NAT@nmfmt{\NAT@nm}\}%
2104 \or\@citea\NAT@hyper@\{\NAT@date\}%
2105 \or\@citea\NAT@hyper@\{\NAT@alias\}%
2106 \fi \NAT@def@citea
2107 \else
2108   \ifcase\NAT@ctype
2109     \if\relax\NAT@date\relax
2110       \@citea\NAT@hyper@\{\NAT@nmfmt{\NAT@nm}\}%
2111     \else
2112       \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2113         \ifx\NAT@last@yr\NAT@year
2114           \def\NAT@temp{\?}%
2115           \ifx\NAT@temp\NAT@exlab\PackageWarningNoLine{nativbib}%
2116             {Multiple citation on page \thepage: same authors and
2117             year\MessageBreak without distinguishing extra
2118             letter,\MessageBreak appears as question mark}\fi
2119           \NAT@hyper@\{\NAT@exlab\}%
2120         \else
2121           \unskip\NAT@spacechar
2122           \NAT@hyper@\{\NAT@date\}%
2123         \fi
2124       \else
2125         \@citea\NAT@hyper@{%
2126           \NAT@nmfmt{\NAT@nm}\%
2127           \hyper@natlinkbreak{\NAT@spacechar\NAT@open\if*\#1*\else#1\NAT@spacechar\fi}%
2128             {\@citereb\@extra@b@citereb}\%
2129           \NAT@date
2130         }%
2131       \fi
2132     \fi
2133   \or\@citea\NAT@hyper@\{\NAT@nmfmt{\NAT@nm}\}%
2134   \or\@citea\NAT@hyper@\{\NAT@date\}%
2135   \or\@citea\NAT@hyper@\{\NAT@alias\}%
2136   \fi
2137   \if\relax\NAT@date\relax
2138     \NAT@def@citea
2139   \else
2140     \NAT@def@citea@close
2141   \fi
2142 \fi
2143 }{\ifNAT@swa\else\if*\#2*\else\NAT@cmt\#2\fi
2144   \if\relax\NAT@date\relax\else\NAT@close\fi\fi}\{\#1\}\{\#2\}}
2145 \newcommand\NAT@Latin@citexnum{}
2146 \def\NAT@Latin@citexnum[#1] [#2]#3{%
2147   \NAT@reset@parser
2148   \NAT@sort@cites{\#3}%
2149   \NAT@reset@citea

```



```

2150  \@citere{\lrf{\def\nAT@num{-1}\let\nAT@last@yr\relax\let\nAT@nm\@empty
2151    \@for \@citeb:=\NAT@cite@list\do
2152      {\@safe@activestrue
2153        \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}%
2154        \@safe@activesfalse
2155        \@ifundefined{b@\@citeb\@extra@b@\citeb}{%
2156          {\reset@font\bfseries?}
2157          \NAT@citeundefined\PackageWarning{natbib}%
2158          {Citation `@\citeb' on page \thepage\space undefined}}%
2159        {\let\nAT@last@num\NAT@num\let\nAT@last@nm\NAT@nm
2160          \NAT@parse{\@citeb}%
2161          \@ifNAT@longnames\@ifundefined{bv@\@citeb\@extra@b@\citeb}{%
2162            {\let\nAT@name=\NAT@all@names
2163              \global\@namedef{bv@\@citeb\@extra@b@\citeb}{}{}}%
2164            \fi
2165            \@ifNAT@full\let\nAT@nm\NAT@all@names\else
2166              \let\nAT@nm\NAT@name\fi
2167            \ifNAT@swa
2168              \@ifnum{\NAT@ctype}>\@ne}{%
2169                \@citea
2170                \NAT@hyper@{\@ifnum{\NAT@ctype=\tw@}{\NAT@test{\NAT@ctype}}{\NAT@alias}}%
2171            }{%
2172              \@ifnum{\NAT@cmprs}>\z@}{%
2173                \NAT@ifcat@num\NAT@num
2174                  {\let\nAT@nm=\NAT@num}%
2175                  {\def\nAT@nm{-2}}%
2176                \NAT@ifcat@num\NAT@last@num
2177                  {\@tempcnta=\NAT@last@num\relax}%
2178                  {\@tempcnta\m@ne}%
2179                \@ifnum{\NAT@nm=\@tempcnta}{%
2180                  \@ifnum{\NAT@merge}>\@ne}{\NAT@last@yr@mbox}%
2181                }{%
2182                  \advance\@tempcnta by\@ne
2183                  \@ifnum{\NAT@nm=\@tempcnta}{%
2184                    \ifx\nAT@last@yr\relax
2185                      \def\nAT@last@yr{\@citea}%
2186                    \else
2187                      \def\nAT@last@yr{--\NAT@penalty}%
2188                    \fi
2189                  }{%
2190                    \NAT@last@yr@mbox
2191                  }%
2192                }%
2193              }%
2194              \NAT@last@yr@mbox
2195            }{%
2196              \ifNAT@swa\NAT@citea@mbox\fi
2197            }%
2198          }%
2199        \NAT@def@citea

```



```

2200 \else
2201   \ifcase\NAT@ctype
2202     \ifx\NAT@last@nm\NAT@nm \NAT@yrsep\NAT@penalty\NAT@space\else
2203       \NAT@test{\@ne}\NAT@spacechar\NAT@mbox{\NAT@super@kern\NAT@open}%
2204     \fi
2205     \if*#1*\else#1\NAT@spacechar\fi
2206     \NAT@mbox{\NAT@hyper@{\{\citemarkfont{\NAT@num}\}}}%  

2207     \NAT@def@citea@box
2208   \or
2209     \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2210   \or
2211     \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2212   \or
2213     \NAT@hyper@citea@space\NAT@alias
2214   \fi
2215 \fi
2216 }%
2217 }%
2218 \@ifnum{\NAT@cmprs>\z@}{\NAT@last@yr}{}%
2219 \ifNAT@swa\else
2220   \ifnum{\NAT@ctype=\z@}%
2221     \if*#2*\else\NAT@cmnt#2\fi
2222   }%
2223   \NAT@mbox{\NAT@close}%
2224 \fi
2225 }{\#1}{\#2}%
2226 }%
2227 \AtBeginDocument{\NAT@set@cites}
2228 \DeclareRobustCommand\Latincite
2229   {\begingroup\let\NAT@ctype\z@\NAT@partrue\NAT@swatru
2230     \Gifstar{\NAT@fulltrue\NAT@Latin@cites}{\NAT@fullfalse\NAT@Latin@cites}}
2231 \newcommand\NAT@Latin@cites{\Gifnextchar [{\NAT@Latin@citetp}{%
2232   \ifNAT@numbers\else
2233   \NAT@swafalse
2234   \fi
2235   \NAT@Latin@citetp[]]}
2236 \newcommand\NAT@Latin@citetp{}%
2237 \def\NAT@Latin@citetp[#1]{\Gifnextchar [{\@Latincitex[#1]}{\@Latincitex[] [#1]}}}

```

7.43 packages-localise-xepersian.def

```

2238 packages}          \localise-xepersian.def}[2013/04/24 v0.2 localising LaTeXe Packages]
2239 color}    \color}          @\localise-xepersian.def}{}}
2240 @ifpackageloaded{multicol}{%
2241 \newenvironment{ }{\begin{multicols}}{\end{multicols}}%
2242 \newenvironment{*}{\begin{multicols*}}{\end{multicols*}}%
2243 }{}}
2244 @ifpackageloaded{verbatim}{%
2245 \begingroup
2246 \vrb@catcodes

```



```

2247 \lccode`!=`\ \\ \lccode`[=`\{ \lccode`\]=`\}
2248 \catcode`\~=`active \lccode`\~=`\^M
2249 \lccode`\C=`\C
2250 \lowercase{\endgroup
2251   \def\xepersian@localize@verbatim@start#1{%
2252     \verbatim@startline
2253     \if\noexpand#1\noexpand~%
2254       \let\next\xepersian@localize@verbatim@
2255     \else \def\next{\xepersian@localize@verbatim@#1}\fi
2256     \next}%
2257 \def\xepersian@localize@verbatim@#1~{\xepersian@localize@verbatim@@#1!  \nil}%
2258 \def\xepersian@localize@verbatim@@#1! {%
2259   \verbatim@addtoline{#1}%
2260   \futurelet\next\xepersian@localize@verbatim@@@}%
2261 \def\xepersian@localize@verbatim@@@#1\@nil{%
2262   \ifx\next\@nil
2263     \verbatim@processline
2264     \verbatim@startline
2265     \let\next\xepersian@localize@verbatim@
2266   \else
2267     \def\@tempa##1!  \nil{##1}%
2268     \temptokena{!  }%
2269     \def\next{\expandafter\xepersian@localize@verbatim@test\@tempa#1\@nil~}%
2270   \fi \next}%
2271 \def\xepersian@localize@verbatim@test#1{%
2272   \let\next\xepersian@localize@verbatim@test
2273   \if\noexpand#1\noexpand~%
2274     \expandafter\verbatim@addtoline
2275     \expandafter{\the\temptokena}%
2276     \verbatim@processline
2277     \verbatim@startline
2278     \let\next\xepersian@localize@verbatim@
2279   \else \if\noexpand#1
2280     \temptokena\expandafter{\the\@tempokena#1}%
2281   \else \if\noexpand#1\noexpand[%
2282     \let\@tempc\@empty
2283     \let\next\xepersian@localize@verbatim@testend
2284   \else
2285     \expandafter\verbatim@addtoline
2286     \expandafter{\the\@tempokena}%
2287     \def\next{\xepersian@localize@verbatim@#1}%
2288   \fi\fi\fi
2289   \next}%
2290 \def\xepersian@localize@verbatim@testend#1{%
2291   \if\noexpand#1\noexpand~%
2292     \expandafter\verbatim@addtoline
2293     \expandafter{\the\@tempokena[]}%
2294     \expandafter\verbatim@addtoline
2295     \expandafter{\@tempc}%
2296     \verbatim@processline

```



```

2297     \verbatim@startline
2298     \let\next\xepersian@localize@verbatim@
2299     \else\if\noexpand#1\noexpand]%
2300     \let\next\xepersian@localize@verbatim@@testend
2301     \else\if\noexpand#1\noexpand!%
2302     \expandafter\verbatim@addtoline
2303     \expandafter{\the\@temptokena[]}%
2304     \expandafter\verbatim@addtoline
2305     \expandafter{\@tempc}%
2306     \def\next{\xepersian@localize@verbatim@!}%
2307     \else \expandafter\def\expandafter{\@tempc}\expandafter
2308     {\@tempc#1}\fi\fi\fi
2309     \next}%
2310     \def\xepersian@localize@verbatim@@testend{%
2311     \ifx\@tempc\@currenvir
2312     \verbatim@finish
2313     \edef\next{\noexpand\end{\@currenvir}%
2314     \noexpand\xepersian@localize@verbatim@rescan{\@currenvir}}%
2315     \else
2316     \expandafter\verbatim@addtoline
2317     \expandafter{\the\@temptokena[]}%
2318     \expandafter\verbatim@addtoline
2319     \expandafter{\@tempc}%
2320     \let\next\xepersian@localize@verbatim@
2321     \fi
2322     \next}%
2323     \def\xepersian@localize@verbatim@rescan#2~{\if\noexpand~\noexpand#2~\else
2324     \@warning{Characters dropped after `\\string\\end{#1}'\\fi}}%
2325 \def\ {\\begin{group}\\verbatim \\frenchspacing\\vobeyspaces
2326     \\xepersian@localize@verbatim@start}
2327 \namedef{ *}{\\begin{group}\\verbatim\\xepersian@localize@verbatim@start}
2328 \def\\end {\\endtrivlist\\endgroup\\doendpe}
2329 \expandafter\\let\\csname end \\endcsname =\\end
2330 }{ }
2331 \\ExplSyntaxOn
2332 \\AtBeginDocument{
2333     \\xepersian_localize_patch_verbatim:
2334 }
2335 \\cs_set:Npn \\xepersian_localize_patch_verbatim: {
2336     \\@ifpackageloaded{verbatim}{
2337         \\cs_set:cpn {*} { }
2338         \\group_begin: \\@verbatim \\fontspec_print_visible_spaces: \\xepersian@localize@verbatim@st
2339     }
2340     }{
2341     }
2342 }
2343 \\ExplSyntaxOff
2344 \\@ifpackageloaded{graphicx}{%
2345 \\def\\Gin@boolkey#1#2{%
2346 \\expandafter\\@ifdefinable \\csname Gin@#2 \\endcsname{%

```



```

2347 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2true\endcsname}%
2348 \expandafter@ifdefinable \csname Gin@#2 \endcsname{%
2349 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2false\endcsname}%
2350 \csname Gin@#2\ifx\relax#1\relax true\else#1\fi\endcsname}%
2351 \define@key{Grot}{origin}[c]{%
2352 \atfor@tempa:=#1\do{%
2353   \if 1\@tempa \Grot@x\z@\else
2354   \if tempa@ \Grot@x\z@\else
2355   \if r\@tempa \Grot@x\width\else
2356   \if tempa@ \Grot@x\width\else
2357   \if t\@tempa \Grot@y\height\else
2358   \if tempa@ \Grot@y\height\else
2359   \if b\@tempa \Grot@y-\depth\else
2360   \if tempa@ \Grot@y-\depth\else
2361   \if B\@tempa \Grot@y\z@\else
2362   \if tempa@ \Grot@y\z@\fi\fi\fi\fi\fi\fi\fi\fi}%
2363 {draft}{ }{Gin} @ \
2364 {origin}{ }{Gin} @ \
2365 {origin}{ }{Grot} @ \
2366 {clip}{ }{Gin} @ \
2367 {keepaspectratio}{ }{Gin} @ \
2368 {natwidth}{ }{Gin} @ \
2369 {natheight}{ }{Gin} @ \
2370 {bb}{ }{Gin} @ \
2371 {viewport}{ }{Gin} @ \
2372 {trim}{ }{Gin} @ \
2373 {angle}{ }{Gin} @ \
2374 {width}{ }{Gin} @ \
2375 {height}{ }{Gin} @ \
2376 {totalheight}{ }{Gin} @ \
2377 {scale}{ }{Gin} @ \
2378 {type}{ }{Gin} @ \
2379 {ext}{ }{Gin} @ \
2380 {read}{ }{Gin} @ \
2381 {command}{ }{Gin} @ \
2382 {fx}{ }{Grot} @ \
2383 {fy}{ }{Grot} @ \
2384 {units}{ }{Grot} @ \
2385 }{}}

```

7.44 parsidigits.map

```

2386 LHSName "Digits"
2387 RHSName "ParsiDigits"
2388
2389 pass(Unicode)
2390 U+0030 <> U+06F0 ;
2391 U+0031 <> U+06F1 ;
2392 U+0032 <> U+06F2 ;
2393 U+0033 <> U+06F3 ;

```



```

2394 U+0034 <> U+06F4 ;
2395 U+0035 <> U+06F5 ;
2396 U+0036 <> U+06F6 ;
2397 U+0037 <> U+06F7 ;
2398 U+0038 <> U+06F8 ;
2399 U+0039 <> U+06F9 ;

2400
2401
2402 U+002C <> U+060C ; comma > arabic comma
2403 U+003F <> U+061F ; question mark -> arabic qm
2404 U+003B <> U+061B ; semicolon -> arabic semicolon
2405
2406 ; ligatures from Knuth's original CMR fonts
2407 U+002D U+002D <> U+2013 ; -- -> en dash
2408 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2409
2410 U+0027 <> U+2019 ; ' -> right single quote
2411 U+0027 U+0027 <> U+201D ; '' -> right double quote
2412 U+0022 > U+201D ; " -> right double quote
2413
2414 U+0060 <> U+2018 ; ` -> left single quote
2415 U+0060 U+0060 <> U+201C ; `` -> left double quote
2416
2417 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2418 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2419
2420 ; additions supported in T1 encoding
2421 U+002C U+002C <> U+201E ; , , -> DOUBLE LOW-9 QUOTATION MARK
2422 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2423 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```

7.45 rapport1-xepersian.def

```

2424 \ProvidesFile{rapport1-xepersian.def}[2010/07/25 v0.1 adaptations for rapport1 class]
2425 \renewcommand*\thepart{\@tartibi\c@part}
2426 \renewcommand*\appendix{\par
2427   \setcounter{chapter}{0}%
2428   \setcounter{section}{0}%
2429   \gdef\@chapapp{\appendixname}%
2430   \gdef\thechapter{\@harfi\c@chapter}}

```

7.46 rapport3-xepersian.def

```

2431 \ProvidesFile{rapport3-xepersian.def}[2010/07/25 v0.2 adaptations for rapport3 class]
2432 \renewcommand*\thepart{\@tartibi\c@part}
2433 \renewcommand*\appendix{\par
2434   \setcounter{chapter}{0}%
2435   \setcounter{section}{0}%
2436   \gdef\@chapapp{\appendixname}%
2437   \gdef\thechapter{\@harfi\c@chapter}}

```



7.47 refrep-xepersian.def

```
2438 \ProvidesFile{refrep-xepersian.def}[2010/07/25 v0.2 adaptations for refrep class]
2439 \renewcommand \thepart {\@tartibi\c@part}
2440 \renewcommand\appendix{\par
2441   \setcounter{chapter}{0}%
2442   \setcounter{section}{0}%
2443   \gdef\@chapapp{\appendixname}%
2444   \gdef\thechapter{\@harfi\c@chapter}
2445 }%end appendix
```

7.48 report-xepersian.def

```
2446 \ProvidesFile{report-xepersian.def}[2010/07/25 v0.2 adaptations for standard report class]
2447 \renewcommand \thepart {\@tartibi\c@part}
2448 \renewcommand\appendix{\par
2449   \setcounter{chapter}{0}%
2450   \setcounter{section}{0}%
2451   \gdef\@chapapp{\appendixname}%
2452   \gdef\thechapter{\@harfi\c@chapter}
2453 }%end appendix
```

7.49 scrartcl-xepersian.def

```
2454 \ProvidesFile{scrartcl-xepersian.def}[2010/07/25 v0.2 adaptations for scrartcl class]
2455 \renewcommand*\thepart{\@tartibi\c@part}
2456 \renewcommand*\appendix{\par%
2457   \setcounter{section}{0}%
2458   \setcounter{subsection}{0}%
2459   \gdef\thesection{\@harfi\c@section}%
2460   \csname appendixmore\endcsname
2461 }
2462 \renewcommand*{\@maybeautodot}[1]{%
2463   \ifx #1\@stop\let\@maybeautodot\relax
2464   \else
2465     \ifx #1\harfi \@autodottrue\fi
2466     \ifx #1\adadi \@autodottrue\fi
2467     \ifx #1\tartibi \@autodottrue\fi
2468     \ifx #1\Alph \@autodottrue\fi
2469     \ifx #1\alph \@autodottrue\fi
2470     \ifx #1\Roman \@autodottrue\fi
2471     \ifx #1\roman \@autodottrue\fi
2472     \ifx #1\@harfi \@autodottrue\fi
2473     \ifx #1\@adadi \@autodottrue\fi
2474     \ifx #1\@tartibi \@autodottrue\fi
2475     \ifx #1\@Alpha \@autodottrue\fi
2476     \ifx #1\@alph \@autodottrue\fi
2477     \ifx #1\@Roman \@autodottrue\fi
2478     \ifx #1\@roman \@autodottrue\fi
2479     \ifx #1\@roman numeral \@autodottrue\fi
2480   \fi
2481 \@@maybeautodot
```



```
2482 }
```

7.50 scrbook-xepersian.def

```
2483 \ProvidesFile{scrbook-xepersian.def}[2010/07/25 v0.2 adaptations for scrbook class]
2484 \renewcommand*\frontmatter{%
2485   \if@twoside\cleardoubleoddpage\else\clearpage\fi
2486   \c@mainmatterfalse\pagenumbering{harfi}%
2487 }
2488 \renewcommand*{\thepart}{\c@tartibi\c@part}
2489 \renewcommand*\appendix{\par%
2490   \setcounter{chapter}{0}%
2491   \setcounter{section}{0}%
2492   \gdef\@chapapp{\appendixname}%
2493   \gdef\thechapter{\c@harfi\c@chapter}%
2494   \csname appendixmore\endcsname
2495 }
2496 \renewcommand*{\@@maybeautodot}[1]{%
2497   \ifx #1\stop\let\@@maybeautodot\relax
2498   \else
2499     \ifx #1\harfi \c@autodottrue\fi
2500     \ifx #1\adadi \c@autodottrue\fi
2501     \ifx #1\tartibi \c@autodottrue\fi
2502     \ifx #1\Alpha \c@autodottrue\fi
2503     \ifx #1\alpha \c@autodottrue\fi
2504     \ifx #1\Roman \c@autodottrue\fi
2505     \ifx #1\roman \c@autodottrue\fi
2506     \ifx #1\@harfi \c@autodottrue\fi
2507     \ifx #1\@adadi \c@autodottrue\fi
2508     \ifx #1\@tartibi \c@autodottrue\fi
2509     \ifx #1\@Alpha \c@autodottrue\fi
2510     \ifx #1\@alpha \c@autodottrue\fi
2511     \ifx #1\@Roman \c@autodottrue\fi
2512     \ifx #1\@roman \c@autodottrue\fi
2513     \ifx #1\@roman numeral \c@autodottrue\fi
2514   \fi
2515   \c@maybeautodot
2516 }
```

7.51 scrreprt-xepersian.def

```
2517 \ProvidesFile{scrreprt-xepersian.def}[2010/07/25 v0.2 adaptations for scrreprt class]
2518 \renewcommand*{\thepart}{\c@tartibi\c@part}
2519 \renewcommand*\appendix{\par%
2520   \setcounter{chapter}{0}%
2521   \setcounter{section}{0}%
2522   \gdef\@chapapp{\appendixname}%
2523   \gdef\thechapter{\c@harfi\c@chapter}%
2524   \csname appendixmore\endcsname
2525 }
2526 \renewcommand*{\@@maybeautodot}[1]{%
```



```

2527   \ifx #1\@stop\let\@@maybeautodot\relax
2528   \else
2529     \ifx #1\harfi \autodottrue\fi
2530     \ifx #1\adadi \autodottrue\fi
2531     \ifx #1\tartibi \autodottrue\fi
2532     \ifx #1\Alpha \autodottrue\fi
2533     \ifx #1\alpha \autodottrue\fi
2534     \ifx #1\Roman \autodottrue\fi
2535     \ifx #1\roman \autodottrue\fi
2536     \ifx #1\@harfi \autodottrue\fi
2537     \ifx #1\@adadi \autodottrue\fi
2538     \ifx #1\@tartibi \autodottrue\fi
2539     \ifx #1\@Alpha \autodottrue\fi
2540     \ifx #1\@alpha \autodottrue\fi
2541     \ifx #1\@Roman \autodottrue\fi
2542     \ifx #1\@roman \autodottrue\fi
2543     \ifx #1\@roman numeral \autodottrue\fi
2544   \fi
2545   \@@maybeautodot
2546 }

```

7.52 soul-xepersian.def

```

2547 \ProvidesFile{soul-xepersian.def}[2015/10/16 v0.1 adaptations for soul package]
2548 \let\SOUL@tt\relax
2549 \newfontface{\SOUL@tt}{Times New Roman}

```

7.53 tkz-linknodes-xepersian.def

```

2550 \ProvidesFile{tkz-linknodes-xepersian.def}[2012/06/13 v0.1 adaptations for tkz-linknodes packa
2551 \renewcommand*{\@SetTab}{%
2552   \let\@alph\@latinalph%
2553   \ifnum \value{C@NumTab}>25\relax%
2554     \setcounter{C@NumTab}{1}%
2555   \else%
2556     \stepcounter{C@NumTab}%
2557   \fi%
2558   \setcounter{C@NumGroup}{0}%
2559   \newcommand*{\PrefixCurrentTab}{\alpha{C@NumTab}}%
2560   \setboolean{B@FirstLink}{true}%
2561   \setboolean{B@NewGroup}{false}%
2562   \setcounter{C@NumGroup}{0}%
2563   \setcounter{C@CurrentGroup}{0}%
2564   \setcounter{NumC@Node}{0}%
2565   \setcounter{NumC@Stop}{0}%
2566   \setcounter{C@NextNode}{0}%
2567   \setcounter{C@CurrentStop}{0}%
2568   \setcounter{C@CurrentNode}{0}%
2569 }%

```

7.54 tocloft-xepersian.def



```
2570 \ProvidesFile{tocloft-xepersian.def}[2010/07/25 v0.1 bilingual captions for tocloft package]
2571 \renewcommand*{\cftchapname}{\if@RTL else\ chapter\fi}
2572 \renewcommand*{\cftsecname}{\if@RTL else\ section\fi}
2573 \renewcommand*{\cftsubsecname}{\if@RTL else\ subsection\fi}
2574 \renewcommand*{\cftsubsubsecname}{\if@RTL else\ subsubsection\fi}
2575 \renewcommand*{\cftparaname}{\if@RTL else\ paragraph\fi}
2576 \renewcommand*{\cftsubparaname}{\if@RTL else\ subparagraph\fi}
2577 \renewcommand*{\cftfigname}{\if@RTL else\ figure\fi}
2578 \renewcommand*{\cftsubfigname}{\if@RTL else\ subfigure\fi}
2579 \renewcommand*{\cfttabname}{\if@RTL else\ table\fi}
2580 \renewcommand*{\cftsubtabname}{\if@RTL else\ subtable\fi}
```

7.55 xepersian.sty

```
2581 \NeedsTeXFormat{LaTeX2e}
2582 \def\xepersianversion{v18}
2583 \def\xepersiandate{2017/02/23}
2584 \ProvidesPackage{xepersian}[\xepersiandate\space \xepersianversion\space
2585 Persian typesetting in XeLaTeX]
2586 \RequirePackage{fontspec}
2587 \RequirePackage{xepersian-persiancal}
2588 \RequirePackage{xepersian-mathsdigtspec}
2589 \RequirePackage{bidi}
2590 \edef\xepersian@info{*****^~J%
2591 * ^~J%
2592 * xepersian package (Persian for LaTeX, using XeTeX engine)^~J%
2593 * ^~J%
2594 * Description: The package supports Persian^~J%
2595 * typesetting, using fonts provided in the^~J%
2596 * distribution.^~J%
2597 * ^~J%
2598 * Copyright (c) 2008--2017 Vafa Khalighi^~J%
2599 * ^~J%
2600 * \xepersianversion, \xepersiandate^~J%
2601 * ^~J%
2602 * License: LaTeX Project Public License, version^~J%
2603 * 1.3c or higher (your choice)^~J%
2604 * ^~J%
2605 * Location on CTAN: /macros/xetex/latex/xepersian^~J%
2606 * ^~J%
2607 * Issue tracker: https://github.com/tex-xet/xepersian/issues^~J%
2608 * ^~J%
2609 * Support: persian-tex@tug.org^~J%
2610 ****^~J%
2611 \typeout{\xepersian@info}
2612 \edef\xepersian@everyjob{\the\everyjob}
2613 \everyjob{\xepersian@everyjob\typeout{\xepersian@info}}
2614 \edef\xepersian@strip@v@xepersianversion{\expandafter\gobble\xepersianversion}
2615 \newcommand*\IfxepersianPackageVersionLater}[1]{%
2616   \ifdim\xepersian@strip@v@xepersianversion pt > #1 pt %
```



```

2617     \expandafter\@firstoftwo
2618   \else
2619     \expandafter\@secondoftwo
2620   \fi}
2621 \newcommand*{\IfxepersianPackageVersionBefore}[1]{%
2622   \ifdim\@bidi@strip@v@xepersianversion pt < #1 pt %
2623     \expandafter\@firstoftwo
2624   \else
2625     \expandafter\@secondoftwo
2626   \fi}
2627 \newcommand*{\IfxepersianPackageVersion}[1]{%
2628   \ifdim\@bidi@strip@v@xepersianversion pt = #1 pt %
2629     \expandafter\@firstoftwo
2630   \else
2631     \expandafter\@secondoftwo
2632   \fi}
2633 \def\prq{\`{e}}
2634 \def\plq{\^e}
2635 \def\xepersian@cmds@temp#1{%
2636   \begingroup\expandafter\expandafter\expandafter\endgroup
2637   \expandafter\ifx\csname xepersian@\#1\endcsname\relax
2638     \begingroup
2639       \escapechar=-1 %
2640       \edef\x{\expandafter\meaning\csname#1\endcsname}%
2641       \def\y{\#1}%
2642       \def\z{\#1->}%
2643       \edef\y{\expandafter\z\meaning\y}%
2644     \expandafter\endgroup
2645     \ifx\x\y
2646       \expandafter\def\csname xepersian@\#1\expandafter\endcsname
2647       \expandafter{%
2648         \csname#1\endcsname
2649       }%
2650     \fi
2651   \fi
2652 }%
2653 \xepersian@cmds@temp{shellescape}
2654 \newif\ifwritexviii
2655 \ifnum\xepersian@shellescape=1\relax
2656   \writexviiittrue
2657 \else
2658   \writexviiifalse
2659 \fi
2660 \newfontscript{Parsi}{arab}
2661 \newfontlanguage{Parsi}{FAR}
2662 \ExplSyntaxOn
2663
2664 \DeclareDocumentCommand \settextfont { O{} m O{} }
2665 {
2666   \fontspec_set_family:Nnn \g_xepersian_persianfont_family {Script=Parsi,Language=Parsi,Mappi

```



```

2667 \tl_set_eq:NN \rmdefault \g_xepersian_persianfont_family
2668 \use:x { \exp_not:n { \DeclareRobustCommand \persianfont }
2669 {
2670   \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2671   \exp_not:N \fontfamily { \g_xepersian_persianfont_family }
2672   \exp_not:N \selectfont
2673 }
2674 }
2675 \str_if_eq_x:nnT {\familydefault} {\rmdefault}
2676 { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2677 \normalfont
2678 \ignorespaces
2679 }
2680
2681 \DeclareDocumentCommand \setlatintextfont { O{} m O{} }
2682 {
2683   \fontspec_set_family:Nnn \g_xepersian_latinfont_family {Mapping=tex-text,#1,#3} {#2}
2684   \use:x { \exp_not:n { \DeclareRobustCommand \latinfont }
2685   {
2686     \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2687     \exp_not:N \fontfamily { \g_xepersian_latinfont_family }
2688     \exp_not:N \selectfont
2689   }
2690 }
2691 \str_if_eq_x:nnT {\familydefault} {\rmdefault}
2692 { \tl_set_eq:NN \encodingdefault \l__fontspec_nfss_enc_tl }
2693 \normalfont
2694 \ignorespaces
2695 }
2696
2697 \tl_set_eq:NN \setlatinsansfont \setsansfont
2698 \tl_set_eq:NN \setlatinmonofont \setmonofont
2699
2700 \DeclareDocumentCommand \defpersianfont { m O{} m O{} }
2701 {
2702   \fontspec_set_family:cnn { g_xepersian_ \cs_to_str:N #1 _family } {Script=Parsi,Language=Pa
2703   \use:x
2704   {
2705     \exp_not:N \ DeclareRobustCommand \exp_not:N #1
2706     {
2707       \exp_not:N \fontfamily { \use:c {g_xepersian_ \cs_to_str:N #1 _family} }
2708       \exp_not:N \fontencoding { \l__fontspec_nfss_enc_tl }
2709       \exp_not:N \selectfont
2710     }
2711   }
2712 }
2713
2714 \DeclareDocumentCommand \deflatinfont { m O{} m O{} }
2715 {
2716   \fontspec_set_family:cnn { g_xepersian_ \cs_to_str:N #1 _family } {Mapping=tex-text,#2,#4}

```



```

2717 \use:x
2718 {
2719   \exp_not:N \DeclareRobustCommand \exp_not:N #1
2720   {
2721     \exp_not:N \fontfamily { \use:c { g_xepersian_ \cs_to_str:N #1 _family} }
2722     \exp_not:N \fontencoding { \l_fonts_spec_nfss_enc_tl }
2723     \exp_not:N \selectfont
2724   }
2725 }
2726 }
2727
2728 \newcommand\persiansfdefault{}
2729 \newcommand\persianttdefault{}
2730 \newcommand\iranicdefault{}
2731 \newcommand\navardefault{}
2732 \newcommand\pookdefault{}
2733 \newcommand\sayehdefault{}
2734 \ DeclareRobustCommand\persiansffamily
2735   {\not@math@alphabet\persiansffamily\mathpersiansf
2736     \fontfamily\persiansfdefault\selectfont}
2737 \ DeclareRobustCommand\persianttfamily
2738   {\not@math@alphabet\persianttfamily\mathpersiantt
2739     \fontfamily\persianttdefault\selectfont}
2740 \ DeclareRobustCommand\iranicfamily
2741   {\not@math@alphabet\iranicfamily\mathiranic
2742     \fontfamily\iranicdefault\selectfont}
2743 \ DeclareRobustCommand\navarfamly
2744   {\not@math@alphabet\navarfamly\mathnavar
2745     \fontfamily\navardefault\selectfont}
2746 \ DeclareRobustCommand\pookfamily
2747   {\not@math@alphabet\pookfamily\mathpook
2748     \fontfamily\pookdefault\selectfont}
2749 \ DeclareRobustCommand\sayehfamily
2750   {\not@math@alphabet\sayehfamily\mathsayeh
2751     \fontfamily\sayehdefault\selectfont}
2752 \ DeclareTextFontCommand{\textpersiansf}{\persiansffamily}
2753 \ DeclareTextFontCommand{\textpersiantt}{\persianttfamily}
2754 \ DeclareTextFontCommand{\textiranic}{\iranicfamily}
2755 \ DeclareTextFontCommand{\textnavar}{\navarfamly}
2756 \ DeclareTextFontCommand{\textpook}{\pookfamily}
2757 \ DeclareTextFontCommand{\textsayeh}{\sayehfamily}
2758
2759 \ DeclareDocumentCommand \setpersiansansfont { O{} m O{} } {
2760   \fontspec_set_family:Nnn \g_xepersian_persiansffamily {Script=Parsi,Language=Parsi,
2761   \tl_set_eq:NN \persiansfdefault \g_xepersian_persiansffamily
2762   \use:x { \exp_not:n { \DeclareRobustCommand \persiansffamily } }
2763   {
2764     \exp_not:N \fontencoding { \l_fonts_spec_nfss_enc_tl }
2765     \exp_not:N \fontfamily { \g_xepersian_persiansffamily }

```



```

2767     \exp_not:N \selectfont
2768   }
2769 }
2770 \str_if_eq_x:nnt {\familydefault} {\persiansfdefault}
2771   { \tl_set_eq:NN \encodingdefault \l_fonts_spec_nfss_enc_tl }
2772 \normalfont
2773 \ignorespaces
2774 }
2775
2776 \DeclareDocumentCommand \setpersianmonofont { O{} m O{} }
2777 {
2778   \fontspec_set_family:Nnn \g_xepersian_persianttfamily_family {Script=Parsi,Language=Parsi,Mappi
2779   \tl_set_eq:NN \persianttdefault \g_xepersian_persianttfamily_family
2780   \use:x { \exp_not:n { \DeclareRobustCommand \persianttfamily }
2781   {
2782     \exp_not:N \fontencoding { \l_fonts_spec_nfss_enc_tl }
2783     \exp_not:N \fontfamily { \g_xepersian_persianttfamily_family }
2784     \exp_not:N \selectfont
2785   }
2786 }
2787 \str_if_eq_x:nnt {\familydefault} {\persianttdefault}
2788   { \tl_set_eq:NN \encodingdefault \l_fonts_spec_nfss_enc_tl }
2789 \normalfont
2790 \ignorespaces
2791 }
2792
2793 \DeclareDocumentCommand \setnavarfont { O{} m O{} }
2794 {
2795   \fontspec_set_family:Nnn \g_xepersian_navarfamily_family {Script=Parsi,Language=Parsi,Mappi
2796   \tl_set_eq:NN \navardefault \g_xepersian_navarfamily_family
2797   \use:x { \exp_not:n { \DeclareRobustCommand \navarfam
2798   {
2799     \exp_not:N \fontencoding { \l_fonts_spec_nfss_enc_tl }
2800     \exp_not:N \fontfamily { \g_xepersian_navarfamily_family }
2801     \exp_not:N \selectfont
2802   }
2803 }
2804 \str_if_eq_x:nnt {\familydefault} {\navardefault}
2805   { \tl_set_eq:NN \encodingdefault \l_fonts_spec_nfss_enc_tl }
2806 \normalfont
2807 \ignorespaces
2808 }
2809
2810 \DeclareDocumentCommand \setpookfont { O{} m O{} }
2811 {
2812   \fontspec_set_family:Nnn \g_xepersian_pookfamily_family {Script=Parsi,Language=Parsi,Mappi
2813   \tl_set_eq:NN \pookdefault \g_xepersian_pookfamily_family
2814   \use:x { \exp_not:n { \DeclareRobustCommand \pookfamily }
2815   {
2816     \exp_not:N \fontencoding { \l_fonts_spec_nfss_enc_tl }

```



```

2817     \exp_not:N \fontfamily { \g_xepersian_pookfamily_family }
2818     \exp_not:N \selectfont
2819   }
2820 }
2821 \str_if_eq_x:nNt {\familydefault} {\pookdefault}
2822   { \tl_set_eq:NN \encodingdefault \l_fontsname_nfss_enc_tl }
2823 \normalfont
2824 \ignorespaces
2825 }
2826
2827 \DeclareDocumentCommand \setsayehfont { O{} m O{} }
2828 {
2829   \fontspec_set_family:Nnn \g_xepersian_sayehfamily_family {Script=Parsi,Language=Parsi,Mappi
2830   \tl_set_eq:NN \sayehdefault \g_xepersian_sayehfamily_family
2831   \use:x { \exp_not:n { \DeclareRobustCommand \sayehfamily }
2832   {
2833     \exp_not:N \fontencoding { \l_fontsname_nfss_enc_tl }
2834     \exp_not:N \fontfamily { \g_xepersian_sayehfamily_family }
2835     \exp_not:N \selectfont
2836   }
2837 }
2838 \str_if_eq_x:nNt {\familydefault} {\sayehdefault}
2839   { \tl_set_eq:NN \encodingdefault \l_fontsname_nfss_enc_tl }
2840 \normalfont
2841 \ignorespaces
2842 }
2843
2844 \DeclareDocumentCommand \setiranicfont { O{} m O{} }
2845 {
2846   \fontspec_set_family:Nnn \g_xepersian_iranicfamily_family {Script=Parsi,Language=Parsi,Mappi
2847   \tl_set_eq:NN \iranicdefault \g_xepersian_iranicfamily_family
2848   \use:x { \exp_not:n { \DeclareRobustCommand \iranicfamily }
2849   {
2850     \exp_not:N \fontencoding { \l_fontsname_nfss_enc_tl }
2851     \exp_not:N \fontfamily { \g_xepersian_iranicfamily_family }
2852     \exp_not:N \selectfont
2853   }
2854 }
2855 \str_if_eq_x:nNt {\familydefault} {\iranicdefault}
2856   { \tl_set_eq:NN \encodingdefault \l_fontsname_nfss_enc_tl }
2857 \normalfont
2858 \ignorespaces
2859 }
2860
2861
2862 \ExplSyntaxOff
2863 \def\resetlatinfont{%
2864 @nonlatinfalse%
2865 \let\normalfont\latinfont%
2866 \let\reset@font\normalfont%

```



```

2867 \latinfont\normalsize}
2868 \def\setpersianfont{%
2869 \@nonlatintrue%
2870 \let\normalfont\persianfont%
2871 \let\reset@font\normalfont%
2872 \persianfont\normalsize}
2873 \bidi@newrobustcmd*\{\lr}[1]{\LRE{\resetlatinfont#1}}
2874 \bidi@newrobustcmd*\{\rl}[1]{\RLE{\setpersianfont#1}}
2875 \def\latin{\LTR\LatinAlphs\@RTL@footnotefalse\resetlatinfont}
2876 \def\endlatin{\endLTR}
2877 \def\persian{\RTL\PersianAlphs\@RTL@footnotetrue\setpersianfont}
2878 \def\endpersian{\endRTL}
2879 \newenvironment{latinitems}{\begin{LTRitems}\LatinAlphs\@RTL@footnotefalse\resetlatinfont}{\end{LTRitems}}
2880 \newenvironment{parsiitems}{\begin{RTLitems}\PersianAlphs\@RTL@footnotetrue\setpersianfont}{\end{RTLitems}}
2881 \let\originaltoday=\today
2882 \def\latintoday{\lr{\originaltoday}}
2883 \def\today{\rl{\persiantoday}}
2884 \def \OLTRmarginparreset {%
2885     \reset@font
2886     \resetlatinfont
2887     \normalsize
2888     \minipagetrue
2889     \everypar{\minipagefalse\everypar{}{\beginL}}%
2890 }
2891 \DeclareRobustCommand\Latincite{%
2892   \@ifnextchar [{\@tempswatru\@Latincitex}{\@tempswafal\@Latincitex[]}}
2893 \def\@Latincitex[#1]#2{\leavevmode
2894   \let\@citea\empty
2895   \@citef{\lr{\@for\@citeb:=#2\do
2896     {\@citea\def\@citea{,\penalty\@m\ }%
2897      \edef\@citeb{\expandafter\firstofone\@citeb\empty}%
2898      \if@filesw\immediate\write\auxout{\string\citation{\@citeb}}\fi
2899      \ifundefined{b@\@citeb}{\hbox{\reset@font\bfseries ?}}%
2900      \G@refundefinedtrue
2901      \G@latex@warning
2902        {Citation `@\@citeb' on page \thepage\space undefined}%
2903      {\@cite@ofmt{\csname b@\@citeb\endcsname}}}}}{#1}}
2904
2905 \renewcommand*{\bidi@font@@outputpage}{\if@RTLmain\setpersianfont\else\resetlatinfont\fi}
2906
2907 \newif\if@xepersian@@computeautoilg
2908 \newcount\xepersian@tcl
2909 \newdimen\xepersian@ilg
2910 \newdimen\xepersian@strutilg
2911 \chardef\f@ur=4
2912 \newcommand*{\xepersian@computeautoilg}{% compute the interline glue
2913   \xepersian@tcl=1536\xepersian@ilg\z@\xepersian@strutilg\z@
2914   \loop
2915   \iffontchar\font\xepersian@tcl
2916   \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg

```



```

2917   \xepersian@ilg=\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
2918 \fi
2919 \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
2920   \xepersian@strutilg=\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl
2921 \fi
2922 \fi
2923 \advance\xepersian@tcl\@ne
2924 \ifnum\xepersian@tcl<1792\repeat
2925 \advance\xepersian@strutilg\xepersian@ilg
2926 % \ifdim\xepersian@strutilg>\baselineskip
2927 % \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
2928 % \PackageInfo{xepersian}{baselineskip changed to that height+depth!}
2929 % \linespread{\strip@pt\dimexpr 1pt * \xepersian@strutilg / \baselineskip\relax}
2930 % \selectfont
2931 % \fi
2932 }
2933
2934 \newcommand\twocolumnstableofcontents{%
2935 \if@bidi@csundef{multi@column@out}{%
2936 \PackageError{xepersian}{Oops! you should load multicol package before xepersian package for b
2937 \begin{multicols}{2}[\section*{\contentsname}]%
2938   \small
2939   \@starttoc{toc}%
2940 \end{multicols}}}
2941 \bidi@newrobustcmd*{\XePersian}{\leavevmode$\smash{\hbox{X}\lower.5ex
2942 \hbox{\kern-.125em\bidi@reflect@box{E}} Persian}}$}
2943 \def\figurename{\if@RTL else\ Figure\fi}
2944 \def\tablename{\if@RTL else\ Table\fi}
2945 \def\contentsname{\if@RTL else\ Contents\fi}
2946 \def\listfigurename{\if@RTL else\ List of Figures\fi}
2947 \def\listtablename{\if@RTL else\ List of Tables\fi}
2948 \def\appendixname{\if@RTL else\ Appendix\fi}
2949 \def\indexname{\if@RTL else\ Index\fi}
2950 \def\refname{\if@RTL else\ References\fi}
2951 \def\abstractname{\if@RTL else\ Abstract\fi}
2952 \def\partname{\if@RTL else\ Part\fi}
2953 \def\datename{\if@RTL else\ Date:\fi}
2954 \def\@and{\if@RTL else\ and\fi}
2955 \def\bibname{\if@RTL else\ Bibliography\fi}
2956 \def\chaptername{\if@RTL else\ Chapter\fi}
2957 \def\ccname{\if@RTL else\ cc\fi}
2958 \def\enclname{\if@RTL else\ encl\fi}
2959 \def\pagename{\if@RTL else\ Page\fi}
2960 \def\headtoname{\if@RTL else\ To\fi}
2961 \def\proofname{\if@RTL else\ Proof\fi}
2962 \def\@Abjad#1{%
2963   \ifcase#1\or \or\ or\ or\ or\ %
2964     \or \or\ or\ or\ or\ or\ %
2965     \or \or\ or\ or\ or\ or\ %

```







```

3066 \or or\    %fi\
3067 }
3068 \def\xepersian@yekanii#1{%
3069 \ifcase#1\@empty\or %else\xepersian@yekani{#1}\fi\
3070 }
3071 \def\xepersian@yekaniii#1{%
3072 \ifcase#1\@empty\or %else\xepersian@yekani{#1}\fi\
3073 }
3074 \def\xepersian@yekaniv#1{%
3075 \ifcase#1\@empty\or\or\ or\   or\ or\   or\ %
3076 \or\ or\   or\ %fi\
3077 }
3078 \def\xepersian@dahgan#1{%
3079 \ifcase#1\or\or\ or\ %
3080 \or\ or\   or\ %
3081 \or %fi\
3082 }
3083 \newcommand{\tartibi}[1]{%
3084 \expandafter\tartibi\csname c@#1\endcsname%
3085 }
3086 \newcommand{\@tartibi}[1]{%
3087 \xepersian@numberstring@tartibi{#1}\xepersian@tartibi{ }{}%
3088 }
3089 \let\tartibinumeral\tartibi%
3090 \def\xepersian@numberstring@tartibi#1#2#3#4{%
3091 \ifnum\number#1<\@ne%
3092 #3%
3093 \else\ifnum\number#1<1000000000 %
3094 \expandafter\xepersian@adadi@tartibi\expandafter{\number#1}#2%
3095 \else%
3096 \xepersian@numberoutoffrange{#1}{#4}%
3097 \fi\fi%
3098 }
3099 \def\xepersian@adadi@tartibi#1#2{%
3100 \expandafter\xepersian@@adadi@tartibi%
3101 \ifcase%
3102 \ifnum#1<10 1%
3103 \else\ifnum#1<100 2%
3104 \else\ifnum#1<\@m 3%
3105 \else\ifnum#1<\@M 4%
3106 \else\ifnum#1<100000 5%
3107 \else\ifnum#1<1000000 6%
3108 \else\ifnum#1<10000000 7%
3109 \else\ifnum#1<100000000 8%
3110 \else9%
3111 \fi\fi\fi\fi\fi\fi %
3112 \or00000000#1% case 1: Add 8 leading zeros
3113 \or0000000#1% case 2: Add 7 leading zeros
3114 \or000000#1% case 3: Add 6 leading zeros
3115 \or00000#1% case 4: Add 5 leading zeros

```



```

3116 \or000#1%      case 5: Add 4 leading zeros
3117 \or00#1%       case 6: Add 3 leading zeros
3118 \or0#1%        case 7: Add 2 leading zeros
3119 \or#1%         case 8: Add 1 leading zero
3120 \or%            case 9: Add no leading zeros
3121 \or%
3122 \@nil#2%
3123 \fi%
3124 }
3125 \def\xepersian@@adadi@tartibi#1#2#3#4#5#6#7\or#8@\nil#9{%
3126 \ifnum#1#2#3>\z@%
3127 \xepersian@milyoongan@tartibi#1#2#3%
3128 \ifnum#7>\z@\ifnum#4#5#6>\z@\\ \else\\ \fi\else\ifnum#4#5#6>\z@\\ \fi\fi%
3129 \fi%
3130 \ifnum#4#5#6>\z@%
3131 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3132 \ifnum#4#5#6>\@ne \fi%
3133 %
3134 \ifnum#7>\z@\\ \fi%
3135 \fi%
3136 \xepersian@sadgan@tartibi#7{#4#5#6}1#9%
3137 }
3138 \def\xepersian@milyoongan@tartibi#1#2#3{%
3139 \ifnum#1#2#3=\@ne%
3140 \xepersian@sadgan@tartibi#1#2#301\xepersian@yekaniii%
3141 %
3142 %
3143 \else%
3144 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3145 %
3146 %
3147 \fi%
3148 }
3149 \def\xepersian@sadgan@tartibi#1#2#3#4#5#6{%
3150 \ifnum#1>\z@%
3151 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3152 %
3153 \ifnum#2#3>\z@\\ \fi%
3154 \fi%
3155 \ifnum#2#3<20%
3156 \ifnum#5#2#3>\@ne\ifnum#1#2#3#4#5=10001 %else#6{#2#3}\fi\fi\%
3157 \else%
3158 \ifnum#2#3=30%
3159 \xepersian@dahgan@tartibi#2%
3160 \else%
3161 \xepersian@dahgan#2%
3162 \fi%
3163 \ifnum#3>\z@\\ \xepersian@yekanv#3\fi%
3164 #60%
3165 \fi%

```



```

3166 }
3167 \def\xepersian@dahgan@tartibi#1{%
3168 \ifcase#1\or\or\ or\ or\ %
3169 \or\ or\ or\ or\ or\ %
3170 \or\ %fi\
3171 }
3172 \def\xepersian@tartibi#1{%
3173 \ifcase#1\or\ or\ or\ or\ or\ %
3174 \or\ or\ or\ or\ or\ or\ %
3175 \or\ or\ or\ or\ or\ %
3176 \or\ or\ or\ %
3177 \or\ or\ or\ %fi\
3178 }
3179 \def\xepersian@yekanv#1{%
3180 \ifcase#1@\empty\or\ or\ or\ or\ or\ or\ %
3181 \or\ or\ or\ or\ or\ or\ or\ %
3182 \or\ or\ or\ or\ %
3183 \or\ or\ %fi\
3184 }
3185 \providecommand*\xpg@warning}[1]{%
3186   \PackageWarning{XePersian}%
3187   {#1}}
3188 \if@bidi@csundef{@abjad}{%
3189 \def@\abjad#1{%
3190 \ifnum#1>1999 \xpg@warning{Illegal value (#1) for abjad numeral} {#1}
3191 \else
3192   \ifnum#1<\z@\space\xpg@warning{Illegal value (#1) for abjad numeral}%
3193   \else
3194     \ifnum#1<10\expandafter\abj@num@i\number#1%
3195     \else
3196       \ifnum#1<100\expandafter\abj@num@ii\number#1%
3197       \else
3198         \ifnum#1<\m\expandafter\abj@num@iii\number#1%
3199         \else
3200           \ifnum#1<\M\expandafter\abj@num@iv\number#1%since #1<2000, we must have 1000
3201           \fi
3202           \fi
3203           \fi
3204         \fi
3205       \fi
3206     \fi
3207   }
3208 \def\abjad#1{\expandafter\@abjad\csname c@#1\endcsname}
3209 \let\abjadnumeral\@abjad
3210 \def\abjad@zero(){}
3211 \def\abj@num@i#1{%
3212   \ifcase#1\or\ or\ or\ or\ %
3213   \or\ or\ or\ or\ or\ fi\
3214 \ifnum#1=\z@\abjad@zero\fi}
3215 \def\abj@num@ii#1{%

```



```

3216  \ifcase#1\or or\ or\ or\ or\ or\ %
3217      \or or\ or\ or\ fi\
3218  \ifnum#1=\z@\fi\abj@num@i}
3219 \def\abj@num@iii#1{%
3220  \ifcase#1\or or\ or\ or\ or\ or\ %
3221      \or or\ or\ or\ fi\
3222  \ifnum#1=\z@\fi\abj@num@ii}
3223 \def\abj@num@iv#1{%
3224  \ifcase#1\or fi\
3225  \ifnum#1=\z@\fi\abj@num@iii}
3226 }{}}
3227 \let\@latinalph\@alph%
3228 \let\@latinAlph\@Alph%
3229 \def\LatinAlphs{%
3230  \let\@alph\@latinalph%
3231  \let\@Alph\@latinAlph%
3232 }
3233 \bidi@AfterEndPreamble{%
3234 \if@bidi@csundef{persianfont}{%
3235 \PackageError{xepersian}{You have not specified any font\MessageBreak
3236 for the main Persian text}{Use `settextfont' to load a font.}%
3237 }{}}
3238 \@ifdefinitionfileloaded{loadingorder-xetex-bidi}{\input{loadingorder-xepersian.def}}{}%
3239 \@ifdefinitionfileloaded{footnote-xetex-bidi}{\input{footnote-xepersian.def}}{}%
3240 \@ifpackageloaded{appendix}{\input{appendix-xepersian.def}}{}%
3241 \@ifpackageloaded{listings}{\input{listings-xepersian.def}}{}%
3242 \@ifpackageloaded{algorithmic}{\input{algorithmic-xepersian.def}}{}%
3243 \@ifpackageloaded{algorithm}{\input{algorithm-xepersian.def}}{}%
3244 \@ifpackageloaded{backref}{\input{backref-xepersian.def}}{}%
3245 \@ifpackageloaded{flowfram}{\input{flowfram-xepersian.def}}{}%
3246 \@ifpackageloaded{biditufte sidenote}{\input{biditufte sidenote-xepersian.def}}{}%
3247 \@ifpackageloaded{breqn}{\input{breqn-xepersian.def}}{}%
3248 \@ifpackageloaded{enumerate}{\input{enumerate-xepersian.def}}{}%
3249 \@ifpackageloaded{framed}{\input{framed-xepersian.def}}{}%
3250 \@ifpackageloaded{glossaries}{\input{glossaries-xepersian.def}}{}%
3251 \@ifpackageloaded{hyperref}{\input{hyperref-xepersian.def}}{}%
3252 \@ifpackageloaded{minitoc}{\input{minitoc-xepersian.def}}{}%
3253 \@ifpackageloaded{natbib}{\input{natbib-xepersian.def}}{}%
3254 \@ifpackageloaded{soul}{\input{soul-xepersian.def}}{}%
3255 \@ifpackageloaded{tkz-linknodes}{\input{tkz-linknodes-xepersian.def}}{}%
3256 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xepersian.def}}}{}%
3257 \@ifclassloaded{article}{\input{article-xepersian.def}}{}%
3258 \@ifclassloaded{extarticle}{\input{extarticle-xepersian.def}}{}%
3259 \@ifclassloaded{artikel1}{\input{artikel1-xepersian.def}}{}%
3260 \@ifclassloaded{artikel2}{\input{artikel2-xepersian.def}}{}%
3261 \@ifclassloaded{artikel3}{\input{artikel3-xepersian.def}}{}%
3262 \@ifclassloaded{amsart}{\input{amsart-xepersian.def}}{}%
3263 \@ifclassloaded{bidimoderncv}{\input{bidimoderncv-xepersian.def}}{}%
3264 \@ifclassloaded{report}{\input{report-xepersian.def}}{}%
3265 \@ifclassloaded{extreport}{\input{extreport-xepersian.def}}{}%

```



```

3266 \@ifclassloaded{rapport1}{\input{rapport1-xepersian.def}}{}
3267 \@ifclassloaded{rapport3}{\input{rapport3-xepersian.def}}{}
3268 \@ifclassloaded{scrartcl}{\input{scrartcl-xepersian.def}}{}
3269 \@ifclassloaded{scrbook}{\input{scrbook-xepersian.def}}{}
3270 \@ifclassloaded{scrreprt}{\input{scrreprt-xepersian.def}}{}
3271 \@ifclassloaded{amsbook}{\input{amsbook-xepersian.def}}{}
3272 \@ifclassloaded{boek3}{\input{boek3-xepersian.def}}{}
3273 \@ifclassloaded{boek}{\input{boek-xepersian.def}}{}
3274 \@ifclassloaded{bookest}{\input{bookest-xepersian.def}}{}
3275 \@ifclassloaded{extbook}{\input{extbook-xepersian.def}}{}
3276 \@ifclassloaded{book}{\input{book-xepersian.def}}{}
3277 \@ifclassloaded{refrep}{\input{refrep-xepersian.def}}{}
3278 \@ifclassloaded{memoir}{\input{memoir-xepersian.def}}{}
3279 \@ifclassloaded{imsproc}{\input{imsproc-xepersian.def}}{}
3280 \define@choicekey{xepersian.sty}{mathdigits}[\xepersian@tempa\xepersian@tempb]{automatic,defau
3281   \ifcase\xepersian@tempb\relax
3282     \AutoMathsDigits
3283   \or
3284     \DefaultMathsDigits
3285   \or
3286     \PersianMathsDigits
3287   \fi}
3288 \define@choicekey{xepersian.sty}{RTLdocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{
3289   \ifcase\xepersian@tempb\relax
3290     \RTLtrue
3291   \or
3292     \RTLfalse
3293   \fi}
3294
3295 \define@choicekey{xepersian.sty}{documentdirection}[\xepersian@tempa\xepersian@tempb]{righttol
3296   \ifcase\xepersian@tempb\relax
3297     \RTLtrue
3298   \or
3299     \RTLfalse
3300   \fi}
3301
3302
3303 \define@choicekey{xepersian.sty}{tabledirection}[\xepersian@tempa\xepersian@tempb]{righttoleft
3304   \ifcase\xepersian@tempb\relax
3305     \RTLtabtrue
3306   \or
3307     \RTLtabfalse
3308   \fi}
3309
3310 \define@choicekey{xepersian.sty}{script}[\xepersian@tempa\xepersian@tempb]{latin,nonlatin}[lat
3311   \ifcase\xepersian@tempb\relax
3312     \nonlatinfalse
3313   \or
3314     \nonlatintrue
3315   \fi}

```



```

3316
3317 \define@choicekey{xepersian.sty}{rldocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3318   \ifcase\xepersian@tempb\relax
3319     \@RTLtrue
3320   \or
3321     \@RTLfalse
3322   \fi}
3323 \define@choicekey{xepersian.sty}{footnoterule}[\xepersian@tempa\xepersian@tempb]{automatic,lef-
3324   \ifcase\xepersian@tempb\relax
3325     \autofootnoterule
3326   \or
3327     \leftfootnoterule
3328   \or
3329     \rightfootnoterule
3330   \or
3331     \SplitFootnoteRule
3332   \or
3333     \textwidthfootnoterule
3334   \fi}
3335 \define@choicekey{xepersian.sty}{footnotedirection}[\xepersian@tempa\xepersian@tempb]{righttol-
3336   \ifcase\xepersian@tempb\relax
3337     \@RTL@footnotetrue
3338   \or
3339     \@RTL@footnotefalse
3340   \fi}
3341 \define@choicekey{xepersian.sty}{debugfootnotedirection}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3342   \ifcase\xepersian@tempb\relax
3343     \footdir@debugtrue
3344   \or
3345     \footdir@debugfalse
3346   \fi}
3347 \define@choicekey{xepersian.sty}{Kashida}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3348   \ifcase\xepersian@tempb\relax
3349     \input{kashida-xepersian.def}
3350   \fi}
3351 \define@choicekey{xepersian.sty}{localise}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3352   \ifcase\xepersian@tempb\relax
3353     \input{localise-xepersian.def}
3354   \fi}
3355 \define@choicekey{xepersian.sty}{extrafootnotefeatures}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3356   \ifcase\xepersian@tempb\relax
3357     \@extrafootnotefeaturestrue
3358   \or
3359     \@extrafootnotefeaturesfalse
3360   \fi}
3361 \define@choicekey{xepersian.sty}{quickindex}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
3362   \ifcase\xepersian@tempb\relax
3363     \PackageWarning{xepersian}{Obsolete option}%
3364     \ifwritexviii%
3365       \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with th-

```



```

3366 \renewcommand\printindex{\newpage%
3367 \immediate\closeout@indexfile
3368 \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname.
3369 \Qinput@\{\jobname.ind\}}%
3370 \else
3371 \PackageError{xepersian}{``shell escape'' (or ``write18'') is not enabled. You need to run `}
3372 \fi
3373 \fi}
3374 \define@choicekey{xepersian.sty}{quickindex-variant1}[\xepersian@tempa\xepersian@tempb]{on,off}
3375 \ifcase\xepersian@tempb\relax
3376 \ifwritexviii%
3377 \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with th}
3378 \renewcommand\printindex{\newpage%
3379 \immediate\closeout@indexfile
3380 \immediate\write18{xindy -L persian-variant1 -C utf8 -M texindy -M page-ranges \jobnam
3381 \Qinput@\{\jobname.ind\}}%
3382 \else
3383 \PackageError{xepersian}{``shell escape'' (or ``write18'') is not enabled. You need to run `}
3384 \fi
3385 \fi}
3386 \define@choicekey{xepersian.sty}{quickindex-variant2}[\xepersian@tempa\xepersian@tempb]{on,off}
3387 \ifcase\xepersian@tempb\relax
3388 \ifwritexviii%
3389 \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with th}
3390 \renewcommand\printindex{\newpage%
3391 \immediate\closeout@indexfile
3392 \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobnam
3393 \Qinput@\{\jobname.ind\}}%
3394 \else
3395 \PackageError{xepersian}{``shell escape'' (or ``write18'') is not enabled. You need to run `}
3396 \fi
3397 \fi}
3398 \define@choicekey{xepersian.sty}{abjadvariant}[\xepersian@tempa\xepersian@tempb]{one,two}{%
3399 \ifcase\xepersian@tempb\relax
3400 \def\PersianAlphs{%
3401 \let\@alph\@abjad%
3402 \let\@Alpha\@Abjad%
3403 }
3404 \or
3405 \def\PersianAlphs{%
3406 \let\@alph\@Abjad%
3407 \let\@Alpha\@Abjad%
3408 }
3409 \fi}
3410 \DeclareOptionX{defaultlatinfontfeatures}{%
3411 \defaultfontfeatures
3412 [\latinfont]
3413 {#1}
3414 }
3415

```



```

3416
3417 \define@choicekey{xepersian.sty}{computeautoilg}[\xepersian@tempa\xepersian@tempb]{on,off}[on]
3418   \ifcase\xepersian@tempb\relax
3419     \xepersian@@computeautoilgtrue
3420   \or
3421     \xepersian@@computeautoilgfalse
3422   \fi}
3423
3424
3425
3426 \ExecuteOptionsX{%
3427   documentdirection=righttoleft,
3428   tabledirection=righttoleft,
3429   script=nonlatin,
3430   footnotedirection=righttoleft,
3431   footnoterule=automatic,
3432   abjadvariant=two
3433 }
3434
3435 \ProcessOptionsX
3436
3437 \if@extrafootnotefeatures
3438   \input{extrafootnotefeatures-xetex-bidi.def}
3439   \input{extrafootnotefeatures-xepersian.def}
3440 \fi
3441
3442 \if@xepersian@@computeautoilg
3443 \bidi@patchcmd{\set@fontsize}{%
3444 \baselineskip\f@baselineskip\relax
3445 }{%
3446 \baselineskip\f@baselineskip\relax
3447 \xepersian@computeautoilg
3448 \ifdim\xepersian@strutilg>\baselineskip
3449   \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
3450   \PackageInfo{xepersian}{baselineskip changed to that height+depth!}
3451 \baselineskip\xepersian@strutilg
3452 \fi
3453 }{%
3454 \fi
3455
3456 \setlatintextfont[ExternalLocation,BoldFont={lmroman10-bold},BoldItalicFont={lmroman10-bolditalic}]
3457 \PersianAlphs

```

7.56 xepersian-magazine.cls

```

3458 \NeedsTeXFormat{LaTeX2e}
3459 \ProvidesClass{xepersian-magazine}[2010/07/25 v0.2 Typesetting Persian magazines in XeLaTeX]
3460 \RequirePackage{ifthen}
3461 \newlength{\xepersian@imgsize}
3462 \newlength{\xepersian@coltitlesize}

```



```

3463 \newlength{\xepersian@pageneed}
3464 \newlength{\xepersian@pageleft}
3465 \newlength{\xepersian@indexwidth}
3466 \newcommand{\xepersian@ncolumns}{0}
3467 \newlength{\columnlines}
3468 \setlength{\columnlines}{0 pt} % no lines by default
3469 \newboolean{xepersian@hyphenatedtitles}
3470 \setboolean{xepersian@hyphenatedtitles}{true}
3471 \newboolean{xepersian@ninepoints}
3472 \setboolean{xepersian@ninepoints}{false}
3473 \newboolean{xepersian@showgrid}
3474 \setboolean{xepersian@showgrid}{false}
3475 \newboolean{xepersian@a3paper}
3476 \setboolean{xepersian@a3paper}{false}
3477 \newboolean{xepersian@insidefrontpage}
3478 \setboolean{xepersian@insidefrontpage}{false}
3479 \newboolean{xepersian@insideweather}
3480 \setboolean{xepersian@insideweather}{false}
3481 \newboolean{xepersian@insideindex}
3482 \setboolean{xepersian@insideindex}{false}
3483 \newcount\xepersian@gridrows
3484 \newcount\xepersian@gridcolumns
3485 \xepersian@gridrows=40
3486 \xepersian@gridcolumns=50
3487 \newcount\minraggedcols
3488 \minraggedcols=5
3489 \DeclareOption{10pt}{\PassOptionsToClass{10pt}{article}}
3490 \DeclareOption{11pt}{\PassOptionsToClass{11pt}{article}}
3491 \DeclareOption{12pt}{\PassOptionsToClass{12pt}{article}}
3492 \DeclareOption{twocolumn}%
3493 {\ClassWarning{xepersian-magazine}{Option 'twocolumn' not available for xepersian-magazine.}}
3494 \DeclareOption{notitlepage}%
3495 {\ClassWarning{xepersian-magazine}{Option 'notitlepage' not available for xepersian-magazine.}}
3496 \DeclareOption{twoside}%
3497 {\ClassWarning{xepersian-magazine}{Option 'twoside' not available for xepersian-magazine.}}
3498 \DeclareOption{9pt}{\setboolean{xepersian@ninepoints}{true}}
3499 \DeclareOption{hyphenatedtitles}{\setboolean{xepersian@hyphenatedtitles}{false}}
3500 \DeclareOption{columnlines}{\setlength{\columnlines}{0.1 pt}}
3501 \DeclareOption{showgrid}{\setboolean{xepersian@showgrid}{true}}
3502 \DeclareOption{a3paper}{\setboolean{xepersian@a3paper}{true}}
3503 \ProcessOptions\relax
3504 \LoadClass[10pt, onecolumn, titlepage, a4paper]{article}
3505 \RequirePackage{ifxetex}
3506 \RequirePackage{multido}
3507 \RequirePackage{datetime}
3508 \RequirePackage{multicol}
3509 \RequirePackage{fancyhdr}
3510 \RequirePackage{fancybox}
3511 \ifthenelse{\boolean{xepersian@a3paper}}{%
3512 \RequirePackage[a3paper,headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}

```



```

3513 }{
3514 \RequirePackage[headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
3515 }
3516 \RequirePackage[absolute]{textpos} % absoulte positioning
3517 \RequirePackage{hyphenat} % when hyphenate
3518 \RequirePackage{lastpage} % to know the last page number
3519 \RequirePackage{setspace} % set space between lines
3520 \RequirePackage{ragged2e}
3521 \newcommand{\raggedFormat}{\RaggedLeft}
3522 \AtEndOfClass{\xepersianInit}
3523 \ifthenelse{\boolean{xepersian@showgrid}}{%
3524 \AtBeginDocument{%
3525 \grid[show]{\xepersian@gridrows}{\xepersian@gridcolumns}}
3526 \advance\minraggedcols by -1
3527 }{%
3528 \AtBeginDocument{%
3529 \grid[]{\xepersian@gridrows}{\xepersian@gridcolumns}}
3530 \advance\minraggedcols by -1
3531 }
3532 \ifthenelse{\boolean{xepersian@ninepoints}}{%
3533 \renewcommand{\normalsize}{%
3534   \@setfontsize{\normalsize}{9pt}{10pt}%
3535   \setlength{\abovedisplayskip}{5pt plus 1pt minus .5pt}%
3536   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3537   \setlength{\abovedisplayshortskip}{3pt plus 1pt minus 2pt}%
3538   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3539
3540 \renewcommand{\tiny}{\@setfontsize{\tiny}{5pt}{6pt}}%
3541
3542 \renewcommand{\scriptsize}{\@setfontsize{\scriptsize}{7pt}{8pt}}%
3543
3544 \renewcommand{\small}{%
3545   \@setfontsize{\small}{8pt}{9pt}%
3546   \setlength{\abovedisplayskip}{4pt plus 1pt minus 1pt}%
3547   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3548   \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
3549   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3550
3551 \renewcommand{\footnotesize}{%
3552   \@setfontsize{\footnotesize}{8pt}{9pt}%
3553   \setlength{\abovedisplayskip}{4pt plus 1pt minus .5pt}%
3554   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3555   \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
3556   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3557
3558 \renewcommand{\large}{\@setfontsize{\large}{11pt}{13pt}}%
3559 \renewcommand{\Large}{\@setfontsize{\Large}{14pt}{18pt}}%
3560 \renewcommand{\LARGE}{\@setfontsize{\LARGE}{18pt}{20pt}}%
3561 \renewcommand{\huge}{\@setfontsize{\huge}{20pt}{25pt}}%
3562 \renewcommand{\Huge}{\@setfontsize{\Huge}{25pt}{30pt}}%

```



```

3563 }{}
3564 \def\customwwwTxt#1{\gdef\@customwwwTxt{\lr{#1}}}
3565 \newcommand{\xepersian@wwwFormat}{\sffamily}
3566 \newcommand{\xepersian@www}{%
3567 \raisebox{-3pt}{{\xepersian@wwwFormat\@customwwwTxt}}}
3568 }
3569 \newcommand{\xepersian@edition}{%
3570 \newcommand{\editionFormat}{\large\bfseries\textrm}
3571 \newcommand{\xepersian@editionLogo}{%
3572 \raisebox{-3pt}{%
3573 {\editionFormat\xepersian@edition}}}
3574 }%
3575 }
3576 \newcommand{\indexFormat}{\large\bfseries}
3577 \newcommand{\xepersian@indexFrameTitle}[1]{%
3578 {\begin{flushright}{\indexFormat #1}\end{flushright}}}
3579
3580 \newcommand{\indexEntryFormat}{\normalsize}
3581 \newcommand{\xepersian@indexEntry}[1]{%
3582 {\begin{minipage}{13\TPHorizModule}%
3583 \noindent\ignorespaces{#1}}%
3584 \end{minipage}}}
3585 \newcommand{\indexEntrySeparator}{\rule{\xepersian@indexwidth}{.1pt}}
3586 \newcommand{\indexEntryPageTxt}{}
3587 \newcommand{\xepersian@indexEntryPage}[1]{%
3588 {\indexEntryFormat{\indexEntryPageTxt{}~#1}}}
3589 }
3590 \newcommand{\headDateFormat}{}
3591 \newcommand{\xepersian@headDateTime}{%
3592 \headDateFormat\date\hspace{5pt}\parallel\hspace{5pt}%
3593 \currenttime }
3594 }
3595 \newcommand{\weatherFormat}{\bfseries}
3596 \newcommand{\xepersian@weather}[1]{%
3597 \noindent{\weatherFormat #1}}%
3598 }
3599 \newcommand{\weatherTempFormat}{\small}
3600 \newcommand{\weatherUnits}{\textdegree C}
3601 \newcommand{\xepersian@section}[0]{%
3602 \newcommand{\xepersian@headleft}{%
3603 {\small\bfseries \@custommagazinename} \date
3604 }
3605 \newcommand{\xepersian@headcenter}{%
3606 \xepersian@section{}}
3607 }
3608 \newcommand{\xepersian@headright}{%
3609 \small\xepersian@edition}%
3610 \hspace*{5pt}\beginL{\thepage} / \pageref{LastPage}\endL
3611 }
3612

```



```

3613 \newcommand{\heading}[3]{%
3614 \renewcommand{\xepersian@headleft}{\beginR#1\endR}%
3615 \renewcommand{\xepersian@headcenter}{\beginR#2\endR}%
3616 \renewcommand{\xepersian@headright}{\beginR#3\endR}%
3617 }
3618 \newcommand{\xepersian@footright}{%
3619 {\footnotesize\lr{\copyright\ \@customwwwTxt{}-- - \lr{\XePersian}}%}
3620 }
3621 \newcommand{\xepersian@footcenter}{%
3622 }
3623 \newcommand{\xepersian@footleft}{%
3624 }
3625
3626 \newcommand{\foot}[3]{%
3627 \renewcommand{\xepersian@footleft}{\beginR#1\endR}%
3628 \renewcommand{\xepersian@footcenter}{\beginR#2\endR}%
3629 \renewcommand{\xepersian@footright}{\beginR#3\endR}%
3630 }
3631 \newcommand{\firstTitleFormat}{\Huge\bfseries\flushright}
3632 \newcommand{\xepersian@firstTitle}[1]{%
3633 %
3634 \begin{spacing}{2.0}%
3635 \noindent\ignorespaces
3636 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3637 {\nohyphens{\firstTitleFormat #1}}%
3638 {\firstTitleFormat #1}}%
3639 }%
3640 \end{spacing}%
3641 }%
3642 }
3643 \newcommand{\firstTextFormat}{}%
3644 \newcommand{\xepersian@firstText}[1]{%
3645 {\noindent\ignorespaces\firstTextFormat #1}%
3646 }
3647 \newcommand{\secondTitleFormat}{\LARGE\bfseries}
3648 \newcommand{\xepersian@secondTitle}[1]{%
3649 \begin{spacing}{1.5}%
3650 \noindent\ignorespaces\flushright
3651 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3652 {\nohyphens{\secondTitleFormat #1}}%
3653 {\secondTitleFormat #1}}%
3654 }\end{spacing}%
3655 }
3656 \newcommand{\secondSubtitleFormat}{\large}
3657 \newcommand{\xepersian@secondSubtitle}[1]{%
3658 {\noindent\ignorespaces\secondSubtitleFormat #1}}%
3659 }
3660 \newcommand{\secondTextFormat}{}%
3661 \newcommand{\xepersian@secondText}[1]{%
3662 \begin{multicols}{2}}

```



```

3663 {\noindent\ignorespaces\secondTextFormat #1}
3664 \end{multicols}
3665 }
3666 \newcommand{\thirdTitleFormat}{\Large\bfseries}
3667 \newcommand{\xepersian@thirdTitle}[1]{%
3668 \begin{spacing}{1.5}{%
3669 \noindent\ignorespaces\flushright
3670 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3671 {\nohyphens{\thirdTitleFormat #1}}}{%
3672 {{\thirdTitleFormat #1}}}{%
3673 }\end{spacing}%
3674 }
3675 \newcommand{\thirdSubTitleFormat}{\large}
3676 \newcommand{\xepersian@thirdSubTitle}[1]{%
3677 {{\noindent\ignorespaces\thirdSubTitleFormat #1}}}
3678 \newcommand{\thirdTextFormat}{}
3679 \newcommand{\xepersian@thirdText}[1]{{{\thirdTextFormat #1}}}
3680 \newcommand{\pictureCaptionFormat}{\small\bfseries}
3681 \newcommand{\xepersian@pictureCaption}[1]{%
3682 {\noindent\pictureCaptionFormat #1}}{%
3683 }
3684 \newcommand{\pagesFormat}{\bfseries\footnotesize}
3685 \newcommand{\xepersian@pages}[1]{%
3686 {\noindent\pagesFormat\MakeUppercase{#1}}}{%
3687 \newcommand{\innerTitleFormat}{\Huge}
3688 \newcommand{\xepersian@innerTitle}[1]{%
3689 \begin{flushright}{%
3690 \noindent
3691 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3692 {\nohyphens{\innerTitleFormat #1}}}{%
3693 {{\innerTitleFormat #1}}}{%
3694 }{%
3695 \\%
3696 }\end{flushright}%
3697 }
3698 \newcommand{\innerSubTitleFormat}{\large}
3699 \newcommand{\xepersian@innerSubTitle}[1]{{{\innerSubTitleFormat #1}}}
3700 \newcommand{\timestampTxt}{}
3701 \newcommand{\timestampSeparator}{|}
3702 \newcommand{\timestampFormat}{\small}
3703 \newcommand{\timestamp}[1]{%
3704 {\timestampFormat}%
3705 #1~\timestampTxt{}%
3706 }~\timestampSeparator{}{%
3707 }
3708 \newcommand{\innerAuthorFormat}{\footnotesize}
3709 \newcommand{\innerPlaceFormat}{\footnotesize\bfseries}
3710 \newcommand{\innerTextFinalMark}{\rule{0.65em}{0.65em}}
3711 \newcommand{\editorialTitleFormat}{\LARGE\textit}
3712 \newcommand{\xepersian@editorialTitle}[1]{\editorialTitleFormat{#1}}

```



```

3713 \newcommand{\editorialAuthorFormat}{\textsc}
3714 \newcommand{\shortarticleTitleFormat}{\LARGE\bfseries}
3715 \newcommand{\xepersian@shortarticleTitle}[1]{\{\shortarticleTitleFormat #1\}}
3716 \newcommand{\shortarticleSubtitleFormat}{\Large}
3717 \newcommand{\xepersian@shortarticleSubtitle}[1]{\{\shortarticleSubtitleFormat #1\}}
3718 \newcommand{\shortarticleItemFormat}{\large\bfseries}
3719 \newcommand{\xepersian@shortarticleItemTitle}[1]{\{\shortarticleItemFormat #1\}}
3720 \renewcommand{\maketitle}{\begin{titlepage}%
3721   \let\footnotesize\small
3722   \let\footnoterule\relax
3723   \let \footnote \thanks
3724   \null\vfil
3725   \vskip 60\p@
3726   \begin{center}%
3727     {\LARGE \@title \par}%
3728     \vskip 1em%
3729     {\LARGE «\xepersian@edition» \par}%
3730     \vskip 3em%
3731     {\large
3732       \lineskip .75em%
3733       \begin{tabular}[t]{c}%
3734         \author
3735       \end{tabular}\par}%
3736     \vskip 1.5em%
3737     {\large \@date \par}%
3738   \end{center}\par
3739   \thanks
3740   \vfil\null
3741   \end{titlepage}%
3742   \setcounter{footnote}{0}%
3743   \global\let\thanks\relax
3744   \global\let\maketitle\relax
3745   \global\let\@thanks\empty
3746   \global\let\@author\empty
3747   \global\let\@date\empty
3748   \global\let\@title\empty
3749   \global\let\title\relax
3750   \global\let\author\relax
3751   \global\let\date\relax
3752   \global\let\and\relax
3753 }%
3754 \newcommand{\xepersian@say}[1]{\typeout{#1}}
3755 \newsavebox{\xepersian@fmbox}
3756 \newenvironment{\xepersian@fmpage}[1]
3757   {\begin{lrbox}{\xepersian@fmbox}\begin{minipage}{#1}}
3758   {\end{minipage}\end{lrbox}\fbox{\usebox{\xepersian@fmbox}}}
3759 \newcommand{\image}[2]{%
3760   \vspace{5pt}
3761   \setlength{\fboxsep}{1pt}
3762   \addtolength{\xepersian@imgsize}{\columnwidth}

```



```

3763 \addtolength{\xepersian@imgsize}{-1\columnsep}
3764 \ifxetex
3765 \setlength{\xepersian@pageneed}{1.5\xepersian@imgsize}
3766 \addtolength{\xepersian@pageneed}{50pt}
3767 \ClassWarning{xepersian-magazine}{%
3768 Image #1 needs: \the\xepersian@pageneed \space %
3769 and there is left: \the\page@free\space%
3770 }
3771 \ifdim \xepersian@pageneed < \page@free
3772
3773 {\centering\fbox{%
3774 \includegraphics[width = \xepersian@imgsize,
3775 height = \xepersian@imgsize,
3776 keepaspectratio ]{#1}}}
3777 \xepersian@pictureCaption{#2}
3778
3779 \vspace{5pt}
3780 \else
3781 \ClassWarning{Image #1 needs more space!}{%
3782 It was not inserted!}
3783 \fi
3784 \fi
3785 }
3786 \textblockorigin{1cm}{1cm}
3787 \newdimen\xepersian@dx
3788 \newdimen\xepersian@dy
3789 \newcount\xepersian@cx
3790 \newcount\xepersian@cy
3791 \newcommand{\grid}[3][]{%
3792 \xepersian@dx=\textwidth%
3793 \xepersian@dy=\textheight%
3794 \xepersian@cx=#3% %columns
3795 \xepersian@cy=#2% %rows
3796
3797 \count1=#3%
3798 \advance\count1 by 1
3799
3800 \count2=#2%
3801 \advance\count2 by 1
3802
3803 \divide\xepersian@dx by #3
3804 \divide\xepersian@dy by #2
3805
3806 \setlength{\TPHorizModule}{\xepersian@dx}
3807 \setlength{\TPVertModule}{\xepersian@dy}
3808
3809 \ifthenelse{\equal{#1}{show}}{%
3810 \multido{\xepersian@nrow=0+1}{\count2}{%
3811 \begin{textblock}{\xepersian@cx}(0,\xepersian@nrow)
3812 \rule[0pt]{\textwidth}{.1pt}}

```



```

3813 \end{textblock}
3814 }
3815
3816 \multido{\xepersian@ncol=0+1}{\count1}{
3817 \begin{textblock}{\xepersian@cy}(\xepersian@ncol,0)
3818 \rule[0pt]{.1pt}{\textheight}
3819 \end{textblock}
3820 }
3821 }{}
3822 }
3823 \newcommand{\xepersianInit}{
3824 \setlength{\headheight}{14pt}
3825 \renewcommand{\headrulewidth}{0.4pt}
3826
3827 \pagestyle{fancy}
3828
3829 \setlength{\columnseprule}{\columnlines}
3830 \setlength{\fboxrule}{0.1 pt}
3831
3832 }
3833
3834 \def\customlogo#1{\gdef\@customlogo{\beginR#1\endR}}
3835 \def\customminilogos#1{\gdef\@customminilogos{\beginR#1\endR}}
3836 \def\custommagazinename#1{\gdef\@custommagazinename{\beginR#1\endR}}
3837 \newcommand{\logo}[0]{
3838 %% Heading %%
3839 \noindent\hrulefill\hspace{10pt}\xepersian@editionLogo\hspace{5pt}\xepersian@www
3840
3841 \vspace*{-3pt}
3842
3843 {\Large\bfseries \@customlogo}
3844 \hrulefill
3845 \hspace{10pt}\xepersian@headDateTime
3846
3847 }
3848 \newcommand{\minilogos}[0]{
3849 {\large\bfseries \@customminilogos}
3850
3851 \vspace*{5pt}
3852 }
3853 \newcommand{\mylogos}[1]{
3854 {\beginR#1\endR}
3855
3856 \noindent
3857 \xepersian@editionLogo\hspace{5pt}
3858 \hrulefill
3859 \hspace{5pt}\xepersian@headDateTime
3860 }
3861 \newcommand{\edition}[1]{\renewcommand{\xepersian@edition}{#1}}
3862 \newenvironment{frontpage}[0]

```



```

3863 {
3864 \setboolean{xepersian@insidefrontpage}{true}
3865 \thispagestyle{empty}
3866 \logo
3867 %
3868 }
3869 {
3870 \thispagestyle{empty}
3871 \clearpage
3872 \newpage
3873 \fancyhead{}
3874 \fancyfoot{}
3875 \fancyhead[R0,LE]{\beginR\xepersian@headright\endR}
3876 \fancyhead[L0,RE]{\beginR\xepersian@headleft\endR}
3877 \fancyhead[C]{\beginR\xepersian@headcenter\endR}
3878 \fancyfoot[R0,LE]{\beginR\xepersian@footright\endR}
3879 \fancyfoot[L0,RE]{\beginR\xepersian@footleft\endR}
3880 \fancyfoot[C]{\beginR\xepersian@footcenter\endR}
3881 \renewcommand{\headrulewidth}{0.4pt}
3882 \setboolean{xepersian@insidefrontpage}{false}
3883 }
3884 }
3885 \newcommand{\firstarticle}[3]
3886 {
3887 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
3888 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3889 \begin{textblock}{24}(22,5)
3890 }
3891 {
3892 \begin{textblock}{28}(22,5)
3893 }
3894 \vspace{-7pt}
3895 \xepersian@firstTitle{#1}
3896 \end{textblock}
3897 \begin{textblock}{29}(22,10)
3898 \vspace{5pt plus 2pt minus 2pt}
3899
3900 \xepersian@firstText{\timestamp{#3}-#2}
3901
3902 \end{textblock}
3903
3904 \begin{textblock}{50}(0,15)
3905 \rule{50\TPHorizModule}{.3pt}
3906 \end{textblock}
3907 }{%
3908 \ClassError{xepersian-magazine}{%
3909 \protect\firstarticle\space in a wrong place.\MessageBreak
3910 \protect\firstarticle\space may only appear inside frontpage environment.
3911 }{%
3912 \protect\firstarticle\space may only appear inside frontpage environment.

```



```

3913 }%
3914 }
3915 }
3916 \newcommand{\secondarticle}[5]
3917 {
3918 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
3919 \begin{textblock}{33}(2,16)
3920 \xepersian@pages{#4}
3921 \vspace{-5pt}
3922 \xepersian@secondTitle{#1}
3923
3924 \vspace*{5pt}
3925
3926 \xepersian@secondSubtitle{#2}
3927
3928 \vspace*{-7pt}
3929
3930 \xepersian@secondText{\timestamp{#5}~#3}
3931
3932 \end{textblock}
3933
3934 \begin{textblock}{33}(2,25)
3935 \vspace{5pt plus 2pt minus 2pt}
3936
3937 \noindent\ignorespaces\rule{33\TPHorizModule}{.3pt}
3938 \end{textblock}
3939 }{%
3940 \ClassError{xepersian-magazine}{%
3941 \protect\secondarticle\space in a wrong place.\MessageBreak
3942 \protect\secondarticle\space may only appear inside frontpage environment.
3943 }{%
3944 \protect\secondarticle\space may only appear inside frontpage environment.
3945 }%
3946 }
3947 }
3948 \newcommand{\thirdarticle}[6]
3949 {
3950 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
3951 \begin{textblock}{32}(2,26)
3952 \xepersian@pages{#5}
3953 \vspace{-5pt}
3954 \setlength{\fboxsep}{1pt}
3955 \xepersian@thirdTitle{#1}
3956
3957 \vspace*{5pt}
3958
3959 \xepersian@thirdSubtitle{#2}
3960
3961 \vspace*{5pt}
3962

```



```

3963 {\noindent\ignorespaces %
3964 \ifthenelse{\equal{#4}{}}{}{%
3965
3966 \xepersian@thirdText{\timestamp{#6}-#3}%
3967
3968 }%
3969
3970 \vspace*{5pt}%
3971
3972 \end{textblock}%
3973 }{\%else
3974 \ClassError{xepersian-magazine}{%
3975 \protect\thirdarticle\space in a wrong place.\MessageBreak
3976 \protect\thirdarticle\space may only appear inside frontpage environment.%
3977 }{\%
3978 \protect\thirdarticle\space may only appear inside frontpage environment.%
3979 }%
3980 }%
3981 }%
3982 \newcommand{\firstimage}[2]%
3983 {%
3984 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
3985 \begin{textblock}{18}{2,5}%
3986 \setlength{\fboxsep}{1pt}%
3987 \ifxetex % only in PDF
3988 \noindent\fbox{\includegraphics[width = 18\TPHorizModule ]{#1}}%
3989 \fi
3990
3991 \xepersian@pictureCaption{#2}%
3992 \end{textblock}%
3993 }%
3994 {\ClassError{xepersian-magazine}{%
3995 \protect\firstimage\space in a wrong place.\MessageBreak
3996 \protect\firstimage\space may only appear inside frontpage environment.%
3997 }{\%
3998 \protect\firstimage\space may only appear inside frontpage environment.%
3999 }%
4000 }%
4001 \newcommand{\weatheritem}[5]{%
4002 \ifthenelse{\boolean{xepersian@insideweather}}{%
4003 \begin{minipage}{45pt}%
4004 \ifxetex
4005 \includegraphics[width=40pt]{#1}%
4006 \fi
4007 \end{minipage}%
4008 \begin{minipage}{50pt}%
4009 \weatherTempFormat
4010 #2\\
4011 \beginL#3 $\| \$ #4 \lr{\weatherUnits{}}\endL\\
4012 #5

```



```

4013 \end{minipage}
4014 }{%
4015 \ClassError{xepersian-magazine}{%
4016 \protect\weatheritem\space in a wrong place.\MessageBreak
4017 \protect\weatheritem\space may only appear inside weatherblock environment.
4018 }{%
4019 \protect\weatheritem\space may only appear inside weatherblock environment.\MessageBreak
4020 weatherblock environment may only appear inside frontpage environment.
4021 }{%
4022 }
4023 }
4024 \newenvironment{weatherblock}[1]
4025 {
4026 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4027 \setboolean{xepersian@insideweather}{true}
4028 \begin{textblock}{32}(2,38)
4029 \vspace*{-15pt}
4030
4031 \xepersian@weather{\beginR#\endR}
4032
4033 \vspace*{5pt}
4034
4035 \noindent\begin{xepersian@fmpage}{32\TPHorizModule}
4036 \begin{minipage}{32\TPHorizModule}
4037 \hspace{5pt}
4038
4039 }{%
4040 \ClassError{xepersian-magazine}{%
4041 weatherblock in a wrong place.\MessageBreak
4042 weatherblock may only appear inside frontpage environment.
4043 }{%
4044 weatherblock may only appear inside frontpage environment.
4045 }
4046 }
4047 }{%
4048 {
4049 \end{minipage}
4050 \end{xepersian@fmpage}
4051 \end{textblock}
4052 \setboolean{xepersian@insideweather}{false}
4053 }
4054 \newenvironment{authorblock}[0]
4055 {
4056 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4057 \begin{textblock}{15}(36,35)
4058 \setlength{\fboxsep}{5pt}
4059 \begin{xepersian@fmpage}{13\TPHorizModule}
4060 \begin{minipage}{13\TPHorizModule}
4061 \centering
4062 \minilogo

```



```

4063
4064 }{%
4065 \ClassError{xepersian-magazine}%
4066 authorblock in a wrong place.\MessageBreak
4067 authorblock may only appear inside frontpage environment.
4068 }{%
4069 authorblock may only appear inside frontpage environment.
4070 }
4071 }
4072 }
4073 {
4074 \end{minipage}
4075 \end{xepersian@fmpage}
4076 \end{textblock}
4077 }
4078 \newenvironment{indexblock}[1]
4079 {
4080 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4081 \setboolean{xepersian@insideindex}{true}\let\s in
4082 \begin{textblock}[15](36,16)
4083 \setlength{\xepersian@indexwidth}{13\TPHorizModule}
4084 \xepersian@indexFrameTitle{#1}
4085
4086 \setlength{\fboxsep}{5pt} %espacio entre el frame y la imagen
4087 \begin{xepersian@fmpage}{\xepersian@indexwidth}
4088 \begin{minipage}{\xepersian@indexwidth}
4089 \vspace*{10pt}
4090 }{%
4091 \ClassError{xepersian-magazine}%
4092 indexblock in a wrong place.\MessageBreak
4093 indexblock may only appear inside frontpage environment.
4094 }{%
4095 indexblock may only appear inside frontpage environment.
4096 }
4097 }
4098 }{%
4099 {
4100 \end{minipage}
4101 \end{xepersian@fmpage}
4102 \end{textblock}
4103 \setboolean{xepersian@insideindex}{false}\let\s out
4104 }
4105 \newcommand{\indexitem}[2]
4106 {
4107 \ifthenelse{\boolean{xepersian@insideindex}}{%
4108 \xepersian@indexEntry{#1} \xepersian@indexEntryPage{\pageref{#2}}}
4109
4110 \vspace{0.5cm}
4111
4112 \noindent\ignorespaces\indexEntrySeparator{}
```



```

4113 }{%
4114 \ClassError{xepersian-magazine}{%
4115 \protect\indexitem{space in a wrong place.}\MessageBreak
4116 \protect\indexitem{space may only appear inside indexblock environment.}%
4117 }{%
4118 \protect\indexitem{space may only appear inside indexblock environment.}\MessageBreak
4119 indexblock environment may only appear inside frontpage environment.%
4120 }%
4121 }%
4122 }%
4123 \newcommand{\xepersian@inexpandedtitle}[1]{%
4124 \begin{minipage}{.95\textwidth}%
4125 \begin{center}%
4126 \noindent\Large\textbf{\begin{R#1}\end{R}}%
4127 \end{center}%
4128 \end{minipage}%
4129 }%
4130 \newcommand{\expandedtitle}[2]{%
4131 \end{multicols}%
4132 %
4133 \begin{center}%
4134 \setlength{\fboxsep}{5pt}%
4135 \setlength{\shadowsize}{2pt}%
4136 \ifthenelse{\equal{\#1}{shadowbox}}{%
4137 \shadowbox{%
4138 \xepersian@inexpandedtitle{\#2}}%
4139 }%
4140 }{}%
4141 \ifthenelse{\equal{\#1}{doublebox}}{%
4142 \doublebox{%
4143 \xepersian@inexpandedtitle{\#2}}%
4144 }%
4145 }{}%
4146 \ifthenelse{\equal{\#1}{ovalbox}}{%
4147 \ovalbox{%
4148 \xepersian@inexpandedtitle{\#2}}%
4149 }%
4150 }{}%
4151 \ifthenelse{\equal{\#1}{Ovalbox}}{%
4152 \Ovalbox{%
4153 \xepersian@inexpandedtitle{\#2}}%
4154 }%
4155 }{}%
4156 \ifthenelse{\equal{\#1}{lines}}{%
4157 \hrule%
4158 \vspace*{8pt}%
4159 \begin{center}%
4160 \noindent\Large\textbf{\#2}%
4161 \end{center}%
4162 \vspace*{8pt}%

```



```

4163 \hrule
4164 }{}
4165 \end{center}
4166
4167 \begin{multicols}{\xepersian@ncolumns{}}
4168 \ifnum \xepersian@ncolumns > \minraggedcols
4169 \raggedFormat
4170 \fi
4171 }
4172 \newcommand{\xepersian@incolumntitle}[2]{
4173 \begin{minipage}{#1}
4174 \begin{center}
4175 \noindent\normalsize\textbf{#2}
4176 \end{center}
4177 \end{minipage}
4178 }
4179
4180 \newcommand{\columntitle}[2]{
4181 \vspace*{5pt}
4182 \begin{center}
4183 \setlength{\fboxsep}{5pt}
4184 \setlength{\shadowsize}{2pt}
4185 \addtolength{\xepersian@coltitsize}{\columnwidth}
4186 \addtolength{\xepersian@coltitsize}{-1\columnsep}
4187 \addtolength{\xepersian@coltitsize}{-5pt}
4188 \addtolength{\xepersian@coltitsize}{-1\shadowsize}
4189 \ifthenelse{\equal{#1}{shadowbox}}{%
4190 \shadowbox{%
4191 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
4192 }%
4193 }%
4194 \ifthenelse{\equal{#1}{doublebox}}{%
4195 \doublebox{%
4196 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
4197 }%
4198 }%
4199 \ifthenelse{\equal{#1}{ovalbox}}{%
4200 \ovalbox{%
4201 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
4202 }%
4203 }%
4204 \ifthenelse{\equal{#1}{Ovalbox}}{%
4205 \Ovalbox{%
4206 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
4207 }%
4208 }%
4209 \ifthenelse{\equal{#1}{lines}}{%
4210 \hrule
4211 \vspace*{5pt}
4212 \begin{center}

```



```

4213 \noindent\normalsize\textbf{#2}
4214 \end{center}
4215 \vspace*{5pt}
4216 \hrule
4217 }{}
4218 \end{center}
4219 }
4220 \renewcommand{\date}{%
4221 \longdate{\today}%
4222 }
4223 \newcommand{\authorandplace}[2]{%
4224 \rightline{%
4225 {\innerAuthorFormat #1},\space{}{\innerPlaceFormat #2}%
4226 }%
4227 \par %
4228 }
4229 \newcommand{\newsection}[1]{%
4230 \renewcommand{\xepersian@section}{#1}
4231 }
4232 \newenvironment{article}[5]
4233 {
4234 \xepersian@say{Adding a new piece of article}
4235 \renewcommand{\xepersian@ncolumns}{#1}
4236 \begin{multicols}{#1}[
4237 \xepersian@pages{#4}
4238 \xepersian@innerTitle{#2}%
4239 \xepersian@innerSubtitle{#3}%
4240 ] [4cm]%
4241 \label{#5}
4242 \ifnum #1 > \minraggedcols
4243 \raggedFormat
4244 \fi
4245 }
4246 {~\innerTextFinalMark{}}%
4247 \end{multicols}
4248 }
4249 \newcommand{\articlesep}{%
4250 \setlength{\xepersian@pageneed}{16000pt}
4251 \setlength\xepersian@pageleft{\pagegoal}
4252 \addtolength\xepersian@pageleft{-\pagetotal}
4253
4254 \xepersian@say{How much left \the\xepersian@pageleft}
4255
4256 \ifdim \xepersian@pageneed < \xepersian@pageleft
4257 \xepersian@say{Not enough space}
4258 \else
4259 \xepersian@say{Adding sep line between articles}
4260 \vspace*{10pt plus 10pt minus 5pt}
4261 \hrule
4262 \vspace*{10pt plus 5pt minus 5pt}

```



```

4263 \fi
4264 }
4265 }
4266 \newcommand{\xepersian@editorialTit}[2]{
4267 \setlength{\arrayrulewidth}{.1pt}
4268 \begin{center}
4269 \begin{tabular}{c}
4270 \noindent
4271 \xepersian@editorialTitle{#1}
4272 \vspace{2pt plus 1pt minus 1pt}
4273 \\
4274 \hline
4275 \vspace{2pt plus 1pt minus 1pt}
4276 \\
4277 \editorialAuthorFormat{#2}
4278 \end{tabular}
4279 \end{center}
4280 }
4281 \newenvironment{editorial}[4]
4282 {
4283 \xepersian@say{Adding a new editorial}
4284 \begin{multicols}{#1}[%
4285 \xepersian@editorialTit{#2}{#3}%
4286 ][4cm]
4287 \label{#4}
4288 \ifnum #1 > \minraggedcols
4289 \raggedFormat
4290 \fi
4291 }
4292 {
4293 \end{multicols}
4294 }
4295 \newcommand{\xepersian@shortarticleTit}[2]{
4296 \begin{center}
4297 \vbox{%
4298 \noindent
4299 \xepersian@shortarticleTitle{#1}
4300 \vspace{4pt plus 2pt minus 2pt}
4301 \hrule
4302 \vspace{4pt plus 2pt minus 2pt}
4303 \xepersian@shortarticleSubtitle{#2}
4304 }
4305 \end{center}
4306 }
4307 \newenvironment{shortarticle}[4]
4308 {
4309 \xepersian@say{Adding a short article block}
4310 \begin{multicols}{#1}[\xepersian@shortarticleTit{#2}{#3}][4cm] %
4311 \label{#4}
4312 \par %

```



```

4313 \ifnum #1 > \minraggedcols
4314 \raggedformat
4315 \fi
4316 }
4317 {
4318 \end{multicols}
4319 }
4320 \newcommand{\shortarticleitem}[2]{
4321 \goodbreak
4322 \vspace{5pt plus 3pt minus 3pt}
4323 {\vbox{\noindent\xpersian@shortarticleItemTitle{#1}}}
4324 \vspace{5pt plus 3pt minus 3pt}
4325 {\noindent #2}\\
4326 }

```

7.57 xpersian-mathsdigtspec.sty

```

4327 \NeedsTeXFormat{LaTeX2e}
4328 \ProvidesPackage{xpersian-mathsdigtspec}
4329 [2016/05/03 v1.1.2 Unicode Persian maths digits in XeLaTeX]
4330 \def\new@mathgroup{\alloc@mathgroup\chardef\@cclvi}
4331 \let\newfam\new@mathgroup
4332 \def\select@group#1#2#3#4{%
4333 \ifx\math@bgroup\math@bgroup\else\relax\expandafter\@firstofone\fi
4334 {%
4335 \ifmmode
4336 \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
4337 \begingroup
4338 \escapechar\m@ne
4339 \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
4340 \globaldefs\@ne \math@fonts
4341 \endgroup
4342 \init@restore@version
4343 \xdef#1{\noexpand\use@mathgroup\noexpand#2%
4344 {\number\csname c@mv@\math@version\endcsname}}%
4345 \global\advance\csname c@mv@\math@version\endcsname\@ne
4346 \else
4347 \let#1\relax
4348 \@latex@error{Too many math alphabets used in
4349 \math@version}%
4350 \relax
4351 \fi
4352 \else \expandafter\non@alpherr\fi
4353 #1{#4}%
4354 }%
4355 }
4356 \def\document@select@group#1#2#3#4{%
4357 \ifx\math@bgroup\math@bgroup\else\relax\expandafter\@firstofone\fi
4358 {%
4359 \ifmmode

```



```

4360  \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
4361    \begingroup
4362      \escapechar\m@ne
4363      \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
4364      \globaldefs\@ne \math@fonts
4365    \endgroup
4366    \expandafter\extract@alph@from@version
4367      \csname mv@\math@version\expandafter\endcsname
4368      \expandafter{\number\csname
4369        c@mv@\math@version\endcsname}%
4370      #1%
4371      \global\advance\csname c@mv@\math@version\endcsname\@ne
4372  \else
4373    \let#1\relax
4374    \@latex@error{Too many math alphabets used
4375      in version \math@version}%
4376    \@eha
4377  \fi
4378 \else \expandafter\non@alpherr\fi
4379 #1{#4}%
4380 }%
4381 }
4382 \ExplSyntaxOn
4383 \bool_set_false:N \g__fontspec_math_bool
4384 \tl_map_inline:nn
4385 {
4386   \new@mathgroup\cdp@list\cdp@elt\DeclareMathSizes
4387   \@DeclareMathSizes\newmathalphabet\newmathalphabet@@\newmathalphabet@@@
4388   \DeclareMathVersion\define@mathalphabet\define@mathgroup\addtoversion
4389   \version@list\version@elt\alpha@list\alpha@elt
4390   \restore@mathversion\init@restore@version\dorestore@version\process@table
4391   \new@mathversion\DeclareSymbolFont\group@list\group@elt
4392   \new@symbolfont\SetSymbolFont\SetSymbolFont@get@cdp
4393   \DeclareMathAlphabet\new@mathalphabet\SetMathAlphabet\SetMathAlphabet@0
4394   \DeclareMathAccent\set@mathaccent\DeclareMathSymbol\set@mathchar
4395   \set@mathsymbol\DeclareMathDelimiter\@xxDeclareMathDelimiter
4396   \@DeclareMathDelimiter\@xDeclareMathDelimiter\set@mathdelimiter
4397   \set@mathdelimiter\DeclareMathRadical\mathchar@type
4398   \DeclareSymbolFontAlphabet\DeclareSymbolFontAlphabet@0
4399 }
4400 {
4401   \tl_remove_once:Nn \@preamblecmds {\do#1}
4402 }
4403 \ExplSyntaxOff
4404 \newcommand\xepersian@PackageInfo[1]{\PackageInfo{xepersian-mathsdigtspec}{#1}}
4405 \newcommand\SetMathCode[4]{%
4406   \Umathcode#1="\\mathchar@type#2 \csname sym#3\endcsname #4\relax}
4407 \newcommand\SetMathCharDef[4]{%
4408   \Umathchardef#1="\\mathchar@type#2 \csname sym#3\endcsname #4\relax}
4409 \ExplSyntaxOn

```



```

4410 \cs_new_eq:NN \orig_mathbf:n \mathbf
4411 \cs_new_eq:NN \orig_mathit:n \mathit
4412 \cs_new_eq:NN \orig_mathrm:n \mathrm
4413 \cs_new_eq:NN \orig_mathsf:n \mathsf
4414 \cs_new_eq:NN \orig_mathtt:n \mathtt
4415 \NewDocumentCommand \new@mathbf { m } {
4416   \orig_mathbf:n {
4417     \int_step_inline:nnnn { `0 } { `c_one } { `9 } {
4418       \mathcode ##1 = \numexpr "100 * \symnew@mathbf@font@digits + ##1 \relax
4419     }
4420   #1
4421 }
4422 }
4423 \NewDocumentCommand \new@mathit { m } {
4424   \orig_mathit:n {
4425     \int_step_inline:nnnn { `0 } { `c_one } { `9 } {
4426       \mathcode ##1 = \numexpr "100 * \symnew@mathit@font@digits + ##1 \relax
4427     }
4428   #1
4429 }
4430 }
4431 \NewDocumentCommand \new@mathrm { m } {
4432   \orig_mathrm:n {
4433     \int_step_inline:nnnn { `0 } { `c_one } { `9 } {
4434       \mathcode ##1 = \numexpr "100 * \symnew@mathrm@font@digits + ##1 \relax
4435     }
4436   #1
4437 }
4438 }
4439 \NewDocumentCommand \new@mathsf{ m } {
4440   \orig_mathsf:n {
4441     \int_step_inline:nnnn { `0 } { `c_one } { `9 } {
4442       \mathcode ##1 = \numexpr "100 * \symnew@mathsf@font@digits + ##1 \relax
4443     }
4444   #1
4445 }
4446 }
4447 \NewDocumentCommand \new@mathtt{ m } {
4448   \orig_mathtt:n {
4449     \int_step_inline:nnnn { `0 } { `c_one } { `9 } {
4450       \mathcode ##1 = \numexpr "100 * \symnew@mathtt@font@digits + ##1 \relax
4451     }
4452   #1
4453 }
4454 }
4455 \DeclareDocumentCommand \setdigitfont { O{} m O{} }
4456 {
4457   \let\glb@currsize\relax
4458   \fontspec_set_family:Nnn \g_xepersian_digitsfamily {Mapping=parsidigits,#1,#3} {#2}
4459   \xepersian@PackageInfo{Defining the default Persian maths font as '#2'}

```



```

4460 \DeclareSymbolFont{OPERATORS} {\g_fontspec_encoding_t1}{\g_xepersian_digitsfamily}
4461 \DeclareSymbolFont{new@mathbf@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_digitsfami}
4462 \DeclareSymbolFont{new@mathit@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_digitsfami}
4463 \DeclareSymbolFont{new@mathrm@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_digitsfami}
4464 \def\persianmathsdigits{%
4465 \SetMathCode`0{\mathalpha}{OPERATORS}`0}
4466 \SetMathCode`1{\mathalpha}{OPERATORS}`1}
4467 \SetMathCode`2{\mathalpha}{OPERATORS}`2}
4468 \SetMathCode`3{\mathalpha}{OPERATORS}`3}
4469 \SetMathCode`4{\mathalpha}{OPERATORS}`4}
4470 \SetMathCode`5{\mathalpha}{OPERATORS}`5}
4471 \SetMathCode`6{\mathalpha}{OPERATORS}`6}
4472 \SetMathCode`7{\mathalpha}{OPERATORS}`7}
4473 \SetMathCode`8{\mathalpha}{OPERATORS}`8}
4474 \SetMathCode`9{\mathalpha}{OPERATORS}`9}
4475 \SetMathCode`\%{\mathbin}{OPERATORS}``}

4476 \SetMathCharDef{\decimalseparator}{\mathord}{OPERATORS}"066B}
4477 \tl_set_eq:NN \mathbf \new@mathbf
4478 \tl_set_eq:NN \mathit \new@mathit
4479 \tl_set_eq:NN \mathrm \new@mathrm
4480 }

4481
4482
4483 \DeclareDocumentCommand \setmathsf digitfont { O{} m O{} }
4484 {
4485 \fontspec_set_family:Nnn \g_xepersian_digitsfamily_tl {Mapping=parsidigits,#1,#3} {#2}
4486 \DeclareSymbolFont{new@mathsf@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_digitsfamily_t1}
4487 \def\persianmathsdigits{\tl_set_eq:NN \mathsf \new@mathsf}
4488 }
4489
4490
4491 \DeclareDocumentCommand \setmathtt digitfont { O{} m O{} }
4492 {
4493 \fontspec_set_family:Nnn \g_xepersian_digitsmathtt_tl {Mapping=parsidigits,#1,#3} {#2}
4494 \DeclareSymbolFont{new@mathtt@font@digits}{\g_fontspec_encoding_t1}{\g_xepersian_digitsmathtt_t1}
4495 \def\persianmathtdigits{\tl_set_eq:NN \mathtt \new@mathtt}
4496 }
4497
4498 \ExplSyntaxOff
4499 \ifx\newcommand\undefined\else
4500 \newcommand{\ZifferAn}{}
4501 \fi
4502 \mathchardef\ziffer@DotOri="013A
4503 \mathchardef\ziffer@Dcheck="013B
4504 {\ZifferAn
4505 \catcode`\.=\active\gdef.\{\begingroup\obeyspaces\futurelet\n\ziffer@Dcheck\}
4506 \def\ziffer@Dcheck{\ziffer@check\ZifferLeer\ziffer@DotOri}
4507 \def\ziffer@check#1#2{%
4508 \ifx\n1\endgroup#1\else

```



```

4509     \ifx\n2\endgroup#1\else
4510         \ifx\n3\endgroup#1\else
4511             \ifx\n4\endgroup#1\else
4512                 \ifx\n5\endgroup#1\else
4513                     \ifx\n6\endgroup#1\else
4514                         \ifx\n7\endgroup#1\else
4515                             \ifx\n8\endgroup#1\else
4516                                 \ifx\n9\endgroup#1\else
4517                                     \ifx\n0\endgroup#1\else
4518                                         \ifx\n\overline\endgroup#1\else
4519                                             \endgroup#2%
4520                                         \fi
4521                                         \fi
4522                                         \fi
4523                                         \fi
4524                                         \fi
4525                                         \fi
4526                                         \fi
4527                                         \fi
4528                                         \fi
4529                                         \fi
4530 \fi}
4531 \mathcode`.=="8000\relax
4532 \def\ZifferLeer{\ifx\decimalseparator\undefined .\else \decimalseparator\fi}
4533 \def\DefaultMathsDigits{\def\SetMathsDigits{}}
4534 \def\PersianMathsDigits{\def\SetMathsDigits{%
4535 \ifx\persianmathsdigits\undefined\else\persianmathsdigits\fi%
4536 \ifx\persianmathsfdigits\undefined\else\persianmathsfdigits\fi%
4537 \ifx\persianmathttdigits\undefined\else\persianmathttdigits\fi}}
4538 \def\AutoMathsDigits{\def\SetMathsDigits{%
4539 \ifx\persianmathsdigits\undefined\else\if@nonlatin\persianmathsdigits\fi\fi%
4540 \ifx\persianmathsfdigits\undefined\else\if@nonlatin\persianmathsfdigits\fi\fi%
4541 \ifx\persianmathttdigits\undefined\else\if@nonlatin\persianmathttdigits\fi\fi}}
4542 \AutoMathsDigits
4543 \everymath\expandafter{\the\everymath\SetMathsDigits}
4544 \g@addto@macro\document{\everydisplay\expandafter{\the\everydisplay\SetMathsDigits}}

```

7.58 xepersian-multiplechoice.sty

```

4545 \NeedsTeXFormat{LaTeX2e}
4546 \ProvidesPackage{xepersian-multiplechoice}[2010/07/25 v0.2
4547                                         Multiple Choice Questionnaire class for Persian in XeLaTeX]
4548 \RequirePackage{pifont}
4549 \RequirePackage{fullpage}
4550 \RequirePackage{ifthen}
4551 \RequirePackage{calc}
4552 \RequirePackage{verbatim}
4553 \RequirePackage{tabularx}
4554 \def\@headerfont{\bfseries}
4555 \newcommand\headerfont[1]{\gdef\@headerfont{\#1}}

```



```

4556 \def\@X{X}
4557 \newcommand\X[1]{\gdef\@X{#1}}
4558 \def\pbs#1{\let\tmp=\#1\let\\=\tmp}
4559 \newcolumntype{D}{>{\pbs\centering}X}
4560 \newcolumntype{Q}{>{@headerfont}X}
4561
4562 \renewcommand\tabularxcolumn[1]{m{#1}}
4563 \newcommand\makeform@nocorrection{%
4564   \addtocontents{frm}{\protect\end{tabularx}}
4565   \starttoc{frm}}
4566 \newcommand\makeform@correction{%
4567   \addtocontents{frm}{\protect\end{tabularx}}}
4568 \newcommand\makemask@nocorrection{%
4569   \addtocontents{msk}{\protect\end{tabularx}}
4570   \starttoc{msk}}
4571 \newcommand\makemask@correction{%
4572   \addtocontents{msk}{\protect\end{tabularx}}}
4573 \newlength\questionspace
4574 \setlength\questionspace{0pt}
4575 \newcommand\answerstitle[] {\gdef\@answerstitle{#1}}
4576 \def\@answerstitlefont{\bfseries}
4577 \newcommand\answerstitlefont[1]{\gdef\@answerstitlefont{#1}}
4578 \def\@answernumberfont{\bfseries}
4579 \newcommand\answernumberfont[1]{\gdef\@answernumberfont{#1}}
4580 \newcounter{question}\stepcounter{question}
4581 \newcounter{@choice}
4582 \def\@initorcheck{%
4583   \xdef\@choices{\the@choice}%
4584   \setcounter{@choice}{1}%
4585   \gdef\@arraydesc{|Q||}%
4586   \gdef\@headerline{}%
4587   \whiledo{\not{\value{@choice}>\@choices}}{%
4588     \xdef\@arraydesc{\@arraydesc D|}%
4589     \def\@appendheader{\g@addto@macro\@headerline}%
4590     \@appendheader{\&\protect\@headerfont}%
4591     \edef\@the@choice{{\alph{@choice}}}%
4592     \expandafter\@appendheader\@the@choice
4593     \stepcounter{@choice}%
4594     \addtocontents{frm}{%
4595       \protect\begin{tabularx}{\protect\ linewidth}{\@arraydesc}%
4596       \protect\hline
4597       \@headerline\protect\\ \protect\hline\protect\hline}%
4598     \addtocontents{msk}{%
4599       \protect\begin{tabularx}{\protect\ linewidth}{\@arraydesc}%
4600       \protect\hline
4601       \@headerline\protect\\ \protect\hline\protect\hline}%
4602     \gdef\@initorcheck{%
4603       \ifthenelse{\value{@choice} = \@choices}{}{%
4604         \ClassError{xepersian-multiplechoice}{Question \thequestion: wrong number of choices
4605           (\the@choice\space instead of \@choices)}}%

```



```

4606      Questions must all have the same number of proposed answers.%  

4607      \MessageBreak  

4608      Type X <return> to quit, fix your MCQ (multiple choice question) and rerun XeLaTeX.}}}  

4609 \newenvironment{question}[1]{%  

4610   %% \begin{question}  

4611   \begin{minipage}{\textwidth}  

4612     \xdef\@formanswerline{\@questionheader} %  

4613     \xdef\@maskanswerline{\@questionheader} %  

4614     \fbox{\parbox[c]{\linewidth}{#1}}  

4615     \vspace\questionspace\par  

4616     {\@answerstitlefont\@answerstitle}  

4617     \begin{list}{\@answernumberfont\alph{@choice})~}{\usecounter{@choice}}}{}%  

4618   %% \end{question}  

4619   \end{list}  

4620   \@initorcheck%  

4621   \addtocontents{frm}{\@formanswerline\protect\\protect\hline}%  

4622   \addtocontents{msk}{\@maskanswerline\protect\\protect\hline}%  

4623 \end{minipage}  

4624 \stepcounter{question}  

4625 \def\@truesymbol{\ding{52}~}  

4626 \def\@falsesymbol{\ding{56}~}  

4627 \newcommand\truesymbol[1]{\gdef\@truesymbol{#1}}  

4628 \newcommand\falsesymbol[1]{\gdef\@falsesymbol{#1}}  

4629 \def\@true@nocorrection{\item}  

4630 \def\@false@nocorrection{\item}  

4631 \def\@true@correction{\item[\@truesymbol\refstepcounter{@choice}]}  

4632 \def\@false@correction{\item[\@falsesymbol\refstepcounter{@choice}]}  

4633 \newcommand\true{  

4634   \xdef\@formanswerline{\@formanswerline&}%  

4635   \xdef\@maskanswerline{\@maskanswerline&\@X} %  

4636   \@true} %  

4637 \newcommand\false{  

4638   \xdef\@formanswerline{\@formanswerline&}%  

4639   \xdef\@maskanswerline{\@maskanswerline&}%  

4640   \@false} %  

4641 \def\@correctionstyle{\itshape}  

4642 \newcommand\correctionstyle[1]{\gdef\@correctionstyle{#1}}  

4643 \newenvironment{@correction}{\@correctionstyle}{}  

4644 \def\@questionheader{ \thequestion}  

4645   \answerstitle{ :  

4646 \DeclareOption{nocorrection}{%  

4647   \let\@true\@true@nocorrection  

4648   \let\@false\@false@nocorrection  

4649   \let\correction\comment  

4650   \let\endcorrection\endcomment  

4651   \def\makeform{\makeform@nocorrection}  

4652   \def\makemask{\makemask@nocorrection}  

4653 \DeclareOption{correction}{%  

4654   \let\@true\@true@correction  

4655   \let\@false\@false@correction

```



```

4656 \let\correction\@correction
4657 \let\endcorrection\end@correction
4658 \def\makeform{\makeform@correction}
4659 \def\makemask{\makemask@correction}
4660 \ExecuteOptions{nocorrection}
4661 \newcommand\questiontitle[1]{\gdef\@questiontitle{#1}}
4662 \def\@questiontitlefont{\bfseries}
4663 \newcommand\questiontitlefont[1]{\gdef\@questiontitlefont{#1}}
4664 \newlength\questiontitlespace
4665 \setlength\questiontitlespace{5pt}
4666 \newlength\questionsepspace
4667 \setlength\questionsepspace{20pt}
4668 \gdef\@questionsepspace{0pt}
4669 \let\old@question\question
4670 \let\old@endquestion\endquestion
4671 \renewenvironment{question}[1]{%
4672   %% \begin{question}
4673   \vspace{\questionsepspace}
4674   \fbox{\parbox[c]{0.25\linewidth}{\@questiontitlefont\@questiontitle}}
4675   \nopagebreak\vspace\questiontitlespace\par
4676   \old@question{#1}}{%
4677   %% \end{question}
4678   \old@endquestion
4679   \gdef\@questionsepspace{\questionsepspace}}
4680 \questiontitle{ \thequestion:}
4681 \ProcessOptions

```

7.59 xepersian-persiancal.sty

```

4682 \NeedsTeXFormat{LaTeX2e}
4683 \ProvidesPackage{xepersian-persiancal}[2012/07/25 v0.2 provides Persian calendar]
4684
4685 \newif\ifXePersian@leap \newif\ifXePersian@kabiseh
4686 \newcount\XePersian@i \newcount\XePersian@y \newcount\XePersian@m \newcount\XePersian@d
4687 \newcount\XePersian@latini \newcount\XePersian@persiani
4688 \newcount\XePersian@latinii \newcount\XePersian@persianii
4689 \newcount\XePersian@latiniii \newcount\XePersian@persianiii
4690 \newcount\XePersian@latiniv \newcount\XePersian@persianiv
4691 \newcount\XePersian@latinv \newcount\XePersian@persianv
4692 \newcount\XePersian@latinvi \newcount\XePersian@persianvi
4693 \newcount\XePersian@latinvii \newcount\XePersian@persianvii
4694 \newcount\XePersian@latinviii \newcount\XePersian@persianviii
4695 \newcount\XePersian@latinix \newcount\XePersian@persianix
4696 \newcount\XePersian@latinx \newcount\XePersian@persianx
4697 \newcount\XePersian@latinxi \newcount\XePersian@persianxi
4698 \newcount\XePersian@latinxii \newcount\XePersian@persianxii
4699 \newcount\XePersian@persianxiii
4700
4701 \newcount\XePersian@temp
4702 \newcount\XePersian@temptwo

```



```

4703 \newcount\XePersian@tempthree
4704 \newcount\XePersian@yModHundred
4705 \newcount\XePersian@thirtytwo
4706 \newcount\XePersian@dn
4707 \newcount\XePersian@sn
4708 \newcount\XePersian@mminusone
4709
4710
4711 \XePersian@y=\year \XePersian@m=\month \XePersian@d=\day
4712 \XePersian@temp=\XePersian@y
4713 \divide\XePersian@temp by 100\relax
4714 \multiply\XePersian@temp by 100\relax
4715 \XePersian@yModHundred=\XePersian@y
4716 \advance\XePersian@yModHundred by -\XePersian@temp\relax
4717 \ifodd\XePersian@yModHundred
4718   \XePersian@leapfalse
4719 \else
4720   \XePersian@temp=\XePersian@yModHundred
4721   \divide\XePersian@temp by 2\relax
4722   \ifodd\XePersian@temp\XePersian@leapfalse
4723   \else
4724     \ifnum\XePersian@yModHundred=0%
4725       \XePersian@temp=\XePersian@y
4726       \divide\XePersian@temp by 400\relax
4727       \multiply\XePersian@temp by 400\relax
4728       \ifnum\XePersian@y=\XePersian@temp\XePersian@leaptrue\else\XePersian@leapfalse\fi
4729     \else\XePersian@leaptrue
4730   \fi
4731 \fi
4732 \fi
4733 \XePersian@latini=31\relax
4734 \ifXePersian@leap
4735   \XePersian@latinii = 29\relax
4736 \else
4737   \XePersian@latinii = 28\relax
4738 \fi
4739 \XePersian@latiniii = 31\relax
4740 \XePersian@latiniv = 30\relax
4741 \XePersian@latinv = 31\relax
4742 \XePersian@latinvi = 30\relax
4743 \XePersian@latinvii = 31\relax
4744 \XePersian@latinviii = 31\relax
4745 \XePersian@latinix = 30\relax
4746 \XePersian@latinx = 31\relax
4747 \XePersian@latinxi = 30\relax
4748 \XePersian@latinxii = 31\relax
4749 \XePersian@thirtytwo=32\relax
4750 \XePersian@temp=\XePersian@y
4751 \advance\XePersian@temp by -17\relax
4752 \XePersian@temptwo=\XePersian@temp

```



```

4753 \divide\XePersian@temptwo by 33\relax
4754 \multiply\XePersian@temptwo by 33\relax
4755 \advance\XePersian@temp by -\XePersian@temptwo
4756 \ifnum\XePersian@temp=\XePersian@thirtytwo\XePersian@kabisehfalse
4757 \else
4758   \XePersian@temptwo=\XePersian@temp
4759   \divide\XePersian@temptwo by 4\relax
4760   \multiply\XePersian@temptwo by 4\relax
4761   \advance\XePersian@temp by -\XePersian@temptwo
4762   \ifnum\XePersian@temp=\z@\XePersian@kabisehtrue\else\XePersian@kabisehfalse\fi
4763 \fi
4764 \XePersian@tempthree=\XePersian@temp          % Number of Leap years
4765 \advance\XePersian@tempthree by -1
4766 \XePersian@temp=\XePersian@tempthree          % T := (MY-1) div 4
4767 \divide\XePersian@temp by 4\relax
4768 \XePersian@temptwo=\XePersian@tempthree
4769 \divide\XePersian@temptwo by 100\relax
4770 \advance\XePersian@temp by -\XePersian@temptwo
4771 \XePersian@temptwo=\XePersian@tempthree      % T := T + ((MY-1) div 400)
4772 \divide\XePersian@temptwo by 400\relax
4773 \advance\XePersian@temp by \XePersian@temptwo
4774 \advance\XePersian@tempthree by -611           % Number of Kabise years
4775 \XePersian@temptwo=\XePersian@tempthree      % T := T - ((SY+10) div 33) * 8
4776 \divide\XePersian@temptwo by 33\relax
4777 \multiply\XePersian@temptwo by 8\relax
4778 \advance\XePersian@temp by -\XePersian@temptwo
4779 \XePersian@temptwo=\XePersian@tempthree      %
4780 \divide\XePersian@temptwo by 33\relax
4781 \multiply\XePersian@temptwo by 33\relax
4782 \advance\XePersian@tempthree by -\XePersian@temptwo
4783 \ifnum\XePersian@tempthree=32\advance\XePersian@temp by 1\fi % if (SY+10) mod 33=32 then Inc(T)
4784 \divide\XePersian@tempthree by 4\relax        % T := T - ((SY+10) mod 33) div 4
4785 \advance\XePersian@temp by -\XePersian@tempthree
4786 \advance\XePersian@temp by -137              % T := T - 137 Adjust the value
4787 \XePersian@persiani=31
4788 \advance\XePersian@persiani by -\XePersian@temp          % now 31 - T is the persiani
4789 \XePersian@persianii = 30\relax
4790 \if\XePersian@kabiseh
4791   \XePersian@persianiii = 30\relax
4792 \else
4793   \XePersian@persianiii = 29\relax
4794 \fi
4795 \XePersian@persianiv = 31\relax
4796 \XePersian@persianv = 31\relax
4797 \XePersian@persianvi = 31\relax
4798 \XePersian@persianvii = 31\relax
4799 \XePersian@persianviii= 31\relax
4800 \XePersian@persianix = 31\relax
4801 \XePersian@persianx = 30\relax
4802 \XePersian@persianxi = 30\relax

```



```

4803 \XePersian@persianxii = 30\relax
4804 \XePersian@persianxiii= 30\relax
4805 \XePersian@dn= 0\relax
4806 \XePersian@sn= 0\relax
4807 \XePersian@mminusone=\XePersian@m
4808 \advance\XePersian@mminusone by -1\relax
4809 \XePersian@i=0\relax
4810 \ifnum\XePersian@i < \XePersian@mminusone
4811 \loop
4812 \advance \XePersian@i by 1\relax
4813 \advance\XePersian@dn by \csname XePersian@latin\romannumeral\the\XePersian@i\endcsname
4814 \ifnum\XePersian@i<\XePersian@mminusone \repeat
4815 \fi
4816 \advance \XePersian@dn by \XePersian@d
4817 \XePersian@i=1\relax
4818 \XePersian@sn = \XePersian@persiani
4819 \ifnum \XePersian@sn<\XePersian@dn
4820 \loop
4821 \advance \XePersian@i by 1\relax
4822 \advance\XePersian@sn by \csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
4823 \ifnum \XePersian@sn<\XePersian@dn \repeat
4824 \fi
4825 \ifnum \XePersian@i < 4
4826     \XePersian@m = 9 \advance\XePersian@m by \XePersian@i
4827     \advance \XePersian@y by -622\relax
4828 \else
4829     \XePersian@m = \XePersian@i \advance \XePersian@m by -3\relax
4830     \advance \XePersian@y by -621\relax
4831 \fi
4832 \advance\XePersian@sn by -\csname XePersian@persian\romannumeral\the\XePersian@i\%
4833 \endcsname
4834 \ifnum\XePersian@i = 1
4835     \XePersian@d = \XePersian@dn \advance \XePersian@d by 30 \advance\XePersian@d by -\XePersian@
4836 \else
4837     \XePersian@d = \XePersian@dn \advance \XePersian@d by -\XePersian@sn
4838 \fi
4839 \newcommand*\{\persiantoday}{%
4840 \number\XePersian@d\space%
4841 \XePersian@persian@month{\XePersian@m}\space\number\XePersian@y%
4842 }
4843 \let\persianyear\XePersian@y
4844 \let\persianmonth\XePersian@m
4845 \let\persianday\XePersian@d
4846 \def\XePersian@persian@month#1{\ifcase#1\or \or \
4847 \or \
4848 \or \ \or \
4849 \or \
4850 \or \ \or \
4851 \or \ \or \
4852 \or \ \or \

```



4853 {fi\



Index

Symbols	
\!	2247
\%	4475
\.	1398, 4505
\&	2954
\@if@newlist	1293, 1313
\@math	166
\@maybeautodot	2462, 2463, 2481, 2496, 2497, 2515, 2526, 2527, 2545
\@par	1774
\Abjad	2962, 2970, 2971, 3406, 3407
\Alph	2475, 2509, 2539, 3228, 3231, 3402, 3407
\@DeclareMathDelimiter	4396
\@DeclareMathSizes	4387
\@False	154, 156
\Kashida@onfalse	1518
\Kashida@ontrue	1517
\LTRfootnotetext	1804
\LTRmarginparreset	2884
\Latincitex	73, 74, 2038, 2047, 2237, 2892, 2893
\M	170, 1397, 1410, 1439, 3004, 3105, 3200
\Mi	166
\Mii	1697
\Miii	1699
\RTL@footnotefalse	2875, 2879, 3339
\RTL@footnotetrue	2877, 2880, 3337
\RTLfalse	136, 148, 161, 1393, 3292, 3299, 3321
\RTLfootnotetext	1805
\RTLtabfalse	3307
\RTLtabtrue	3305
\RTLtrue	1393, 3290, 3297, 3319
\Roman	2477, 2511, 2541
\SepMark	1452, 1453, 1454, 1455, 1633
\@SetTab	2551
\@True	149, 155
\@X	4556, 4557, 4635
\Abjad	3189, 3208, 3209, 3401, 3402
\acol	1929, 1937
\acolampacol	1927, 1929, 1935, 1937
\adadi	2473, 2507, 2537, 2978, 2980, 2983
\addamp	1928, 1936
\addtopreamble	1896
\alph	2476, 2510, 2540, 2552, 3227, 3230, 3401, 3406
\ampacol	1927, 1935
\answernumberfont	4578, 4579, 4617
\answerstyle	4575, 4616
\answerstylefont	4576, 4577, 4616
\appendheader	4589, 4590, 4592
\arrayclassz	1927
\arraydesc	4585, 4588, 4595, 4599
\arrayrule	1875, 1876, 1877, 1919, 1920, 1921
\author	3734, 3746
\autodottrue	2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543
\auxout	2898
\begin@tempboxa	1774
\biblabel	1394, 2039, 2048
\bibsetup	2040, 2049

\@bibtitlestyle 1390
 \@bidi@list@minipage@parbox@not@nobtr\@currbox . 1704, 1750, 1754, 1993,
 1771, 1793
 \@bidi@list@minipage@parboxtrue
 1772, 1794
 \@bidi@strip@v@xpersianversion
 . 2614, 2616, 2622, 2628
 \@bidiutfesidenote@LTRmarginfont
 86
 \@bidiutfesidenote@RTLmarginfont
 88
 \@bsphack 1696
 \@capttype . 1684, 1747, 1994, 2004
 \@cclvi 4330, 4336, 4360
 \@chapapp .. 30, 102, 113, 120, 132,
 1274, 1286, 1639, 2429, 2436,
 2443, 2451, 2492, 2522
 \@chclass . 1809, 1817, 1825, 1840,
 1854, 1859, 1874, 1890, 1910,
 1918, 1948, 1971, 1985
 \@chnum 1811, 1812,
 1813, 1814, 1815, 1816, 1826,
 1833, 1847, 1860, 1867, 1883,
 1896, 1912, 1913, 1914, 1915,
 1916, 1917, 1931, 1939, 1949,
 1956, 1978
 \@choices 4583, 4587, 4603, 4605
 \@cite ... 2026, 2033, 2045, 2061,
 2150, 2895
 \@cite@ofmt 2903
 \@citea 2066, 2080, 2094,
 2103, 2104, 2105, 2110, 2125,
 2133, 2134, 2135, 2169, 2185,
 2203, 2894, 2896
 \@citeb .. 2062, 2064, 2066, 2069,
 2071, 2072, 2074, 2097, 2128,
 2151, 2153, 2155, 2158, 2160,
 2161, 2163, 2895, 2897, 2898,
 2899, 2902, 2903
 \@citex 2037, 2046
 \@classx 1893
 \@classz 1893
 \@cleartopmattertags 1475
 \@correction 4656
 \@correctionstyle .. 4641, 4642,
 4643
 \@ctrerr 2969, 2974
 \@currenvir ... 2311, 2313, 2314
 \@customlogo 3834, 3843
 \@custommagazinename 3603, 3836
 \@customminilogo ... 3835, 3849
 \@customwwwTxt . 3564, 3567, 3619
 \@date 3737, 3747
 \@dgroup 148
 \@dmath 136, 165
 \@doendpe 2328
 \@dseries 161
 \@eha 4350, 4376
 \@empty ... 151, 1392, 1461, 1691,
 2051, 2061, 2064, 2150, 2153,
 2282, 2894, 2897, 3063, 3069,
 3072, 3075, 3180, 3745, 3746,
 3747, 3748
 \@emptytoks 150
 \@enGroup 1199
 \@enLabel .. 1190, 1191, 1192, 1193,
 1194, 1195, 1196, 1197
 \@enOther 1201
 \@enSpace 1198
 \@end@tempboxa 1789
 \@endpbox 1903, 1904
 \@enhook 1202
 \@enloop@ 1189
 \@entemp 1190, 1191, 1192, 1193, 1194,
 1195, 1196, 1197, 1198, 1199,
 1200
 \@enum@ 1200
 \@extra@b@citeb 2066, 2072, 2074,
 2097, 2128, 2155, 2161, 2163
 \@extrafootnotefeaturesfalse .
 3359
 \@extrafootnotefeaturestrue .
 3357
 \@false 4640, 4648, 4655
 \@false@correction . 4632, 4655
 \@false@nocorrection 4630, 4648
 \@falsesymbol . 4626, 4628, 4632
 \@firstampfalse 1929, 1937
 \@firstofone ... 1371, 1372, 2064,
 2153, 2897, 4333, 4357



\@firstoftwo 2617, 2623, 2629
 \@float@HH 1990, 1991
 \@float@Hx 1989, 1990
 \@float@ 1990, 2001
 \@floatboxreset 1760, 1999, 2009
 \@floatcapt 1994, 2004
 \@floatpenalty . 1697, 1699, 1702
 \@flstylefalse 1996, 2006
 \@flstyletrue 1996, 2006
 \@fltovf 1752
 \@footnotetext 1803
 \@for 2062, 2151, 2895
 \@formanswerline 4612, 4621,
 4634, 4638
 \@fps 1685, 1686, 1688, 1691, 1708
 \@fpsadddefault 1689, 1692
 \@freelist 1704
 \@gobble 1200, 1301, 1302, 1303,
 2614
 \@harfi 12, 20, 31,
 34, 43, 49, 55, 61, 103, 114,
 121, 133, 1264, 1275, 1287,
 1418, 1640, 2430, 2437, 2444,
 2452, 2459, 2472, 2493, 2506,
 2523, 2536, 2972, 2975, 2976
 \@headerfont 4554, 4555, 4560,
 4590
 \@headerline 4586, 4589, 4597,
 4601
 \@idxitem 1407, 1412
 \@ifclassloaded
 3256, 3257, 3258, 3259,
 3260, 3261, 3262, 3263, 3264,
 3265, 3266, 3267, 3268, 3269,
 3270, 3271, 3272, 3273, 3274,
 3275, 3276, 3277, 3278, 3279,
 3365, 3377, 3389
 \@ifdefinable 2346, 2348
 \@ifdefinitionfileloaded 1681,
 1824, 1857, 1947, 1988, 3238,
 3239
 \@ifempty 1440
 \@ifnextchar 1990, 2231, 2237,
 2892
 \@ifnum 2168, 2170,
 2172, 2179, 2180, 2183, 2195,
 2218, 2220
 \@ifpackageloaded
 76, 1555, 1559, 2240, 2244,
 2336, 2344, 3240, 3241, 3242,
 3243, 3244, 3245, 3246, 3247,
 3248, 3249, 3250, 3251, 3252,
 3253, 3254, 3255, 3256
 \@ifstar 2230
 \@ifundefined 72, 2066, 2072,
 2155, 2161, 2899
 \@ignoretrue 172
 \@iiiminipage 1790
 \@iiiparbox 1768
 \@indexfile 3367, 3379, 3391
 \@indextitlestyle 1405
 \@initorcheck 4582, 4602, 4620
 \@inlabelfalse 139
 \@input@ 3369, 3381, 3393
 \@lastchclass 1809, 1810, 1826,
 1827, 1828, 1829, 1831, 1860,
 1861, 1862, 1863, 1865, 1910,
 1911, 1927, 1935, 1949, 1950,
 1951, 1952, 1954
 \@latex@error 4348, 4374
 \@latex@warning 1400, 2901
 \@latinAlph 3228, 3231
 \@latinalph 2552, 3227, 3230
 \@listdepth 1806
 \@m 1398, 2043, 2896, 3003, 3104,
 3198
 \@mainmatterfalse 97, 108, 126,
 1268, 2486
 \@makefnmark 1425
 \@maketitle 1466
 \@maketitle@hook 1464
 \@maskanswerline 4613, 4622,
 4635, 4639
 \@memfront 1631
 \@minipagefalse 2889
 \@minipagerestore 1807
 \@minipagetrue 2888
 \@mpLTRfootnotetext 1804
 \@mpRTLfootnotetext 1805
 \@mpargs 1796
 \@mpfn 1802
 \@mpfootnotetext 1803



\@mplistdepth	1806
\@namedef	2020, 2074, 2163, 2327
\@ne	1714, 1720, 1813, 1814, 1817, 1826, 1836, 1837, 1841, 1860, 1870, 1871, 1875, 1876, 1877, 1914, 1915, 1919, 1920, 1921, 1949, 1959, 1960, 1972, 2168, 2180, 2182, 2195, 2203, 2923, 2990, 3031, 3038, 3050, 3055, 3091, 3132, 3139, 3151, 3156, 4340, 4345, 4364, 4371
\@newlistfalse	1294
\@next	1704
\@nextchar	1832, 1834, 1835, 1836, 1837, 1838, 1839, 1841, 1842, 1843, 1844, 1845, 1848, 1849, 1850, 1851, 1852, 1853, 1866, 1868, 1869, 1870, 1871, 1872, 1873, 1875, 1876, 1877, 1878, 1879, 1880, 1881, 1884, 1885, 1886, 1887, 1888, 1889, 1901, 1903, 1904, 1955, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1972, 1973, 1974, 1975, 1976, 1979, 1980, 1981, 1983, 1984
\@nextchar	1982
\@nil	2257, 2261, 2262, 2267, 2269, 3021, 3024, 3122, 3125
\@nodocument	1683
\@noitemerr	1400
\@nonlatinfalse	2864, 3312
\@nonlatintrue	2869, 3314
\@nx	1470, 1471
\@onelevel@sanitize	1686
\@outputbox	1311
\@outputpage	1289
\@parboxrestore	1294, 1759, 1774, 1801, 1998, 2008
\@parboxto	1777, 1786
\@parmoderr	1702
\@pboxswfalse	1770, 1792
\@pboxswtrue	1784
\@plus	1408, 1433
\@pnumwidth	1446, 1448
\@ppsavesec	25
\@preamble	1930, 1938
\@preamblecmds	4401
\@preamerr	1820, 1854, 1890, 1924, 1985
\@questionheader	4612, 4613, 4644
\@questionsepspace	4668, 4673, 4679
\@questiontitle	4661, 4674
\@questiontitlefont	4662, 4663, 4674
\@resetactivechars	1292
\@resets@pp	24, 1377, 1378
\@restonecolfalse	1403
\@restonecoltrue	1403
\@roman	2478, 2512, 2542
\@safe@activesfalse	2065, 2154
\@safe@activestrue	2063, 2152
\@secondoftwo	2619, 2625, 2631
\@secpenalty	1438
\@setcopyright	1458
\@setfontsize	3534, 3540, 3542, 3545, 3552, 3558, 3559, 3560, 3561, 3562
\@setfpsbit	1724, 1727, 1730, 1733, 1736, 1739
\@setminipage	1808
\@setnobreak	1999, 2009
\@sharp	1932, 1933, 1934, 1940, 1941, 1942
\@smemfront	1632
\@sptoken	1198
\@startpbox	1903, 1904
\@startsection	1432
\@starttoc	2939, 4565, 4570
\@stop	2463, 2497, 2527
\@sx@xepersian@localize@verbatim	2020
\@tabclassz	1935
\@tartibi	9, 16, 39, 45, 51, 57, 94, 105, 116, 128, 1260, 1270, 1282, 1415, 1634, 1635, 2425, 2432, 2439, 2447, 2455, 2474, 2488, 2508, 2518, 2538, 3084, 3086



\@tempa	3089 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1204, 1469, 1472, 2267, 2269, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362	
\@tempboxa	1797	
\@tempc	2282, 2295, 2305, 2307, 2308, 2311, 2319	
\@tempcnta	1706, 1712, 1714, 1718, 1720, 1742, 1743, 1749, 1750, 1894, 2177, 2178, 2179, 2182, 2183	
\@tempcntb	1747, 1748, 1749	
\@tempdima	1441, 1443, 1445, 1447, 1773, 1774, 1795, 1799	
\@tempdimb	1776, 1777	
\@tempswafalse	2195, 2892	
\@tempswatrue	2194, 2892	
\@temptokena	1467, 1471, 2268, 2275, 2280, 2286, 2293, 2303, 2317	
\@testpach	1809, 1825, 1859, 1910, 1948	
\@tfor	1707, 2352	
\@thanks	3739, 3745	
\@thechoice	4591, 4592	
\@thefnmark	1427	
\@themargin	1307	
\@title	3727, 3748	
\@tocline	1435	
\@tocpagenum	1448	
\@topnum	1457	
\@true	4636, 4647, 4654	
\@true@correction	4631, 4654	
\@true@nocorrection	4629, 4647	
\@truesymbol	4625, 4627, 4631	
\@verbatim	2017, 2020, 2325, 2327, 2338	
\@vobeyspaces	2017, 2325	
\@warning	2324	
\@width	1424	
\@x@xepersian@localize@verbatim	2017	
\@xDeclareMathDelimiter	4396	
\@xepersian@@computeautoilgfalse	3421	
\@xepersian@@computeautoilgtrue	3419	
\@xepersian@info	2590, 2611, 2613	
\@xfloat	1682, 1989, 1990	
\@xp	1467	
\@xxDeclareMathDelimiter	4395	
\@xxxii	1748	
\@\\	1661, 1662	
\@\\	1657, 1658, 1660	
\@\\	2239	
\]\\	2247	
\\\\\	1468, 2014, 2247, 3695, 4010, 4011, 4273, 4276, 4325, 4558, 4597, 4601, 4621, 4622	
\{	2013, 2247	
\}	2013, 2247	
\]	2247	
\^	2248	
\	4011	
\~	2248	
_	1332, 1334, 2896, 3027, 3033, 3052, 3058, 3128, 3134, 3153, 3163, 3610, 3619	
A		
\abj@num@i	3194, 3211, 3218	
\abj@num@ii	3196, 3215, 3222	
\abj@num@iii	3198, 3219, 3225	
\abj@num@iv	3200, 3223	
\Abjad	2970	
\abjad	3208	
\abjad@zero	3210, 3214	
\Abjadnumeral	2971	
\abjadnumeral	3209	
\abovedisplayshortskip	3537, 3538, 3548, 3549, 3555, 3556	
\abovedisplayskip	3535, 3536, 3546, 3547, 3553, 3554	
\abstractname	2951	
\active	2248, 4505	



\adadi 1191, 2466, 2500, 2530, 2977
 \adadinumeral 2983
 \addfontfeatures .. 136, 148, 161
 \addpenalty 1438
 \addtocontents
 .. 4564, 4567, 4569, 4572,
 4594, 4598, 4621, 4622
 \addtolength .. 3762, 3763, 3766,
 4185, 4186, 4187, 4188, 4252
 \addtoversion 4388
 \addvspace 1438
 \adl@argarraydashrule 1877, 1921
 \adl@arraydashrule . 1876, 1920
 \adl@arrayrule 1875, 1919
 \adl@box 1901, 1903, 1904
 \adl@class@iiiorvii 1907, 1944
 \adl@class@start ... 1906, 1943
 \adl@endmbox 1902
 \adl@putlrc 1898, 1899, 1900, 1932,
 1933, 1934, 1940, 1941, 1942
 \adl@startmbox 1901
 \advance
 1335, 1395, 1445, 1714, 1720,
 1743, 1749, 2182, 2923, 2925,
 3526, 3530, 3798, 3801, 4345,
 4371, 4716, 4751, 4755, 4761,
 4765, 4770, 4773, 4774, 4778,
 4782, 4783, 4785, 4786, 4788,
 4808, 4812, 4813, 4816, 4821,
 4822, 4826, 4827, 4829, 4830,
 4832, 4835, 4837
 \aftergroup 1296, 1298
 \ALG@name 5, 7
 \algorithmicensure 3
 \algorithmicrequire 2
 \ALGS@name 6, 7
 \aliasfontfeature 1571,
 1572, 1573, 1574, 1575, 1576,
 1577, 1578, 1579, 1580, 1581,
 1582, 1583, 1584, 1585, 1586,
 1587, 1588, 1589, 1590, 1591,
 1592, 1593, 1594, 1595, 1596,
 1597, 1598, 1599, 1600, 1601,
 1602, 1603, 1604, 1605, 1606,
 1607, 1608, 1609, 1610, 1611,
 1612, 1613, 1614, 1615, 1616,
 1617, 1618, 1619, 1620, 1621,
 1622, 1623
 \aliasfontfeatureoption . 1624,
 1625, 1626, 1627, 1628, 1629
 \alloc@ 4330
 \Alph 1193, 1364, 1365, 2468, 2502,
 2532
 \alph 1194, 2469, 2503, 2533, 2559,
 4591, 4617
 \alpha@elt 4389
 \alpha@list 4389
 \anappendixtrue 1641
 \and 3752
 \andify 1462
 \answernumberfont 4579
 \answerstitle 4575, 4645
 \answerstitlefont 4577
 \appendix 10, 17, 40,
 46, 52, 58, 99, 110, 117, 129,
 1261, 1271, 1283, 1361, 1362,
 1416, 1636, 2426, 2433, 2440,
 2448, 2456, 2489, 2519
 \appendixautorefname 1350
 \appendixname 11, 19, 30,
 102, 113, 120, 132, 1274, 1286,
 1417, 1639, 2429, 2436, 2443,
 2451, 2492, 2522, 2948
 \arabic 1197, 1392, 1452, 1453, 1454,
 1455
 \arrayrulewidth 4267
 \articlesep 4249
 \AtBeginDocument
 71, 1360, 1530, 2020, 2227,
 2332, 3524, 3528
 \AtEndOfClass 3522
 \author 3750
 \authorandplace 4223
 \autofootnoterule 3325
 \AutoMathsDigits ... 3282, 4538,
 4542

B

\backrefpagesname 63
 \baselineskip . 1304, 2926, 2929,
 3444, 3446, 3448, 3451



\begin 2241, 2242, 2879, 2880, 2937,
3578, 3581, 3634, 3649, 3662,
3668, 3689, 3720, 3726, 3733,
3757, 3811, 3817, 3889, 3892,
3897, 3904, 3919, 3934, 3951,
3985, 4003, 4008, 4028, 4035,
4036, 4057, 4059, 4060, 4082,
4087, 4088, 4124, 4125, 4133,
4159, 4167, 4173, 4174, 4182,
4212, 4236, 4268, 4269, 4284,
4296, 4310, 4595, 4599, 4610,
4611, 4617, 4672
\begin{group} 144, 1290,
1439, 1465, 2012, 2229, 2245,
2325, 2327, 2636, 2638, 4337,
4361, 4505
\beginL 2889, 3610, 4011
\beginR 3614, 3615, 3616, 3627,
3628, 3629, 3834, 3835, 3836,
3854, 3875, 3876, 3877, 3878,
3879, 3880, 4031, 4126
\belowdisplayshortskip . . . 3538,
3549, 3556
\belowdisplayskip . . . 3536, 3547,
3554
\bfseries 1434, 2067, 2156, 2899,
3570, 3576, 3595, 3603, 3631,
3647, 3666, 3680, 3684, 3709,
3714, 3718, 3843, 3849, 4554,
4576, 4578, 4662
\bgroup . . . 1199, 1757, 1797, 1998,
2008, 4333, 4357
\bibliofont 1391
\bibname 2955
\bidi@footnotetext@font . . 1319
\bidi@LTRfootnotetext@font .
. 1321
\bidi@RTLfootnotetext@font .
. 1323
\bidi@AfterEndPreamble . . 3233
\bidi@csdefcs 787, 1553
\bidi@csletcs 482, 1553, 1557,
1558, 1561, 1562
\bidi@font@outputpage . . 2905
\bidi@isloaded 1524, 1525, 1526,
1527, 1528, 1529, 1532, 1535,
1538, 1541, 1544, 1547
\bidi@newrobustcmd . . 2873, 2874,
2941
\bidi@patchcmd 3443
\bidi@reflect@box 2942
\blacktriangleleft 1330, 1332
\blacktriangleright 1330, 1332
\bm@b 1765
\bm@c 1762
\bm@l 1763
\bm@r 1764
\bm@s 1767
\bm@t 1766
\bm@ 1766
\bm@ 1764
\bm@ 1765
\bm@ 1762
\bm@ 1763
\bm@ 1767
\bool 4383
\boolean 3511, 3523, 3532, 3636,
3651, 3670, 3691, 3887, 3888,
3918, 3950, 3984, 4002, 4026,
4056, 4080, 4107
\botmark 1316
\box 150, 1311
\BR@Latincitex 64, 74
\BRorg@Latincitex 65, 73

C

\c 2249
\c 4417, 4425, 4433, 4441, 4449
\c@book 1634
\c@chapter 18, 20,
31, 103, 114, 121, 133, 1275,
1287, 1640, 2430, 2437, 2444,
2452, 2493, 2523
\c@footnote 1474
\c@mpfootnote 1802
\c@part 9, 16, 39, 45, 51, 57, 94, 105,
116, 128, 1260, 1270, 1282,
1415, 1635, 2425, 2432, 2439,
2447, 2455, 2488, 2518
\c@section 10, 12, 18, 34, 43, 49, 55,
61, 1264, 1416, 1418, 2459
\c@subsection 10, 1416



\c@tocdepth	1436
\catcode ..	1551, 2012, 2013, 2014, 2248, 4505
\ccname	2957
\cdp@elt	4386
\cdp@list	4386
\centering	3773, 4061, 4559
\cftchapname	2571
\cftfigname	2577
\cftpargname	2575
\cftsecname	2572
\cftsubfigname	2578
\cftsubparaname	2576
\cftsubsecname	2573
\cftsubsubsecname	2574
\cftsubtabname	2580
\cfttabname	2579
\chapterautorefname	1351
\chaptername	19, 2956
\chardef ..	1478, 1480, 1481, 1482, 1483, 1484, 2911, 4330
\charlist ..	1489, 1490, 1492, 1496
\citation	2898
\citemumfont	2206
\citeyear	2028
\citeyearpar	2028
\ClassError 3908, 3940, 3974, 3994, 4015, 4040, 4065, 4091, 4114, 4604
\ClassWarning ..	3493, 3495, 3497, 3767, 3781
\cleardoubleoddpage	2485
\cleardoublepage 15, 96, 107, 125, 1267	
\clearpage	2485, 3871
\closeout	3367, 3379, 3391
\clubpenalty	1397
\color@begingroup	1798
\color@vbox	1755, 1997, 2007
\columnlines ..	3467, 3468, 3500, 3829
\columnsep	1404, 3763, 4186
\columnseprule	1404, 3829
\columntitle	4180
\columnwidth	1421, 1758, 1800, 1998, 2008, 3762, 4185
\comment	4649
\contentsname	2937, 2945
\copyright	3619
\correction	4649, 4656
\correctionstyle	4642
\count	1750, 3797, 3798, 3800, 3801, 3810, 3816
\count@	1894
\cs	2335, 2337, 2702, 2707, 2716, 2721, 4410, 4411, 4412, 4413, 4414
\csname	1441, 1554, 1747, 1787, 1992, 1995, 2002, 2005, 2022, 2329, 2346, 2347, 2348, 2349, 2350, 2460, 2494, 2524, 2637, 2640, 2646, 2648, 2903, 2970, 2975, 2978, 3084, 3208, 4336, 4339, 4344, 4345, 4360, 4363, 4367, 4368, 4371, 4406, 4408, 4813, 4822, 4832
\currenttime	3593
\customlogo	3834
\custommagazinename	3836
\customminilogo	3835
\customwwwTxt	3564

D

\dollarbegin	1898, 1899, 1900
\dollarend	1898, 1899, 1900
\date	3592, 3603, 3751, 4220
\datename	2953
\day	4711
\decimalseparator ..	4476, 4532
\DeclareDocumentCommand 2664, 2681, 2700, 2714, 2759, 2776, 2793, 2810, 2827, 2844, 4455, 4483, 4492
\DeclareMathAccent	4394
\DeclareMathAlphabet	4393
\DeclareMathDelimiter	4395
\DeclareMathRadical	4397
\DeclareMathSizes	4386
\DeclareMathSymbol	4394
\DeclareMathVersion	4388





```

\document@select@group ... 4356
\dorestore@version ..... 4390
\dosetclass ... 1490, 1491, 1495
\doublebox ..... 4142, 4195
\dquad ..... 170, 172
\dsseries@display@setup ... 162

E
\edef ..... 1469, 1777, 1832,
           1866, 1930, 1938, 1955, 2064,
           2153, 2313, 2590, 2612, 2614,
           2640, 2643, 2897, 4591
\edition ..... 3861
\editionFormat .... 3570, 3573
\editorialAuthorFormat .. 3713,
                         4277
\editorialTitleFormat 3711, 3712
\else ..... 2, 3, 5,
           7, 32, 63, 92, 140, 170, 1190,
           1191, 1192, 1193, 1194, 1195,
           1196, 1197, 1198, 1199, 1200,
           1278, 1319, 1330, 1332, 1334,
           1344, 1345, 1346, 1347, 1348,
           1349, 1350, 1351, 1352, 1353,
           1354, 1355, 1356, 1357, 1358,
           1359, 1393, 1409, 1434, 1437,
           1445, 1446, 1462, 1494, 1521,
           1522, 1531, 1534, 1537, 1540,
           1543, 1546, 1644, 1645, 1646,
           1647, 1648, 1649, 1650, 1651,
           1652, 1690, 1698, 1703, 1713,
           1719, 1772, 1775, 1780, 1781,
           1782, 1783, 1784, 1794, 1809,
           1810, 1811, 1812, 1813, 1814,
           1815, 1816, 1817, 1818, 1819,
           1820, 1826, 1827, 1828, 1830,
           1831, 1834, 1835, 1836, 1837,
           1838, 1839, 1841, 1842, 1843,
           1844, 1845, 1848, 1849, 1850,
           1851, 1852, 1853, 1860, 1861,
           1862, 1864, 1865, 1868, 1869,
           1870, 1871, 1872, 1873, 1875,
           1876, 1877, 1878, 1879, 1880,
           1881, 1884, 1885, 1886, 1887,
           1888, 1889, 1909, 1910, 1911,
           1912, 1913, 1914, 1915, 1916,
           1917, 1919, 1920, 1921, 1922,
           1923, 1924, 1949, 1950, 1951,
           1953, 1954, 1957, 1958, 1959,
           1960, 1961, 1962, 1963, 1964,
           1965, 1966, 1967, 1968, 1969,
           1970, 1972, 1973, 1974, 1975,
           1976, 1979, 1980, 1981, 1982,
           1983, 1984, 1996, 2006, 2031,
           2044, 2076, 2081, 2090, 2093,
           2107, 2111, 2120, 2124, 2127,
           2139, 2143, 2144, 2165, 2186,
           2200, 2202, 2205, 2219, 2221,
           2232, 2255, 2266, 2279, 2281,
           2284, 2299, 2301, 2307, 2315,
           2323, 2350, 2353, 2354, 2355,
           2356, 2357, 2358, 2359, 2360,
           2361, 2464, 2485, 2498, 2528,
           2555, 2571, 2572, 2573, 2574,
           2575, 2576, 2577, 2578, 2579,
           2580, 2618, 2624, 2630, 2657,
           2905, 2943, 2944, 2945, 2946,
           2947, 2948, 2949, 2950, 2951,
           2952, 2953, 2954, 2955, 2956,
           2957, 2958, 2959, 2960, 2961,
           2969, 2974, 2992, 2994, 3002,
           3003, 3004, 3005, 3006, 3007,
           3008, 3009, 3027, 3042, 3056,
           3069, 3072, 3093, 3095, 3103,
           3104, 3105, 3106, 3107, 3108,
           3109, 3110, 3128, 3143, 3156,
           3157, 3160, 3191, 3193, 3195,
           3197, 3199, 3370, 3382, 3394,
           3780, 4258, 4333, 4346, 4352,
           4357, 4372, 4378, 4500, 4508,
           4509, 4510, 4511, 4512, 4513,
           4514, 4515, 4516, 4517, 4518,
           4532, 4535, 4536, 4537, 4539,
           4540, 4541, 4719, 4723, 4728,
           4729, 4736, 4757, 4762, 4792,
           4828, 4836
\empty ..... 1493
\enclname ..... 2958
\encodingdefault ..... 2676, 2692, 2771, 2788,
                     2805, 2822, 2839, 2856
\end ..... 1490, 1491, 1496,

```



\eq@addpunct	172
\eq@group	140, 149
\eq@GRP@first@dmath	149
\eq@prelim	140, 157
\eq@setnumber	143
\eq@setup@a	145
\eq@startup	146
\eq@wdCond	164
\eqcommand	176, 177, 178, 179,
	180, 181, 182, 183, 184, 185,
	186, 187, 188, 189, 190, 191,
	192, 193, 194, 195, 196, 197,
	198, 199, 200, 201, 202, 203,
	204, 205, 206, 207, 208, 209,
	210, 211, 212, 213, 214, 215,
	216, 217, 218, 219, 220, 221,
	222, 223, 224, 225, 226, 227,
	228, 229, 230, 231, 232, 233,
	234, 235, 236, 237, 238, 239,
	240, 241, 242, 243, 244, 245,
	246, 247, 248, 249, 250, 251,
	252, 253, 254, 255, 256, 257,
	258, 259, 260, 261, 262, 263,
	264, 265, 266, 267, 268, 269,
	270, 271, 272, 273, 274, 275,
	276, 277, 278, 279, 280, 281,
	282, 283, 284, 285, 286, 287,
	288, 289, 290, 291, 292, 293,
	294, 295, 296, 297, 298, 299,
	300, 301, 302, 303, 304, 305,
	306, 307, 308, 309, 310, 311,
	312, 313, 314, 315, 316, 317,
	318, 319, 320, 321, 322, 323,
	324, 325, 326, 327, 328, 329,
	330, 331, 332, 333, 334, 335,
	336, 337, 338, 339, 340, 341,
	342, 343, 344, 345, 346, 347,
	348, 349, 350, 351, 352, 353,
	354, 355, 356, 357, 358, 359,
	360, 361, 362, 363, 364, 365,
	366, 367, 368, 369, 370, 371,
	372, 373, 374, 375, 376, 377,
	378, 379, 380, 381, 382, 383,
	384, 385, 386, 387, 388, 389,
	390, 391, 392, 393, 394, 395,
	396, 397, 398, 399, 400, 401,



402, 403, 404, 405, 406, 407,
408, 409, 410, 411, 412, 413,
414, 415, 416, 417, 418, 419,
420, 421, 422, 423, 424, 425,
426, 427, 428, 429, 430, 431,
432, 433, 434, 435, 436, 437,
438, 439, 440, 441, 442, 443,
444, 445, 446, 447, 448, 449,
450, 451, 452, 453, 454, 455,
456, 457, 458, 459, 460, 461,
462, 463, 464, 465, 466, 467,
468, 469, 470, 471, 472, 473,
474, 475, 476, 477, 478, 479,
480, 481, 483, 484, 485, 486,
487, 488, 489, 490, 491, 492,
493, 494, 495, 496, 497, 498,
499, 500, 501, 502, 503, 504,
505, 506, 507, 508, 509, 510,
511, 512, 513, 514, 515, 516,
517, 518, 519, 520, 521, 522,
523, 524, 525, 526, 527, 528,
529, 530, 531, 532, 533, 534,
535, 536, 537, 538, 539, 540,
541, 542, 543, 544, 545, 546,
547, 548, 549, 550, 551, 552,
553, 554, 555, 556, 557, 558,
559, 560, 561, 562, 563, 564,
565, 566, 567, 568, 569, 570,
571, 572, 573, 574, 575, 576,
577, 578, 579, 580, 581, 582,
583, 584, 585, 586, 587, 588,
589, 590, 591, 592, 593, 594,
595, 596, 597, 598, 599, 600,
601, 602, 603, 604, 605, 606,
607, 608, 609, 610, 611, 612,
613, 614, 615, 616, 617, 618,
619, 620, 621, 622, 623, 624,
625, 626, 627, 628, 629, 630,
631, 632, 633, 634, 635, 636,
637, 638, 639, 640, 641, 642,
643, 644, 645, 646, 647, 648,
649, 650, 651, 652, 653, 654,
655, 656, 657, 658, 659, 660,
661, 662, 663, 664, 665, 666,
667, 668, 669, 670, 671, 672,
673, 674, 675, 676, 677, 678,
679, 680, 681, 682, 683, 684,
685, 686, 687, 688, 689, 690,
691, 692, 693, 694, 695, 696,
697, 698, 699, 700, 701, 702,
703, 704, 705, 706, 707, 708,
709, 710, 711, 712, 713, 714,
715, 716, 717, 718, 719, 720,
721, 722, 723, 724, 725, 726,
727, 728, 729, 730, 731, 732,
733, 734, 735, 736, 737, 738,
739, 740, 741, 742, 743, 744,
745, 746, 747, 748, 749, 750,
751, 752, 753, 754, 755, 756,
757, 758, 759, 760, 761, 762,
763, 764, 765, 766, 767, 768,
769, 770, 771, 772, 773, 774,
775, 776, 777, 778, 779, 780,
781, 782, 783, 784, 785, 786,
788, 789, 790, 791, 792, 793,
794, 795, 796, 797, 798, 799,
800, 801, 802, 803, 804, 805,
806, 807, 808, 809, 810, 811,
812, 813, 814, 815, 816, 817,
818, 819, 820, 821, 822, 823,
824, 825, 826, 827, 828, 829,
830, 831, 832, 833, 834, 835,
836, 837, 838, 839, 840, 841,
842, 843, 844, 845, 846, 847,
848, 849, 850, 851, 852, 853,
854, 855, 856, 857, 858, 859,
860, 861, 862, 863, 864, 865,
866, 867, 868, 869, 870, 871,
872, 873, 874, 875, 876, 877,
878, 879, 880, 881, 882, 883,
884, 885, 886, 887, 888, 889,
890, 891, 892, 893, 894, 895,
896, 897, 898, 899, 900, 901,
902, 903, 904, 905, 906, 907,
908, 909, 910, 911, 912, 913,
914, 915, 916, 917, 918, 919,
920, 921, 922, 923, 924, 925,
926, 927, 928, 929, 930, 931,
932, 933, 934, 935, 936, 937,
938, 939, 940, 941, 942, 943,
944, 945, 946, 947, 948, 949,
950, 951, 952, 953, 954, 955,



956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1553	1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1554
\eqstyle	142
\equal 3809, 3964, 4136, 4141, 4146, 4151, 4156, 4189, 4194, 4199, 4204, 4209	
\equationautorefname	1344
\escapechar	2639, 4338, 4362
\everydisplay	137, 4544
\everyjob	2612, 2613
\everymath	4543
\everypar	2889
\ExecuteOptions	4660
\ExecuteOptionsX	3426
\exp	2668, 2670, 2671, 2672, 2684, 2686, 2687, 2688, 2705, 2707, 2708, 2709, 2719, 2721, 2722, 2723, 2763, 2765, 2766, 2767, 2780, 2782, 2783, 2784, 2797, 2799, 2800, 2801, 2814, 2816, 2817, 2818, 2831, 2833, 2834, 2835, 2848, 2850, 2851, 2852
\expandafter	137, 1490, 1496, 1707, 1708, 1832, 1866, 1955, 1992, 1995, 2002, 2005, 2022, 2064, 2153, 2269, 2274, 2275, 2280, 2285, 2286, 2292, 2293, 2294, 2295, 2302, 2303, 2304, 2305, 2307, 2316, 2317, 2318, 2319, 2329, 2346, 2347, 2348, 2349, 2614, 2617, 2619, 2623, 2625, 2629, 2631, 2636, 2637, 2640, 2643, 2644, 2646, 2647, 2897, 2970, 2975, 2978, 2993, 2999, 3084, 3094, 3100, 3194, 3196, 3198, 3200, 3208, 4333, 4352, 4357, 4366, 4367, 4368, 4378, 4543, 4544,



4592
`\expandedtitle` 4130
`\ExplSyntaxOff` 2021, 2343, 2862,
 4403, 4499
`\ExplSyntaxOn` .. 2019, 2331, 2662,
 4382, 4409
`\extract@alph@from@version` ..
 4366

F

`\f@baselineskip` 3444, 3446
`\f@ur` 1487, 2911, 2919, 2920
`\false` 4637
`\falsesymbol` 4628
`\familydefault`
 .. 2675, 2691, 2770, 2787,
 2804, 2821, 2838, 2855
`\fancyfoot` 3874, 3878, 3879, 3880
`\fancyhead` 3873, 3875, 3876, 3877
`\FancyVerbLineautorefname` 1357
`\fbox` 3758, 3773, 3988, 4614, 4674
`\fboxrule` . 1327, 1329, 1331, 1333,
 3830
`\fboxsep` 1327, 1329,
 1331, 1333, 3761, 3954, 3986,
 4058, 4086, 4134, 4183
`\fi` 2, 3,
 5, 7, 35, 63, 68, 92, 136, 138,
 139, 140, 148, 159, 161, 170,
 1203, 1278, 1319, 1330, 1332,
 1334, 1344, 1345, 1346, 1347,
 1348, 1349, 1350, 1351, 1352,
 1353, 1354, 1355, 1356, 1357,
 1358, 1359, 1393, 1403, 1409,
 1412, 1413, 1414, 1434, 1445,
 1446, 1451, 1463, 1487, 1495,
 1521, 1522, 1533, 1536, 1539,
 1542, 1545, 1548, 1644, 1645,
 1646, 1647, 1648, 1649, 1650,
 1651, 1652, 1693, 1694, 1700,
 1715, 1716, 1721, 1722, 1725,
 1728, 1731, 1734, 1737, 1740,
 1744, 1745, 1753, 1771, 1772,
 1778, 1785, 1788, 1793, 1794,
 1813, 1814, 1815, 1816, 1820,
 1821, 1822, 1836, 1837, 1838,



3396, 3397, 3409, 3422, 3440,
 3452, 3454, 3783, 3784, 3989,
 4006, 4170, 4244, 4263, 4290,
 4315, 4333, 4351, 4352, 4357,
 4377, 4378, 4502, 4520, 4521,
 4522, 4523, 4524, 4525, 4526,
 4527, 4528, 4529, 4530, 4532,
 4535, 4536, 4537, 4539, 4540,
 4541, 4728, 4730, 4731, 4732,
 4738, 4762, 4763, 4783, 4794,
 4815, 4824, 4831, 4838, 4853
`\figureautorefname` 1347
`\figurename` 2943
`\finishsetclass` 1493, 1497
`\firstarticle` . 3885, 3909, 3910,
 3912
`\FirstFrameCommand` 1329
`\firstimage` . 3982, 3995, 3996,
 3998
`\firstmark` 1316
`\firstTextFormat` . . 3643, 3645
`\firstTitleFormat` . . 3631, 3637,
 3638
`\float@box` 1993, 2003
`\float@endH` 1992, 2002
`\flushright` . . 3631, 3650, 3669
`\font` 2915
`\fontencoding`
 . . 2670, 2686, 2708, 2722,
 2765, 2782, 2799, 2816, 2833,
 2850
`\fontfamily` 2671, 2687, 2707, 2721,
 2736, 2739, 2742, 2745, 2748,
 2751, 2766, 2783, 2800, 2817,
 2834, 2851
`\fontsize` 1427
`\fontspec` 2020, 2338, 2666, 2683,
 2702, 2716, 2761, 2778, 2795,
 2812, 2829, 2846, 4458, 4485,
 4494
`\foot` 3626
`\footdir@debugfalse` 3345
`\footdir@debugtrue` 3343
`\footnote` 3723
`\footnoteautorefname` 1345
`\footnoterule` 3722
`\footnotesep` 1422, 1424
`\footnotesize` . . 84, 86, 88, 1278,
 1279, 1280, 1319, 1321, 1323,
 1411, 3551, 3552, 3586, 3619,
 3684, 3708, 3709, 3721
`\foottextfont` 1278
`\FrameCommand` 1327
`\FrameRestore` 1335
`\frenchspacing` 2017, 2325
`\frontmatter` 15, 95, 106, 124, 1266,
 2484
`\futurelet` 2260, 4505

G

`\g` . . 2666, 2667, 2671, 2683, 2687,
 2761, 2762, 2766, 2778, 2779,
 2783, 2795, 2796, 2800, 2812,
 2813, 2817, 2829, 2830, 2834,
 2846, 2847, 2851, 4383, 4458,
 4460, 4461, 4462, 4463, 4485,
 4486, 4494, 4495
`\g@addto@macro` 4544, 4589
`\G@refundefinedtrue` 2900
`\gdef` 43, 49, 55, 61,
 102, 103, 113, 114, 120, 121,
 132, 133, 1264, 1274, 1275,
 1286, 1287, 1364, 1365, 1380,
 1382, 1639, 1640, 2429, 2430,
 2436, 2437, 2443, 2444, 2451,
 2452, 2459, 2492, 2493, 2522,
 2523, 3564, 3834, 3835, 3836,
 4505, 4555, 4557, 4575, 4577,
 4579, 4585, 4586, 4602, 4627,
 4628, 4642, 4661, 4663, 4668,
 4679
`\get@cdp` 4392
`\getanddefine@fonts` 4339, 4363
`\Gin@boolkey` 2345
`\glb@currsize` 4457
`\global` . . 73, 74, 139, 149, 150,
 151, 152, 153, 154, 155, 156,
 164, 1293, 1294, 1313, 1750,
 1754, 2074, 2163, 3743, 3744,
 3745, 3746, 3747, 3748, 3749,
 3750, 3751, 3752, 4345, 4371
`\globaldefs` 4340, 4364



\glossary 1303
 \glsaddprotectedpagefmt . 1340,
 1341, 1342
 \goodbreak 4321
 \grid 3525, 3529, 3791
 \Grot@x . 2353, 2354, 2355, 2356
 \Grot@y . 2357, 2358, 2359, 2360,
 2361, 2362
 \group 2338
 \group@elt 4391
 \group@list 4391
 \grp@aligned 155
 \GRP@box 150
 \grp@eqs@numbered 154
 \grp@hasNumber 159
 \GRP@label 151
 \grp@linewidth 153
 \GRP@queue 150
 \grp@setnumber 159
 \grp@shiftnumber 156
 \grp@wdL 152
 \grp@wdNum 153
 \grp@wdR 152
 \grp@wdT 152

H

\hangindent 1412, 1413, 1414
 \harfi ... 1190, 1633, 2465, 2499,
 2520, 2975
 \harfinumeral 2976
 \hbox . 1421, 1427, 1448, 1901, 2899,
 2941, 2942
 \headDateFormat 3590, 3592
 \headerfont 4555
 \headheight 1309, 3824
 \heading 3613
 \headrulewidth 3825, 3881
 \headsep 1310
 \headtoname 2960
 \height 2357, 2358
 \hfil . 1448, 1897, 1898, 1899, 1900,
 1932, 1933, 1934, 1940, 1941,
 1942
 \hline ... 4274, 4596, 4597, 4600,
 4601, 4621, 4622

\hrule 1424, 1487, 4157, 4163, 4210,
 4216, 4261, 4301
 \hrulefill 1421, 3839, 3844, 3858
 \hsize 1335, 1758, 1774, 1799, 1800,
 1998, 2008
 \hskip 1421, 1447, 1487, 1899, 1900,
 1942
 \hspace 1413, 1414, 3592, 3610, 3839,
 3845, 3857, 3859, 4037
 \hss 1786
 \Huge 3562, 3631, 3687
 \huge 3561
 \Hy@AlphNoErr 1380, 1382
 \Hy@appendixstring . 1366, 1384
 \Hy@backout 69, 77
 \Hy@chapapp 1366, 1384
 \HyOrg@appendix 1361, 1367
 \HyOrg@resets@pp ... 1377, 1385
 \hyper@natlinkbreak 2096, 2127
 \hyper@natlinkstart 77
 \hyphenpenalty 1410, 1439

I

\if 140, 159, 1711, 1717,
 1723, 1726, 1729, 1732, 1735,
 1738, 1741, 1772, 1779, 1780,
 1781, 1782, 1794, 1811, 1812,
 1813, 1814, 1815, 1816, 1817,
 1818, 1819, 1820, 1834, 1835,
 1836, 1837, 1838, 1839, 1841,
 1842, 1843, 1844, 1845, 1848,
 1849, 1850, 1851, 1852, 1853,
 1868, 1869, 1870, 1871, 1872,
 1873, 1875, 1876, 1877, 1878,
 1879, 1880, 1881, 1884, 1885,
 1886, 1887, 1888, 1889, 1912,
 1913, 1914, 1915, 1916, 1917,
 1919, 1920, 1921, 1922, 1923,
 1924, 1957, 1958, 1959, 1960,
 1961, 1962, 1963, 1964, 1965,
 1966, 1967, 1968, 1969, 1970,
 1972, 1973, 1974, 1975, 1976,
 1979, 1980, 1981, 1982, 1983,
 1984, 2079, 2109, 2127, 2137,
 2143, 2144, 2205, 2221, 2253,
 2273, 2279, 2281, 2291, 2299,



2301, 2323, 2353, 2354, 2355,
 2356, 2357, 2358, 2359, 2360,
 2361, 2362
`\if@bidi@algorithmicloaded@ .`
 1531
`\if@bidi@algorithmloaded@` 1534
`\if@bidi@backrefloaded@ .` 1537
`\if@bidi@csprimitive` 1553
`\if@bidi@csundef` 2935, 3188,
 3234
`\if@bidi@enumerateloaded@` 1540
`\if@bidi@tocloftloaded@ .` 1543
`\if@bidi@urlloaded@` 1546
`\if@chapter@pp` 28
`\if@extrafootnotefeatures` 3437
`\if@files w` 2898
`\if@hboxRconstruct . .` 1771, 1793
`\if@inlabel` 139
`\if@Kashida@on` 1485, 1486
`\if@LTRbibitems` 1393
`\if@newlist` 1293, 1313, 2018
`\if@nonlatin` 4539, 4540, 4541
`\if@noskipsec` 138
`\if@pboxsw` 1788
`\if@RTL 2, 3, 5, 7, 63, 92, 136, 148,`
 161, 1330, 1332, 1334, 1344,
 1345, 1346, 1347, 1348, 1349,
 1350, 1351, 1352, 1353, 1354,
 1355, 1356, 1357, 1358, 1359,
 1393, 1409, 1412, 1413, 1414,
 1434, 1445, 1446, 1521, 1522,
 1644, 1645, 1646, 1647, 1648,
 1649, 1650, 1651, 1652, 1772,
 1794, 2571, 2572, 2573, 2574,
 2575, 2576, 2577, 2578, 2579,
 2580, 2943, 2944, 2945, 2946,
 2947, 2948, 2949, 2950, 2951,
 2952, 2953, 2954, 2955, 2956,
 2957, 2958, 2959, 2960, 2961
`\if@RTL@footnote . . .` 1278, 1319
`\if@RTLbibitems` 1393
`\if@RTLmain` 2905
`\if@RTLtab` 1813, 1814, 1815,
 1816, 1836, 1837, 1838, 1839,
 1870, 1871, 1872, 1873, 1914,
 1915, 1916, 1917, 1959, 1960,
 1961, 1962
`\if@tempswa` 2196
`\if@twocolumn` 1403
`\if@twoside` 2485
`\if@xepersian@computeautoilg`
 2907, 3442
`\ifadl@usingarypkg` 1858
`\ifBR@verbose` 66
`\ifcase` 1896, 1927, 1931,
 1935, 1939, 2078, 2108, 2201,
 2963, 2972, 3000, 3063, 3069,
 3072, 3075, 3079, 3101, 3168,
 3173, 3180, 3212, 3216, 3220,
 3224, 3281, 3289, 3296, 3304,
 3311, 3318, 3324, 3336, 3342,
 3348, 3352, 3356, 3362, 3375,
 3387, 3399, 3418, 4846
`\ifdim` 169, 2616, 2622, 2628,
 2916, 2919, 2926, 3448, 3771,
 4256
`\iffontchar` 2915
`\ifhmode` 1695
`\ifinner` 1701
`\ifmmode` 1783, 4335, 4359
`\ifNAT@full` 2076, 2165
`\ifNAT@longnames` 2072, 2161
`\ifNAT@numbers` 2025, 2232
`\ifNAT@super` 2026
`\ifNAT@swa` 2078, 2143, 2167, 2219
`\ifnum` 170, 1436, 1742, 1809,
 1810, 1826, 1827, 1828, 1829,
 1831, 1860, 1861, 1862, 1863,
 1865, 1910, 1911, 1949, 1950,
 1951, 1952, 1954, 2553, 2655,
 2924, 2990, 2992, 3001, 3002,
 3003, 3004, 3005, 3006, 3007,
 3008, 3025, 3027, 3029, 3031,
 3033, 3038, 3049, 3050, 3052,
 3054, 3055, 3058, 3091, 3093,
 3102, 3103, 3104, 3105, 3106,
 3107, 3108, 3109, 3126, 3128,
 3130, 3132, 3134, 3139, 3150,
 3151, 3153, 3155, 3156, 3158,
 3163, 3190, 3192, 3194, 3196,
 3198, 3200, 3214, 3218, 3222,
 3225, 4168, 4242, 4288, 4313,



4336, 4360, 4724, 4728, 4756,
 4762, 4783, 4810, 4814, 4819,
 4823, 4825, 4834
`\ifodd` 1712, 1718, 4717, 4722
`\ifthenelse` 3511, 3523, 3532, 3636,
 3651, 3670, 3691, 3809, 3887,
 3888, 3918, 3950, 3964, 3984,
 4002, 4026, 4056, 4080, 4107,
 4136, 4141, 4146, 4151, 4156,
 4189, 4194, 4199, 4204, 4209,
 4603
`\ifwritexviii` . 2654, 3364, 3376,
 3388
`\ifx` 1190, 1191, 1192,
 1193, 1194, 1195, 1196, 1197,
 1198, 1199, 1200, 1461, 1493,
 1688, 1691, 1775, 1995, 2005,
 2082, 2083, 2085, 2112, 2113,
 2115, 2184, 2202, 2262, 2311,
 2350, 2463, 2465, 2466, 2467,
 2468, 2469, 2470, 2471, 2472,
 2473, 2474, 2475, 2476, 2477,
 2478, 2479, 2497, 2499, 2500,
 2501, 2502, 2503, 2504, 2505,
 2506, 2507, 2508, 2509, 2510,
 2511, 2512, 2513, 2527, 2529,
 2530, 2531, 2532, 2533, 2534,
 2535, 2536, 2537, 2538, 2539,
 2540, 2541, 2542, 2543, 2637,
 2645, 4333, 4357, 4500, 4508,
 4509, 4510, 4511, 4512, 4513,
 4514, 4515, 4516, 4517, 4518,
 4532, 4535, 4536, 4537, 4539,
 4540, 4541
`\ifXePersian@kabiseh` 4685, 4790
`\ifXePersian@leap` .. 4685, 4734
`\IfxepersianPackageVersion` ..
 2627
`\IfxepersianPackageVersionBefore`
 2621
`\IfxepersianPackageVersionLater`
 2615
`\ifxetex` 3764, 3987, 4004
`\ignorespaces`
 173, 1468, 2000, 2010, 2678,
 2694, 2773, 2790, 2807, 2824,
 2841, 2858, 3582, 3635, 3645,
 3650, 3658, 3663, 3669, 3677,
 3937, 3963, 4112
`\image` 3759
`\immediate` 2898, 3367, 3368, 3379,
 3380, 3391, 3392
`\includegraphics` ... 3774, 3988,
 4005
`\index` 1302
`\indexEntryFormat` .. 3580, 3582
`\indexEntryPageFormat` ... 3586,
 3588
`\indexEntryPageTxt` . 3585, 3588
`\indexEntrySeparator` 3584, 4112
`\indexFormat` 3576, 3578
`\indexItem` . 4105, 4115, 4116, 4118
`\indexname` 2949
`\init@restore@version` ... 4342,
 4390
`\innerAuthorFormat` . 3708, 4225
`\innerPlaceFormat` .. 3709, 4225
`\innerSubtitleFormat` 3698, 3699
`\innerTextFinalMark` 3710, 4246
`\innerTitleFormat` .. 3687, 3692,
 3693
`\input` 1564, 1565, 1566,
 1567, 1568, 1569, 1570, 3238,
 3239, 3240, 3241, 3242, 3243,
 3244, 3245, 3246, 3247, 3248,
 3249, 3250, 3251, 3252, 3253,
 3254, 3255, 3256, 3257, 3258,
 3259, 3260, 3261, 3262, 3263,
 3264, 3265, 3266, 3267, 3268,
 3269, 3270, 3271, 3272, 3273,
 3274, 3275, 3276, 3277, 3278,
 3279, 3349, 3353, 3438, 3439
`\insert@column` . 1898, 1899, 1900,
 1901, 1903, 1904
`\int` . 4417, 4425, 4433, 4441, 4449
`\intermath@penalty` 172
`\iranicdefault` 2730, 2742, 2847,
 2855
`\iranicfamily` .. 2740, 2741, 2754,
 2848
`\item` 1407, 4629, 4630, 4631, 4632
`\itemautorefname` 1346



\itshape 4641
 J
 \jobname . 3368, 3369, 3380, 3381,
 3392, 3393
 K
 \KashidaOff 1518
 \KashidaOn 1517, 1519
 \kern 1420, 1422, 1423, 1424, 2030,
 2942
 \keyval@eq@alias@key 1556, 1560
 L
 \l . 2670, 2676, 2686, 2692, 2708,
 2722, 2765, 2771, 2782, 2788,
 2799, 2805, 2816, 2822, 2833,
 2839, 2850, 2856
 \label 1301, 4241, 4287, 4311
 \labelsep 1391, 1395
 \labelwidth 1394, 1395
 \LARGE 3560, 3647, 3711, 3714, 3727,
 3729
 \Large 3559, 3666, 3716, 3843,
 4126, 4160
 \large 3558, 3570, 3576, 3656, 3675,
 3698, 3718, 3731, 3737, 3849
 \LastFrameCommand 1333
 \lastpenalty 170
 \lastskip 169
 \latin 2875
 \LatinAlphs 2875, 2879, 3229
 \Latincite 2228, 2891
 \latinfont 2684, 2865, 2867, 3412
 \latintoday 2882
 \lccode 2247, 2248, 2249
 \leaders 1487
 \leavevmode 138, 139, 1426, 1447,
 1769, 1791, 2018, 2893, 2941
 \left@footnoterule 1423
 \leftfootnoterule 3327
 \leftmargin 1395
 \leftskip 1445, 1446
 \let 11, 19, 73, 74, 149, 151, 154,
 155, 156, 162, 167, 1198, 1199,
 1200, 1201, 1291, 1293, 1301,
 1302, 1303, 1313, 1316, 1361,
 1371, 1372, 1377, 1392, 1407,
 1417, 1461, 1493, 1495, 1762,
 1763, 1764, 1765, 1766, 1767,
 1786, 1803, 1804, 1805, 1806,
 1875, 1876, 1877, 1919, 1920,
 1921, 1989, 1992, 1993, 2002,
 2003, 2022, 2026, 2028, 2029,
 2032, 2033, 2034, 2035, 2037,
 2038, 2039, 2040, 2045, 2046,
 2047, 2048, 2049, 2050, 2051,
 2061, 2070, 2073, 2076, 2077,
 2150, 2159, 2162, 2165, 2166,
 2174, 2229, 2254, 2265, 2272,
 2278, 2282, 2283, 2298, 2300,
 2320, 2329, 2347, 2349, 2463,
 2497, 2527, 2548, 2552, 2865,
 2866, 2870, 2871, 2881, 2894,
 2971, 2976, 2983, 3089, 3209,
 3227, 3228, 3230, 3231, 3401,
 3402, 3406, 3407, 3721, 3722,
 3723, 3743, 3744, 3745, 3746,
 3747, 3748, 3749, 3750, 3751,
 3752, 4331, 4347, 4373, 4457,
 4558, 4647, 4648, 4649, 4650,
 4654, 4655, 4656, 4657, 4669,
 4670, 4843, 4844, 4845
 \lineskip 1305, 3732
 \lineskiplimit 1306
 \linespacing 1433
 \linespread 2929
 \linewidth 4595, 4599, 4614, 4674
 \list 1394
 \listalgorithmmname 7
 \listfigurename 2946
 \listtablename 2947
 \LoadClass 3504
 \logo 3837, 3866
 \long 1768
 \longdate 4221
 \loop 2914, 4811, 4820
 \lower 2941
 \lowercase 2250
 \lr 1371, 2061, 2150, 2873, 2882,
 2895, 3564, 3619, 4011
 \LRE 2873



\lstlistingname	1521	\mathsayeh	2750
\lstlistlistingname	1522	\mathsf	4413, 4487
\LTR	2875	\mathsurround	166
\LTRfoottextfont	1279	\mathtt	4414, 4496
\ltx@IfUndefined	1363, 1375, 1379	\mbox	2032
M			
\m@ne	2178, 4338, 4362	\meaning	2640, 2643
\m@th	1788	\MessageBreak	2087, 2088, 2117, 2118, 3235, 3909, 3941, 3975, 3995, 4016, 4019, 4041, 4066, 4092, 4115, 4118, 4607
\makeform	4651, 4658	\MidFrameCommand	1331
\makeform@correction	4566, 4658	\minilogo	3848, 4062
\makeform@nocorrection	4563, 4651	\miniraggedcols	3487, 3488, 3526, 3530, 4168, 4242, 4288, 4313
\MakeFramed	1335	\mlftitle	1648
\makemask	4652, 4659	\mltttitle	1649
\makemask@correction	4571, 4659	\month	4711
\makemask@nocorrection	4568, 4652	\moveright	1307
\maketitle	1456, 3720, 3744	\mtctitle	1647
\MakeUppercase	1471, 3686	\multido	3810, 3816
\makezwnjletter	1551, 1552	\multiply	1748, 4714, 4727, 4754, 4760, 4777, 4781
\markboth	1470	\mylogo	3853
\math@bgroup	4333, 4357		
\math@fonts	4340, 4364		
\math@version	4336, 4339, 4344, 4345, 4349, 4360, 4363, 4367, 4369, 4371, 4375	N	
\mathalpha	4465, 4466, 4467, 4468, 4469, 4470, 4471, 4472, 4473, 4474	\n	4505, 4508, 4509, 4510, 4511, 4512, 4513, 4514, 4515, 4516, 4517, 4518
\mathbf	4410, 4477	\NAT@close	2144, 2223
\mathbin	4475	\NAT@Latin@citelp	2231, 2235, 2236, 2237
\mathchar@type	4397, 4406, 4408	\NAT@open	2127, 2203
\mathchardef	4503	\NAT@alias	2105, 2135, 2170, 2213
\mathcode	4418, 4426, 4434, 4442, 4450, 4531	\NAT@call@names	2073, 2076, 2162, 2165
\mathgroup	4330	\NAT@aysep	2097
\mathiranic	2741	\NAT@biblabel	2048
\mathit	4411, 4478	\NAT@biblabelnum	2039
\mathnavar	2744	\NAT@bibsetnum	2040
\mathord	4476	\NAT@bibsetup	2049
\mathpersiansf	2735	\NAT@cite	2045
\mathpersiantt	2738	\NAT@cite@list	2062, 2151
\mathpook	2747	\NAT@citea@mbox	2196
\mathrm	4412, 4479	\NAT@citenum	2033
		\NAT@citesuper	2026
		\NAT@citeundefined	2067, 2157



\NAT@citex 2046
 \NAT@citexnum 2037
 \NAT@close 2041, 2052
 \NAT@cmprs 2172, 2218
 \NAT@cmt 2143, 2221
 \NAT@ctype 2078, 2108,
 2168, 2170, 2201, 2209, 2211,
 2220, 2229
 \NAT@date 2052, 2069, 2079, 2080,
 2091, 2099, 2104, 2109, 2122,
 2129, 2134, 2137, 2144
 \NAT@def@citea 2106, 2138, 2199
 \NAT@def@citea@box 2207
 \NAT@def@citea@close 2140
 \NAT@exlab 2085, 2089, 2115, 2119
 \NAT@fullfalse 2230
 \NAT@fulltrue 2230
 \NAT@hyper@ 2080, 2089, 2091,
 2094, 2103, 2104, 2105, 2110,
 2119, 2122, 2125, 2133, 2134,
 2135, 2170, 2206
 \NAT@hyper@citea@space 2209,
 2211, 2213
 \NAT@idxtxt 2041, 2052
 \NAT@ifcat@num 2173, 2176
 \NAT@last@nm 2070, 2082, 2112,
 2159, 2202
 \NAT@last@num 2159, 2176, 2177,
 2195
 \NAT@last@yr 2070, 2083, 2113,
 2150, 2184, 2218
 \NAT@last@yr@mbox 2180, 2190
 \NAT@Latin@cites 2230, 2231
 \NAT@Latin@citex 2047, 2055,
 2056
 \NAT@Latin@citexnum 2038, 2145,
 2146
 \NAT@mbox 2027, 2032, 2203, 2206,
 2223
 \NAT@merge 2180, 2195
 \NAT@name 2041, 2052, 2073, 2077,
 2162, 2166
 \NAT@nm 2061, 2070, 2076, 2077,
 2080, 2082, 2095, 2103, 2110,
 2112, 2126, 2133, 2150, 2159,
 2165, 2166, 2174, 2175, 2179,
 2183, 2202
 \NAT@nmfmt 2080, 2095, 2103, 2110,
 2126, 2133
 \NAT@num 2041, 2150, 2159, 2173,
 2174, 2195, 2206
 \NAT@open 2041, 2052
 \NAT@parse 2071, 2160
 \NAT@partrue 2229
 \NAT@penalty 2043, 2051, 2187,
 2202
 \NAT@reset@citea 2060, 2149
 \NAT@reset@parser 2058, 2147
 \NAT@set@cites 2024, 2227
 \NAT@sort@cites 2059, 2148
 \NAT@space 2029, 2034, 2050, 2202
 \NAT@spacechar
 2034, 2041, 2050, 2052,
 2090, 2097, 2121, 2127, 2203,
 2205
 \NAT@super@kern 2030, 2035, 2203
 \NAT@swafalse 2233
 \NAT@swattrue 2229
 \NAT@temp 2084, 2085, 2114, 2115
 \NAT@test 2170, 2203, 2209, 2211
 \NAT@year 2061, 2070, 2083, 2113
 \NAT@yrsep 2082, 2112, 2202
 \natexlabel 2042, 2053
 \navardefault 2731, 2745, 2796,
 2804
 \navarfamly 2743, 2744, 2755,
 2797
 \NeedsTeXFormat 2581, 3458, 4327,
 4545, 4682
 \new@mathalphabet 4393
 \new@mathbf 4415, 4477
 \new@mathgroup 4330, 4331, 4386
 \new@mathit 4423, 4478
 \new@mathrm 4431, 4479
 \new@mathsf 4439, 4487
 \new@mathtt 4447, 4496
 \new@mathversion 4391
 \new@symbolfont 4392
 \newboolean 3469, 3471, 3473,
 3475, 3477, 3479, 3481
 \newcolumntype 4559, 4560
 \newcommand



\newfontlanguage	2661
\newfontscript	2660
\newif	1485, 2654, 2907, 4685
\newlength	3461, 3462, 3463, 3464, 3465, 3467, 4573, 4664, 4666
\newmathalphabet	4387
\newmathalphabet@@	4387
\newmathalphabet@@@	4387
\newpage	3366, 3378, 3390, 3872
\newsavebox	3755
\newsection	4229
\next	1493, 1495, 1496, 2254, 2255, 2256, 2260, 2262, 2265, 2269, 2270, 2272, 2278, 2283, 2287, 2289, 2298, 2300, 2306, 2309, 2313, 2320, 2322
\nobreak	1447, 1449, 1486, 2027
\noexpand	1291, 2253, 2273, 2279, 2281, 2291, 2299, 2301, 2313, 2314, 2323, 4343
\nohyphens	3637, 3652, 3671, 3692
\noindent	3582, 3597, 3635, 3645, 3650, 3658, 3663, 3669, 3677, 3682, 3686, 3690, 3839, 3856, 3937, 3963, 3988, 4035, 4112, 4126, 4160, 4175, 4213, 4270, 4298, 4323, 4325
\non@alpherr	4352, 4378
\nopagebreak	4675
\normalcolor	1756, 1997, 2007
\normalfont	1391, 1427, 1434, 2677, 2693, 2772, 2789, 2806, 2823, 2840, 2857, 2865, 2866, 2870, 2871
\normalsfcode	1300
\normalsize	1300, 2867, 2872, 2887, 3533, 3534, 3580, 4175, 4213
\not	4587
\not@math@alphabet	2735, 2738, 2741, 2744, 2747, 2750
\null	3724, 3740
\number	1441, 2990, 2992, 2993, 3091, 3093, 3094, 3194, 3196, 3198, 3200, 4344, 4368, 4840, 4841
\numexpr	4418, 4426, 4434, 4442,



4450

O

\obeyspaces 4505
\old@endquestion 4670, 4678
\old@question 4669, 4676
\or 1898, 1899, 1900, 1902,
1903, 1927, 1928, 1929, 1933,
1934, 1935, 1936, 1937, 1941,
1942, 2103, 2104, 2105, 2133,
2134, 2135, 2208, 2210, 2212,
2963, 2964, 2965, 2966, 2967,
2968, 2972, 2973, 2974, 3011,
3012, 3013, 3014, 3015, 3016,
3017, 3018, 3019, 3020, 3024,
3063, 3064, 3065, 3066, 3069,
3072, 3075, 3076, 3079, 3080,
3081, 3112, 3113, 3114, 3115,
3116, 3117, 3118, 3119, 3120,
3121, 3125, 3168, 3169, 3170,
3173, 3174, 3175, 3176, 3177,
3180, 3181, 3182, 3183, 3212,
3213, 3216, 3217, 3220, 3221,
3224, 3283, 3285, 3291, 3298,
3306, 3313, 3320, 3326, 3328,
3330, 3332, 3338, 3344, 3358,
3404, 3420, 4846, 4847, 4848,
4849, 4850, 4851, 4852
\orig 4410, 4411,
4412, 4413, 4414, 4416, 4424,
4432, 4440, 4448
\originaltoday 2881, 2882
\Ovalbox 4152, 4205
\ovalbox 4147, 4200
\overline 4518

P

\p@ ... 1404, 1408, 1420, 1422, 1423,
1424, 2030, 3725
\p@enumiv 1392
\PackageError .. 1532, 1535, 1538,
1541, 1544, 1547, 2936, 2985,
3235, 3365, 3371, 3377, 3383,
3389, 3395
\PackageInfo . 67, 79, 2927, 2928,
3449, 3450, 4404

\PackageWarning 2068, 2157, 3186,
3363
\PackageWarningNoLine ... 2085,
2115
\page@free 3769, 3771
\pageautorefname 1359
\pagegoal 4251
\pagename 2959
\pagenumbering ... 15, 98, 109, 127,
1269, 1632, 2486
\pageref 3610, 4108
\pagesFormat 3684, 3686
\pagestyle 3827
\pagetotal 4252
\par 10, 17, 24,
40, 46, 52, 58, 99, 110, 117,
129, 787, 1261, 1271, 1283,
1412, 1413, 1414, 1416, 1438,
1448, 1456, 1636, 2426, 2433,
2440, 2448, 2456, 2489, 2519,
3727, 3729, 3735, 3737, 3738,
4227, 4312, 4615, 4675
\paragraphautorefname ... 1355
\parallel 3592
\parbox 4614, 4674
\parfillskip 1446
\parindent 1408, 1445
\parskip 1408
\part 1432
\partautorefname 1349
\partname 2952
\PassOptionsToClass 3489, 3490,
3491
\pbs 4558, 4559
\pdfstringdefDisableCommands .
..... 1370
\penalty ... 166, 172, 2043, 2896
\persian 2877
\PersianAlphs . 2877, 2880, 3400,
3405, 3457
\persianday 4845
\persianfont .. 2668, 2870, 2872
\PersianMathsDigits 3286, 4534
\persianmathsdigits 4464, 4535,
4539



\persianmathsf{digits} 4487, 4536,
 4540
 \persianmathtt{digits} 4496, 4537,
 4541
 \persianmonth 4844
 \persiansfdefault .. 2728, 2736,
 2762, 2770
 \persiansffamily ... 2734, 2735,
 2752, 2763
 \persiantoday 2883, 4839
 \persianttdefault .. 2729, 2739,
 2779, 2787
 \persianttfamily ... 2737, 2738,
 2753, 2780
 \persianyear 4843
 \pictureCaptionFormat ... 3680,
 3682
 \plftitle 1645
 \plq 2634
 \pltttitle 1646
 \pookdefault .. 2732, 2748, 2813,
 2821
 \pookfamily 2746, 2747, 2756, 2814
 \postmath 172
 \PrefixCurrentTab 2559
 \premath 168
 \prepnext@tok 1895, 1905
 \printindex ... 3366, 3378, 3390
 \process@table 4390
 \ProcessOptions 3503, 4681
 \ProcessOptionsX 3435
 \proofname 2961
 \protect 1291, 3909,
 3910, 3912, 3941, 3942, 3944,
 3975, 3976, 3978, 3995, 3996,
 3998, 4016, 4017, 4019, 4115,
 4116, 4118, 4564, 4567, 4569,
 4572, 4590, 4595, 4596, 4597,
 4599, 4600, 4601, 4621, 4622
 \providetcommand 3185
 \ProvidesClass 3459
 \ProvidesFile 1, 4,
 8, 14, 23, 38, 44, 50, 56, 62,
 82, 91, 93, 104, 115, 123, 135,
 175, 1128, 1188, 1205, 1248,
 1259, 1265, 1277, 1281, 1288,
 1317, 1325, 1339, 1343, 1388,
 1477, 1520, 1523, 1550, 1630,
 1643, 1653, 2023, 2424, 2431,
 2438, 2446, 2454, 2483, 2517,
 2547, 2550, 2570
 \ProvidesPackage ... 2584, 4328,
 4546, 4683
 \prq 2633
 \ptctitle 1644

Q

\question 4669
 \questionsep{space} ... 4666, 4667,
 4679
 \questionspace . 4573, 4574, 4615
 \questiontitle 4661, 4680
 \questiontitlefont 4663
 \questiontitlespace 4664, 4665,
 4675

R

\raggedFormat ... 3521, 4169, 4243,
 4289, 4314
 \RaggedLeft 3521
 \raggedleft 1409, 1434
 \raggedright 1409, 1434
 \raise 1427
 \raisebox 3567, 3572
 \refname 92, 2950
 \refstepcounter 4631, 4632
 \relax 1391, 1408, 1421,
 1435, 1441, 1443, 1445, 1447,
 1551, 1743, 1775, 1910, 1911,
 1932, 1933, 1934, 1995, 2005,
 2029, 2035, 2079, 2109, 2137,
 2144, 2150, 2177, 2184, 2195,
 2350, 2463, 2497, 2527, 2548,
 2553, 2637, 2655, 2929, 3281,
 3289, 3296, 3304, 3311, 3318,
 3324, 3336, 3342, 3348, 3352,
 3356, 3362, 3375, 3387, 3399,
 3418, 3444, 3446, 3503, 3722,
 3743, 3744, 3749, 3750, 3751,
 3752, 4333, 4347, 4357, 4373,
 4406, 4408, 4418, 4426, 4434,
 4442, 4450, 4457, 4531, 4713,



4714, 4716, 4721, 4726, 4727,
 4733, 4735, 4737, 4739, 4740,
 4741, 4742, 4743, 4744, 4745,
 4746, 4747, 4748, 4749, 4751,
 4753, 4754, 4759, 4760, 4767,
 4769, 4772, 4776, 4777, 4780,
 4781, 4784, 4789, 4791, 4793,
 4795, 4796, 4797, 4798, 4799,
 4800, 4801, 4802, 4803, 4804,
 4805, 4806, 4808, 4809, 4812,
 4817, 4821, 4827, 4829, 4830
`\renewcommand` 9,
 16, 24, 30, 31, 34, 39, 40,
 45, 46, 51, 52, 57, 58, 86,
 88, 94, 95, 99, 105, 106, 110,
 116, 117, 124, 128, 129, 1260,
 1261, 1266, 1270, 1271, 1278,
 1279, 1280, 1282, 1283, 1319,
 1321, 1323, 1392, 1415, 1452,
 1453, 1454, 1455, 1631, 1633,
 1634, 1635, 1636, 2024, 2041,
 2052, 2425, 2426, 2432, 2433,
 2439, 2440, 2447, 2448, 2455,
 2456, 2462, 2484, 2488, 2489,
 2496, 2518, 2519, 2526, 2551,
 2571, 2572, 2573, 2574, 2575,
 2576, 2577, 2578, 2579, 2580,
 2905, 3366, 3378, 3390, 3533,
 3540, 3542, 3544, 3551, 3558,
 3559, 3560, 3561, 3562, 3614,
 3615, 3616, 3627, 3628, 3629,
 3720, 3825, 3861, 3881, 4220,
 4230, 4235, 4562
`\renewenvironment` . . 1326, 4671
`\repeat` 2924, 4814, 4823
`\RequirePackage`
 . . . 2586, 2587, 2588, 2589,
 3460, 3505, 3506, 3507, 3508,
 3509, 3510, 3512, 3514, 3516,
 3517, 3518, 3519, 3520, 4548,
 4549, 4550, 4551, 4552, 4553
`\reserved@a` 1707, 1711, 1717, 1723,
 1726, 1729, 1732, 1735, 1738,
 1741
`\reserved@b` 1687, 1688
`\reset@font` 1300, 1319, 2067, 2156,
 2866, 2871, 2885, 2899
`\resetlatinfont` 84, 86, 1278,
 1279, 1319, 1321, 2863, 2873,
 2875, 2879, 2886, 2905
`\restore@mathversion` 4390
`\restoreapp` 36
`\right@footnoterule` 1419
`\rightfootnoterule` 3329
`\rightline` 4224
`\rightskip` 1445, 1446
`\rl` 1372, 2874, 2883
`\RLE` 2874
`\rmdefault` 2667, 2675, 2691
`\Roman` 1196, 2470, 2504, 2534
`\roman` 1195, 2471, 2505, 2535
`\romannumeral` 2479, 2513, 2543,
 4813, 4822, 4832
`\RTL` 2877
`\RTLfoottextfont` 1280
`\rule` 3584, 3710, 3812, 3818, 3905,
 3937

S

`\sayehdefault` 2733, 2751, 2830,
 2838
`\sayehfamily` 2749, 2750, 2757,
 2831
`\scriptsize` 3542
`\secondarticle` 3916, 3941, 3942,
 3944
`\secondSubtitleFormat` 3656,
 3658
`\secondTextFormat` 3660, 3663
`\secondTitleFormat` 3647, 3652,
 3653
`\section` 2937
`\sectionautorefname` 1352
`\sectionname` 11, 1417
`\select@group` 4332
`\selectfont`
 2672, 2688, 2709, 2723,
 2736, 2739, 2742, 2745, 2748,
 2751, 2767, 2784, 2801, 2818,
 2835, 2852, 2930
`\set@mathdelimiter` 4397
`\set@fontsize` 3443



\set@mathaccent 4394
 \set@mathchar 4394
 \set@mathdelimiter 4396
 \set@mathsymbol 4395
 \set@typeset@protect 1295, 1299
 \setboolean 2560, 2561, 3470, 3472,
 3474, 3476, 3478, 3480, 3482,
 3498, 3499, 3501, 3502, 3864,
 3882, 4027, 4052, 4081, 4103
 \setbox 150, 1754, 1797,
 1901, 1903, 1904, 1994, 1997,
 2004, 2007
 \setclass . 1489, 1499, 1500, 1501,
 1502, 1503, 1504, 1505, 1506
 \setcounter
 .. 27, 29, 33, 41, 42, 47, 48,
 53, 54, 59, 60, 100, 101, 111,
 112, 118, 119, 130, 131, 1262,
 1263, 1272, 1273, 1284, 1285,
 1315, 1637, 1638, 2427, 2428,
 2434, 2435, 2441, 2442, 2449,
 2450, 2457, 2458, 2490, 2491,
 2520, 2521, 2554, 2558, 2562,
 2563, 2564, 2565, 2566, 2567,
 2568, 3742, 4584
 \setdigitfont 4455
 \setiranicfont 2844
 \setkeys 141, 158
 \setlatinmonofont 2698
 \setlatinsansfont 2697
 \setlatintextfont .. 2681, 3456
 \setlength 1773, 1776, 1795, 3468,
 3500, 3535, 3536, 3537, 3538,
 3540, 3547, 3548, 3549, 3553,
 3554, 3555, 3556, 3761, 3765,
 3806, 3807, 3824, 3829, 3830,
 3954, 3986, 4058, 4083, 4086,
 4134, 4135, 4183, 4184, 4250,
 4251, 4267, 4574, 4665, 4667
 \setLTRcitationfont 84
 \SetMathAlphabet 4393
 \SetMathAlphabet@ 4393
 \SetMathCharDef ... 4407, 4476
 \SetMathCode
 .. 4405, 4465, 4466, 4467,
 4468, 4469, 4470, 4471, 4472,
 4473, 4474, 4475
 \SetMathsDigits 4533, 4534, 4538,
 4543, 4544
 \setmathsf digitfont 4483
 \setmathtt digitfont 4492
 \setmonofont 2698
 \setnavafont 2793
 \setpersianfont
 88, 1280, 1323, 2868, 2874,
 2877, 2880, 2905
 \setpersianmonofont 2776
 \setpersiansansfont 2759
 \setpookfont 2810
 \setsansfont 2697
 \setsayehfont 2827
 \SetSymbolFont 4392
 \SetSymbolFont@ 4392
 \settextfont 2664, 3236
 \setthesection 1633
 \settowidth 1394
 \sf @size 1427
 \sf code 1398
 \sffamily 3565
 \shadowbox 4137, 4190
 \shadowsize ... 4135, 4184, 4188
 \shipout 1295
 \shortarticleitem 4320
 \shortarticleItemFormat .
 3718, 3719
 \shortarticleSubtitleFormat .
 3716, 3717
 \shortarticleTitleFormat 3714,
 3715
 \shortauthors .. 1461, 1462, 1467
 \shorttitle ... 1460, 1461, 1467
 \sixt@n 1706, 1743
 \slftitle 1651
 \sloppy 1397
 \sltttitle 1652
 \small 2938, 3544, 3545, 3599, 3603,
 3609, 3680, 3702, 3721
 \smash 2941
 \SOUL@tt 2548, 2549
 \space 2069, 2158, 2584, 2902, 3192,
 3768, 3769, 3909, 3910, 3912,
 3941, 3942, 3944, 3975, 3976,



\textcolor{blue}{3978}, \textcolor{blue}{3995}, \textcolor{blue}{3996}, \textcolor{blue}{3998}, \textcolor{blue}{4016},	3978, 3995, 3996, 3998, 4016,
4017, \textcolor{blue}{4019}, \textcolor{blue}{4115}, \textcolor{blue}{4116}, \textcolor{blue}{4118},	4017, 4019, 4115, 4116, 4118,
4225, \textcolor{blue}{4605}, \textcolor{blue}{4840}, \textcolor{blue}{4841}	4225, 4605, 4840, 4841
\SplitFootnoteRule	3331
\stctitle	1650
\stepcounter 26, 1314, 2556, 4580,	26, 1314, 2556, 4580,
4593, \textcolor{blue}{4624}	4593, 4624
\str . 2675, 2691, 2770, 2787, 2804,	2675, 2691, 2770, 2787, 2804,
2821, 2838, 2855	2821, 2838, 2855
\string 67, 1832, 1866, 1955, 2324,	67, 1832, 1866, 1955, 2324,
2898	2898
\strip@pt	2929
\subitem	1413
\subparagraphautorefname 1356	1356
\subsectionautorefname ..	1353
\subsubitem	1414
\subsubsectionautorefname 1354	1354
\symnew@mathbf@font@digits 4418	4418
\symnew@mathit@font@digits
..... 4426 4426
\symnew@mathrm@font@digits
..... 4434 4434
\symnew@mathsf@font@digits
..... 4442 4442
\symnew@mathtt@font@digits
..... 4450 4450
T	
\tableautorefname	1348
\tablename	2944
\tabularxcolumn	4562
\tartibi .. 1192, 2467, 2501, 2531,	1192, 2467, 2501, 2531,
3083	3083
\tartibinumeral	3089
\test	1492, 1493, 1494
\textbf 2, 3, 1328, 1330, 1332, 1334,	1328, 1330, 1332, 1334,
4126, 4160, 4175, 4213	4126, 4160, 4175, 4213
\textblockorigin	3786
\textdegree	3600
\textheight	3793, 3818
\textiranic	2754
\textit	3711
\textnavar	2755
\textpersansf	2752
\textpersiantt	2753
\textpook	2756
\textsayeh	2757
\textsc	3713
\textsuperscript	2027
\texttt	3570
\textwidth 1800, 3792, 3812, 4124,	1800, 3792, 3812, 4124,
4611	4611
\textwidthfootnoterule ..	3333
\thanks	3723, 3743
\the	137, 142, 1470,
1471, 1487, 1777, 2275, 2280,	1471, 1487, 1777, 2275, 2280,
2286, 2293, 2303, 2317, 2612,	2286, 2293, 2303, 2317, 2612,
2916, 2917, 2919, 2920, 3768,	2916, 2917, 2919, 2920, 3768,
3769, 4254, 4543, 4544, 4813,	3769, 4254, 4543, 4544, 4813,
4822, 4832	4822, 4832
\thechoice	4583, 4605
\thebook	1634
\thechapter	20,
31, 103, 114, 121, 133, 1275,	103, 114, 121, 133, 1275,
1287, 1633, 1640, 2430, 2437,	1633, 1640, 2430, 2437,
2444, 2452, 2493, 2523	2444, 2452, 2493, 2523
\theindex	1403
\thempfn	1802
\thempfootnote	1802
\theoremautorefname	1358
\thepage . 2069, 2086, 2116, 2158,	2069, 2086, 2116, 2158,
2902, 3610	2902, 3610
\theparagraph	1454, 1455
\thepart	9,
16, 39, 45, 51, 57, 94, 105,	39, 45, 51, 57, 94, 105,
116, 128, 1260, 1270, 1282,	116, 128, 1260, 1270, 1282,
1415, 1635, 2425, 2432, 2439,	1415, 1635, 2425, 2432, 2439,
2447, 2455, 2488, 2518	2447, 2455, 2488, 2518
\thequestion ..	4604, 4644, 4680
\thesection 12, 34, 43, 49, 55, 61,	12, 34, 43, 49, 55, 61,
1264, 1418, 1452, 2459	1264, 1418, 1452, 2459
\thesubparagraph	1455
\thesubsection	1452, 1453
\thesubsubsection ..	1453, 1454
\thirdarticle . 3948, 3975, 3976,	3948, 3975, 3976,
3978	3978
\thirdSubtitleFormat 3675, 3677	3675, 3677
\thirdTextFormat ... 3678, 3679	3678, 3679



\thirdTitleFormat	3666, 3671, 3672
\thispagestyle	1406, 1459, 3865, 3870
\thr@@	1829, 1848, 1849, 1863, 1884, 1885, 1911, 1923, 1924, 1952, 1979, 1980
\timestamp	3703, 3900, 3930, 3966
\timestampFormat	3702, 3704
\timestampSeparator	3701, 3706
\timestampTxt	3700, 3705
\tiny	3540
\title	3749
\TitleBarFrame	1328, 1330, 1332, 1334
\tl	2667, 2676, 2692, 2697, 2698, 2762, 2771, 2779, 2788, 2796, 2805, 2813, 2822, 2830, 2839, 2847, 2856, 4384, 4401, 4477, 4478, 4479, 4487, 4496
\tmp	4558
\today	2881, 2883, 4221
\toks	1468, 1470
\toks@	1467, 1471
\topmargin	1307
\TPHorizModule	3581, 3806, 3905, 3937, 3988, 4035, 4036, 4059, 4060, 4083
\TPVertModule	3807
\true	4633
\truesymbol	4627
\tw@	1487, 1724, 1727, 1809, 1815, 1816, 1818, 1828, 1838, 1839, 1862, 1872, 1873, 1910, 1916, 1917, 1922, 1951, 1961, 1962, 2170, 2916, 2917
\twocolumnstableofcontents	2934
\typeout	2611, 2613, 3754
U	
\Umathchardef	4408
\Umathcode	4406
\undefined	1664, 4500, 4532, 4535, 4536, 4537, 4539, 4540, 4541
\unhbox	1786
\unpenalty	172
\unskip	169, 1940, 1941, 1942, 2027, 2090, 2121
\unvbox	1786
\uppercaseonnonmath	1460
\use	2668, 2684, 2703, 2707, 2717, 2721, 2763, 2780, 2797, 2814, 2831, 2848
\use@mathgroup	4343
\usebox	3758
\usecounter	1396, 4617
V	
\value	2553, 4587, 4603
\vbox	1295, 1308, 1757, 1774, 1779, 1780, 1797, 1904, 1994, 1998, 2004, 2008, 4297, 4323
\vcenter	1783, 1784
\verbatim@addtoline	2259, 2274, 2285, 2292, 2294, 2302, 2304, 2316, 2318
\verbatim@finish	2312
\verbatim@processline	2263, 2276, 2296
\verbatim@startline	2252, 2264, 2277, 2297
\version@elt	4389
\version@list	4389
\vfil	3724, 3740
\voidb@x	150
\vrb@catcodes	2246
\vskip	1307, 1309, 1310, 3725, 3728, 3730, 3736
\vspace	3760, 3779, 3841, 3851, 3894, 3898, 3921, 3924, 3928, 3935, 3953, 3957, 3961, 3970, 4029, 4033, 4089, 4110, 4158, 4162, 4181, 4211, 4215, 4260, 4262, 4272, 4275, 4300, 4302, 4322, 4324, 4615, 4673, 4675
\vss	1786
\vtop	1781, 1782, 1903





3763, 3765, 3774, 3775
 \xepersian@incolumnTitle
 4172, 4191, 4196, 4201, 4206
 \xepersian@indexEntry
 3581, 4108
 \xepersian@indexEntryPage
 3587, 4108
 \xepersian@indexFrameTitle
 3577, 4084
 \xepersian@indexwidth
 3465, 3584, 4083, 4087, 4088
 \xepersian@inexpandedtitle
 4123, 4138, 4143, 4148, 4153
 \xepersian@innerSubtitle
 3699, 4239
 \xepersian@innerTitle
 3688, 4238
 \XePersian@kabisehfalse
 4756, 4762
 \XePersian@kabisehtrue
 4762
 \xepersian@kashida
 1486, 1508, 1509, 1510, 1511, 1512,
 1513, 1514
 \xepersian@L
 1481, 1505, 1509, 1510, 1511, 1514, 1515
 \XePersian@latini
 4687, 4733
 \XePersian@latinii
 4688, 4735, 4737
 \XePersian@latiniii
 4689, 4739
 \XePersian@latiniv
 4690, 4740
 \XePersian@latinix
 4695, 4745
 \XePersian@latinv
 4691, 4741
 \XePersian@latinvi
 4692, 4742
 \XePersian@latinvii
 4693, 4743
 \XePersian@latinviii
 4694, 4744
 \XePersian@latinx
 4696, 4746
 \XePersian@latinxi
 4697, 4747
 \XePersian@latinxii
 4698, 4748
 \XePersian@leapfalse
 4718, 4722, 4728
 \XePersian@leaptrue
 4728, 4729
 \xepersian@localize@verbatim@
 2254, 2255, 2257, 2265,
 2278, 2287, 2298, 2306, 2320
 \xepersian@localize@verbatim@@
 2257, 2258

\xepersian@localize@verbatim@@@
 2260, 2261
 \xepersian@localize@verbatim@@testend
 2300, 2310
 \xepersian@localize@verbatim@rescan
 2314, 2323
 \xepersian@localize@verbatim@start
 2251, 2326, 2327, 2338
 \xepersian@localize@verbatim@test
 2269, 2271, 2272
 \xepersian@localize@verbatim@testend
 2283, 2290
 \XePersian@m
 4686, 4711, 4807, 4826, 4829, 4841, 4844
 \xepersian@milyoongan
 3026, 3037
 \xepersian@milyoongan@tartibi
 3127, 3138
 \XePersian@mminusone
 4708, 4807, 4808, 4810, 4814
 \xepersian@ncol
 3816, 3817
 \xepersian@ncolumns
 3466, 4167, 4168, 4235
 \xepersian@nrow
 3810, 3811
 \xepersian@numberoutofrange
 2984, 2995, 3096
 \xepersian@numberstring
 2981, 2989
 \xepersian@numberstring@tartibi
 3087, 3090
 \xepersian@PackageInfo
 4404, 4459
 \xepersian@pageleft
 3464, 4251, 4252, 4254, 4256
 \xepersian@pageneed
 3463, 3765, 3766, 3768, 3771, 4250, 4256
 \xepersian@pages
 3685, 3920, 3952, 4237
 \XePersian@persian@month
 4841, 4846
 \XePersian@persiani
 4687, 4787, 4788, 4818, 4835
 \XePersian@persianii
 4688, 4789
 \XePersian@persianiii
 4689, 4791, 4793



\XePersian@persianiv 4690, 4795
\XePersian@persianix 4695, 4800
\XePersian@persianv 4691, 4796
\XePersian@persianvi 4692, 4797
\XePersian@persianvii 4693,
 4798
\XePersian@persianviii 4694,
 4799
\XePersian@persianx 4696, 4801
\XePersian@persianxi 4697, 4802
\XePersian@persianxii 4698,
 4803
\XePersian@persianxiii 4699,
 4804
\xepersian@pictureCaption 3681,
 3777, 3991
\xepersian@R 1482, 1500, 1512, 1514
\xepersian@sadgan 3030, 3035,
 3039, 3043, 3048, 3131, 3144
\xepersian@sadgan@tartibi 3136,
 3140, 3149
\xepersian@say 3754, 4234, 4254,
 4257, 4259, 4283, 4309
\xepersian@secondSubtitle 3657,
 3926
\xepersian@secondText 3661,
 3930
\xepersian@secondTitle 3648,
 3922
\xepersian@section 3601, 3606,
 4230
\xepersian@shellescape 2655
\xepersian@shortarticleItemTitle
 3719, 4323
\xepersian@shortarticleSubtitle
 3717, 4303
\xepersian@shortarticleTit
 4295, 4310
\xepersian@shortarticleTitle
 3715, 4299
\XePersian@sn
 4707, 4806, 4818, 4819,
 4822, 4823, 4832, 4837
\xepersian@strutilg
 2910, 2913, 2919, 2920,
 2925, 2926, 2929, 3448, 3451
\xepersian@tartibi 3087, 3171
\xepersian@tcl
 2913, 2915, 2916, 2917, 2919,
 2920, 2923, 2924
\XePersian@temp
 4701, 4712, 4713, 4714,
 4716, 4720, 4721, 4722, 4725,
 4726, 4727, 4728, 4750, 4751,
 4752, 4755, 4756, 4758, 4761,
 4762, 4766, 4767, 4770, 4773,
 4778, 4783, 4785, 4786, 4788
\xepersian@tempa
 3280, 3288, 3295, 3303,
 3310, 3317, 3323, 3335, 3341,
 3347, 3351, 3355, 3361, 3374,
 3386, 3398, 3417
\xepersian@tempb
 3280, 3281, 3288, 3289,
 3295, 3296, 3303, 3304, 3310,
 3311, 3317, 3318, 3323, 3324,
 3335, 3336, 3341, 3342, 3347,
 3348, 3351, 3352, 3355, 3356,
 3361, 3362, 3374, 3375, 3386,
 3387, 3398, 3399, 3417, 3418
\XePersian@tempthree
 4703, 4764, 4765, 4766,
 4768, 4771, 4774, 4775, 4779,
 4782, 4783, 4784, 4785
\XePersian@temptwo
 4702, 4752, 4753, 4754,
 4755, 4758, 4759, 4760, 4761,
 4768, 4769, 4770, 4771, 4772,
 4773, 4775, 4776, 4777, 4778,
 4779, 4780, 4781, 4782
\xepersian@thirdSubtitle 3676,
 3959
\xepersian@thirdText 3679, 3966
\xepersian@thirdTitle 3667,
 3955
\XePersian@thirtytwo 4705, 4749,
 4756
\xepersian@V
 1484, 1506
\xepersian@weather
 3596, 4031
\xepersian@www
 3566, 3839
\xepersian@wwwFormat
 3565, 3567
\XePersian@y
 4686, 4711,



\xepersian@yekani .	3030, 3058,	3130, 3134, 3150, 3153, 3163,
4712, 4715, 4725, 4728, 4750,		3192, 3214, 3218, 3222, 3225,
4764, 4827, 4830, 4841, 4843		4762
\xepersian@yekanii .	2981, 3043,	\z@skip 1304, 1305
3068, 3144		\ziffer@check 4506, 4507
\xepersian@yekaniii .	3039, 3071,	\ziffer@dcheck 4505, 4506
3140		\ziffer@DotOri 4503, 4506
\xepersian@yekaniv .	3050, 3074,	\ZifferAn 4501, 4504
3151		\ZifferLeer 4506, 4532
\xepersian@yekanv .	3163, 3179	
\XePersian@yModHundred .	4704,	\ 1119, 1642, 2238
4715, 4716, 4717, 4720, 4724		\ 1666, 1668, 1671, 1678
\xepersian@zwj .	1478, 1486, 1487	\ 1671
\xepersiandate .	2583, 2584, 2600	\ 1656, 1663, 1664, 1667, 1668,
\xepersianInit	3522, 3823	1676, 1678
\xepersianversion .	2582, 2584,	\ 1661, 1662, 1666, 1673
2600, 2614		\ 1654, 1660, 1661, 1666, 1671, 1672
\XeTeXcharclass	1494	\ 1120, 1121, 1122, 1123, 1124,
\XeTeXcharglyph .	1487, 2916, 2917,	1125, 1126, 1127, 1664
2919, 2920		\ 1666, 1667, 1672, 1673, 1675,
\XeTeXglyphbounds .	1487, 2916,	1676
2917, 2919, 2920		\ 1666, 1671
\XeTeXinterchartoks .	1508,	\ 1666, 1667, 1672, 1676
1509, 1510, 1511, 1512, 1513,		\ 1661, 1662
1514, 1515		\ 1666, 1668, 1673, 1678
\xpg@warning	3185, 3190, 3192	@ \ 1655, 1659
Y		
\y	2641, 2643, 2645	
\year	4711	
Z		
\z	2642, 2643	
\z@	10, 18,	@ \ 2363, 2364, 2365, 2366,
152, 153, 164, 166, 1306, 1404,		2367, 2368, 2369, 2370, 2371,
1408, 1416, 1427, 1433, 1445,		2372, 2373, 2374, 2375, 2376,
1457, 1474, 1702, 1802, 1806,		2377, 2378, 2379, 2380, 2381,
1811, 1812, 1820, 1830, 1834,		2382, 2383, 2384
1835, 1840, 1854, 1864, 1868,		
1869, 1874, 1890, 1912, 1913,		@ \ 1655
1924, 1942, 1953, 1957, 1958,		\ 1661
1971, 1985, 2172, 2218, 2220,		\ 1655, 1659
2229, 2353, 2354, 2361, 2362,		\ 2017, 2325
2913, 3025, 3027, 3029, 3033,		\ 2239
3049, 3052, 3058, 3126, 3128,		\ 1662, 2014, 2015
		\ 1654
		\ 1657
		\ 1656, 1658



8 Change History

v13.1	General: Added implementation of the package.	o	v13.5	General: Fixed the extra space after Persian decimal separator.	148
v13.2	General: Replaced \reflect with \bidi@reflect@box.	117	v13.6	General: Used \XeTeXglyphbounds to find the true height and depth of the Kashida character.	87

