

The XePersian Package



Persian for L^AT_EX, using XeT_EX engine

Vafa Khalighi
persian-tex@tug.org

November 15, 2013 Version 13.6

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/vafa/xepersian/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'bug' label).

Contents

1	Introduction	4	3	Latin and Persian Environment	41
1.1	Important Notes	4	3.1	latitems and parsitems environments	42
1.2	XePersian Info On The Terminal and In The Log File	4	3.2	Short Latin and Persian Texts	42
2	Basics	5	3.3	Miscellaneous Commands	42
2.1	Loading The Package	5	3.4	New Commands	43
2.2	XePersian's Symbol	6	3.5	Additional Counters	43
2.3	Commands for Version number, and Date of The Package	6	3.6	Things To Know About \setdigitfont, \setmathsf digitfont, and \setmathtt digitfont	43
2.4	Options of The Package	6	4	New Conditionals	44
2.4.1	extrafootnotefeatures Option	6	4.1	Shell escape (or write18) conditional	44
2.4.2	Kashida Option	7	5	Bilingual Captions	44
2.4.3	quickindex Option	7	5.1	Support For Various Packages	44
2.4.4	quickindex-variant1 Option	7	5.1.1	Things You Should Know about Support For enumerate Package	44
2.4.5	quickindex-variant2 Option	7	5.2	Index Generation	45
2.4.6	localise Option	7	5.3	Converting Your FarsiTEX Files To XePersian or Unicode	45
2.4.7	Localizations of the keys and key values of graphicx package	35	6	Extra Packages And Classes	46
2.4.8	Localizations of font features and font feature options	36	6.1	Magazine Typesetting	46
2.5	A Sample Input T _E X File	38	6.1.1	Introduction	46
2.6	Font Commands	39	6.1.2	Usage	46
2.6.1	Basic Font Commands	39	6.1.3	Front Page	46
2.6.2	Defining Extra Persian and Latin Fonts	39	6.1.4	Inside	48
2.6.3	Choosing Persian Sans Font	41	6.1.5	The article environment	48
2.6.4	Choosing Persian Mono Font	41	6.1.6	The editorial environment	49
2.6.5	Choosing Persian Iranic Font	41	6.1.7	The shortarticle environment	50
2.6.6	Choosing Persian Navar Font	41	6.1.8	Commands between articles	50
2.6.7	Choosing Persian Pook Font	41	6.1.9	Customization	50
2.6.8	Choosing Persian Sayeh Font	41	6.1.10	Front Page	50
2.6.9	Choosing Latin Sans Font	41	6.1.11	Inside The Magazine	52
2.6.10	Choosing Latin Mono Font	41	6.1.12	Class Options	53

6.2.4	Creating Questions . . .	54
6.2.5	The <code>question</code> Environment	54
6.2.6	Question Numbers . . .	54
6.2.7	The Form and the Mask	55
6.2.8	Typesetting corrections	55
6.2.9	Important Note	55
6.3	Customising The Package . . .	56
6.3.1	The <code>question</code> environment	56
6.3.2	The Form and the Mask	56
6.3.3	The correction	56
7	xepersian implementation	57
7.1	<code>algorithmic-xepersian.def</code>	57
7.2	<code>algorithm-xepersian.def</code>	57
7.3	<code>amsart-xepersian.def</code>	57
7.4	<code>amsbook-xepersian.def</code>	58
7.5	<code>article-xepersian.def</code>	59
7.6	<code>artikel1-xepersian.def</code>	60
7.7	<code>artikel2-xepersian.def</code>	60
7.8	<code>artikel3-xepersian.def</code>	60
7.9	<code>backref-xepersian.def</code>	60
7.10	<code>budituftesidenote-xepersian.def</code>	60
7.11	<code>bidimoderncv-xepersian.def</code>	62
7.12	<code>boek3-xepersian.def</code>	62
7.13	<code>boek-xepersian.def</code>	62
7.14	<code>bookest-xepersian.def</code>	63
7.15	<code>book-xepersian.def</code>	63
7.16	<code>breqn-xepersian.def</code>	63
7.17	<code>latex-localise-commands-xepersian.def</code>	64
7.18	<code>color-localise-xepersian.def</code>	83
7.19	<code>xepersian-localise-commands-xepersian.def</code>	83
7.20	<code>enumerate-xepersian.def</code>	84
7.21	<code>latex-localise-environments-xepersian.def</code>	85
7.22	<code>xepersian-localise-environments-xepersian.def</code>	86
7.23	<code>extarticle-xepersian.def</code>	86
7.24	<code>extbook-xepersian.def</code>	86
7.25	<code>extrafootnotefeatures-xepersian.def</code>	86
7.26	<code>extreport-xepersian.def</code>	86
7.27	<code>flowfram-xepersian.def</code>	87
7.28	<code>footnote-xepersian.def</code>	87
7.29	<code>framed-xepersian.def</code>	90
7.30	<code>glossaries-xepersian.def</code>	90
7.31	<code>hyperref-xepersian.def</code>	91
7.32	<code>imsproc-xepersian.def</code>	92
7.33	<code>kashida-xepersian.def</code>	95
7.34	<code>listings-xepersian.def</code>	96
7.35	<code>loadingorder-xepersian.def</code>	96
7.36	<code>localise-xepersian.def</code>	97
7.37	<code>memoir-xepersian.def</code>	98
7.38	<code>latex-localise-messages-xepersian.def</code>	99
7.39	<code>minitoc-xepersian.def</code>	99
7.40	<code>latex-localise-misc-xepersian.def</code>	99
7.41	<code>natbib-xepersian.def</code>	106
7.42	<code>packages-localise-xepersian.def</code>	111
7.43	<code>parsidigits.map</code>	114
7.44	<code>rapport1-xepersian.def</code>	115
7.45	<code>rapport3-xepersian.def</code>	115
7.46	<code>refrep-xepersian.def</code>	115
7.47	<code>report-xepersian.def</code>	115
7.48	<code>scartcl-xepersian.def</code>	115
7.49	<code>scrbook-xepersian.def</code>	116
7.50	<code>scrreprt-xepersian.def</code>	117
7.51	<code>tkz-linknodes-xepersian.def</code>	117
7.52	<code>tocloft-xepersian.def</code>	118
7.53	<code>xepersian.sty</code>	118
7.54	<code>xepersian-magazine.cls</code>	131
7.55	<code>xepersian-mathsdigitspec.sty</code>	148
7.56	<code>xepersian-multiplechoice.sty</code>	152
7.57	<code>xepersian-persiancal.sty</code>	155

8 Change History 194

1 Introduction

XePersian is a package for typesetting Persian/English documents with Xe^LATE_X. The package includes adaptations for use with many other commonly-used packages.

1.1 Important Notes

- ☒ The XePersian package only works with XeTeX engine.
- ☒ Before reading this documentation, you should have read the documentation of the bidi package. The XePersian package automatically loads bidi package with `RTLdocument` option enabled and hence any commands that bidi package offers, is also available in XePersian package. Here, in this documentation, we will not repeat any of bidi package's commands.
- ☒ In previous versions ($\leq 1.0.3$) of XePersian, a thesis class provided for typesetting thesis. As of version 1.0.4, we no longer provide this class because we are not familiar with specification of a thesis in Iran and even if we were, the specifications are different from University to University. XePersian is a general package like L^ATEX and should not provide any class for typesetting thesis. So if you really want to have a class file for typesetting thesis, then you should ask your University/department to write one for you.

1.2 XePersian Info On The Terminal and In The Log File

If you use XePersian package to write any input TeX document, and then run `xelatex` on your document, in addition to what bidi package writes to the terminal and to the log file, the XePersian package also writes some information about itself to the terminal and to the log file, too. The information is something like:

```
*****
*
* xepersian package (Persian for LaTeX, using XeTeX engine)
*
* Description: The package supports Persian
* typesetting, using fonts provided in the
* distribution.
*
* Copyright © 2008-2013 Vafa Khalighi
*
* v13.6, 2013/11/15
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/xepersian
*
```

```

* Issue tracker: https://github.com/vafa/xepersian/issues
*
* Support: persian-tex@tug.org
*****

```

2 Basics

2.1 Loading The Package

You can load the package in the ordinary way;

```
\usepackage [Options] {xepersian}
```

Where `options` of the package are explained later in [subsection 2.4](#).

When loading the package, it is important to know that:

- ❶ `xepersian` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi` and `XePersian` package's definitions and consequently, you will not get the expected output.
- ❷ In fact, in addition to `bidi`, `XePersian` also makes sure that some specific packages are loaded before `bidi` and `XePersian`; these are those packages that `bidi` and `XePersian` modifies them for bidirectional and Persian/English type-setting.

If you load `XePersian` before any of these packages, then you will get an error saying that you should load `XePersian` or `bidi` as your last package. When it says that you should load `bidi` package as your last package, it really means that you should load `XePersian` as your last package as `bidi` package is loaded automatically by `XePersian` package.

For instance, consider the following minimal example:

```

1 \documentclass{minimal}
2 \usepackage{xepersian}
3 \usepackage{enumerate}
4 \settextfont{XB Niloofar}
5 \begin{document}
6 این فقط یک آزمایش است
7 \end{document}

```

Where `enumerate` is loaded after `XePersian`. If you run `xelatex` on this document, you will get an error which looks like this:

```

! Package xepersian Error: Oops! you have loaded package enumerate
after xepersian package. Please load package enumerate before
xepersian package, and then try to run xelatex on your document
again.

```

```

See the xepersian package documentation for explanation.
Type H <return> for immediate help.
...
1.5 \begin{document}
?

```

2.2 XePersian's Symbol

As you may know lion symbolizes T_EX but lion does not symbolizes XePersian. Simorgh¹ (shown on the first page of this documentation) symbolizes XePersian.

2.3 Commands for Version number, and Date of The Package

```
\xepersianversion \xepersiandate
```

 \xepersianversion gives the current version of the package.

 \xepersiandate gives the current date of the package.

```

1 \documentclass{article}
2 \usepackage{xepersian}
3 \settextfont{XB Niloofer}
4 \begin{document}
5 \begin{latin}
6 This is typeset by \textsf{\XePersian} package, \xepersianversion,
7 \xepersiandate.
8 \end{latin}
9 \end{document}
```

2.4 Options of The Package

There are six options:

2.4.1 extrafootnotefeatures Option

This is just the extrafootnotefeatures Option of bidi package. If you enable this option, you can typeset footnotes in paragraph form or in multi-columns (from two-columns to ten-columns). For more details, please read the manual of bidi package.

¹Simorgh is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>

2.4.2 Kashida Option

If you pass `Kashida` option to the package, you will use Kashida for stretching words for better output quality and getting rid of underfull or overfull `\hbox` messages.

Note that you can not use `Kashida` option when you are using Nastaliq-like font (well, you still can use `Kashida` option when you use any Nastaliq-like font, but I can not guarantee high quality output!).

The following two commands are provided when you activate the `Kashida` option:

```
\KashidaOn \KashidaOff
```

☞ `\KashidaOn` enables Kashida and is active by default when `Kashida` option is activated.

☞ `\KashidaOff` disables Kashida.

2.4.3 quickindex Option

When you generally want to prepare index for your Persian documents, you need to first run `xelatex`, then `xindy`, and again `xelatex` on your document respectively, which is very time consuming. The `quickindex` option gives you the index with only and only one run of `xelatex`. To use this feature, you will need to run `xelatex --shell-escape` on your `TeX` document; otherwise you get an error which indicates that shell escape (or `write18`) is not enabled.

This option is now obsolete and equivalent to `quickindex-variant2` option.

2.4.4 quickindex-variant1 Option

Same as `quickindex` Option but uses variant one (in which `\i` is grouped under `\l`) for sorting Persian alphabets.

2.4.5 quickindex-variant2 Option

Same as `quickindex` Option but uses variant two (in which `\i` is a separate letter) for sorting Persian alphabets.

2.4.6 localise Option

The `localise` option is now active by default; it allows you to use most frequently-used `LATEX` commands and environments in Persian, almost like what `TeX-e-Parsi` offers. This is still work in progress and we wish to add lots more Persian equivalents of `LATEX` and `TeX` commands and environments. The Persian equivalents of `LATEX` and `TeX` commands are shown in [Table 1](#), The Persian equivalents of

XePersian commands are shown in [Table 2](#), Persian equivalents of L^AT_EX environments are shown in [Table 3](#) and Persian equivalents of XePersian environments are shown in [Table 4](#)

Please note that the Persian equivalents of L^AT_EX and T_EX commands and environments are only available after loading `xepersian` package. This means that you have to write all commands or environments that come before `\usepackage{xepersian}`, in its original form, i.e. `\documentclass`.

Not only you can use Persian equivalents of L^AT_EX and T_EX commands and environments, but still original L^AT_EX and T_EX commands and environments work too.

The T_EX L^AT_EX and XePersian commands and environments and their Persian equivalents listed in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) is not the whole story; If any command and environment in [Table 1](#), [Table 2](#), [Table 3](#) and [Table 4](#) have a starred version, their starred version also work. For example in [Table 1](#), the Persian equivalent of `\chapter` is `\فصل`. I know that `\chapter` has a starred version, so this means `*\فصل` is also the Persian equivalent of `\chapter*`. Is that clear?

However there is more; you can localise any other commands/environments you want. You can use the following commands to localise your own commands/environments:

```
\eqcommand{\<command-name in Persian\>}{\<original LATEX command-name\>}
\eqenvironment{\<environment-name in Persian\>}{\<original LATEX environment-name\>}
```

Table 1: The Equivalent L^AT_EX and T_EX Commands

Command in T _E X or L ^A T _E X	Equivalent Persian Command
<code>\@arstrut</code>	\شمع جدول
<code>\above</code>	\فوق
<code>\abovedisplayshortskip</code>	\فاصله کوتاه بالای نمایش
<code>\abovedisplayskip</code>	\فاصله بالای نمایش
<code>\abstractname</code>	\عنوان چکیده
<code>\accent</code>	\اکسنت
<code>\active</code>	\فعال
<code>\addcontentsline</code>	\بیفزاسطر فهرست
<code>\addpenalty</code>	\اضافه برجیمه
<code>\address</code>	\نشانی
<code>\addtocontents</code>	\بیفزابه فهرست
<code>\addtocounter</code>	\اضافه برشمارنده
<code>\addtolength</code>	\اضافه برعده
<code>\addvspace</code>	\بیفزافضای و
<code>\adjdemerits</code>	\تنظیم بد نمایی
<code>\advance</code>	\بیفزابر

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\afterassignment	\بعدازانتساب
\aftergroup	\بعدازگروه
\aleph	\الف
\aliasfontfeature	\خصیصه مستعار قلم
\aliasfontfeatureoption	\انتخاب خصیصه مستعار قلم
\allowbreak	\شکستنی
\alloc@	\تخصیصی افته
\allocationnumber	\شکست نمایش مجاز
\allowdisplaybreaks	\حروف بزرگ
\Alph	\حروف کوچک
\alph	\نام همچنین
\alsoname	\و
\and	\زاویه
\angle	\عنوان پیوست
\appendixname	\تقریب
\approx	\عربی
\arabic	\آرگ
\arg	\رنگ خط جدول
\arrayrulecolor	\فاصله ستونهای آرایه
\arraycolsep	\ضخامت خط جدول
\arrayrulewidth	\کشیدگی آرایه
\arraystretch	\در آغاز نوشتار
\AtBeginDocument	\در پایان نوشتار
\AtEndDocument	\در اننهای طبقه
\AtEndOfClass	\در اننهای سبک
\AtEndOfPackage	\نویسنده
\author	\مطلوب پشت
\backmatter	\شکاف پشت
\backslash	\بد نمایی
\badness	\میله
\bar	\فاصله کرسی
\baselineskip	\کشش فاصله کرسی
\baselinestretch	\پردازش دسته ای
\batchmode	\شروع
\begin	\شروع چپ
\beginL	\شروع راست
\beginR	\شروع گروه
\begingroup	\فاصله کوتاه پایین نمایش
\belowdisplayshortskip	\فاصله پایین نمایش
\belowdisplayskip	

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\bf	\سیاه
\bfdefault	\بیش فرض سیاه
\bfseries	\شمايل سیاه
\bgroup	\شرگروه
\bibitem	\مرجوع
\bibliography	\كتاب نامه
\bibliographystyle	\اسبک کتاب نامه
\bibname	\عنوان كتاب نامه
\bigskip	\پرس بلند
\bigskipamount	\مقدار پرس بلند
\botfigrule	\خط پایین شناور
\botmark	\علامت پایین
\bottompagesizekip	\کادر تا پایین
\bottomfraction	\نسبت پایین
\box	\کادر
\boxmaxdepth	\حد اکثر عمق کادر
\break	\ بشکن
\bullet	\گلوله
\@cclv	\دوپن@پنج
\@cclvi	\دوپن@شش
\caption	\شرح
\catcode	\اکرده
\cc	\رونوشت
\ccname	\نام رونوشت
\cdot	\ نقطه وسط
\cdots	\ نقاط وسط
\centering	\تنظيم از وسط
\centerline	\خطوط وسط
\ch@ck	\چک@ن
\chapter	\فصل
\chaptername	\عنوان فصل
\char	\نويسه
\chardef	\تعريف نويسه
\CheckCommand	\برسی فرمان
\cite	\مراجع
\ClassError	\خطای طبقه
\ClassInfo	\اطلاع طبقه
\ClassWarning	\هشدار طبقه
\ClassWarningNoLine	\هشدار طبقه بی سطر
\cleaders	\انسانگر مرکزی

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\cleardoublepage	\ادوصفه‌پاک
\clearpage	\صفحه‌پاک
\cline	\خطنایر
\closein	\بیندورودی
\closeout	\بیندخروجی
\closing	\بستن
\clubpenalty	\جریمه‌سربند
\clubsuit	\جاج
\colbotmark	\علامت‌پایین‌ستون‌اول
\colfirstmark	\علامت‌اول‌ستون‌اول
\color	\رنگ
\colorbox	\کادررنگ
\coltopmark	\علامت‌بالای‌ستون‌اول
\columncolor	\رنگ‌ستون
\columnsep	\بین‌ستون
\columnwidth	\پهنه‌ای‌ستون
\columnseprule	\خط‌بین‌ستون
\contentsline	\سطر‌فهرست
\contentsname	\عنوان‌فهرست‌مطالب
\copy	\کپی
\copyright	\حق‌تالیف
\count	\شمار
\count@	\شمار@
\countdef	\تعريف‌شمار
\cr	\سخ
\crcrcr	\اسخ‌سخ
\csname	\نام‌فرمان
\CurrentOption	\گزینه‌جاری
\dashbox	\کادر‌بینابین
\dashv	\بینابین‌ع
\@date	\تاریخ@
\date	\تاریخ
\day	\روز
\dblbotfigrule	\خط‌پایین‌شناور‌پهن
\dblbottomfraction	\نسبت‌پهن‌پایین
\dblfigrule	\خط‌بالای‌شناور‌پهن
\dblfloatpagefraction	\نسبت‌صفحه‌شناور‌پهن
\dblfloatsep	\فاصله‌بین‌شناور‌پهن
\dblfntlocatecode	\کد‌مکان‌غیره‌مانطور
\dbltextfloatsep	\فاصله‌متن‌و‌شناور‌پهن

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\dbltopfraction	\نسبت پهن بالا
\DeclareFixedFont	\اعلان قلم ثابت
\DeclareGraphicsExtensions	\اعلان پسوند گرافیک
\DeclareGraphicsRule	\اعلان دستور گرافیک
\DeclareOldFontCommand	\اعلان فرمان قلم قدیمی
\DeclareOption	\اعلان گزینه
\DeclareRobustCommand	\اعلان فرمان قوی
\DeclareSymbolFont	\اعلان قلم علائم
\deadcycles	\دوربسته
\def	\تر
\define@key	\تعريف @ کلید
\definecolor	\تعريف رنگ
\deg	\درجہ
\delcode	\اکد ج داساز
\delimiter	\ا ج داساز
\delimiterfactor	\ضریب ج داساز
\depth	\ا گودی
\diamondsuit	\ا خشت
\dim	\ا بعاد
\dimen	\ا بعد
\dimen@	\ا بعد @
\dimen@i	\ا بعد @ یک
\dimen@ii	\ا بعد @ دو
\dimendef	\تعريف بعد
\discretionary	\تیره گذاری
\displaybreak	\اشکست نمایش
\displayindent	\تورفتگی نمایش
\displaystyle	\سیک نمایش
\displaywidth	\عرض نمایش
\divide	\ تقسیم
\documentclass	\طبقه نوشتار
\do	\کن
\dospecials	\تعویض کدها
\dot	\ نقطه
\doteq	\ نقطه مساوی
\dotfill	\ پر نقطه ا
\dots	\ نقط
\doublebox	\کادر دولا
\doublerulesepcolor	\رنگ فاصله دو خط جدول
\doublerulesep	\فاصله بین دو خط

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\downarrow	\فُلش‌پایین
\dp	\عمق
\dump	\تخليه
\edef	\ترجم
\egroup	\پاگروه
\eject	\أنتهاي فاصله
\else	\اگرنه
\em	\تاکيد
\emergencystretch	\کشش لاجرم
\emph	\موکد
\empty	\@_پوچ
\emptyset	\پوچ
\end	\مجموعه پوچ
\endL	\پایان
\endR	\پایان چپ
\endcsname	\پایان راست
\endfirsthead	\پایان نام فرمان
\endfoot	\پایان اولین سر
\endgraf	\پایان پا
\endgroup	\ته بند
\endhead	\پایان گروه
\endinput	\پایان سر
\endlastfoot	\پایان ورودی
\enlargethispage	\پایان آخرین پا
\endline	\گسترش اين صفحه
\endlinechar	\اته سطر
\enspace	\نويسه ته سطر
\enskip	\ان دورى
\eqcommand	\ان فاصله
\eqenvironment	\فرمان جانشين
\eqref	\محيط جانشين
\errhelp	\ارجاع فر
\errmessage	\كمک خطا
\errorcontextlines	\پيام خطا
\errorstopmode	\سطرمتن خطا
\escapechar	\پردازش توقف خطا
\euro	\نويسه ويژه
\evensidemargin	\يورو
\everycr	\حاشيه زوج
	\هرسخ

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\everydisplay	\هرنمايش
\everyhbox	\هرکادرا
\everyjob	\هرکار
\everymath	\هررياضي
\everypar	\هربند
\everyvbox	\هرکادرو
\ExecuteOptions	\اجرای گزینه ها
\exhyphenpenalty	\جریمه اضافی تیره بندی
\expandafter	\بگستریس از
\extracolsep	\فاصله اضافی بین ستونها
\@firstofone	\اولی از یک
\@firstoftwo	\اولی از دو
\f@ur	\ج@ار
\fam	\خانواده
\fancypage	\صفحه تجملی
\fbox	\کادر ربا
\fboxrule	\ضخامت کادر ربا
\fboxsep	\حاشیه کادر ربا
\fcolorbox	\کادر ربارنگ
\fi	\رگ
\figurename	\عنوان شکل
\filbreak	\پرسکن
\fill	\پر
\firstmark	\علامت اول
\flat	\پهن
\floatpagefraction	\نسبت صفحه شناور
\floatingpenalty	\جریمه شناور
\floatsep	\فاصله بین شناور
\flushbottom	\تنظيم از پایین
\fmtname	\شکل بندی
\fmtversion	\ردہ شکل بندی
\fnssymbol	\نشانه
\font	\قلم
\fontdimen	\بعد قلم
\fontencoding	\رمز یقه قلم
\fontfamily	\فamil قلم
\fontname	\نام قلم
\fontseries	\شمایل قلم
\fontshape	\شكل قلم
\fontsize	\اندازه قلم

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\footheight	\بلندای پایین صفحه
\footins	\درج زیرنویس
\footnote	\زیرنویس
\footnotemark	\علامت زیرنویس
\footnoterule	\خط زیرنویس
\footnotesep	\فاصله تازیرنویس
\footnotesize	\اندازه زیرنویس
\footnotetext	\متن زیرنویس
\footskip	\فاصله تا پایین صفحه
\frame	\فریم
\framebox	\کادر با خطر
\frenchspacing	\فواصل یکنواخت لاتین
\frontmatter	\مطلوب پیش
\futurelet	\بعدگذار
\@gobble	\@خور حریصانه
\@gobbletwo	\@خور حریصانه دو
\@gobblefour	\@خور حریصانه چهار
\@gtempa	\@عاقت آ
\@gtempb	\@عاقت ب
\gdef	\ترع
\GenericInfo	\الگوی اطلاع
\GenericWarning	\الگوی هشدار
\GenericError	\الگوی خطأ
\global	\عام
\globaldefs	\تعاریف عام
\glossary	\الفت نامه
\glossaryentry	\فقره فرهنگ
\goodbreak	\خوش شکن
\graphpaper	\کاغذ گراف
\guillemotleft	\گیومه چپ
\guillemotright	\گیومه راست
\guilsinglleft	\گیومه تکی چپ
\guilsinglright	\گیومه تکی راست
\halign	\ردیف ا
\hang	\برو تو
\hangafter	\بعد از سطر
\hangindent	\تورفتگی ثابت
\hbadness	\بدنمایی ا
\hbox	\کادر ا
\headheight	\بلندای سر صفحه

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\headsep	\فاصله از سرصفحه
\headtoname	\سر به نام
\heartsuit	\دل
\height	\بلندی
\hfil	\پرا
\hfill	\پررا
\hfilneg	\رفع پرا
\hfuzz	\پر زافقی
\hideskip	\فاصله مخفی
\hidewidth	\عرض پنهان
\hline	\خط پر
\hoffset	\حاشیه
\holdinginserts	\حفظ درج
\hrboxsep	\فاصله اگرد
\hrule	\خطا
\rulefill	\پرخطا
\hsize	\طول سطر
\hskip	\فاصله
\hspace	\فضای
\hss	\هر دوا
\ht	\ارتفاع
\huge	\بزرگ
\Huge	\بزرگ تر
\hyperlink	\ابر پیوند
\hypersetup	\بارگذاری ابر
\hypertarget	\هدف ابر
\hyphenation	\تیره بندی
\hyphenchar	\نویسه تیره
\hyphenpenalty	\جریمه تیره بندی
\@ifclassloaded	@\ گر کلاس فراخوانی شده
\@ifdefinable	@\ گر ترشدنی
\@ifnextchar	@\ گر نویسه بعدی
\@ifpackageloaded	@\ گر سبک فراخوانی شده
\@ifstar	@\ گر ستاره
\@ifundefined	@\ گر تعریف نشده
\if	\اگر
\if@tempswa	\اگر @ سواقت آ
\ifcase	\اگر انواع
\ifcat	\اگر رد
\ifdefined	\اگر تعریف شده

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\ifdim	\اگر بعد
\ifeof	\اگرته پرونده
\iff	\اگر
\iffalse	\اگر نادرست
\IfFileExists	\اگر پرونده موجود
\ifhbox	\اگر کادرا
\ifhmode	\اگر حالت ا
\ifinner	\اگر درونی
\ifmmode	\اگر حالت ریاضی
\ifnum	\اگر عدد
\ifodd	\اگر فرد
\ifthenelse	\اگر آنگاه دیگر
\iftrue	\اگر درست
\ifvbox	\اگر کادرو
\ifvmode	\اگر حالت و
\ifvoid	\اگر تهی
\ifx	\اگر تام
\ignorespaces	\فاصله خالی راندیده بگیر
\immediate	\فوری
\include	\شامل
\includegraphics	\درج تصویر
\includeonly	\مشمولین
\indent	\تورفتگی
\index	\درنمايه
\indexentry	\استعلام
\indexname	\عنوان نمایه
\indexspace	\فاصله رهنما
\input	\ورودی
\InputIfFileExists	\ورود پرونده گرموجود
\inputlineno	\شماره سطر ورودی
\insert	\درج
\insertpenalties	\جریمه درج
\interfootnotelinepenalty	\جریمه بین سطرهای زیرنویس
\interdisplaylinepenalty	\جریمه بین سطرهای نمایش
\interlinepenalty	\جریمه بین سطرها
\intertext	\متن داخلی
\intertextsep	\فاصله شناور در متن
\invisible	\مخفي
\itdefault	\پيش فرض اي
\itshape	\شكلي ايتاليك

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\item	\فقره
\itemindent	\تورفتگی فقره
\itemsep	\فاصله فقره
\iterate	\تکرارکن
\itshape	\شکل ای
\jobname	\نام کار
\jot	\قلپ
\kern	\دوری
\kill	\الگو
\label	\برچسب
\labelenumi	\برچسب شمارش یک
\labelenumii	\برچسب شمارش دو
\labelenumiii	\برچسب شمارش سه
\labelenumiv	\برچسب شمارش چهار
\labelitemi	\برچسب فقره یک
\labelitemii	\برچسب فقره دو
\labelitemiii	\برچسب فقره سه
\labelitemiv	\برچسب فقره چهار
\labelsep	\فاصله از برچسب
\labelwidth	\پنهانی برچسب
\language	\زبان
\large	\درشت
\Large	\درشت تر
\LARGE	\درشت درشت
\lastbox	\آخرین کادر
\lastkern	\آخرین دوری
\lastpenalty	\آخرین جریمه
\lastskip	\آخرین فاصله
\LaTeX	\لاتک
\LaTeXe	\لاتک ای
\lccode	\اکدکوچک
\ldots	\نقاط خ
\leaders	\نشانگر
\leavevmode	\ترک و
\left	\چپ
\leftmargin	\حاشیه چپ
\leftmargini	\حاشیه چپ یک
\leftmarginii	\حاشیه چپ دو
\leftmarginiii	\حاشیه چپ سه
\leftmarginiv	\حاشیه چپ چهار

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\leftmarginv	\حاشیه چپ پنج
\leftmarginvi	\حاشیه چپ شش
\leftmark	\علامت چپ
\leftskip	\کادر تاچپ
\leftskip	\فاصله ابتدای سطر
\let	\بگذار
\line	\سطر
\linebreak	\سطر شکن
\linepenalty	\جریمه سطر
\lineskip	\فاصله سطرها
\lineskiplimit	\حد فاصله سطر
\linespread	\کشش فاصله سطر
\linethickness	\ضخامت خط
\linewidth	\پهنه ای سطر
\listfigurename	\عنوان فهرست اشکال
\listfiles	\لیست پرونده ها
\listoffigures	\فهرست اشکال
\listoftables	\فهرست جداول
\listparindent	\تورفتگی بند لیست
\listtablename	\عنوان فهرست جداول
\LoadClass	\بارگذار طبقه
\LoadClassWithOptions	\بارگذار طبقه باگزینه
\location	\مکان
\long	\بلند
\loop	\حلقه
\looseness	\گسیختگی
\lower	\انتقال پایین
\@makeother	\@دیگر
\@m	\@زار
\@M	\@زار
\@Mi	\@زاریک
\@Mii	\@زاردو
\@Miii	\@زارسه
\@Miv	\@زارچهار
\@MM	\یس@زار
\m@ne	\من@ا
\mag	\بزرگ نمایی
\magstep	\گام
\magstephalf	\نیم گام
\mainmatter	\مطلوب اصلی

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\makeatletter	\ات حرف
\makeatother	\ات دیگر
\makebox	\کادر بی خط
\makeglossary	\اساخت فرهنگ
\makeindex	\تهیه نمایه
\makelabel	\اساخت برچسب
\makelabels	\اساخت برچسب ها
\MakeLowercase	\اساخت حروف کوچک
\maketitle	\عنوان ساز
\MakeUppercase	\اساخت حروف بزرگ
\marginpar	\در حاشیه
\marginparpush	\فاصله دو حاشیه
\marginparsep	\فاصله تا حاشیه
\marginparwidth	\پهنه ای حاشیه
\mark	\علامت
\markboth	\علامت در دو طرف
\markright	\علامت در راست
\mathaccent	\عرب ریاضی
\mathchar	\نویسه ریاضی
\mathchardef	\تعریف نویسه ریاضی
\mathcode	\کد ریاضی
\mathrm	\ریاضی رومان
\maxdeadcycles	\حداکثر تکرار
\maxdepth	\حداکثر عمق صفحه
\maxdimen	\بعد بیشین
\mbox	\کادر بی
\mdseries	\شمایل نازک
\meaning	\معنا
\mediumseries	\نازک
\medmuskip	\فاصله متوسط ریاضی
\medskip	\پرش متوسط
\medskipamount	\مقدار پرش متوسط
\medspace	\فضای متوسط
\message	\پیام
\MessageBreak	\پیام شکن
\minrowclearance	\حداقل فاصله ردیف
\mkern	\دوری ریاضی
\month	\ماه
\moveleft	\انتقال بچپ
\moveright	\انتقال برآست

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\mskip	\فاصله‌ریاضی
\m@th	\ری@ضی
\multicolumn	\چندستونی
\multiply	\ضرب
\multispan	\چندادغام
\muskip	\میوفاصله
\muskipdef	\تعریف میوفاصله
\@namedef	\@ترنام
\@nameuse	\@کاربردنام
\@ne	\یک@
\name	\نام
\natural	\طبیعی
\nearrow	\باریک
\nearrower	\باریکتر
\NeedsTeXFormat	\اشکلبندی موردنیاز
\neg	\منفی
\negmedspace	\فضای متوسط منفی
\negthickspace	\فضای ضخیم منفی
\negthinspace	\دوری کوچک منفی
\newboolean	\بولی‌نو
\newbox	\کادر جدید
\newcommand	\فرمان‌نو
\newcount	\شمارجدید
\newcounter	\شمارنده‌جدید
\newdimen	\بعد‌جدید
\newenvironment	\محیط‌نو
\newfam	\اخانواده‌جدید
\newfont	\قلم‌نو
\newhelp	\اکمک‌جدید
\newif	\اگر‌جدید
\newinsert	\درج‌جدید
\newlabel	\برچسب‌جدید
\newlength	\تعریف‌بعد‌جدید
\newline	\اسطر‌جدید
\newlinechar	\نویسه‌سطر‌جدید
\newmuskip	\میوفاصله‌جدید
\newpage	\صفحه‌جدید
\newread	\بخوان‌جدید
\newsavebox	\تعریف‌کادر‌جدید
\newskip	\فاصله‌جدید

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\newtheorem	\قضیه جدید
\newtoks	\جزء جدید
\newwrite	\بنویس جدید
\noalign	\بی ردیف
\nobreak	\نشکن
\nobreakspace	\فاصله نشکستنی
\nocite	\ بدون سند
\noexpand	\انگستر
\nofiles	\ بدون پرونده
\noindent	\ بدون تورفتگی
\nointerlineskip	\بی فاصله سطر
\nolimits	\ بدون حد
\nolinebreak	\ سطرنشکن
\nonstopmode	\ پردازش بدون توقف
\nonfrenchspacing	\ فوacial متعارف لاتین
\nonumber	\ بدون شماره
\nopagebreak	\ صفحه نشکن
\normalbaselines	\ کرسیهای متعارف
\normalbaselineskip	\ فاصله کرسی متعارف
\normalcolor	\ رنگ عادی
\normalfont	\ قلم عادی
\normallineskip	\ فاصله سطر متعارف
\normallineskiplimit	\ احدهاصله سطر متعارف
\normalmarginpar	\ در حاشیه عادی
\normalsize	\ اندازه عادی
\notag	\ بدون اتیکت
\null	\ نول
\nullfont	\ قلم تهی
\number	\ عدد
\numberline	\ سطربعدی
\numberwithin	\ شماره مطابق
\@evenfoot	\ پایین صفحه زوج
\@evenhead	\ بالای صفحه زوج
\@oddfoot	\ پایین صفحه فرد
\@oddhead	\ بالای صفحه فرد
\@outeqntrue	\ شماره بیرون درست
\@outeqnfalset	\ شماره بیرون نادرست
\obeylines	\ سطربه سطر
\obeyspaces	\ فضاعمال
\oddsidemargin	\ حاشیه فرد

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\offinterlineskip	\اسطوربی فاصله
\omit	\حذف
\@onlypreamble	\@تهادر پیش درآمد
\onecolumn	\یک ستون
\onlynotes	\نهایاد داشت ها
\onlyslides	\نهای اسلاید ها
\openin	\باز کن ورودی
\openout	\باز کن خروجی
\OptionNotUsed	\گزینه مصرف نشده
\or	\یا
\outer	\برونی
\output	\صفحه بندی
\outputpenalty	\حریمه صفحه بندی
\overfullrule	\علامت سرریز
\@preamblecmds	\@فرمان های پیش درآمد
\p@	\پو
\PackageError	\خطای سبک
\PackageInfo	\اطلاع سبک
\PackageWarning	\هشدار سبک
\PackageWarningNoLine	\هشدار سبک بی سطر
\pagebreak	\صفحه شکن
\pagecolor	\رنگ صفحه
\pagedepth	\عمق صفحه
\pagefillstretch	\کشش پر ر صفحه
\pagefillstretch	\کشش پر ر صفحه
\pagefilstretch	\کشش پر صفحه
\pagegoal	\غايت صفحه
\pagename	\نام صفحه
\pagenumbering	\شماره گذاری صفحه
\pageref	\رجوع صفحه
\pagerulewidth	\ضخامت خط صفحه
\pageshrink	\فشردگی صفحه
\pagestretch	\کشش صفحه
\pagestyle	\سبک صفحه
\pagetotal	\جمع صفحه
\paperheight	\بلندای کاغذ
\paperwidth	\پهنای کاغذ
\par	\بند
\paragraph	\پاراگراف
\parallel	\موازی

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\parbox	\کادرپار
\parfillskip	\فاصله ته بند
\parindent	\تورفتگی سربند
\parsep	\فاصله بند لیست
\parshape	\شکل بند
\parskip	\فاصله بند
\part	\بخش
\partname	\عنوان بخش
\partopsep	\فاصله بالای لیست بند
\PassOptionToClass	\ارسال گزینه به کلاس
\PassOptionToPackage	\ارسال گزینه به پکیج
\path	\مسیر
\patterns	\الگوها
\pausing	\مکث
\penalty	\جریمه
\phantom	\غیب
\poptabs	\الگوی قبلی
\postdisplaypenalty	\جریمه پس نمایش
\predisplaydirection	\جهت پیش نمایش
\predisplaypenalty	\جریمه پیش نمایش
\predisplaysize	\اندازه پیش نمایش
\pretolerance	\پیش حد بدنمایی
\prevdepth	\عمق قبلی
\prevgraf	\بند قبلی
\printindex	\نمایه در اینجا
\ProcessOptions	\پردازش گزینه ها
\protect	\تامین
\providetcommand	\تهیه فرمان
\ProvidesClass	\آماده سازی طبقه
\ProvidesFile	\آماده سازی پرونده
\ProvidesPackage	\آماده سازی سبک
\pushtabs	\ثبت الگو
\quad	\کواد
\quad	\کوکواد
\@outputpagerestore	\@باز آبی خروج صفحه
\radical	\رادیکال
\raggedbottom	\پایین بی تنظیم
\raggedleft	\تنظيم از راست
\raggedright	\تنظيم از چپ
\raise	\انتقال بالا

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\raisebox	\بالابر
\raisetag	\ترفیع اتیکت
\rangleleft	\زاویه ر
\rceil	\سقف ر
\read	\بخوان
\ref	\رجوع
\reflectbox	\کادر قرینه
\refname	\عنوان مراجع
\refstepcounter	\گام شمارنده مرجع
\relax	\راحت
\removelastskip	\رفع آخرین فاصله
\renewcommand	\فرمان ازنو
\renewenvironment	\محیط ازنو
\repeat	\ازنو
\RequirePackage	\اسیک موردنیاز
\RequirePackageWithOptions	\اسیک موردنیاز با گزینه
\resizebox	\کادر کشیده
\reversemarginpar	\در راهشیه معکوس
\rfloor	\کفر
\right	\راست
\rightmargin	\حاشیه راست
\rightmark	\علامت راست
\rightpageskip	\کادر تاراست
\rightskip	\فاصله انتهای سطر
\rmdefault	\روم من عادی
\rmfamily	\فamilی رومن
\Roman	\روم من بزرگ
\roman	\روم من کوچک
\romannumeral	\اعد در رومی
\rotatebox	\کادر چرخان
\rowcolor	\رنگ ردیف
\rule	\خط
\@secondoftwo	\@ دومی از دو
\@spaces	\فضاها
\samepage	\همین صفحه
\savebox	\مقدار کادر
\sbox	\مقکادر
\scalebox	\کادر اندازه
\scdefault	\پیش فرض تمام بزرگ
\scshape	\شکل تمام بزرگ

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\scriptfont	\قلم _{توان}
\scriptscriptfont	\قلم _{توان توان}
\scriptscriptstyle	\سبک _{نه نوشته نوشته}
\scriptsize	\اندازه _{پانویس}
\scriptstyle	\سبک _{نه نوشته}
\scrollmode	\پردازش _{گذرنی}
\section	\قسمت
\secdef	\تعريف _{قسمت}
\see	\بینید
\seealso	\نیز _{بینید}
\seename	\نام _{بینید}
\selectfont	\قلم _{بردار}
\setboolean	\تنظیم _{بولی}
\setbox	\در _{کادر}
\setcounter	\مقدار _{شمارنده}
\setkeys	\مقدار _{کلیدها}
\setlength	\مقدار _{بعد}
\setminus	\تنظيم _{منها}
\SetSymbolFont	\تعريف _{قلم علائم}
\settodepth	\تنظيم _{به عمق}
\settoheight	\تنظيم _{به ارتفاع}
\settowidth	\مقدار _{بعد به اندازه}
\sfcode	\اکد _{ضریب فاصله}
\sfdefault	\پیش _{فرض سف}
\sffamily	\فamilی _{سن سریف}
\shadowbox	\کادر _{رسایه دار}
\sharp	\تیر
\shipout	\بفرست
\shortstack	\پشته _{کوتاه}
\show	\نمایش _{بده}
\showbox	\نمایش _{بده کادر}
\showboxbreadth	\میزان _{نمایش کادر}
\showboxdepth	\عمق _{نمایش کادر}
\showlists	\نمایش _{بده لیستها}
\showthe	\نمایش _{بده محتوا}
\simplefontmode	\حالت _{ساده قلم}
\sixt@n	@\شانزد
\skewchar	\نویسه _{اریب}
\skip	\فاصله
\skip@	@\فاصله

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\skipdef	\تعريف فاصله
\sl	\خوابیده
\sldefault	\پیش فرض خو
\slshape	\شكل خوابیده
\sloppy	\راحت چین
\slshape	\شمایل خو
\small	\کوچک
\smallskip	\پرش کوتاه
\smallskipamount	\مقدار پرش کوتاه
\smash	\کوب
\smile	\الخند
\snglfntlocatecode	\اگدمکان همانطور
\space	\فضا
\spacefactor	\اضریب فاصله
\spaceskip	\فاصله کلمات
\spadesuit	\پیک
\span	\ادغام
\special	\ویرژ
\splitmaxdepth	\حد اکثر عمق ستون
\splittopskip	\فاصله بالای ستون
\star	\ستاره
\stepcounter	\گام شمارنده
\stretch	\کشی
\string	\رشته
\strut	\شمع
\strutbox	\کادر شمع
\subitem	\زیربند
\subparagraph	\زیرپاراگراف
\subsection	\زیرقسمت
\substack	\زیرپشتہ
\subsubitem	\زیرزیربند
\subsubsection	\زیرزیرقسمت
\subset	\زیرمجموعه
\subsepeq	\زیرمجموعه مس
\supereject	\منتهای صفحه
\suppressfloats	\حذف مکان شناور
\@tempa	\@موقت آ
\@tempb	\@موقت ب
\@tempc	\@موقت پ
\@tempd	\@موقت ت

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\@tempe	موقت‌ث
\@tempboxa	کادرقت‌آ
\@tempcnta	شماقت‌آ
\@tempcntb	شماقت‌ب
\@tempdima	بعدقت‌آ
\@tempdimb	بعدقت‌ب
\@tempdimc	بعدقت‌پ
\@tempskipa	فاقت‌آ
\@tempskipb	فاقت‌ب
\@tempswafalse	سواقت آنادرست
\@tempswattrue	سواقت آدرس‌ت
\@temptokena	جزقت‌آ
\@thefnmark	انگ زیرنویس
\@thirdofthree	سومی ازسه
\tabbingsep	فاصله جاگذاری
\tabcolsep	فاصله بین ستونها
\tableofcontents	فهرست مطالب
\tablename	عنوان جدول
\tabskip	فاصله ستونها
\tabularnewline	ته سطر جدول
\tag	ایکت
\telephone	تلفن
\TeX	اتک
\text	متن
\textbullet	گلوله متنی
\textfont	قلم متن
\textemdash	ام دش متنی
\textendash	ان دش متنی
\textexclamdown	تعجب وارونه متنی
\textperiodcentered	نقطه وسط متنی
\textquestiondown	سؤال وارونه متنی
\textquotedblleft	نقل چپ متنی دول
\textquotedblright	نقل راست متنی دول
\textquoteright	نقل متنی چپ
\textvisiblespace	نقل متنی راست
\textbackslash	فضای نمایان متنی
\textbar	شکافت پشت متنی
\textgreater	امیله متنی
\textless	بزرگ تر متنی
	کمتر متنی

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\textbf	\متن سیاه
\textcircled	\مدور متنی
\textcolor	\رنگ متن
\textcompwordmark	\انسان کلمه مرکب متن
\textfloatsep	\فاصله متن و شناور
\textfraction	\نسبت متن
\textheight	\بلندای متن
\textindent	\متن تورفتہ
\textit	\متن ایتالیک
\textmd	\متن نازک
\textnormal	\متن نرمال
\textregistered	\ثبتی متنی
\textrm	\متن رومان
\textsc	\متن تمام بزرگ
\textsf	\متن سن سریف
\textsl	\متن خوابیده
\textstyle	\سیک متنی
\textsuperscript	\بالانویس متنی
\texttrademark	\علامت تجاری متنی
\texttt	\متن تایپ
\textup	\متن ایستاده
\textwidth	\پهناز متن
\thanks	\ازیرنویس عنوان
\the	\محتوای
\thempfn	\اين زيرنویس
\thicklines	\خط هاضخیم
\thickmuskip	\فاصله زياد ریاضی
\thinmuskip	\فاصله کم ریاضی
\thickspace	\فضاضخیم
\thinlines	\خط هانازک
\thinspace	\دوری کوچک
\thisfancypage	\اين صفحه تجملی
\thispagestyle	\سیک این صفحه
\thr@@	@\سه
\tilde	\مد
\tiny	\ظریف
\time	\زمان
\times	\ضرب در
\title	\عنوان
\to	\به

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\today	\امروز
\toks	\جزء
\toksdef	\تعريف جزء
\tolerance	\حدبدنمايی
\top	\بالا
\topfigrule	\خط بالاي شناور
\topfraction	\نسبت بالا
\topmargin	\حاشيه بالا
\topmark	\علامت بالا
\toppageskip	\کادر تابلا
\topsep	\فاصله بالاي ليست
\topskip	\فاصله بالا
\totalheight	\بلنداي کل
\tracingall	\ردگيري کل
\tracingcommands	\ردگيري فرامين
\tracinglostchars	\ردگيري حروف
\tracingmacros	\ردگيري ماکروها
\tracingonline	\ردگيري نمایشی
\tracingoutput	\ردگيري صفحه بندی
\tracingpages	\ردگيري صفحات
\tracingparagraphs	\ردگيري بندها
\tracingrestores	\ردگيري بازگردنی
\tracingstats	\ردگيري آمارها
\triangle	\مثلث
\ttdefault	\پيش فرض تاپ
\ttfamily	\فamil تاپ
\tw@	@\دو
\twocolumn	\دوستون
\typein	\درنويس
\typeout	\برنويس
\uccode	\كذبزرك
\uchyph	\تيره بندی بزرگ
\undefined	\تعريف نشده
\underline	\ازيرخط
\unhbox	\بي کادرا
\unhcopy	\بي کپي
\unitlength	\واحد طول
\unkern	\برگشت دورى
\unpenalty	\برگشت جريمہ
\unskip	\برگشت فاصله

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\unvbox	\بی کارو
\unvcopy	\بی کپی و
\updefault	\پیش فرض ایستاده
\upshape	\شکل ایستاده
\usebox	\از کار
\usecounter	\با شمارشگر
\usefont	\اگزینش قلم
\usepackage	\سیک لازم
\@vobeyspaces	\فضاهای فعال
\@void	\@ تهی
\vadjust	\تنظیم و
\valign	\ردیف و
\value	\محتوای شمارنده
\vbadness	\بد نمایی و
\vbox	\کارو
\vcenter	\کار رو سط
\verb	\همانطور
\vfil	\پرو
\vfill	\پر رو
\vfilneg	\رفع پرو
\vfuzz	\پر زعمودی
\visible	\نمایان
\vline	\خط عمود
\voffset	\حاشیه و
\voidb@x	\ک @ در تهی
\vpageref	\رجوع صفحه ع
\vrboxsep	\فاصله و گرد
\vref	\رجوع
\rule	\خط و
\vsiz	\طول صفحه
\vskip	\فاصله و
\vspace	\فضای و
\vsplit	\شکست و
\vss	\هر دو و
\vtop	\کار گردد
\wd	\عرض
\whiledo	\مادام بکن
\widehat	\کلاه پهن
\widetilde	\مد پهن
\widowpenalty	\جریمه تهند

Continued on next page

Command in TeX or L ^A T _E X	Equivalent Persian Command
\width	\پهنا
\wlog	\درکارنامه
\write	\بنویس
\@xobeysp	\فضای لاتین
\@xxxii	@\سی@دو
\xdef	\ترگ
\xleaders	\نشانگرگسترشی
\xspaceskip	\فاصله اضافی کلمات
\year	\سال
\z@	\فر
\z@skip	\فرافصله

Table 2: The Equivalent XePersian Commands

Command in XePersian	Equivalent Persian Command
\autofootnoterule	\خط زیرنویس خودکار
\AutoMathsDigits	\اعداد فرمولهای خودکار
\DefaultMathsDigits	\اعداد فرمولهای لاتین
\deflatinfont	\تعریف قلم لاتین
\defpersianfont	\تعریف قلم پارسی
\hboxL	\کادر اچپ
\hboxR	\کادر است
\keyval@eq@alias@key	\معادل @ کلید
\Latincite	\مرجع لاتین
\latinfont	\قلم لاتین
\latintoday	\امروز لاتین
\leftfootnoterule	\خط زیرنویس چپ
\lr	\امتن لاتین
\LRE	\چپ براست
\LTRdblcol	\دوسنونی چپ
\LTRfootnote	\پانویس
\LTRfootnotetext	\امتن پانویس
\LTRthanks	\پانویس عنوان
\persianday	\روز پارسی
\persianfont	\قلم پارسی
\PersianMathsDigits	\اعداد فرمولهای پارسی
\persianmonth	\ماه پارسی
\persianyear	\سال پارسی
\plq	\علامت چپ نقل قول پارسی
\prq	\علامت راست نقل قول پارسی

Continued on next page

Command in XePersian	Equivalent Persian Command
\rightfootnoterule	\خط‌زیرنویس‌راست
\rl	\متن‌پارسی
\RLE	\راست‌بچپ
\RTLdblcol	\دوسنونی‌راست
\RTLfootnote	\پانوشت
\RTLfootnotetext	\متن‌پانوشت
\RTLthanks	\پانوشت‌عنوان
\@SepMark	\@علامت‌بین
\SepMark	\علامت‌بین
\setdefaultbibitems	\بگذارم‌رجوعات‌عادی
\setdefaultmarginpar	\بگذارد‌رحاشیه‌عادی
\setdigitfont	\اگزینش‌قلم‌اعداد‌فرمولها
\setfootnoteLR	\بگذارزیرنویس‌چپ
\setfootnoteRL	\بگذارزیرنویس‌راست
\setlatintextfont	\اگزینش‌قلم‌لاتین‌متن
\setLTR	\بگذارم‌تن‌چپ
\setLTRbibitems	\بگذارم‌رجوعات‌چپ
\setLTRmarginpar	\بگذارد‌رحاشیه‌چپ
\setRTL	\بگذارم‌تن‌راست
\setRTLbibitems	\بگذارم‌رجوعات‌راست
\setRTLmarginpar	\بگذارد‌رحاشیه‌راست
\setttextfont	\اگزینش‌قلم‌متن
\textwidthfootnoterule	\خط‌زیرنویس‌پنهانی‌متن
\twocolumnstableofcontents	\فهرست‌مطالب‌دوستونی
\unsetfootnoteRL	\انگذارزیرنویس‌راست
\unsetLTR	\انگذارم‌تن‌چپ
\unsetRTL	\انگذارم‌تن‌راست
\vboxL	\کادر‌رواز‌چپ
\vboxR	\کادر‌رواز‌راست
\XeLaTeX	\ازی‌لاتک
\XePersian	\ازی‌پرشین
\xepersianversion	\اگونه‌زی‌پرشین
\xepersiandate	\تاریخ‌اگونه‌زی‌پرشین
\XeTeX	\ازی‌تک

Table 3: The Equivalent L^AT_EX Environments

Environment in L ^A T _E X	Equivalent Persian Environment
abstract	چکیده
appendix	پیوست
array	آرایه
center	وسط‌چین

Continued on next page

Environment in L^AT_EX Equivalent Persian Environment

description	توضیح
displaymath	ریاضی نمایشی
document	نوشتار
enumerate	شمارش
figure	شکل
figure*	* شکل
filecontents	محتوای پرونده
filecontents*	* محتوای پرونده*
flushleft	چپ چین
flushright	راست چین
itemize	فقرات
letter	نامه
list	لیست
longtable	جدول دراز
lrbox	کادر رج
math	ریاضی
matrix	ماتریس
minipage	صفحه کوچک
multicols	چند ستونی ها
multiline	چند خطی
note	یادداشت
overlay	ابداشت
picture	تصویر
quotation	اقتباس
quote	نقل
slide	اسلاید
sloppypar	پار نامرتب
split	شکافتن
subarray	زیر آرایه
tabbing	جاگذاری
table	لوح
table*	لوح*
tabular	جدول
tabular*	جدول*
thebibliography	مراجع
theindex	محتوای نمایه
titlepage	صفحه عنوان
trivlist	لیست بدروی
verbatim	همانطور که هست
verbatim*	* همانطور که هست

Continued on next page

Environment in L ^A T _E X	Equivalent Persian Environment
verse	شعر

Table 4: The Equivalent XePersian Environments

Environment in XePersian	Equivalent Persian Environment
latin	لاتین
LTR	متن چپ
LTRitems	دسته‌بندی چپ
persian	پارسی
RTL	متن راست
RTLitems	دسته‌بندی راست

Localisation of position arguments. Some environments like `tabular` and some commands like `\parbox` have an argument which specifies the position. Table [Table 5](#) shows their localisations.

Table 5: The Equivalent L^AT_EX position arguments

Position argument in L ^A T _E X	Equivalent Persian position argument
b	ز
c	و
C	س
h	ا
H	آ
J	ت
l	ج
L	ف
m	م
p	پ
P	ص
r	ر
R	ا
s	ک
t	ب

☞ There are two ps in [Table 5](#), first p and its Persian equivalent پ stand for paragraph (used in `tabular` and similar environments) and the second p and its Persian equivalent ص stand for page (used in float-like environments).

2.4.7 Localizations of the keys and key values of `graphicx` package

The equivalent Persian keys and key values of `graphicx` package is shown in [Table 6](#) and [Table 7](#) respectively.

Table 6: Persian Equivalent keys of `graphicx` package

Original Key	Equivalent Persian Key
draft	پیش‌نویس
origin	مبدأ
clip	بی‌اضافه
keepaspectratio	حفظ تناسب
natwidth	پهناهی طبیعی
natheight	بلندای طبیعی
bb	مختصات
viewport	محدوده نمایش
trim	حذف اطراف
angle	زاویه
width	پهنا
height	بلند
totalheight	بلندای کل
scale	ضریب
type	نوع
ext	پسوند
read	خواندنی
command	فرمان
x	طول
y	عرض
units	واحد

Table 7: Persian Equivalent key values of `graphicx` package

Original Key value	Equivalent Persian Key value
b	ز
B	ک
false	نادرست
l	ج
r	ر
t	ب
true	درست

2.4.8 Localizations of font features and font feature options

The equivalent Persian font features and font feature options is shown in [Table 8](#) and [Table 9](#) respectively.

Table 8: Persian Equivalent font features

Original font feature	Equivalent Persian font feature
ExternalLocation	مکان خارجی
ExternalLocation	مسیر
Renderer	تحویل‌دهنده
BoldFont	قلم سیاه

Continued on next page

Original font feature	Equivalent Persian font feature
Language	زبان
Script	خط
UprightFont	قلم عمودی
ItalicFont	قلم ایتالیک
BoldItalicFont	قلم ایتالیک سیاه
SlantedFont	قلم خوابیده
BoldSlantedFont	قلم خوابیده سیاه
SmallCapsFont	قلم کلاه کوچک
UprightFeatures	ویرگی های قلم عمودی
BoldFeatures	ویرگی های قلم سیاه
ItalicFeatures	ویرگی های قلم ایتالیک
BoldItalicFeatures	ویرگی های قلم ایتالیک سیاه
SlantedFeatures	ویرگی های قلم خوابیده
BoldSlantedFeatures	ویرگی های قلم خوابیده سیاه
SmallCapsFeatures	ویرگی های قلم کلاه کوچک
SizeFeatures	ویرگی های اندازه
Scale	ضریب
WordSpace	فضای کلمه
PunctuationSpace	فضای نقطه گذاری
FontAdjustment	تنظیم قلم
LetterSpace	فضای حرف
HyphenChar	نویسه تیره
Color	رنگ
Opacity	کدری
Mapping	نگاشت
Weight	سنگینی
Width	پهنا
OpticalSize	اندازه چشمی
FakeSlant	خوابیده تقلیبی
FakeStretch	کشش تقلیبی
FakeBold	سیاه تقلیبی
AutoFakeSlant	خوابیده تقلیبی خودکار
AutoFakeBold	سیاه تقلیبی خودکار
Ligatures	دویاچند حرف متصل به هم
Alternate	متناوب
Variant	گوناگون
Variant	مجموعه سبکی
CharacterVariant	گوناگونی نویسه
ScriptStyle	سبک اسکریپت
ScriptScriptStyle	سبک اسکریپت اسکریپت

Continued on next page

Original font feature	Equivalent Persian font feature
Style	سبک
Annotation	بادداشت
RawFeature	ویژگی‌های کال
CharacterWidth	پهنای نویسه
Numbers	ارقام
Contextuals	متñی
Diacritics	تفکیک کننده‌ها
Letters	حروف
Kerning	دوری
VerticalPosition	موقعیت عمودی
Fractions	كسر

Table 9: Persian Equivalent font feature options

font feature	font feature option	Persian font feature option
Language	Default	پیش‌فرض
Language	Parsi	پارسی
Script	Parsi	پارسی
Script	Latin	لاتین

2.5 A Sample Input TeX File

```

1 \documentclass{article}
2 \usepackage{xepersian}
3 \settextfont[XB Niloofar]
4 \title{یک سند نمونه}
5 \author{نام نویسنده}
6 \begin{document}
7 \maketitle
8 \tableofcontents
9 \part{عنوان بخش}
10 ...
11 \section{عنوان قسمت}
12 ...
13 \subsection{عنوان زیرقسمت}
14 ...
15 \subsubsection{عنوان زیر زیرقسمت}
16 ...
17 \end{document}

```

2.6 Font Commands

2.6.1 Basic Font Commands

```
\settextfont [Options] {\fontname}
\setlatintextfont [Options] {\fontname}
\setdigitfont [Options] {\fontname}
\setmathsf digitfont [Options] {\fontname}
\setmathtt digitfont [Options] {\fontname}
```

- ☞ Options in any font command in this documentation are anything that `fontspec` package provides as the option of loading fonts, except `Script` and `Mapping`.
- ☞ `\settextfont` will choose the default font for Persian texts of your document. If you do not use this command at all, the `Persian Modern`² font will be used for Persian texts of your document.
- ☞ `\setlatintextfont` will choose the font for Latin texts of your document. If you do not use this command at all, the default `TEX` font (fonts used in this documentation) will be used for Latin texts of your document.
- ☞ `\setdigitfont` will choose the Persian font for digits in math mode. By default, digits in math mode will appear in Persian form and if you do not use this command at all, the `Persian Modern` font for digits in math mode will be used.
- ☞ `\setmathsf digitfont` will choose the Persian font for digits in math mode inside `\mathsf`. By using this command, digits in math mode inside `\mathsf` will appear in Persian form and if you do not use this command at all, you will get default `TEX` font for digits in math mode inside `\mathsf` and digits appear in their original form (Western).
- ☞ `\setmathtt digitfont` will choose the Persian font for digits in math mode inside `\mathtt`. By using this command, digits in math mode inside `\mathtt` will appear in Persian form and if you do not use this command at all, you will get default `TEX` font for digits in math mode inside `\mathtt` and digits appear in their original form (Western).

2.6.2 Defining Extra Persian and Latin Fonts

```
\defpersianfont\CS [Options] {\fontname}
\deflatinfont\CS [Options] {\fontname}
```

- ☞ With `\defpersianfont`, you can define extra Persian fonts.

²You do not need to install `Persian Modern` fonts since they are already included in your TeX distribution.

```
\defpersianfont\Nastaliq[Scale=1]{IranNastaliq}
```

In this example, we define \Nastaliq to stand for IranNastaliq font.

- ☞ With \deflatinfont, you can define extra Latin fonts.

```
\deflatinfont\junicode[Scale=1]{Junicode}
```

In this example, we define \junicode to stand for Junicode font.

2.6.3 Choosing Persian Sans Font

```
\setpersiansansfont [Options] {\<font name>}  
\persiansffamily \textpersiansf{\<text>}
```

2.6.4 Choosing Persian Mono Font

```
\setpersianmonofont [Options] {\<font name>}  
\persianttfamily \textpersiantt{\<text>}
```

2.6.5 Choosing Persian Iranic Font

```
\setiranicfont [Options] {\<font name>}  
\iranicfamily \textiranic{\<text>}
```

2.6.6 Choosing Persian Navar Font

```
\setnavarfont [Options] {\<font name>}  
\navarfamilly \textnavar{\<text>}
```

2.6.7 Choosing Persian Pook Font

```
\setpookfont [Options] {\<font name>}  
\pookfamily \textpook{\<text>}
```

2.6.8 Choosing Persian Sayeh Font

```
\setsayehfont [Options] {\<font name>}  
\sayehfamily \textsayeh{\<text>}
```

2.6.9 Choosing Latin Sans Font

```
\setlatinsansfont [Options] {\<font name>}  
\sffamily \textsf{\<text>}
```

2.6.10 Choosing Latin Mono Font

```
\setlatinmonofont [Options] {\<font name>}  
\ttfamily \texttt{\<text>}
```

3 Latin and Persian Environment

```
\begin{latin} <text> \end{latin}  
\begin{persian} <text> \end{persian}
```

☞ latin environment both changes direction of the paragraphs to LTR and font to Latin font.

 `\begin{persian}` environment both changes direction of the Paragraphs to RTL and font to Persian font.

3.1 `latinitems` and `parsiitems` environments

```
\begin{latinitems}
  \item <text>
  ...
\end{latinitems}
```

 `latinitems` environment is similar to `LTRItems` environment but changes the font to Latin font.

```
\begin{parsiitems}
  \item <text>
  ...
\end{parsiitems}
```

 `parsiitems` environment is similar to `RTLItems` environment but changes the font to Persian font.

3.2 Short Latin and Persian Texts

```
\lr{<text>} \rl{<text>}
```

 With `\lr` command, you can typeset short LTR texts.

 With `\rl` command, you can typeset short RTL texts.

3.3 Miscellaneous Commands

```
\persianyear \persianmonth \persianday
\today \latintoday \twocolumnstableofcontents \XePersian
\plq \prq
```

 `\persianyear` is Persian equivalent of `\year`.

 `\persianmonth` is Persian equivalent of `\month`.

 `\persianday` is Persian equivalent of `\day`.

 `\today` typesets current Persian date and `\latintoday` typesets current Latin date.

 `\twocolumnstableofcontents` typesets table of contents in two columns. This requires that you have loaded `multicol` package before `XePersian` package, otherwise an error will be issued.

- ☞ \XePersian typesets XePersian's logo.
- ☞ \plq and \prq typeset Persian left quote and Persian right quote respectively.

3.4 New Commands

\Latincite

- ☞ \Latincite functions exactly like \cite command with only one difference; the reference to biblabel item is printed in Latin font in the text.

3.5 Additional Counters

XePersian defines several additional counters to what already L^AT_EX offers. These counters are **harfi**, **adadi**, and **tartibi**. In addition, the following commands are also provided:

\harfinumeral{\langle integer\rangle} \adadinumeral{\langle integer\rangle} \tartibinumeral{\langle integer\rangle}

- ☞ The range of **harfi** counter is integers between 1 and 32 (number of the Persian alphabets) and **adadi** and **tartibi** counters, are integers between 0 and 999,999,999.
- ☞ For **harfi** counter, if you give an integer bigger than 32 or a negative integer (if you give integer 0, it returns nothing), then you get error and for **adadi** and **tartibi** counters, if you give an integer bigger than 999,999,999, then you get an error message.
- ☞ For **adadi** and **tartibi** counters, if you give an integer less than 0 (a negative integer), then **adadi** and **tartibi** counters return **adadi** and **tartibi** form of the integer 0, respectively.
- ☞ \harfinumeral returns the **harfi** form of $\langle integer \rangle$, where $1 \leq \langle integer \rangle \leq 32$ and \adadinumeral, and \tartibinumeral return **adadi**, and **tartibi** form of $\langle integer \rangle$ respectively, where $0 \leq \langle integer \rangle \leq 999,999,999$.

3.6 Things To Know About \setdigitfont, \setmathsf digitfont, and \setmathtt digitfont

\DefaultMathsDigits \PersianMathsDigits \AutoMathsDigits

- ☞ As we discussed before, \setdigitfont will choose the Persian font for digits in math mode. By default, digits in math mode will appear in Persian form and if you do not use this command at all, the Persian Modern font for digits in math mode will be used.

☞ As we discussed before, `\setmathsf digitfont`, and `\setmathtt digitfont` will choose the Persian sans serif and typewriter fonts for digits in math mode. By using this command, digits in math mode will appear in Persian form and if you do not use this command at all, you will get default TeX font for digits in math mode and digits appear in their original form (Western).

If you use `\setdigitfont`, `\setmathsf digitfont`, and `\setmathtt digitfont`, then you should know that:

- ☞ By default, `\AutoMathsDigits` is active, which means that in Persian mode, you get Persian digits in math mode and in Latin mode, you get TeX's default font and digits in math mode.
- ☞ If you use `\PersianMathsDigits` anywhere, you will overwrite XePersian's default behaviour and you will always get Persian digits in math mode.
- ☞ If you use `\DefaultMathsDigits` anywhere, again you will overwrite XePersian's default behaviour and you will always get TeX's default font and digits in math mode.

4 New Conditionals

4.1 Shell escape (or write18) conditional

```
\ifwritexviii
    <material when Shell escape (or write18) is enabled>
\else
    <material when Shell escape (or write18) is not enabled>
\fi
```

5 Bilingual Captions

XePersian sets caption bilingually. This means if you are in RTL mode, you get Persian caption and if you are in LTR mode, you get English caption.

5.1 Support For Various Packages

In addition to what `bidi` package supports, XePersian also support a few packages. This support is more about language aspect rather than directionality. These packages are `algorithmic`, `algorithm`, `enumerate`, and `backref` packages.

5.1.1 Things You Should Know about Support For `enumerate` Package

The `enumerate` package gives the `enumerate` environment an optional argument which determines the style in which the counter is printed.

An occurrence of one of the tokens `A`, `a`, `I`, `i`, or `1` produces the value of the counter printed with (respectively) `\Alph`, `\alph`, `\Roman`, `\roman` or `\arabic`.

In addition with the extra support that XePersian provides, an occurrence of one of the tokens `l`, `س`, or `ت` produces the value of the counter printed with (respectively) `\harfi`, `\adadi`, or `\tartibi`.

These letters may be surrounded by any strings involving any other \TeX expressions, however the tokens `A`, `a`, `I`, `i`, `1`, `l`, `س`, `ت` must be inside a `{}` group if they are not to be taken as special.

To see an Example, please look at `enumerate` package documentation.

5.2 Index Generation

For generating index, you are advised to use `xindy` program, any other program such as `makeindex` is not recommended.

5.3 Converting Your Farsi \TeX Files To XePersian or Unicode

There is a python program written by Mostafa Vahedi that enables you to convert Farsi \TeX files to XePersian or unicode. This program can be found in `doc` folder with the name `ftxe-0.12.py`. To convert your Farsi \TeX files to XePersian, put `ftxe-0.12.py` in the same directory that your Farsi \TeX file is, and then open a terminal/command prompt and do the following:

```
python ftxe-0.12.py file.ftx file.tex
```

This will convert your `file.ftx` (Farsi \TeX file) to `file.tex` (XePersian file).

The general syntax of using the python script is as follow:

```
python ftxe-0.12.py [-r] [-s] [-x] [-u] input-filename1 input-filename2
```

Where

`-r` (DEFAULT) recursively consider files included in the given files

`-s` do not recursively consider files

`-x` (DEFAULT) insert XePersian related commands

`-u` only convert to unicode (and not to XePersian)

Please note that the python script will not work with versions of python later than 2.6. So you are encouraged to use version 2.6 of python to benefit from this python script.

6 Extra Packages And Classes

6.1 Magazine Typesetting

6.1.1 Introduction

`xepersian-magazine` class allows you to create magazines, newspapers and any other types of papers. The output document has a front page and as many inner pages as desired. Articles appear one after another, telling the type, number of columns, heading, subheading, images, author and so forth. It is possible to change the aspect of (almost) everything therefore it is highly customisable. Commands to add different titles, headings and footers are also provided.

6.1.2 Usage

To create³ a magazine just load the class as usual⁴, with

```
\documentclass [Options] {xepersian-magazine}
```

at the beginning of your source file. The class options are described in [subsubsection 6.1.12](#).

From this point it is possible to include packages and renew class commands described in [subsubsection 6.1.9](#).

6.1.3 Front Page

As every magazine, `xepersian-magazine` has its own front page. It includes main headings, an index, the magazine logo and other useful information. This environment should be the first you use within `xepersian-magazine` class but it is not mandatory.

```
\firstimage \firstarticle
```

The first two commands you can use inside the `frontpage` environment are `\firstimage` and `\firstarticle` which include, respectively, the main image and the main heading in the front page. The first one takes two arguments `(image)` and `(description)`. Notice that second argument is optional and it declares the image caption; `(image)` defines the relative path to the image. In order to include the first piece of article use

³For a sample file, please look at `magazine-sample.tex` in the `doc` folder

⁴You also need to load `graphicx`, `xunicode` and `xepersian` packages respectively, after loading the document class and choose fonts for the main text, Latin text and digits in maths formulas. For more detail see [section 2](#) of the documentation.

```
\firstarticle{\langle title\rangle}{\langle opening\rangle}{\langle time\rangle}
```

first two arguments are mandatory and represent heading and the opening paragraph. Last argument is optional (you can leave it blank) and indicates the time when article happened.

```
\secondarticle
```

The second piece of article is included using the command `\secondarticle` just as the first article. The main difference are that this second piece has two more arguments and it does not include an image.

```
\secondarticle{\langle title\rangle}{\langle subtitle\rangle}{\langle opening\rangle}{\langle pagesof\rangle}{\langle time\rangle}
```

The new arguments `\langle subtitle\rangle` and `\langle pagesof\rangle` define a subtitle and the name of the section for this piece of article.

```
\thirdarticle
```

The third piece of article is the last one in the `xepersian-magazine` front page. It works like the `\secondarticle`.

```
\thirdarticle{\langle title\rangle}{\langle subtitle\rangle}{\langle opening\rangle}{\langle pagesof\rangle}{\langle time\rangle}
```

The arguments meaning is the same as `\secondarticle` command.

The front page includes three information blocks besides the news: `indexblock` which contains the index, `authorblock` which includes information about the author and a `weatherblock` containing a weather forecast. All these three environments are mostly a frame in the front page therefore they can be redefined to fit your personal wishes but I kept them to give an example and to respec the original `xepersian-magazine` format.

```
\indexitem
```

The `indexblock` environment contains a manually editted index of `xepersian-magazine`. It takes one optional argument `\langle title\rangle` and places a title over the index block. To add entries inside the index just type

```
\indexitem{\langle title\rangle}{\langle reference\rangle}
```

inside the environment. The `\langle title\rangle` is the index entry text and the `\langle reference\rangle` points to a article inside `xepersian-magazine`. It will be more clear when you read [subsubsection 6.1.4](#). In order to get a correct output, it is necessary to leave a blank line between index items.

The `authorblock` environment can include whatever you would like. I called it `authorblock` because I think it is nice to include some author reference in the

front page: who you are, why are you doing this... This environment creates a frame box in the bottom right corner of the front page with your own logo at the top.

```
\weatheritem
```

Finally, the **weatherblock** lets you include a weather forecast. It takes one optional argument $\langle title \rangle$ that places a title over the weather block. It can fit up to three weather icons with maximum and minimum temperatures, description and name. To add each of the weather entries type the following

```
\weatheritem{\langle image \rangle}{\langle day-name \rangle}{\langle max \rangle}{\langle min \rangle}{\langle short-des \rangle}
```

The first argument includes the path to the weather icon (i.e. sunny or rainy), $\langle day-name \rangle$ like Monday, $\langle max \rangle$ and $\langle min \rangle$ are the highest and lowest day temperatures and $\langle short-des \rangle$ is a brief description of the weather condition: partly cloudy, sunny and windy ...

6.1.4 Inside

Once we have created the front page we should include all articles inside our magazine. **xepersian-magazine** arranges all articles one after each other, expanding headings all over the page and splitting the article text in the number of columns we wish. There are three different environments to define a piece of article: the **article** environment described in [subsubsection 6.1.5](#), the **editorial** environment [subsubsection 6.1.6](#) for opinion articles and the **shortarticle** environment explained in [subsubsection 6.1.7](#).

6.1.5 The article environment

The main environment to include a piece of article is called **article**. It takes four arguments that set up the headings and structure of the article.

```
\begin{article}{\langle num-of-columns \rangle}{\langle title \rangle}{\langle subtitle \rangle}{\langle pagesof \rangle}{\langle label \rangle}
...{\langle text \rangle}...
\end{article}
```

The first argument $\langle num-of-columns \rangle$ sets the number of columns the article will be divided whereas $\langle label \rangle$ is used when pointing an article from the index in the front page. The rest of the arguments are easy to understand.

Inside the **article** environment, besides the main text of the article, it is possible to include additional information using several class commands.

```
\authorandplace \timestamp
```

The `\authorandplace{<author>}{<place>}` inserts the name of the editor and the place where the article happened in the way many magazines do. Another useful command is `\timestamp{<time>}` which includes the time and a separator just before the text. These two commands should be used before the text because they type the text as the same place they are executed.

```
\image
```

To include images within the text of an article, `xepersian-magazine` provides an `\image` command. Since `multicol` package does not provide any float support for its `multicols` environment, I created a macro that includes an image only if that is possible, calculating if there is enough space for the image. It is not the best solution but it works quite well and I could not find a better one. To include an image use the command and its two arguments: the relative path to the image and a short description.

```
\image{<image>}{<description>}
```

```
\columntitle \expandedtitle
```

Within the text of the article, it is possible to add column and expanded titles. The main difference between them is that the first one keeps inside the width of an article column whereas the second expands all over the width of the page, breaking all the columns. Their use is analogous, as follows

```
\columntitle{<type>}{<text>}\expandedtitle{<type>}{<text>}
```

These two commands use `fancybox` package features. That is why there are five different types of titles which correspond mainly with fancybox ones: `shadowbox`, `doublebox`, `ovalbox`, `Ovalbox` and `lines`.

6.1.6 The editorial environment

In addition to the editorial article environment, one can use the editorial environment to create editorial or opinion texts. The main feature is that it transforms the style of the heading. Although this environment accepts all the commands article takes, it does not make any sense to use the `\authorandplace` command within it since it includes an author argument. To create an editorial text use

```
\begin{editorial}{<num-of-columns>}{<title>}{<author>}{<label>}
...<text>...
\end{editorial}
```

All arguments have the same meaning as article environment (see [subsubsection 6.1.5](#)).

6.1.7 The shortarticle environment

The shortarticle environment creates a block of short article. Although it has its own title and subtitle, each piece of article within it may have a title. To use it just type:

```
\begin{shortarticle}{<num-of-columns>}{<title>}{<subtitle>}{<label>}
...<text>...
\shortarticleitem{<title>}{<text>}
...
\end{shortarticle}
```

You can also specify the number of columns of the block like editorial and article environments. To add a piece of article inside the shortarticle use the `\shortarticleitem`, indicating a title and the text of the issue.

6.1.8 Commands between articles

```
\articlesep \newsection
```

There are two commands you can use among the articles inside `xepersian-magazine`: `\articlesep` and `\newsection`. The first one does not take any parameter and just draws a line between two articles. The second changes the content of `\xepersian@section` to the new `<section name>`. From the point it is used, all articles which follow will be grouped within the new section.

```
\newsection{<section name>}
```

6.1.9 Customization

`xepersian-magazine` includes many commands which can be used to customize its aspect, from the front page to the last page. I will list them grouped so it is easy to find them. Treat them as standard L^AT_EX commands, using `\renewcommand` to change their behaviour.

6.1.10 Front Page

```
\customlogo \customminilogo \custommagazinename
```

When creating a magazine, everyone wants to show its own logo instead of `xepersian-magazine` default heading. To achieve this, you need to put the following

command at the preamble of your document:

```
\customlogo{\text}  
\customminilogo{\text}  
\custommagazinename{\text}
```

```
\edition \editionformat
```

The edition text has to be declared in the preamble of the document. One important thing to know is that `\author`, `\date` and `\title` have no effect inside `xepersian-magazine` since the magazine date is taken from `\today` command and the other two are only for the title page (if using `\maketitle`).

```
\indexFormat \indexEntryFormat \indexEntryPageTxt  
\indexEntryPageFormat \indexEntrySeparator
```

When defining the index in the front page, there are several commands to customize the final index style. `\indexFormat` sets the format of the title; `\indexEntryFormat`, the format of each index entry; `\indexEntryPageTxt` and `\indexEntryPageFormat` lets you define which is the text that goes with the page number and its format. Finally, `xepersian-magazine` creates a thin line between index entries, you can redefine it using `\indexEntrySeparator`. To get the index with `\xepersian@indexwidth` is provided.

```
\weatherFormat \weatherTempFormat \weatherUnits
```

Relating to the weather block, the title format can be changed redefining `\weatherFormat`. In order to customize the format of the temperature numbers and their units it is necessary to redefine `\weatherTempFormat` and `\weatherUnits` respectively.

```
\*TitleFormat \*SubtitleFormat \*TextFormat
```

The main article that appear in the front page can change their formats. To obtain that there are three standard commands to modify the title, subtitle and text style. You just have to replace the star (*) with first, second or third depending on which article you are editing. Note that first piece of article has no subtitle therefore it does not make any sense to use the non-existent command `\firstSubtitleFormat`.

```
\pictureCaptionFormat \pagesFormat
```

Two other elements to configure are the picture captions and the pages or section format in the entire document. To proceed just redefine the macros `\pictureCaptionFormat` and `\pagesFormat`.

6.1.11 Inside The Magazine

```
\innerTitleFormat \innerSubtitleFormat \innerAuthorFormat  
\innerPlaceFormat
```

The articles inside `xepersian-magazine` may have a different format from the ones in the front page. To change their title or subtitle format redefine `\innerTitleFormat` and `\innerSubtitleFormat`. The article text format matches the document general definition. When using the `\authorandplace` command, you might want to change the default style. Just renew `\innerAuthorFormat` and `\innerPlaceFormat` to get the results.

```
\timestampTxt \timestampSeparator \timestampFormat
```

The `\timestamp` command described in [subsubsection 6.1.5](#) lets you introduce the time of the event before the article text. You can configure its appearance by altering several commands: `\timestampTxt` which means the text after the timestamp; `\timestampSeparator` which defines the element between the actual timestamp and the beginning of the text and, finally, `\timestampFormat` to change the entire timestamp format.

```
\innerTextFinalMark
```

`xepersian-magazine` puts a small black square at the end of the article. As I wanted to create a highly customizable L^AT_EX class I added the macro `\innerTextFinalMark` to change this black square. This item will appear always following the last character of the text with the~ character.

```
\minraggedcols \raggedFormat
```

The `\minraggedcols` counter is used to tell `xepersian-magazine` when article text should be ragged instead of justified. The counter represents the minimum number of columns that are needed in order to use ragged texts. For example, if `\minraggedcols` is set to 3, all articles with 3 columns or more will be ragged. Articles with 1, 2 columns will have justified text. By default, `\minraggedcols` is set to 4.

The `\raggedFormat` macro can be redefined to fit user ragged style. Default value is `\RaggedLeft`.

```
\heading \foot
```

`xepersian-magazine` includes package `fancyhdr` for changing headings and footers. Although it is possible to use its own commands to modify `xepersian-magazine` style, there are two commands to change headings and foot appearance. Place them in the preamble of your `xepersian-magazine` document.

```
\heading{\{left\}\{\{center\}\}\{\{right\}\}}
\foot{\{left\}\{\{center\}\}\{\{right\}\}}
```

If you still prefer to use fancyhdr macros, use them after the `frontpage` environment.

`xepersian-magazine` by default places no headers and footers. If you want headers and footers, then after loading `xepersian` package, you should write `\pagestyle{fancy}` at the preamble of your document.

6.1.12 Class Options

The `xepersian-magazine` class is in itself an alteration of the standard `article` class, thus it inherits most of its class options but `twoside`, `twocolumn`, `notitlepage` and `a4paper`. If you find problems when loading other article features, please let me know to fix it. There are also five own options that `xepersian-magazine` implements.

a3paper (false) This option makes `xepersian-magazine` 297 mm width by 420 mm height. This option is implemented because the standard `article` class does not allow this document size.

9pt (false) Allows the 9pt font size that `article` class does not include (default is 10pt).

columnlines columnlines (false) Adds lines between columns in the entire `xepersian-magazine`. The default line width is 0.1pt but it is possible to change this by setting length `\columnlines` in the preamble.

showgrid (false) This option is only for developing purposes. Because the front page has a personal design using the `textpos` package, I created this grid to make easier the lay out.

6.2 Typesetting Multiple-choice Questions

6.2.1 Introduction

`xepersian-multiplechoice` is a package for making multiple choices questionnaires under L^AT_EX. A special environment allows you to define questions and possible answers. You can specify which answers are correct and which are not. `xepersian-multiplechoice` not only formats the questions for you, but also generates a “form” (a grid that your students will have to fill in), and a “mask” (the same grid, only with correct answers properly checked in). You can then print the mask on a slide and correct the questionnaires more easily by superimposing the mask on top of students’ forms.

6.2.2 Usage

Here we now explain the usage of this package, however there are four example files, namely `test-question-only.tex`, `test-solution-form.tex`, `test-empty-form.tex` and `test-correction.tex`, available in doc folder that you may want to look at.

6.2.3 Loading The Package

You can load the package as usual by:

```
\usepackage [Options] {xepersian-multiplechoice}
```

The available options are described along the text, where appropriate.

6.2.4 Creating Questions

Here's a simple example demonstrating how to produce a new question:

```
1 \begin{question}{سؤال}
2 \false ١ جواب
3 \true ٢ جواب
4 \false ٣ جواب
5 \false ٤ جواب
6 \end{question}
7 \begin{correction}
8 جواب واقعی و علت اینکه این جواب، جواب واقعی هست
9 \end{correction}
```

6.2.5 The question Environment

The `question` environment allows you to insert questions into your document. It takes one mandatory argument which specifies the actual question's text. The question will be displayed in a frame box, the size of the line.

```
\true \false
```

The proposed answers are displayed below the question in a list fashion (the question environment is a list-based one). Instead of using `\item` however, use either `\true` or `\false` to insert a possible answer.

6.2.6 Question Numbers

The `question` environment is associated with a L^AT_EX counter named `question`. This counter stores the number of the next (or current) question. It is initialized to 1, and automatically incremented at the end of `question` environments. You might want to use it to format question titles. For instance, you could decide that each question belongs to a subsection in the `article` class, and use something like this before each question: `\subsection*{Question \thequestion}`

6.2.7 The Form and the Mask

```
\makeform \makemask
```

Based on the questions appearing in your document, `xepersian-multiplechoice` has the ability to generate a “form” (a grid that your students will have to fill in), and a “mask” (the same grid, only with correct answers properly checked in). This can make the correction process easier.

To generate a form and a mask, use the macros `\makeform` and `\makemask`. `xepersian-multiplechoice` uses two auxiliary files to build them. These files have respectively an extension of `frm` and `msk`. If you use these macros, you will need two passes of L^AT_EX in order to get a correctly formatted document.

6.2.8 Typesetting corrections

The “correction” mode allows you to automatically typeset and distribute corrections to your students. These corrections are slightly modified versions of your questionnaire: each possible answer is prefixed with a small symbol (a visual clue) indicating whether the answer was correct or wrong. In addition, you can typeset explanations below each question.

To activate the correction mode, use the `correction` option. It is off by default.

To typeset explanations below the questions, use the `correction` environment (no argument). The contents of this environment is displayed only in correction mode. In normal mode, it is simply discarded.

In addition, note that `xepersian-multiplechoice` cancels the actions performed by `\makeform` and `\makemask` in `correction` mode. This is to avoid further edition of the source when typesetting a correction.

6.2.9 Important Note

Currently, `xepersian-multiplechoice` requires that you provide a constant number of proposed answers across all questions in your `xepersian-multiplechoice`. This is something natural when you want to build forms, but this might me too restrictive otherwise, I’m not sure, so it is possible that this restriction will be removed in future versions.

Currently, there is a built-in mechanism for checking that the number of proposed answers remains constant: when `xepersian-multiplechoice` encounters the first occurrence of the `question` environment, it remembers the number of proposed answers from there. Afterwards, any noticed difference in subsequent occurrences will generate an error. As a consequence, you never have to tell `xepersian-multiplechoice` explicitly what that number is.

6.3 Customising The Package

6.3.1 The question environment

```
\questionspace \answerstitlefont \answersnumberfont
```

\questionspace is the amount of extra vertical space to put under the question, before the list of proposed answers. This is a L^AT_EX length that defaults to 0pt.

Before the list of possible answers, a short title is displayed (for English, it reads “Possible answers:”). The \answerstitlefont macro takes one mandatory argument which redefines the font to use for the answers title. By default, \bfseries is used.

Each proposed answer in the list is numbered automatically (and alphabetically). The \answersnumberfont macro takes one mandatory argument which redefines the font to use for displaying the answer number. By default, \bfseries is used.

6.3.2 The Form and the Mask

```
\headerfont \X
```

The \headerfont macro takes one mandatory argument which redefines the font to use for the headers (first line and first column) of the form and mask arrays. By default, \bfseries is used.

In the mask, correct answers are checked in by filling the corresponding cell with an “X” character. If you want to change this, call the \X macro with one (mandatory) argument.

6.3.3 The correction

```
\truesymbol \falsesymbol
```

In correction mode, labels in front of answers are modified to give a visual clue about whether the answer was correct or wrong. By default, a cross and a small arrow are used. You can change these symbols by using the \truesymbol and

\falsesymbol macros. For instance, you could give a fancier look to your correction by using the pifont package and issuing:

```
\truesymbol{\ding{'063}~}
\falsesymbol{\ding{'067}~}
```

```
\correctionstyle
```

The appearance of the contents of the correction environment can be adjusted by using the \correctionstyle macro. By default, \itshape is used.

7 **xepersian** implementation

7.1 **algorithmic-xepersian.def**

```
1 \ProvidesFile{algorithmic-xepersian.def}[2010/07/25 v0.2 adaptations for algorithmic package]
2 \def\algorithmicrequire{\if@RTL\textrm{bf}{ }:\else\textrm{bf}{\textrm{Require}:}\fi}
3 \def\algorithmicensure{\if@RTL\textrm{bf}{ }:\else\textrm{bf}{\textrm{Ensure}:}\fi}
```

7.2 **algorithm-xepersian.def**

```
4 \ProvidesFile{algorithm-xepersian.def}[2010/07/25 v0.2 adaptations for algorithm package]
5 \def\ALG@name{\if@RTL else\Algorithm\fi}
6 \def\ALGS@name{ }
7 \def\listalgorithname{\if@RTL \ALGS@name\else List of \ALG@name s\fi}
```

7.3 **amsart-xepersian.def**

```
8 \ProvidesFile{amsart-xepersian.def}[2013/04/26 v0.3 adaptations for amsart class]
9 \renewcommand \theprt {\@startibi\c@part}
10 \def\appendix{\par\c@section\z@\c@subsection\z@
11   \let\sectionname\appendixname
12   \def\thesection{\@harfi\c@section}}
13
14 \long\def\@footnotetext#1{%
15   \insert\footins{%
16     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
17     \normalfont\footnotesize
18     \interlinepenalty\interfootnotelinepenalty
19     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
20     \floatingpenalty\@MM \hsize\columnwidth
21     \@parboxrestore \parindent\normalparindent \sloppy
22     \protected@edef\@currentlabel{%
23       \csname p@footnote\endcsname\@thefnmark}%
24     \@makefntext{%
25       \rule{z@\footnotesep\ignorespaces\if@RTL@footnote#1\else\latinfont#1\fi\unskip\strut\par}}%
26
27
28
29
30
31 \long\def\@RTLfootnotetext#1{%
32   \insert\footins{%
33     \@RTLtrue%
34     \normalfont\footnotesize
35     \interlinepenalty\interfootnotelinepenalty
36     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
37     \floatingpenalty\@MM \hsize\columnwidth
38     \@parboxrestore \parindent\normalparindent \sloppy
39     \protected@edef\@currentlabel{%
40       \csname p@footnote\endcsname\@thefnmark}%
41     \@makefntext{%
```

```

42   \rule{z@\footnotesep\ignorespaces\persianfont #1\unskip\strut\par}}}
43
44
45
46
47
48
49
50 \long\def\@LTRfootnotetext#1{%
51   \insert\footins{%
52     \ifRTLfalse%
53       \normalfont\footnotesize
54       \interlinepenalty\interfootnotelinepenalty
55       \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
56       \floatingpenalty\@MM \hsize\columnwidth
57       \parboxrestore \parindent\normalparindent \sloppy
58       \protected@edef\@currentlabel{%
59         \csname p@footnote\endcsname\@thefnmark}%
60       \makefntext{%
61         \rule{z@\footnotesep\ignorespaces\latinfont #1\unskip\strut\par}}}
62
63
64 \footdir@temp\footdir@ORG@xepersian@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}{%
65 \footdir@temp\footdir@ORG@xepersian@amsart@RTLfootnotetext\@RTLfootnotetext{R}}%
66 \footdir@temp\footdir@ORG@xepersian@amsart@LTRfootnotetext\@LTRfootnotetext{L}}%
67

```

7.4 amsbook-xepersian.def

```

68 \ProvidesFile{amsbook-xepersian.def}[2013/04/26 v0.4 adaptations for amsbook class]
69 \def\frontmatter{\cleardoublepage\pagenumbering{harfi}}
70 \renewcommand \thechapter {\@startbibi\c@part}
71 \def\appendix{\par
72   \c@chapter\z@\c@section\z@
73   \let\chaptername\appendixname
74   \def\thechapter{\@charfi\c@chapter}}
75
76 \long\def\@footnotetext#1{%
77   \insert\footins{%
78     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
79     \normalfont\footnotesize
80     \interlinepenalty\interfootnotelinepenalty
81     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
82     \floatingpenalty\@MM \hsize\columnwidth
83     \parboxrestore \parindent\normalparindent \sloppy
84     \protected@edef\@currentlabel{%
85       \csname p@footnote\endcsname\@thefnmark}%
86     \makefntext{%
87       \rule{z@\footnotesep\ignorespaces\if@RTL@footnote#1\else\latinfont#1\fi\unskip\strut\par}}}
88

```

```

89
90
91
92
93 \long\def\@RTLfootnotetext#1{%
94   \insert\footins{%
95     \@RTLtrue%
96     \normalfont\footnotesize
97     \interlinepenalty\interfootnotelinepenalty
98     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
99     \floatingpenalty\@MM \hsize\columnwidth
100    \parboxrestore \parindent\normalparindent \sloppy
101    \protected@edef\@currentlabel{%
102      \csname p@footnote\endcsname\@thefnmark}%
103    \makefntext{%
104      \rule\z@\footnotesep\ignorespaces\persianfont #1\unskip\strut\par}}}
105
106
107
108
109
110
111
112 \long\def\@LTRfootnotetext#1{%
113   \insert\footins{%
114     \@RTLfalse%
115     \normalfont\footnotesize
116     \interlinepenalty\interfootnotelinepenalty
117     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
118     \floatingpenalty\@MM \hsize\columnwidth
119     \parboxrestore \parindent\normalparindent \sloppy
120     \protected@edef\@currentlabel{%
121       \csname p@footnote\endcsname\@thefnmark}%
122     \makefntext{%
123       \rule\z@\footnotesep\ignorespaces\latinfont #1\unskip\strut\par}}}
124
125 \footdir@temp\footdir@ORG@xepersian@amsbook@footnotetext@footnotetext{\bidi@footdir@footnote}
126 \footdir@temp\footdir@ORG@xepersian@amsbook@RTLfootnotetext@RTLfootnotetext{R}%
127 \footdir@temp\footdir@ORG@xepersian@amsbook@LTRfootnotetext@LTRfootnotetext{L}%
128

```

7.5 article-xepersian.def

```

129 \ProvidesFile{article-xepersian.def}[2010/07/25 v0.2 adaptations for standard article class]
130 \renewcommand \theprt {\@tartibi\c@prt}
131 \renewcommand\appendix{\par
132   \setcounter{section}{0}%
133   \setcounter{subsection}{0}%
134   \gdef\thesection{\@harfi\c@section}}

```

7.6 artikel1-xepersian.def

```
135 \ProvidesFile{artikel1-xepersian.def}[2010/07/25 v0.1 adaptations for artikel1 class]
136 \renewcommand*\theprt{\@tartib\c@part}
137 \renewcommand*\appendix{\par
138   \setcounter{section}{0}%
139   \setcounter{subsection}{0}%
140   \gdef\thesection{\@harfi\c@section}}
```

7.7 artikel2-xepersian.def

```
141 \ProvidesFile{artikel2-xepersian.def}[2010/07/25 v0.1 adaptations for artikel2 class]
142 \renewcommand*\theprt{\@tartib\c@part}
143 \renewcommand*\appendix{\par
144   \setcounter{section}{0}%
145   \setcounter{subsection}{0}%
146   \gdef\thesection{\@harfi\c@section}}
```

7.8 artikel3-xepersian.def

```
147 \ProvidesFile{artikel3-xepersian.def}[2010/07/25 v0.1 adaptations for artikel3 class]
148 \renewcommand*\theprt{\@tartib\c@part}
149 \renewcommand*\appendix{\par
150   \setcounter{section}{0}%
151   \setcounter{subsection}{0}%
152   \gdef\thesection{\@harfi\c@section}}
```

7.9 backref-xepersian.def

```
153 \ProvidesFile{backref-xepersian.def}[2010/07/25 v0.1 adaptations for backref package]
154 \def\backrefpagesname{\if@RTL else\ pages\fi}
155 \def\BR@Latincitex[#1]#2{%
156   \BRorg@Latincitex[{\#1}]{\#2}%
157   \ifBR@verbose
158     \PackageInfo{backref}{back Latin cite `string`\#2`string'}%
159   \fi
160   \Hy@backout{\#2}%
161 }
162 \AtBeginDocument{%
163   \@ifundefined{NAT@parse}{%
164     \global\let\BRorg@Latincitex\@Latincitex
165     \global\let\@Latincitex\BR@Latincitex
166   }{%
167     \@ifpackageloaded{hyperref}{%
168       \def\hyper@natlinkstart#1{\Hy@backout{\#1}}%
169     }%
170     \PackageInfo{backref}{** backref set up for natbib **}%
171   }%
172 }
```

7.10 bidituftesidenote-xepersian.def

```
173 \ProvidesFile{bidituftesidenote-xepersian.def}[2011/06/18 v0.1 xepersian changes to biditufte
```

```

174 \long\def\@LTRbidituftesidenote@sidenote[#1][#2]{%
175   \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
176   \gdef\@bidituftesidenote@citations{}% clear out any old citations
177   \ifthenelse{\NOT\isempty{#2}}{%
178     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
179   }{%
180     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
181   }%
182   \ifthenelse{\isempty{#1}}{%
183     % no specific footnote number provided
184     \stepcounter\@mpfn%
185     \protected@xdef\@thefnmark{\thempfn}%
186     \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{\latinfont#3}%
187   }{%
188     % specific footnote number provided
189     \begin{group}%
190       \csname c@\@mpfn\endcsname #1\relax%
191       \unrestored@protected@xdef\@thefnmark{\thempfn}%
192     \end{group}%
193     \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{\latinfont#3}%
194   }%
195   \@bidituftesidenote@print@citations% print any citations
196   \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite command
197   \unskip\ignorespaces% remove extra white space
198   \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
199   \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
200 }
201 \long\def\@RTLbidituftesidenote@sidenote[#1][#2]{%
202   \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
203   \gdef\@bidituftesidenote@citations{}% clear out any old citations
204   \ifthenelse{\NOT\isempty{#2}}{%
205     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
206   }{%
207     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
208   }%
209   \ifthenelse{\isempty{#1}}{%
210     % no specific footnote number provided
211     \stepcounter\@mpfn%
212     \protected@xdef\@thefnmark{\thempfn}%
213     \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{\persianfont#3}%
214   }{%
215     % specific footnote number provided
216     \begin{group}%
217       \csname c@\@mpfn\endcsname #1\relax%
218       \unrestored@protected@xdef\@thefnmark{\thempfn}%
219     \end{group}%
220     \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{\persianfont#3}%
221   }%
222   \@bidituftesidenote@print@citations% print any citations
223   \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite command

```

```

224  \unskip\ignorespaces%           remove extra white space
225  \kern-\multiplefootnotemarker%   remove \kern left behind by sidenote
226  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
227 }
228 \renewcommand{\LTRmarginnote}[2][0pt]{%
229  \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
230  \gdef\@bidituftesidenote@citations{}% clear out any old citations
231  \LTRbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\latinfont
232  \@bidituftesidenote@print@citations%          print any citations
233  \let\cite\@bidituftesidenote@normal@cite%      go back to using normal in-text \cite command
234 }
235 \renewcommand{\RTLmarginnote}[2][0pt]{%
236  \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
237  \gdef\@bidituftesidenote@citations{}% clear out any old citations
238  \RTLbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\persianfont
239  \@bidituftesidenote@print@citations%          print any citations
240  \let\cite\@bidituftesidenote@normal@cite%      go back to using normal in-text \cite command
241 }

```

7.11 bidimoderncv-xepersian.def

```

242 \ProvidesFile{bidimoderncv-xepersian.def}[2010/07/25 v0.1 adaptations for bidimoderncv class]
243 \def\refname{\if@RTL else\ Publications\fi}

```

7.12 boek3-xepersian.def

```

244 \ProvidesFile{boek3-xepersian.def}[2010/07/25 v0.1 adaptations for boek3 class]
245 \renewcommand*\thechapter{\tartibi\c@part}
246 \renewcommand*\frontmatter{%
247  \cleardoublepage
248  \@mainmatterfalse
249  \pagetitle{harfi}}
250 \renewcommand*\appendix{\par
251  \setcounter{chapter}{0}%
252  \setcounter{section}{0}%
253  \gdef\@chapapp{\appendixname}%
254  \gdef\thechapter{\@harfi\c@chapter}}

```

7.13 boek-xepersian.def

```

255 \ProvidesFile{boek-xepersian.def}[2010/07/25 v0.1 adaptations for boek class]
256 \renewcommand*\thechapter{\tartibi\c@part}
257 \renewcommand*\frontmatter{%
258  \cleardoublepage
259  \@mainmatterfalse
260  \pagetitle{harfi}}
261 \renewcommand*\appendix{\par
262  \setcounter{chapter}{0}%
263  \setcounter{section}{0}%
264  \gdef\@chapapp{\appendixname}%
265  \gdef\thechapter{\@harfi\c@chapter}}

```

7.14 bookest-xepersian.def

```
266 \ProvidesFile{bookest-xepersian.def}[2010/07/25 v0.1 adaptations for bookest class]
267 \renewcommand \theprt {\@tartibi\c@part}
268 \renewcommand\appendix{\par
269   \setcounter{chapter}{0}%
270   \setcounter{section}{0}%
271   \gdef\chapapp{\appendixname}%
272   \gdef\thechapter{\@harfi\c@chapter}%
273 }%end appendix
```

7.15 book-xepersian.def

```
274 \ProvidesFile{book-xepersian.def}[2010/07/25 v0.2 adaptations for standard book class]
275 \renewcommand\frontmatter{%
276   \cleardoublepage
277   \mainmatterfalse
278   \pagenumbering{harfi}}
279 \renewcommand \theprt {\@tartibi\c@part}
280 \renewcommand\appendix{\par
281   \setcounter{chapter}{0}%
282   \setcounter{section}{0}%
283   \gdef\chapapp{\appendixname}%
284   \gdef\thechapter{\@harfi\c@chapter}%
285 }%end appendix
```

7.16 breqn-xepersian.def

```
286 \ProvidesFile{breqn-xepersian.def}[2010/07/25 v0.1 adaptations for breqn package]
287 \def@\dmath[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
288   \everydisplay\expandafter{\the\everydisplay \display@setup}%
289   \if@noskipsec \leavevmode \fi
290   \if@inlabel \leavevmode \global\@inlabelfalse \fi
291   \if\eq@group\else\eq@prelim\fi
292   \setkeys{breqn}{#1}%
293   \the\eqstyle
294   \eq@setnumber
295   \begingroup
296   \eq@setup@a
297   \eq@startup
298 }
299 \def@\dgroup[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
300   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
301   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
302   \global\let\GRP@label\empty
303   \global\grp@wdL\z@ \global\grp@wdR\z@ \global\grp@wdT\z@
304   \global\grp@linewidth\z@ \global\grp@wdNum\z@
305   \global\let\grp@eqs@numbered\@False
306   \global\let\grp@aligned\@True
307   \global\let\grp@shiftnumber\@False
308   \eq@prelim
309   \setkeys{breqn}{#1}%
310 }
```

```

310 \if\grp@hasNumber \grp@setnumber \fi
311 }
312 \def\@dseries[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
313   \let\display@setup\dseries@display@setup
314   % Question: should this be the default for dseries???
315   \global\eq@wdCond\z@
316   \mathsurround\z@\math \penalty\@Mi
317   \let\endmath\ends@math
318   \def\premath{%
319     \ifdim\lastskip<.3em \unskip
320     \else\ifnum\lastpenalty<\@M \dquad\fi\fi
321   }%
322 }%
323 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
324 \ignorespaces
325 }

```

7.17 latex-localise-commands-xepersian.def

```

326 \ProvidesFile{latex-localise-commands-xepersian.def}[2010/07/25 v0.2 Persian localisation of La
327 \eqcommand{ }{@arstrut}
328 \eqcommand{ }{@above}
329 \eqcommand{ }{@abovedisplayshortskip}
330 \eqcommand{ }{@abovedisplayskip}
331 \eqcommand{ }{@abstractname}
332 \eqcommand{ }{@accent}
333 \eqcommand{ }{@active}
334 \eqcommand{ }{@addcontentsline}
335 \eqcommand{ }{@addpenalty}
336 \eqcommand{ }{@address}
337 \eqcommand{ }{@addtocontents}
338 \eqcommand{ }{@addtocounter}
339 \eqcommand{ }{@addtolength}
340 \eqcommand{ }{@addvspace}
341 \eqcommand{ }{@adjdemerits}
342 \eqcommand{ }{@advance}
343 \eqcommand{ }{@afterassignment}
344 \eqcommand{ }{@aftergroup}
345 \eqcommand{ }{@aleph}
346 \eqcommand{ }{@aliasfontfeature}
347 \eqcommand{ }{@aliasfontfeatureoption}
348 \eqcommand{ }{@allowbreak}
349 \eqcommand{ @}{@alloc@}
350 \eqcommand{ }{@allocationnumber}
351 \eqcommand{ }{@allowdisplaybreaks}
352 \eqcommand{ }{@Alph}
353 \eqcommand{ }{@alph}
354 \eqcommand{ }{@alsoname}
355 \eqcommand{ }{@and}
356 \eqcommand{ }{@angle}

```

```

357 \eqcommand{ }{appendixname}
358 \eqcommand{ }{approx}
359 \eqcommand{ }{arabic}
360 \eqcommand{ }{arg}
361 \eqcommand{ }{arrayrulecolor}
362 \eqcommand{ }{arraycolsep}
363 \eqcommand{ }{arrayrulewidth}
364 \eqcommand{ }{arraystretch}
365 \eqcommand{ }{AtBeginDocument}
366 \eqcommand{ }{AtEndDocument}
367 \eqcommand{ }{AtEndOfClass}
368 \eqcommand{ }{AtEndOfPackage}
369 \eqcommand{ }{author}
370 \eqcommand{ }{backmatter}
371 \eqcommand{ }{backslash}
372 \eqcommand{ }{badness}
373 \eqcommand{ }{bar}
374 \eqcommand{ }{baselineskip}
375 \eqcommand{ }{baselinestretch}
376 \eqcommand{ }{batchmode}
377 \eqcommand{ }{begin}
378 \eqcommand{ }{beginL}
379 \eqcommand{ }{beginR}
380 \eqcommand{ }{begingroup}
381 \eqcommand{ }{belowdisplayshortskip}
382 \eqcommand{ }{belowdisplayskip}
383 \eqcommand{ }{bf}
384 \eqcommand{ }{bfdefault}
385 \eqcommand{ }{bfseries}
386 \eqcommand{ }{bgroup}
387 \eqcommand{ }{bibitem}
388 \eqcommand{ }{bibliography}
389 \eqcommand{ }{bibliographystyle}
390 \eqcommand{ }{bibname}
391 \eqcommand{ }{bigskip}
392 \eqcommand{ }{bigskipamount}
393 \eqcommand{ }{botfigrule}
394 \eqcommand{ }{botmark}
395 \eqcommand{ }{bottompageskip}
396 \eqcommand{ }{bottomfraction}
397 \eqcommand{ }{box}
398 \eqcommand{ }{boxmaxdepth}
399 \eqcommand{ }{break}
400 \eqcommand{ }{bullet}
401 \eqcommand{ @ }{@cclv}
402 \eqcommand{ @ }{@cclvi}
403 \eqcommand{ }{caption}
404 \eqcommand{ }{catcode}
405 \eqcommand{ }{cc}
406 \eqcommand{ }{ccname}

```

```

407 \eqcommand{ }{cdot}
408 \eqcommand{ }{cdots}
409 \eqcommand{ }{centering}
410 \eqcommand{ }{centerline}
411 \eqcommand{ @ }{ch@ck}
412 \eqcommand{ }{chapter}
413 \eqcommand{ }{chaptername}
414 \eqcommand{ }{char}
415 \eqcommand{ }{chardef}
416 \eqcommand{ }{CheckCommand}
417 \eqcommand{ }{cite}
418 \eqcommand{ }{ClassError}
419 \eqcommand{ }{ClassInfo}
420 \eqcommand{ }{ClassWarning}
421 \eqcommand{ }{ClassWarningNoLine}
422 \eqcommand{ }{leaders}
423 \eqcommand{ }{cleardoublepage}
424 \eqcommand{ }{clearpage}
425 \eqcommand{ }{cline}
426 \eqcommand{ }{closein}
427 \eqcommand{ }{closeout}
428 \eqcommand{ }{closing}
429 \eqcommand{ }{clubpenalty}
430 \eqcommand{ }{clubsuit}
431 \eqcommand{ }{colbotmark}
432 \eqcommand{ }{colfirstmark}
433 \eqcommand{ }{color}
434 \eqcommand{ }{colorbox}
435 \eqcommand{ }{coltopmark}
436 \eqcommand{ }{columncolor}
437 \eqcommand{ }{columnsep}
438 \eqcommand{ }{columnwidth}
439 \eqcommand{ }{columnseprule}
440 \eqcommand{ }{contentsline}
441 \eqcommand{ }{contentsname}
442 \eqcommand{ }{copy}
443 \eqcommand{ }{copyright}
444 \eqcommand{ }{count}
445 \eqcommand{ @}{count@}
446 \eqcommand{ }{countdef}
447 \eqcommand{ }{cr}
448 \eqcommand{ }{crcr}
449 \eqcommand{ }{csname}
450 \eqcommand{ }{CurrentOption}
451 \eqcommand{ }{dashbox}
452 \eqcommand{ }{dashv}
453 \eqcommand{@ }{@date}
454 \eqcommand{ }{date}
455 \eqcommand{ }{day}
456 \eqcommand{ }{dblbotfigrule}

```

```

457 \eqcommand{ }{dblbottomfraction}
458 \eqcommand{ }{dblfigrule}
459 \eqcommand{ }{dblfloatpagefraction}
460 \eqcommand{ }{dblfloatsep}
461 \eqcommand{ }{dblfnllocatecode}
462 \eqcommand{ }{dbltextfloatsep}
463 \eqcommand{ }{dbltopfraction}
464 \eqcommand{ }{DeclareFixedFont}
465 \eqcommand{ }{DeclareGraphicsExtensions}
466 \eqcommand{ }{DeclareGraphicsRule}
467 \eqcommand{ }{DeclareOldFontCommand}
468 \eqcommand{ }{DeclareOption}
469 \eqcommand{ }{DeclareRobustCommand}
470 \eqcommand{ }{DeclareSymbolFont}
471 \eqcommand{ }{deadcycles}
472 \eqcommand{ }{def}
473 \eqcommand{ @ }{define@key}
474 \eqcommand{ }{definecolor}
475 \eqcommand{ }{deg}
476 \eqcommand{ }{delcode}
477 \eqcommand{ }{delimiter}
478 \eqcommand{ }{delimiterfactor}
479 \eqcommand{ }{depth}
480 \eqcommand{ }{diamondsuit}
481 \eqcommand{ }{dim}
482 \eqcommand{ }{dimen}
483 \eqcommand{ @}{dimen@}
484 \eqcommand{ @ }{dimen@i}
485 \eqcommand{ @ }{dimen@ii}
486 \eqcommand{ }{dimendef}
487 \eqcommand{ }{discretionary}
488 \eqcommand{ }{displaybreak}
489 \eqcommand{ }{displayindent}
490 \eqcommand{ }{displaystyle}
491 \eqcommand{ }{displaywidth}
492 \eqcommand{ }{divide}
493 \eqcommand{ }{documentclass}
494 \eqcommand{ }{do}
495 \eqcommand{ }{dospecials}
496 \eqcommand{ }{dot}
497 \eqcommand{ }{doteq}
498 \eqcommand{ }{dotfill}
499 \eqcommand{ }{dots}
500 \eqcommand{ }{doublebox}
501 \eqcommand{ }{doublerulesepcolor}
502 \eqcommand{ }{doublerulesep}
503 \eqcommand{ }{downarrow}
504 \eqcommand{ }{dp}
505 \eqcommand{ }{dump}
506 \eqcommand{ }{edef}

```

```

507 \eqcommand{ }{egroup}
508 \eqcommand{ }{eject}
509 \eqcommand{ }{else}
510 \eqcommand{ }{em}
511 \eqcommand{ }{emergencystretch}
512 \eqcommand{ }{emph}
513 \eqcommand{@ }{@empty}
514 \eqcommand{ }{empty}
515 \eqcommand{ }{emptyset}
516 \eqcommand{ }{end}
517 \eqcommand{ }{endL}
518 \eqcommand{ }{endR}
519 \eqcommand{ }{endcsname}
520 \eqcommand{ }{endfirsthead}
521 \eqcommand{ }{endfoot}
522 \eqcommand{ }{endgraf}
523 \eqcommand{ }{endgroup}
524 \eqcommand{ }{endhead}
525 \eqcommand{ }{endinput}
526 \eqcommand{ }{endlastfoot}
527 \eqcommand{ }{enlargethispage}
528 \eqcommand{ }{endline}
529 \eqcommand{ }{endlinechar}
530 \eqcommand{ }{enspace}
531 \eqcommand{ }{enskip}
532 \eqcommand{ }{eqcommand}
533 \eqcommand{ }{eqenvironment}
534 \eqcommand{ }{eqref}
535 \eqcommand{ }{errhelp}
536 \eqcommand{ }{errmessage}
537 \eqcommand{ }{errorcontextlines}
538 \eqcommand{ }{errorstopmode}
539 \eqcommand{ }{escapechar}
540 \eqcommand{ }{euro}
541 \eqcommand{ }{evensidemargin}
542 \eqcommand{ }{everycr}
543 \eqcommand{ }{everydisplay}
544 \eqcommand{ }{everyhbox}
545 \eqcommand{ }{everyjob}
546 \eqcommand{ }{everymath}
547 \eqcommand{ }{everypar}
548 \eqcommand{ }{everyvbox}
549 \eqcommand{ }{ExecuteOptions}
550 \eqcommand{ }{exhyphenpenalty}
551 \eqcommand{ }{expandafter}
552 \eqcommand{ }{extracolsep}
553 \eqcommand{@ }{@firstofone}
554 \eqcommand{@ }{@firstoftwo}
555 \eqcommand{ @ }{f@ur}
556 \eqcommand{ }{fam}

```

```

557 \eqcommand{ }{fancypage}
558 \eqcommand{ }{fbox}
559 \eqcommand{ }{fboxrule}
560 \eqcommand{ }{fboxsep}
561 \eqcommand{ }{fcolorbox}
562 \eqcommand{ }{fi}
563 \eqcommand{ }{figurename}
564 \eqcommand{ }{filbreak}
565 \eqcommand{ }{fill}
566 \eqcommand{ }{firstmark}
567 \eqcommand{ }{flat}
568 \eqcommand{ }{floatpagefraction}
569 \eqcommand{ }{floatingpenalty}
570 \eqcommand{ }{floatsep}
571 \eqcommand{ }{flushbottom}
572 \eqcommand{ }{fmtname}
573 \eqcommand{ }{fmtversion}
574 \eqcommand{ }{fnssymbol}
575 \eqcommand{ }{font}
576 \eqcommand{ }{fontdimen}
577 \eqcommand{ }{fontencoding}
578 \eqcommand{ }{fontfamily}
579 \eqcommand{ }{fontname}
580 \eqcommand{ }{fontseries}
581 \eqcommand{ }{fontshape}
582 \eqcommand{ }{fontsize}
583 \eqcommand{ }{footheight}
584 \eqcommand{ }{footins}
585 \eqcommand{ }{footnote}
586 \eqcommand{ }{footnotemark}
587 \eqcommand{ }{footnoterule}
588 \eqcommand{ }{footnotesep}
589 \eqcommand{ }{footnotesign}
590 \eqcommand{ }{footnotetext}
591 \eqcommand{ }{footskip}
592 \eqcommand{ }{frame}
593 \eqcommand{ }{framebox}
594 \eqcommand{ }{frenchspacing}
595 \eqcommand{ }{frontmatter}
596 \eqcommand{ }{futurelet}
597 \eqcommand{@ }{@gobble}
598 \eqcommand{@ }{@gobbletwo}
599 \eqcommand{@ }{@gobblefour}
600 \eqcommand{@ }{@tempa}
601 \eqcommand{@ }{@tempb}
602 \eqcommand{ }{gdef}
603 \eqcommand{ }{GenericInfo}
604 \eqcommand{ }{GenericWarning}
605 \eqcommand{ }{GenericError}
606 \eqcommand{ }{global}

```

```

607 \eqcommand{ }{globaldefs}
608 \eqcommand{ }{glossary}
609 \eqcommand{ }{glossaryentry}
610 \eqcommand{ }{goodbreak}
611 \eqcommand{ }{graphpaper}
612 \eqcommand{ }{guillemotleft}
613 \eqcommand{ }{guillemotright}
614 \eqcommand{ }{guilsinglleft}
615 \eqcommand{ }{guilsinglright}
616 \eqcommand{ }{halign}
617 \eqcommand{ }{hang}
618 \eqcommand{ }{hangafter}
619 \eqcommand{ }{hangindent}
620 \eqcommand{ }{hbadness}
621 \eqcommand{ }{hbox}
622 \eqcommand{ }{headheight}
623 \eqcommand{ }{headsep}
624 \eqcommand{ }{headtoname}
625 \eqcommand{ }{heartsuit}
626 \eqcommand{ }{height}
627 \eqcommand{ }{hfil}
628 \eqcommand{ }{hfill}
629 \eqcommand{ }{hfilneg}
630 \eqcommand{ }{hfuzz}
631 \eqcommand{ }{hideskip}
632 \eqcommand{ }{hidewidth}
633 \eqcommand{ }{hline}
634 \eqcommand{ }{hoffset}
635 \eqcommand{ }{holdinginserts}
636 \eqcommand{ }{hrboxsep}
637 \eqcommand{ }{hrule}
638 \eqcommand{ }{rulefill}
639 \eqcommand{ }{hsize}
640 \eqcommand{ }{hskip}
641 \eqcommand{ }{hspace}
642 \eqcommand{ }{hss}
643 \eqcommand{ }{ht}
644 \eqcommand{ }{huge}
645 \eqcommand{ }{Huge}
646 \eqcommand{ }{hyperlink}
647 \eqcommand{ }{hypersetup}
648 \eqcommand{ }{hypertarget}
649 \eqcommand{ }{hyphenation}
650 \eqcommand{ }{hyphenchar}
651 \eqcommand{ }{hyphenpenalty}
652 \eqcommand{@ }{@ifclassloaded}
653 \eqcommand{@ }{@ifdefinable}
654 \eqcommand{@ }{@ifnextchar}
655 \eqcommand{@ }{@ifpackageloaded}
656 \eqcommand{@ }{@ifstar}

```

```

657 \eqcommand{@      }{@ifundefined}
658 \eqcommand{ }{if}
659 \eqcommand{ @ }{@if@tempswa}
660 \eqcommand{ }{ifcase}
661 \eqcommand{ }{ifcat}
662 \eqcommand{ }{ifdefined}
663 \eqcommand{ }{ifdim}
664 \eqcommand{ }{ifeof}
665 \eqcommand{ }{iff}
666 \eqcommand{ }{iffalse}
667 \eqcommand{ }{IfFileExists}
668 \eqcommand{ }{ifhbox}
669 \eqcommand{ }{ifhmode}
670 \eqcommand{ }{ifinner}
671 \eqcommand{ }{ifmmode}
672 \eqcommand{ }{ifnum}
673 \eqcommand{ }{ifodd}
674 \eqcommand{ }{ifthenelse}
675 \eqcommand{ }{iftrue}
676 \eqcommand{ }{ifvbox}
677 \eqcommand{ }{ifvmode}
678 \eqcommand{ }{ifvoid}
679 \eqcommand{ }{ifx}
680 \eqcommand{ }{ignorespaces}
681 \eqcommand{ }{immediate}
682 \eqcommand{ }{include}
683 \eqcommand{ }{includegraphics}
684 \eqcommand{ }{includeonly}
685 \eqcommand{ }{indent}
686 \eqcommand{ }{index}
687 \eqcommand{ }{indexentry}
688 \eqcommand{ }{indexname}
689 \eqcommand{ }{indexspace}
690 \eqcommand{ }{input}
691 \eqcommand{ }{InputIfFileExists}
692 \eqcommand{ }{inputlineno}
693 \eqcommand{ }{insert}
694 \eqcommand{ }{insertpenalties}
695 \eqcommand{ }{interfootnotelinepenalty}
696 \eqcommand{ }{interdisplaylinepenalty}
697 \eqcommand{ }{interlinepenalty}
698 \eqcommand{ }{intertext}
699 \eqcommand{ }{intertextsep}
700 \eqcommand{ }{invisible}
701 \eqcommand{ }{itdefault}
702 \eqcommand{ }{itshape}
703 \eqcommand{ }{item}
704 \eqcommand{ }{itemindent}
705 \eqcommand{ }{itemsep}
706 \eqcommand{ }{iterate}

```

```

707 \eqcommand{ }{itshape}
708 \eqcommand{ }{jobname}
709 \eqcommand{ }{jot}
710 \eqcommand{ }{kern}
711 \eqcommand{ }{kill}
712 \eqcommand{ }{label}
713 \eqcommand{ }{labelenumi}
714 \eqcommand{ }{labelenumii}
715 \eqcommand{ }{labelenumiii}
716 \eqcommand{ }{labelenumiv}
717 \eqcommand{ }{labelitemi}
718 \eqcommand{ }{labelitemii}
719 \eqcommand{ }{labelitemiii}
720 \eqcommand{ }{labelitemiv}
721 \eqcommand{ }{labelsep}
722 \eqcommand{ }{labelwidth}
723 \eqcommand{ }{language}
724 \eqcommand{ }{large}
725 \eqcommand{ }{Large}
726 \eqcommand{ }{LARGE}
727 \eqcommand{ }{lastbox}
728 \eqcommand{ }{lastkern}
729 \eqcommand{ }{lastpenalty}
730 \eqcommand{ }{lastskip}
731 \eqcommand{ }{LaTeX}
732 \eqcommand{ }{LaTeXe}
733 \eqcommand{ }{lccode}
734 \eqcommand{ }{ldots}
735 \eqcommand{ }{leaders}
736 \eqcommand{ }{leavevmode}
737 \eqcommand{ }{left}
738 \eqcommand{ }{leftmargin}
739 \eqcommand{ }{leftmargini}
740 \eqcommand{ }{leftmarginii}
741 \eqcommand{ }{leftmarginiii}
742 \eqcommand{ }{leftmarginiv}
743 \eqcommand{ }{leftmarginv}
744 \eqcommand{ }{leftmarginvi}
745 \eqcommand{ }{leftmark}
746 \eqcommand{ }{leftpageskip}
747 \eqcommand{ }{leftskip}
748 \eqcommand{ }{let}
749 \eqcommand{ }{line}
750 \eqcommand{ }{linebreak}
751 \eqcommand{ }{linepenalty}
752 \eqcommand{ }{lineskip}
753 \eqcommand{ }{lineskiplimit}
754 \eqcommand{ }{linespread}
755 \eqcommand{ }{linethickness}
756 \eqcommand{ }{linewidth}

```

```

757 \eqcommand{      }{\listfigurename}
758 \eqcommand{      }{\listfiles}
759 \eqcommand{      }{\listoffigures}
760 \eqcommand{      }{\listoftables}
761 \eqcommand{      }{\listparindent}
762 \eqcommand{      }{\listtablename}
763 \eqcommand{      }{\LoadClass}
764 \eqcommand{      }{\LoadClassWithOptions}
765 \eqcommand{      }{\location}
766 \eqcommand{      }{\long}
767 \eqcommand{      }{\looseness}
768 \eqcommand{      }{\lower}
769 \eqcommand{@ }{\@makeother}
770 \eqcommand{@ }{\@m}
771 \eqcommand{ @ }{\@M}
772 \eqcommand{ @ }{\@Mi}
773 \eqcommand{ @ }{\@Mii}
774 \eqcommand{ @ }{\@Miii}
775 \eqcommand{ @ }{\@Miv}
776 \eqcommand{ @ }{\@MM}
777 \eqcommand{ @ }{\@ne}
778 \eqcommand{      }{\mag}
779 \eqcommand{      }{\magstep}
780 \eqcommand{      }{\magstephalf}
781 \eqcommand{      }{\mainmatter}
782 \eqcommand{      }{\makeatletter}
783 \eqcommand{      }{\makeatother}
784 \eqcommand{      }{\makebox}
785 \eqcommand{      }{\makeglossary}
786 \eqcommand{      }{\makeindex}
787 \eqcommand{      }{\makelabel}
788 \eqcommand{      }{\makelabels}
789 \eqcommand{      }{\MakeLowercase}
790 \eqcommand{      }{\maketitle}
791 \eqcommand{      }{\MakeUppercase}
792 \eqcommand{      }{\marginpar}
793 \eqcommand{      }{\marginparpush}
794 \eqcommand{      }{\marginparsep}
795 \eqcommand{      }{\marginparwidth}
796 \eqcommand{      }{\mark}
797 \eqcommand{      }{\markboth}
798 \eqcommand{      }{\markright}
799 \eqcommand{      }{\mathaccent}
800 \eqcommand{      }{\mathchar}
801 \eqcommand{      }{\mathchardef}
802 \eqcommand{      }{\mathcode}
803 \eqcommand{      }{\mathrm}
804 \eqcommand{      }{\maxdeadcycles}
805 \eqcommand{      }{\maxdepth}
806 \eqcommand{      }{\maxdimen}

```

```

807 \eqcommand{ }{mbox}
808 \eqcommand{ }{mdseries}
809 \eqcommand{ }{meaning}
810 \eqcommand{ }{mediumseries}
811 \eqcommand{ }{medmuskip}
812 \eqcommand{ }{medskip}
813 \eqcommand{ }{medskipamount}
814 \eqcommand{ }{medspace}
815 \eqcommand{ }{message}
816 \eqcommand{ }{MessageBreak}
817 \eqcommand{ }{minrowclearance}
818 \eqcommand{ }{mkern}
819 \eqcommand{ }{month}
820 \eqcommand{ }{moveleft}
821 \eqcommand{ }{moveright}
822 \eqcommand{ }{mskip}
823 \eqcommand{ @ }{m@th}
824 \eqcommand{ }{multicolumn}
825 \eqcommand{ }{multiply}
826 \eqcommand{ }{multispan}
827 \eqcommand{ }{muskip}
828 \eqcommand{ }{muskipdef}
829 \eqcommand{@ }{@namedef}
830 \eqcommand{@ }{@nameuse}
831 \eqcommand{ @}{@ne}
832 \eqcommand{ }{name}
833 \eqcommand{ }{natural}
834 \eqcommand{ }{nearrow}
835 \eqcommand{ }{nearrower}
836 \eqcommand{ }{NeedsTeXFormat}
837 \eqcommand{ }{neg}
838 \eqcommand{ }{negmedspace}
839 \eqcommand{ }{negthickspace}
840 \eqcommand{ }{negthinspace}
841 \eqcommand{ }{newboolean}
842 \eqcommand{ }{newbox}
843 \eqcommand{ }{newcommand}
844 \eqcommand{ }{newcount}
845 \eqcommand{ }{newcounter}
846 \eqcommand{ }{newdimen}
847 \eqcommand{ }{newenvironment}
848 \eqcommand{ }{newfam}
849 \eqcommand{ }{newfont}
850 \eqcommand{ }{newhelp}
851 \eqcommand{ }{newinsert}
852 \eqcommand{ }{newlabel}
853 \eqcommand{ }{newlength}
854 \eqcommand{ }{newline}
855 \eqcommand{ }{newlinechar}
856 \eqcommand{ }{newmuskip}

```

```

857 \eqcommand{ }{newpage}
858 \eqcommand{ }{newread}
859 \eqcommand{ }{newsavebox}
860 \eqcommand{ }{newskip}
861 \eqcommand{ }{newtheorem}
862 \eqcommand{ }{newtoks}
863 \eqcommand{ }{newwrite}
864 \eqcommand{ }{noalign}
865 \eqcommand{ }{nobreak}
866 \eqcommand{ }{nobreakspace}
867 \eqcommand{ }{nocite}
868 \eqcommand{ }{noexpand}
869 \eqcommand{ }{nofiles}
870 \eqcommand{ }{noindent}
871 \eqcommand{ }{nointerlineskip}
872 \eqcommand{ }{nolimits}
873 \eqcommand{ }{nolinebreak}
874 \eqcommand{ }{nonstopmode}
875 \eqcommand{ }{nonfrenchspacing}
876 \eqcommand{ }{nonumber}
877 \eqcommand{ }{nopagebreak}
878 \eqcommand{ }{normalbaselines}
879 \eqcommand{ }{normalbaselineskip}
880 \eqcommand{ }{normalcolor}
881 \eqcommand{ }{normalfont}
882 \eqcommand{ }{normallineskip}
883 \eqcommand{ }{normallineskiplimit}
884 \eqcommand{ }{normalmarginpar}
885 \eqcommand{ }{normalsize}
886 \eqcommand{ }{notag}
887 \eqcommand{ }{null}
888 \eqcommand{ }{nullfont}
889 \eqcommand{ }{number}
890 \eqcommand{ }{numberline}
891 \eqcommand{ }{numberwithin}
892 \eqcommand{ }{@evenfoot}
893 \eqcommand{ }{@evenhead}
894 \eqcommand{ }{@oddfoot}
895 \eqcommand{ }{@oddhead}
896 \eqcommand{ }{@outeqntrue}
897 \eqcommand{ }{@outeqnfase}
898 \eqcommand{ }{obeylines}
899 \eqcommand{ }{obeyspaces}
900 \eqcommand{ }{oddsidemargin}
901 \eqcommand{ }{offinterlineskip}
902 \eqcommand{ }{omit}
903 \eqcommand{@ }{@onlypreamble}
904 \eqcommand{ }{onecolumn}
905 \eqcommand{ }{onlynotes}
906 \eqcommand{ }{onlyslides}

```

```

907 \eqcommand{ }{\openin}
908 \eqcommand{ }{\openout}
909 \eqcommand{ }{\OptionNotUsed}
910 \eqcommand{ }{\or}
911 \eqcommand{ }{\outer}
912 \eqcommand{ }{\output}
913 \eqcommand{ }{\outputpenalty}
914 \eqcommand{ }{\overfullrule}
915 \eqcommand{@ }{\@preamblecmds}
916 \eqcommand{@ }{\p@}
917 \eqcommand{ }{\PackageError}
918 \eqcommand{ }{\PackageInfo}
919 \eqcommand{ }{\PackageWarning}
920 \eqcommand{ }{\PackageWarningNoLine}
921 \eqcommand{ }{\pagebreak}
922 \eqcommand{ }{\pagecolor}
923 \eqcommand{ }{\pagedepth}
924 \eqcommand{ }{\pagefillstretch}
925 \eqcommand{ }{\pagefillstretch}
926 \eqcommand{ }{\pagefilstretch}
927 \eqcommand{ }{\pagegoal}
928 \eqcommand{ }{\pagename}
929 \eqcommand{ }{\pagenumbering}
930 \eqcommand{ }{\pageref}
931 \eqcommand{ }{\pagerulewidth}
932 \eqcommand{ }{\pageshrink}
933 \eqcommand{ }{\pagestretch}
934 \eqcommand{ }{\pagestyle}
935 \eqcommand{ }{\pagetotal}
936 \eqcommand{ }{\paperheight}
937 \eqcommand{ }{\paperwidth}
938 \bidi@csdefcs{ }{\par}% this is an exception since \par is redefined only in some circumstances
939 \eqcommand{ }{\paragraph}
940 \eqcommand{ }{\parallel}
941 \eqcommand{ }{\parbox}
942 \eqcommand{ }{\parfillskip}
943 \eqcommand{ }{\parindent}
944 \eqcommand{ }{\parsep}
945 \eqcommand{ }{\parshape}
946 \eqcommand{ }{\parskip}
947 \eqcommand{ }{\part}
948 \eqcommand{ }{\partname}
949 \eqcommand{ }{\partopsep}
950 \eqcommand{ }{\PassOptionToClass}
951 \eqcommand{ }{\PassOptionToPackage}
952 \eqcommand{ }{\path}
953 \eqcommand{ }{\patterns}
954 \eqcommand{ }{\pausing}
955 \eqcommand{ }{\penalty}
956 \eqcommand{ }{\phantom}

```

```

957 \eqcommand{ }{poptabs}
958 \eqcommand{ }{postdisplaypenalty}
959 \eqcommand{ }{predisplaydirection}
960 \eqcommand{ }{predisplaypenalty}
961 \eqcommand{ }{predisplaysize}
962 \eqcommand{ }{pretolerance}
963 \eqcommand{ }{prevdepth}
964 \eqcommand{ }{prevgraf}
965 \eqcommand{ }{printindex}
966 \eqcommand{ }{ProcessOptions}
967 \eqcommand{ }{protect}
968 \eqcommand{ }{providetcommand}
969 \eqcommand{ }{ProvidesClass}
970 \eqcommand{ }{ProvidesFile}
971 \eqcommand{ }{ProvidesPackage}
972 \eqcommand{ }{pushtabs}
973 \eqcommand{ }{quad}
974 \eqcommand{ }{qquad}
975 \eqcommand{@ }{@outputpagerestore}
976 \eqcommand{ }{radical}
977 \eqcommand{ }{raggedbottom}
978 \eqcommand{ }{raggedleft}
979 \eqcommand{ }{raggedright}
980 \eqcommand{ }{raise}
981 \eqcommand{ }{raisebox}
982 \eqcommand{ }{raisetag}
983 \eqcommand{ }{rangle}
984 \eqcommand{ }{rceil}
985 \eqcommand{ }{read}
986 \eqcommand{ }{ref}
987 \eqcommand{ }{reflectbox}
988 \eqcommand{ }{refname}
989 \eqcommand{ }{refstepcounter}
990 \eqcommand{ }{relax}
991 \eqcommand{ }{removelastskip}
992 \eqcommand{ }{renewcommand}
993 \eqcommand{ }{renewenvironment}
994 \eqcommand{ }{RequirePackage}
995 \eqcommand{ }{RequirePackageWithOptions}
996 \eqcommand{ }{resizebox}
997 \eqcommand{ }{reversemargininpar}
998 \eqcommand{ }{rfloor}
999 \eqcommand{ }{right}
1000 \eqcommand{ }{rightmargin}
1001 \eqcommand{ }{rightmark}
1002 \eqcommand{ }{rightpageskip}
1003 \eqcommand{ }{rightsip}
1004 \eqcommand{ }{rmdefault}
1005 \eqcommand{ }{rmfamily}
1006 \eqcommand{ }{Roman}

```

```

1007 \eqcommand{ }{roman}
1008 \eqcommand{ }{romannumberal}
1009 \eqcommand{ }{rotatebox}
1010 \eqcommand{ }{rowcolor}
1011 \eqcommand{ }{rule}
1012 \eqcommand{@ }{@secondoftwo}
1013 \eqcommand{@ }{@spaces}
1014 \eqcommand{ }{samepage}
1015 \eqcommand{ }{savebox}
1016 \eqcommand{ }{sbox}
1017 \eqcommand{ }{scalebox}
1018 \eqcommand{ }{scdefault}
1019 \eqcommand{ }{scshape}
1020 \eqcommand{ }{setkeys}
1021 \eqcommand{ }{scriptfont}
1022 \eqcommand{ }{scriptschriftfont}
1023 \eqcommand{ }{scriptschriftstyle}
1024 \eqcommand{ }{scriptszie}
1025 \eqcommand{ }{scripstyle}
1026 \eqcommand{ }{scrollmode}
1027 \eqcommand{ }{section}
1028 \eqcommand{ }{secdef}
1029 \eqcommand{ }{see}
1030 \eqcommand{ }{seealso}
1031 \eqcommand{ }{seename}
1032 \eqcommand{ }{selectfont}
1033 \eqcommand{ }{setboolean}
1034 \eqcommand{ }{setbox}
1035 \eqcommand{ }{setcounter}
1036 \eqcommand{ }{setlength}
1037 \eqcommand{ }{setminus}
1038 \eqcommand{ }{SetSymbolFont}
1039 \eqcommand{ }{settodepth}
1040 \eqcommand{ }{settoheight}
1041 \eqcommand{ }{settowidth}
1042 \eqcommand{ }{sfcode}
1043 \eqcommand{ }{sfdefault}
1044 \eqcommand{ }{sffamily}
1045 \eqcommand{ }{shadowbox}
1046 \eqcommand{ }{sharp}
1047 \eqcommand{ }{shipout}
1048 \eqcommand{ }{shortstack}
1049 \eqcommand{ }{show}
1050 \eqcommand{ }{showbox}
1051 \eqcommand{ }{showboxbreadth}
1052 \eqcommand{ }{showboxdepth}
1053 \eqcommand{ }{showlists}
1054 \eqcommand{ }{showthe}
1055 \eqcommand{ }{simplefontmode}
1056 \eqcommand{ }{@}{sixt@n}

```

```

1057 \eqcommand{      }{skewchar}
1058 \eqcommand{      }{skip}
1059 \eqcommand{ @}{skip@}
1060 \eqcommand{      }{skipdef}
1061 \eqcommand{      }{sl}
1062 \eqcommand{      }{sldefault}
1063 \eqcommand{      }{slshape}
1064 \eqcommand{      }{slloppy}
1065 \eqcommand{      }{slshape}
1066 \eqcommand{      }{small}
1067 \eqcommand{      }{smallskip}
1068 \eqcommand{      }{smallskipamount}
1069 \eqcommand{      }{smash}
1070 \eqcommand{      }{smile}
1071 \eqcommand{      }{snglfntlocatecode}
1072 \eqcommand{      }{space}
1073 \eqcommand{      }{spacefactor}
1074 \eqcommand{      }{spaceskip}
1075 \eqcommand{      }{spadesuit}
1076 \eqcommand{      }{span}
1077 \eqcommand{      }{special}
1078 \eqcommand{      }{splitmaxdepth}
1079 \eqcommand{      }{splittopskip}
1080 \eqcommand{      }{star}
1081 \eqcommand{      }{stepcounter}
1082 \eqcommand{      }{stretch}
1083 \eqcommand{      }{string}
1084 \eqcommand{      }{strut}
1085 \eqcommand{      }{strutbox}
1086 \eqcommand{      }{subitem}
1087 \eqcommand{      }{subparagraph}
1088 \eqcommand{      }{subsection}
1089 \eqcommand{      }{substack}
1090 \eqcommand{      }{subsubitem}
1091 \eqcommand{      }{subsubsection}
1092 \eqcommand{      }{subset}
1093 \eqcommand{      }{subseteq}
1094 \eqcommand{      }{supereject}
1095 \eqcommand{      }{suppressfloats}
1096 \eqcommand{@ }{@tempa}
1097 \eqcommand{@ }{@tempb}
1098 \eqcommand{@ }{@tempc}
1099 \eqcommand{@ }{@tempd}
1100 \eqcommand{@ }{@tempe}
1101 \eqcommand{@ }{@tempboxa}
1102 \eqcommand{@ }{@tempcnta}
1103 \eqcommand{@ }{@tempcntb}
1104 \eqcommand{@ }{@tempdima}
1105 \eqcommand{@ }{@tempdimb}
1106 \eqcommand{@ }{@tempdimc}

```

```

1107 \eqcommand{ @tempskipa}
1108 \eqcommand{ @tempskipb}
1109 \eqcommand{ @tempswafalse}
1110 \eqcommand{ @tempswatrue}
1111 \eqcommand{ @temptokena}
1112 \eqcommand{ @thefnmark}
1113 \eqcommand{ @thirdofthree}
1114 \eqcommand{ tabbingsep}
1115 \eqcommand{ tabcolsep}
1116 \eqcommand{ tableofcontents}
1117 \eqcommand{ tablename}
1118 \eqcommand{ tabskip}
1119 \eqcommand{ tabularnewline}
1120 \eqcommand{ tag}
1121 \eqcommand{ telephone}
1122 \eqcommand{ TeX}
1123 \eqcommand{ text}
1124 \eqcommand{ textbullet}
1125 \eqcommand{ textfont}
1126 \eqcommand{ textemdash}
1127 \eqcommand{ textendash}
1128 \eqcommand{ textexclamdown}
1129 \eqcommand{ textperiodcentered}
1130 \eqcommand{ textquestiondown}
1131 \eqcommand{ textquotedblleft}
1132 \eqcommand{ textquotedblright}
1133 \eqcommand{ textquotelleft}
1134 \eqcommand{ textquoteright}
1135 \eqcommand{ textvisiblespace}
1136 \eqcommand{ textbackslash}
1137 \eqcommand{ textbar}
1138 \eqcommand{ textgreater}
1139 \eqcommand{ textless}
1140 \eqcommand{ textbf}
1141 \eqcommand{ textcircled}
1142 \eqcommand{ textcolor}
1143 \eqcommand{ textcompwordmark}
1144 \eqcommand{ textfloatsep}
1145 \eqcommand{ textfraction}
1146 \eqcommand{ textheight}
1147 \eqcommand{ textindent}
1148 \eqcommand{ textit}
1149 \eqcommand{ textmd}
1150 \eqcommand{ textnormal}
1151 \eqcommand{ textregistered}
1152 \eqcommand{ textrm}
1153 \eqcommand{ textsc}
1154 \eqcommand{ textsf}
1155 \eqcommand{ textsl}
1156 \eqcommand{ textstyle}

```

```

1157 \eqcommand{ }{textsuperscript}
1158 \eqcommand{ }{texttrademark}
1159 \eqcommand{ }{texttt}
1160 \eqcommand{ }{textup}
1161 \eqcommand{ }{textwidth}
1162 \eqcommand{ }{thanks}
1163 \eqcommand{ }{the}
1164 \eqcommand{ }{thempfn}
1165 \eqcommand{ }{thicklines}
1166 \eqcommand{ }{thickmuskip}
1167 \eqcommand{ }{thinmuskip}
1168 \eqcommand{ }{thickspace}
1169 \eqcommand{ }{thinlines}
1170 \eqcommand{ }{thinspace}
1171 \eqcommand{ }{thisfancypage}
1172 \eqcommand{ }{thispagestyle}
1173 \eqcommand{ @}{thr@@}
1174 \eqcommand{ }{tilde}
1175 \eqcommand{ }{tiny}
1176 \eqcommand{ }{time}
1177 \eqcommand{ }{times}
1178 \eqcommand{ }{title}
1179 \eqcommand{ }{to}
1180 \eqcommand{ }{today}
1181 \eqcommand{ }{toks}
1182 \eqcommand{ }{toksdef}
1183 \eqcommand{ }{tolerance}
1184 \eqcommand{ }{top}
1185 \eqcommand{ }{topfigrule}
1186 \eqcommand{ }{topfraction}
1187 \eqcommand{ }{topmargin}
1188 \eqcommand{ }{topmark}
1189 \eqcommand{ }{toppageskip}
1190 \eqcommand{ }{topsep}
1191 \eqcommand{ }{topskip}
1192 \eqcommand{ }{totalheight}
1193 \eqcommand{ }{tracingall}
1194 \eqcommand{ }{tracingcommands}
1195 \eqcommand{ }{tracinglostchars}
1196 \eqcommand{ }{tracingmacros}
1197 \eqcommand{ }{tracingonline}
1198 \eqcommand{ }{tracingoutput}
1199 \eqcommand{ }{tracingpages}
1200 \eqcommand{ }{tracingparagraphs}
1201 \eqcommand{ }{tracingrestores}
1202 \eqcommand{ }{tracingstats}
1203 \eqcommand{ }{triangle}
1204 \eqcommand{ }{ttdefault}
1205 \eqcommand{ }{ttfamily}
1206 \eqcommand{ @}{two@}

```

```

1207 \eqcommand{ }{twocolumn}
1208 \eqcommand{ }{typein}
1209 \eqcommand{ }{typeout}
1210 \eqcommand{ }{uccode}
1211 \eqcommand{ }{uchyph}
1212 \eqcommand{ }{underline}
1213 \eqcommand{ }{unhbox}
1214 \eqcommand{ }{unhcopy}
1215 \eqcommand{ }{unitlength}
1216 \eqcommand{ }{unkern}
1217 \eqcommand{ }{unpenalty}
1218 \eqcommand{ }{unskip}
1219 \eqcommand{ }{unvbox}
1220 \eqcommand{ }{unvcopy}
1221 \eqcommand{ }{updefault}
1222 \eqcommand{ }{upshape}
1223 \eqcommand{ }{usebox}
1224 \eqcommand{ }{usecounter}
1225 \eqcommand{ }{usefont}
1226 \eqcommand{ }{usepackage}
1227 \eqcommand{@ }{@vobeyspaces}
1228 \eqcommand{@ }{@void}
1229 \eqcommand{ }{vadjust}
1230 \eqcommand{ }{valign}
1231 \eqcommand{ }{value}
1232 \eqcommand{ }{vbadness}
1233 \eqcommand{ }{vbox}
1234 \eqcommand{ }{vcenter}
1235 \eqcommand{ }{verb}
1236 \eqcommand{ }{vfil}
1237 \eqcommand{ }{vfill}
1238 \eqcommand{ }{vfilneg}
1239 \eqcommand{ }{vfuzz}
1240 \eqcommand{ }{visible}
1241 \eqcommand{ }{vline}
1242 \eqcommand{ }{voffset}
1243 \eqcommand{ @ }{voidb@x}
1244 \eqcommand{ }{vpageref}
1245 \eqcommand{ }{vrboxsep}
1246 \eqcommand{ }{vref}
1247 \eqcommand{ }{vrule}
1248 \eqcommand{ }{vsized}
1249 \eqcommand{ }{vskip}
1250 \eqcommand{ }{vspace}
1251 \eqcommand{ }{vsplit}
1252 \eqcommand{ }{vss}
1253 \eqcommand{ }{vtop}
1254 \eqcommand{ }{wd}
1255 \eqcommand{ }{whiledo}
1256 \eqcommand{ }{widehat}

```

```

1257 \eqcommand{ }{widetilde}
1258 \eqcommand{ }{widowpenalty}
1259 \eqcommand{ }{width}
1260 \eqcommand{ }{wlog}
1261 \eqcommand{ }{write}
1262 \eqcommand{@ }{@obeysp}
1263 \eqcommand{@ }{@xxxii}
1264 \eqcommand{ }{xdef}
1265 \eqcommand{ }{xleaders}
1266 \eqcommand{ }{xspaceskip}
1267 \eqcommand{ }{year}
1268 \eqcommand{@ }{z@}
1269 \eqcommand{@ }{z@skip}

```

7.18 color-localise-xepersian.def

```

1270 color}          \-localise-xepersian.def}[2011/03/01 v0.1 localising color package]
1271 rgb}{0}{ }     \0,,0}
1272 rgb}{1}{ }     \1,,1}
1273 rgb}{1}{ }     \0,,0}
1274 rgb}{0}{ }     \1,,0}
1275 rgb}{0}{ }     \0,,1}
1276 cmyk}{1}{ }    \0,,0,0}
1277 cmyk}{0}{ }    \1,,0,0}
1278 cmyk}{0}{ }    \0,,1,0}

```

7.19 xepersian-localise-commands-xepersian.def

```

1279 \ProvidesFile{xepersian-localise-commands-xepersian.def}[2012/07/25 v0.2 Persian localisation
1280 \eqcommand{ }{autofootnoterule}
1281 \eqcommand{ }{AutoMathsDigits}
1282 \eqcommand{ }{DefaultMathsDigits}
1283 \eqcommand{@ }{keyval@eq@alias@key}
1284 \eqcommand{ }{deflatinfont}
1285 \eqcommand{ }{defpersianfont}
1286 \eqcommand{ }{hboxL}
1287 \eqcommand{ }{hboxR}
1288 \eqcommand{ }{Latincite}
1289 \eqcommand{ }{latinfont}
1290 \eqcommand{ }{latintoday}
1291 \eqcommand{ }{leftfootnoterule}
1292 \eqcommand{ }{lrl}
1293 \eqcommand{ }{LRE}
1294 \eqcommand{ }{LTRdblcol}
1295 \eqcommand{ }{LTRfootnote}
1296 \eqcommand{ }{LTRfootnotetext}
1297 \eqcommand{ }{LTRthanks}
1298 \eqcommand{ }{persianday}
1299 \eqcommand{ }{persianfont}
1300 \eqcommand{ }{PersianMathsDigits}
1301 \eqcommand{ }{persianmonth}

```

```

1302 \eqcommand{ }{\persianyear}
1303 \eqcommand{ }{\plq}
1304 \eqcommand{ }{\prq}
1305 \eqcommand{ }{\rightfootnoterule}
1306 \eqcommand{ }{\rl}
1307 \eqcommand{ }{\RLE}
1308 \eqcommand{ }{\RTLdblcol}
1309 \eqcommand{ }{\RTLfootnote}
1310 \eqcommand{ }{\RTLfootnotetext}
1311 \eqcommand{ }{\RTLthanks}
1312 \eqcommand{@ }{\@SepMark}
1313 \eqcommand{ }{\SepMark}
1314 \eqcommand{ }{\setdefaultbibitems}
1315 \eqcommand{ }{\setdefaultmarginpar}
1316 \eqcommand{ }{\setdigitfont}
1317 \eqcommand{ }{\setfootnoteLR}
1318 \eqcommand{ }{\setfootnoteRL}
1319 \eqcommand{ }{\setlatintextfont}
1320 \eqcommand{ }{\setLTR}
1321 \eqcommand{ }{\setLTRbibitems}
1322 \eqcommand{ }{\setLTRmarginpar}
1323 \eqcommand{ }{\setRTL}
1324 \eqcommand{ }{\setRTLbibitems}
1325 \eqcommand{ }{\setRTLmarginpar}
1326 \eqcommand{ }{\settextfont}
1327 \eqcommand{ }{\textwidthfootnoterule}
1328 \eqcommand{ }{\twocolumnstableofcontents}
1329 \eqcommand{ }{\unsetfootnoteRL}
1330 \eqcommand{ }{\unsetLTR}
1331 \eqcommand{ }{\unsetRTL}
1332 \eqcommand{ }{\vboxL}
1333 \eqcommand{ }{\vboxR}
1334 \eqcommand{ }{\XeTeX}
1335 \eqcommand{ }{\XePersian}
1336 \eqcommand{ }{\xepersianversion}
1337 \eqcommand{ }{\xepersiandate}
1338 \eqcommand{ }{\XeTeX}

```

7.20 enumerate-xepersian.def

```

1339 \ProvidesFile{enumerate-xepersian.def}[2010/07/25 v0.1 adaptations for enumerate package]
1340 \def\@enloop@{%
1341   \ifx \entemp@\      \def\@tempa{\@enLabel\harfi } \else
1342   \ifx \entemp@\      \def\@tempa{\@enLabel\adadi } \else
1343   \ifx \entemp@\      \def\@tempa{\@enLabel\tartibi } \else
1344   \ifx A\@entemp     \def\@tempa{\@enLabel\Alph } \else
1345   \ifx a\@entemp     \def\@tempa{\@enLabel\alph } \else
1346   \ifx i\@entemp     \def\@tempa{\@enLabel\roman } \else
1347   \ifx I\@entemp     \def\@tempa{\@enLabel\Roman } \else
1348   \ifx 1\@entemp     \def\@tempa{\@enLabel\arabic}\else

```

```

1349 \ifx \@sptoken\@entemp \let\@tempa\@enSpace \else
1350 \ifx \bgroup\@entemp \let\@tempa\@enGroup \else
1351 \ifx \Cenum@\@entemp \let\@tempa\@gobble \else
1352 \let\@tempa\@enOther
1353 \Oenhook
1354 \fi\fi\fi\fi\fi\fi\fi\fi\fi\fi
1355 \@tempa}

```

7.21 latex-localise-environments-xepersian.def

```

1356 \ProvidesFile{latex-localise-environments-xepersian.def}[2010/07/25 v0.2 Persian localisation o
1357 \eqenvironment{ }{abstract}
1358 \eqenvironment{ }{appendix}
1359 \eqenvironment{ }{array}
1360 \eqenvironment{ }{center}
1361 \eqenvironment{ }{description}
1362 \eqenvironment{ }{displaymath}
1363 \eqenvironment{ }{document}
1364 \eqenvironment{ }{enumerate}
1365 \eqenvironment{ }{figure}
1366 \eqenvironment{ *}{figure*}
1367 \eqenvironment{ }{filecontents}
1368 \eqenvironment{ *}{filecontents*}
1369 \eqenvironment{ }{flushleft}
1370 \eqenvironment{ }{flushright}
1371 \eqenvironment{ }{itemize}
1372 \eqenvironment{ }{letter}
1373 \eqenvironment{ }{list}
1374 \eqenvironment{ }{longtable}
1375 \eqenvironment{ }{lrbox}
1376 \eqenvironment{ }{math}
1377 \eqenvironment{ }{matrix}
1378 \eqenvironment{ }{minipage}
1379 \eqenvironment{ }{multiline}
1380 \eqenvironment{ }{note}
1381 \eqenvironment{ }{overlay}
1382 \eqenvironment{ }{picture}
1383 \eqenvironment{ }{quotation}
1384 \eqenvironment{ }{quote}
1385 \eqenvironment{ }{slide}
1386 \eqenvironment{ }{sloppypar}
1387 \eqenvironment{ }{split}
1388 \eqenvironment{ }{subarray}
1389 \eqenvironment{ }{tabbing}
1390 \eqenvironment{ }{table}
1391 \eqenvironment{ *}{table*}
1392 \eqenvironment{ }{tabular}
1393 \eqenvironment{ *}{tabular*}
1394 \eqenvironment{ }{thebibliography}
1395 \eqenvironment{ }{theindex}

```

```
1396 \eqenvironment{ }{titlepage}
1397 \eqenvironment{ }{trivlist}
1398 \eqenvironment{ }{verse}
```

7.22 xepersian-localise-environments-xepersian.def

```
1399 \ProvidesFile{xepersian-localise-environments-xepersian.def}[2010/07/25 v0.1 Persian localisati
1400 \eqenvironment{ }{latin}
1401 \eqenvironment{ }{LTR}
1402 \eqenvironment{ }{LTRitems}
1403 \eqenvironment{ }{modernpoem}
1404 \eqenvironment{ *}{modernpoem*}
1405 \eqenvironment{ }{persian}
1406 \eqenvironment{ }{RTL}
1407 \eqenvironment{ }{RTLitems}
1408 \eqenvironment{ }{traditionalpoem}
1409 \eqenvironment{ *}{traditionalpoem*}
```

7.23 extarticle-xepersian.def

```
1410 \ProvidesFile{extarticle-xepersian.def}[2010/07/25 v0.1 adaptations for extarticle class]
1411 \renewcommand{\thepart}{\@tartibi\c@part}
1412 \renewcommand{\appendix}{\par
1413   \setcounter{section}{0}%
1414   \setcounter{subsection}{0}%
1415   \gdef\thesection{\@harfi\c@section}}
```

7.24 extbook-xepersian.def

```
1416 \ProvidesFile{extbook-xepersian.def}[2010/07/25 v0.1 adaptations for extbook class]
1417 \renewcommand{\frontmatter}{%
1418   \cleardoublepage
1419   \mainmatterfalse
1420   \pagenumbering{harfi}}
1421 \renewcommand{\thepart}{\@tartibi\c@part}
1422 \renewcommand{\appendix}{\par
1423   \setcounter{chapter}{0}%
1424   \setcounter{section}{0}%
1425   \gdef\chapapp{\appendixname}%
1426   \gdef\thechapter{\@harfi\c@chapter}
1427 }%end appendix
```

7.25 extrafootnotefeatures-xepersian.def

```
1428 \ProvidesFile{extrafootnotefeatures-xepersian.def}[2012/01/01 v0.2 footnote macros for extrafoo
1429 \renewcommand{\foottextfont}{\footnotesize\if@RTL@footnote\else\latinfont\fi}
1430 \renewcommand{\LTRfoottextfont}{\footnotesize\latinfont}
1431 \renewcommand{\RTLfoottextfont}{\footnotesize\persianfont}
```

7.26 extreport-xepersian.def

```
1432 \ProvidesFile{extreport-xepersian.def}[2010/07/25 v0.1 adaptations for extreport class]
1433 \renewcommand{\thepart}{\@tartibi\c@part}
```

```

1434 \renewcommand\appendix{\par
1435   \setcounter{chapter}{0}%
1436   \setcounter{section}{0}%
1437   \gdef\@chapapp{\appendixname}%
1438   \gdef\thechapter{\@harfi\c@chapter}}

```

7.27 flowfram-xepersian.def

```

1439 \ProvidesFile{flowfram-xepersian.def}[2010/07/25 v0.1 adaptations for flowfram package]
1440 \def\@outputpage{%
1441   \begingroup
1442     \let\protect\noexpand
1443     \resetactivechars
1444     \global\let\@if@newlist\if@newlist
1445     \global\@newlistfalse\parboxrestore
1446     \shipout\vbox{\set@typeset@protect
1447       \aftergroup
1448       \endgroup
1449       \aftergroup
1450       \set@typeset@protect
1451       \reset@font\normalsize\normalsfcodes
1452       \let\label@gobble
1453       \let\index@gobble
1454       \let\glossary@gobble
1455       \baselineskip\z@skip
1456       \lineskip\z@skip
1457       \lineskiplimit\z@
1458       \vskip\topmargin\overright\themargin
1459       \vbox{%
1460         \vskip\headheight
1461         \vskip\headsep
1462         \box\@outputbox
1463       }%
1464     \global\let\if@newlist\@if@newlist
1465     \stepcounter{page}%
1466     \setcounter{displayedframe}{0}%
1467     \let\firstmark\botmark}

```

7.28 footnote-xepersian.def

```

1468 \ProvidesFile{footnote-xepersian.def}[2013/04/26 v0.4 footnote macros for xepersian package]
1469
1470
1471
1472 \long\def\@footnotetext#1{\insert\footins{%
1473   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
1474   \reset@font\footnotesize
1475   \interlinepenalty\interfootnotelinepenalty
1476   \splittopskip\footnotesepr
1477   \splitmaxdepth \dp\strutbox \floatingpenalty \MM
1478   \hsize\columnwidth \parboxrestore

```

```

1479 \protected@edef{@currentlabel{%
1480   \csname p@footnote\endcsname\@thefnmark
1481 }%
1482 \color@begingroup
1483   \makemfntext{%
1484     \rule{z@{\footnotesep}\ignorespaces\if@RTL@footnote#1\else\latinfont#1\fi\@finalstrut\strutbox}%
1485   \color@endgroup}%
1486
1487
1488
1489
1490
1491 \long\def\@RTLfootnotetext#1{\insert\footins{%
1492   \if@RTLtrue%
1493   \reset@font\footnotesize
1494   \interlinepenalty\interfootnotelinepenalty
1495   \splittopskip\footnotesep
1496   \splitmaxdepth \dp\strutbox \floatingpenalty \z@MM
1497   \hsize\columnwidth \parboxrestore
1498   \protected@edef{@currentlabel{%
1499     \csname p@footnote\endcsname\@thefnmark
1500   }%
1501   \color@begingroup
1502     \makemfntext{%
1503       \rule{z@{\footnotesep}\ignorespaces\persianfont #1\@finalstrut\strutbox}%
1504     \color@endgroup}%
1505
1506
1507
1508
1509
1510 \long\def\@LTRfootnotetext#1{\insert\footins{%
1511   \if@RTLfalse%
1512   \reset@font\footnotesize
1513   \interlinepenalty\interfootnotelinepenalty
1514   \splittopskip\footnotesep
1515   \splitmaxdepth \dp\strutbox \floatingpenalty \z@MM
1516   \hsize\columnwidth \parboxrestore
1517   \protected@edef{@currentlabel{%
1518     \csname p@footnote\endcsname\@thefnmark
1519   }%
1520   \color@begingroup
1521     \makemfntext{%
1522       \rule{z@{\footnotesep}\ignorespaces\latinfont #1\@finalstrut\strutbox}%
1523     \color@endgroup}%
1524
1525 \footdir@temp\footdir@ORG@xepersian@footnotetext\@footnotetext{\bidi@footdir@footnote}%
1526 \footdir@temp\footdir@ORG@xepersian@RTLfootnotetext\@RTLfootnotetext{R}%
1527 \footdir@temp\footdir@ORG@xepersian@LTRfootnotetext\@LTRfootnotetext{L}%
1528

```

```

1529
1530
1531 \long\def\@mpfootnotetext#1{%
1532 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule\global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
1533 \unvbox\@mpfootins
1534 \reset@font\footnotesize
1535 \hsize\columnwidth
1536 \parboxrestore
1537 \protected@edef\@currentlabel
1538 {\csname p@mpfootnote\endcsname\@thefnmark}%
1539 \color@begingroup
1540 \makefntext{%
1541 \rule\z@\footnotesep\ignorespaces\if@RTL@footnote#1\else\latinfont#1\fi\@finalstrut\strutbox}%
1542 \color@endgroup}
1543
1544
1545
1546
1547
1548
1549 \long\def\@mpRTLfootnotetext#1{%
1550 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnote\global\setbox\@mpfootins\vbox{\@RTLtrue}%
1551 \unvbox\@mpfootins
1552 \reset@font\footnotesize
1553 \hsize\columnwidth
1554 \parboxrestore
1555 \protected@edef\@currentlabel
1556 {\csname p@mpfootnote\endcsname\@thefnmark}%
1557 \color@begingroup
1558 \makefntext{%
1559 \rule\z@\footnotesep\ignorespaces\persianfont #1\@finalstrut\strutbox}%
1560 \color@endgroup}
1561
1562
1563
1564 \long\def\@mpLTRfootnotetext#1{%
1565 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnote\global\setbox\@mpfootins\vbox{\@RTLfalse}%
1566 \unvbox\@mpfootins
1567 \reset@font\footnotesize
1568 \hsize\columnwidth
1569 \parboxrestore
1570 \protected@edef\@currentlabel
1571 {\csname p@mpfootnote\endcsname\@thefnmark}%
1572 \color@begingroup
1573 \makefntext{%
1574 \rule\z@\footnotesep\ignorespaces\latinfont #1\@finalstrut\strutbox}%
1575 \color@endgroup}
1576

```

7.29 framed-xepersian.def

```
1577 \ProvidesFile{framed-xepersian.def}[2012/06/05 v0.1 xepersian adaptations for framed package for
1578 \renewenvironment{titled-frame}[1]{%
1579   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
1580   \TitleBarFrame{\textbf{\#1}}%
1581   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
1582   \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright$]\textbf{\#1}%
1583   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
1584   \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright$]\textbf{\#1}\if@RTL
1585   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
1586   \TitleBarFrame{\textbf{\#1}\if@RTL\else\cont\fi}%
1587   \MakeFramed{\advance\hsize-20pt \FrameRestore}%
1588 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
1589 % could interfere with the width measurement.
1590 {\endMakeFramed}
```

7.30 glossaries-xepersian.def

```
1591 \ProvidesFile{glossaries-xepersian.def}[2013/04/27 v0.2 xepersian adaptations for glossaries pac
1592 \newcommand*{\gls@charfipage}{\charfi\c@page}
1593 \newcommand*{\gls@tartibipage}{\tartibi\c@page}
1594 \newcommand*{\gls@adadipage}{\adadi\c@page}
1595 \renewcommand{\gls@protected@pagefmts}{%
1596   \gls@numberpage,\gls@alphpage,\gls@Alphpage,\gls@romanpage,\gls@Romanpage,\gls@harfipage,\gls@wrglossary}%
1597 }
1598 \renewcommand*{\@do@wrglossary}[1]{%
1599   \begingroup
1600   \let\orgthe\the
1601   \let\orgnumber\number
1602   \let\orgromannumeral\romannumeral
1603   \let\orgalph\@alph
1604   \let\orgAlpha\@Alpha
1605   \let\orgRoman\@Roman
1606   \let\orgcharfi\@charfi
1607   \let\orgadadi\@adadi
1608   \let\orgtartibi\@tartibi
1609   \def\the##1{%
1610     \ifx##1\c@page \gls@numberpage\else\orgthe##1\fi}%
1611   \def\number##1{%
1612     \ifx##1\c@page \gls@numberpage\else\orgnumber##1\fi}%
1613   \def\romannumeral##1{%
1614     \ifx##1\c@page \gls@romanpage\else\orgromannumeral##1\fi}%
1615   \def\@Roman##1{%
1616     \ifx##1\c@page \gls@Romanpage\else\orgRoman##1\fi}%
1617   \def\@alph##1{%
1618     \ifx##1\c@page \gls@alphpage\else\orgalph##1\fi}%
1619   \def\@Alpha##1{%
1620     \ifx##1\c@page \gls@Alphpage\else\orgAlpha##1\fi}%
1621   \def\@charfi##1{%
1622     \ifx##1\c@page \gls@harfipage\else\orgcharfi##1\fi}%
1623 }
```

```

1623 \def\@adadi##1{%
1624   \ifx##1\c@page \gls@adadi@page\else\orgadadi##1\fi}%
1625 \def\@tartibi##1{%
1626   \ifx##1\c@page \gls@tartibi@page\else\orgtartibi##1\fi}%
1627 \gls@disablepagerefexpansion
1628 \protected@xdef\glslocref{\the\glsentrycounter}%
1629 \endgroup
1630 \gls@checkmkidxchars\glslocref
1631 \expandafter\ifx\the\glsentrycounter\the\glsentrycounter
1632   \def\@glo@counterprefix{}%
1633 \else
1634   \protected@edef\glsHlocref{\the\glsentrycounter}%
1635   \gls@checkmkidxchars\glsHlocref
1636   \edef\@do@gls@getcounterprefix{\noexpand\gls@getcounterprefix
1637     {\glslocref}{\glsHlocref}}%
1638   }%
1639   \@do@gls@getcounterprefix
1640 \fi
1641 \if\glsxindy
1642   \expandafter\glo@check@mkidxrangechar\glsnumberformat@nil
1643   \def\@glo@range{}%
1644   \expandafter\if\@glo@prefix(\relax
1645     \def\@glo@range{:open-range}%
1646   \else
1647     \expandafter\if\@glo@prefix)\relax
1648       \def\@glo@range{:close-range}%
1649     \fi
1650   \fi
1651   \glossary[{\csname glo@\type\endcsname}]{%
1652     (indexentry :tkey (\csname glo@\index\endcsname)
1653       :locref \string"\@glo@counterprefix{\glslocref}\string" %
1654       :attr \string"\gls@counter\glo@suffix\string"
1655       \@glo@range
1656     )
1657   }%
1658 \else
1659   \set@glo@numformat{\glo@numfmt}{\gls@counter}{\glsnumberformat}%
1660   {\@glo@counterprefix}%
1661   \glossary[{\csname glo@\type\endcsname}]{%
1662     \string\glossaryentry{\csname glo@\index\endcsname
1663       \gls@encapchar\glo@numfmt{\glslocref}}%
1664   \fi
1665 }

```

7.31 hyperref-xepersian.def

```

1666 \ProvidesFile{hyperref-xepersian.def}[2013/04/09 v0.5 bilingual captions for hyperref package]
1667 \def\equationautorefname{\if@RTL else\quad Equation\fi}%
1668 \def\footnoteautorefname{\if@RTL else\quad footnote\fi}%
1669 \def\itemautorefname{\if@RTL else\quad item\fi}%

```

```

1670 \def\figureautorefname{\if@RTL else\ Figure\fi}%
1671 \def\tableautorefname{\if@RTL else\ Table\fi}%
1672 \def\partautorefname{\if@RTL else\ Part\fi}%
1673 \def\appendixautorefname{\if@RTL else\ Appendix\fi}%
1674 \def\chapterautorefname{\if@RTL else\ chapter\fi}%
1675 \def\sectionautorefname{\if@RTL else\ section\fi}%
1676 \def\subsectionautorefname{\if@RTL else\ subsection\fi}%
1677 \def\subsubsectionautorefname{\if@RTL else\ subsubsection\fi}%
1678 \def\paragraphautorefname{\if@RTL else\ paragraph\fi}%
1679 \def\ subparagraphautorefname{\if@RTL else\ subparagraph\fi}%
1680 \def\FancyVerbLineautorefname{\if@RTL else\ line\fi}%
1681 \def\theoremautorefname{\if@RTL else\ Theorem\fi}%
1682 \def\pageautorefname{\if@RTL else\ page\fi}%
1683 \AtBeginDocument{%
1684 \let\HyOrg@appendix\appendix
1685 \def\appendix{%
1686   \ltx@ifundefined{chapter}%
1687     {\gdef\theHsection{\Alph{section}}}%%
1688     {\gdef\theHchapter{\Alph{chapter}}}%%
1689   \xdef\Hy@chapapp{\Hy@appendixstring}%
1690   \HyOrg@appendix
1691 }
1692 }
1693 \pdfstringdefDisableCommands{%
1694 \let\lr@\firstofone
1695 \let\rl@\firstofone
1696 \def\XePersian{\XePersian}
1697 }

```

7.32 imsproc-xepersian.def

```

1698 \ProvidesFile{imsproc-xepersian.def}[2013/04/26 v0.3 implementation of imsproc class for xepersian]
1699 \newenvironment{thebibliography}[1]{%
1700   \bibtitlestyle
1701   \normalfont\bibliofont\labelsep .5em\relax
1702   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
1703   \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1704   \list{\@biblabel{\theenumiv}}{\setwidow\labelwidth{\@biblabel{#1}}%
1705     \leftmargin\labelwidth \advance\leftmargin\labelsep
1706     \usecounter{enumiv}}%
1707   \sloppy \clubpenalty\OM \widowpenalty\clubpenalty
1708   \sfcode`.=\OM
1709 }{%
1710   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
1711   \endlist
1712 }
1713 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
1714   \columnseprule\z@ \columnsep 35\p@
1715   \inextitlestyle
1716   \thispagestyle{plain}%

```

```

1717 \let\item\@idxitem
1718 \parindent\z@ \parskip\z@\@plus.3\p@\relax
1719 \if@RTL\raggedleft\else\raggedright\fi
1720 \hyphenpenalty\@M
1721 \footnotesize}
1722 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
1723 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
1724 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
1725 \renewcommand \thepart {\@tartibi\c@part}
1726 \def\appendix{\par\c@section\z@ \c@subsection\z@
1727 \let\sectionname\appendixname
1728 \def\thesection{\@harfi\c@section}}
1729 \def\right@footnoterule{%
1730 \hbox to \columnwidth
1731 {\beginR \vbox{\kern-.4\p@
1732 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}\hfil\endR}}
1733 \def\left@footnoterule{\kern-.4\p@
1734 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
1735 \def\@makefnmark{%
1736 \leavevmode
1737 \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
1738 }
1739
1740
1741
1742 \long\def\@footnotetext#1{%
1743 \insert\footins{%
1744 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
1745 \normalfont\footnotesize
1746 \interlinepenalty\interfootnotelinepenalty
1747 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
1748 \floatingpenalty\@MM \hsize\columnwidth
1749 \parboxrestore \parindent\normalparindent \sloppy
1750 \protected\edef\@currentlabel{%
1751 \csname p@footnote\endcsname\@thefnmark}%
1752 \@makefntext{%
1753 \rule\z@\footnotesep\ignorespaces\if@RTL@footnote#1\else\latinfont#1\fi\unskip\strut\par}}%
1754
1755
1756
1757
1758
1759 \long\def\@RTLfootnotetext#1{%
1760 \insert\footins{%
1761 \@RTLtrue%
1762 \normalfont\footnotesize
1763 \interlinepenalty\interfootnotelinepenalty
1764 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
1765 \floatingpenalty\@MM \hsize\columnwidth
1766 \parboxrestore \parindent\normalparindent \sloppy

```

```

1767 \protected@edef{@currentlabel{%
1768   \csname p@footnote\endcsname@\thefnmark}%
1769   \@makefntext{%
1770     \rule{z@{\footnotesep}\ignorespaces\persianfont #1\unskip\strut\par}}}
1771
1772
1773
1774
1775
1776
1777
1778 \long\def{\@LTRfootnotetext#1{%
1779   \insert\footins{%
1780     \ifRTL\false%
1781     \normalfont\footnotesize
1782     \interlinepenalty\interfootnotelinepenalty
1783     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
1784     \floatingpenalty\@MM \hsize\columnwidth
1785     \parboxrestore \parindent\normalparindent \sloppy
1786     \protected@edef{@currentlabel{%
1787       \csname p@footnote\endcsname@\thefnmark}%
1788       \@makefntext{%
1789         \rule{z@{\footnotesep}\ignorespaces\latinfont #1\unskip\strut\par}}}
1790
1791 \footdir@temp\footdir@ORG@xepersian@imsproc@footnotetext@\footnotetext{\bidi@footdir@footnote}%
1792 \footdir@temp\footdir@ORG@xepersian@imsproc@RTLfootnotetext@\RTLfootnotetext{R}%
1793 \footdir@temp\footdir@ORG@xepersian@imsproc@LTRfootnotetext@\LTRfootnotetext{L}%
1794
1795 \def{\part{\@startsection{part}{0}{%
1796   \z@{\linespacing\oplus\linespacing}{.5\linespacing}%
1797   {\normalfont\bfseries\ifRTL\raggedleft\else\raggedright\fi}}}
1798 \def{\@tocline#1#2#3#4#5#6#7{\relax
1799   \ifnum #1>\c@tocdepth % then omit
1800   \else
1801     \par \addpenalty\secpenalty\addvspace{#2}%
1802     \begingroup \hyphenpenalty\@M
1803     \@ifempty{#4}{%
1804       \tempdima\csname r@tocindent\expandafter{\number#1}\endcsname\relax
1805     }{%
1806       \tempdima#4\relax
1807     }%
1808     \parindent\z@ \ifRTL\rightskip\else\leftskip\fi#3\relax \advance\ifRTL\rightskip\else\leftskip\fi
1809     \ifRTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
1810     #5\leavevmode\hspace{-\tempdima} #6\nobreak\relax
1811     \hfill\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
1812     \nobreak
1813     \endgroup
1814   \fi}
1815 \renewcommand{\thesubsection}{\thesection\SepMark\arabic{subsection}}
1816 \renewcommand{\thesubsubsection}{\thesubsection\SepMark\arabic{subsubsection}}}
```

```

1817 \renewcommand{\theparagraph}{\thesubsubsection\SepMark{arabic{paragraph}}}
1818 \renewcommand{\thesubparagraph}{\theparagraph\SepMark{arabic{subparagraph}}}
1819 \def\maketitle{\par
1820   \@topnum\z@ % this prevents figures from falling at the top of page 1
1821   @setcopyright
1822   \thispagestyle{firstpage}% this sets first page specifications
1823   \uppercaseonmath\shorttitle
1824   \ifx\@empty\shortauthors\let\shortauthors\shorttitle
1825   \else\andify\shortauthors
1826   \fi
1827   @maketitle@hook
1828   \begingroup
1829   \maketitle
1830   \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
1831   \toks4{\def\\{\ignorespaces}}% defend against questionable usage
1832   \edef\@tempa{%
1833     \Onx\markboth{\the\toks4
1834     \Onx\MakeUppercase{\the\toks@}{\the\@temptokena}}%
1835   \atempa
1836   \endgroup
1837   \c@footnote\z@
1838   \cleartopmattertags
1839 }

```

7.33 kashida-xepersian.def

```

1840 \ProvidesFile{kashida-xepersian.def}[2013/11/15 v0.3 implementation of Kashida for xepersian pac
1841 \chardef\xepersian@zwj="200D % zero-width joiner
1842
1843 \chardef\xepersian@D=10 % dual-joiner class
1844 \chardef\xepersian@L=11 % lam
1845 \chardef\xepersian@R=12 % right-joiner
1846 \chardef\xepersian@A=13 % alef
1847 \chardef\xepersian@V=256 % vowel or other combining mark (to be ignored)
1848 \def\xepersian@kashida{\xepersian@zwj\nobreak%
1849   \leaders\hrule height \XeTeXglyphbounds2 \the\XeTeXcharglyph"0640 depth \XeTeXglyphbounds4 \v
1850
1851 \def\setclass#1#2{\def\thecharlist{#1}\def\charlist{#2}%
1852   \expandafter\dosetclass\charlist,\end}
1853 \def\dosetclass#1,#2\end{%
1854   \def\test{#1}\def\charlist{#2}%
1855   \ifx\test\empty\let\next\finishsetclass
1856   \else \XeTeXcharclass "\test = \thecharlist
1857   \let\next\dosetclass \fi
1858   \expandafter\next\charlist,,\end}
1859 \def\finishsetclass#1,,\end{}%
1860
1861 \setclass \xepersian@A {0622,0623,0625,0627}
1862 \setclass \xepersian@R {0624,0629,062F,0630,0631,0632,0648,0698}
1863 \setclass \xepersian@D {0626,0628,062A,062B,062C,062D,062E}

```

```

1864 \setclass \xepersian@D {0633,0634,0635,0636,0637,0638,0639,063A}
1865 \setclass \xepersian@D {0640,0641,0642,0643,0645,0646,0647,0649,064A}
1866 \setclass \xepersian@D {067E,0686,06A9,06AF,06CC}
1867 \setclass \xepersian@L {0644}
1868 \setclass \xepersian@V {064B,064C,064D,064E,064F,0650,0651,0652}
1869
1870 \XeTeXinterchartoks \xepersian@D \xepersian@D = {\xepersian@kashida}
1871 \XeTeXinterchartoks \xepersian@L \xepersian@D = {\xepersian@kashida}
1872 \XeTeXinterchartoks \xepersian@D \xepersian@L = {\xepersian@kashida}
1873 \XeTeXinterchartoks \xepersian@L \xepersian@L = {\xepersian@kashida}
1874 \XeTeXinterchartoks \xepersian@D \xepersian@R = {\xepersian@kashida}
1875 \XeTeXinterchartoks \xepersian@D \xepersian@A = {\xepersian@kashida}
1876 \XeTeXinterchartoks \xepersian@L \xepersian@R = {\xepersian@kashida}
1877 \XeTeXinterchartoks \xepersian@L \xepersian@A = {}
1878
1879 \newcommand{\KashidaOn}{\XeTeXinterchartokenstate=1}
1880 \newcommand{\KashidaOff}{\XeTeXinterchartokenstate=0}
1881 \KashidaOn

```

7.34 listings-xepersian.def

```

1882 \ProvidesFile{listings-xepersian.def}[2010/07/25 v0.2 bilingual captions for listings package]
1883 \def\lstlistingname{\if@RT \else\ Listing\fi}
1884 \def\lstlistlistingname{\if@RTL \else\ Listings\fi}

```

7.35 loadingorder-xepersian.def

```

1885 \ProvidesFile{loadingorder-xepersian.def}[2012/01/01 v0.3 making sure that xepersian is the last
1886 \bidi@isloaded{algorithmic}
1887 \bidi@isloaded{algorithm}
1888 \bidi@isloaded{backref}
1889 \bidi@isloaded{enumerate}
1890 \bidi@isloaded{tocloft}
1891 \bidi@isloaded{url}
1892 \AtBeginDocument{
1893   \if@bidi@algorithmicloaded@\else
1894     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithmic after xepersian}]
1895   \fi%
1896   \if@bidi@algorithmloaded@\else
1897     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithm after xepersian}]
1898   \fi%
1899   \if@bidi@backrefloaded@\else
1900     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package backref after xepersian}]
1901   \fi%
1902   \if@bidi@enumerateloaded@\else
1903     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumerate after xepersian}]
1904   \fi%
1905   \if@bidi@tocloftloaded@\else
1906     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package tocloft after xepersian}]
1907   \fi%
1908   \if@bidi@urlloaded@\else

```

```
1909     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package url after xepersian pack
1910     \fi%
1911 }
```

7.36 localise-xepersian.def

```
1912 \ProvidesFile{localise-xepersian.def}[2010/07/25 v0.2a Persian localisation of LaTeXe]
1913 \newcommand{\makezwnjletter}{\catcode`=11\relax}
1914 \makezwnjletter
1915 \newcommand*{\eqcommand}[2]{\if@bidi@csprimitve{#2}{\bidi@csletcs{#1}{#2}}{\bidi@csdefcs{#1}{#2}}}
1916 \newcommand*{\eqenvironment}[2]{\newenvironment{#1}{\csname#2\endcsname}{\csname end#2\endcsname}}
1917 @ifpackageloaded{keyval}{%
1918 \newcommand*{\keyval@eq@alias@key}[4][KV]{%
1919   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1920   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1921 }{\@ifpackageloaded{xkeyval}{%
1922 \newcommand*{\keyval@eq@alias@key}[4][KV]{%
1923   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1924   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1925 }{}}
1926 \input{latex-localise-commands-xepersian.def}
1927 \input{xepersian-localise-commands-xepersian.def}
1928 \input{latex-localise-environments-xepersian.def}
1929 \input{xepersian-localise-environments-xepersian.def}
1930 \input{latex-localise-messages-xepersian.def}
1931 \input{latex-localise-misc-xepersian.def}
1932 \input{packages-localise-xepersian.def}
1933 \aliasfontfeature{ExternalLocation}{  }
1934 \aliasfontfeature{ExternalLocation}{  }
1935 \aliasfontfeature{Renderer}{  }
1936 \aliasfontfeature{BoldFont}{  }
1937 \aliasfontfeature{Language}{  }
1938 \aliasfontfeature{Script}{  }
1939 \aliasfontfeature{UprightFont}{  }
1940 \aliasfontfeature{ItalicFont}{  }
1941 \aliasfontfeature{BoldItalicFont}{  }
1942 \aliasfontfeature{SlantedFont}{  }
1943 \aliasfontfeature{BoldSlantedFont}{  }
1944 \aliasfontfeature{SmallCapsFont}{  }
1945 \aliasfontfeature{UprightFeatures}{  }
1946 \aliasfontfeature{BoldFeatures}{  }
1947 \aliasfontfeature{ItalicFeatures}{  }
1948 \aliasfontfeature{BoldItalicFeatures}{  }
1949 \aliasfontfeature{SlantedFeatures}{  }
1950 \aliasfontfeature{BoldSlantedFeatures}{  }
1951 \aliasfontfeature{SmallCapsFeatures}{  }
1952 \aliasfontfeature{SizeFeatures}{  }
1953 \aliasfontfeature{Scale}{  }
1954 \aliasfontfeature{WordSpace}{  }
1955 \aliasfontfeature{PunctuationSpace}{  }
```

```

1956 \aliasfontfeature{FontAdjustment}{      }
1957 \aliasfontfeature{LetterSpace}{      }
1958 \aliasfontfeature{HyphenChar}{      }
1959 \aliasfontfeature{Color}{      }
1960 \aliasfontfeature{Opacity}{      }
1961 \aliasfontfeature{Mapping}{      }
1962 \aliasfontfeature{Weight}{      }
1963 \aliasfontfeature{Width}{      }
1964 \aliasfontfeature{OpticalSize}{      }
1965 \aliasfontfeature{FakeSlant}{      }
1966 \aliasfontfeature{FakeStretch}{      }
1967 \aliasfontfeature{FakeBold}{      }
1968 \aliasfontfeature{AutoFakeSlant}{      }
1969 \aliasfontfeature{AutoFakeBold}{      }
1970 \aliasfontfeature{Ligatures}{      }
1971 \aliasfontfeature{Alternate}{      }
1972 \aliasfontfeature{Variant}{      }
1973 \aliasfontfeature{Variant}{      }
1974 \aliasfontfeature{CharacterVariant}{      }
1975 \aliasfontfeature{ScriptStyle}{      }
1976 \aliasfontfeature{ScriptScriptStyle}{      }
1977 \aliasfontfeature{Style}{      }
1978 \aliasfontfeature{Annotation}{      }
1979 \aliasfontfeature{RawFeature}{      }
1980 \aliasfontfeature{CharacterWidth}{      }
1981 \aliasfontfeature{Numbers}{      }
1982 \aliasfontfeature{Contextuals}{      }
1983 \aliasfontfeature{Diacritics}{      }
1984 \aliasfontfeature{Letters}{      }
1985 \aliasfontfeature{Kerning}{      }
1986 \aliasfontfeature{VerticalPosition}{      }
1987 \aliasfontfeature{Fractions}{      }
1988 \aliasfontfeatureoption{Language}{Default}{      }
1989 \aliasfontfeatureoption{Language}{Parsi}{      }
1990 \aliasfontfeatureoption{Script}{Parsi}{      }
1991 \aliasfontfeatureoption{Script}{Latin}{      }

```

7.37 memoir-xepersian.def

```

1992 \ProvidesFile{memoir-xepersian.def}[2010/07/25 v0.1 adaptations for memoir class]
1993 \renewcommand{\@memfront}{%
1994   \@smemfront\pagenumbering{harfi}%
1995 \renewcommand{\setthesection}{\thechapter\@SepMark\harfi{section}}%
1996 \renewcommand*{\thebook}{\@tartibi\c@book}%
1997 \renewcommand*{\thepart}{\@tartibi\c@part}%
1998 \renewcommand{\appendix}{\par
1999   \setcounter{chapter}{0}%
2000   \setcounter{section}{0}%
2001   \gdef\@chapapp{\appendixname}%
2002   \gdef\thechapter{\harfi\c@chapter}%

```

```
2003 \anappendixtrue}
```

7.38 latex-localise-messages-xepersian.def

```
2004 latex}      -localise-messages-xepersian.def}[2011/03/01 v0.1 localising LaTeX2e messages]
```

7.39 minitoc-xepersian.def

```
2005 \ProvidesFile{minitoc-xepersian.def}[2010/07/25 v0.1 bilingual captions for minitoc package]
2006 \def\ptctitle{\if@RTL else\ Table of Contents\fi}%
2007 \def\plftitle{\if@RTL else\ List of Figures\fi}%
2008 \def\pltttitle{\if@RTL else\ List of Tables\fi}%
2009 \def\mtctitle{\if@RTL else\ Contents\fi}%
2010 \def\mlftitle{\if@RTL else\ Figures\fi}%
2011 \def\mltttitle{\if@RTL else\ Tables\fi}%
2012 \def\stctitle{\if@RTL else\ Contents\fi}%
2013 \def\slftitle{\if@RTL else\ Figures\fi}%
2014 \def\slttitle{\if@RTL else\ Tables\fi}%
```

7.40 latex-localise-misc-xepersian.def

```
2015 \ProvidesFile{latex-localise-misc-xepersian.def}[2012/01/01 v0.2 miscellaneous Persian localisa
2016 %}1#  \\
2017   @ \    @ \    \
2018   \1# \
2019   \1# @\
2020   \1# @\
2021 {@ \ \
2022 %}2#1# @ \
2023 %}1#  \
2024   \2# \
2025 {{2#1# \
2026 undefined\ \
2027
2028 %{\ \
2029   \ { \ \
2030   \ \
2031
2032
2033 \ \
2034   \1#} \
2035   \
2036   }%
2037   \
2038   \
2039 }
2040 \= \
2041
2042
2043 \@ifdefinitionfileloaded{latex-xetex-bidi}{%
2044 \def\@xfloat #1[#2]{%
2045   \nодокумент
```

```

2046 \def \@capttype {\#1}%
2047 \def \@fps {\#2}%
2048 \@onellevel@sanitize \@fps
2049 \def \reserved@b {!}%
2050 \ifx \reserved@b \@fps
2051     \@fpsadddefault
2052 \else
2053     \ifx \@fps \empty
2054         \@fpsadddefault
2055     \fi
2056 \fi
2057 \ifhmode
2058     \@bsphack
2059     \@floatpenalty -\@Mii
2060 \else
2061     \@floatpenalty-\@Miii
2062 \fi
2063 \ifinner
2064     \@parmoderr\@floatpenalty\z@
2065 \else
2066     \next\currbox\freelist
2067     {%
2068         \tempcnta \sixt@n
2069         \expandafter \tfor \expandafter \reserved@a
2070             \expandafter :\expandafter =\@fps
2071             \do
2072                 {%
2073                     \if \reserved@a h%
2074                         \ifodd \tempcnta
2075                         \else
2076                             \advance \tempcnta \one
2077                         \fi
2078                     \fi
2079                     \if \reserved@a %
2080                         \ifodd \tempcnta
2081                         \else
2082                             \advance \tempcnta \one
2083                         \fi
2084                     \fi
2085                     \if \reserved@a t%
2086                         \setfpsbit \tw@
2087                     \fi
2088                     \if \reserved@a %
2089                         \setfpsbit \tw@
2090                     \fi
2091                     \if \reserved@a b%
2092                         \setfpsbit 4%
2093                     \fi
2094                     \if \reserved@a %
2095                         \setfpsbit 4%

```

```

2096          \fi
2097          \if \reserved@a p%
2098              \@setfpsbit 8%
2099          \fi
2100          \if \reserved@a %
2101              \@setfpsbit 8%
2102          \fi
2103          \if \reserved@a !%
2104              \ifnum \@tempcnta>15
2105                  \advance\@tempcnta -\sixt@n\relax
2106              \fi
2107          \fi
2108      }%
2109      \@tempcntb \csname ftype@\@capttype \endcsname
2110      \multiply \@tempcntb \@xxxii
2111      \advance \@tempcnta \@tempcntb
2112      \global \count\@currbox \@tempcnta
2113  }%
2114  \@fltovf
2115 \fi
2116 \global \setbox\@currbox
2117   \color@vbox
2118     \normalcolor
2119     \vbox \bgroup
2120       \hsize\columnwidth
2121       \parboxrestore
2122       \floatboxreset
2123 }
2124 \let\bm@ \bm@c
2125 \let\bm@ \bm@l
2126 \let\bm@ \bm@r
2127 \let\bm@ \bm@b
2128 \let\bm@ \bm@t
2129 \let\bm@ \bm@s
2130 \long\def\@iiiparbox#1#2[#3]#4#5{%
2131   \leavevmode
2132   \pboxswfalse
2133   \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
2134   \if@RTL\if#1\@bidi@list@minipage@parboxtrue\else\if#1\@bidi@list@minipage@parboxtrue\else\fi
2135   \setlength\@tempdima{#4}%
2136   \begin@tempboxa\vbox{\hsize\@tempdima\parboxrestore#5\@par}%
2137   \ifx\relax#2\else
2138     \setlength\@tempdimb{#2}%
2139     \edef\@parboxto{to\the\@tempdimb}%
2140   \fi
2141   \if#1\@vbox
2142   \else\if#1 \vbox
2143   \else\if #1\@vtop
2144   \else\if vtop\ #1
2145   \else\ifmmode\vcenter

```

```

2146     \else\@pboxswtrue $\\vcenter
2147     \\fi\\fi\\fi\\fi
2148     \\parbox{\\let\\hss\\vss\\let\\unhbox\\unvbox
2149         \\csname bm\\#3\\endcsname}\\%
2150     \\if@pboxsw \\m@th$\\fi
2151 \\end@tempboxa}
2152 \\def\\@iiminipage#1#2[#3]#4{%
2153     \\leavevmode
2154     \\@pboxswfalse
2155     \\if@RTLtab\\@bidi@list@minipage@parbox@not@nobtrue\\fi
2156     \\if@RTL\\if#1\\@bidi@list@minipage@parboxtrue\\else\\if#1b\\@bidi@list@minipage@parboxtrue\\else
2157     \\setlength\\@tempdima{#4}\\%
2158     \\def\\@mpargs{{#1}{#2}[#3]{#4}}\\%
2159     \\setbox\\@tempboxa\\vbox\\bgroup
2160     \\color@begingroup
2161     \\hsize\\@tempdima
2162     \\textwidth\\hsize \\columnwidth\\hsize
2163     \\@parboxrestore
2164     \\def\\@mpfn{\\mpfootnote}\\def\\thempfn{\\thempfootnote}\\c@mpfootnote\\z@
2165     \\let\\@footnotetext\\@mpfootnotetext
2166     \\let\\@LTRfootnotetext\\@mpLTRfootnotetext
2167     \\let\\@RTLfootnotetext\\@mpRTLfootnotetext
2168     \\let\\@listdepth\\mplistdepth \\@plistdepth\\z@
2169     \\@minipagerestore
2170     \\@setminipage}
2171 \\def\\@testpach#1{\\@chclass \\ifnum \\@lastchclass=\\tw@ 4 \\else
2172     \\ifnum \\@lastchclass=3 5 \\else
2173     \\z@ \\if #1c\\chnum \\z@ \\else
2174         \\if chnum@\\#1 \\z@ \\else
2175             \\if \\if@RTLtab#1r\\else#1l\\fi\\@chnum \\@ne \\else
2176                 \\if \\if@RTLtab#1 \\else#1 \\fi\\@chnum \\@ne \\else
2177                     \\if \\if@RTLtab#1l\\else#1r\\fi\\@chnum \\tw@ \\else
2178                         \\if \\if@RTLtab#1 \\else#1 \\fi\\@chnum \\tw@ \\else
2179                             \\@chclass \\if #1\\@ne \\else
2180                                 \\if #1@\\tw@ \\else
2181                                     \\if #1p3 \\else
2182                                         \\if 3#1 \\else \\z@ \\@preamerr 0\\fi
2183                                         \\fi \\fi \\fi \\fi \\fi \\fi \\fi
2184 \\fi}\\%
2185 }{\\}
2186 \\@ifdefinitionfileloaded{array-xetex-bidi}{%
2187 \\def\\@testpach{\\@chclass
2188     \\ifnum \\@lastchclass=6 \\@ne \\@chnum \\@ne \\else
2189     \\ifnum \\@lastchclass=7 5 \\else
2190     \\ifnum \\@lastchclass=8 \\tw@ \\else
2191         \\ifnum \\@lastchclass=9 \\thr@\\
2192         \\else \\z@\\
2193         \\ifnum \\@lastchclass = 10 \\else
2194             \\edef\\@nextchar{\\expandafter\\string\\@nextchar}\\%
2195             \\@chnum

```



```

2246 \if \@nextchar m\thr@@\else
2247 \if \@nextchar thr@@\else\
2248 \if \@nextchar p4 \else
2249 \if \@nextchar 4 \else
2250 \if \@nextchar b5 \else
2251 \if \@nextchar 5 \else
2252 \z@\@chclass \z@ \preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
2253 \fi \fi
2254
2255 \def\@classz{\@classx
2256 \@tempcnta \count@
2257 \prepnext@tok
2258 \@addtopreamble{\ifcase \@chnum
2259 \hfil
2260 \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
2261 \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
2262 \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
2263 \setbox\adl@box\hbox \adl@startmbx{\@nextchar}\insert@column
2264 \adl@endmbx\or
2265 \setbox\adl@box\vtop \startpbox{\@nextchar}\insert@column \endpbox \or
2266 \setbox\adl@box\vbox \startpbox{\@nextchar}\insert@column \endpbox
2267 \fi}\prepnext@tok}
2268 \def\adl@class@start{4}
2269 \def\adl@class@iiiorvii{7}
2270
2271 \else
2272 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4\relax \else
2273 \ifnum \lastchclass=\thr@@ 5\relax \else
2274 \z@ \if #1\@chnum \z@ \else
2275 \if \chnum\z@ \#1 \else
2276 \if \if@RTLtab#1\relax\else#1\fi\@chnum \one \else
2277 \if \if@RTLtab#1\relax\else#1\fi\@chnum \one \else
2278 \if \if@RTLtab#1\relax\else#1\fi\@chnum \tw@ \else
2279 \if \if@RTLtab#1\relax\else#1\fi\@chnum \tw@ \else
2280 \chclass
2281 \if #1|\one \let\arrayrule\adl@arrayrule \else
2282 \if #1:\one \let\arrayrule\adl@arraydashrule \else
2283 \if #1;\one \let\arrayrule\adl@argarraydashrule \else
2284 \if #1@\tw@ \else
2285 \if #1\thr@@ \else
2286 \if @thr\#1 \else\z@ \preamerr 0\fi
2287 \fi \fi
2288
2289 \def\@arrayclassz{\ifcase \lastchclass \acolampacol \or \ampacol \or
2290 \or \or \addamp \or
2291 \acolampacol \or \firststampfalse \acol \fi
2292 \edef\@preamble{\@preamble
2293 \ifcase \@chnum
2294 \hfil\adl@putlrc{$\relax\sharp$}\hfil
2295 \or \adl@putlrc{$\relax\sharp$}\hfil

```

```

2296          \or \hfil\adl@putlrc{$\relax\@sharp$\fi} \\
2297 \def\@tabclassz{\ifcase \lastchclass \acolampacol \or \ampacol \or \\
2298             \or \or \caddamp \or \\
2299             \acolampacol \or \firstmpfalse \acol \fi \\
2300     \edef\@preamble{\@preamble \\
2301     \ifcase \chnum \\
2302         \hfil\adl@putlrc{\@sharp\unskip}\hfil \\
2303         \or \adl@putlrc{\@sharp\unskip}\hfil \\
2304         \or \hfil\hskip\z@\adl@putlrc{\@sharp\unskip}\fi} \\
2305 \def\adl@class@start{6} \\
2306 \def\adl@class@iiiorvii{3} \\
2307 \fi \\
2308 }{} \\
2309 \@ifdefinitionfileloaded{tabulary-xetex-bidi}{% \\
2310 \def\@testpach{\chclass \\
2311 \ifnum \lastchclass=6 \one \chnum \one \else \\
2312 \ifnum \lastchclass=7 5 \else \\
2313 \ifnum \lastchclass=8 \tw@ \else \\
2314 \ifnum \lastchclass=9 \thr@@ \\
2315 \else \z@ \\
2316 \ifnum \lastchclass = 10 \else \\
2317 \edef\@nextchar{\expandafter\string\@nextchar} \% \\
2318 \chnum \\
2319 \if \nextchar c\z@ \else \\
2320 \if \nextchar @z\ \else \\
2321 \if \nextchar \if@RTLtab r\else l\fi\one \else \\
2322 \if \nextchar \if@RTLtab \else\ fi\one\ \else \\
2323 \if \nextchar \if@RTLtab l\else r\fi\tw@ \else \\
2324 \if \nextchar \if@RTLtab \else\ @fi\tw\ \else \\
2325 \if \nextchar C7 \else \\
2326 \if \nextchar 7 \else \\
2327 \if \nextchar L8 \else \\
2328 \if \nextchar 8 \else \\
2329 \if \nextchar R9 \else \\
2330 \if \nextchar 9 \else \\
2331 \if \nextchar J10 \else \\
2332 \if \nextchar 10 \else \\
2333 \z@\chclass \\
2334 \if\@nextchar |\one \else \\
2335 \if\@nextchar !6 \else \\
2336 \if\@nextchar @7 \else \\
2337 \if\@nextchar <8 \else \\
2338 \if\@nextchar >9 \else \\
2339 10 \\
2340 \chnum \\
2341 \if \nextchar m\thr@@\else \\
2342 \if \nextchar thr@@\else\ \\
2343 \if \nextchar p4 \else \\
2344 \if \nextchar4 \else \\
2345 \if \nextchar b5 \else

```



```

2393 \else
2394   \let\NAT@mbox=\mbox
2395   \let@\cite\NAT@citenum
2396   \let\NAT@space\NAT@spacechar
2397   \let\NAT@super@kern\relax
2398 \fi
2399 \let@\citex\NAT@citexnum
2400 \let@\Latinincitex\NAT@Latin@citexnum
2401 \let@\biblabel\NAT@biblabelnum
2402 \let@\bibsetup\NAT@bibsetnum
2403 \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@num\NAT@close}%
2404   \def\natexlab##1}%
2405   \def\NAT@penalty{\penalty\@m}%
2406 \else
2407   \let@\cite\NAT@cite
2408   \let@\citex\NAT@citex
2409   \let@\Latinincitex\NAT@Latin@citex
2410   \let@\biblabel\NAT@biblabel
2411   \let@\bibsetup\NAT@bibsetup
2412   \let\NAT@space\NAT@spacechar
2413   \let\NAT@penalty\@empty
2414 \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@date\NAT@close}%
2415   \def\natexlab##1{##1}%
2416 \fi}
2417 \newcommand\NAT@Latin@citex{}
2418 \def\NAT@Latin@citex%
2419   [#1] [#2]#3{%
2420   \NAT@reset@parser
2421   \NAT@sort@cites{#3}%
2422   \NAT@reset@citea
2423   \cite{\lr{\let\NAT@nm\@empty\let\NAT@year\@empty
2424     @for@\citereb:=\NAT@cite@list\do
2425       {\@safe@activestrue
2426         \edef@\citereb{\expandafter@\firstofone@\citereb\@empty}%
2427         \@safe@activesfalse
2428         \@ifundefined{b@\citereb}{\@citea{%
2429           \reset@font\bfseries }{\NAT@citeundefined
2430             \PackageWarning{natbib}}%
2431             {Citation `@\citereb' on page \thepage \space undefined}\def\NAT@date{}%
2432             {\let\NAT@last@nm=\NAT@nm\let\NAT@last@yr=\NAT@year
2433               \NAT@parse{\citereb}%
2434               \ifNAT@longnames\@ifundefined{bv@\citereb}{\@citea{%
2435                 \let\NAT@name=\NAT@all@names
2436                 \global\@namedef{bv@\citereb}{\extra@b@\citereb}}{}}{}}%
2437             \fi
2438             \ifNAT@full\let\NAT@nm\NAT@all@names\else
2439               \let\NAT@nm\NAT@name\fi
2440             \ifNAT@swa\ifcase\NAT@ctype
2441               \if\relax\NAT@date\relax
2442                 \citea{\NAT@hyper{\NAT@nm}{\NAT@date}}%

```

```

2443 \else
2444   \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2445     \ifx\NAT@last@yr\NAT@year
2446       \def\NAT@temp{{?}}%
2447       \ifx\NAT@temp\NAT@exlab\PackageWarning{natbib}%
2448         {Multiple citation on page \thepage: same authors and
2449          year\MessageBreak without distinguishing extra
2450          letter,\MessageBreak appears as question mark}\fi
2451       \NAT@hyper{{\NAT@exlab}}%
2452     \else\unskip\NAT@spacechar
2453       \NAT@hyper{{\NAT@date}}%
2454     \fi
2455   \else
2456     \citea\NAT@hyper{%
2457       \NAT@nmfmt{{\NAT@nm}}%
2458       \hyper@natlinkbreak{%
2459         \NAT@aysep\NAT@spacechar}{\citeb\extra@b@citeb
2460       }%
2461       \NAT@date
2462     }%
2463   \fi
2464 \fi
2465 \or\citea\NAT@hyper{{\NAT@nmfmt{{\NAT@nm}}}}%
2466 \or\citea\NAT@hyper{{\NAT@date}}%
2467 \or\citea\NAT@hyper{{\NAT@alias}}%
2468 \fi \NAT@def@citea
2469 \else
2470   \ifcase\NAT@ctype
2471     \if\relax\NAT@date\relax
2472       \citea\NAT@hyper{{\NAT@nmfmt{{\NAT@nm}}}}%
2473     \else
2474       \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2475         \ifx\NAT@last@yr\NAT@year
2476           \def\NAT@temp{{?}}%
2477           \ifx\NAT@temp\NAT@exlab\PackageWarning{natbib}%
2478             {Multiple citation on page \thepage: same authors and
2479              year\MessageBreak without distinguishing extra
2480              letter,\MessageBreak appears as question mark}\fi
2481           \NAT@hyper{{\NAT@exlab}}%
2482         \else
2483           \unskip\NAT@spacechar
2484           \NAT@hyper{{\NAT@date}}%
2485         \fi
2486       \else
2487         \citea\NAT@hyper{%
2488           \NAT@nmfmt{{\NAT@nm}}%
2489           \hyper@natlinkbreak{\NAT@spacechar\NAT@open\if*\#1*\else#1\NAT@spacechar\fi}%
2490             {\citeb\extra@b@citeb}}%
2491           \NAT@date
2492         }%

```

```

2493     \fi
2494     \fi
2495     \or\@citea\NAT@hyper@\{ \NAT@nmfmt{\NAT@nm}\}%
2496     \or\@citea\NAT@hyper@\{ \NAT@date\}%
2497     \or\@citea\NAT@hyper@\{ \NAT@alias\}%
2498     \fi
2499     \if\relax\NAT@date\relax
2500         \NAT@def@citea
2501     \else
2502         \NAT@def@citea@close
2503     \fi
2504     \fi
2505     } }\ifNAT@swa\else\if*#2*\else\NAT@cmt#2\fi
2506     \if\relax\NAT@date\relax\else\NAT@@close\fi\fi}}{\#1}{\#2}}
2507 \newcommand\NAT@Latin@citexnum{}
2508 \def\NAT@Latin@citexnum[#1] [#2]{#3}%
2509   \NAT@reset@parser
2510   \NAT@sort@cites{#3}%
2511   \NAT@reset@citea
2512   \@cite{\lr{\def\NAT@num{-1}\let\NAT@last@yr\relax\let\NAT@nm\@empty
2513     \@for\@citere:=\NAT@cite@list\do
2514       {\@safe@activestrue
2515         \edef\@citere{\expandafter\@firstofone\@citere\@empty}%
2516         \@safe@activesfalse
2517         \@ifundefined{b@\@citere\@extra@b@\citere}%
2518           {\reset@font\bfseries?}
2519           \NAT@citeundefined\PackageWarning{natbib}%
2520           {Citation `@\citere' on page \thepage \space undefined}%
2521         {\let\NAT@last@num\NAT@num\let\NAT@last@nm\NAT@nm
2522           \NAT@parse{\@citere}%
2523           \@ifNAT@longnames{\@ifundefined{bv@\@citere\@extra@b@\citere}%
2524             {\let\NAT@name=\NAT@all@names
2525               \global\@namedef{bv@\@citere\@extra@b@\citere}{}{}%
2526             \fi
2527             \@ifNAT@full\let\NAT@nm\NAT@all@names\else
2528               \let\NAT@nm\NAT@name\fi
2529             \@ifNAT@swa
2530               \@ifnum{\NAT@ctype}>\@ne}%
2531               \else
2532                 \NAT@hyper@\{@ifnum{\NAT@ctype=\tw@}{\NAT@test{\NAT@ctype}}{\NAT@alias}}%
2533               \fi}%
2534               \@ifnum{\NAT@cmprs>\z@}%
2535                 \NAT@ifcat@num\NAT@num
2536                   {\let\NAT@nm=\NAT@num}%
2537                   {\def\NAT@nm{-2}}%
2538                   \NAT@ifcat@num\NAT@last@num
2539                     {\@tempcnta=\NAT@last@num\relax}%
2540                     {\@tempcnta\m@ne}%
2541                     \@ifnum{\NAT@nm=\@tempcnta}%
2542                       \NAT@merge\@ne}{}{\NAT@last@yr@mbox}%

```

```

2543 }{%
2544     \advance\@tempcnta by\@ne
2545     \@ifnum{\NAT@nm=\@tempcnta}{%
2546         \ifx\NAT@last@yr\relax
2547             \def\NAT@last@yr{\@citea}%
2548         \else
2549             \def\NAT@last@yr{--\NAT@penalty}%
2550         \fi
2551     }{%
2552         \NAT@last@yr@mbox
2553     }%
2554 }%
2555 }{%
2556     \tempswatru
2557     \@ifnum{\NAT@merge>\@ne}{\@ifnum{\NAT@last@num=\NAT@num\relax}{\@tempswafalse}{}{}}{%
2558         \if@tempswa\NAT@citea@mbox\fi
2559     }%
2560 }%
2561     \NAT@def@citea
2562 \else
2563     \ifcase\NAT@ctype
2564         \ifx\NAT@last@nm\NAT@nm \NAT@yrsep\NAT@penalty\NAT@space\else
2565             \NAT@citea \NAT@test{\@ne}\NAT@spacechar\NAT@mbox{\NAT@super@kern\NAT@open}%
2566         \fi
2567         \if*#1*\else#1\NAT@spacechar\fi
2568         \NAT@mbox{\NAT@hyper@{\{\citemumfont{\NAT@num}\}}}\%
2569         \NAT@def@citea@box
2570     \or
2571         \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2572     \or
2573         \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2574     \or
2575         \NAT@hyper@citea@space\NAT@alias
2576     \fi
2577 \fi
2578 }%
2579 }%
2580     \@ifnum{\NAT@cmprs>\z@}{\NAT@last@yr}{}%
2581     \ifNAT@swa\else
2582         \@ifnum{\NAT@ctype=\z@}{%
2583             \if*#2*\else\NAT@cmt#2\fi
2584         }{}%
2585         \NAT@mbox{\NAT@close}\%
2586     \fi
2587 }{\#1}{\#2}%
2588 }%
2589 \AtBeginDocument{\NAT@set@cites}
2590 \DeclareRobustCommand\Latincite
2591     {\begingroup\let\NAT@ctype\z@\NAT@partrue\NAT@swatru
2592     \@ifstar{\NAT@fulltrue\NAT@Latin@cites}{\NAT@fullfalse\NAT@Latin@cites}}

```

```

2593 \newcommand{\NAT@@Latin@@cites}{\ifnextchar [{\NAT@@Latin@@citetp}{%
2594     \ifNAT@numbers\else
2595     \NAT@swafalse
2596     \fi
2597     \NAT@@Latin@@citetp[]]}
2598 \newcommand{\NAT@@Latin@@citetp}{}
2599 \def\NAT@@Latin@@citetp[#1]{\ifnextchar [{\@Latincitex[#1]}{\@Latincitex[] [#1]}}

```

7.42 packages-localise-xepersian.def

```

2600 packages}           \-localise-xepersian.def}[2013/04/24 v0.2 localising LaTeXe Packages]
2601 color}   \color          @-localise-xepersian.def}{}}
2602 \ifpackageloaded{multicol}{%
2603 \newenvironment{ }{\begin{multicols}}{\end{multicols}}%
2604 \newenvironment{ }{\begin{multicols*}}{\end{multicols*}}%
2605 }{%
2606 \ifpackageloaded{verbatim}{%
2607 \begingroup
2608 \vrb@catcodes
2609 \lccode`!=`\ \
2610 \catcode`~=`\active \lccode`~=`^M
2611 \lccode`C=`\C
2612 \lowercase{\endgroup
2613 \def\xepersian@localize@verbatim@start#1{%
2614     \verbatim@startline
2615     \if\noexpand#1\noexpand~%
2616         \let\next\xepersian@localize@verbatim@
2617     \else \def\next{\xepersian@localize@verbatim@#1}\fi
2618     \next}%
2619 \def\xepersian@localize@verbatim@#1~{\xepersian@localize@verbatim@#1! \nil}%
2620 \def\xepersian@localize@verbatim@#1! {%
2621     \verbatim@addtoline{#1}%
2622     \futurelet\next\xepersian@localize@verbatim@%
2623 \def\xepersian@localize@verbatim@#1\nil{%
2624     \ifx\next\nil
2625         \verbatim@processline
2626         \verbatim@startline
2627         \let\next\xepersian@localize@verbatim@
2628     \else
2629         \def@tempa##1! \nil{##1}%
2630         \temptokena{! }%
2631         \def\next{\expandafter\xepersian@localize@verbatim@test\@tempa#1\nil-}%
2632         \fi \next}%
2633 \def\xepersian@localize@verbatim@test#1{%
2634     \let\next\xepersian@localize@verbatim@test
2635     \if\noexpand#1\noexpand~%
2636         \expandafter\verbatim@addtoline
2637         \expandafter{\the\temptokena}%
2638         \verbatim@processline
2639         \verbatim@startline

```

```

2640           \let\next\xepersian@localize@verbatim@
2641           \else \if\noexpand#1
2642               @temptokena\expandafter{\the\@temptokena#1}%
2643           \else \if\noexpand#1\noexpand[%
2644               \let\@tempc\@empty
2645               \let\next\xepersian@localize@verbatim@testend
2646           \else
2647               \expandafter\verbatim@addtoline
2648                   \expandafter{\the\@temptokena}%
2649                   \def\next{\xepersian@localize@verbatim@#1}%
2650                   \fi\fi\fi
2651                   \next}%
2652           \def\xepersian@localize@verbatim@testend#1{%
2653               \if\noexpand#1\noexpand~%
2654                   \expandafter\verbatim@addtoline
2655                       \expandafter{\the\@temptokena[]}%
2656                   \expandafter\verbatim@addtoline
2657                       \expandafter{\@tempc}%
2658                   \verbatim@processline
2659                   \verbatim@startline
2660                   \let\next\xepersian@localize@verbatim@
2661           \else\if\noexpand#1\noexpand]%
2662               \let\next\xepersian@localize@verbatim@!testend
2663           \else\if\noexpand#1\noexpand!%
2664               \expandafter\verbatim@addtoline
2665                   \expandafter{\the\@temptokena[]}%
2666               \expandafter\verbatim@addtoline
2667                   \expandafter{\@tempc}%
2668                   \def\next{\xepersian@localize@verbatim@!}%
2669           \else \expandafter\def\expandafter@\tempc\expandafter
2670               {\@tempc#1}\fi\fi\fi
2671               \next}%
2672           \def\xepersian@localize@verbatim@!testend{%
2673               \ifx\@tempc\@currenvir
2674                   \verbatim@finish
2675                   \edef\next{\noexpand\end{\@currenvir}}%
2676                   \noexpand\xepersian@localize@verbatim@rescan{\@currenvir}%
2677           \else
2678               \expandafter\verbatim@addtoline
2679                   \expandafter{\the\@temptokena[]}%
2680                   \expandafter\verbatim@addtoline
2681                   \expandafter{\@tempc}]%
2682                   \let\next\xepersian@localize@verbatim@
2683                   \fi
2684                   \next}%
2685           \def\xepersian@localize@verbatim@rescan#1#2~{\if\noexpand~\noexpand#2~\else
2686               \@warning{Characters dropped after `\'string\end{#1}'}\fi}%
2687 \def\     {\begingroup\verbatim \frenchspacing\@vobeyspaces
2688             \xepersian@localize@verbatim@start}
2689 \namedef{      *}{{\begingroup\verbatim\xepersian@localize@verbatim@start}}

```

```

2690 \def\end      {\endtrivlist\endgroup\@doendpe}
2691 \expandafter\let\csname end      *\endcsname =\end
2692 }{}
2693 \ExplSyntaxOn
2694 \AtBeginDocument{
2695   \xepersian_localize_patch_verbatim:
2696 }
2697 \cs_set:Npn \xepersian_localize_patch_verbatim: {
2698   \@ifpackageloaded{verbatim}{
2699     \cs_set:cpn {*} {}}
2700   \group_begin: \c@verbatim \fontspec_print_visible_spaces: \xepersian@localize@verbatim@start
2701 }
2702 }{
2703 }
2704 }
2705 \ExplSyntaxOff
2706 \@ifpackageloaded{graphicx}{%
2707 \def\Gin@boolkey#1#2{%
2708 \expandafter\@ifdefinable \csname Gin@#2 \endcsname{%
2709 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2true\endcsname}%
2710 \expandafter\@ifdefinable \csname Gin@#2 \endcsname{%
2711 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2false\endcsname}%
2712 \csname Gin@#2\ifx\relax#1\relax true\else#1\fi\endcsname}%
2713 \define@key{Grot}{origin}[c]{%
2714 \atfor\tempa:=#1\do{%
2715   \if 1\tempa \Grot@x\z@\else
2716   \if tempa@ \Grot@x\z@\else
2717   \if r\tempa \Grot@x\width\else
2718   \if tempa@ \Grot@x\width\else
2719   \if t\tempa \Grot@y\height\else
2720   \if tempa@ \Grot@y\height\else
2721   \if b\tempa \Grot@y-\depth\else
2722   \if tempa@ \Grot@y-\depth\else
2723   \if B\tempa \Grot@y\z@\else
2724   \if tempa@ \Grot@y\z@\fi\fi\fi\fi\fi\fi\fi\fi}%
2725 {draft}{ }\{Gin\} @ \
2726 {origin}{ }\{Gin\} @ \
2727 {origin}{ }\{Grot\} @ \
2728 {clip}{ }\{Gin\} @ \
2729 {keepaspectratio}{ }\{Gin\} @ \
2730 {natwidth}{ }\{Gin\} @ \
2731 {natheight}{ }\{Gin\} @ \
2732 {bb}{ }\{Gin\} @ \
2733 {viewport}{ }\{Gin\} @ \
2734 {trim}{ }\{Gin\} @ \
2735 {angle}{ }\{Gin\} @ \
2736 {width}{ }\{Gin\} @ \
2737 {height}{ }\{Gin\} @ \
2738 {totalheight}{ }\{Gin\} @ \
2739 {scale}{ }\{Gin\} @ \

```

```

2740 {type}{ }{Gin} @ \
2741 {ext}{ }{Gin} @ \
2742 {read}{ }{Gin} @ \
2743 {command}{ }{Gin} @ \
2744 {x}{ }{Grot} @ \
2745 {y}{ }{Grot} @ \
2746 {units}{ }{Grot} @ \
2747 }{}}

```

7.43 parsidigits.map

```

2748 LHSName "Digits"
2749 RHSName "ParsiDigits"
2750
2751 pass(Unicode)
2752 U+0030 <> U+06F0 ;
2753 U+0031 <> U+06F1 ;
2754 U+0032 <> U+06F2 ;
2755 U+0033 <> U+06F3 ;
2756 U+0034 <> U+06F4 ;
2757 U+0035 <> U+06F5 ;
2758 U+0036 <> U+06F6 ;
2759 U+0037 <> U+06F7 ;
2760 U+0038 <> U+06F8 ;
2761 U+0039 <> U+06F9 ;
2762
2763
2764 U+002C <> U+060C ; comma > arabic comma
2765 U+003F <> U+061F ; question mark -> arabic qm
2766 U+003B <> U+061B ; semicolon -> arabic semicolon
2767
2768 ; ligatures from Knuth's original CMR fonts
2769 U+002D U+002D <> U+2013 ; -- -> en dash
2770 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2771
2772 U+0027 <> U+2019 ; ' -> right single quote
2773 U+0027 U+0027 <> U+201D ; '' -> right double quote
2774 U+0022 > U+201D ; " -> right double quote
2775
2776 U+0060 <> U+2018 ; ` -> left single quote
2777 U+0060 U+0060 <> U+201C ; `` -> left double quote
2778
2779 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2780 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2781
2782 ; additions supported in T1 encoding
2783 U+002C U+002C <> U+201E ; , , -> DOUBLE LOW-9 QUOTATION MARK
2784 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2785 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```

7.44 rapport1-xepersian.def

```
2786 \ProvidesFile{rapport1-xepersian.def}[2010/07/25 v0.1 adaptations for rapport1 class]
2787 \renewcommand*\thechapter{\@tartibi\c@part}
2788 \renewcommand*\appendix{\par
2789   \setcounter{chapter}{0}%
2790   \setcounter{section}{0}%
2791   \gdef\@chapapp{\appendixname}%
2792   \gdef\thechapter{\@harfi\c@chapter}}
```

7.45 rapport3-xepersian.def

```
2793 \ProvidesFile{rapport3-xepersian.def}[2010/07/25 v0.2 adaptations for rapport3 class]
2794 \renewcommand*\thechapter{\@tartibi\c@part}
2795 \renewcommand*\appendix{\par
2796   \setcounter{chapter}{0}%
2797   \setcounter{section}{0}%
2798   \gdef\@chapapp{\appendixname}%
2799   \gdef\thechapter{\@harfi\c@chapter}}
```

7.46 refrep-xepersian.def

```
2800 \ProvidesFile{refrep-xepersian.def}[2010/07/25 v0.2 adaptations for refrep class]
2801 \renewcommand \thechapter {\@tartibi\c@part}
2802 \renewcommand\appendix{\par
2803   \setcounter{chapter}{0}%
2804   \setcounter{section}{0}%
2805   \gdef\@chapapp{\appendixname}%
2806   \gdef\thechapter{\@harfi\c@chapter}
2807 }%end appendix
```

7.47 report-xepersian.def

```
2808 \ProvidesFile{report-xepersian.def}[2010/07/25 v0.2 adaptations for standard report class]
2809 \renewcommand \thechapter {\@tartibi\c@part}
2810 \renewcommand\appendix{\par
2811   \setcounter{chapter}{0}%
2812   \setcounter{section}{0}%
2813   \gdef\@chapapp{\appendixname}%
2814   \gdef\thechapter{\@harfi\c@chapter}
2815 }%end appendix
```

7.48 scrartcl-xepersian.def

```
2816 \ProvidesFile{scrartcl-xepersian.def}[2010/07/25 v0.2 adaptations for scrartcl class]
2817 \renewcommand*\thechapter{\@tartibi\c@part}
2818 \renewcommand*\appendix{\par%
2819   \setcounter{section}{0}%
2820   \setcounter{subsection}{0}%
2821   \gdef\thesection{\@harfi\c@section}%
2822   \csname appendixmore\endcsname
2823 }
2824 \renewcommand*{\@@maybeautodot}[1]{%
```

```

2825  \ifx #1\@stop\let\@@maybeautodot\relax
2826  \else
2827    \ifx #1\harfi \autodottrue\fi
2828    \ifx #1\adadi \autodottrue\fi
2829    \ifx #1\tartibi \autodottrue\fi
2830    \ifx #1\Alph \autodottrue\fi
2831    \ifx #1\alph \autodottrue\fi
2832    \ifx #1\Roman \autodottrue\fi
2833    \ifx #1\roman \autodottrue\fi
2834    \ifx #1\@harfi \autodottrue\fi
2835    \ifx #1\@adadi \autodottrue\fi
2836    \ifx #1\@tartibi \autodottrue\fi
2837    \ifx #1\@Alph \autodottrue\fi
2838    \ifx #1\@alph \autodottrue\fi
2839    \ifx #1\@Roman \autodottrue\fi
2840    \ifx #1\@roman \autodottrue\fi
2841    \ifx #1\romannumeral \autodottrue\fi
2842  \fi
2843  \@@maybeautodot
2844 }

```

7.49 scrbook-xepersian.def

```

2845 \ProvidesFile{scrbook-xepersian.def}[2010/07/25 v0.2 adaptations for scrbook class]
2846 \renewcommand*\frontmatter{%
2847   \if@twoside\cleardoubleoddpage\else\clearpage\fi
2848   \mainmatterfalse\pagenumbering{harfi}%
2849 }
2850 \renewcommand*{\thepart}{\tartibi\cpart}
2851 \renewcommand*\appendix{\par%
2852   \setcounter{chapter}{0}%
2853   \setcounter{section}{0}%
2854   \gdef\chapapp{\appendixname}%
2855   \gdef\thechapter{\@harfi\cchapter}%
2856   \csname appendixmore\endcsname
2857 }
2858 \renewcommand*{\@@maybeautodot}[1]{%
2859   \ifx #1\@stop\let\@@maybeautodot\relax
2860   \else
2861     \ifx #1\harfi \autodottrue\fi
2862     \ifx #1\adadi \autodottrue\fi
2863     \ifx #1\tartibi \autodottrue\fi
2864     \ifx #1\Alph \autodottrue\fi
2865     \ifx #1\alph \autodottrue\fi
2866     \ifx #1\Roman \autodottrue\fi
2867     \ifx #1\roman \autodottrue\fi
2868     \ifx #1\@harfi \autodottrue\fi
2869     \ifx #1\@adadi \autodottrue\fi
2870     \ifx #1\@tartibi \autodottrue\fi
2871     \ifx #1\@Alph \autodottrue\fi

```

```

2872     \ifx #1\@alph \@autodottrue\fi
2873     \ifx #1\@Roman \@autodottrue\fi
2874     \ifx #1\@roman \@autodottrue\fi
2875     \ifx #1\romannumeral \@autodottrue\fi
2876   \fi
2877   \@@maybeautodot
2878 }

```

7.50 scrreprt-xepersian.def

```

2879 \ProvidesFile{scrreprt-xepersian.def}[2010/07/25 v0.2 adaptations for scrreprt class]
2880 \renewcommand*{\thepart}{\@tartibi\c@part}
2881 \renewcommand*\appendix{\par%
2882   \setcounter{chapter}{0}%
2883   \setcounter{section}{0}%
2884   \gdef\chapapp{\appendixname}%
2885   \gdef\thechapter{\@harfi\c@chapter}%
2886   \csname appendixmore\endcsname
2887 }
2888 \renewcommand*{\@@maybeautodot}[1]{%
2889   \ifx #1\@stop\let\@@maybeautodot\relax
2890   \else
2891     \ifx #1\@harfi \@autodottrue\fi
2892     \ifx #1\@adadi \@autodottrue\fi
2893     \ifx #1\@tartibi \@autodottrue\fi
2894     \ifx #1\@Alph \@autodottrue\fi
2895     \ifx #1\@alph \@autodottrue\fi
2896     \ifx #1\@Roman \@autodottrue\fi
2897     \ifx #1\@roman \@autodottrue\fi
2898     \ifx #1\@harfi \@autodottrue\fi
2899     \ifx #1\@adadi \@autodottrue\fi
2900     \ifx #1\@tartibi \@autodottrue\fi
2901     \ifx #1\@Alph \@autodottrue\fi
2902     \ifx #1\@alph \@autodottrue\fi
2903     \ifx #1\@Roman \@autodottrue\fi
2904     \ifx #1\@roman \@autodottrue\fi
2905     \ifx #1\@romannumeral \@autodottrue\fi
2906   \fi
2907   \@@maybeautodot
2908 }

```

7.51 tkz-linknodes-xepersian.def

```

2909 \ProvidesFile{tkz-linknodes-xepersian.def}[2012/06/13 v0.1 adaptations for tkz-linknodes package]
2910 \renewcommand*{\@SetTab}{%
2911   \let\@alph\@latinalph%
2912   \ifnum \value{C@NumTab}>25\relax%
2913     \setcounter{C@NumTab}{1}%
2914   \else%
2915     \stepcounter{C@NumTab}%
2916   \fi%

```

```

2917   \setcounter{C@NumGroup}{0}%
2918 \newcommand*{\PrefixCurrentTab}{\alph{C@NumTab}}
2919 \setboolean{B@FirstLink}{true}
2920 \setboolean{B@NewGroup}{false}
2921 \setcounter{C@NumGroup}{0}
2922 \setcounter{C@CurrentGroup}{0}
2923 \setcounter{NumC@Node}{0}
2924 \setcounter{NumC@Stop}{0}
2925 \setcounter{C@NextNode}{0}
2926 \setcounter{C@CurrentStop}{0}
2927 \setcounter{C@CurrentNode}{0}
2928 }%

```

7.52 tocloft-xepersian.def

```

2929 \ProvidesFile{tocloft-xepersian.def}[2010/07/25 v0.1 bilingual captions for tocloft package]
2930 \renewcommand*{\cftchapname}{\if@RTL else\ chapter\fi}
2931 \renewcommand*{\cftsecname}{\if@RTL else\ section\fi}
2932 \renewcommand*{\cftsubsecname}{\if@RTL else\ subsection\fi}
2933 \renewcommand*{\cftsubsubsecname}{\if@RTL else\ subsubsection\fi}
2934 \renewcommand*{\cftparaname}{\if@RTL else\ paragraph\fi}
2935 \renewcommand*{\cftsubparaname}{\if@RTL else\ subparagraph\fi}
2936 \renewcommand*{\cftfigname}{\if@RTL else\ figure\fi}
2937 \renewcommand*{\cftsubfigname}{\if@RTL else\ subfigure\fi}
2938 \renewcommand*{\cfttabname}{\if@RTL else\ table\fi}
2939 \renewcommand*{\cftsubtabname}{\if@RTL else\ subtable\fi}

```

7.53 xepersian.sty

```

2940 \NeedsTeXFormat{LaTeX2e}
2941 \def\xepersianversion{v13.6}
2942 \def\xepersiandate{2013/11/15}
2943 \ProvidesPackage{xepersian}[\xepersiandate\space \xepersianversion\space
2944 Persian typesetting in XeTeX]
2945 \RequirePackage{fontspec}
2946 \RequirePackage{xepersian-persiancal}
2947 \RequirePackage{xepersian-mathsdigtspec}
2948 \RequirePackage[RTLdocument]{bidi}
2949 \edef\xepersian@info{*****^J%
2950 * ^J%
2951 * xepersian package (Persian for LaTeX, using XeTeX engine)^J%
2952 * ^J%
2953 * Description: The package supports Persian^J%
2954 * typesetting, using fonts provided in the^J%
2955 * distribution.^J%
2956 * ^J%
2957 * Copyright © 2008–2013 Vafa Khalighi^J%
2958 * ^J%
2959 * \xepersianversion, \xepersiandate^J%
2960 * ^J%
2961 * License: LaTeX Project Public License, version^J%

```

```

2962 * 1.3c or higher (your choice)^J%
2963 * ^J%
2964 * Location on CTAN: /macros/xetex/latex/xepersian^J%
2965 * ^J%
2966 * Issue tracker: https://github.com/vafa/xepersian/issues^J%
2967 * ^J%
2968 * Support: persian-tex@tug.org^J%
2969 ****}
2970 \typeout{\xepersian@info}
2971 \edef\xepersian@everyjob{\the\everyjob}
2972 \everyjob{\xepersian@everyjob\typeout{\xepersian@info}}
2973 \def\prq{«}
2974 \def\plq{»}
2975 \def\xepersian@cmds@temp#1{%
2976   \begingroup\expandafter\expandafter\expandafter\endgroup
2977   \expandafter\ifx\csname xepersian@\#1\endcsname\relax
2978     \begingroup
2979       \escapechar=-1 %
2980       \edef\x{\expandafter\meaning\csname#1\endcsname}%
2981       \def\y{\#1}%
2982       \def\z{\#1->{\}}%
2983       \edef\y{\expandafter\z\meaning\y}%
2984     \expandafter\endgroup
2985     \ifx\x\y
2986       \expandafter\def\csname xepersian@\#1\expandafter\endcsname
2987       \expandafter{%
2988         \csname#1\endcsname
2989       }%
2990     \fi
2991   \fi
2992 }%
2993 \xepersian@cmds@temp{shellescape}
2994 \newif\ifwritexviii
2995 \ifnum\xepersian@shellescape=1\relax
2996   \writexviiittrue
2997 \else
2998 \writexviiifalse
2999 \fi
3000 \newfontscript{Parsi}{arab}
3001 \newfontlanguage{Parsi}{FAR}
3002 \ExplSyntaxOn
3003 \DeclareDocumentCommand \settextfont { O{} m } {
3004   \fontspec_select:n{Script=Parsi,Language=Parsi,Mapping=parsidigits,#1}{#2}
3005   \use:x {
3006     \exp_not:N \ DeclareRobustCommand \exp_not:N \persianfont {
3007       \exp_not:N \fontencoding {\g_fontspec_encoding_tl}
3008       \exp_not:N \fontfamily {\l_fontspec_family_tl} \exp_not:N \selectfont
3009     }
3010   }
3011   \cs_set_eq:NN \rmdefault \l_fontspec_family_tl

```

```

3012   \normalfont
3013 }
3014 \settextfont[ExternalLocation,BoldFont={persian-modern-bold},BoldItalicFont={persian-modern-bol
3015 \setdigitfont[ExternalLocation,BoldFont={persian-modern-bold},BoldItalicFont={persian-modern-b
3016 \DeclareDocumentCommand \setlatintextfont { O{} m } {
3017   \fontspec_select:nn{Mapping=tex-text,#1}{#2}
3018   \use:x {
3019     \exp_not:N \ DeclareRobustCommand \exp_not:N \latinfont {
3020       \exp_not:N \fontencoding {\g_fontspec_encoding_t1}
3021       \exp_not:N \fontfamily {\l_fontspec_family_t1} \exp_not:N \selectfont
3022     }
3023   }
3024 }
3025 \setlatintextfont[ExternalLocation,BoldFont={lmroman10-bold},BoldItalicFont={lmroman10-boldita
3026 \cs_set_eq:NN \setlatinsansfont \setsansfont
3027 \cs_set_eq:NN \setlatinmonofont \setmonofont
3028 \DeclareDocumentCommand \defpersianfont { m O{} m } {
3029   \fontspec_select:nn{Script=Parsi,Language=Parsi,Mapping=parsidigits,#2}{#3}
3030   \use:x {
3031     \exp_not:N \ DeclareRobustCommand \exp_not:N #1 {
3032       \exp_not:N \fontencoding {\g_fontspec_encoding_t1}
3033       \exp_not:N \fontfamily {\l_fontspec_family_t1} \exp_not:N \selectfont
3034     }
3035   }
3036 }
3037 \DeclareDocumentCommand \deflatinfont { m O{} m } {
3038   \fontspec_select:nn{Mapping=tex-text,#2}{#3}
3039   \use:x {
3040     \exp_not:N \ DeclareRobustCommand \exp_not:N #1 {
3041       \exp_not:N \fontencoding {\g_fontspec_encoding_t1}
3042       \exp_not:N \fontfamily {\l_fontspec_family_t1} \exp_not:N \selectfont
3043     }
3044   }
3045 }
3046 \newcommand\persiansfdefault{}
3047 \newcommand\persianttdefault{}
3048 \newcommand\iranicdefault{}
3049 \newcommand\navardefault{}
3050 \newcommand\pockdefault{}
3051 \newcommand\sayehdefault{}
3052 \DeclareRobustCommand\persiansffamily
3053   {\not@math@alphabet\persiansffamily\mathpersiansf
3054   \fontfamily\persiansfdefault\selectfont}
3055 \DeclareRobustCommand\persianttfamily
3056   {\not@math@alphabet\persianttfamily\mathpersiantt
3057   \fontfamily\persianttdefault\selectfont}
3058 \DeclareRobustCommand\iranicfamily
3059   {\not@math@alphabet\iranicfamily\mathiranic
3060   \fontfamily\iranicdefault\selectfont}
3061 \DeclareRobustCommand\navarfamily

```

```

3062      {\not@math@alphabet\navarfam{\mathnavar
3063          \fontfamily\navarde{\selectfont}
3064 \DeclareRobustCommand\pookfam{\not@math@alphabet\pookfam{\mathpook
3065          \fontfamily\pookde{\selectfont}
3066 \DeclareRobustCommand\sayehfam{\not@math@alphabet\sayehfam{\mathsayeh
3067          \fontfamily\sayehde{\selectfont}
3068 \DeclareTextFontCommand{\textpersiansf}{\persiansffam}
3069 \DeclareTextFontCommand{\textpersiantt}{\persianttfam}
3070 \DeclareTextFontCommand{\textiranic}{\iranicfam}
3071 \DeclareTextFontCommand{\textnavar}{\navarfam}
3072 \DeclareTextFontCommand{\textpook}{\pookfam}
3073 \DeclareTextFontCommand{\textsayeh}{\sayehfam}
3074 \DeclareDocumentCommand\setpersansansfont{O{}m}{
3075     \fontspec_set_family:Nnn \persansfdefault {Script=Parsi,Language=Parsi,Mapping=parsidigits,#}
3076     \normalfont
3077 }
3078 \DeclareDocumentCommand\setpersianmonofont{O{}m} {
3079     \fontspec_set_family:Nnn \persianttdefault {Script=Parsi,Language=Parsi,Mapping=parsidigits,#}
3080     \normalfont
3081 }
3082 \normalfont
3083 }
3084 \DeclareDocumentCommand\setnavarfont{O{}m} {
3085     \fontspec_set_family:Nnn \navarde{\persianmodernitalicoutline},SlantedFont={persianmodernitalicoutline}
3086     \normalfont
3087 }
3088 \DeclareDocumentCommand\setpookfont{O{}m} {
3089     \fontspec_set_family:Nnn \pookde{\persianmodernitalicshadow},SlantedFont={persianmodernitalicshadow}
3090     \normalfont
3091 }
3092 \setpookfont[ExternalLocation,ItalicFont={persianmodernitalicoutline},SlantedFont={persianmodernitalicoutline}]
3093 \DeclareDocumentCommand\setsayehfont{O{}m} {
3094     \fontspec_set_family:Nnn \sayehde{\persianmodernitalicoutline},SlantedFont={persianmodernitalicoutline}
3095     \normalfont
3096 }
3097 \setsayehfont[ExternalLocation,ItalicFont={persianmodernitalicshadow},SlantedFont={persianmodernitalicshadow}]
3098 \DeclareDocumentCommand\setiranicfont{O{}m} {
3099     \fontspec_set_family:Nnn \iranicde{\persianmodernitalicoutline},SlantedFont={persianmodernitalicoutline}
3100     \normalfont
3101 }
3102 \ExplSyntaxOff
3103 \setiranicfont[ExternalLocation,BoldFont={persianmodernboldoblique}]{persianmodernoblique}
3104 \def\resetlatinfont{%
3105 \let\normalfont\latinfont%
3106 \let\reset@font\normalfont%
3107 \latinfont%
3108 \def\setpersianfont{%
3109 \let\normalfont\persianfont%
3110 \let\reset@font\normalfont%
3111 \persianfont}

```

```

3112 \bidi@newrobustcmd*\{lr}[1]{\LRE{\@Latintrue\latinfont#1}}
3113 \bidi@newrobustcmd*\{rl}[1]{\RLE{\@Latinfalse\persianfont#1}}
3114 \def\latin{\LTR\LatinAlphs\@Latintrue\@RTL@footnotefalse\resetlatinfont}
3115 \def\endlatin{\endLTR}
3116 \def\persian{\RTL\PersianAlphs\@RTL@footnotetrue\setpersianfont}
3117 \def\endpersian{\endRTL}
3118 \newenvironment{latinitems}{\begin{LTRitems}\LatinAlphs\@Latintrue\@RTL@footnotefalse\resetlatinfont}
3119 \newenvironment{parsiitems}{\begin{RTLitems}\PersianAlphs\@RTL@footnotetrue\setpersianfont}{\endRTL}
3120 \let\originaltoday=\today
3121 \def\latintoday{\lr{\originaltoday}}
3122 \def\today{\rl{\persiantoday}}
3123 \def \CLTRmarginparreset {%
3124         \reset@font
3125         \latinfont
3126         \normalsize
3127         \minipagetrue
3128         \everypar{\minipagetrue\everypar{}\beginL}%
3129 }
3130 \DeclareRobustCommand\Latincite{%
3131   \ifnextchar [{\@tempswatru\@Latincitex}{\@tempswafal\@Latincitex[]}]
3132 \def\@Latincitex[#1]#2{\leavevmode
3133   \let\@citea\empty
3134   \@cite{\lr{\@for\@citeb:=#2\do
3135     {\@citea\def\@citea{,\penalty\@m\ }%
3136       \edef\@citeb{\expandafter\firstofone\@citeb\empty}%
3137       \if@filesw\immediate\write\auxout{\string\citation{\@citeb}}\fi
3138       \ifundefined{b@\@citeb}{\hbox{\reset@font\bfseries ?}}%
3139         \G@refundefinedtrue
3140         \G@warning
3141           {Citation `@\citeb' on page \thepage \space undefined}%
3142           {\@cite@ofmt{\csname b@\@citeb\endcsname}}}}}{#1}}
3143 \def\@outputpage{%
3144 \begingroup % the \endgroup is put in by \aftergroup
3145   \let\protect\noexpand
3146   \resetactivechars
3147   \global\let\@if@newlist\if@newlist
3148   \global\@newlistfalse
3149   \parboxrestore
3150   \shipout\vbbox{%
3151     \set@typeset@protect
3152     \aftergroup\endgroup
3153     \aftergroup\set@typeset@protect
3154       % correct? or just restore by ending
3155       % the group?
3156     \if@specialpage
3157       \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
3158     \fi
3159     \if@twoside
3160       \ifodd\count\z@ \let\@thehead\@oddhead \let\@tfoot\@oddfoot
3161         \let\@themargin\oddsidemargin

```

```

3162     \else \let\@thehead\@evenhead
3163         \let\@thefoot\@evenfoot \let\@themargin\evensidemargin
3164     \fi
3165     \ifx\@thehead\@empty \let\@thehead\hfil \fi
3166     \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
3167     \else %% not @twoside
3168     \ifx\@oddhead\@empty \let\@thehead\hfil \fi
3169     \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
3170   \fi
3171   \reset@font
3172   \normalsize
3173   \if@RTLmain\setpersianfont\else\resetlatinfont\fi
3174   \normalsfcodes
3175   \let\label\@gobble
3176   \let\index\@gobble
3177   \let\glossary\@gobble
3178   \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
3179   \begindvi
3180   \vskip \topmargin
3181   \moveright\@themargin \vbox {%
3182     \setbox\@tempboxa \vbox to\headheight{%
3183       \vfil
3184       \color@hbox
3185         \normalcolor
3186         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@RTLma
3187         \color@endbox
3188       }%
3189       %% 22 Feb 87
3190     \dp\@tempboxa \z@
3190     \box\@tempboxa
3191     \vskip \headsep
3192     \box\@outputbox
3193     \baselineskip \footskip
3194     \color@hbox
3195       \normalcolor
3196       \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTLma
3197       \color@endbox
3198     }%
3199   }%
3200   \global\let\if@newlist\@@if@newlist
3201   \global \colht \textheight
3202   \stepcounter{page}%
3203   \let\firstmark\botmark
3204 }
3205 \newcommand\twocolumnstableofcontents{%
3206 \@ifpackageloaded{multicol}{%
3207   \begin{multicols}{2}[\section*{\contentsname}]%
3208     \small
3209     \starttoc{toc}%
3210   \end{multicols}%
3211 {\PackageError{xepersian}{Oops! you should load multicol package before xepersian package for bei

```

```

3212 \def\XePersian{\leavevmode$\smash{\hbox{X}\lower.5ex
3213   \hbox{\kern-.125em\bidi@reflect@box{E}Persian}}$}
3214 \def\figurename{\if@RTL else\ Figure\fi}
3215 \def\tablename{\if@RTL else\ Table\fi}
3216 \def\contentsname{\if@RTL else\ Contents\fi}
3217 \def\listfigurename{\if@RTL else\ List of Figures\fi}
3218 \def\listtablename{\if@RTL else\ List of Tables\fi}
3219 \def\appendixname{\if@RTL else\ Appendix\fi}
3220 \def\indexname{\if@RTL else\ Index\fi}
3221 \def\refname{\if@RTL else\ References\fi}
3222 \def\abstractname{\if@RTL else\ Abstract\fi}
3223 \def\partname{\if@RTL else\ Part\fi}
3224 \def\datename{\if@RTL else\ Date:\fi}
3225 \def\@and{\if@RTL else\ and\fi}
3226 \def\bibname{\if@RTL else\ Bibliography\fi}
3227 \def\chaptername{\if@RTL else\ Chapter\fi}
3228 \def\ccname{\if@RTL else\ cc\fi}
3229 \def\enclname{\if@RTL else\ encl\fi}
3230 \def\pagename{\if@RTL else\ Page\fi}
3231 \def\headtoname{\if@RTL else\ To\fi}
3232 \def\proofname{\if@RTL else\ Proof\fi}
3233 \def\@charfi#1{\ifcase#1\or \or \or \or \or \or \or \
3234 \or \
3235 \or \
3236 \or \
3237 \def\harfi#1{\expandafter\@charfi\csname c@#1\endcsname}
3238 \let\harfinumeral\@charfi
3239 \newcommand{\adadi}[1]{%
3240   \expandafter\@adadi\csname c@#1\endcsname%
3241 }
3242 \newcommand{\@adadi}[1]{%
3243   \xepersian@numberstring{\#1}\xepersian@yekanii{ }{}%
3244 \let\adadinumerical\@adadi%
3245 \def\xepersian@numberoutoffrange#1#2{%
3246 \PackageError{xepersian}{The number `#1' is too large %
3247 to be formatted using xepersian}{The largest possible %
3248 number is 999,999,999.}%
3249 }
3250 \def\xepersian@numberstring#1#2#3#4{%
3251 \ifnum\number#1<\@ne%
3252 #3%
3253 \else\ifnum\number#1<1000000000 %
3254 \expandafter\xepersian@adadi\expandafter{\number#1}#2%
3255 \else%
3256 \xepersian@numberoutoffrange{\#1}{#4}%
3257 \fi\fi%
3258 }
3259 \def\xepersian@adadi#1#2{%
3260 \expandafter\expandafter\xepersian@adadi%
3261 \ifcase%

```

```

3262 \ifnum#1<10 1%
3263 \else\ifnum#1<100 2%
3264 \else\ifnum#1<\@m 3%
3265 \else\ifnum#1<\@M 4%
3266 \else\ifnum#1<100000 5%
3267 \else\ifnum#1<1000000 6%
3268 \else\ifnum#1<10000000 7%
3269 \else\ifnum#1<100000000 8%
3270 \else9%
3271 \fi\fi\fi\fi\fi\fi\fi %
3272 \or00000000#1% case 1: Add 8 leading zeros
3273 \or0000000#1% case 2: Add 7 leading zeros
3274 \or000000#1% case 3: Add 6 leading zeros
3275 \or00000#1% case 4: Add 5 leading zeros
3276 \or0000#1% case 5: Add 4 leading zeros
3277 \or000#1% case 6: Add 3 leading zeros
3278 \or00#1% case 7: Add 2 leading zeros
3279 \or0#1% case 8: Add 1 leading zero
3280 \or#1% case 9: Add no leading zeros
3281 \or%
3282 \nil#2%
3283 \fi%
3284 }
3285 \def\xepersian@@adadi#1#2#3#4#5#6#7\or#8\@nil#9{%
3286 \ifnum#1#2#3>\z@
3287 \xepersian@milyoongan#1#2#3%
3288 \ifnum#7>\z@\ifnum#4#5#6>\z@\ \ \else\ \fi\else\ifnum#4#5#6>\z@\ \ \fi\fi%
3289 \fi%
3290 \ifnum#4#5#6>\z@%
3291 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3292 \ifnum#4#5#6>\@ne\fi%
3293 %
3294 \ifnum#7>\z@\ \ \fi%
3295 \fi%
3296 \xepersian@sadgan#7{#4#5#6}1#9%
3297 }
3298 \def\xepersian@milyoongan#1#2#3{%
3299 \ifnum#1#2#3=\@ne%
3300 \xepersian@sadgan#1#2#301\xepersian@yekaniii%
3301 %
3302 %
3303 \else%
3304 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3305 %
3306 %
3307 \fi%
3308 }
3309 \def\xepersian@sadgan#1#2#3#4#5#6{%
3310 \ifnum#1>\z@%
3311 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%

```

```

3312 %
3313 \ifnum#2#3>\z@\\fi%
3314 \\fi%
3315 \ifnum#2#3<20%
3316 \ifnum#5#2#3>\\ne#6{#2#3}\\fi%
3317 \\else%
3318 \\xepersian@dahgan#2%
3319 \\ifnum#3>\z@\\xepersian@yekani#3\\fi%
3320 #60%
3321 \\fi%
3322 }
3323 \\def\\xepersian@yekani#1{%
3324 \\ifcase#1\\empty\\or or\\ or\\ or\\ or\\ or\\ %
3325 \\or or\\ or\\ or\\ or\\ or\\ or\\ %
3326 \\or or\\ or\\ or\\ %
3327 \\or or\\ %fi\\
3328 }
3329 \\def\\xepersian@yekanii#1{%
3330 \\ifcase#1\\empty\\or %else\\xepersian@yekani{#1}\\fi\\
3331 }
3332 \\def\\xepersian@yekaniii#1{%
3333 \\ifcase#1\\empty\\or %else\\xepersian@yekani{#1}\\fi\\
3334 }
3335 \\def\\xepersian@yekaniv#1{%
3336 \\ifcase#1\\empty\\or\\or or\\ or\\ or\\ %
3337 \\or or\\ or\\ %fi\\
3338 }
3339 \\def\\xepersian@dahgan#1{%
3340 \\ifcase#1\\or\\or or\\ or\\ %
3341 \\or or\\ or\\ or\\ %
3342 \\or %fi\\
3343 }
3344 \\newcommand{\\tartibi}[1]{%
3345 \\expandafter\\tartibi\\csname c@#1\\endcsname%
3346 }
3347 \\newcommand{\\@tartibi}[1]{%
3348 \\xepersian@numberstring@tartibi{#1}\\xepersian@tartibi{ }{ }%
3349 }
3350 \\let\\tartibinumeral\\tartibi%
3351 \\def\\xepersian@numberstring@tartibi#1#2#3#4{%
3352 \\ifnum\\number#1<\\ne{%
3353 #3%
3354 \\else\\ifnum\\number#1<1000000000 %
3355 \\expandafter\\xepersian@adadi@tartibi\\expandafter{\\number#1}#2%
3356 \\else%
3357 \\xepersian@numberoutofrange{#1}{#4}%
3358 \\fi\\fi%
3359 }
3360 \\def\\xepersian@adadi@tartibi#1#2{%
3361 \\expandafter\\xepersian@adadi@tartibi%

```

```

3362 \ifcase%
3363 \ifnum#1<10 1%
3364 \else\ifnum#1<100 2%
3365 \else\ifnum#1<\@m 3%
3366 \else\ifnum#1<\@M 4%
3367 \else\ifnum#1<100000 5%
3368 \else\ifnum#1<1000000 6%
3369 \else\ifnum#1<10000000 7%
3370 \else\ifnum#1<100000000 8%
3371 \else9%
3372 \fi\fi\fi\fi\fi\fi\fi %
3373 \or0000000#1% case 1: Add 8 leading zeros
3374 \or0000000#1% case 2: Add 7 leading zeros
3375 \or000000#1% case 3: Add 6 leading zeros
3376 \or00000#1% case 4: Add 5 leading zeros
3377 \or0000#1% case 5: Add 4 leading zeros
3378 \or000#1% case 6: Add 3 leading zeros
3379 \or00#1% case 7: Add 2 leading zeros
3380 \or0#1% case 8: Add 1 leading zero
3381 \or#1% case 9: Add no leading zeros
3382 \or%
3383 \nil#2%
3384 \fi%
3385 }
3386 \def\xepersian@adadi@tartibi#1#2#3#4#5#6#7\or#8\@nil#9{%
3387 \ifnum#1#2#3>\z@%
3388 \xepersian@milyoongan@tartibi#1#2#3%
3389 \ifnum#7>\z@\ifnum#4#5#6>\z@\ \ \else\ \ \fi\else\ifnum#4#5#6>\z@\ \ \fi\fi%
3390 \fi%
3391 \ifnum#4#5#6>\z@%
3392 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3393 \ifnum#4#5#6>\@ne \fi%
3394 %
3395 \ifnum#7>\z@\ \ \fi%
3396 \fi%
3397 \xepersian@sadgan@tartibi#7{#4#5#6}1#9%
3398 }
3399 \def\xepersian@milyoongan@tartibi#1#2#3{%
3400 \ifnum#1#2#3=\@ne%
3401 \xepersian@sadgan@tartibi#1#2#301\xepersian@yekaniii%
3402 %
3403 %
3404 \else%
3405 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3406 %
3407 %
3408 \fi%
3409 }
3410 \def\xepersian@sadgan@tartibi#1#2#3#4#5#6{%
3411 \ifnum#1>\z@%

```

```

3412 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3413 %
3414 \ifnum#2#3>\z@\ \ \fi%
3415 \fi%
3416 \ifnum#2#3<20%
3417 \ifnum#5#2#3>\@ne\ifnum#1#2#3#4#5=10001 %else#6{#2#3}\fi\fi\
3418 \else%
3419 \xepersian@dahgan#2%
3420 \ifnum#3>\z@\ \ \xepersian@yekanv#3\fi%
3421 #60%
3422 \fi%
3423 }
3424 \def\xepersian@tartibi#1{%
3425 \ifcase#1\or\or\ \ \or\ \or\ \ %
3426 \or\or\ \ \or\ \or\ \or\ \ %
3427 \or\or\ \ \or\ \ \or\ \ %
3428 \or\or\ \ \or\ \ %
3429 \or\or\ \ \or\ \ %
3430 \or\or\ \ \or\ \ %
3431 \def\xepersian@yekanv#1{%
3432 \ifcase#1\@empty\or\or\ \ \or\ \or\ \or\ \or\ \ %
3433 \or\or\ \ \or\ \or\ \or\ \or\ \or\ \ %
3434 \or\or\ \ \or\ \or\ \ %
3435 \or\or\ \ %
3436 }
3437 \providecommand*\xpg@warning[1]{%
3438   \PackageWarning{XePersian}%
3439   {#1}}
3440 \if@bidi@csundef{abjadnumeral}{%
3441 \def\abjadnumeral#1{%
3442 \ifnum#1>1999 \xpg@warning{Illegal value (#1) for abjad numeral} {#1}
3443 \else
3444   \ifnum#1<\z@\space\xpg@warning{Illegal value (#1) for abjad numeral}%
3445   \else
3446     \ifnum#1<10\expandafter\abj@num@i\number#1%
3447     \else
3448       \ifnum#1<100\expandafter\abj@num@ii\number#1%
3449       \else
3450         \ifnum#1<\@m\expandafter\abj@num@iii\number#1%
3451         \else
3452           \ifnum#1<\@M\expandafter\abj@num@iv\number#1%since #1<2000, we must have 1000
3453             \fi
3454           \fi
3455         \fi
3456       \fi
3457     \fi
3458   \fi
3459 }
3460 \def\abjad@zero{}%
3461 \def\abj@num@i#1{%

```

```

3462 \ifcase#1\or or\ or\ or\ or\ %
3463         \or or\ or\ or\ or\ fi\
3464 \ifnum#1=\z@\abjad@zero\fi}
3465 \def\abj@num@ii#1{%
3466 \ifcase#1\or or\ or\ or\ or\ %
3467         \or or\ or\ or\ fi\
3468 \ifnum#1=\z@\fi\abj@num@i}
3469 \def\abj@num@iii#1{%
3470 \ifcase#1\or or\ or\ or\ or\ %
3471         \or or\ or\ or\ fi\
3472 \ifnum#1=\z@\fi\abj@num@ii}
3473 \def\abj@num@iv#1{%
3474 \ifcase#1\or fi\
3475 \ifnum#1=\z@\fi\abj@num@iii}
3476 }{}
3477 \let\@latinalph\@alph%
3478 \let\@latinAlph\@Alpha%
3479 \def\PersianAlphs{%
3480 \let\@alph\abjadnumeral%
3481 \let\@Alpha\abjadnumeral%
3482 }
3483 \def\LatinAlphs{%
3484 \let\@alph\@latinalph%
3485 \let\@Alpha\@latinAlph%
3486 }
3487 \PersianAlphs
3488 @ifdefinitionfileloaded{loadingorder-xetex-bidi}{\input{loadingorder-xepersian.def}}{}
3489 @ifpackageloaded{listings}{\input{listings-xepersian.def}}{}
3490 @ifpackageloaded{algorithmic}{\input{algorithmic-xepersian.def}}{}
3491 @ifpackageloaded{algorithm}{\input{algorithm-xepersian.def}}{}
3492 @ifpackageloaded{backref}{\input{backref-xepersian.def}}{}
3493 @ifpackageloaded{flowfram}{\input{flowfram-xepersian.def}}{}
3494 @ifpackageloaded{bidi}{\input{footnote-xepersian.def}}{}
3495 @ifpackageloaded{biditufte sidenote}{\input{biditufte sidenote-xepersian.def}}{}
3496 @ifpackageloaded{breqn}{\input{breqn-xepersian.def}}{}
3497 @ifpackageloaded{enumerate}{\input{enumerate-xepersian.def}}{}
3498 @ifpackageloaded{framed}{\input{framed-xepersian.def}}{}
3499 @ifpackageloaded{glossaries}{\input{glossaries-xepersian.def}}{}
3500 @ifpackageloaded{hyperref}{\input{hyperref-xepersian.def}}{}
3501 @ifpackageloaded{minitoc}{\input{minitoc-xepersian.def}}{}
3502 @ifpackageloaded{natbib}{\input{natbib-xepersian.def}}{}
3503 @ifpackageloaded{tkz-linknodes}{\input{tkz-linknodes-xepersian.def}}{}
3504 @ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xepersian.def}}}={}
3505 @ifclassloaded{article}{\input{article-xepersian.def}}={}
3506 @ifclassloaded{extarticle}{\input{extarticle-xepersian.def}}={}
3507 @ifclassloaded{artikel1}{\input{artikel1-xepersian.def}}={}
3508 @ifclassloaded{artikel2}{\input{artikel2-xepersian.def}}={}
3509 @ifclassloaded{artikel3}{\input{artikel3-xepersian.def}}={}
3510 @ifclassloaded{amsart}{\input{amsart-xepersian.def}}={}
3511 @ifclassloaded{bidimoderncv}{\input{bidimoderncv-xepersian.def}}}={}

```

```

3512 \@ifclassloaded{report}{\input{report-xepersian.def}}{}
3513 \@ifclassloaded{extreport}{\input{extreport-xepersian.def}}{}
3514 \@ifclassloaded{rapport1}{\input{rapport1-xepersian.def}}{}
3515 \@ifclassloaded{rapport3}{\input{rapport3-xepersian.def}}{}
3516 \@ifclassloaded{scrartcl}{\input{scrartcl-xepersian.def}}{}
3517 \@ifclassloaded{scrbook}{\input{scrbook-xepersian.def}}{}
3518 \@ifclassloaded{scrreprt}{\input{scrreprt-xepersian.def}}{}
3519 \@ifclassloaded{amsbook}{\input{amsbook-xepersian.def}}{}
3520 \@ifclassloaded{boek3}{\input{boek3-xepersian.def}}{}
3521 \@ifclassloaded{boek}{\input{boek-xepersian.def}}{}
3522 \@ifclassloaded{bookest}{\input{bookest-xepersian.def}}{}
3523 \@ifclassloaded{extbook}{\input{extbook-xepersian.def}}{}
3524 \@ifclassloaded{book}{\input{book-xepersian.def}}{}
3525 \@ifclassloaded{refrep}{\input{refrep-xepersian.def}}{}
3526 \@ifclassloaded{memoir}{\input{memoir-xepersian.def}}{}
3527 \@ifclassloaded{imsproc}{\input{imsproc-xepersian.def}}{}
3528 \DeclareOption{Kashida}{\input{kashida-xepersian.def}}
3529 \DeclareOption{localise}{\input{localise-xepersian.def}}
3530 \DeclareOption{extrafootnotefeatures}{\@extrafootnotefeaturestrue}
3531 \DeclareOption{quickindex}{%
3532 \PackageWarning{xepersian}{Obsolete option}%
3533 \ifwritexviii%
3534 \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with the memoir
3535 \renewcommand{\printindex}{\newpage%
3536 \immediate\closeout\@indexfile
3537 \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname.idx}
3538 \input{\jobname.ind}}%
3539 \else
3540 \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run "xelatex --
3541 \fi}
3542 \DeclareOption{quickindex-variant1}{%
3543 \ifwritexviii%
3544 \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with the memoir
3545 \renewcommand{\printindex}{\newpage%
3546 \immediate\closeout\@indexfile
3547 \immediate\write18{xindy -L persian-variant1 -C utf8 -M texindy -M page-ranges \jobname.idx}
3548 \input{\jobname.ind}}%
3549 \else
3550 \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run "xelatex --
3551 \fi}
3552 \DeclareOption{quickindex-variant2}{%
3553 \ifwritexviii%
3554 \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with the memoir
3555 \renewcommand{\printindex}{\newpage%
3556 \immediate\closeout\@indexfile
3557 \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname.idx}
3558 \input{\jobname.ind}}%
3559 \else
3560 \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run "xelatex --
3561 \fi}

```

```

3562 \ExecuteOptions{localise}
3563 \ProcessOptions
3564
3565 \if@extrafootnotefeatures
3566   \input{extrafootnotefeatures-xetex-bidi.def}
3567   \input{extrafootnotefeatures-xepersian.def}
3568 \fi

```

7.54 xepersian-magazine.cls

```

3569 \NeedsTeXFormat{LaTeX2e}
3570 \ProvidesClass{xepersian-magazine}[2010/07/25 v0.2 Typesetting Persian magazines in XeLaTeX]
3571 \RequirePackage{ifthen}
3572 \newlength{\xepersian@imgsize}
3573 \newlength{\xepersian@coltitsize}
3574 \newlength{\xepersian@pageneed}
3575 \newlength{\xepersian@pageleft}
3576 \newlength{\xepersian@indexwidth}
3577 \newcommand{\xepersian@ncolumns}{0}
3578 \newlength{\columnlines}
3579 \setlength{\columnlines}{0 pt} % no lines by default
3580 \newboolean{\xepersian@hyphenatedtitles}
3581 \setboolean{\xepersian@hyphenatedtitles}{true}
3582 \newboolean{\xepersian@ninepoints}
3583 \setboolean{\xepersian@ninepoints}{false}
3584 \newboolean{\xepersian@showgrid}
3585 \setboolean{\xepersian@showgrid}{false}
3586 \newboolean{\xepersian@a3paper}
3587 \setboolean{\xepersian@a3paper}{false}
3588 \newboolean{\xepersian@insidefrontpage}
3589 \setboolean{\xepersian@insidefrontpage}{false}
3590 \newboolean{\xepersian@insideweather}
3591 \setboolean{\xepersian@insideweather}{false}
3592 \newboolean{\xepersian@insideindex}
3593 \setboolean{\xepersian@insideindex}{false}
3594 \newcount\xepersian@gridrows
3595 \newcount\xepersian@gridcolumns
3596 \xepersian@gridrows=40
3597 \xepersian@gridcolumns=50
3598 \newcount\minraggedcols
3599 \minraggedcols=5
3600 \DeclareOption{10pt}{\PassOptionsToClass{10pt}{article}}
3601 \DeclareOption{11pt}{\PassOptionsToClass{11pt}{article}}
3602 \DeclareOption{12pt}{\PassOptionsToClass{12pt}{article}}
3603 \DeclareOption{twocolumn}%
3604 {\ClassWarning{xepersian-magazine}{Option 'twocolumn' not available for xepersian-magazine.}}
3605 \DeclareOption{notitlepage}%
3606 {\ClassWarning{xepersian-magazine}{Option 'notitlepage' not available for xepersian-magazine.}}
3607 \DeclareOption{twoside}%
3608 {\ClassWarning{xepersian-magazine}{Option 'twoside' not available for xepersian-magazine.}}

```

```

3609 \DeclareOption{9pt}{\setboolean{xepersian@ninepoints}{true}}
3610 \DeclareOption{hyphenatedtitles}{\setboolean{xepersian@hyphenatedtitles}{false}}
3611 \DeclareOption{columnlines}{\setlength{\columnlines}{0.1 pt}}
3612 \DeclareOption{showgrid}{\setboolean{xepersian@showgrid}{true}}
3613 \DeclareOption{a3paper}{\setboolean{xepersian@a3paper}{true}}
3614 \ProcessOptions\relax
3615 \LoadClass[10pt, onecolumn, titlepage, a4paper]{article}
3616 \RequirePackage{ifxetex}
3617 \RequirePackage{multido}
3618 \RequirePackage{datetime}
3619 \RequirePackage{multicol}
3620 \RequirePackage{fancyhdr}
3621 \RequirePackage{fancybox}
3622 \ifthenelse{\boolean{xepersian@a3paper}}{%
3623 \RequirePackage[a3paper,headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
3624 }{
3625 \RequirePackage[headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
3626 }
3627 \RequirePackage[absolute]{textpos} % absoulte positioning
3628 \RequirePackage{hyphenat} % when hyphenate
3629 \RequirePackage{lastpage} % to know the last page number
3630 \RequirePackage{setspace} % set space between lines
3631 \RequirePackage{ragged2e}
3632 \newcommand{\raggedFormat}{\RaggedLeft}
3633 \AtEndOfClass{\xepersianInit}
3634 \ifthenelse{\boolean{xepersian@showgrid}}{%
3635 \AtBeginDocument{
3636 \grid[show]{\xepersian@gridrows}{\xepersian@gridcolumns}}
3637 \advance\minraggedcols by -1
3638 }%
3639 \AtBeginDocument{
3640 \grid[]{\xepersian@gridrows}{\xepersian@gridcolumns}}
3641 \advance\minraggedcols by -1
3642 }
3643 \ifthenelse{\boolean{xepersian@ninepoints}}{%
3644 \renewcommand{\normalsize}{%
3645   \@setfontsize{\normalsize}{9pt}{10pt}%
3646   \setlength{\abovedisplayskip}{5pt plus 1pt minus .5pt}%
3647   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3648   \setlength{\abovedisplayshortskip}{3pt plus 1pt minus 2pt}%
3649   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3650
3651 \renewcommand{\tiny}{\@setfontsize{\tiny}{5pt}{6pt}}%
3652
3653 \renewcommand{\scriptsize}{\@setfontsize{\scriptsize}{7pt}{8pt}}%
3654
3655 \renewcommand{\small}{%
3656   \@setfontsize{\small}{8pt}{9pt}%
3657   \setlength{\abovedisplayskip}{4pt plus 1pt minus 1pt}%
3658   \setlength{\belowdisplayskip}{\abovedisplayskip}%

```

```

3659 \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
3660 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
3661
3662 \renewcommand{\footnotesize}{%
3663   \@setfontsize{\footnotesize}{8pt}{9pt}%
3664   \setlength{\abovedisplayskip}{4pt plus 1pt minus .5pt}%
3665   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3666   \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
3667   \setlength{\belowdisplayshortskip}{\abovedisplayskip}%
3668
3669 \renewcommand{\large}{\@setfontsize{\large}{11pt}{13pt}}%
3670 \renewcommand{\Large}{\@setfontsize{\Large}{14pt}{18pt}}%
3671 \renewcommand{\LARGE}{\@setfontsize{\LARGE}{18pt}{20pt}}%
3672 \renewcommand{\huge}{\@setfontsize{\huge}{20pt}{25pt}}%
3673 \renewcommand{\Huge}{\@setfontsize{\Huge}{25pt}{30pt}}%
3674 }%
3675 \def\customwwwTxt#1{\gdef\@customwwwTxt{\lr{#1}}}%
3676 \newcommand{\xepersian@wwwFormat}{\sffamily}%
3677 \newcommand{\xepersian@www}{%
3678 \raisebox{-3pt}{\{\xepersian@wwwFormat\@customwwwTxt\}}%
3679 }%
3680 \newcommand{\xepersian@edition}{%
3681 \newcommand{\editionFormat}{\large\bfseries\texttt}%
3682 \newcommand{\xepersian@editionLogo}{%
3683 \raisebox{-3pt}{\%%
3684 {\editionFormat\xepersian@edition}\%%
3685 }\%%
3686 }%
3687 \newcommand{\indexFormat}{\large\bfseries}%
3688 \newcommand{\xepersian@indexFrameTitle}[1]%
3689 {\begin{flushright}{\indexFormat #1}\end{flushright}}%
3690
3691 \newcommand{\indexEntryFormat}{\normalsize}%
3692 \newcommand{\xepersian@indexEntry}[1]{\begin{minipage}{13\TPHorizModule}%
3693 {\indexEntryFormat\noindent\ignorespaces{#1}}\%
3694 \end{minipage}}%
3695 \newcommand{\indexEntrySeparator}{\rule{\xepersian@indexwidth}{.1pt}}%
3696 \newcommand{\indexEntryPageTxt}{ }%
3697 \newcommand{\indexEntryPageFormat}{\footnotesize}%
3698 \newcommand{\xepersian@indexEntryPage}[1]{%
3699 {\indexEntryPageFormat{\indexEntryPageTxt{}~#1}}\%
3700 }%
3701 \newcommand{\headDateTimeFormat}{}
3702 \newcommand{\xepersian@headDateTime}{%
3703 \headDateTimeFormat\date\hspace{5pt}\$\\parallel\$\\hspace{5pt}\%
3704 \currenttime \%%
3705 }%
3706 \newcommand{\weatherFormat}{\bfseries}%
3707 \newcommand{\xepersian@weather}[1]{%
3708 \noindent{\weatherFormat #1}}%

```

```

3709 }
3710 \newcommand{\weatherTempFormat}{\small
3711 \newcommand{\weatherUnits}{\textdegree{}C}
3712 \newcommand{\xepersian@section}[0]{%
3713 \newcommand{\xepersian@headleft}{%
3714 {\small\bfseries @custommagazinename} \date
3715 }
3716 \newcommand{\xepersian@headcenter}{%
3717 \xepersian@section{%
3718 }
3719 \newcommand{\xepersian@headright}{%
3720 \small\xepersian@edition%
3721 \hspace*{5pt}\beginL\thepage\ / \pageref{LastPage}\endL
3722 }
3723
3724 \newcommand{\heading}[3]{%
3725 \renewcommand{\xepersian@headleft}{\beginR#1\endR}%
3726 \renewcommand{\xepersian@headcenter}{\beginR#2\endR}%
3727 \renewcommand{\xepersian@headright}{\beginR#3\endR}%
3728 }
3729 \newcommand{\xepersian@footright}{%
3730 {\footnotesize\lr{\copyright\ @customwwwTxt{}}-- - \lr{\XePersian}}%
3731 }
3732 \newcommand{\xepersian@footcenter}{%
3733 }
3734 \newcommand{\xepersian@footleft}{%
3735 }
3736
3737 \newcommand{\foot}[3]{%
3738 \renewcommand{\xepersian@footleft}{\beginR#1\endR}%
3739 \renewcommand{\xepersian@footcenter}{\beginR#2\endR}%
3740 \renewcommand{\xepersian@footright}{\beginR#3\endR}%
3741 }
3742 \newcommand{\firstTitleFormat}{\Huge\bfseries\flushright}
3743 \newcommand{\xepersian@firstTitle}[1]{%
3744 }%
3745 \begin{spacing}{2.0}{%
3746 \noindent\noirespaces
3747 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3748 {\nohyphens{\firstTitleFormat #1}}{%
3749 {\firstTitleFormat #1}}{%
3750 }%
3751 \end{spacing}%
3752 }%
3753 }
3754 \newcommand{\firstTextFormat}{}
3755 \newcommand{\xepersian@firstText}[1]{%
3756 {\noindent\noirespaces\firstTextFormat #1}%
3757 }
3758 \newcommand{\secondTitleFormat}{\LARGE\bfseries}

```

```

3759 \newcommand{\xepersian@secondTitle}[1]{%
3760 \begin{spacing}{1.5}{%
3761 \noindent\ignorespaces\flushright
3762 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3763 {\nohyphens{\secondTitleFormat #1}}{%
3764 {{\secondTitleFormat #1}}{%
3765 }\end{spacing}}{%
3766 }{%
3767 \newcommand{\secondSubTitleFormat}{\large}
3768 \newcommand{\xepersian@secondSubTitle}[1]{%
3769 {\noindent\ignorespaces{\secondSubTitleFormat #1}}{%
3770 }{%
3771 \newcommand{\secondTextFormat}{}
3772 \newcommand{\xepersian@secondText}[1]{%
3773 \begin{multicols}{2}{%
3774 {\noindent\ignorespaces{\secondTextFormat #1}}{%
3775 \end{multicols}}{%
3776 }{%
3777 \newcommand{\thirdTitleFormat}{\Large\bfseries}
3778 \newcommand{\xepersian@thirdTitle}[1]{%
3779 \begin{spacing}{1.5}{%
3780 \noindent\ignorespaces\flushright
3781 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3782 {\nohyphens{\thirdTitleFormat #1}}{%
3783 {{\thirdTitleFormat #1}}{%
3784 }\end{spacing}}{%
3785 }{%
3786 \newcommand{\thirdSubTitleFormat}{\large}
3787 \newcommand{\xepersian@thirdSubTitle}[1]{%
3788 {{\noindent\ignorespaces{\thirdSubTitleFormat #1}}}{%
3789 \newcommand{\thirdTextFormat}{}
3790 \newcommand{\xepersian@thirdText}[1]{{{\thirdTextFormat #1}}}{%
3791 \newcommand{\pictureCaptionFormat}{\small\bfseries}
3792 \newcommand{\xepersian@pictureCaption}[1]{%
3793 {\noindent\pictureCaptionFormat #1}}{%
3794 }{%
3795 \newcommand{\pagesFormat}{\bfseries\footnotesize}
3796 \newcommand{\xepersian@pages}[1]{%
3797 {\noindent{\pagesFormat\MakeUppercase{#1}}}{%
3798 \newcommand{\innerTitleFormat}{\Huge}
3799 \newcommand{\xepersian@innerTitle}[1]{%
3800 \begin{flushright}{%
3801 \noindent
3802 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
3803 {\nohyphens{\innerTitleFormat #1}}{%
3804 {{\innerTitleFormat #1}}{%
3805 }}{%
3806 \\%
3807 \end{flushright}}{%
3808 }

```

```

3809 \newcommand{\innerSubtitleFormat}{\large}
3810 \newcommand{\xepersian@innerSubtitle}[1]{{\innerSubtitleFormat #1}}
3811 \newcommand{\timestampTxt}{}
3812 \newcommand{\timestampSeparator}{|}
3813 \newcommand{\timestampFormat}{\small}
3814 \newcommand{\timestamp}[1]{%
3815 {\timestampFormat}%
3816 #1~\timestampTxt{}%
3817 }~\timestampSeparator{}%
3818 }
3819 \newcommand{\innerAuthorFormat}{\footnotesize}
3820 \newcommand{\innerPlaceFormat}{\footnotesize\bfseries}
3821 \newcommand{\innerTextFinalMark}{\rule{0.65em}{0.65em}}
3822 \newcommand{\editorialTitleFormat}{\LARGE\textrit}
3823 \newcommand{\xepersian@editorialTitle}[1]{\editorialTitleFormat{#1}}
3824 \newcommand{\editorialAuthorFormat}{\textsc}
3825 \newcommand{\shortarticleTitleFormat}{\LARGE\bfseries}
3826 \newcommand{\xepersian@shortarticleTitle}[1]{{\shortarticleTitleFormat #1}}
3827 \newcommand{\shortarticleSubtitleFormat}{\Large}
3828 \newcommand{\xepersian@shortarticleSubtitle}[1]{{\shortarticleSubtitleFormat #1}}
3829 \newcommand{\shortarticleItemFormat}{\large\bfseries}
3830 \newcommand{\xepersian@shortarticleItemTitle}[1]{{\shortarticleItemFormat #1}}
3831 \renewcommand{\maketitle}{\begin{titlepage}%
3832   \let\footnotesize\small
3833   \let\footnoterule\relax
3834   \let \footnote \thanks
3835   \null\vf
3836   \vskip 60\p@
3837   \begin{center}%
3838     {\LARGE \@title \par}%
3839     \vskip 1em%
3840     {\LARGE «\xepersian@edition» \par}%
3841     \vskip 3em%
3842     {\large
3843       \lineskip .75em%
3844       \begin{tabular}{t}{c}%
3845         \@author
3846         \end{tabular}\par}%
3847       \vskip 1.5em%
3848     {\large \@date \par}%
3849   \end{center}\par
3850   \@thanks
3851   \vf\null
3852   \end{titlepage}%
3853   \setcounter{footnote}{0}%
3854   \global\let\thanks\relax
3855   \global\let\maketitle\relax
3856   \global\let \@thanks\empty
3857   \global\let \@author\empty
3858   \global\let \@date\empty

```

```

3859  \global\let\@title\@empty
3860  \global\let\title\relax
3861  \global\let\author\relax
3862  \global\let\date\relax
3863  \global\let\and\relax
3864 }
3865 \newcommand{\xepersian@say}[1]{\typeout{#1}}
3866 \newsavebox{\xepersian@fbox}
3867 \newenvironment{xepersian@fmpage}[1]
3868 {\begin{lrbox}{\xepersian@fbox}\begin{minipage}{#1}}
3869 {\end{minipage}\end{lrbox}\fbox{\usebox{\xepersian@fbox}}}
3870 \newcommand{\image}[2]{
3871 \vspace{5pt}
3872 \setlength{\fboxsep}{1pt}
3873 \addtolength{\xepersian@imgsize}{\columnwidth}
3874 \addtolength{\xepersian@imgsize}{-1\columnsep}
3875 \ifxetex
3876 \setlength{\xepersian@pageneed}{1.5\xepersian@imgsize}
3877 \addtolength{\xepersian@pageneed}{50pt}
3878 \ClassWarning{xepersian-magazine}{%
3879 Image #1 needs: \the\xepersian@pageneed \space %
3880 and there is left: \the\page@free\space%
3881 }
3882 \ifdim \xepersian@pageneed < \page@free
3883
3884 {\centering\fbox{%
3885 \includegraphics[width = \xepersian@imgsize,
3886 height = \xepersian@imgsize,
3887 keepaspectratio ]{#1}}
3888 \xepersian@pictureCaption{#2}
3889
3890 \vspace{5pt}
3891 \else
3892 \ClassWarning{Image #1 needs more space!}%
3893 It was not inserted!
3894 \fi
3895 \fi
3896 }
3897 \textblockorigin{1cm}{1cm}
3898 \newdimen\xepersian@dx
3899 \newdimen\xepersian@dy
3900 \newcount\xepersian@cx
3901 \newcount\xepersian@cy
3902 \newcommand{\grid}[3][]{%
3903 \xepersian@dx=\textwidth%
3904 \xepersian@dy=\textheight%
3905 \xepersian@cx=#3% %columns
3906 \xepersian@cy=#2% %rows
3907
3908 \count1=#3%

```

```

3909 \advance\count1 by 1
3910
3911 \count2=#2%
3912 \advance\count2 by 1
3913
3914 \divide\xepersian@dx by #3
3915 \divide\xepersian@dy by #2
3916
3917 \setlength{\TPHorizModule}{\xepersian@dx}
3918 \setlength{\TPVertModule}{\xepersian@dy}
3919
3920 \ifthenelse{\equal{#1}{show}}{
3921 \multido{\xepersian@nrow=0+1}{\count2} {
3922 \begin{textblock}{\xepersian@cx}(0,\xepersian@nrow)
3923 \rule[0pt]{\textwidth}{.1pt}
3924 \end{textblock}
3925 }
3926
3927 \multido{\xepersian@ncol=0+1}{\count1} {
3928 \begin{textblock}{\xepersian@cy}(\xepersian@ncol,0)
3929 \rule[0pt]{.1pt}{\textheight}
3930 \end{textblock}
3931 }
3932 }{}
3933 }
3934 \newcommand{\xepersianInit} {
3935 \setlength{\headheight}{14pt}
3936 \renewcommand{\headrulewidth}{0.4pt}
3937
3938 \pagestyle{fancy}
3939
3940 \setlength{\columnseprule}{\columnlines}
3941 \setlength{\fboxrule}{0.1 pt}
3942
3943 }
3944
3945 \def\customlogo#1{\gdef\@customlogo{\beginR#1\endR}}
3946 \def\customminilog#1{\gdef\@customminilog{\beginR#1\endR}}
3947 \def\custommagazinename#1{\gdef\@custommagazinename{\beginR#1\endR}}
3948 \newcommand{\logo}[0]{
3949 %% Heading %%
3950 \noindent\hrulefill\hspace{10pt}\xepersian@editionLogo\hspace{5pt}\xepersian@www
3951
3952 \vspace*{-3pt}
3953
3954 {\Large\bfseries \@customlogo}
3955 \hrulefill
3956 \hspace{10pt}\xepersian@headDateTime
3957
3958 }

```

```

3959 \newcommand{\minilogo}[0]{
3960 {\large\bfseries \@customminilogo}
3961
3962 \vspace*{5pt}
3963 }
3964 \newcommand{\mylogo}[1]{
3965 {\beginR#1\endR}
3966
3967 \noindent
3968 \xepersian@editionLogo\hspace{5pt}
3969 \hrulefill
3970 \hspace{5pt}\xepersian@headDateTime
3971 }
3972 \newcommand{\edition}[1]{\renewcommand{\xepersian@edition}{#1}}
3973 \newenvironment{frontpage}[0]
3974 {
3975 \setboolean{xepersian@insidefrontpage}{true}
3976 \thispagestyle{empty}
3977 \logo
3978
3979 }%
3980 {
3981 \thispagestyle{empty}
3982 \clearpage
3983 \newpage
3984 \fancyhead{}
3985 \fancyfoot{}
3986 \fancyhead[RO,LE]{\beginR\xepersian@headright\endR}
3987 \fancyhead[LO,RE]{\beginR\xepersian@headleft\endR}
3988 \fancyhead[C]{\beginR\xepersian@headcenter\endR}
3989 \fancyfoot[RO,LE]{\beginR\xepersian@footright\endR}
3990 \fancyfoot[LO,RE]{\beginR\xepersian@footleft\endR}
3991 \fancyfoot[C]{\beginR\xepersian@footcenter\endR}
3992 \renewcommand{\headrulewidth}{0.4pt}
3993 \setboolean{xepersian@insidefrontpage}{false}
3994
3995 }
3996 \newcommand{\firstarticle}[3]
3997 {
3998 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
3999 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4000 \begin{textblock}{24}(22,5)
4001 }
4002 {
4003 \begin{textblock}{28}(22,5)
4004 }
4005 \vspace{-7pt}
4006 \xepersian@firstTitle{#1}
4007 \end{textblock}
4008 \begin{textblock}{29}(22,10)

```

```

4009 \vspace{5pt plus 2pt minus 2pt}
4010
4011 \xepersian@firstText{\timestamp{#3}~#2}
4012
4013 \end{textblock}
4014
4015 \begin{textblock}{50}(0,15)
4016 \rule{50\TPHorizModule}{.3pt}
4017 \end{textblock}
4018 }{%
4019 \ClassError{xepersian-magazine}{%
4020 \protect\firstarticle\space in a wrong place.\MessageBreak
4021 \protect\firstarticle\space may only appear inside frontpage environment.
4022 }{%
4023 \protect\firstarticle\space may only appear inside frontpage environment.
4024 }%
4025 }
4026 }
4027 \newcommand{\secondarticle}[5]
4028 {
4029 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4030 \begin{textblock}{33}(2,16)
4031 \xepersian@pages{#4}
4032 \vspace{-5pt}
4033 \xepersian@secondTitle{#1}
4034
4035 \vspace*{5pt}
4036
4037 \xepersian@secondSubtitle{#2}
4038
4039 \vspace*{-7pt}
4040
4041 \xepersian@secondText{\timestamp{#5}~#3}
4042
4043 \end{textblock}
4044
4045 \begin{textblock}{33}(2,25)
4046 \vspace{5pt plus 2pt minus 2pt}
4047
4048 \noindent\ignorespaces\rule{33\TPHorizModule}{.3pt}
4049 \end{textblock}
4050 }{%
4051 \ClassError{xepersian-magazine}{%
4052 \protect\secondarticle\space in a wrong place.\MessageBreak
4053 \protect\secondarticle\space may only appear inside frontpage environment.
4054 }{%
4055 \protect\secondarticle\space may only appear inside frontpage environment.
4056 }%
4057 }
4058 }

```

```

4059 \newcommand{\thirdarticle}[6]
4060 {
4061 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4062 \begin{textblock}{32}(2,26)
4063 \xepersian@pages{#5}
4064 \vspace{-5pt}
4065 \setlength{\fboxsep}{1pt}
4066 \xepersian@thirdTitle{#1}
4067
4068 \vspace*{5pt}
4069
4070 \xepersian@thirdSubtitle{#2}
4071
4072 \vspace*{5pt}
4073
4074 {\noindent\ignorespaces %
4075 \ifthenelse{\equal{#4}{} }{%
4076
4077 \xepersian@thirdText{\timestamp{#6}~#3}
4078
4079 }
4080
4081 \vspace*{5pt}
4082
4083 \end{textblock}
4084 }{%
4085 \ClassError{xepersian-magazine}{%
4086 \protect\thirdarticle\space in a wrong place.\MessageBreak
4087 \protect\thirdarticle\space may only appear inside frontpage environment.
4088 }{%
4089 \protect\thirdarticle\space may only appear inside frontpage environment.
4090 }{%
4091 }
4092 }
4093 \newcommand{\firstimage}[2]
4094 {
4095 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4096 \begin{textblock}{18}(2,5)
4097 \setlength{\fboxsep}{1pt}
4098 \ifxetex % only in PDF
4099 \noindent\fbox{\includegraphics[width = 18\TPHorizModule ]{#1}}
4100 \fi
4101
4102 \xepersian@pictureCaption{#2}
4103 \end{textblock}%
4104 }
4105 {\ClassError{xepersian-magazine}{%
4106 \protect\firstimage\space in a wrong place.\MessageBreak
4107 \protect\firstimage\space may only appear inside frontpage environment.
4108 }{%

```

```

4109 \protect\firstimage\space may only appear inside frontpage environment.
4110 }
4111 }%
4112 \newcommand{\weatheritem}[5]{%
4113 \ifthenelse{\boolean{xepersian@insideweather}}{%
4114 \begin{minipage}{45pt}
4115 \ifxetex
4116 \includegraphics[width=40pt]{#1}
4117 \fi
4118 \end{minipage}
4119 \begin{minipage}{50pt}
4120 \weatherTempFormat
4121 #2\\
4122 \begin{L#3} $| $ #4 \lrc{\weatherUnits{}}\end{L} \\
4123 #5
4124 \end{minipage}
4125 }{\%else
4126 \ClassError{xepersian-magazine}{%
4127 \protect\weatheritem\space in a wrong place.\MessageBreak
4128 \protect\weatheritem\space may only appear inside weatherblock environment.
4129 }{\%
4130 \protect\weatheritem\space may only appear inside weatherblock environment.\MessageBreak
4131 weatherblock environment may only appear inside frontpage environment.
4132 }%
4133 }
4134 }
4135 \newenvironment{weatherblock}[1]
4136 {
4137 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4138 \setboolean{xepersian@insideweather}{true}
4139 \begin{textblock}{32}(2,38)
4140 \vspace*{-15pt}
4141
4142 \xepersian@weather{\begin{R#1}\end{R}}
4143
4144 \vspace*{5pt}
4145
4146 \noindent\begin{xepersian@fmpage}{32\TPHorizModule}
4147 \begin{minipage}{32\TPHorizModule}
4148 \hspace{5pt}
4149
4150 }{\%
4151 \ClassError{xepersian-magazine}{%
4152 weatherblock in a wrong place.\MessageBreak
4153 weatherblock may only appear inside frontpage environment.
4154 }{\%
4155 weatherblock may only appear inside frontpage environment.
4156 }
4157 }
4158 }%

```

```

4159 {
4160 \end{minipage}
4161 \end{xepersian@fmpage}
4162 \end{textblock}
4163 \setboolean{xepersian@insideweather}{false}
4164 }
4165 \newenvironment{authorblock}[0]
4166 {
4167 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4168 \begin{textblock}{15}(36,35)
4169 \setlength{\fboxsep}{5pt}
4170 \begin{xepersian@fmpage}{13\TPHorizModule}
4171 \begin{minipage}{13\TPHorizModule}
4172 \centering
4173 \minilogo
4174
4175 }{%
4176 \ClassError{xepersian-magazine}{%
4177 authorblock in a wrong place.\MessageBreak
4178 authorblock may only appear inside frontpage environment.
4179 }{%
4180 authorblock may only appear inside frontpage environment.
4181 }
4182 }
4183 }
4184 {
4185 \end{minipage}
4186 \end{xepersian@fmpage}
4187 \end{textblock}
4188 }
4189 \newenvironment{indexblock}[1]
4190 {
4191 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4192 \setboolean{xepersian@insideindex}{true}\let's in
4193 \begin{textblock}{15}(36,16)
4194 \setlength{\xepersian@indexwidth}{13\TPHorizModule}
4195 \xepersian@indexFrameTitle{\#1}
4196
4197 \setlength{\fboxsep}{5pt} %espacio entre el frame y la imagen
4198 \begin{xepersian@fmpage}{\xepersian@indexwidth}
4199 \begin{minipage}{\xepersian@indexwidth}
4200 \vspace*{10pt}
4201 }{%
4202 \ClassError{xepersian-magazine}{%
4203 indexblock in a wrong place.\MessageBreak
4204 indexblock may only appear inside frontpage environment.
4205 }{%
4206 indexblock may only appear inside frontpage environment.
4207 }
4208 }

```

```

4209 }%
4210 {
4211 \end{minipage}
4212 \end{xepersian@fmpage}
4213 \end{textblock}
4214 \setboolean{xepersian@insideindex}{false}%
4215 %let's out
4216 \newcommand{\indexitem}[2]
4217 {
4218 \ifthenelse{\boolean{xepersian@insideindex}}{
4219 \xepersian@indexEntry{\#1} \xepersian@indexEntryPage{\pageref{\#2}}}
4220
4221 \vspace{0.5cm}
4222
4223 \noindent\ignorespaces\indexEntrySeparator{}%
4224 }%else
4225 \ClassError{xepersian-magazine}{%
4226 \protect\indexitem\space in a wrong place.\MessageBreak
4227 \protect\indexitem\space may only appear inside indexblock environment.
4228 }%
4229 \protect\indexitem\space may only appear inside indexblock environment.\MessageBreak
4230 indexblock environment may only appear inside frontpage environment.
4231 }%
4232 }
4233 }
4234 \newcommand{\xepersian@inexpandedtitle}[1]{%
4235 \begin{minipage}{.95\textwidth}
4236 \begin{center}
4237 \noindent\Large\textbf{\begin{R}\end{R}}
4238 \end{center}
4239 \end{minipage}
4240 }
4241 \newcommand{\expandedtitle}[2]{%
4242 \end{multicols}
4243
4244 \begin{center}
4245 \setlength{\fboxsep}{5pt}
4246 \setlength{\shadowsize}{2pt}
4247 \ifthenelse{\equal{\#1}{shadowbox}}{%
4248 \shadowbox{%
4249 \xepersian@inexpandedtitle{\#2}}%
4250 }%
4251 }{%
4252 \ifthenelse{\equal{\#1}{doublebox}}{%
4253 \doublebox{%
4254 \xepersian@inexpandedtitle{\#2}}%
4255 }%
4256 }{%
4257 \ifthenelse{\equal{\#1}{ovalbox}}{%
4258 \ovalbox{%

```

```

4259 \xepersian@inexpandedtitle{#2}%
4260 }%
4261 }{%
4262 \ifthenelse{\equal{#1}{Ovalbox}}{%
4263 \Ovalbox{%
4264 \xepersian@inexpandedtitle{#2}%
4265 }%
4266 }{%
4267 \ifthenelse{\equal{#1}{lines}}{%
4268 \hrule
4269 \vspace*{8pt}
4270 \begin{center}
4271 \noindent\Large\textrm{bf}{#2}
4272 \end{center}
4273 \vspace*{8pt}
4274 \hrule
4275 }{%
4276 \end{center}
4277
4278 \begin{multicols}{\xepersian@ncolumns{}}
4279 \ifnum \xepersian@ncolumns > \minraggedcols
4280 \raggedFormat
4281 \fi
4282 }
4283 \newcommand{\xepersian@incolumntitle}[2]{
4284 \begin{minipage}{#1}
4285 \begin{center}
4286 \noindent\normalsize\textrm{bf}{#2}
4287 \end{center}
4288 \end{minipage}
4289 }
4290
4291 \newcommand{\columntitle}[2]{
4292 \vspace*{5pt}
4293 \begin{center}
4294 \setlength{\fboxsep}{5pt}
4295 \setlength{\shadowsize}{2pt}
4296 \addtolength{\xepersian@coltitsize}{\columnwidth}
4297 \addtolength{\xepersian@coltitsize}{-\columnsep}
4298 \addtolength{\xepersian@coltitsize}{-5pt}
4299 \addtolength{\xepersian@coltitsize}{-\shadowsize}
4300 \ifthenelse{\equal{#1}{shadowbox}}{%
4301 \shadowbox{%
4302 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
4303 }%
4304 }{%
4305 \ifthenelse{\equal{#1}{doublebox}}{%
4306 \doublebox{%
4307 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
4308 }%

```

```

4309 }{%
4310 \ifthenelse{\equal{#1}{ovalbox}}{%
4311 \ovalbox{%
4312 \xepersian@inolumntitle{\xepersian@coltitsize}{#2}}%
4313 }%
4314 }{%
4315 \ifthenelse{\equal{#1}{Ovalbox}}{%
4316 \Ovalbox{%
4317 \xepersian@inolumntitle{\xepersian@coltitsize}{#2}}%
4318 }%
4319 }{%
4320 \ifthenelse{\equal{#1}{lines}}{%
4321 \hrule
4322 \vspace*{5pt}
4323 \begin{center}
4324 \noindent\normalsize\textbf{#2}
4325 \end{center}
4326 \vspace*{5pt}
4327 \hrule
4328 }{%
4329 \end{center}
4330 }
4331 \renewcommand{\date}{%
4332 \longdate{\today}}%
4333 }
4334 \newcommand{\authorandplace}[2]{%
4335 \rightline{%
4336 {\innerAuthorFormat #1},\space{}{\innerPlaceFormat #2}}%
4337 }%
4338 \par %
4339 }
4340 \newcommand{\newsection}[1]{%
4341 \renewcommand{\xepersian@section}{#1}
4342 }
4343 \newenvironment{article}[5]
4344 {
4345 \xepersian@say{Adding a new piece of article}
4346 \renewcommand{\xepersian@ncolumns}{#1}
4347 \begin{multicols}{#1}[
4348 \xepersian@pages{#4}
4349 \xepersian@innerTitle{#2}}%
4350 \xepersian@innerSubtitle{#3}}%
4351 ][4cm]%
4352 \label{#5}
4353 \ifnum #1 > \minraggedcols
4354 \raggedFormat
4355 \fi
4356 }
4357 {-\innerTextFinalMark{}}%
4358 \end{multicols}

```

```

4359 }
4360 \newcommand{\articlesep}{%
4361 \setlength{\xepersian@pageneed}{16000pt}
4362 \setlength\xepersian@pageleft{\pagegoal}
4363 \addtolength\xepersian@pageleft{-\pagetotal}
4364
4365 \xepersian@say{How much left \the\xepersian@pageleft}
4366
4367 \ifdim \xepersian@pageneed < \xepersian@pageleft
4368 \xepersian@say{Not enough space}
4369 \else
4370 \xepersian@say{Adding sep line between articles}
4371 \vspace*{10pt plus 10pt minus 5pt}
4372 \hrule
4373 \vspace*{10pt plus 5pt minus 5pt}
4374 \fi
4375
4376 }
4377 \newcommand{\xepersian@editorialTit}[2]{%
4378 \setlength{\arrayrulewidth}{.1pt}
4379 \begin{center}
4380 \begin{tabular}{c}
4381 \noindent
4382 \xepersian@editorialTitle{#1}
4383 \vspace{2pt plus 1pt minus 1pt}
4384 \\
4385 \hline
4386 \vspace{2pt plus 1pt minus 1pt}
4387 \\
4388 \editorialAuthorFormat{#2}
4389 \end{tabular}
4390 \end{center}
4391 }
4392 \newenvironment{editorial}[4]
4393 {
4394 \xepersian@say{Adding a new editorial}
4395 \begin{multicols}{#1}[%]
4396 \xepersian@editorialTit{#2}{#3}%
4397 ] [4cm]
4398 \label{#4}
4399 \ifnum #1 > \minraggedcols
4400 \raggedFormat
4401 \fi
4402 }
4403 {
4404 \end{multicols}
4405 }
4406 \newcommand{\xepersian@shortarticleTit}[2]{%
4407 \begin{center}
4408 \vbox{%

```

```

4409 \noindent
4410 \xepersian@shortarticleTitle{#1}
4411 \vspace{4pt plus 2pt minus 2pt}
4412 \hrule
4413 \vspace{4pt plus 2pt minus 2pt}
4414 \xepersian@shortarticleSubtitle{#2}
4415 }
4416 \end{center}
4417 }
4418 \newenvironment{shortarticle}[4]
4419 {
4420 \xepersian@say{Adding a short article block}
4421 \begin{multicols}{#1}[\xepersian@shortarticleTit{#2}{#3}] [4cm] %
4422 \label{#4}
4423 \par %
4424 \ifnum #1 > \minraggedcols
4425 \raggedFormat
4426 \fi
4427 }
4428 {
4429 \end{multicols}
4430 }
4431 \newcommand{\shortarticleitem}[2]{
4432 \goodbreak
4433 \vspace{5pt plus 3pt minus 3pt}
4434 {\vbox{\noindent\xepersian@shortarticleItemTitle{#1}}}
4435 \vspace{5pt plus 3pt minus 3pt}
4436 {\noindent #2}\\
4437 }

```

7.55 xepersian-mathsdigtspec.sty

```

4438 \NeedsTeXFormat{LaTeX2e}
4439 \ProvidesPackage{xepersian-mathsdigtspec}
4440 [2013/10/21 v1.0.5 Unicode Persian maths digits in XeLaTeX]
4441 \def\new@mathgroup{\alloc@8\mathgroup\chardef\@cclvi}
4442 \let\newfam\new@mathgroup
4443 \def\select@group#1#2#3#4{%
4444 \ifx\math@bgroup\math@bgroup\else\relax\expandafter\@firstofone\fi
4445 %}
4446 \ifmmode
4447 \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
4448 \begingroup
4449 \escapechar\m@ne
4450 \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
4451 \globaldefs\@ne \math@fonts
4452 \endgroup
4453 \init@restore@version
4454 \xdef#1{\noexpand\use@mathgroup\noexpand#2%
4455 {\number\csname c@mv@\math@version\endcsname}}%

```

```

4456      \global\advance\csname c@mv@\math@version\endcsname\@ne
4457  \else
4458    \let#1\relax
4459    \@latex@error{Too many math alphabets used in
4460                  version \math@version}%
4461    \@eha
4462  \fi
4463 \else \expandafter\non@alpherr\fi
4464 #1{#4}%
4465 }%
4466 }
4467 \def\document@select@group#1#2#3#4{%
4468 \ifx\math@bgroup\@group\else\relax\expandafter\@firstofone\fi
4469 {%
4470 \ifmmode
4471   \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
4472     \begingroup
4473       \escapechar\m@ne
4474       \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
4475       \globaldefs\@ne \math@fonts
4476     \endgroup
4477     \expandafter\extract@alph@from@version
4478       \csname mv@\math@version\expandafter\endcsname
4479       \expandafter{\number\csname
4480                     c@mv@\math@version\endcsname}%
4481       #1%
4482     \global\advance\csname c@mv@\math@version\endcsname\@ne
4483   \else
4484     \let#1\relax
4485     \@latex@error{Too many math alphabets used
4486                   in version \math@version}%
4487     \@eha
4488   \fi
4489 \else \expandafter\non@alpherr\fi
4490 #1{#4}%
4491 }%
4492 }
4493 \ExplSyntaxOn
4494 \bool_set_false:N \g_fonts_spec_math_bool
4495 \ExplSyntaxOff
4496 \def\@preamblecmds{%
4497 \newcommand\xepersian@not@onlypreamble[1]{{%
4498   \def\do##1{\ifx##1\else\noexpand\do\noexpand##1\fi}%
4499   \xdef\@preamblecmds{\@preamblecmds{}}
4500 \xepersian@not@onlypreamble\@preamblecmds
4501 \def\xepersian@notprerr{ can be used only in preamble (\on@line)}%
4502 \AtBeginDocument{%
4503   \def\do#1{\noexpand\do\noexpand#1}%
4504   \edef\@preamblecmds{%
4505     \def\noexpand\do##1{%

```

```

4506      \def##1{\noexpand\xepersian@NotprerrMessage##1}\noexpand\@eha}}%
4507      \@preamblecmds}
4508 \def\xepersian@NotprerrMessage#1{%
4509   \PackageError{xepersian}{%
4510     {\noexpand\string#1 \noexpand\xepersian@notprerr}{}%
4511   }
4512 \def\nocite#1{%
4513   \@bsphack{\setbox0=\hbox{\cite{#1}}}\@esphack}
4514 \newcommand\xepersian@PackageInfo[1]{\PackageInfo{xepersian-mathsdigtspec}{#1}}
4515 \newcommand\SetMathCode[4]{%
4516   \Umathcode#1="\\mathchar@type#2 \csname sym#3\endcsname #4\relax}
4517 \newcommand\SetMathCharDef[4]{%
4518   \Umathchardef#1="\\mathchar@type#2 \csname sym#3\endcsname #4\relax}
4519 \ExplSyntaxOn
4520 \cs_new_eq:NN \orig_mathbf:n \mathbf
4521 \cs_new_eq:NN \orig_mathit:n \mathit
4522 \cs_new_eq:NN \orig_mathrm:n \mathrm
4523 \cs_new_eq:NN \orig_mathsf:n \mathsf
4524 \cs_new_eq:NN \orig_mathtt:n \mathtt
4525 \NewDocumentCommand \new@mathbf { m } {
4526   \orig_mathbf:n {
4527     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4528       \mathcode ##1 = \numexpr "100 * \symnew@mathbf@font@digits + ##1 \relax
4529     }
4530     #1
4531   }
4532 }
4533 \NewDocumentCommand \new@mathit { m } {
4534   \orig_mathit:n {
4535     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4536       \mathcode ##1 = \numexpr "100 * \symnew@mathit@font@digits + ##1 \relax
4537     }
4538     #1
4539   }
4540 }
4541 \NewDocumentCommand \new@mathrm { m } {
4542   \orig_mathrm:n {
4543     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4544       \mathcode ##1 = \numexpr "100 * \symnew@mathrm@font@digits + ##1 \relax
4545     }
4546     #1
4547   }
4548 }
4549 \NewDocumentCommand \new@mathsf { m } {
4550   \orig_mathsf:n {
4551     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4552       \mathcode ##1 = \numexpr "100 * \symnew@mathsf@font@digits + ##1 \relax
4553     }
4554     #1
4555   }

```

```

4556 }
4557 \NewDocumentCommand \new@mathtt{ m } {
4558   \orig_mathtt:n {
4559     \int_step_inline:nnnn { `0 } { \c_one } { `9 } {
4560       \mathcode ##1 = \numexpr "100 * \symnew@mathtt@font@digits + ##1 \relax
4561     }
4562     #1
4563   }
4564 }
4565 \newcommand\setdigitfont[2][]{%
4566   \let\glb@currsize\relax
4567   \fontspec_set_family:Nnn \xepersian@digits@family {Mapping=parsidigits,#1}{#2}
4568   \xepersian@PackageInfo{Defining the default Persian maths digits font as '#2'}
4569   \DeclareSymbolFont{OPERATORS} {EU1}{\xepersian@digits@family}{m}{n}
4570   \DeclareSymbolFont{new@mathbf@font@digits}{EU1}{\xepersian@digits@family}{bx}{n}
4571   \DeclareSymbolFont{new@mathit@font@digits}{EU1}{\xepersian@digits@family}{m}{it}
4572   \DeclareSymbolFont{new@mathrm@font@digits}{EU1}{\xepersian@digits@family}{m}{n}
4573   \def\persianmathsdigits{%
4574     \SetMathCode`0{\mathalpha}{OPERATORS}`0
4575     \SetMathCode`1{\mathalpha}{OPERATORS}`1
4576     \SetMathCode`2{\mathalpha}{OPERATORS}`2
4577     \SetMathCode`3{\mathalpha}{OPERATORS}`3
4578     \SetMathCode`4{\mathalpha}{OPERATORS}`4
4579     \SetMathCode`5{\mathalpha}{OPERATORS}`5
4580     \SetMathCode`6{\mathalpha}{OPERATORS}`6
4581     \SetMathCode`7{\mathalpha}{OPERATORS}`7
4582     \SetMathCode`8{\mathalpha}{OPERATORS}`8
4583     \SetMathCode`9{\mathalpha}{OPERATORS}`9
4584     \SetMathCharDef`\%{\mathbin}{OPERATORS}`` }
4585   \SetMathCharDef`\decimalseparator{\mathord}{OPERATORS}`"066B
4586   \cs_set_eq:NN \mathbf \new@mathbf
4587   \cs_set_eq:NN \mathit \new@mathit
4588   \cs_set_eq:NN \mathrm \new@mathrm
4589 }
4590 \DeclareDocumentCommand \setmathsf digitfont { O{} m } {
4591   \fontspec_set_family:Nnn \g_fontspec_mathsfs_t1 {Mapping=parsidigits,#1}{#2}
4592   \DeclareSymbolFont{new@mathsf@font@digits}{EU1}{\g_fontspec_mathsfs_t1}{m}{n}
4593   \def\persianmathsdigits{\cs_set_eq:NN \mathsf \new@mathsf}
4594 }
4595 \DeclareDocumentCommand \setmathtt digitfont { O{} m } {
4596   \fontspec_set_family:Nnn \g_fontspec_mathtt_t1 {Mapping=parsidigits,#1}{#2}
4597   \DeclareSymbolFont{new@mathtt@font@digits}{EU1}{\g_fontspec_mathtt_t1}{m}{n}
4598   \def\persianmathtdigits{\cs_set_eq:NN \mathtt \new@mathtt}
4599 }
4600 \ExplSyntaxOff
4601 \ifx\newcommand\undefined\else
4602   \newcommand{\ZifferAn}{}
4603 \fi
4604 \mathchardef\ziffer@DotOri="013A

```

```

4605 {\ZifferAn
4606 \catcode`\.=\active\gdef .{\begingroup\obeyspaces\futurelet\n\ziffer@dcheck}}
4607 \def\ziffer@dcheck{\ziffer@check\ZifferLeer\ziffer@DotOri}
4608 \def\ziffer@check#1#2{%
4609   \ifx\n1\endgroup#1\else
4610     \ifx\n2\endgroup#1\else
4611       \ifx\n3\endgroup#1\else
4612         \ifx\n4\endgroup#1\else
4613           \ifx\n5\endgroup#1\else
4614             \ifx\n6\endgroup#1\else
4615               \ifx\n7\endgroup#1\else
4616                 \ifx\n8\endgroup#1\else
4617                   \ifx\n9\endgroup#1\else
4618                     \ifx\n0\endgroup#1\else
4619                       \endgroup#2%
4620                     \fi
4621                   \fi
4622                 \fi
4623               \fi
4624             \fi
4625           \fi
4626         \fi
4627       \fi
4628     \fi
4629   \fi}
4630 \mathcode`.=8000\relax
4631 \def\ZifferLeer{\ifx\decimalseparator\undefined .\else \decimalseparator\fi}
4632 \def\DefaultMathsDigits{\def\SetMathsDigits{}}
4633 \def\PersianMathsDigits{\def\SetMathsDigits{%
4634 \ifx\persianmathsdigits\undefined\else\persianmathsdigits\fi%
4635 \ifx\persianmathsfdigits\undefined\else\persianmathsfdigits\fi%
4636 \ifx\persianmathttdigits\undefined\else\persianmathttdigits\fi}}
4637 \def\AutoMathsDigits{\def\SetMathsDigits{%
4638 \ifx\persianmathsdigits\undefined\else\if@Latin\else\persianmathsdigits\fi\fi%
4639 \ifx\persianmathsfdigits\undefined\else\if@Latin\else\persianmathsfdigits\fi\fi%
4640 \ifx\persianmathttdigits\undefined\else\if@Latin\else\persianmathttdigits\fi\fi}}
4641 \AutoMathsDigits
4642 \everymath\expandafter{\the\everymath\SetMathsDigits}
4643 \g@addto@macro\document{\everydisplay\expandafter{\the\everydisplay\SetMathsDigits}}

```

7.56 xepersian-multiplechoice.sty

```

4644 \NeedsTeXFormat{LaTeX2e}
4645 \ProvidesPackage{xepersian-multiplechoice}[2010/07/25 v0.2
4646                         Multiple Choice Questionnaire class for Persian in XeLaTeX]
4647 \RequirePackage{pifont}
4648 \RequirePackage{fullpage}
4649 \RequirePackage{ifthen}
4650 \RequirePackage{calc}
4651 \RequirePackage{verbatim}

```

```

4652 \RequirePackage{tabularx}
4653 \def\@headerfont{\bfseries}
4654 \newcommand\headerfont[1]{\gdef\@headerfont{#1}}
4655 \def\@X{X}
4656 \newcommand\X[1]{\gdef\@X{#1}}
4657 \def\pbs#1{\let\tmp=\#1\let\==\tmp}
4658 \newcolumntype{D}{>{\pbs\centering}X}
4659 \newcolumntype{Q}{>{@headerfont}X}
4660
4661 \renewcommand\tabularxcolumn[1]{m{#1}}
4662 \newcommand\makeform@nocorrection{%
4663   \addtocontents{frm}{\protect\end{tabularx}}
4664   \starttoc{frm}}
4665 \newcommand\makeform@correction{%
4666   \addtocontents{frm}{\protect\end{tabularx}}}
4667 \newcommand\makemask@nocorrection{%
4668   \addtocontents{msk}{\protect\end{tabularx}}
4669   \starttoc{msk}}
4670 \newcommand\makemask@correction{%
4671   \addtocontents{msk}{\protect\end{tabularx}}}
4672 \newlength\questionspace
4673 \setlength\questionspace{0pt}
4674 \newcommand\answerstitle[1]{\gdef\@answerstitle{#1}}
4675 \def\@answerstitlefont{\bfseries}
4676 \newcommand\answerstitlefont[1]{\gdef\@answerstitlefont{#1}}
4677 \def\@answernumberfont{\bfseries}
4678 \newcommand\answernumberfont[1]{\gdef\@answernumberfont{#1}}
4679 \newcounter{question}\stepcounter{question}
4680 \newcounter{@choice}
4681 \def\@initcheck{%
4682   \xdef\@choices{\the@choice}%
4683   \setcounter{@choice}{1}%
4684   \gdef\@arraydesc{|Q||}%
4685   \gdef\@headerline{}%
4686   \whiledo{\not{\value{@choice}>\@choices}}{%
4687     \xdef\@arraydesc{\@arraydesc D|}%
4688     \def\@appendheader{\g@addto@macro\@headerline}%
4689     \@appendheader{\&\protect\@headerfont}%
4690     \edef\@the@choice{\alph{@choice}}%
4691     \expandafter\@appendheader\@the@choice
4692     \stepcounter{@choice}}%
4693   \addtocontents{frm}{%
4694     \protect\begin{tabularx}{\protect\ linewidth}{\@arraydesc}%
4695     \protect\hline
4696     \@headerline\protect\\ \protect\hline\protect\hline\%}
4697   \addtocontents{msk}{%
4698     \protect\begin{tabularx}{\protect\ linewidth}{\@arraydesc}%
4699     \protect\hline
4700     \@headerline\protect\\ \protect\hline\protect\hline\%}
4701 \gdef\@initcheck{%

```

```

4702 \ifthenelse{\value{@choice} = \@choices}{}{%
4703   \ClassError{xepersian-multiplechoice}{Question \thequestion: wrong number of choices
4704     (\the@choice\space instead of \@choices)}{%
4705       Questions must all have the same number of proposed answers.%}
4706       \MessageBreak
4707       Type X <return> to quit, fix your MCQ (multiple choice question) and rerun XeLaTeX.}}}}}
4708 \newenvironment{question}[1]{%
4709   %% \begin{question}
4710   \begin{minipage}{\textwidth}
4711     \xdef\@formanswerline{\@questionheader}%
4712     \xdef\@maskanswerline{\@questionheader}%
4713     \fbox{\parbox[c]{\linewidth}{#1}}
4714     \vspace\questionspace\par
4715     {\@answertitlefont\@answertitle}
4716     \begin{list}{\@answernumberfont\alph{@choice})~}{\usecounter{@choice}}}%
4717   %% \end{question}
4718   \end{list}
4719   \@initorcheck%
4720   \addtocontents{frm}{\@formanswerline\protect\\protect\hline}%
4721   \addtocontents{msk}{\@maskanswerline\protect\\protect\hline}%
4722   \end{minipage}
4723   \stepcounter{question}
4724 \def\@truesymbol{\ding{52}~}
4725 \def\@falsesymbol{\ding{56}~}
4726 \newcommand\truesymbol[1]{\gdef\@truesymbol{#1}}
4727 \newcommand\falsesymbol[1]{\gdef\@falsesymbol{#1}}
4728 \def\@true@nocorrection{\item}
4729 \def\@false@nocorrection{\item}
4730 \def\@true@correction{\item[\@truesymbol\refstepcounter{@choice}]}
4731 \def\@false@correction{\item[\@falsesymbol\refstepcounter{@choice}]}
4732 \newcommand\true{%
4733   \xdef\@formanswerline{\@formanswerline&}%
4734   \xdef\@maskanswerline{\@maskanswerline&\@X}%
4735   \@true}%
4736 \newcommand\false{%
4737   \xdef\@formanswerline{\@formanswerline&}%
4738   \xdef\@maskanswerline{\@maskanswerline&}%
4739   \@false}%
4740 \def\@correctionstyle{\itshape}
4741 \newcommand\correctionstyle[1]{\gdef\@correctionstyle{#1}}
4742 \newenvironment{@correction}{\@correctionstyle}{}
4743 \def\@questionheader{ \thequestion}
4744 \answertitle{ :}
4745 \DeclareOption{nocorrection}{%
4746   \let\@true\@true@nocorrection
4747   \let\@false\@false@nocorrection
4748   \let\correction\comment
4749   \let\endcorrection\endcomment
4750   \def\makeform{\makeform@nocorrection}
4751   \def\makemask{\makemask@nocorrection}}

```

```

4752 \DeclareOption{correction}{%
4753   \let\@true\@true@correction
4754   \let\@false\@false@correction
4755   \let\correction\@correction
4756   \let\endcorrection\end@correction
4757   \def\makeform{\makeform@correction}
4758   \def\makemask{\makemask@correction}}
4759 \ExecuteOptions{nocorrection}
4760 \newcommand\questiontitle[1]{\gdef\@questiontitle{\#1}}
4761 \def\@questiontitlefont{\bfseries}
4762 \newcommand\questiontitlefont[1]{\gdef\@questiontitlefont{\#1}}
4763 \newlength\questiontitlespace
4764 \setlength\questiontitlespace{5pt}
4765 \newlength\questionsepspace
4766 \setlength\questionsepspace{20pt}
4767 \gdef\questionsepspace{0pt}
4768 \let\old@question\question
4769 \let\old@endquestion\endquestion
4770 \renewenvironment{question}[1]{%
4771   %% \begin{question}
4772   \vspace{\questionsepspace}
4773   \fbox{\parbox[c]{0.25\linewidth}{\@questiontitlefont\@questiontitle}}
4774   \nopagebreak\vspace{\questiontitlespace}\par
4775   \old@question{\#1}}{%
4776   %% \end{question}
4777   \old@endquestion
4778   \gdef\@questionsepspace{\questionsepspace}}
4779 \questiontitle{ \thequestion:}
4780 \ProcessOptions

```

7.57 xepersian-persiancal.sty

```

4781 \NeedsTeXFormat{LaTeX2e}
4782 \ProvidesPackage{xepersian-persiancal}[2012/07/25 v0.2 provides Persian calendar]
4783
4784 \newif\ifXePersian@leap \newif\ifXePersian@kabiseh
4785 \newcount\XePersian@i \newcount\XePersian@y \newcount\XePersian@m \newcount\XePersian@d
4786 \newcount\XePersian@latini \newcount\XePersian@persiani
4787 \newcount\XePersian@latinii \newcount\XePersian@persianii
4788 \newcount\XePersian@latiniii \newcount\XePersian@persianiii
4789 \newcount\XePersian@latiniv \newcount\XePersian@persianiv
4790 \newcount\XePersian@latinv \newcount\XePersian@persianv
4791 \newcount\XePersian@latinvi \newcount\XePersian@persianvi
4792 \newcount\XePersian@latinvii \newcount\XePersian@persianvii
4793 \newcount\XePersian@latinviii \newcount\XePersian@persianviii
4794 \newcount\XePersian@latinix \newcount\XePersian@persianix
4795 \newcount\XePersian@latinx \newcount\XePersian@persianx
4796 \newcount\XePersian@latinxi \newcount\XePersian@persianxi
4797 \newcount\XePersian@latinxii \newcount\XePersian@persianxii
4798           \newcount\XePersian@persianxiii

```

```

4799
4800 \newcount\XePersian@temp
4801 \newcount\XePersian@temptwo
4802 \newcount\XePersian@tempthree
4803 \newcount\XePersian@yModHundred
4804 \newcount\XePersian@thirtytwo
4805 \newcount\XePersian@dn
4806 \newcount\XePersian@sn
4807 \newcount\XePersian@mmminusone
4808
4809
4810 \XePersian@y=\year \XePersian@m=\month \XePersian@d=\day
4811 \XePersian@temp=\XePersian@y
4812 \divide\XePersian@temp by 100\relax
4813 \multiply\XePersian@temp by 100\relax
4814 \XePersian@yModHundred=\XePersian@y
4815 \advance\XePersian@yModHundred by -\XePersian@temp\relax
4816 \ifodd\XePersian@yModHundred
4817   \XePersian@leapfalse
4818 \else
4819   \XePersian@temp=\XePersian@yModHundred
4820   \divide\XePersian@temp by 2\relax
4821   \ifodd\XePersian@temp\XePersian@leapfalse
4822   \else
4823     \ifnum\XePersian@yModHundred=0%
4824       \XePersian@temp=\XePersian@y
4825       \divide\XePersian@temp by 400\relax
4826       \multiply\XePersian@temp by 400\relax
4827       \ifnum\XePersian@y=\XePersian@temp\XePersian@leaptrue\else\XePersian@leapfalse\fi
4828       \else\XePersian@leaptrue
4829       \fi
4830   \fi
4831 \fi
4832 \XePersian@latini=31\relax
4833 \ifXePersian@leap
4834   \XePersian@latinii = 29\relax
4835 \else
4836   \XePersian@latinii = 28\relax
4837 \fi
4838 \XePersian@latiniii = 31\relax
4839 \XePersian@latiniv = 30\relax
4840 \XePersian@latinv = 31\relax
4841 \XePersian@latinvi = 30\relax
4842 \XePersian@latinvii = 31\relax
4843 \XePersian@latinviii = 31\relax
4844 \XePersian@latinix = 30\relax
4845 \XePersian@latinx = 31\relax
4846 \XePersian@latinxi = 30\relax
4847 \XePersian@latinxii = 31\relax
4848 \XePersian@thirtytwo=32\relax

```

```

4849 \XePersian@temp=\XePersian@y
4850 \advance\XePersian@temp by -17\relax
4851 \XePersian@temptwo=\XePersian@temp
4852 \divide\XePersian@temptwo by 33\relax
4853 \multiply\XePersian@temptwo by 33\relax
4854 \advance\XePersian@temp by -\XePersian@temptwo
4855 \ifnum\XePersian@temp=\XePersian@thirtytwo\XePersian@kabisehfalse
4856 \else
4857   \XePersian@temptwo=\XePersian@temp
4858   \divide\XePersian@temptwo by 4\relax
4859   \multiply\XePersian@temptwo by 4\relax
4860   \advance\XePersian@temp by -\XePersian@temptwo
4861   \ifnum\XePersian@temp=\z@\XePersian@kabisehtrue\else\XePersian@kabisehfalse\fi
4862 \fi
4863 \XePersian@tempthree=\XePersian@y           % Number of Leap years
4864 \advance\XePersian@tempthree by -1
4865 \XePersian@temp=\XePersian@tempthree         % T := (MY-1) div 4
4866 \divide\XePersian@temp by 4\relax
4867 \XePersian@temptwo=\XePersian@tempthree      % T := T - ((MY-1) div 100)
4868 \divide\XePersian@temptwo by 100\relax
4869 \advance\XePersian@temp by -\XePersian@temptwo
4870 \XePersian@temptwo=\XePersian@tempthree      % T := T + ((MY-1) div 400)
4871 \divide\XePersian@temptwo by 400\relax
4872 \advance\XePersian@temp by \XePersian@temptwo
4873 \advance\XePersian@tempthree by -611          % Number of Kabise years
4874 \XePersian@temptwo=\XePersian@tempthree      % T := T - ((SY+10) div 33) * 8
4875 \divide\XePersian@temptwo by 33\relax
4876 \multiply\XePersian@temptwo by 8\relax
4877 \advance\XePersian@temp by -\XePersian@temptwo
4878 \XePersian@temptwo=\XePersian@tempthree      %
4879 \divide\XePersian@temptwo by 33\relax
4880 \multiply\XePersian@temptwo by 33\relax
4881 \advance\XePersian@tempthree by -\XePersian@temptwo
4882 \ifnum\XePersian@tempthree=32\advance\XePersian@temp by 1\fi % if (SY+10) mod 33=32 then Inc(T);
4883 \divide\XePersian@tempthree by 4\relax    % T := T - ((SY+10) mod 33) div 4
4884 \advance\XePersian@temp by -\XePersian@tempthree
4885 \advance\XePersian@temp by -137            % T := T - 137 Adjust the value
4886 \XePersian@persiani=31
4887 \advance\XePersian@persiani by -\XePersian@temp           % now 31 - T is the persiani
4888 \XePersian@persianii = 30\relax
4889 \if\XePersian@kabiseh
4890   \XePersian@persianiii = 30\relax
4891 \else
4892   \XePersian@persianiii = 29\relax
4893 \fi
4894 \XePersian@persianiv = 31\relax
4895 \XePersian@persianv = 31\relax
4896 \XePersian@persianvi = 31\relax
4897 \XePersian@persianvii = 31\relax
4898 \XePersian@persianviii= 31\relax

```

```

4899 \XePersian@persianix = 31\relax
4900 \XePersian@persianx = 30\relax
4901 \XePersian@persianxi = 30\relax
4902 \XePersian@persianxii = 30\relax
4903 \XePersian@persianxiii= 30\relax
4904 \XePersian@dn= 0\relax
4905 \XePersian@sn= 0\relax
4906 \XePersian@mminusone=\XePersian@m
4907 \advance\XePersian@mminusone by -1\relax
4908 \XePersian@i=0\relax
4909 \ifnum\XePersian@i < \XePersian@mminusone
4910 \loop
4911 \advance \XePersian@i by 1\relax
4912 \advance\XePersian@dn by \csname XePersian@latin\romannumeral\the\XePersian@i\endcsname
4913 \ifnum\XePersian@i<\XePersian@mminusone \repeat
4914 \fi
4915 \advance \XePersian@dn by \XePersian@d
4916 \XePersian@i=1\relax
4917 \XePersian@sn = \XePersian@persiani
4918 \ifnum \XePersian@sn<\XePersian@dn
4919 \loop
4920 \advance \XePersian@i by 1\relax
4921 \advance\XePersian@sn by \csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
4922 \ifnum \XePersian@sn<\XePersian@dn \repeat
4923 \fi
4924 \ifnum \XePersian@i < 4
4925   \XePersian@m = 9 \advance\XePersian@m by \XePersian@i
4926   \advance \XePersian@y by -622\relax
4927 \else
4928   \XePersian@m = \XePersian@i \advance \XePersian@m by -3\relax
4929   \advance \XePersian@y by -621\relax
4930 \fi
4931 \advance\XePersian@sn by -\csname XePersian@persian\romannumeral\the\XePersian@i\%
4932 \endcsname
4933 \ifnum\XePersian@i = 1
4934   \XePersian@d = \XePersian@dn \advance \XePersian@d by 30 \advance\XePersian@d by -\XePersian@pe
4935 \else
4936   \XePersian@d = \XePersian@dn \advance \XePersian@d by -\XePersian@sn
4937 \fi
4938 \newcommand*\persiantoday}{%
4939 \number\XePersian@d\space%
4940 \XePersian@persian@month{\XePersian@m}\space\number\XePersian@y%
4941 }
4942 \let\persianyear\XePersian@y
4943 \let\persianmonth\XePersian@m
4944 \let\persianday\XePersian@d
4945 \def\XePersian@persian@month#1{\ifcase#1\or \or \
4946 \or \
4947 \or \or \
4948 \or \

```

4949 or\ or\

4950 or\ or\

4951 or\ or\

4952 {fi\

Index

Symbols	
\!	2609
\%	4584
\.	1708, 4606
\@and	3225
\@do@wrglossary	1598
\@if@newlist .	1444, 1464, 3147, 3200
\@math	317
\@maybeautodot .	2824, 2825, 2843, 2858, 2859, 2877, 2888, 2889, 2907
\@par	2136
\@Alph .	1604, 1619, 2837, 2871, 2901, 3478, 3481, 3485
\@False	305, 307
\@LTrbidituftesidenote@sidenote .	174
\@LTRfootnotetext .	50, 66, 112, 127, 186, 193, 1510, 1527, 1778, 1793, 2166
\@LTrmarginparreset .	3123
\@Latincitex	164, 165, 2400, 2409, 2599, 3131, 3132
\@Latinfalse .	3113
\@Latintrue .	3112, 3114, 3118
\@M .	321, 1707, 1720, 1802, 3265, 3366, 3452
\@MM .	20, 37, 56, 82, 99, 118, 1477, 1496, 1515, 1748, 1765, 1784
\@Mi .	317
\@Mii .	2059
\@Miii .	2061
\@RTL@footnotefalse .	3114, 3118
\@RTL@footnotetrue .	3116, 3119
\@RTLbidituftesidenote@sidenote .	201
\@RTLfalse .	. 16, 52, 78, 114, 287, 299, 312, 1473, 1511, 1533, 1566, 1703, 1744, 1780, 3186, 3196
\@RTLfootnotetext .	31, 65, 93, 126, 213, 220, 1491, 1526, 1759, 1792, 2167
\@RTLtrue .	16, 33, 78, 95, 1473, 1492, 1533, 1551, 1703, 1744, 1761, 3186, 3196
\@Roman ..	1605, 1615, 2839, 2873, 2903
\@SepMark	1815, 1816, 1817, 1818, 1995
\@SetTab .	2910
\@True .	300, 306
\@X .	4655, 4656, 4734
\@acol .	2291, 2299
\@acolampacol .	2289, 2291, 2297, 2299
\@adadi ..	1594, 1607, 1623, 2835, 2869, 2899, 3239, 3241, 3244
\@addamp .	2290, 2298
\@addtopreamble .	2258
\@alph	1603, 1617, 2838, 2872, 2902, 2911, 3477, 3480, 3484
\@ampacol .	2289, 2297
\@ansernumberfont	4677, 4678, 4716
\@anserstitle .	4674, 4715
\@anserstitlefont	4675, 4676, 4715
\@appendheader .	4688, 4689, 4691
\@arrayclassz .	2289
\@arraydesc ..	4684, 4687, 4694, 4698
\@arrayrule ..	2237, 2238, 2239, 2281, 2282, 2283
\@author .	3845, 3857
\@autodottrue ..	2827, 2828, 2829, 2830, 2831, 2832, 2833, 2834, 2835, 2836, 2837, 2838, 2839, 2840, 2841, 2861, 2862, 2863, 2864, 2865, 2866, 2867, 2868, 2869, 2870, 2871, 2872, 2873, 2874, 2875, 2891, 2892, 2893, 2894,

2895, 2896, 2897, 2898, 2899,
 2900, 2901, 2902, 2903, 2904,
 2905
`\@auxout` 3137
`\@begin@tempboxa` 2136
`\@begindvi` 3179
`\@biblabel` 1704, 2401, 2410
`\@bibsetup` 2402, 2411
`\@bibtitlestyle` 1700
`\@bidi@list@minipage@parbox@not@nobtrue`
 2133, 2155
`\@bidi@list@minipage@parboxtrue`
 2134, 2156
`\@bidiufstesidenote@citations`
 ... 176, 203, 230, 237
`\@bidiufstesidenote@infofootnote@cite`
 ... 175, 202, 229, 236
`\@bidiufstesidenote@margin@par`
 231, 238
`\@bidiufstesidenote@marginnote@font`
 231, 238
`\@bidiufstesidenote@marginnote@justifl`
 231, 238
`\@bidiufstesidenote@normal@cite`
 ... 196, 223, 233, 240
`\@bidiufstesidenote@print@citations`
 ... 195, 222, 232, 239
`\@bidiufstesidenote@sidenote@vertical`
 ... 178, 180, 186, 193, 205,
 207, 213, 220
`\@bsphack` 2058, 4513
`\@captype` 2046, 2109, 2356, 2366
`\@cclvi` 4441, 4447, 4471
`\@chapapp` 253, 264, 271,
 283, 1425, 1437, 2001, 2791,
 2798, 2805, 2813, 2854, 2884
`\@chclass` 2171, 2179, 2187, 2202,
 2216, 2221, 2236, 2252, 2272,
 2280, 2310, 2333, 2347
`\@chnum` .. 2173, 2174, 2175, 2176,
 2177, 2178, 2188, 2195, 2209,
 2222, 2229, 2245, 2258, 2274,
 2275, 2276, 2277, 2278, 2279,
 2293, 2301, 2311, 2318, 2340
`\@choices` 4682, 4686, 4702, 4704
`\@cite` ... 2388, 2395, 2407, 2423,
 2512, 3134
`\@cite@ofmt` 3142
`\@citea` .. 2428, 2442, 2456, 2465,
 2466, 2467, 2472, 2487, 2495,
 2496, 2497, 2531, 2547, 2565,
 3133, 3135
`\@citeb` .. 2424, 2426, 2428, 2431,
 2433, 2434, 2436, 2459, 2490,
 2513, 2515, 2517, 2520, 2522,
 2523, 2525, 3134, 3136, 3137,
 3138, 3141, 3142
`\@citere` 2399, 2408
`\@classx` 2255
`\@classz` 2255
`\@cleartopmattertags` ... 1838
`\@colht` 3201
`\@correction` 4755
`\@correctionstyle` .. 4740, 4741,
 4742
`\@ctrerr` 3235
`\@curenvir` 2673, 2675, 2676
`\@currentlabel` 22, 39, 58, 84, 101,
 120, 1479, 1498, 1517, 1538,
 1556, 1571, 1750, 1767, 1786
`\@customenvir` 2673, 2675, 2676
`\@custommagazinename` 3714, 3947
`\@customminilogo` ... 3946, 3960
`\@customwwwTxt` . 3675, 3678, 3730
`\@date` 3848, 3858
`\@dgroup` 299
`\@dmath` 287, 316
`\@do@gls@getcounterprefix` 1636,
 1639
`\@doendpe` 2690
`\@dseries` 312
`\@eha` 4461, 4487, 4506
`\@empty` 302, 1702, 1824, 2053, 2413,
 2423, 2426, 2512, 2515, 2644,
 3133, 3136, 3165, 3166, 3168,
 3169, 3324, 3330, 3333, 3336,
 3432, 3856, 3857, 3858, 3859
`\@emptytoks` 301
`\@enGroup` 1350

\@enLabel 1341, 1342, 1343, 1344,
 1345, 1346, 1347, 1348
 \@enOther 1352
 \@enSpace 1349
 \@end@tempboxa 2151
 \@endpbox 2265, 2266
 \@enhook 1353
 \@enloop@ 1340
 \@entemp . 1341, 1342, 1343, 1344,
 1345, 1346, 1347, 1348, 1349,
 1350, 1351
 \@enum@ 1351
 \@esphack 4513
 \@evenfoot 3163
 \@evenhead 3162
 \@extra@b@citeb
 .. 2428, 2434, 2436, 2459,
 2490, 2517, 2523, 2525
 \@extrafootnotefeaturetrue ..
 3530
 \@false 4739, 4747, 4754
 \@false@correction . 4731, 4754
 \@false@nocorrection 4729, 4747
 \@falsesymbol .. 4725, 4727, 4731
 \@finalstrut . 1484, 1503, 1522,
 1542, 1560, 1575
 \@firststampfalse 2291, 2299
 \@firststofone . 1694, 1695, 2426,
 2515, 3136, 4444, 4468
 \@float@HH 2352, 2353
 \@float@Hx 2351, 2352
 \@float@ 2352, 2363
 \@floatboxreset 2122, 2361, 2371
 \@floatcapt 2356, 2366
 \@floatpenalty . 2059, 2061, 2064
 \@flstylefalse 2358, 2368
 \@flstyletrue 2358, 2368
 \@fltovf 2114
 \@footnotemark 186, 193, 213, 220
 \@footnotetext 14, 64, 76,
 125, 1472, 1525, 1742, 1791,
 2165
 \@for 2424, 2513, 3134
 \@formanswerline .. 4711, 4720,
 4733, 4737
 \@fps 2047, 2048, 2050, 2053, 2070
 \@fpsadddefault 2051, 2054
 \@freelist 2066
 \@glo@check@mkidxrangechar ..
 1642
 \@glo@counterprefix 1632, 1653,
 1660
 \@glo@numfmt 1659, 1663
 \@glo@prefix 1644, 1647
 \@glo@range .. 1643, 1645, 1648,
 1655
 \@glo@suffix 1654
 \@gls@checkmkidxchars ... 1630,
 1635
 \@gls@counter 1654, 1659
 \@gls@encapchar 1663
 \@gls@getcounterprefix .. 1636
 \@glsHlocref .. 1634, 1635, 1637
 \@glslocref .. 1628, 1630, 1637,
 1653, 1663
 \@glsnumberformat .. 1642, 1659
 \@gobble . 1351, 1452, 1453, 1454,
 3175, 3176, 3177
 \@charfi 12, 74, 134,
 140, 146, 152, 254, 265, 272,
 284, 1415, 1426, 1438, 1592,
 1606, 1621, 1728, 2002, 2792,
 2799, 2806, 2814, 2821, 2834,
 2855, 2868, 2885, 2898, 3233,
 3236, 3237
 \@headerfont . 4653, 4654, 4659,
 4689
 \@headerline . 4685, 4688, 4696,
 4700
 \@idxitem 1717, 1722
 \@ifclassloaded
 .. 3504, 3505, 3506, 3507,
 3508, 3509, 3510, 3511, 3512,
 3513, 3514, 3515, 3516, 3517,
 3518, 3519, 3520, 3521, 3522,
 3523, 3524, 3525, 3526, 3527,
 3534, 3544, 3554
 \@ifndefable 2708, 2710
 \@ifdefinitionfileloaded
 .. 2043, 2186, 2219, 2309,
 2350, 3488
 \@isempty 1803

\@ifnextchar .	2352, 2593, 2599, 3131	
\@ifnum ..	2530, 2532, 2534, 2541, 2542, 2545, 2557, 2580, 2582	
\@ifpackageloaded		
	... 167, 1917, 1921, 2602, 2606, 2698, 2706, 3206, 3489, 3490, 3491, 3492, 3493, 3494, 3495, 3496, 3497, 3498, 3499, 3500, 3501, 3502, 3503, 3504	
\@ifstar	2592	
\@ifundefined ..	163, 2428, 2434, 2517, 2523, 3138	
\@ignoretrue	323	
\@iiiminipage	2152	
\@iiiparbox	2130	
\@indexfile ...	3536, 3546, 3556	
\@indestitlestyle	1715	
\@initcheck ..	4681, 4701, 4719	
\@inlabelfalse	290	
\@input@	3538, 3548, 3558	
\@lastchclass		
	.. 2171, 2172, 2188, 2189, 2190, 2191, 2193, 2222, 2223, 2224, 2225, 2227, 2272, 2273, 2289, 2297, 2311, 2312, 2313, 2314, 2316	
\@latex@error	4459, 4485	
\@latex@warning	1710, 3140	
\@latinAlph	3478, 3485	
\@latinalph ...	2911, 3477, 3484	
\@listdepth	2168	
\@m ..	1708, 2405, 3135, 3264, 3365, 3450	
\@mainmatterfalse	248, 259, 277, 1419, 2848	
\@makefnmark	1735	
\@makefntext	24, 41, 60, 86, 103, 122, 1483, 1502, 1521, 1541, 1559, 1574, 1752, 1769, 1788	
\@maketitle	1829	
\@maketitle@hook	1827	
\@maskanswerline ..	4712, 4721, 4734, 4738	
\@memfront	1993	
\@minipagefalse	3128	
\@minipagerestore	2169	
\@minipagetrue	3127	
\@mpLTRfootnotetext	1564, 2166	
\@mpRTLfootnotetext	1549, 2167	
\@mpargs	2158	
\@mpfn ..	184, 190, 211, 217, 2164	
\@mpfootins ..	1533, 1534, 1551, 1552, 1566, 1567	
\@mpfootnotetext ...	1531, 2165	
\@mplistdepth	2168	
\@namedef ..	2382, 2436, 2525, 2689	
\@nameuse	3157	
\@ne ..	1532, 1550, 1565, 2076, 2082, 2175, 2176, 2179, 2188, 2198, 2199, 2203, 2222, 2232, 2233, 2237, 2238, 2239, 2276, 2277, 2281, 2282, 2283, 2311, 2321, 2322, 2334, 2530, 2542, 2544, 2557, 2565, 3251, 3292, 3299, 3311, 3316, 3352, 3393, 3400, 3412, 3417, 4451, 4456, 4475, 4482	
\@newlistfalse	1445, 3148	
\@next	2066	
\@nextchar	2194, 2196, 2197, 2198, 2199, 2200, 2201, 2203, 2204, 2205, 2206, 2207, 2210, 2211, 2212, 2213, 2214, 2215, 2228, 2230, 2231, 2232, 2233, 2234, 2235, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2246, 2247, 2248, 2249, 2250, 2251, 2263, 2265, 2266, 2317, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2334, 2335, 2336, 2337, 2338, 2341, 2342, 2343, 2345, 2346	
\@nextchar	2344	
\@nil ..	1642, 2619, 2623, 2624, 2629, 2631, 3282, 3285, 3383, 3386	
\@nodocument	2045	
\@noitemerr	1710	
\@nx	1833, 1834	
\@oddfoot	3160, 3169	
\@oddhead	3160, 3168	

\@onelevel@sanitize 2048
 \outputbox 1462, 3192
 \outputpage 1440, 3143
 \parboxrestore
 21, 38, 57, 83, 100,
 119, 1445, 1478, 1497, 1516,
 1537, 1555, 1570, 1749, 1766,
 1785, 2121, 2136, 2163, 2360,
 2370, 3149
 \parboxto 2139, 2148
 \parmoderr 2064
 \pboxswfalse 2132, 2154
 \pboxswtrue 2146
 \plus 1718, 1796
 \pnumwidth 1809, 1811
 \preamble 2292, 2300
 \preamblecmds 4496, 4499, 4500,
 4504, 4507
 \preamerr 2182, 2216, 2252, 2286,
 2347
 \questionheader .. 4711, 4712,
 4743
 \questionsepspace 4767, 4772,
 4778
 \questiontitle 4760, 4773
 \questiontitlefont 4761, 4762,
 4773
 \resetactivechars . 1443, 3146
 \restonecolfalse 1713
 \restonecoltrue 1713
 \roman 2840, 2874, 2904
 \safe@activesfalse 2427, 2516
 \safe@activestrue . 2425, 2514
 \secpenalty 1801
 \set@glo@numformat 1659
 \setcopyright 1821
 \setfontsize
 ... 3645, 3651, 3653, 3656,
 3663, 3669, 3670, 3671, 3672,
 3673
 \setfpsbit .. 2086, 2089, 2092,
 2095, 2098, 2101
 \setminipage 2170
 \setnobreak 2361, 2371
 \sharp .. 2294, 2295, 2296, 2302,
 2303, 2304
 \smemfront 1994
 \specialpagefalse 3157
 \specialstyle 3157
 \sptoken 1349
 \startpbox 2265, 2266
 \startsection 1795
 \starttoc 3209, 4664, 4669
 \stop 2825, 2859, 2889
 \sx@xepersian@localize@verbatim
 2382
 \tabclassz 2297
 \tartibi 9, 70, 130,
 136, 142, 148, 245, 256, 267,
 279, 1411, 1421, 1433, 1593,
 1608, 1625, 1725, 1996, 1997,
 2787, 2794, 2801, 2809, 2817,
 2836, 2850, 2870, 2880, 2900,
 3345, 3347, 3350
 \tempa .. 1341, 1342, 1343, 1344,
 1345, 1346, 1347, 1348, 1349,
 1350, 1351, 1352, 1355, 1832,
 1835, 2629, 2631, 2714, 2715,
 2716, 2717, 2718, 2719, 2720,
 2721, 2722, 2723, 2724
 \tempboxa 2159, 3182, 3189, 3190
 \tempc .. 2644, 2657, 2667, 2669,
 2670, 2673, 2681
 \tempcnta 2068, 2074, 2076, 2080,
 2082, 2104, 2105, 2111, 2112,
 2256, 2539, 2540, 2541, 2544,
 2545
 \tempcntb 2109, 2110, 2111
 \tempdima 1804, 1806, 1808, 1810,
 2135, 2136, 2157, 2161
 \tempdimb 2138, 2139
 \tempswafalse 2557, 3131
 \tempswatru 2556, 3131
 \temptokena
 ... 1830, 1834, 2630, 2637,
 2642, 2648, 2655, 2665, 2679
 \testpach 2171, 2187, 2221, 2272,
 2310
 \tfor 2069, 2714
 \thanks 3850, 3856
 \the@choice 4690, 4691

\@thefnmark 23, 40, 59,
85, 102, 121, 185, 191, 212,
218, 1480, 1499, 1518, 1539,
1557, 1572, 1737, 1751, 1768,
1787
\@thefoot 3160, 3163, 3166, 3169,
3196
\@thehead 3160, 3162, 3165, 3168,
3186
\@themargin . . 1458, 3161, 3163,
3181
\@title 3838, 3859
\@tocline 1798
\@tocpagenum 1811
\@topnum 1820
\@true 4735, 4746, 4753
\@true@correction . . 4730, 4753
\@true@nocorrection 4728, 4746
\@truesymbol . . 4724, 4726, 4730
\@verbatim 2379, 2382, 2687, 2689,
2700
\@vobeyspaces 2379, 2687
\@warning 2686
\@width 1732, 1734
\@x@xepersian@localize@verbatim
. 2379
\@xepersian@info . . 2949, 2970,
2972
\@xfloat 2044, 2351, 2352
\@xp 1830
\@xxxii 2110
@\. 2023, 2024
@\ 2019, 2020, 2022
@\ 2601
]\\" 2609
\\" . . 1831, 2376, 2609, 3806, 4121,
4122, 4384, 4387, 4436, 4657,
4696, 4700, 4720, 4721
\{ 2375, 2609
\} 2375, 2609
\] 2609
\^ 2610
\| 4122
\~ 2610
_ 1584, 1586, 3135, 3288, 3294,
3313, 3319, 3389, 3395, 3414,
3420, 3721, 3730

A

\abj@num@i 3446, 3461, 3468
\abj@num@ii 3448, 3465, 3472
\abj@num@iii 3450, 3469, 3475
\abj@num@iv 3452, 3473
\abjad@zero 3460, 3464
\abjadnumeral 3441, 3480, 3481
\abovedisplayshortskip
. 3648, 3649, 3659, 3660,
3666, 3667
\abovedisplayskip 3646, 3647,
3657, 3658, 3664, 3665
\abstractname 3222
\active 2610, 4606
\adadi 1342, 2828, 2862, 2892,
3238
\adadinumeral 3244
\addfontfeatures 287, 299, 312
\addpenalty 1801
\addtocontents
. 4663, 4666, 4668, 4671,
4693, 4697, 4720, 4721
\addtolength
. 3873, 3874, 3877, 4296,
4297, 4298, 4299, 4363
\addvspace 1801
\adl@argarraydashrule 2239,
2283
\adl@arraydashrule 2238, 2282
\adl@arrayrule 2237, 2281
\adl@box 2263, 2265, 2266
\adl@class@iiiorvii 2269, 2306
\adl@class@start 2268, 2305
\adl@endmbox 2264
\adl@putlrc
. 2260, 2261, 2262, 2294,
2295, 2296, 2302, 2303, 2304
\adl@startmbox 2263
\advance 1587, 1705, 1808, 2076,
2082, 2105, 2111, 2544, 3637,
3641, 3909, 3912, 4456, 4482,

4815, 4850, 4854, 4860, 4864,
 4869, 4872, 4873, 4877, 4881,
 4882, 4884, 4885, 4887, 4907,
 4911, 4912, 4915, 4920, 4921,
 4925, 4926, 4928, 4929, 4931,
 4934, 4936
`\aftergroup` .. 1447, 1449, 3144,
 3152, 3153
`\ALG@name` 5, 7
`\algorithmicensure` 3
`\algorithmicrequire` 2
`\ALGS@name` 6, 7
`\aliasfontfeature`
 .. 1933, 1934, 1935, 1936,
 1937, 1938, 1939, 1940, 1941,
 1942, 1943, 1944, 1945, 1946,
 1947, 1948, 1949, 1950, 1951,
 1952, 1953, 1954, 1955, 1956,
 1957, 1958, 1959, 1960, 1961,
 1962, 1963, 1964, 1965, 1966,
 1967, 1968, 1969, 1970, 1971,
 1972, 1973, 1974, 1975, 1976,
 1977, 1978, 1979, 1980, 1981,
 1982, 1983, 1984, 1985, 1986,
 1987
`\aliasfontfeatureoption` . 1988,
 1989, 1990, 1991
`\alloc@` 4441
`\Alph` 1344, 1687, 1688, 2830, 2864,
 2894
`\alph` 1345, 2831, 2865, 2895, 2918,
 4690, 4716
`\anappendixtrue` 2003
`\and` 3863
`\andify` 1825
`\answernumberfont` 4678
`\answerstitle` 4674, 4744
`\answerstitlefont` 4676
`\appendix` 10, 71, 131,
 137, 143, 149, 250, 261, 268,
 280, 1412, 1422, 1434, 1684,
 1685, 1726, 1998, 2788, 2795,
 2802, 2810, 2818, 2851, 2881
`\appendixautefname` ... 1673
`\appendixname`
 .. 11, 73, 253, 264, 271,
 283, 1425, 1437, 1727, 2001,
 2791, 2798, 2805, 2813, 2854,
 2884, 3219
`\arabic` .. 1348, 1702, 1815, 1816,
 1817, 1818
`\arrayrulewidth` 4378
`\articlesep` 4360
`\AtBeginDocument`
 .. 162, 1683, 1892, 2382,
 2589, 2694, 3635, 3639, 4502
`\AtEndOfClass` 3633
`\author` 3861
`\authorandplace` 4334
`\AutoMathsDigits` ... 4637, 4641

B

`\backrefpagesname` 154
`\baselineskip` ... 231, 238, 1455,
 3178, 3193
`\begin` 2603, 2604, 3118, 3119, 3207,
 3689, 3692, 3745, 3760, 3773,
 3779, 3800, 3831, 3837, 3844,
 3868, 3922, 3928, 4000, 4003,
 4008, 4015, 4030, 4045, 4062,
 4096, 4114, 4119, 4139, 4146,
 4147, 4168, 4170, 4171, 4193,
 4198, 4199, 4235, 4236, 4244,
 4270, 4278, 4284, 4285, 4293,
 4323, 4347, 4379, 4380, 4395,
 4407, 4421, 4694, 4698, 4709,
 4710, 4716, 4771
`\begingroup` 189, 216,
 295, 1441, 1599, 1802, 1828,
 2374, 2591, 2607, 2687, 2689,
 2976, 2978, 3144, 4448, 4472,
 4606
`\beginL` .. 3128, 3186, 3196, 3721,
 4122
`\beginR` .. 1731, 3186, 3196, 3725,
 3726, 3727, 3738, 3739, 3740,
 3945, 3946, 3947, 3965, 3986,
 3987, 3988, 3989, 3990, 3991,
 4142, 4237
`\belowdisplayshortskip` .. 3649,
 3660, 3667

\belowdisplayskip .	3647, 3658, 3665	
\bfseries	1797, 2429, 2518, 3138, 3681, 3687, 3706, 3714, 3742, 3758, 3777, 3791, 3795, 3820, 3825, 3829, 3954, 3960, 4653, 4675, 4677, 4761	
\bgroup ..	1350, 2119, 2159, 2360, 2370, 4444, 4468	
\biblio{font}	1701	
\bibname	3226	
\bidi@csdefcs	938, 1915	
\bidi@csletcs ..	1915, 1919, 1920, 1923, 1924	
\bidi@footdir@footnote ..	64, 125, 1525, 1791	
\bidi@isloaded		
..	1886, 1887, 1888, 1889, 1890, 1891, 1894, 1897, 1900, 1903, 1906, 1909	
\bidi@mpfootnoterule ..	1532, 1550, 1565	
\bidi@newrobustcmd ..	3112, 3113	
\bidi@reflect@box	3213	
\blacktriangleleft ..	1582, 1584	
\blacktriangleright ..	1582, 1584	
\bm@b	2127	
\bm@c	2124	
\bm@l	2125	
\bm@r	2126	
\bm@s	2129	
\bm@t	2128	
\bm@	2128	
\bm@	2126	
\bm@	2127	
\bm@	2124	
\bm@	2125	
\bm@	2129	
\bool	4494	
\boolean ..	3622, 3634, 3643, 3747, 3762, 3781, 3802, 3998, 3999, 4029, 4061, 4095, 4113, 4137, 4167, 4191, 4218	
\botmark	1467, 3203	
\box	301, 1462, 3190, 3192	
\BR@Latincitex	155, 165	
\BRorg@Latincitex	156, 164	
C		
\C	2611	
\c ..	4527, 4535, 4543, 4551, 4559	
\c@book	1996	
\c@chapter ..	72, 74, 254, 265, 272, 284, 1426, 1438, 2002, 2792, 2799, 2806, 2814, 2855, 2885	
\c@footnote	1837	
\c@mpfootnote ..	1532, 1550, 1565, 2164	
\c@page ..	1592, 1593, 1594, 1610, 1612, 1614, 1616, 1618, 1620, 1622, 1624, 1626	
\c@part	9, 70, 130, 136, 142, 148, 245, 256, 267, 279, 1411, 1421, 1433, 1725, 1997, 2787, 2794, 2801, 2809, 2817, 2850, 2880	
\c@section ..	10, 12, 72, 134, 140, 146, 152, 1415, 1726, 1728, 2821	
\c@subsection	10, 1726	
\c@tocdepth	1799	
\catcode ..	1913, 2374, 2375, 2376, 2610, 4606	
\ccname	3228	
\centering	3884, 4172, 4658	
\cftchapname	2930	
\cftfigname	2936	
\cftparaname	2934	
\cftsecname	2931	
\cftsubfigname	2937	
\cftsubparaname	2935	
\cftsubsecname	2932	
\cftsubsubsecname	2933	
\cftsubtabname	2939	
\cfttabname	2938	
\chapterautorefname ..	1674	
\chaptername	73, 3227	
\chardef ..	1841, 1843, 1844, 1845, 1846, 1847, 4441	
\charlist ..	1851, 1852, 1854, 1858	
\citation	3137	

\cite	175, 196, 202, 223, 229, 233, 236, 240, 4513	
\citemenumfont	2568	
\citeyear	2390	
\citeyearpar	2390	
\ClassError		
	.. 4019, 4051, 4085, 4105, 4126, 4151, 4176, 4202, 4225, 4703	
\ClassWarning	. 3604, 3606, 3608, 3878, 3892	
\cleardoubleoddpage	2847	
\cleardoublepage	. 69, 247, 258, 276, 1418	
\clearpage	2847, 3982	
\closeout	3536, 3546, 3556	
\clubpenalty	1707	
\color@begingroup		
	.. 1482, 1501, 1520, 1540, 1558, 1573, 2160	
\color@endbox	3187, 3197	
\color@endgroup	1485, 1504, 1523, 1543, 1561, 1576	
\color@hbox	3184, 3194	
\color@vbox	.. 2117, 2359, 2369	
\columnlines	. 3578, 3579, 3611, 3940	
\columnsep	1714, 3874, 4297	
\columnseprule	1714, 3940	
\columntitle	4291	
\columnwidth	. 20, 37, 56, 82, 99, 118, 1478, 1497, 1516, 1536, 1554, 1569, 1730, 1748, 1765, 1784, 2120, 2162, 2360, 2370, 3873, 4296	
\comment	4748	
\contentsname	3207, 3216	
\copyright	3730	
\correction	4748, 4755	
\correctionstyle	4741	
\count	.. 2112, 3160, 3908, 3909, 3911, 3912, 3921, 3927	
\count@	2256	
\cs	2697, 2699, 3011, 3026, 3027, 4520, 4521, 4522, 4523, 4524, 4586, 4587, 4588, 4593, 4598	
\csname		23,
	40, 59, 85, 102, 121, 190, 217, 1480, 1499, 1518, 1539, 1557, 1572, 1651, 1652, 1661, 1662, 1751, 1768, 1787, 1804, 1916, 2109, 2149, 2354, 2357, 2364, 2367, 2384, 2691, 2708, 2709, 2710, 2711, 2712, 2822, 2856, 2886, 2977, 2980, 2986, 2988, 3142, 3236, 3239, 3345, 4447, 4450, 4455, 4456, 4471, 4474, 4478, 4479, 4482, 4516, 4518, 4912, 4921, 4931	
\currenttime		3704
\customlogo		3945
\custommagazinename		3947
\customminilogo		3946
\customwwwTxt		3675
D		
\dollarbegin	.. 2260, 2261, 2262	
\dollarend	.. 2260, 2261, 2262	
\date	.. 3703, 3714, 3862, 4331	
\datename		3224
\day		4810
\decimalseparator	.. 4585, 4631	
\DeclareDocumentCommand		
	.. 3003, 3016, 3028, 3037, 3076, 3080, 3084, 3088, 3093, 3098, 4590, 4595	
\DeclareOption		
	.. 3528, 3529, 3530, 3531, 3542, 3552, 3600, 3601, 3602, 3603, 3605, 3607, 3609, 3610, 3611, 3612, 3613, 4745, 4752	
\DeclareRobustCommand		
	.. 2590, 3006, 3019, 3031, 3040, 3052, 3055, 3058, 3061, 3064, 3067, 3130	
\DeclareSymbolFont	4569, 4570, 4571, 4572, 4592, 4597	
\DeclareTextFontCommand		
	.. 3070, 3071, 3072, 3073, 3074, 3075	
\def	.. 2, 3, 5, 6, 7, 10, 12, 14, 31, 50, 69, 71, 74, 76,	

93, 112, 154, 155, 168, 174,
 201, 243, 287, 299, 312, 319,
 323, 1340, 1341, 1342, 1343,
 1344, 1345, 1346, 1347, 1348,
 1440, 1472, 1491, 1510, 1531,
 1549, 1564, 1579, 1581, 1583,
 1585, 1609, 1611, 1613, 1615,
 1617, 1619, 1621, 1623, 1625,
 1632, 1643, 1645, 1648, 1667,
 1668, 1669, 1670, 1671, 1672,
 1673, 1674, 1675, 1676, 1677,
 1678, 1679, 1680, 1681, 1682,
 1685, 1696, 1710, 1713, 1722,
 1723, 1724, 1726, 1728, 1729,
 1733, 1735, 1742, 1759, 1778,
 1795, 1798, 1819, 1831, 1848,
 1851, 1853, 1854, 1859, 1883,
 1884, 2006, 2007, 2008, 2009,
 2010, 2011, 2012, 2013, 2014,
 2044, 2046, 2047, 2049, 2130,
 2152, 2158, 2164, 2171, 2187,
 2221, 2255, 2268, 2269, 2272,
 2289, 2297, 2305, 2306, 2310,
 2352, 2353, 2356, 2363, 2366,
 2379, 2380, 2389, 2392, 2404,
 2405, 2415, 2418, 2431, 2446,
 2476, 2508, 2512, 2537, 2599,
 2613, 2617, 2619, 2620, 2623,
 2629, 2631, 2633, 2649, 2652,
 2668, 2669, 2672, 2685, 2687,
 2690, 2707, 2941, 2942, 2973,
 2974, 2975, 2981, 2982, 2986,
 3104, 3108, 3114, 3115, 3116,
 3117, 3121, 3122, 3123, 3132,
 3135, 3143, 3212, 3214, 3215,
 3216, 3217, 3218, 3219, 3220,
 3221, 3222, 3223, 3224, 3225,
 3226, 3227, 3228, 3229, 3230,
 3231, 3232, 3233, 3236, 3245,
 3250, 3259, 3285, 3298, 3309,
 3323, 3329, 3332, 3335, 3339,
 3351, 3360, 3386, 3399, 3410,
 3424, 3431, 3441, 3460, 3461,
 3465, 3469, 3473, 3479, 3483,
 3675, 3945, 3946, 3947, 4441,
 4443, 4467, 4496, 4498, 4501,
 4503, 4505, 4506, 4508, 4512,
 4573, 4593, 4598, 4607, 4608,
 4631, 4632, 4633, 4637, 4653,
 4655, 4657, 4675, 4677, 4681,
 4688, 4724, 4725, 4728, 4729,
 4730, 4731, 4740, 4743, 4750,
 4751, 4757, 4758, 4761, 4945
`\def@NAT@last@yr ... 2547, 2549`
`\DefaultMathsDigits ... 4632`
`\define@key ... 2713`
`\deflatinfont ... 3037`
`\defpersianfont ... 3028`
`\depth ... 2721, 2722`
`\ding ... 4724, 4725`
`\display@setup ... 288, 313`
`\divide ... 3914, 3915, 4812, 4820,`
`4825, 4852, 4858, 4866, 4868,`
`4871, 4875, 4879, 4883`
`\do ... 2071, 2424, 2513, 2714, 3134,`
`4498, 4503, 4505`
`\document ... 4643`
`\document@select@group ... 4467`
`\dosetclass ... 1852, 1853, 1857`
`\doublebox ... 4253, 4306`
`\dp ... 19, 36, 55, 81, 98,`
`117, 1477, 1496, 1515, 1747,`
`1764, 1783, 3189`
`\dquad ... 321, 323`
`\dseries@display@setup ... 313`

E

`\edef ... 1636, 1832, 2139, 2194, 2228,`
`2292, 2300, 2317, 2426, 2515,`
`2675, 2949, 2971, 2980, 2983,`
`3136, 4504, 4690`
`\edition ... 3972`
`\editionFormat ... 3681, 3684`
`\editorialAuthorFormat ... 3824,`
`4388`
`\editorialTitleFormat ... 3822,`
`3823`
`\else ... 2, 3, 5, 7,`
`16, 25, 78, 87, 154, 243, 291,`
`321, 1341, 1342, 1343, 1344,`
`1345, 1346, 1347, 1348, 1349,`
`1350, 1351, 1429, 1473, 1484,`

1532, 1533, 1542, 1582, 1584,	2934, 2935, 2936, 2937, 2938,
1586, 1610, 1612, 1614, 1616,	2939, 2997, 3162, 3167, 3173,
1618, 1620, 1622, 1624, 1626,	3186, 3196, 3214, 3215, 3216,
1633, 1646, 1658, 1667, 1668,	3217, 3218, 3219, 3220, 3221,
1669, 1670, 1671, 1672, 1673,	3222, 3223, 3224, 3225, 3226,
1674, 1675, 1676, 1677, 1678,	3227, 3228, 3229, 3230, 3231,
1679, 1680, 1681, 1682, 1703,	3232, 3235, 3253, 3255, 3263,
1719, 1744, 1753, 1797, 1800,	3264, 3265, 3266, 3267, 3268,
1808, 1809, 1825, 1856, 1883,	3269, 3270, 3288, 3303, 3317,
1884, 1893, 1896, 1899, 1902,	3330, 3333, 3354, 3356, 3364,
1905, 1908, 2006, 2007, 2008,	3365, 3366, 3367, 3368, 3369,
2009, 2010, 2011, 2012, 2013,	3370, 3371, 3389, 3404, 3417,
2014, 2052, 2060, 2065, 2075,	3418, 3443, 3445, 3447, 3449,
2081, 2134, 2137, 2142, 2143,	3451, 3539, 3549, 3559, 3891,
2144, 2145, 2146, 2156, 2171,	4369, 4444, 4457, 4463, 4468,
2172, 2173, 2174, 2175, 2176,	4483, 4489, 4498, 4601, 4609,
2177, 2178, 2179, 2180, 2181,	4610, 4611, 4612, 4613, 4614,
2182, 2188, 2189, 2190, 2192,	4615, 4616, 4617, 4618, 4631,
2193, 2196, 2197, 2198, 2199,	4634, 4635, 4636, 4638, 4639,
2200, 2201, 2203, 2204, 2205,	4640, 4818, 4822, 4827, 4828,
2206, 2207, 2210, 2211, 2212,	4835, 4856, 4861, 4891, 4927,
2213, 2214, 2215, 2222, 2223,	4935
2224, 2226, 2227, 2230, 2231,	\empty 1855
2232, 2233, 2234, 2235, 2237,	\enclname 3229
2238, 2239, 2240, 2241, 2242,	\end 1852, 1853, 1858, 1859, 2603,
2243, 2246, 2247, 2248, 2249,	2604, 2675, 2686, 3118, 3119,
2250, 2251, 2271, 2272, 2273,	3210, 3689, 3694, 3751, 3765,
2274, 2275, 2276, 2277, 2278,	3775, 3784, 3807, 3846, 3849,
2279, 2281, 2282, 2283, 2284,	3852, 3869, 3924, 3930, 4007,
2285, 2286, 2311, 2312, 2313,	4013, 4017, 4043, 4049, 4083,
2315, 2316, 2319, 2320, 2321,	4103, 4118, 4124, 4160, 4161,
2322, 2323, 2324, 2325, 2326,	4162, 4185, 4186, 4187, 4211,
2327, 2328, 2329, 2330, 2331,	4212, 4213, 4238, 4239, 4242,
2332, 2334, 2335, 2336, 2337,	4272, 4276, 4287, 4288, 4325,
2338, 2341, 2342, 2343, 2344,	4329, 4358, 4389, 4390, 4404,
2345, 2346, 2358, 2368, 2393,	4416, 4429, 4663, 4666, 4668,
2406, 2438, 2443, 2452, 2455,	4671, 4717, 4718, 4722, 4776
2469, 2473, 2482, 2486, 2489,	\end@correction 4756
2501, 2505, 2506, 2527, 2548,	\endcomment 4749
2562, 2564, 2567, 2581, 2583,	\endcorrection 4749, 4756
2594, 2617, 2628, 2641, 2643,	\endcsname 23,
2646, 2661, 2663, 2669, 2677,	40, 59, 85, 102, 121, 190,
2685, 2712, 2715, 2716, 2717,	217, 1480, 1499, 1518, 1539,
2718, 2719, 2720, 2721, 2722,	1557, 1572, 1651, 1652, 1661,
2723, 2826, 2847, 2860, 2890,	1662, 1751, 1768, 1787, 1804,
2914, 2930, 2931, 2932, 2933,	1916, 2109, 2149, 2354, 2357,

2364, 2367, 2384, 2691, 2708,
 2709, 2710, 2711, 2712, 2822,
 2856, 2886, 2977, 2980, 2986,
 2988, 3142, 3236, 3239, 3345,
 4447, 4450, 4455, 4456, 4471,
 4474, 4478, 4480, 4482, 4516,
 4518, 4912, 4921, 4932
`\endgroup` 192,
 219, 1448, 1629, 1813, 1836,
 2612, 2690, 2976, 2984, 3144,
 3152, 4452, 4476, 4609, 4610,
 4611, 4612, 4613, 4614, 4615,
 4616, 4617, 4618, 4619
`\endL` 3186, 3196, 3721, 4122
`\endlatin` 3115
`\endlist` 1711
`\endLTR` 3115
`\endMakeFramed` 1590
`\endmath` 318
`\endpersian` 3117
`\endquestion` 4769
`\endR` 1732, 3186, 3196, 3725, 3726,
 3727, 3738, 3739, 3740, 3945,
 3946, 3947, 3965, 3986, 3987,
 3988, 3989, 3990, 3991, 4142,
 4237
`\endRTL` 3117
`\ends@math` 318
`\endtrivlist` 2380, 2690
`\end` 2380, 2384, 2690, 2691
`\eq@addpunct` 323
`\eq@group` 291, 300
`\eq@GRP@first@dmath` 300
`\eq@prelim` 291, 308
`\eq@setnumber` 294
`\eq@setup@a` 296
`\eq@startup` 297
`\eq@wdCond` 315
`\eqcommand` 327, 328, 329, 330, 331,
 332, 333, 334, 335, 336, 337,
 338, 339, 340, 341, 342, 343,
 344, 345, 346, 347, 348, 349,
 350, 351, 352, 353, 354, 355,
 356, 357, 358, 359, 360, 361,
 362, 363, 364, 365, 366, 367,
 368, 369, 370, 371, 372, 373,
 374, 375, 376, 377, 378, 379,
 380, 381, 382, 383, 384, 385,
 386, 387, 388, 389, 390, 391,
 392, 393, 394, 395, 396, 397,
 398, 399, 400, 401, 402, 403,
 404, 405, 406, 407, 408, 409,
 410, 411, 412, 413, 414, 415,
 416, 417, 418, 419, 420, 421,
 422, 423, 424, 425, 426, 427,
 428, 429, 430, 431, 432, 433,
 434, 435, 436, 437, 438, 439,
 440, 441, 442, 443, 444, 445,
 446, 447, 448, 449, 450, 451,
 452, 453, 454, 455, 456, 457,
 458, 459, 460, 461, 462, 463,
 464, 465, 466, 467, 468, 469,
 470, 471, 472, 473, 474, 475,
 476, 477, 478, 479, 480, 481,
 482, 483, 484, 485, 486, 487,
 488, 489, 490, 491, 492, 493,
 494, 495, 496, 497, 498, 499,
 500, 501, 502, 503, 504, 505,
 506, 507, 508, 509, 510, 511,
 512, 513, 514, 515, 516, 517,
 518, 519, 520, 521, 522, 523,
 524, 525, 526, 527, 528, 529,
 530, 531, 532, 533, 534, 535,
 536, 537, 538, 539, 540, 541,
 542, 543, 544, 545, 546, 547,
 548, 549, 550, 551, 552, 553,
 554, 555, 556, 557, 558, 559,
 560, 561, 562, 563, 564, 565,
 566, 567, 568, 569, 570, 571,
 572, 573, 574, 575, 576, 577,
 578, 579, 580, 581, 582, 583,
 584, 585, 586, 587, 588, 589,
 590, 591, 592, 593, 594, 595,
 596, 597, 598, 599, 600, 601,
 602, 603, 604, 605, 606, 607,
 608, 609, 610, 611, 612, 613,
 614, 615, 616, 617, 618, 619,
 620, 621, 622, 623, 624, 625,
 626, 627, 628, 629, 630, 631,
 632, 633, 634, 635, 636, 637,
 638, 639, 640, 641, 642, 643,
 644, 645, 646, 647, 648, 649,

650, 651, 652, 653, 654, 655,
656, 657, 658, 659, 660, 661,
662, 663, 664, 665, 666, 667,
668, 669, 670, 671, 672, 673,
674, 675, 676, 677, 678, 679,
680, 681, 682, 683, 684, 685,
686, 687, 688, 689, 690, 691,
692, 693, 694, 695, 696, 697,
698, 699, 700, 701, 702, 703,
704, 705, 706, 707, 708, 709,
710, 711, 712, 713, 714, 715,
716, 717, 718, 719, 720, 721,
722, 723, 724, 725, 726, 727,
728, 729, 730, 731, 732, 733,
734, 735, 736, 737, 738, 739,
740, 741, 742, 743, 744, 745,
746, 747, 748, 749, 750, 751,
752, 753, 754, 755, 756, 757,
758, 759, 760, 761, 762, 763,
764, 765, 766, 767, 768, 769,
770, 771, 772, 773, 774, 775,
776, 777, 778, 779, 780, 781,
782, 783, 784, 785, 786, 787,
788, 789, 790, 791, 792, 793,
794, 795, 796, 797, 798, 799,
800, 801, 802, 803, 804, 805,
806, 807, 808, 809, 810, 811,
812, 813, 814, 815, 816, 817,
818, 819, 820, 821, 822, 823,
824, 825, 826, 827, 828, 829,
830, 831, 832, 833, 834, 835,
836, 837, 838, 839, 840, 841,
842, 843, 844, 845, 846, 847,
848, 849, 850, 851, 852, 853,
854, 855, 856, 857, 858, 859,
860, 861, 862, 863, 864, 865,
866, 867, 868, 869, 870, 871,
872, 873, 874, 875, 876, 877,
878, 879, 880, 881, 882, 883,
884, 885, 886, 887, 888, 889,
890, 891, 892, 893, 894, 895,
896, 897, 898, 899, 900, 901,
902, 903, 904, 905, 906, 907,
908, 909, 910, 911, 912, 913,
914, 915, 916, 917, 918, 919,
920, 921, 922, 923, 924, 925,
926, 927, 928, 929, 930, 931,
932, 933, 934, 935, 936, 937,
939, 940, 941, 942, 943, 944,
945, 946, 947, 948, 949, 950,
951, 952, 953, 954, 955, 956,
957, 958, 959, 960, 961, 962,
963, 964, 965, 966, 967, 968,
969, 970, 971, 972, 973, 974,
975, 976, 977, 978, 979, 980,
981, 982, 983, 984, 985, 986,
987, 988, 989, 990, 991, 992,
993, 994, 995, 996, 997, 998,
999, 1000, 1001, 1002, 1003,
1004, 1005, 1006, 1007, 1008,
1009, 1010, 1011, 1012, 1013,
1014, 1015, 1016, 1017, 1018,
1019, 1020, 1021, 1022, 1023,
1024, 1025, 1026, 1027, 1028,
1029, 1030, 1031, 1032, 1033,
1034, 1035, 1036, 1037, 1038,
1039, 1040, 1041, 1042, 1043,
1044, 1045, 1046, 1047, 1048,
1049, 1050, 1051, 1052, 1053,
1054, 1055, 1056, 1057, 1058,
1059, 1060, 1061, 1062, 1063,
1064, 1065, 1066, 1067, 1068,
1069, 1070, 1071, 1072, 1073,
1074, 1075, 1076, 1077, 1078,
1079, 1080, 1081, 1082, 1083,
1084, 1085, 1086, 1087, 1088,
1089, 1090, 1091, 1092, 1093,
1094, 1095, 1096, 1097, 1098,
1099, 1100, 1101, 1102, 1103,
1104, 1105, 1106, 1107, 1108,
1109, 1110, 1111, 1112, 1113,
1114, 1115, 1116, 1117, 1118,
1119, 1120, 1121, 1122, 1123,
1124, 1125, 1126, 1127, 1128,
1129, 1130, 1131, 1132, 1133,
1134, 1135, 1136, 1137, 1138,
1139, 1140, 1141, 1142, 1143,
1144, 1145, 1146, 1147, 1148,
1149, 1150, 1151, 1152, 1153,
1154, 1155, 1156, 1157, 1158,
1159, 1160, 1161, 1162, 1163,
1164, 1165, 1166, 1167, 1168,

1169, 1170, 1171, 1172, 1173,
 1174, 1175, 1176, 1177, 1178,
 1179, 1180, 1181, 1182, 1183,
 1184, 1185, 1186, 1187, 1188,
 1189, 1190, 1191, 1192, 1193,
 1194, 1195, 1196, 1197, 1198,
 1199, 1200, 1201, 1202, 1203,
 1204, 1205, 1206, 1207, 1208,
 1209, 1210, 1211, 1212, 1213,
 1214, 1215, 1216, 1217, 1218,
 1219, 1220, 1221, 1222, 1223,
 1224, 1225, 1226, 1227, 1228,
 1229, 1230, 1231, 1232, 1233,
 1234, 1235, 1236, 1237, 1238,
 1239, 1240, 1241, 1242, 1243,
 1244, 1245, 1246, 1247, 1248,
 1249, 1250, 1251, 1252, 1253,
 1254, 1255, 1256, 1257, 1258,
 1259, 1260, 1261, 1262, 1263,
 1264, 1265, 1266, 1267, 1268,
 1269, 1280, 1281, 1282, 1283,
 1284, 1285, 1286, 1287, 1288,
 1289, 1290, 1291, 1292, 1293,
 1294, 1295, 1296, 1297, 1298,
 1299, 1300, 1301, 1302, 1303,
 1304, 1305, 1306, 1307, 1308,
 1309, 1310, 1311, 1312, 1313,
 1314, 1315, 1316, 1317, 1318,
 1319, 1320, 1321, 1322, 1323,
 1324, 1325, 1326, 1327, 1328,
 1329, 1330, 1331, 1332, 1333,
 1334, 1335, 1336, 1337, 1338,
 1915
\eqenvironment
 . . . 1357, 1358, 1359, 1360,
 1361, 1362, 1363, 1364, 1365,
 1366, 1367, 1368, 1369, 1370,
 1371, 1372, 1373, 1374, 1375,
 1376, 1377, 1378, 1379, 1380,
 1381, 1382, 1383, 1384, 1385,
 1386, 1387, 1388, 1389, 1390,
 1391, 1392, 1393, 1394, 1395,
 1396, 1397, 1398, 1400, 1401,
 1402, 1403, 1404, 1405, 1406,
 1407, 1408, 1409, 1916
\eqstyle 293
\equal 3920, 4075, 4247, 4252, 4257,
 4262, 4267, 4300, 4305, 4310,
 4315, 4320
\equationautorefname . . . 1667
\escapechar . . . 2979, 4449, 4473
\evensidemargin 3163
\everydisplay 288, 4643
\everyjob 2971, 2972
\everymath 4642
\everypar 3128
\ExecuteOptions 3562, 4759
\exp 3006, 3007, 3008, 3019, 3020,
 3021, 3031, 3032, 3033, 3040,
 3041, 3042
\expandafter
 . . . 288, 1631, 1642, 1644,
 1647, 1852, 1858, 2069, 2070,
 2194, 2228, 2317, 2354, 2357,
 2364, 2367, 2384, 2426, 2515,
 2631, 2636, 2637, 2642, 2647,
 2648, 2654, 2655, 2656, 2657,
 2664, 2665, 2666, 2667, 2669,
 2678, 2679, 2680, 2681, 2691,
 2708, 2709, 2710, 2711, 2976,
 2977, 2980, 2983, 2984, 2986,
 2987, 3136, 3236, 3239, 3254,
 3260, 3345, 3355, 3361, 3446,
 3448, 3450, 3452, 4444, 4463,
 4468, 4477, 4478, 4479, 4489,
 4642, 4643, 4691
\expandedtitle 4241
\ExplSyntaxOff 2383, 2705, 3102,
 4495, 4600
\ExplSyntaxOn . 2381, 2693, 3002,
 4493, 4519
\extract@alph@from@version . .
 4477

F
\false 4736
\falsesymbol 4727
\fancyfoot 3985, 3989, 3990, 3991
\fancyhead 3984, 3986, 3987, 3988
\FancyVerbLineautorefname 1680
\fbox 3869, 3884, 4099, 4713, 4773

```

\fboxrule 1579, 1581, 1583, 1585,
          3941
\fboxsep . 1579, 1581, 1583, 1585,
          3872, 4065, 4097, 4169, 4197,
          4245, 4294
\fi ..... 2, 3, 5, 7, 16, 25,
         78, 87, 154, 159, 243, 287,
         289, 290, 291, 299, 310, 312,
         321, 1354, 1429, 1473, 1484,
         1532, 1533, 1542, 1550, 1565,
         1582, 1584, 1586, 1610, 1612,
         1614, 1616, 1618, 1620, 1622,
         1624, 1626, 1640, 1649, 1650,
         1664, 1667, 1668, 1669, 1670,
         1671, 1672, 1673, 1674, 1675,
         1676, 1677, 1678, 1679, 1680,
         1681, 1682, 1703, 1713, 1719,
         1722, 1723, 1724, 1744, 1753,
         1797, 1808, 1809, 1814, 1826,
         1857, 1883, 1884, 1895, 1898,
         1901, 1904, 1907, 1910, 2006,
         2007, 2008, 2009, 2010, 2011,
         2012, 2013, 2014, 2055, 2056,
         2062, 2077, 2078, 2083, 2084,
         2087, 2090, 2093, 2096, 2099,
         2102, 2106, 2107, 2115, 2133,
         2134, 2140, 2147, 2150, 2155,
         2156, 2175, 2176, 2177, 2178,
         2182, 2183, 2184, 2198, 2199,
         2200, 2201, 2216, 2217, 2232,
         2233, 2234, 2235, 2252, 2253,
         2267, 2276, 2277, 2278, 2279,
         2286, 2287, 2291, 2296, 2299,
         2304, 2307, 2321, 2322, 2323,
         2324, 2347, 2348, 2358, 2368,
         2380, 2398, 2416, 2437, 2439,
         2450, 2454, 2463, 2464, 2468,
         2480, 2485, 2489, 2493, 2494,
         2498, 2503, 2504, 2505, 2506,
         2526, 2528, 2550, 2558, 2566,
         2567, 2576, 2577, 2583, 2586,
         2596, 2617, 2632, 2650, 2670,
         2683, 2686, 2712, 2724, 2827,
         2828, 2829, 2830, 2831, 2832,
         2833, 2834, 2835, 2836, 2837,
         2838, 2839, 2840, 2841, 2842,
         2847, 2861, 2862, 2863, 2864,
         2865, 2866, 2867, 2868, 2869,
         2870, 2871, 2872, 2873, 2874,
         2875, 2876, 2891, 2892, 2893,
         2894, 2895, 2896, 2897, 2898,
         2899, 2900, 2901, 2902, 2903,
         2904, 2905, 2906, 2916, 2930,
         2931, 2932, 2933, 2934, 2935,
         2936, 2937, 2938, 2939, 2990,
         2991, 2999, 3137, 3158, 3164,
         3165, 3166, 3168, 3169, 3170,
         3173, 3186, 3196, 3214, 3215,
         3216, 3217, 3218, 3219, 3220,
         3221, 3222, 3223, 3224, 3225,
         3226, 3227, 3228, 3229, 3230,
         3231, 3232, 3235, 3257, 3271,
         3283, 3288, 3289, 3292, 3294,
         3295, 3307, 3311, 3313, 3314,
         3316, 3319, 3321, 3327, 3330,
         3333, 3337, 3342, 3358, 3372,
         3384, 3389, 3390, 3393, 3395,
         3396, 3408, 3412, 3414, 3415,
         3417, 3420, 3422, 3429, 3435,
         3453, 3454, 3455, 3456, 3457,
         3458, 3463, 3464, 3467, 3468,
         3471, 3472, 3474, 3475, 3541,
         3551, 3561, 3568, 3894, 3895,
         4100, 4117, 4281, 4355, 4374,
         4401, 4426, 4444, 4462, 4463,
         4468, 4488, 4489, 4498, 4603,
         4620, 4621, 4622, 4623, 4624,
         4625, 4626, 4627, 4628, 4629,
         4631, 4634, 4635, 4636, 4638,
         4639, 4640, 4827, 4829, 4830,
         4831, 4837, 4861, 4862, 4882,
         4893, 4914, 4923, 4930, 4937,
         4952
\figureautorefname ..... 1670
\figurename ..... 3214
\finishsetclass .... 1855, 1859
\firstarticle . 3996, 4020, 4021,
                 4023
\FirstFrameCommand ..... 1581
\firstimage .. 4093, 4106, 4107,
                 4109
\firstmark ..... 1467, 3203

```

\firstTextFormat 3754, 3756
 \firstTitleFormat 3742, 3748,
 3749
 \float@box 2355, 2365
 \float@endH 2354, 2364
 \floatingpenalty 20, 37,
 56, 82, 99, 118, 1477, 1496,
 1515, 1748, 1765, 1784
 \flushright 3742, 3761, 3780
 \fontencoding 3007, 3020, 3032,
 3041
 \fontfamily
 3008, 3021, 3033, 3042,
 3054, 3057, 3060, 3063, 3066,
 3069
 \fontsize 1737
 \fontspec 2382, 2700, 3004, 3017,
 3029, 3038, 3077, 3081, 3085,
 3089, 3094, 3099, 4567, 4591,
 4596
 \foot 3737
 \footdir@ORG@xepersian@amsart@footnotetextskip 3193
 64 \foottextfont 1429
 \footdir@ORG@xepersian@amsart@LTRfootnoteframecommand 1579
 66 \FrameRestore 1587
 \footdir@ORG@xepersian@amsart@RTLfootnoteframespace 2379, 2687
 65 \frontmatter 69, 246, 257, 275,
 \footdir@ORG@xepersian@amsbook@footnotetext 1417, 2846
 125 \futurelet 2622, 4606
 \footdir@ORG@xepersian@amsbook@LTRfootnotetext
 127 G
 \footdir@ORG@xepersian@amsbook@RTLfootnotegetext 3007, 3020, 3032, 3041, 4494,
 126 4591, 4592, 4596, 4597
 \footdir@ORG@xepersian@footnotetext \g@addto@macro 4643, 4688
 1525 \G@refundefinedtrue 3139
 \footdir@ORG@xepersian@imsproc@footnodeleft 134, 140, 146,
 1791 152, 176, 203, 230, 237, 253,
 \footdir@ORG@xepersian@imsproc@LTRfootnotetext 254, 264, 265, 271, 272, 283,
 1793 284, 1415, 1425, 1426, 1437,
 \footdir@ORG@xepersian@imsproc@RTLfootnotetext 1438, 1687, 1688, 2001, 2002,
 1792 2791, 2792, 2798, 2799, 2805,
 \footdir@ORG@xepersian@LTRfootnotetext 2806, 2813, 2814, 2821, 2854,
 1527 2855, 2884, 2885, 3675, 3945,
 \footdir@ORG@xepersian@RTLfootnotetext 3946, 3947, 4606, 4654, 4656,
 1526 4674, 4676, 4678, 4684, 4685,
 4701, 4726, 4727, 4741, 4760,

\textcolor{blue}{4762}, \textcolor{blue}{4767}, \textcolor{blue}{4778}	
\getanddefine@fonts	4450, 4474
\Gin@boolkey	2707
\glb@currsize	4566
\global ..	164, 165, 290, 300, 301, 302, 303, 304, 305, 306, 307, 315, 1444, 1445, 1464, 1532, 1533, 1550, 1551, 1565, 1566, 2112, 2116, 2436, 2525, 3147, 3148, 3157, 3200, 3201, 3854, 3855, 3856, 3857, 3858, 3859, 3860, 3861, 3862, 3863, 4456, 4482
\globaldefs	4451, 4475
\glossary	1454, 1651, 1661, 3177
\glossaryentry	1662
\gls@adadiapage	1594, 1596, 1624
\gls@Alphpage	1596, 1620
\gls@alphpage	1596, 1618
\gls@disablepagerefexpansion	1627
\gls@harfipage	1592, 1596, 1622
\gls@numberpage	1596, 1610, 1612
\gls@protected@pagefmts	1595
\gls@Romanpage	1596, 1616
\gls@romanpage	1596, 1614
\gls@tartibipage ..	1593, 1596, 1626
\goodbreak	4432
\grid	3636, 3640, 3902
\Grot@x ..	2715, 2716, 2717, 2718
\Grot@y ..	2719, 2720, 2721, 2722, 2723, 2724
\group	2700
\grp@aligned	306
\GRP@box	301
\grp@eqs@numbered	305
\grp@hasNumber	310
\GRP@label	302
\grp@linewidth	304
\GRP@queue	301
\grp@setnumber	310
\grp@shiftnumber	307
\grp@wdL	303
\grp@wdNum	304
\grp@wdR	303
\grp@wdT	303
\gsetlength	178, 180, 205, 207
H	
\hangindent	1722, 1723, 1724
\harfi ..	1341, 1995, 2827, 2861, 2891, 3236
\harfinumeral	3237
\hb@xt@	3186, 3196
\hbox	231, 238, 1730, 1737, 1811, 2263, 3138, 3212, 3213, 4513
\headDateTimeFormat	3701, 3703
\headerfont	4654
\headheight	1460, 3182, 3935
\heading	3724
\headrulewidth	3936, 3992
\headsep	1461, 3191
\headtoname	3231
\height	2719, 2720
\hfil	1732, 1811, 2259, 2260, 2261, 2262, 2294, 2295, 2296, 2302, 2303, 2304, 3165, 3166, 3168, 3169
\hline	4385, 4695, 4696, 4699, 4700, 4720, 4721
\hrule	1732, 1734, 1849, 4268, 4274, 4321, 4327, 4372, 4412
\hrulefill	3950, 3955, 3969
\hsize	20, 37, 56, 82, 99, 118, 1478, 1497, 1516, 1536, 1554, 1569, 1587, 1748, 1765, 1784, 2120, 2136, 2161, 2162, 2360, 2370
\hskip	1810, 1849, 2261, 2262, 2304
\hspace ..	1723, 1724, 3703, 3721, 3950, 3956, 3968, 3970, 4148
\hss	2148
\Huge	3673, 3742, 3798
\huge	3672
\Hy@appendixstring	1689
\Hy@backout	160, 168
\Hy@chapapp	1689
\HyOrg@appendix	1684, 1690
\hyper@natlinkbreak	2458, 2489

\hyper@natlinkstart	168
\hyphenpenalty	1720, 1802
I	
\if	291,
	310, 1644, 1647, 2073, 2079,
	2085, 2088, 2091, 2094, 2097,
	2100, 2103, 2134, 2141, 2142,
	2143, 2144, 2156, 2173, 2174,
	2175, 2176, 2177, 2178, 2179,
	2180, 2181, 2182, 2196, 2197,
	2198, 2199, 2200, 2201, 2203,
	2204, 2205, 2206, 2207, 2210,
	2211, 2212, 2213, 2214, 2215,
	2230, 2231, 2232, 2233, 2234,
	2235, 2237, 2238, 2239, 2240,
	2241, 2242, 2243, 2246, 2247,
	2248, 2249, 2250, 2251, 2274,
	2275, 2276, 2277, 2278, 2279,
	2281, 2282, 2283, 2284, 2285,
	2286, 2319, 2320, 2321, 2322,
	2323, 2324, 2325, 2326, 2327,
	2328, 2329, 2330, 2331, 2332,
	2334, 2335, 2336, 2337, 2338,
	2341, 2342, 2343, 2344, 2345,
	2346, 2441, 2471, 2489, 2499,
	2505, 2506, 2567, 2583, 2615,
	2635, 2641, 2643, 2653, 2661,
	2663, 2685, 2715, 2716, 2717,
	2718, 2719, 2720, 2721, 2722,
	2723, 2724
\if@bidi@algorithmicloaded@ .	1893
\if@bidi@algorithmloaded@	1896
\if@bidi@backrefloaded@ .	1899
\if@bidi@csprimitive .	1915
\if@bidi@csundef	3440
\if@bidi@enumerateloaded@	1902
\if@bidi@tocloftloaded@ .	1905
\if@bidi@urlloaded@	1908
\if@extrafootnotefeatures	3565
\if@filesw	3137
\if@inlabel	290
\if@Latin	4638, 4639, 4640
\if@LTRbibitems	1703
\if@newlist ..	1444, 1464, 2380,
	3147, 3200
\if@noskipsec	289
\if@pboxsw	2150
\if@RT	1883
\if@RTL	2,
	3, 5, 7, 154, 243, 287, 299,
	312, 1582, 1584, 1586, 1667,
	1668, 1669, 1670, 1671, 1672,
	1673, 1674, 1675, 1676, 1677,
	1678, 1679, 1680, 1681, 1682,
	1703, 1719, 1722, 1723, 1724,
	1797, 1808, 1809, 1884, 2006,
	2007, 2008, 2009, 2010, 2011,
	2012, 2013, 2014, 2134, 2156,
	2930, 2931, 2932, 2933, 2934,
	2935, 2936, 2937, 2938, 2939,
	3214, 3215, 3216, 3217, 3218,
	3219, 3220, 3221, 3222, 3223,
	3224, 3225, 3226, 3227, 3228,
	3229, 3230, 3231, 3232
\if@RTL@footnote .	16, 25, 78,
	87, 1429, 1473, 1484, 1532,
	1533, 1542, 1744, 1753
\if@RTLbibitems	1703
\if@RTLmain ..	3173, 3186, 3196
\if@RTLtab	2133, 2155, 2175, 2176,
	2177, 2178, 2198, 2199, 2200,
	2201, 2232, 2233, 2234, 2235,
	2276, 2277, 2278, 2279, 2321,
	2322, 2323, 2324
\if@specialpage	3156
\if@tempswa	2558
\if@twocolumn	1713
\if@twoside	2847, 3159
\ifadl@usingarypkg	2220
\ifbidi@autofootnoterule	1532,
	1550, 1565
\ifBR@verbose	157
\ifcase ..	2258, 2289, 2293, 2297,
	2301, 2440, 2470, 2563, 3233,
	3261, 3324, 3330, 3333, 3336,
	3340, 3362, 3425, 3432, 3462,
	3466, 3470, 3474, 4945
\ifdim	320, 3882, 4367
\ifglsxindy	1641

\ifhmode 2057
 \ifinner 2063
 \ifmmode 2145, 4446, 4470
 \ifNAT@full 2438, 2527
 \ifNAT@longnames 2434, 2523
 \ifNAT@numbers 2387, 2594
 \ifNAT@super 2388
 \ifNAT@sua 2440, 2505, 2529, 2581
 \ifnum 321, 1532, 1550, 1565, 1799,
 2104, 2171, 2172, 2188, 2189,
 2190, 2191, 2193, 2222, 2223,
 2224, 2225, 2227, 2272, 2273,
 2311, 2312, 2313, 2314, 2316,
 2912, 2995, 3251, 3253, 3262,
 3263, 3264, 3265, 3266, 3267,
 3268, 3269, 3286, 3288, 3290,
 3292, 3294, 3299, 3310, 3311,
 3313, 3315, 3316, 3319, 3352,
 3354, 3363, 3364, 3365, 3366,
 3367, 3368, 3369, 3370, 3387,
 3389, 3391, 3393, 3395, 3400,
 3411, 3412, 3414, 3416, 3417,
 3420, 3442, 3444, 3446, 3448,
 3450, 3452, 3464, 3468, 3472,
 3475, 4279, 4353, 4399, 4424,
 4447, 4471, 4823, 4827, 4855,
 4861, 4882, 4909, 4913, 4918,
 4922, 4924, 4933
 \ifodd 2074, 2080, 3160, 4816,
 4821
 \ifthenelse 177, 182, 204,
 209, 3622, 3634, 3643, 3747,
 3762, 3781, 3802, 3920, 3998,
 3999, 4029, 4061, 4075, 4095,
 4113, 4137, 4167, 4191, 4218,
 4247, 4252, 4257, 4262, 4267,
 4300, 4305, 4310, 4315, 4320,
 4702
 \ifwriteviii 2994, 3533, 3543,
 3553
 \ifx 1341, 1342, 1343, 1344, 1345,
 1346, 1347, 1348, 1349, 1350,
 1351, 1610, 1612, 1614, 1616,
 1618, 1620, 1622, 1624, 1626,
 1631, 1824, 1855, 2050, 2053,
 2137, 2357, 2367, 2444, 2445,
 2447, 2474, 2475, 2477, 2546,
 2564, 2624, 2673, 2712, 2825,
 2827, 2828, 2829, 2830, 2831,
 2832, 2833, 2834, 2835, 2836,
 2837, 2838, 2839, 2840, 2841,
 2859, 2861, 2862, 2863, 2864,
 2865, 2866, 2867, 2868, 2869,
 2870, 2871, 2872, 2873, 2874,
 2875, 2889, 2891, 2892, 2893,
 2894, 2895, 2896, 2897, 2898,
 2899, 2900, 2901, 2902, 2903,
 2904, 2905, 2977, 2985, 3165,
 3166, 3168, 3169, 4444, 4468,
 4498, 4601, 4609, 4610, 4611,
 4612, 4613, 4614, 4615, 4616,
 4617, 4618, 4631, 4634, 4635,
 4636, 4638, 4639, 4640
 \ifXePersian@kabiseh 4784, 4889
 \ifXePersian@leap . . . 4784, 4833
 \ifxetex 3875, 4098, 4115
 \ignorespaces 25, 42,
 61, 87, 104, 123, 197, 224,
 324, 1484, 1503, 1522, 1542,
 1560, 1575, 1753, 1770, 1789,
 1831, 2362, 2372, 3693, 3746,
 3756, 3761, 3769, 3774, 3780,
 3788, 4048, 4074, 4223
 \image 3870
 \immediate 3137, 3536, 3537, 3546,
 3547, 3556, 3557
 \includegraphics 3885, 4099,
 4116
 \index 1453, 3176
 \indexEntryFormat 3691, 3693
 \indexEntryPageFormat 3697,
 3699
 \indexEntryPageTxt 3696, 3699
 \indexEntrySeparator 3695, 4223
 \indexFormat 3687, 3689
 \indexitem 4216, 4226, 4227, 4229
 \indexname 3220
 \init@restore@version 4453
 \innerAuthorFormat 3819, 4336
 \innerPlaceFormat 3820, 4336
 \innerSubtitleFormat 3809, 3810
 \innerTextFinalMark 3821, 4357

\innerTitleFormat .	3798, 3803, 3804	
\input	1926, 1927, 1928, 1929, 1930, 1931, 1932, 3488, 3489, 3490, 3491, 3492, 3493, 3494, 3495, 3496, 3497, 3498, 3499, 3500, 3501, 3502, 3503, 3504, 3505, 3506, 3507, 3508, 3509, 3510, 3511, 3512, 3513, 3514, 3515, 3516, 3517, 3518, 3519, 3520, 3521, 3522, 3523, 3524, 3525, 3526, 3527, 3528, 3529, 3566, 3567	
\insert	15, 32, 51, 77, 94, 113, 1472, 1491, 1510, 1743, 1760, 1779	
\insert@column .	2260, 2261, 2262, 2263, 2265, 2266	
\int .	4527, 4535, 4543, 4551, 4559	
\interfootnotelinepenalty	18, 35, 54, 80, 97, 116, 1475, 1494, 1513, 1746, 1763, 1782	
\interlinepenalty	18, 35, 54, 80, 97, 116, 1475, 1494, 1513, 1746, 1763, 1782	
\intermath@penalty	323	
\iranicdefault .	3048, 3060, 3099	
\iranicfamily ..	3058, 3059, 3072	
\isempty	177, 182, 204, 209	
\item .	1717, 4728, 4729, 4730, 4731	
\itemautorefname	1669	
\itshape	4740	
J		
\jobname .	3537, 3538, 3547, 3548, 3557, 3558	
K		
\KashidaOff	1880	
\KashidaOn	1879, 1881	
\kern	198, 199, 225, 226, 1731, 1732, 1733, 1734, 2392, 3213	
\keyval@eq@alias@key .	1918, 1922	
L		
\l	3008, 3011, 3021, 3033, 3042	
\label	1452, 3175, 4352, 4398, 4422	
\labelsep	1701, 1705	
\labelwidth	1704, 1705	
\LARGE	3671, 3758, 3822, 3825, 3838, 3840	
\Large	3670, 3777, 3827, 3954, 4237, 4271	
\large	3669, 3681, 3687, 3767, 3786, 3809, 3829, 3842, 3848, 3960	
\LastFrameCommand	1585	
\lastpenalty	321	
\lastskip	320	
\latin	3114	
\LatinAlphs	3114, 3118, 3483	
\Latincite	2590, 3130	
\latinfont 25, 61, 87, 123, 186, 193, 231, 1429, 1430, 1484, 1522, 1542, 1575, 1753, 1789, 3019, 3105, 3107, 3112, 3125	
\latintoday	3121	
\lccode	2609, 2610, 2611	
\leaders	1849	
\leavevmode	289, 290, 1736, 1810, 2131, 2153, 2380, 3132, 3212	
\left@footnoterule .	1532, 1565, 1733	
\leftmargin	1705	
\leftskip	1808, 1809	
\let	11, 73, 164, 165, 175, 196, 202, 223, 229, 233, 236, 240, 300, 302, 305, 306, 307, 313, 318, 1349, 1350, 1351, 1352, 1442, 1444, 1452, 1453, 1454, 1464, 1467, 1532, 1550, 1565, 1600, 1601, 1602, 1603, 1604, 1605, 1606, 1607, 1608, 1684, 1694, 1695, 1702, 1717, 1727, 1824, 1855, 1857, 2124, 2125, 2126, 2127, 2128, 2129, 2148, 2165, 2166, 2167, 2168, 2237, 2238, 2239, 2281, 2282, 2283,	

\LARGE	2351, 2354, 2355, 2364, 2365,
\LARGE	2384, 2388, 2390, 2391, 2394,
\LARGE	2395, 2396, 2397, 2399, 2400,
\LARGE	2401, 2402, 2407, 2408, 2409,
\LARGE	2410, 2411, 2412, 2413, 2423,
\LARGE	2432, 2435, 2438, 2439, 2512,
\LARGE	2521, 2524, 2527, 2528, 2536,
\LARGE	2591, 2616, 2627, 2634, 2640,
\LARGE	2644, 2645, 2660, 2662, 2682,
\LARGE	2691, 2709, 2711, 2825, 2859,
\LARGE	2889, 2911, 3105, 3106, 3109,
\LARGE	3110, 3120, 3133, 3145, 3147,
\LARGE	3160, 3161, 3162, 3163, 3165,
\LARGE	3166, 3168, 3169, 3175, 3176,
\LARGE	3177, 3200, 3203, 3237, 3244,
\LARGE	3350, 3477, 3478, 3480, 3481,
\LARGE	3484, 3485, 3832, 3833, 3834,
\LARGE	3854, 3855, 3856, 3857, 3858,
\LARGE	3859, 3860, 3861, 3862, 3863,
\LARGE	4442, 4458, 4484, 4566, 4657,
\LARGE	4746, 4747, 4748, 4749, 4753,
\LARGE	4754, 4755, 4756, 4768, 4769,
\LARGE	4942, 4943, 4944
\lineskip	1456, 3178, 3843
\lineskiplimit	1457, 3178
\linespacing	1796
\linewidth	4694, 4698, 4713, 4773
\list	1704
\listalgorithname	7
\listfigurename	3217
\listtablename	3218
\LoadClass	3615
\logo	3948, 3977
\long	14, 31, 50, 76, 93, 112, 174, 201, 1472, 1491, 1510, 1531, 1549, 1564, 1742, 1759, 1778, 2130
\longdate	4332
\loop	4910, 4919
\lower	3212
\lowercase	2612
\lr	1694, 2423, 2512, 3112, 3121, 3134, 3675, 3730, 4122
\LRE	3112
\lstlistingname	1883
\lstlistlistingname	1884
\LTR	3114
\LTRbidituftesidenotemarginpar	231
\LTRfoottextfont	1430
\LTRmarginnote	228
\ltx@ifundefined	1686
M	
\m@ne	2540, 4449, 4473
\m@th	2150
\makeform	4750, 4757
\makeform@correction	4665, 4757
\makeform@nocorrection	4662, 4750
\MakeFramed	1587
\makemask	4751, 4758
\makemask@correction	4670, 4758
\makemask@nocorrection	4667, 4751
\maketitle	1819, 3831, 3855
\MakeUppercase	1834, 3797
\makezwnjletter	1913, 1914
\markboth	1833
\math@bgroup	4444, 4468
\math@fonts	4451, 4475
\math@version	.. 4447, 4450, 4455, 4456, 4460, 4471, 4474, 4478, 4480, 4482, 4486
\mathalpha	4574, 4575, 4576, 4577, 4578, 4579, 4580, 4581, 4582, 4583
\mathbf	4520, 4586
\mathbin	4584
\mathchar@type	4516, 4518
\mathchardef	4604
\mathcode	4528, 4536, 4544, 4552, 4560, 4630
\mathgroup	4441
\mathiranic	3059
\mathit	4521, 4587
\mathnavar	3062
\mathord	4585
\mathpersiansf	3053
\mathpersiantt	3056
\mathpook	3065

```

\mathrm ..... 4522, 4588
\mathsayeh ..... 3068
\mathsf ..... 4523, 4593
\mathsurround ..... 317
\mathtt ..... 4524, 4598
\mbox ..... 2394
\meaning ..... 2980, 2983
\MessageBreak ..... .
    .. 2449, 2450, 2479, 2480,
        4020, 4052, 4086, 4106, 4127,
        4130, 4152, 4177, 4203, 4226,
        4229, 4706
\MidFrameCommand ..... 1583
\minilogo ..... 3959, 4173
\minraggedcols ..... .
    .. 3598, 3599, 3637, 3641,
        4279, 4353, 4399, 4424
\mlftitle ..... 2010
\mlttitle ..... 2011
\month ..... 4810
\moveight ..... 1458, 3181
\mtctitle ..... 2009
\multido ..... 3921, 3927
\multiplefootnotemarker .. 198,
    199, 225, 226
\multiply 2110, 4813, 4826, 4853,
    4859, 4876, 4880
\mylogo ..... 3964

    N
\n . 4606, 4609, 4610, 4611, 4612,
    4613, 4614, 4615, 4616, 4617,
    4618
\NAT@close ..... 2506, 2585
\NAT@Latin@citetp 2593, 2597,
    2598, 2599
\NAT@open ..... 2489, 2565
\NAT@alias 2467, 2497, 2532, 2575
\NAT@all@names 2435, 2438, 2524,
    2527
\NAT@aysep ..... 2459
\NAT@biblabel ..... 2410
\NAT@biblabelnum ..... 2401
\NAT@bibsetnum ..... 2402
\NAT@bibsetup ..... 2411
\NAT@cite ..... 2407
\NAT@cite@list ..... 2424, 2513
\NAT@citea@mbox ..... 2558
\NAT@citemum ..... 2395
\NAT@citesuper ..... 2388
\NAT@citeundefined . 2429, 2519
\NAT@citex ..... 2408
\NAT@citexnum ..... 2399
\NAT@close ..... 2403, 2414
\NAT@cmprs ..... 2534, 2580
\NAT@cmt ..... 2505, 2583
\NAT@ctype 2440, 2470, 2530, 2532,
    2563, 2571, 2573, 2582, 2591
\NAT@date 2414, 2431, 2441, 2442,
    2453, 2461, 2466, 2471, 2484,
    2491, 2496, 2499, 2506
\NAT@def@citea . 2468, 2500, 2561
\NAT@def@citea@box ..... 2569
\NAT@def@citea@close .. 2502
\NAT@exlab 2447, 2451, 2477, 2481
\NAT@fullfalse ..... 2592
\NAT@fulltrue ..... 2592
\NAT@hyper@ ..... .
    .. 2442, 2451, 2453, 2456,
        2465, 2466, 2467, 2472, 2481,
        2484, 2487, 2495, 2496, 2497,
        2532, 2568
\NAT@hyper@citea@space .. 2571,
    2573, 2575
\NAT@idxtxt ..... 2403, 2414
\NAT@ifcat@num ..... 2535, 2538
\NAT@last@nm .. 2432, 2444, 2474,
    2521, 2564
\NAT@last@num .. 2521, 2538, 2539,
    2557
\NAT@last@yr .. 2432, 2445, 2475,
    2512, 2546, 2580
\NAT@last@yr@mbox .. 2542, 2552
\NAT@Latin@cites ... 2592, 2593
\NAT@Latin@citex .. 2409, 2417,
    2418
\NAT@Latin@citexnum 2400, 2507,
    2508
\NAT@mbox 2389, 2394, 2565, 2568,
    2585
\NAT@merge ..... 2542, 2557

```

\NAT@name	2403, 2414, 2435, 2439, 2524, 2528	\newcommand	1592, 1593, 1594, 1879, 1880, 1913, 1915, 1916, 1918, 1922, 2417, 2507, 2593, 2598, 2918, 3046, 3047, 3048, 3049, 3050, 3051, 3205, 3238, 3241, 3344, 3347, 3577, 3632, 3676, 3677, 3680, 3681, 3682, 3687, 3688, 3691, 3692, 3695, 3696, 3697, 3698, 3701, 3702, 3706, 3707, 3710, 3711, 3712, 3713, 3716, 3719, 3724, 3729, 3732, 3734, 3737, 3742, 3743, 3754, 3755, 3758, 3759, 3767, 3768, 3771, 3772, 3777, 3778, 3786, 3787, 3789, 3790, 3791, 3792, 3795, 3796, 3798, 3799, 3809, 3810, 3811, 3812, 3813, 3814, 3819, 3820, 3821, 3822, 3823, 3824, 3825, 3826, 3827, 3828, 3829, 3830, 3865, 3870, 3902, 3934, 3948, 3959, 3964, 3972, 3996, 4027, 4059, 4093, 4112, 4216, 4234, 4241, 4283, 4291, 4334, 4340, 4360, 4377, 4406, 4431, 4497, 4514, 4515, 4517, 4565, 4601, 4602, 4654, 4656, 4662, 4665, 4667, 4670, 4674, 4676, 4678, 4726, 4727, 4732, 4736, 4741, 4760, 4762, 4938
\NAT@nm	.. 2423, 2432, 2438, 2439, 2442, 2444, 2457, 2465, 2472, 2474, 2488, 2495, 2512, 2521, 2527, 2528, 2536, 2537, 2541, 2545, 2564	\newdimen	3898, 3899
\NAT@nfmt	2442, 2457, 2465, 2472, 2488, 2495	\NewDocumentCommand	4525, 4533, 4541, 4549, 4557
\NAT@num	. 2403, 2512, 2521, 2535, 2536, 2557, 2568	\newenvironment	1699, 1916, 2603, 2604, 3118, 3119, 3867, 3973, 4135, 4165, 4189, 4343, 4392, 4418, 4708, 4742
\NAT@open	.. 2403, 2414	\newfam	4442
\NAT@parse	.. 2433, 2522		
\NAT@partrue	.. 2591		
\NAT@penalty	. 2405, 2413, 2549, 2564		
\NAT@reset@citea	.. 2422, 2511		
\NAT@reset@parser	.. 2420, 2509		
\NAT@set@cites	.. 2386, 2589		
\NAT@sort@cites	.. 2421, 2510		
\NAT@space	2391, 2396, 2412, 2564		
\NAT@spacechar	.. 2396, 2403, 2412, 2414, 2452, 2459, 2483, 2489, 2565, 2567		
\NAT@super@kern	2392, 2397, 2565		
\NAT@swafalse	.. 2595		
\NAT@swatru	.. 2591		
\NAT@temp	2446, 2447, 2476, 2477		
\NAT@test	2532, 2565, 2571, 2573		
\NAT@year	2423, 2432, 2445, 2475		
\NAT@yrsep	.. 2444, 2474, 2564		
\natexlab	.. 2404, 2415		
\navardefault	.. 3049, 3063, 3085		
\navarfam	.. 3061, 3062, 3073		
\NeedsTeXFormat	2940, 3569, 4438, 4644, 4781		
\new@mathbf	.. 4525, 4586		
\new@mathgroup	.. 4441, 4442		
\new@mathit	.. 4533, 4587		
\new@mathrm	.. 4541, 4588		
\new@mathsf	.. 4549, 4593		
\new@mathtt	.. 4557, 4598		
\newboolean	.. 3580, 3582, 3584, 3586, 3588, 3590, 3592		
\newcolumntype	.. 4658, 4659		

```

\newfontlanguage ..... 3001
\newfontschrift ..... 3000
\newif ..... 2994, 4784
\newlength 3572, 3573, 3574, 3575,
    3576, 3578, 4672, 4763, 4765
\newpage . 3535, 3545, 3555, 3983
\newsavebox ..... 3866
\newsection ..... 4340
\next 1855, 1857, 1858, 2616, 2617,
    2618, 2622, 2624, 2627, 2631,
    2632, 2634, 2640, 2645, 2649,
    2651, 2660, 2662, 2668, 2671,
    2675, 2682, 2684
\nobreak . 1810, 1812, 1848, 2389
\nocite ..... 4512
\noexpand 1442, 1636, 2615, 2635,
    2641, 2643, 2653, 2661, 2663,
    2675, 2676, 2685, 3145, 4454,
    4498, 4503, 4505, 4506, 4510
\nohyphens 3748, 3763, 3782, 3803
\noindent ..... 231,
    238, 3693, 3708, 3746, 3756,
    3761, 3769, 3774, 3780, 3788,
    3793, 3797, 3801, 3950, 3967,
    4048, 4074, 4099, 4146, 4223,
    4237, 4271, 4286, 4324, 4381,
    4409, 4434, 4436
\non@alpherr ..... 4463, 4489
\nopagebreak ..... 4774
\normalcolor . 2118, 2359, 2369,
    3185, 3195
\normalfont .. 17, 34, 53, 79, 96,
    115, 1701, 1737, 1745, 1762,
    1781, 1797, 3012, 3078, 3082,
    3086, 3090, 3095, 3100, 3105,
    3106, 3109, 3110
\normalparindent 21, 38, 57, 83,
    100, 119, 1749, 1766, 1785
\normalsfcodes ..... 1451, 3174
\normalsize .....
    .. 1451, 3126, 3172, 3644,
    3645, 3691, 4286, 4324
\nOT ..... 177, 204
\not ..... 4686
\not@math@alphabet 3053, 3056,
    3059, 3062, 3065, 3068
\null ..... 3835, 3851
\number .. 1601, 1611, 1804, 3251,
    3253, 3254, 3352, 3354, 3355,
    3446, 3448, 3450, 3452, 4455,
    4479, 4939, 4940
\numexpr . 4528, 4536, 4544, 4552,
    4560

O
\obeyspaces ..... 4606
\oddsidemargin ..... 3161
\old@endquestion ... 4769, 4777
\old@question ..... 4768, 4775
\on@line ..... 4501
\or 2260, 2261, 2262, 2264, 2265,
    2289, 2290, 2291, 2295, 2296,
    2297, 2298, 2299, 2303, 2304,
    2465, 2466, 2467, 2495, 2496,
    2497, 2570, 2572, 2574, 3233,
    3234, 3235, 3272, 3273, 3274,
    3275, 3276, 3277, 3278, 3279,
    3280, 3281, 3285, 3324, 3325,
    3326, 3327, 3330, 3333, 3336,
    3337, 3340, 3341, 3342, 3373,
    3374, 3375, 3376, 3377, 3378,
    3379, 3380, 3381, 3382, 3386,
    3425, 3426, 3427, 3428, 3429,
    3432, 3433, 3434, 3435, 3462,
    3463, 3466, 3467, 3470, 3471,
    3474, 4945, 4946, 4947, 4948,
    4949, 4950, 4951
\orgadadi ..... 1607, 1624
\orgAlph ..... 1604, 1620
\orgalph ..... 1603, 1618
\orgharfi ..... 1606, 1622
\orgnumber ..... 1601, 1612
\orgRoman ..... 1605, 1616
\orgromannumeral ... 1602, 1614
\orgtartibi ..... 1608, 1626
\orgthe ..... 1600, 1610
\orig 4520, 4521, 4522, 4523, 4524,
    4526, 4534, 4542, 4550, 4558
\originaltoday ..... 3120, 3121
\Ovalbox ..... 4263, 4316
\ovalbox ..... 4258, 4311

```

P

- \p@ 1714, 1718, 1731, 1732, 1733, 1734, 2392, 3836
- \p@enumiv 1702
- \PackageError
.. 1894, 1897, 1900, 1903, 1906, 1909, 3211, 3246, 3534, 3540, 3544, 3550, 3554, 3560, 4509
- \PackageInfo ... 158, 170, 4514
- \PackageWarning 2430, 2519, 3438, 3532
- \PackageWarningNoLine ... 2447, 2477
- \page@free 3880, 3882
- \pageautorefname 1682
- \pagegoal 4362
- \pagename 3230
- \pagenumbering 69, 249, 260, 278, 1420, 1994, 2848
- \pageref 3721, 4219
- \pagesFormat 3795, 3797
- \pagestyle 3938
- \pagetotal 4363
- \par 10, 25, 42, 61, 71, 87, 104, 123, 131, 137, 143, 149, 250, 261, 268, 280, 938, 1412, 1422, 1434, 1722, 1723, 1724, 1726, 1753, 1770, 1789, 1801, 1811, 1819, 1998, 2788, 2795, 2802, 2810, 2818, 2851, 2881, 3838, 3840, 3846, 3848, 3849, 4338, 4423, 4714, 4774
- \paragraphautorefname ... 1678
- \parallel 3703
- \parbox 4713, 4773
- \parfillskip 1809
- \parindent 21, 38, 57, 83, 100, 119, 1718, 1749, 1766, 1785, 1808
- \parskip 1718
- \part 1795
- \partautorefname 1672
- \partname 3223
- \PassOptionsToClass 3600, 3601, 3602
- \pbs 4657, 4658
- \pdfstringdefDisableCommands 1693
- \penalty ... 317, 323, 2405, 3135
- \persian 3116
- \PersianAlphs . 3116, 3119, 3479, 3487
- \persianday 4944
- \persianfont . 42, 104, 213, 220, 238, 1431, 1503, 1560, 1770, 3006, 3109, 3111, 3113
- \PersianMathsDigits 4633
- \persianmathsdigits 4573, 4634, 4638
- \persianmathsfdigits ... 4593, 4635, 4639
- \persianmathttdigits ... 4598, 4636, 4640
- \persianmonth 4943
- \persiansfdefault . 3046, 3054, 3077
- \persiansffamily .. 3052, 3053, 3070
- \persiantoday 3122, 4938
- \persianttdefault . 3047, 3057, 3081
- \persianttfamily .. 3055, 3056, 3071
- \persianyear 4942
- \pictureCaptionFormat ... 3791, 3793
- \plftitle 2007
- \plq 2974
- \pltttitle 2008
- \pookdefault .. 3050, 3066, 3089
- \pookfamily .. 3064, 3065, 3074
- \postmath 323
- \PrefixCurrentTab 2918
- \premath 319
- \prepnext@tok 2257, 2267
- \printindex ... 3535, 3545, 3555
- \ProcessOptions 3563, 3614, 4780
- \proofname 3232

```

\protect . 1442, 3145, 4020, 4021,
        4023, 4052, 4053, 4055, 4086,
        4087, 4089, 4106, 4107, 4109,
        4127, 4128, 4130, 4226, 4227,
        4229, 4663, 4666, 4668, 4671,
        4689, 4694, 4695, 4696, 4698,
        4699, 4700, 4720, 4721
\protected@edef . . . . .
        . . . . . 22, 39, 58, 84, 101,
        120, 1479, 1498, 1517, 1538,
        1556, 1571, 1634, 1750, 1767,
        1786
\protected@xdef . 185, 212, 1628
\providecommand . . . . . 3437
\ProvidesClass . . . . . 3570
\ProvidesFile . . . . . 1, 4, 8, 68,
        129, 135, 141, 147, 153, 173,
        242, 244, 255, 266, 274, 286,
        326, 1279, 1339, 1356, 1399,
        1410, 1416, 1428, 1432, 1439,
        1468, 1577, 1591, 1666, 1698,
        1840, 1882, 1885, 1912, 1992,
        2005, 2015, 2385, 2786, 2793,
        2800, 2808, 2816, 2845, 2879,
        2909, 2929
\ProvidesPackage . . . . . 2943, 4439,
        4645, 4782
\prq . . . . . 2973
\ptctitle . . . . . 2006

Q
\question . . . . . 4768
\questionsepspace . . . . . 4765, 4766,
        4778
\questionspace . . . . . 4672, 4673, 4714
\questiontitle . . . . . 4760, 4779
\questiontitlefont . . . . . 4762
\questiontitlespace . . . . . 4763, 4764,
        4774

R
\raggedFormat . . . . . 3632, 4280, 4354,
        4400, 4425
\RaggedLeft . . . . . 3632
\raggedleft . . . . . 1719, 1797
\raggedright . . . . . 1719, 1797
\raise . . . . . 1737
\raisebox . . . . . 3678, 3683
\refname . . . . . 243, 3221
\refstepcounter . . . . . 4730, 4731
\relax . . . . . 190, 199, 217,
        226, 1644, 1647, 1701, 1718,
        1798, 1804, 1806, 1808, 1810,
        1913, 2105, 2137, 2272, 2273,
        2294, 2295, 2296, 2357, 2367,
        2391, 2397, 2441, 2471, 2499,
        2506, 2512, 2539, 2546, 2557,
        2712, 2825, 2859, 2889, 2912,
        2977, 2995, 3614, 3833, 3854,
        3855, 3860, 3861, 3862, 3863,
        4444, 4458, 4468, 4484, 4516,
        4518, 4528, 4536, 4544, 4552,
        4560, 4566, 4630, 4812, 4813,
        4815, 4820, 4825, 4826, 4832,
        4834, 4836, 4838, 4839, 4840,
        4841, 4842, 4843, 4844, 4845,
        4846, 4847, 4848, 4850, 4852,
        4853, 4858, 4859, 4866, 4868,
        4871, 4875, 4876, 4879, 4880,
        4883, 4888, 4890, 4892, 4894,
        4895, 4896, 4897, 4898, 4899,
        4900, 4901, 4902, 4903, 4904,
        4905, 4907, 4908, 4911, 4916,
        4920, 4926, 4928, 4929
\renewcommand . . . . . 9, 70, 130, 131,
        136, 137, 142, 143, 148, 149,
        228, 235, 245, 246, 250, 256,
        257, 261, 267, 268, 275, 279,
        280, 1411, 1412, 1417, 1421,
        1422, 1429, 1430, 1431, 1433,
        1434, 1595, 1598, 1702, 1725,
        1815, 1816, 1817, 1818, 1993,
        1995, 1996, 1997, 1998, 2386,
        2403, 2414, 2787, 2788, 2794,
        2795, 2801, 2802, 2809, 2810,
        2817, 2818, 2824, 2846, 2850,
        2851, 2858, 2880, 2881, 2888,
        2910, 2930, 2931, 2932, 2933,
        2934, 2935, 2936, 2937, 2938,
        2939, 3535, 3545, 3555, 3644,
        3651, 3653, 3655, 3662, 3669,
        3670, 3671, 3672, 3673, 3725,
```

	S
\sayehdefault	3051, 3069, 3094
\sayehfamily	3067, 3068, 3075
\scriptsize	3653
\secondarticle	4027, 4052, 4053,
	4055
\secondSubtitleFormat	3767,
	3769
\secondTextFormat	3771, 3774
\secondTitleFormat	3758, 3763,
	3764
\section	3207
\sectionautorefname	1675
\sectionname	11, 1727
\select@group	4443
\selectfont	
	3008, 3021, 3033, 3042,
	3054, 3057, 3060, 3063, 3066,
	3069
\set@typeset@protect	1446,
	1450, 3151, 3153
\setboolean	
	2919, 2920, 3581, 3583,
	3585, 3587, 3589, 3591, 3593,
	3609, 3610, 3612, 3613, 3975,
	3993, 4138, 4163, 4192, 4214
\setbox	301, 1533, 1551, 1566, 2116,
	2159, 2263, 2265, 2266, 2356,
	2359, 2366, 2369, 3182, 4513
\setclass	1851, 1861, 1862, 1863,
	1864, 1865, 1866, 1867, 1868
\setcounter	132, 133, 138,
	139, 144, 145, 150, 151, 251,
	252, 262, 263, 269, 270, 281,
	282, 1413, 1414, 1423, 1424,
	1435, 1436, 1466, 1999, 2000,
	2789, 2790, 2796, 2797, 2803,
	2804, 2811, 2812, 2819, 2820,
	2852, 2853, 2882, 2883, 2913,
	2917, 2921, 2922, 2923, 2924,
	2925, 2926, 2927, 3853, 4683
\setdigitfont	3015, 4565
\setiranicfont	3098, 3103
\setkeys	292, 309
\setlatinmonofont	3027
\setlatinsansfont	3026

```

\setlatintextfont . . 3016, 3025
\setlength 2135, 2138, 2157, 3579,
    3611, 3646, 3647, 3648, 3649,
    3657, 3658, 3659, 3660, 3664,
    3665, 3666, 3667, 3872, 3876,
    3917, 3918, 3935, 3940, 3941,
    4065, 4097, 4169, 4194, 4197,
    4245, 4246, 4294, 4295, 4361,
    4362, 4378, 4673, 4764, 4766
\SetMathCharDef 4517, 4584, 4585
\SetMathCode . . .
    . . 4515, 4574, 4575, 4576,
    4577, 4578, 4579, 4580, 4581,
    4582, 4583
\SetMathsDigits 4632, 4633, 4637,
    4642, 4643
\setmathsf digitfont . . . 4590
\setmathtt digitfont . . . 4595
\setmonofont . . . . . 3027
\setnavarfnt . . . . . 3084
\setpersianfont 3108, 3116, 3119,
    3173
\setpersianmonofont . . . 3080
\setpersiansansfont . . . 3076
\setpookfont . . . . . 3088, 3092
\setsansfont . . . . . 3026
\setsayehfont . . . . . 3093, 3097
\settextfont . . . . . 3003, 3014
\setthesection . . . . . 1995
\setwidt . . . . . 1704
\sf@size . . . . . 1737
\sfcode . . . . . 1708
\sffamily . . . . . 3676
\shadowbox . . . . . 4248, 4301
\shadowsize . . . . . 4246, 4295, 4299
\shipout . . . . . 1446, 3150
\shortarticleitem . . . . . 4431
\shortarticleItemFormat
    . . . . . 3829, 3830
\shortarticleSubtitleFormat
    . . . . . 3827, 3828
\shortarticleTitleFormat 3825,
    3826
\shortauthors . . . 1824, 1825, 1830
\shorttitle . . . 1823, 1824, 1830
\sixt@n . . . . . 2068, 2105
\slftitle . . . . . 2013
\sloppy . . . 21, 38, 57, 83, 100, 119,
    1707, 1749, 1766, 1785
\sltttitle . . . . . 2014
\small 3208, 3655, 3656, 3710, 3714,
    3720, 3791, 3813, 3832
\smash . . . . . 3212
\space 2431, 2520, 2943, 3141, 3444,
    3879, 3880, 4020, 4021, 4023,
    4052, 4053, 4055, 4086, 4087,
    4089, 4106, 4107, 4109, 4127,
    4128, 4130, 4226, 4227, 4229,
    4336, 4704, 4939, 4940
\splitmaxdepth . . . . . 19, 36,
    55, 81, 98, 117, 1477, 1496,
    1515, 1747, 1764, 1783
\splittopskip . . . . . 19, 36,
    55, 81, 98, 117, 1476, 1495,
    1514, 1747, 1764, 1783
\stctitle . . . . . 2012
\stepcounter 184, 211, 1465, 2915,
    3202, 4679, 4692, 4723
\string 158, 1653, 1654, 1662, 2194,
    2228, 2317, 2686, 3137, 4510
\strut . . . . . 25, 42, 61, 87, 104, 123,
    1753, 1770, 1789
\strutbox . . . . . 19, 36, 55, 81, 98,
    117, 1477, 1484, 1496, 1503,
    1515, 1522, 1542, 1560, 1575,
    1747, 1764, 1783
\subitem . . . . . 1723
\subparagraphautorefname 1679
\subsectionautorefname . . 1676
\subsubitem . . . . . 1724
\subsubsectionautorefname 1677
\symnew@mathbf@font@digits . .
    . . . . . 4528
\symnew@mathit@font@digits . .
    . . . . . 4536
\symnew@mathrm@font@digits . .
    . . . . . 4544
\symnew@mathsf@font@digits . .
    . . . . . 4552
\symnew@mathtt@font@digits . .
    . . . . . 4560

```

T	
\tableautorefname	1671
\tablename	3215
\tabularxcolumn	4661
\tartibi	1343, 2829, 2863, 2893, 3344
\tartibinumeral	3350
\test	1854, 1855, 1856
\textbf	2, 3, 1580, 1582, 1584, 1586, 4237, 4271, 4286, 4324
\textblockorigin	3897
\textdegree	3711
\textheight	3201, 3904, 3929
\textiranic	3072
\textit	3822
\textnavar	3073
\textpersiansf	3070
\textpersiantt	3071
\textpook	3074
\textsayeh	3075
\textsc	3824
\textsuperscript	2389
\textttt	3681
\textwidth	2162, 3186, 3196, 3903, 3923, 4235, 4710
\thanks	3834, 3854
\the	288, 293, 1600, 1609, 1833, 1834, 1849, 2139, 2637, 2642, 2648, 2655, 2665, 2679, 2971, 3879, 3880, 4365, 4642, 4643, 4912, 4921, 4931
\the@choice	4682, 4704
\thebook	1996
\thechapter	74, 254, 265, 272, 284, 1426, 1438, 1995, 2002, 2792, 2799, 2806, 2814, 2855, 2885
\theclass	1851, 1856
\theenumiv	1702, 1704
\the glsentrycounter	1628, 1631
\theHchapter	1688
\theHglsentrycounter	1631, 1634
\theHsection	1687
\theindex	1713
\thempfn	185, 191, 212, 218, 2164
\thempfootnote	2164
\theoremautorefname	1681
\thepage	2431, 2448, 2478, 2520, 3141, 3721
\theparagraph	1817, 1818
\thepart	9, 70, 130, 136, 142, 148, 245, 256, 267, 279, 1411, 1421, 1433, 1725, 1997, 2787, 2794, 2801, 2809, 2817, 2850, 2880
\thequestion	4703, 4743, 4779
\thesection	12, 134, 140, 146, 152, 1415, 1728, 1815, 2821
\thesubparagraph	1818
\thesubsection	1815, 1816
\thesubsubsection	1816, 1817
\thirdarticle	4059, 4086, 4087, 4089
\thirdSubTitleFormat	3786, 3788
\thirdTextFormat	3789, 3790
\thirdTitleFormat	3777, 3782, 3783
\thispagestyle	1716, 1822, 3976, 3981
\thr@@	2191, 2210, 2211, 2225, 2246, 2247, 2273, 2285, 2286, 2314, 2341, 2342
\timestamp	3814, 4011, 4041, 4077
\timestampFormat	3813, 3815
\timestampSeparator	3812, 3817
\timestampTxt	3811, 3816
\tiny	3651
\title	3860
\TitleBarFrame	1580, 1582, 1584, 1586
\tmp	4657
\today	3120, 3122, 4332
\toks	1831, 1833
\toks@	1830, 1834
\topmargin	1458, 3180
\TPHorizModule	3692, 3917, 4016, 4048, 4099, 4146, 4147, 4170, 4171, 4194
\TPVertModule	3918

\true	4732	\vfil	3183, 3835, 3851
\truesymbol	4726	\voidb@x	301
\tw@ 2086, 2089, 2171, 2177, 2178,	2180, 2190, 2200, 2201, 2224,	\vrb@catcodes	2608
2234, 2235, 2272, 2278, 2279,	2284, 2313, 2323, 2324, 2532	\vskip 1458, 1460, 1461, 3180, 3191,	3836, 3839, 3841, 3847
\twocolumnstableofcontents	3205	\vspace	231, 238, 3871, 3890, 3952, 3962,
\typeout	2970, 2972, 3865	4005, 4009, 4032, 4035, 4039,	4046, 4064, 4068, 4072, 4081,
U		4140, 4144, 4200, 4221, 4269,	4273, 4292, 4322, 4326, 4371,
\Umathchardef	4518	4373, 4383, 4386, 4411, 4413,	4433, 4435, 4714, 4772, 4774
\Umathcode	4516	\vss	2148
\undefined 2026, 4601, 4631, 4634,	4635, 4636, 4638, 4639, 4640	\vtop	2143, 2144, 2265
\unhbox	2148	W	
\unpenalty	323	\weatherFormat	3706, 3708
\unrestored@protected@xdef 191,	218	\weatheritem . 4112, 4127, 4128,	4130
\unskip	25, 42,	\weatherTempFormat . 3710, 4120	
61, 87, 104, 123, 197, 224,	320, 1753, 1770, 1789, 2302,	\weatherUnits	3711, 4122
2303, 2304, 2389, 2452, 2483		\whiledo	4686
\unvbox ... 1534, 1552, 1567, 2148		\widowpenalty	1707
\uppercaseonnonmath	1823	\width	1588, 2717, 2718
\use 3005, 3018, 3030, 3039		\write ... 3137, 3537, 3547, 3557	
\use@mathgroup	4454	\writexviiifalse	2998
\usebox	3869	\writexviiitrue	2996
\usecounter	1706, 4716		
V		X	
\value	2912, 4686, 4702	\X	4656
\vbox 1446, 1459, 1533, 1551, 1566,	1731, 2119, 2136, 2141, 2142,	\x	2980, 2985
2159, 2266, 2356, 2360, 2366,	2370, 3150, 3181, 3182, 4408,	\xdef 1689, 4454, 4499, 4682, 4687,	4711, 4712, 4733, 4734, 4737,
4434		4738	
\vcenter	2145, 2146	\XePersian	1696, 3212, 3730
\verbatim@addtoline	2621, 2636, 2647, 2654,	\xepersian	2695, 2697
2656, 2664, 2666, 2678, 2680		\xepersian@adadi ..	3260, 3285
\verbatim@finish	2674	\xepersian@adadi@tartibi 3361,	3386
\verbatim@processline ... 2625,	2638, 2658	\xepersian@A . 1846, 1861, 1875,	1877
\verbatim@startline 2614, 2626,	2639, 2659	\xepersian@adadi ... 3254, 3259	
		\xepersian@adadi@tartibi 3355,	3360
		\xepersian@cmds@temp 2975, 2993	

\xepersian@coltitsize
.. 3573, 4296, 4297, 4298,
4299, 4302, 4307, 4312, 4317
\xepersian@cx .. 3900, 3905, 3922
\xepersian@cy .. 3901, 3906, 3928
\XePersian@d .. 4785, 4810, 4915,
4934, 4936, 4939, 4944
\xepersian@D
.. 1843, 1863, 1864, 1865,
1866, 1870, 1871, 1872, 1874,
1875
\xepersian@dahgan .. 3318, 3339,
3419
\xepersian@digits@family 4567,
4569, 4570, 4571, 4572
\XePersian@dn
.. 4805, 4904, 4912, 4915,
4918, 4922, 4934, 4936
\xepersian@dx .. 3898, 3903, 3914,
3917
\xepersian@dy .. 3899, 3904, 3915,
3918
\xepersian@edition 3680, 3684,
3720, 3840, 3972
\xepersian@editionLogo .. 3682,
3950, 3968
\xepersian@editorialTit .. 4377,
4396
\xepersian@editorialTitle 3823,
4382
\xepersian@everyjob 2971, 2972
\xepersian@firstText 3755, 4011
\xepersian@firstTitle .. 3743,
4006
\xepersian@fmbox .. 3866, 3868,
3869
\xepersian@footcenter .. 3732,
3739, 3991
\xepersian@footleft 3734, 3738,
3990
\xepersian@footright .. 3729,
3740, 3989
\xepersian@gridcolumns .. 3595,
3597, 3636, 3640
\xepersian@gridrows 3594, 3596,
3636, 3640
\xepersian@headcenter .. 3716,
3726, 3988
\xepersian@headDateTime .. 3702,
3956, 3970
\xepersian@headleft 3713, 3725,
3987
\xepersian@headright .. 3719,
3727, 3986
\XePersian@i
.. 4785, 4908, 4909, 4911,
4912, 4913, 4916, 4920, 4921,
4924, 4925, 4928, 4931, 4933
\xepersian@imgsize 3572, 3873,
3874, 3876, 3885, 3886
\xepersian@incolumntitle 4283,
4302, 4307, 4312, 4317
\xepersian@indexEntry .. 3692,
4219
\xepersian@indexEntryPage 3698,
4219
\xepersian@indexFrameTitle ..
..... 3688, 4195
\xepersian@indexwidth .. 3576,
3695, 4194, 4198, 4199
\xepersian@inexpandedtitle ..
.. 4234, 4249, 4254, 4259,
4264
\xepersian@innerSubtitle 3810,
4350
\xepersian@innerTitle .. 3799,
4349
\XePersian@kabisehfalse .. 4855,
4861
\XePersian@kabisehtrue .. 4861
\xepersian@kashida
.. 1848, 1870, 1871, 1872,
1873, 1874, 1875, 1876
\xepersian@L .. 1844, 1867, 1871,
1872, 1873, 1876, 1877
\XePersian@latinii .. 4786, 4832
\XePersian@latinii .. 4787, 4834,
4836
\XePersian@latiniii .. 4788, 4838
\XePersian@latiniv .. 4789, 4839
\XePersian@latinix .. 4794, 4844
\XePersian@latinv .. 4790, 4840

\XePersian@latinvi . 4791, 4841
 \XePersian@latinvii 4792, 4842
 \XePersian@latinviii 4793, 4843
 \XePersian@latinx .. 4795, 4845
 \XePersian@latinxi . 4796, 4846
 \XePersian@latinxii 4797, 4847
 \XePersian@leapfalse ... 4817,
 4821, 4827
 \XePersian@leaptrue 4827, 4828
 \xepersian@localize@verbatim@
 ... 2616, 2617, 2619, 2627,
 2640, 2649, 2660, 2668, 2682
 \xepersian@localize@verbatim@C
 ... 2619, 2620
 \xepersian@localize@verbatim@CC
 ... 2622, 2623
 \xepersian@localize@verbatim@Ctestend
 ... 2662, 2672
 \xepersian@localize@verbatim@rescan
 ... 2676, 2685
 \xepersian@localize@verbatim@start
 . 2613, 2688, 2689, 2700
 \xepersian@localize@verbatim@test
 ... 2631, 2633, 2634
 \xepersian@localize@verbatim@testend
 ... 2645, 2652
 \XePersian@m . 4785, 4810, 4906,
 4925, 4928, 4940, 4943
 \xepersian@milyoongan ... 3287,
 3298
 \xepersian@milyoongan@tartibi
 ... 3388, 3399
 \XePersian@mminusone ... 4807,
 4906, 4907, 4909, 4913
 \xepersian@ncol ... 3927, 3928
 \xepersian@ncolumns 3577, 4278,
 4279, 4346
 \xepersian@not@onlypreamble .
 ... 4497, 4500
 \xepersian@notprerr 4501, 4510
 \xepersian@NotprerrMessage ...
 ... 4506, 4508
 \xepersian@nrow ... 3921, 3922
 \xepersian@numberoutoffrange ...
 ... 3245, 3256, 3357

\xepersian@numberstring . 3242,
 3250
 \xepersian@numberstring@tartibi
 ... 3348, 3351
 \xepersian@PackageInfo ... 4514,
 4568
 \xepersian@pageleft 3575, 4362,
 4363, 4365, 4367
 \xepersian@pageneed ...
 ... 3574, 3876, 3877, 3879,
 3882, 4361, 4367
 \xepersian@pages ... 3796, 4031,
 4063, 4348
 \XePersian@persian@month 4940,
 4945
 \XePersian@persiani 4786, 4886,
 4887, 4917, 4934
 \XePersian@persianii 4787, 4888
 \XePersian@persianiii ... 4788,
 4890, 4892
 \XePersian@persianiv 4789, 4894
 \XePersian@persianix 4794, 4899
 \XePersian@persianv 4790, 4895
 \XePersian@persianvi 4791, 4896
 \XePersian@persianvii ... 4792,
 4897
 \XePersian@persianviii ... 4793,
 4898
 \XePersian@persianx 4795, 4900
 \XePersian@persianxi 4796, 4901
 \XePersian@persianxii ... 4797,
 4902
 \XePersian@persianxiii ... 4798,
 4903
 \xepersian@pictureCaption 3792,
 3888, 4102
 \xepersian@R . 1845, 1862, 1874,
 1876
 \xepersian@sadgan ...
 ... 3291, 3296, 3300, 3304,
 3309, 3392, 3405
 \xepersian@sadgan@tartibi 3397,
 3401, 3410
 \xepersian@say 3865, 4345, 4365,
 4368, 4370, 4394, 4420

\xepersian@secondSubtitle 3768,
 4037
 \xepersian@secondText ... 3772,
 4041
 \xepersian@secondTitle .. 3759,
 4033
 \xepersian@section 3712, 3717,
 4341
 \xepersian@shellescape .. 2995
 \xepersian@shortarticleItemTitle
 3830, 4434
 \xepersian@shortarticleSubtitle
 3828, 4414
 \xepersian@shortarticleTit ..
 4406, 4421
 \xepersian@shortarticleTitle
 3826, 4410
 \XePersian@sn
 ... 4806, 4905, 4917, 4918,
 4921, 4922, 4931, 4936
 \xepersian@tartibi . 3348, 3424
 \XePersian@temp
 ... 4800, 4811, 4812, 4813,
 4815, 4819, 4820, 4821, 4824,
 4825, 4826, 4827, 4849, 4850,
 4851, 4854, 4855, 4857, 4860,
 4861, 4865, 4866, 4869, 4872,
 4877, 4882, 4884, 4885, 4887
 \XePersian@tempthree
 ... 4802, 4863, 4864, 4865,
 4867, 4870, 4873, 4874, 4878,
 4881, 4882, 4883, 4884
 \XePersian@temptwo
 ... 4801, 4851, 4852, 4853,
 4854, 4857, 4858, 4859, 4860,
 4867, 4868, 4869, 4870, 4871,
 4872, 4874, 4875, 4876, 4877,
 4878, 4879, 4880, 4881
 \xepersian@thirdSubtitle 3787,
 4070
 \xepersian@thirdText 3790, 4077
 \xepersian@thirdTitle ... 3778,
 4066
 \XePersian@thirtytwo ... 4804,
 4848, 4855
 \xepersian@V 1847, 1868

 \xepersian@weather . 3707, 4142
 \xepersian@www 3677, 3950
 \xepersian@wwwFormat 3676, 3678
 \XePersian@y
 ... 4785, 4810, 4811, 4814,
 4824, 4827, 4849, 4863, 4926,
 4929, 4940, 4942
 \xepersian@yekani . 3291, 3319,
 3323, 3330, 3333, 3392
 \xepersian@yekanii 3242, 3304,
 3329, 3405
 \xepersian@yekaniii 3300, 3332,
 3401
 \xepersian@yekaniv 3311, 3335,
 3412
 \xepersian@yekanv .. 3420, 3431
 \XePersian@yModHundred
 ... 4803, 4814, 4815, 4816,
 4819, 4823
 \xepersian@zwj . 1841, 1848, 1849
 \xepersiandate . 2942, 2943, 2959
 \xepersianInit 3633, 3934
 \xepersianversion . 2941, 2943,
 2959
 \XeTeXcharclass 1856
 \XeTeXcharglyph 1849
 \XeTeXglyphbounds 1849
 \XeTeXinterchartokenstate 1879,
 1880
 \XeTeXinterchartoks
 ... 1870, 1871, 1872, 1873,
 1874, 1875, 1876, 1877
 \xpg@warning .. 3437, 3442, 3444

Y
 \y 2981, 2983, 2985
 \year 4810

Z
 \z 2982, 2983
 \z@ 10, 25, 42, 61, 72,
 87, 104, 123, 303, 304, 315,
 317, 1457, 1484, 1503, 1522,
 1542, 1560, 1575, 1714, 1718,
 1726, 1737, 1753, 1770, 1789,
 1796, 1808, 1820, 1837, 2064,

2164, 2168, 2173, 2174, 2182,	\ 2379, 2687
2192, 2196, 2197, 2202, 2216,	\ 2601
2226, 2230, 2231, 2236, 2252,	\ 2024, 2376, 2377
2274, 2275, 2286, 2304, 2315,	\ 2016
2319, 2320, 2333, 2347, 2534,	\ 2019
2580, 2582, 2591, 2715, 2716,	\ 2018, 2020
2723, 2724, 3160, 3178, 3189,	
3286, 3288, 3290, 3294, 3310,	
3313, 3319, 3387, 3389, 3391,	
3395, 3411, 3414, 3420, 3444,	
3464, 3468, 3472, 3475, 4861	
\z@skip 1455, 1456, 3178	
\ziffer@check 4607, 4608	
\ziffer@dcheck 4606, 4607	
\ziffer@DotOri 4604, 4607	
\ZifferAn 4602, 4605	
\ZifferLeer 4607, 4631	
\ 1270, 2004, 2600	
\ 2028, 2030, 2033, 2040	
\ 2033	
\ 2018, 2025, 2026, 2029, 2030,	
2038, 2040	
\ 2023, 2024, 2028, 2035	
\ 2016, 2022, 2023, 2028, 2033,	
2034	
\ 1271, 1272, 1273, 1274, 1275,	
1276, 1277, 1278, 2026	
\ 2028, 2029, 2034, 2035, 2037,	
2038	
\ 2028, 2033	
\ 2028, 2029, 2034, 2038	
\ 2023, 2024	
\ 2028, 2030, 2035, 2040	
@ \ 2017, 2021	
@ \ .. 2725, 2726, 2727, 2728,	
2729, 2730, 2731, 2732, 2733,	
2734, 2735, 2736, 2737, 2738,	
2739, 2740, 2741, 2742, 2743,	
2744, 2745, 2746	
@ \ 2017	
\ 2023	
\ 2017, 2021	

8 Change History

v13.1	General: Added implementation of the package.	1	v13.5	General: Fixed the extra space after Persian decimal separator. . . .	151
v13.2	General: Replaced \reflect with \bidi@reflect@box.	124	v13.6	General: Used \XeTeXglyphbounds to find the true height and depth of the Kashida character.	95