

# The xgreek package

Apostolos Syropoulos  
Xanthi, Greece  
asyropoulos@yahoo.com

2009/11/23  
Updated 2010/12/28

## Abstract

The `xgreek` package provides rudimentary support for Greek language typesetting with  $\text{\LaTeX}$ . In particular, it provides support for modern Greek (either monotonic or polytonic) and ancient Greek.

## 1 Introduction

The `xgreek` package provides rudimentary support for Greek language typesetting with  $\text{\LaTeX}$ . Users will be able to typeset documents in either modern Greek (monotonic or polytonic) or ancient Greek by selecting the appropriate package option. The default ```language''` is monotonic Greek.

## 2 The Source Code

According to the Unicode standard

<http://www.unicode.org/Public/UNIDATA/UnicodeData.txt>

the uppercase form of GREEK SMALL LETTER EPSILON WITH TONOS is GREEK CAPITAL LETTER ETA WITH TONOS. This is certainly wrong. The main reason is that accents are not part of the letter as for example is the case with LATIN SMALL LETTER K WITH CARON. Since,  $\text{\LaTeX}$  blindly follows the Unicode standard, commands like `\MakeUppercase` produce wrong output. For this reason we first need to set up the correct `\uccodes` and `\lccodes`.

```
1 \langle *xgreek \rangle
2 \message{Package `xgreek' version 2.2 by Apostolos Syropoulos}
3 \global\lccode"0370="0371 \global\uccode"0370="0370
4 \global\lccode"0371="0371 \global\uccode"0371="0370
5 \global\lccode"0372="0373 \global\uccode"0372="0372
6 \global\lccode"0373="0373 \global\uccode"0373="0372
7 \global\lccode"0376="0377 \global\uccode"0376="0376
```

8 \global\lccode"0377="0377 \global\uccode"0377="0376  
9 \global\lccode"03FD="037B \global\uccode"03FD="03FD  
10 \global\lccode"037B="037B \global\uccode"037B="03FD  
11 \global\lccode"03FE="037C \global\uccode"03FE="03FE  
12 \global\lccode"037C="037C \global\uccode"037C="03FE  
13 \global\lccode"03FF="037D \global\uccode"03FF="03FF  
14 \global\lccode"037D="037D \global\uccode"037D="03FF  
15 \global\lccode"0386="03AC \global\uccode"0386="0391  
16 \global\lccode"0388="03AD \global\uccode"0388="0395  
17 \global\lccode"0389="03AC \global\uccode"0389="0397  
18 \global\lccode"038A="03AF \global\uccode"038A="0399  
19 \global\lccode"038C="03CC \global\uccode"038C="039F  
20 \global\lccode"038E="03CD \global\uccode"038E="03A5  
21 \global\lccode"038F="03CE \global\uccode"038F="03A9  
22 \global\lccode"0390="0390 \global\uccode"0390="03AA  
23 \global\lccode"0391="03B1 \global\uccode"0391="0391  
24 \global\lccode"0392="03B2 \global\uccode"0392="0392  
25 \global\lccode"0393="03B3 \global\uccode"0393="0393  
26 \global\lccode"0394="03B4 \global\uccode"0394="0394  
27 \global\lccode"0395="03B5 \global\uccode"0395="0395  
28 \global\lccode"0396="03B6 \global\uccode"0396="0396  
29 \global\lccode"0397="03B7 \global\uccode"0397="0397  
30 \global\lccode"0398="03B8 \global\uccode"0398="0398  
31 \global\lccode"0399="03B9 \global\uccode"0399="0399  
32 \global\lccode"039A="03BA \global\uccode"039A="039A  
33 \global\lccode"039B="03BB \global\uccode"039B="039B  
34 \global\lccode"039C="03BC \global\uccode"039C="039C  
35 \global\lccode"039D="03BD \global\uccode"039D="039D  
36 \global\lccode"039E="03BE \global\uccode"039E="039E  
37 \global\lccode"039F="03BF \global\uccode"039F="039F  
38 \global\lccode"03A0="03C0 \global\uccode"03A0="03A0  
39 \global\lccode"03A1="03C1 \global\uccode"03A1="03A1  
40 \global\lccode"03A3="03C3 \global\uccode"03A3="03A3  
41 \global\lccode"03A4="03C4 \global\uccode"03A4="03A4  
42 \global\lccode"03A5="03C5 \global\uccode"03A5="03A5  
43 \global\lccode"03A6="03C6 \global\uccode"03A6="03A6  
44 \global\lccode"03A7="03C7 \global\uccode"03A7="03A7  
45 \global\lccode"03A8="03C8 \global\uccode"03A8="03A8  
46 \global\lccode"03A9="03C9 \global\uccode"03A9="03A9  
47 \global\lccode"03AA="03CA \global\uccode"03AA="03AA  
48 \global\lccode"03AB="03CB \global\uccode"03AB="03AB  
49 \global\lccode"03AC="03AC \global\uccode"03AC="0391  
50 \global\lccode"03AD="03AD \global\uccode"03AD="0395  
51 \global\lccode"03AE="03AE \global\uccode"03AE="0397  
52 \global\lccode"03AF="03AF \global\uccode"03AF="0399  
53 \global\lccode"03B0="03B0 \global\uccode"03B0="03AB  
54 \global\lccode"03B1="03B1 \global\uccode"03B1="0391  
55 \global\lccode"03B2="03B2 \global\uccode"03B2="0392  
56 \global\lccode"03B3="03B3 \global\uccode"03B3="0393  
57 \global\lccode"03B4="03B4 \global\uccode"03B4="0394

58 \global\lccode"03B5="03B5 \global\uccode"03B5="0395  
59 \global\lccode"03B6="03B6 \global\uccode"03B6="0396  
60 \global\lccode"03B7="03B7 \global\uccode"03B7="0397  
61 \global\lccode"03B8="03B8 \global\uccode"03B8="0398  
62 \global\lccode"03B9="03B9 \global\uccode"03B9="0399  
63 \global\lccode"03BA="03BA \global\uccode"03BA="039A  
64 \global\lccode"03BB="03BB \global\uccode"03BB="039B  
65 \global\lccode"03BC="03BC \global\uccode"03BC="039C  
66 \global\lccode"03BD="03BD \global\uccode"03BD="039D  
67 \global\lccode"03BE="03BE \global\uccode"03BE="039E  
68 \global\lccode"03BF="03BF \global\uccode"03BF="039F  
69 \global\lccode"03C0="03C0 \global\uccode"03C0="03A0  
70 \global\lccode"03C1="03C1 \global\uccode"03C1="03A1  
71 \global\lccode"03C2="03C2 \global\uccode"03C2="03A3  
72 \global\lccode"03C3="03C3 \global\uccode"03C3="03A3  
73 \global\lccode"03C4="03C4 \global\uccode"03C4="03A4  
74 \global\lccode"03C5="03C5 \global\uccode"03C5="03A5  
75 \global\lccode"03C6="03C6 \global\uccode"03C6="03A6  
76 \global\lccode"03C7="03C7 \global\uccode"03C7="03A7  
77 \global\lccode"03C8="03C8 \global\uccode"03C8="03A8  
78 \global\lccode"03C9="03C9 \global\uccode"03C9="03A9  
79 \global\lccode"03CA="03CA \global\uccode"03CA="03AA  
80 \global\lccode"03CB="03CB \global\uccode"03CB="03AB  
81 \global\lccode"03CC="03CC \global\uccode"03CC="039F  
82 \global\lccode"03CD="03CD \global\uccode"03CD="03A5  
83 \global\lccode"03CE="03CE \global\uccode"03CE="03A9  
84 \global\lccode"03D0="03D0 \global\uccode"03D0="0392  
85 \global\lccode"03D1="03D1 \global\uccode"03D1="0398  
86 \global\lccode"03D2="03C5 \global\uccode"03D2="03A5  
87 \global\lccode"03D3="03CD \global\uccode"03D3="03A5  
88 \global\lccode"03D4="03CB \global\uccode"03D4="03AB  
89 \global\lccode"03D5="03C6 \global\uccode"03D5="03A6  
90 \global\lccode"03D6="03C0 \global\uccode"03D6="03A0  
91 \global\lccode"03DA="03DB \global\uccode"03DA="03DA  
92 \global\lccode"03DB="03DB \global\uccode"03DB="03DA  
93 \global\lccode"03DC="03DD \global\uccode"03DC="03DC  
94 \global\lccode"03DD="03DD \global\uccode"03DD="03DC  
95 \global\lccode"03DE="03DF \global\uccode"03DE="03DE  
96 \global\lccode"03DF="03DF \global\uccode"03DF="03DE  
97 \global\lccode"03E0="03E1 \global\uccode"03E0="03E0  
98 \global\lccode"03E1="03E1 \global\uccode"03E1="03E0  
99 \global\lccode"03F0="03BA \global\uccode"03F0="039A  
100 \global\lccode"03F1="03C1 \global\uccode"03F1="03A1  
101 \global\lccode"03F2="03F2 \global\uccode"03F2="03F9  
102 \global\lccode"03F9="03F2 \global\uccode"03F9="03F9  
103 \global\lccode"1F00="1F00 \global\uccode"1F00="0391  
104 \global\lccode"1F01="1F01 \global\uccode"1F01="0391  
105 \global\lccode"1F02="1F02 \global\uccode"1F02="0391  
106 \global\lccode"1F03="1F03 \global\uccode"1F03="0391  
107 \global\lccode"1F04="1F04 \global\uccode"1F04="0391

```

108 \global\lccode"1F05="1F05 \global\uccode"1F05="0391
109 \global\lccode"1F06="1F06 \global\uccode"1F06="0391
110 \global\lccode"1F07="1F07 \global\uccode"1F07="0391
111 \global\lccode"1F08="1F00 \global\uccode"1F08="0391
112 \global\lccode"1F09="1F01 \global\uccode"1F09="0391
113 \global\lccode"1F0A="1F02 \global\uccode"1F0A="0391
114 \global\lccode"1F0B="1F03 \global\uccode"1F0B="0391
115 \global\lccode"1F0C="1F04 \global\uccode"1F0C="0391
116 \global\lccode"1F0D="1F05 \global\uccode"1F0D="0391
117 \global\lccode"1F0E="1F06 \global\uccode"1F0E="0391
118 \global\lccode"1F0F="1F07 \global\uccode"1F0F="0391
119 \global\lccode"1F10="1F10 \global\uccode"1F10="0395
120 \global\lccode"1F11="1F11 \global\uccode"1F11="0395
121 \global\lccode"1F12="1F12 \global\uccode"1F12="0395
122 \global\lccode"1F13="1F13 \global\uccode"1F13="0395
123 \global\lccode"1F14="1F14 \global\uccode"1F14="0395
124 \global\lccode"1F15="1F15 \global\uccode"1F15="0395
125 \global\lccode"1F18="1F10 \global\uccode"1F18="0395
126 \global\lccode"1F19="1F11 \global\uccode"1F19="0395
127 \global\lccode"1F1A="1F12 \global\uccode"1F1A="0395
128 \global\lccode"1F1B="1F13 \global\uccode"1F1B="0395
129 \global\lccode"1F1C="1F14 \global\uccode"1F1C="0395
130 \global\lccode"1F1D="1F15 \global\uccode"1F1D="0395
131 \global\lccode"1F20="1F20 \global\uccode"1F20="0397
132 \global\lccode"1F21="1F21 \global\uccode"1F21="0397
133 \global\lccode"1F22="1F22 \global\uccode"1F22="0397
134 \global\lccode"1F23="1F23 \global\uccode"1F23="0397
135 \global\lccode"1F24="1F24 \global\uccode"1F24="0397
136 \global\lccode"1F25="1F25 \global\uccode"1F25="0397
137 \global\lccode"1F26="1F26 \global\uccode"1F26="0397
138 \global\lccode"1F27="1F27 \global\uccode"1F27="0397
139 \global\lccode"1F28="1F20 \global\uccode"1F28="0397
140 \global\lccode"1F29="1F21 \global\uccode"1F29="0397
141 \global\lccode"1F2A="1F22 \global\uccode"1F2A="0397
142 \global\lccode"1F2B="1F23 \global\uccode"1F2B="0397
143 \global\lccode"1F2C="1F24 \global\uccode"1F2C="0397
144 \global\lccode"1F2D="1F25 \global\uccode"1F2D="0397
145 \global\lccode"1F2E="1F26 \global\uccode"1F2E="0397
146 \global\lccode"1F2F="1F27 \global\uccode"1F2F="0397
147 \global\lccode"1F30="1F30 \global\uccode"1F30="0399
148 \global\lccode"1F31="1F31 \global\uccode"1F31="0399
149 \global\lccode"1F32="1F32 \global\uccode"1F32="0399
150 \global\lccode"1F33="1F33 \global\uccode"1F33="0399
151 \global\lccode"1F34="1F34 \global\uccode"1F34="0399
152 \global\lccode"1F35="1F35 \global\uccode"1F35="0399
153 \global\lccode"1F36="1F36 \global\uccode"1F36="0399
154 \global\lccode"1F37="1F37 \global\uccode"1F37="0399
155 \global\lccode"1F38="1F30 \global\uccode"1F38="0399
156 \global\lccode"1F39="1F31 \global\uccode"1F39="0399
157 \global\lccode"1F3A="1F32 \global\uccode"1F3A="0399

```

158 \global\lccode"1F3B="1F33 \global\uccode"1F3B="0399  
159 \global\lccode"1F3C="1F34 \global\uccode"1F3C="0399  
160 \global\lccode"1F3D="1F35 \global\uccode"1F3D="0399  
161 \global\lccode"1F3E="1F36 \global\uccode"1F3E="0399  
162 \global\lccode"1F3F="1F37 \global\uccode"1F3F="0399  
163 \global\lccode"1F40="1F40 \global\uccode"1F40="039F  
164 \global\lccode"1F41="1F41 \global\uccode"1F41="039F  
165 \global\lccode"1F42="1F42 \global\uccode"1F42="039F  
166 \global\lccode"1F43="1F43 \global\uccode"1F43="039F  
167 \global\lccode"1F44="1F44 \global\uccode"1F44="039F  
168 \global\lccode"1F45="1F45 \global\uccode"1F45="039F  
169 \global\lccode"1F48="1F40 \global\uccode"1F48="039F  
170 \global\lccode"1F49="1F41 \global\uccode"1F49="039F  
171 \global\lccode"1F4A="1F42 \global\uccode"1F4A="039F  
172 \global\lccode"1F4B="1F43 \global\uccode"1F4B="039F  
173 \global\lccode"1F4C="1F44 \global\uccode"1F4C="039F  
174 \global\lccode"1F4D="1F45 \global\uccode"1F4D="039F  
175 \global\lccode"1F50="1F50 \global\uccode"1F50="03A5  
176 \global\lccode"1F51="1F51 \global\uccode"1F51="03A5  
177 \global\lccode"1F52="1F52 \global\uccode"1F52="03A5  
178 \global\lccode"1F53="1F53 \global\uccode"1F53="03A5  
179 \global\lccode"1F54="1F54 \global\uccode"1F54="03A5  
180 \global\lccode"1F55="1F55 \global\uccode"1F55="03A5  
181 \global\lccode"1F56="1F56 \global\uccode"1F56="03A5  
182 \global\lccode"1F57="1F57 \global\uccode"1F57="03A5  
183 \global\lccode"1F59="1F51 \global\uccode"1F59="03A5  
184 \global\lccode"1F5B="1F53 \global\uccode"1F5B="03A5  
185 \global\lccode"1F5D="1F55 \global\uccode"1F5D="03A5  
186 \global\lccode"1F5F="1F57 \global\uccode"1F5F="03A5  
187 \global\lccode"1F60="1F60 \global\uccode"1F60="03A9  
188 \global\lccode"1F61="1F61 \global\uccode"1F61="03A9  
189 \global\lccode"1F62="1F62 \global\uccode"1F62="03A9  
190 \global\lccode"1F63="1F63 \global\uccode"1F63="03A9  
191 \global\lccode"1F64="1F64 \global\uccode"1F64="03A9  
192 \global\lccode"1F65="1F65 \global\uccode"1F65="03A9  
193 \global\lccode"1F66="1F66 \global\uccode"1F66="03A9  
194 \global\lccode"1F67="1F67 \global\uccode"1F67="03A9  
195 \global\lccode"1F68="1F60 \global\uccode"1F68="03A9  
196 \global\lccode"1F69="1F61 \global\uccode"1F69="03A9  
197 \global\lccode"1F6A="1F62 \global\uccode"1F6A="03A9  
198 \global\lccode"1F6B="1F63 \global\uccode"1F6B="03A9  
199 \global\lccode"1F6C="1F64 \global\uccode"1F6C="03A9  
200 \global\lccode"1F6D="1F65 \global\uccode"1F6D="03A9  
201 \global\lccode"1F6E="1F66 \global\uccode"1F6E="03A9  
202 \global\lccode"1F6F="1F67 \global\uccode"1F6F="03A9  
203 \global\lccode"1F70="1F70 \global\uccode"1F70="0391  
204 \global\lccode"1F71="1F71 \global\uccode"1F71="0391  
205 \global\lccode"1F72="1F72 \global\uccode"1F72="0395  
206 \global\lccode"1F73="1F73 \global\uccode"1F73="0395  
207 \global\lccode"1F74="1F74 \global\uccode"1F74="0397

208 \global\lccode"1F75="1F75 \global\uccode"1F75="0397  
 209 \global\lccode"1F76="1F76 \global\uccode"1F76="0399  
 210 \global\lccode"1F77="1F77 \global\uccode"1F77="0399  
 211 \global\lccode"1F78="1F78 \global\uccode"1F78="039F  
 212 \global\lccode"1F79="1F79 \global\uccode"1F79="039F  
 213 \global\lccode"1F7A="1F7A \global\uccode"1F7A="03A5  
 214 \global\lccode"1F7B="1F7B \global\uccode"1F7B="03A5  
 215 \global\lccode"1F7C="1F7C \global\uccode"1F7C="03A9  
 216 \global\lccode"1F7D="1F7D \global\uccode"1F7D="03A9  
 217 \global\lccode"1F80="1F80 \global\uccode"1F80="1FBC  
 218 \global\lccode"1F81="1F81 \global\uccode"1F81="1FBC  
 219 \global\lccode"1F82="1F82 \global\uccode"1F82="1FBC  
 220 \global\lccode"1F83="1F83 \global\uccode"1F83="1FBC  
 221 \global\lccode"1F84="1F84 \global\uccode"1F84="1FBC  
 222 \global\lccode"1F85="1F85 \global\uccode"1F85="1FBC  
 223 \global\lccode"1F86="1F86 \global\uccode"1F86="1FBC  
 224 \global\lccode"1F87="1F87 \global\uccode"1F87="1FBC  
 225 \global\lccode"1F88="1F80 \global\uccode"1F88="1FBC  
 226 \global\lccode"1F89="1F81 \global\uccode"1F89="1FBC  
 227 \global\lccode"1F8A="1F82 \global\uccode"1F8A="1FBC  
 228 \global\lccode"1F8B="1F83 \global\uccode"1F8B="1FBC  
 229 \global\lccode"1F8C="1F84 \global\uccode"1F8C="1FBC  
 230 \global\lccode"1F8D="1F85 \global\uccode"1F8D="1FBC  
 231 \global\lccode"1F8E="1F86 \global\uccode"1F8E="1FBC  
 232 \global\lccode"1F8F="1F87 \global\uccode"1F8F="1FBC  
 233 \global\lccode"1F90="1F90 \global\uccode"1F90="1FCC  
 234 \global\lccode"1F91="1F91 \global\uccode"1F91="1FCC  
 235 \global\lccode"1F92="1F92 \global\uccode"1F92="1FCC  
 236 \global\lccode"1F93="1F93 \global\uccode"1F93="1FCC  
 237 \global\lccode"1F94="1F94 \global\uccode"1F94="1FCC  
 238 \global\lccode"1F95="1F95 \global\uccode"1F95="1FCC  
 239 \global\lccode"1F96="1F96 \global\uccode"1F96="1FCC  
 240 \global\lccode"1F97="1F97 \global\uccode"1F97="1FCC  
 241 \global\lccode"1F98="1F90 \global\uccode"1F98="1FCC  
 242 \global\lccode"1F99="1F91 \global\uccode"1F99="1FCC  
 243 \global\lccode"1F9A="1F92 \global\uccode"1F9A="1FCC  
 244 \global\lccode"1F9B="1F93 \global\uccode"1F9B="1FCC  
 245 \global\lccode"1F9C="1F94 \global\uccode"1F9C="1FCC  
 246 \global\lccode"1F9D="1F95 \global\uccode"1F9D="1FCC  
 247 \global\lccode"1F9E="1F96 \global\uccode"1F9E="1FCC  
 248 \global\lccode"1F9F="1F97 \global\uccode"1F9F="1FCC  
 249 \global\lccode"1FA0="1FA0 \global\uccode"1FA0="1FFC  
 250 \global\lccode"1FA1="1FA1 \global\uccode"1FA1="1FFC  
 251 \global\lccode"1FA2="1FA2 \global\uccode"1FA2="1FFC  
 252 \global\lccode"1FA3="1FA3 \global\uccode"1FA3="1FFC  
 253 \global\lccode"1FA4="1FA4 \global\uccode"1FA4="1FFC  
 254 \global\lccode"1FA5="1FA5 \global\uccode"1FA5="1FFC  
 255 \global\lccode"1FA6="1FA6 \global\uccode"1FA6="1FFC  
 256 \global\lccode"1FA7="1FA7 \global\uccode"1FA7="1FFC  
 257 \global\lccode"1FA8="1FA0 \global\uccode"1FA8="1FFC

```

258 \global\lccode"1FA9="1FA1 \global\uccode"1FA9="1FFC
259 \global\lccode"1FAA="1FA2 \global\uccode"1FAA="1FFC
260 \global\lccode"1FAB="1FA3 \global\uccode"1FAB="1FFC
261 \global\lccode"1FAC="1FA4 \global\uccode"1FAC="1FFC
262 \global\lccode"1FAD="1FA5 \global\uccode"1FAD="1FFC
263 \global\lccode"1FAE="1FA6 \global\uccode"1FAE="1FFC
264 \global\lccode"1FAF="1FA7 \global\uccode"1FAF="1FFC
265 \global\lccode"1FB0="1FB0 \global\uccode"1FB0="1FB8
266 \global\lccode"1FB1="1FB1 \global\uccode"1FB1="1FB9
267 \global\lccode"1FB2="1FB2 \global\uccode"1FB2="1FBC
268 \global\lccode"1FB3="1FB3 \global\uccode"1FB3="1FBC
269 \global\lccode"1FB4="1FB4 \global\uccode"1FB4="1FBC
270 \global\lccode"1FB6="1FB6 \global\uccode"1FB6="0391
271 \global\lccode"1FB7="1FB7 \global\uccode"1FB7="1FBC
272 \global\lccode"1FB8="1FB0 \global\uccode"1FB8="1FB8
273 \global\lccode"1FB9="1FB1 \global\uccode"1FB9="1FB9
274 \global\lccode"1FBA="1F70 \global\uccode"1FBA="0391
275 \global\lccode"1FBB="1F71 \global\uccode"1FBB="0391
276 \global\lccode"1FBC="1FB3 \global\uccode"1FBC="1FBC
277 \global\lccode"1FBD="1FBD \global\uccode"1FBD="1FBD
278 \global\lccode"1FC2="1FC2 \global\uccode"1FC2="1FCC
279 \global\lccode"1FC3="1FC3 \global\uccode"1FC3="1FCC
280 \global\lccode"1FC4="1FC4 \global\uccode"1FC4="1FCC
281 \global\lccode"1FC6="1FC6 \global\uccode"1FC6="0397
282 \global\lccode"1FC7="1FC7 \global\uccode"1FC7="1FCC
283 \global\lccode"1FC8="1F72 \global\uccode"1FC8="0395
284 \global\lccode"1FC9="1F73 \global\uccode"1FC9="0395
285 \global\lccode"1FCA="1F74 \global\uccode"1FCA="0397
286 \global\lccode"1FCB="1F75 \global\uccode"1FCB="0397
287 \global\lccode"1FCC="1FC3 \global\uccode"1FCC="1FCC
288 \global\lccode"1FD0="1FD0 \global\uccode"1FD0="1FD8
289 \global\lccode"1FD1="1FD1 \global\uccode"1FD1="1FD9
290 \global\lccode"1FD2="1FD2 \global\uccode"1FD2="03AA
291 \global\lccode"1FD3="1FD3 \global\uccode"1FD3="03AA
292 \global\lccode"1FD6="1FD6 \global\uccode"1FD6="0399
293 \global\lccode"1FD7="1FD7 \global\uccode"1FD7="03AA
294 \global\lccode"1FD8="1FD0 \global\uccode"1FD8="1FD8
295 \global\lccode"1FD9="1FD1 \global\uccode"1FD9="1FD9
296 \global\lccode"1FDA="1F76 \global\uccode"1FDA="0399
297 \global\lccode"1FDB="1F77 \global\uccode"1FDB="0399
298 \global\lccode"1FE0="1FE0 \global\uccode"1FE0="1FE8
299 \global\lccode"1FE1="1FE1 \global\uccode"1FE1="1FE9
300 \global\lccode"1FE2="1FE2 \global\uccode"1FE2="03AB
301 \global\lccode"1FE3="1FE3 \global\uccode"1FE3="03AB
302 \global\lccode"1FE4="1FE4 \global\uccode"1FE4="03A1
303 \global\lccode"1FE5="1FE5 \global\uccode"1FE5="1FEC
304 \global\lccode"1FE6="1FE6 \global\uccode"1FE6="03A5
305 \global\lccode"1FE7="1FE7 \global\uccode"1FE7="03AB
306 \global\lccode"1FE8="1FE0 \global\uccode"1FE8="1FE8
307 \global\lccode"1FE9="1FE1 \global\uccode"1FE9="1FE9

```

```

308 \global\lccode"1FEA="1F7A \global\uccode"1FEA="03A5
309 \global\lccode"1FEB="1F7B \global\uccode"1FEB="03A5
310 \global\lccode"1FEC="1FE5 \global\uccode"1FEC="1FEC
311 \global\lccode"1FF2="1FF2 \global\uccode"1FF2="1FFC
312 \global\lccode"1FF3="1FF3 \global\uccode"1FF3="1FFC
313 \global\lccode"1FF4="1FF4 \global\uccode"1FF4="1FFC
314 \global\lccode"1FF6="1FF6 \global\uccode"1FF6="03A9
315 \global\lccode"1FF7="1FF7 \global\uccode"1FF7="1FFC
316 \global\lccode"1FF8="1F78 \global\uccode"1FF8="039F
317 \global\lccode"1FF9="1F79 \global\uccode"1FF9="039F
318 \global\lccode"1FFA="1F7C \global\uccode"1FFA="03A9
319 \global\lccode"1FFB="1F7D \global\uccode"1FFB="03A9
320 \global\lccode"1FFC="1FF3 \global\uccode"1FFC="1FFC

```

Next we define the various strings that correspond to the standard L<sup>A</sup>T<sub>E</sub>X captions. We first define the strings for monotonic Greek.

```

321 \def\prefacename{Πρόλογος}%
322 \def\refname{Αναφορές}%
323 \def\abstractname{Περίληψη}%
324 \def\bibname{Βιβλιογραφία}%
325 \def\chaptername{Κεφάλαιο}%
326 \def\appendixname{Παράρτημα}%
327 \def\contentsname{Περιεχόμενα}%
328 \def\listfigurename{Κατάλογος σχημάτων}%
329 \def\listtablename{Κατάλογος πινάκων}%
330 \def\indexname{Ευρετήριο}%
331 \def\figurename{Σχήμα}%
332 \def\tablename{Πίνακας}%
333 \def\partname{Μέρος}%
334 \def\enclname{Συνημμένα}%
335 \def\ccname{Κοινοποίηση}%
336 \def\headtoname{Πρός}%
337 \def\pagename{Σελίδα}%
338 \def\seename{βλέπε}%
339 \def\alsoname{βλέπε επίσης}%
340 \def\proofname{Απόδειξη}%
341 \def\glossaryname{Γλωσσάρι}%

```

Macro \polytonicn@mes is invoked when polytonic Greek is the main language of the document.

```

342 \def\polytonicn@mes{%
343   \def\refname{Αναφορές}%
344   \def\indexname{Ευρετήριο}%
345   \def\figurename{Σχήμα}%
346   \def\headtoname{Πρός}%
347   \def\alsoname{βλέπε επίσης}%
348   \def\proofname{Απόδειξη}%
349 }

```

Macro \ncientn@mes is invoked when ancient Greek is the main language of the document.



```

350 \def\@ncientn@mes{%
351   \def\prefacename{Προοίμιον}%
352   \def\abstractname{Περίληψις}%
353   \def\bibName{Βιβλιογραφία}%
354   \def\chaptername{Κεφάλαιον}%
355   \def\appendixname{Παράρτημα}%
356   \def\contentsname{Περιεχόμενα}%
357   \def\listfigurename{Κατάλογος σχημάτων}%
358   \def\listtablename{Κατάλογος πινάκων}%
359   \def\indexname{Εύρετήριο}%
360   \def\figurename{Σχήμα}%
361   \def\tablename{Πίναξ}%
362   \def\partname{Μέρος}%
363   \def\enclname{Συνημμένως}%
364   \def\ccname{Κοινοποίησης}%
365   \def\headtoname{Πρός}%
366   \def\pagename{Σελις}%
367   \def\seename{ὁρα}%
368   \def\alsoname{ὁρα ὡσαύτως}%
369   \def\proofname{Ἀπόδειξις}%
370   \def\glossaryname{Γλωσσάριον}%
371   \def\refname{Ἀναφοραί}%
372   \def\indexname{Εύρετήριο}%
373   \def\figurename{Σχήμα}%
374   \def\headtoname{Πρός}%
375 }

```

We redefine `\today` so as to produce dates in Greek. The names of months are defined by the macro `\gr@month`.

```

376 \def\gr@month{%
377   \ifcase\month\or Ιανουαρίου\or Φεβρουαρίου\or Μαρτίου\or Απριλίου\or
378     Μαΐου\or Ιουνίου\or Ιουλίου\or Αυγούστου\or
379     Σεπτεμβρίου\or Οκτωβρίου\or Νοεμβρίου\or Δεκεμβρίου\fi}
380 \def\today{\number\day \space \gr@month\space \number\year}

```

When either polytonic Greek or ancient Greek is the main language of the document, then the macro `\gr@c@month` becomes active.

```

381 \def\gr@c@month{%
382   \ifcase\month\or Ἰανουαρίου\or Φεβρουαρίου\or Μαρτίου\or Ἀπριλίου\or
383     Μαΐου\or Ἰουνίου\or Ἰουλίου\or Αὐγούστου\or Σεπτεμβρίου\or
384     Ὀκτωβρίου\or Νοεμβρίου\or Δεκεμβρίου\fi}

```

Now that we have defined the language dependant macros, we can safely define the various supported options. Note we follow the standard mechanisms to load hyphenation patterns.

```

385 \DeclareOption{monogreek}{%
386   \language\l@monogreek%
387 }
388 \DeclareOption{polygreek}{%
389   \language\l@polygreek%
390   \polytonicn@mes%

```

```

391 \let\gr@month\gr@c@month%
392 }
393 \DeclareOption{ancientgreek}{%
394 \language\l@ancientgreek%
395 \ncntn@mes%
396 \let\gr@month\gr@c@month%
397 }
398 \ExecuteOptions{monogreek}
399 \ProcessOptions

```

The following commands take care of the basic rules of typography.

```

400 \frenchspacing
401 \let\@afterindentfalse\@afterindenttrue
402 \@afterindenttrue

```

Before we proceed let us define a few macros, which allow one to access characters that are not usually easily accessible such as the sampi or koppa symbols.

```

403 \def\anwtonos{\char"0374\relax}
404 \def\katwtonos{\char"0375\relax}
405 \def\koppa{\char"03DF\relax}
406 \def\stigma{\char"03DA\relax}
407 \def\sampi{\char"03E1\relax}
408 \def\Digamma{\char"03DC\relax}
409 \def\ddigamma{\char"03DD\relax}
410 \def\euro{\char"20AC\relax}
411 \def\permill{\char"2030\relax}

```

Now we are going to define the macros that typeset alphabetic Greek numerals. The code is borrowed from the greek option for the babel package.

```

\gr@ill@value When the argument of \greeknumeral has a value outside of the acceptable
                bounds ( $0 < x < 999999$ ) a warning will be issued (and nothing will be printed).
412 \def\gr@ill@value#1{%
413 \PackageWarning{xgreek}{Illegal value (#1) for greeknumeral}}

```

```

\anw@true When a large number with three trailing zero's is to be printed those zeros and
\anw@false the numeric mark need to be discarded. As each `digit' is processed by a separate
\anw@print macro and because the processing needs to be expandable we need some helper
                macros that help remember to not print the numeric mark (\anwtonos).

```

The command `\anw@false` switches the printing of the numeric mark off by making `\anw@print` expand to nothing. The command `\anw@true` (re)enables the printing of the numeric marc. These macro's need to be robust in order to prevent improper expansion during writing to files or during `\uppercase`.

```

414 \DeclareRobustCommand\anw@false{%
415 \DeclareRobustCommand\anw@print{}}
416 \DeclareRobustCommand\anw@true{%
417 \DeclareRobustCommand\anw@print{\anwtonos}}
418 \anw@true

```

`\greeknumeral` The command `\greeknumeral` needs to be *fully* expandable in order to get the right information in auxiliary files. Therefore we use a big `\if`-construction to check the value of the argument and start the parsing at the right level.

```
419 \def\greeknumeral#1{%
```

If the value is negative or zero nothing is printed and a warning is issued.

```
420 \ifnum#1<\@ne\space\gr@ill@value{#1}%
```

```
421 \else
```

```
422 \ifnum#1<10\expandafter\gr@num@i\number#1%
```

```
423 \else
```

```
424 \ifnum#1<100\expandafter\gr@num@ii\number#1%
```

```
425 \else
```

We use the available shorthands for 1.000 (`\@m`) and 10.000 (`\@M`) to save a few tokens.

```
426 \ifnum#1<\@m\expandafter\gr@num@iii\number#1%
```

```
427 \else
```

```
428 \ifnum#1<\@M\expandafter\gr@num@iv\number#1%
```

```
429 \else
```

```
430 \ifnum#1<100000\expandafter\gr@num@v\number#1%
```

```
431 \else
```

```
432 \ifnum#1<1000000\expandafter\gr@num@vi\number#1%
```

```
433 \else
```

If the value is too large, nothing is printed and a warning is issued.

```
434 \space\gr@ill@value{#1}%
```

```
435 \fi
```

```
436 \fi
```

```
437 \fi
```

```
438 \fi
```

```
439 \fi
```

```
440 \fi
```

```
441 \fi
```

```
442 }
```

`\Greeknnumeral` The command `\Greeknnumeral` prints uppercase greek numerals. The parsing is performed by the macro `\greeknumeral`.

```
443 \def\Greeknnumeral#1{%
```

```
444 \expandafter\MakeUppercase\expandafter{\greeknumeral{#1}}}
```

The alphabetic numbering system is not the only numbering system employed by Greeks. In fact, Greeks used various systems that are now known as *acrophonic* numbering systems. Most scholars are familiar with the acrophonic Attic numbering system and the the command `\atticnum` can be used to generate acrophonic Attic numerals. The acrophonic Attic numbering system, like the Roman one, employs letters to denote important numbers. Multiple occurrence of a letter denote a multiple of the ``important'' number, e.g., the letter I denotes 1, so III denotes 3. Here are the basic digits used in the acrophonic Attic numbering system:

- I denotes the number one (1)
- II denotes the number five (5)
- Δ denotes the number ten (10)
- H denotes the number one hundred (100)
- X denotes the number one thousand (1000)
- M denotes the number ten thousands (10000)

Moreover, the letters Δ, H, X, and M under the letter Γ (a form of II) denote five times their original value. In particular, the symbol  $\text{P}$ , denotes the number 50, the symbol  $\text{P}$  denotes the number 500, the symbol  $\text{P}$  denotes the number 5000, and the symbol  $\text{P}$  denotes the number 50,000. It must be noted that the numbering system does not provide negative numerals or a symbol for zero.

`\@@atticnum` Now, we turn our attention to the definition of the macro `\@@atticnum`. This macro uses one integer variable (or counter in  $\text{T}_{\text{E}}\text{X}$ 's jargon.)

445 `\newcount\@attic@num`

The macro `\@@atticnum` is also defined as a robust command.

446 `\DeclareRobustCommand*\@@atticnum}[1]{%`

After assigning to variable `\@attic@num` the value of the macro's argument, we make sure that the argument is in the expected range, i.e., it is greater than zero, and less or equal to 249999. In case it isn't, we simply produce a `\space`, warn the user about it and quit. Although, the `\atticnum` macro is capable to produce an Athenian numeral for even greater intergers, the following argument by Claudio Beccari convised me to place this above upper limit:

According to psychological perception studies (that ancient Athenians and Romans perfectly knew without needing to study Freud and Jung) living beings (which includes at least all vertebrates, not only humans) can perceive up to four randomly set objects of the same kind without the need of counting, the latter activity being a specific acquired ability of human kind; the biquinary numbering notation used by the Athenians and the Romans exploits this natural characteristic of human beings.

```

447      \@attic@num#1\relax
448      \ifnum\@attic@num<\@one%
449          \space%
450          \PackageWarning{xgreek}{%
451              Illegal value (\the\@attic@num) for acrophonic Attic numeral}%
452      \else\ifnum\@attic@num>249999%
453          \space%
454          \PackageWarning{xgreek}{%
455              Value too large (\the\@attic@num) for acrophonic Attic numeral}%
456      \else

```

Having done all the necessary checks, we are now ready to do the actual computation. If the number is greater than 49999, then it certainly has at least one  $\mathbb{F}$  ``digit''. We find all such digits by continuously subtracting 50000 from  $\backslash\@attic@num$ , until  $\backslash\@attic@num$  becomes less than 50000.

```
457      \@whilenum\@attic@num>49999\do{%
458          ~~~~~10147\advance\@attic@num-50000}%
```

We now check for tens of thousands.

```
459      \@whilenum\@attic@num>9999\do{%
460          M\advance\@attic@num-\@M}%
```

Since a number can have only one  $\mathbb{F}$  ``digit'' (equivalent to 5000), it is easy to check it out and produce the corresponding numeral in case it does have one.

```
461      \ifnum\@attic@num>4999%
462          ~~~~~10146\advance\@attic@num-5000%
463      \fi\relax
```

Next, we check for thousands, the same way we checked for tens of thousands.

```
464      \@whilenum\@attic@num>999\do{%
465          X\advance\@attic@num-\@m}%
```

Like the five thousands, a numeral can have at most one  $\mathbb{F}$  ``digit'' (equivalent to 500).

```
466      \ifnum\@attic@num>499%
467          ~~~~~10145\advance\@attic@num-500%
468      \fi\relax
```

It is time to check hundreds, which follow the same pattern as thousands

```
469      \@whilenum\@attic@num>99\do{%
470          H\advance\@attic@num-100}%
```

A numeral can have only one  $\mathbb{F}$  ``digit'' (equivalent to 50).

```
471      \ifnum\@attic@num>49%
472          ~~~~~10144\advance\@attic@num-50%
473      \fi\relax
```

Let's check now decades.

```
474      \@whilenum\@attic@num>9\do{%
475          Δ\advance\@attic@num by-10}%
```

We check for five and, finally, for the digits 1, 2, 3, and 4.

```
476      \@whilenum\@attic@num>4\do{%
477          Π\advance\@attic@num-5}%
478      \ifcase\@attic@num\or I\or II\or III\or IIII\fi%
479      \fi\fi}
```

$\backslash\@atticnum$  The command  $\backslash\@atticnum$  has one argument, which is a counter. It calls the command  $\backslash\@@atticnum$  to process the value of the counter.

```
480 \def\@atticnum#1{%
481     \expandafter\@@atticnum\expandafter{\the#1}}
```

`\atticnum` The command `\atticnum` is a wrapper that declares a new counter in a local scope, assigns to it the argument of the command and calls the macro `\@atticnum`. This way the command can process correctly either a number or a counter.

```

482 \def\atticnum#1{%
483     \@atticnum#1\relax
484     \@atticnum{\@atticnum}}

```

`\greek@alph` Here we redefine the macros `\@alph` and `\@Alph`. First we define some placeholders

`\greek@Alph`

```

485 \let\latin@alph\@alph
486 \let\latin@Alph\@Alph

```

Then we define the Greek versions; the additional `\expandafters` are needed in order to make sure the table of contents will be correct, e.g., when we have appendixes.

```

487 \def\greek@alph#1{\expandafter\greeknumeral\expandafter{\the#1}}
488 \def\greek@Alph#1{\expandafter\Greeknnumeral\expandafter{\the#1}}

```

By default use Greek alphabetic numerals instead of Latin numerals to enumerate items in an enumeration environment.

```

489 \let\@alph\greek@alph
490 \let\@Alph\greek@Alph

```

If for some reason, we need to have the Latin numerals, then we just have to invoke command `\nogreekalph`. And if we want to switch back, then we have to use the `\greekalph` command:

```

491 \def\nogreekalph{%
492     \let\@alph\latin@alph
493     \let\@Alph\latin@Alph}
494 \def\greekalph{%
495     \let\@alph\greek@alph
496     \let\@Alph\greek@Alph}

```

What is left now is the definition of a set of macros to produce the various digits.

`\gr@num@i` As there is no representation for 0 in this system the zeros are simply discarded.

`\gr@num@ii` When we have a large number with three *trailing* zero's also the numeric mark

`\gr@num@iii` is discarded. Therefore these macros need to pass the information to each other about the (non-)translation of a zero.

```

497 \def\gr@num@i#1{%
498     \ifcase#1\or \alpha\or \beta\or \gamma\or \delta\or \epsilon\or \stigma\or \zeta\or \eta\or \theta\fi
499     \ifnum#1=\z@\else\anw@true\fi\anw@print}
500 \def\gr@num@ii#1{%
501     \ifcase#1\or \iota\or \kappa\or \lambda\or \mu\or \nu\or \xi\or \omicron\or \pi\or \koppa\fi
502     \ifnum#1=\z@\else\anw@true\fi\gr@num@i}
503 \def\gr@num@iii#1{%
504     \ifcase#1\or \rho\or \sigma\or \tau\or \upsilon\or \phi\or \chi\or \psi\or \omega\or \sampi\fi
505     \ifnum#1=\z@\anw@false\else\anw@true\fi\gr@num@ii}

```

`\gr@num@iv` The first three 'digits' always have the numeric mark, except when one is discarded because its value is zero.

```
\gr@num@v
\gr@num@vi
506 \def\gr@num@iv#1{%
507   \ifnum#1=\z@\else\katwtonos\fi
508   \ifcase#1\or \alpha\or \beta\or \gamma\or \delta\or \epsilon\or \stigma\or \zeta\or \eta\or \theta\fi
509   \gr@num@iii}
510 \def\gr@num@v#1{%
511   \ifnum#1=\z@\else\katwtonos\fi
512   \ifcase#1\or \iota\or \kappa\or \lambda\or \mu\or \nu\or \xi\or \omicron\or \pi\or \koppa\fi
513   \gr@num@iv}
514 \def\gr@num@vi#1{%
515   \katwtonos
516   \ifcase#1\or \rho\or \sigma\or \tau\or \upsilon\or \phi\or \chi\or \psi\or \omega\or \sampi\fi
517   \gr@num@v}
```

`\setlanguage` We provide the `\setlanguage` command which activates the hyphenation patterns of some other language. It is similar to babel's `\selectlanguage`, but we opted to use a new name to avoid any name conflicts. Valid arguments include **monogreek**, **polygreek**, and **ancientgreek**.

```
518 \def\setlanguage#1{%
519   \expandafter\ifx\csname l@#1\endcsname\relax%
520   \typeout{^^J Error: No hyphenation pattern for language #1 loaded,}%
521   \typeout{ default hyphenation patterns are used.^^J}%
522   \language=0%
523   \else\language=\csname l@#1\endcsname\fi}
```

The macros `\grtoday` and `\Grtoday` produces the current date, only that the month and the day are shown as greek numerals instead of arabic as it is usually the case. In addition, the two commands differ in that the later produces the Greek numerals in uppercase.

```
524 \def\grtoday{%
525   \expandafter\greeknumeral\expandafter{\the\day}\space
526   \gr@c@month \space
527   \expandafter\greeknumeral\expandafter{\the\year}}
528 \def\Grtoday{%
529   \expandafter\Greeknumeral\expandafter{\the\day}\space
530   \gr@c@month \space
531   \expandafter\Greeknumeral\expandafter{\the\year}}
532 \xgreek}
```