

MP attributes backends bit bit32 blobs  
boolean buffers builders caches callback  
callbacks catcodes characters chemistry  
commands containers context converters  
coroutine ctxrunner debug dir directives  
document documentdata environment epdf  
experiments figures file floats font  
fontloader fonts functions global graphics  
gzip img interactions interfaces io jit job  
lang languages layouts lfs libraries lmx  
logs lpdf lpeg ltn12 lua luatex lxml math  
mathematics mbox md5 metapost mime  
moduledata modules mp mplib noads node  
nodes number objects os package  
pagebuilders parametersets pdf pdfscanner  
physics profiler publications regimes  
resolvers sandbox scripts set socket  
sorters statistics status storage streams  
string structures table tex texconfig texio  
thirddata tokens tracers trackers  
typesetters unicode url userdata utilities  
vf visualizers xml zip zlib

# ConTeXt MkIV

# global (alias: \_G)

LUAVERSION	number	floats	table
MP	table	font	table
_LUAVERSION	number	fontloader	table
_MAJORVERSION	number	fonts	table
_MINORVERSION	number	frozen	boolean
arg	table	functions	table
assert	function	gcinfo	function
attributes	table	getfenv	function
backends	table	getmetatable	function
bit	table	getpos	function
bit32	table	getvpos	function
blobs	table	global	table
boolean	table	graphics	table
buffers	table	gzip	table
builders	table	img	table
caches	table	inspect	function
callback	table	interactions	table
callbacks	table	interfaces	table
catcodes	table	io	table
characters	table	ipairs	function
chemistry	table	jit	table
collectgarbage	function	job	table
commands	table	lang	table
containers	table	languages	table
context	function	layouts	table
converters	table	lfs	table
coroutine	table	libraries	table
ctxrunner	table	lmx	table
debug	table	load	function
dimen	function	loadfile	function
dir	table	loadstring	function
directives	table	logs	table
document	table	lpdf	table
documentdata	table	lpeg	table
dofile	function	ltn12	table
environment	table	lua	table
epdf	table	luatex	table
error	function	lxml	table
experiments	table	math	table
figures	table	mathematics	table
file	table	mbox	table

md5	table	scripts	table
metapost	table	select	function
mime	table	set	table
module	function	setfenv	function
moduledata	table	setinspector	function
modules	table	setmetatable	function
mp	table	socket	table
mplib	table	sorters	table
newproxy	function	statistics	table
next	function	status	table
noads	table	storage	table
node	table	streams	table
nodes	table	string	table
number	table	structures	table
objects	table	swiglib	function
optionalrequire	function	table	table
os	table	tex	table
package	table	texconfig	table
pagebuilders	table	texio	table
pairs	function	thirddata	table
parametersets	table	toboolen	function
pcall	function	tokens	table
pdf	table	tonumber	function
pdfboolean	function	tostring	function
pdfnull	function	tracers	table
pdfreference	function	trackers	table
pdfscanner	table	type	function
pdfverbose	function	typesetters	table
physics	table	unicode	table
print	function	unpack	function
profiler	table	url	table
publications	table	userdata	table
rawequal	function	utf	table
rawget	function	utilities	table
rawlen	function	vf	table
rawset	function	visualizers	table
regimes	table	xml	table
require	function	xpcall	function
resolvers	table	zip	table
sandbox	table	zlib	table

# attributes (context)

<b>colorintents</b>	table	F moptions U none F popset F processcolorcomponents F pushset F register D registered
<b>colors</b>	table	F registerspotcolor F rgb F rgbtocmyk F rgbtogray F rgbtohsv N selector F setlist F setmodel F setpagecolormodel D sets F spec F spot F spotcolorname F spotcolorparent F spotcolorvalue B supported F transparencycomponents B triggering F usecolors F value D values B weightgray
	<b>define</b>	function
	<b>effects</b>	table
	N attribute D data F enable F handler F register D registered D values	
	<b>handlers</b>	table
	<b>list</b>	data table
	<b>names</b>	data table

<b>negatives</b>	table	U none
N attribute		F register
D data		D registered
F enable		B supported
F handler		B triggering
F register		F value
D registered		D values
F set		
<b>numbers</b>	data table	<b>unsetvalue</b> number
<b>ofnode</b>	function	<b>viewerlayers</b> table
<b>private</b>	function	N attribute
<b>public</b>	function	F cleanup
<b>restore</b>	function	D data
<b>save</b>	function	F define
<b>showcurrent</b>	function	F definedlayoutcomponent
<b>states</b>	table	F enable
F disabletriggering		F forcesupport
F enabletriggering		F handler
F finalize		B hasorder
F initialize		D listwise
F process		F register
F selective		D registered
F stacked		F resolve_begin
F stacker		F resolve_end
<b>system</b>	function	F resolve_reset
<b>transparencies</b>	table	F resolve_step
N attribute		D scopes
D data		F setfeatures
F enable		F start
F forcesupport		F stop
F handler		B supported
		D values

# backends (context)

<b>codeinjections</b> table	F getpreviewfigure
F boxresourcedimensions	F getvpos
F registerboxresource	F hasmatrix
F restoreboxresource	F insertrenderingwindow
<b>current</b> string	F mergebookmarks
<b>defaults</b> table	F mergereferences
T codeinjections	F mergeviewerlayers
F gethpos	F prerollreference
F getmatrix	F presetsymbol
F getpos	F presetsymbollist
F getvpos	F processrendering
F hasmatrix	F registerdocumentcloseaction
T nodeinjections	F registerdocumentopenaction
T registrations	F registeredsymbol
D tables	F registerpagecloseaction
<b>install</b> function	F registerpageopenaction
<b>nodeinjections</b> table	F registersymbol
F restore	F setfieldcalculationset
F save	F setfigurealternative
F transform	F setfigurecolorspace
<b>nothing</b> function	F setfigurermask
<b>pdf</b> table	F setformat
T codeinjections	F setformsmethod
F addbookmarks	F setpagetransition
F attachmentid	F setupcanvas
F clonefield	F setupidentity
F definefield	F setxmpfile
F definefieldset	F startlayer
F defineviewerlayer	F startunicodetoactualtext
F embedfile	F stoplayer
F enabletags	F stopunicodetoactualtext
F exportformdata	F supportedformats
F getbookmarks	F unicodetoactualtext
F getdefaultfieldvalue	F useviewerlayer
F getfieldcategory	F validfield
F getfieldset	F validfieldcategory
F getformatoption	F validfieldset
F gethpos	S comment
F getmatrix	T nodeinjections
F getoutputfilename	F addtags
F getpos	F annotation

F attachfile	F startstackedlayer
F changestackedlayer	F stoplayer
F cmykcolor	F stopstackedlayer
F comment	F transparency
F destination	F typesetfield
F effect	T registrations
F graycolor	F cmykindexcolor
F injectbitmap	F cmykspotcolor
F insertmovie	F getspotcolorreference
F insertsound	F grayindexcolor
F insertswf	F grayspotcolor
F insertu3d	F rgbindexcolor
F knockout	F rgbspotcolor
F negative	F spotcolorname
F overprint	F transparency
F positive	T tables
F reference	D vfspecials
F rgbcolor	<b>registrations</b> table
F spotcolor	<b>tables</b> table
F startlayer	

## bit (context)

**arshift** function  
**band** function  
**bnot** function  
**bor** function  
**bswap** function  
**bxor** function

**lshift** function  
**rol** function  
**ror** function  
**rshift** function  
**tobit** function  
**tohex** function

## bit32 (basic lua)

**arshift** function  
**band** function  
**bnot** function  
**bor** function  
**btest** function  
**bxor** function

**extract** function  
**lrotate** function  
**lshift** function  
**replace** function  
**rrotate** function  
**rshift** function

## blobs (context)

**append**      function  
**dimensions**    function  
**dispose**     function  
**new**          function  
**pack**        function  
**strdp**      function  
**strhd**      function

**strht**      function  
**strwd**      function  
**tohpack**    function  
**tonodes**    function  
**tovpack**    function  
**write**       function

## boolean (context)

**tocontext** function  
**tonumber** function

## buffers (context)

<b>append</b>	function	F define
<b>assign</b>	function	F hassomecontent
<b>collectcontent</b>	function	F next
<b>erase</b>	function	F place
<b>exists</b>	function	F reset
<b>getcontent</b>	function	F save
<b>getline</b>	function	<b>prepend</b> function
<b>loadcontent</b>	function	<b>raw</b> function
<b>parallel</b>	table	<b>undent</b> function

# builders (context)

## kernel table

F hyphenation  
F kerning  
F ligaturing  
F mlist\_to\_hlist  
T originals  
F hyphenate  
F kerning  
F ligaturing

## paragraphs table

T constructors

N attribute

F define

F disable

F enable

F handler

T methods

F basic

F default

F hpack

F oneline

D names

D numbers

F set

F start

F stop

T expansion

F trace

F keeptogether

F registertogether

T solutions

T splitters

F define

F optimize

T registered

F reset

F set

F split

F start

F stop

F tag

## profiling table

F add

F distance

F fixedprofile

F get

F list

F pagehandler

F profilebox

F set

## vspacing table

F analyze

D categories

F collapsevbox

T data

D map

D skip

D snapmethods

F definesnapmethod

B fixed

F pagehandler

F resetprevdepth

F setmap

F setskip

F snapbox

F tocATEGORIES

F tocATEGORY

F vboxhandler

## caches (context)

ask	boolean	<b>hashed</b>	function
base	string	<b>is_writable</b>	function
collapsecontent	function	<b>loadcontent</b>	function
configfiles	function	<b>loaddata</b>	function
contentstate	function	<b>more</b>	string
defaults	table	<b>relocate</b>	boolean
define	function	<b>savecontent</b>	function
direct	boolean	<b>savedata</b>	function
force	boolean	<b>setfirstwritablefile</b>	function
getfirstreadablefile	function	<b>setluanames</b>	function
getfirstreadablefile_TEST_ME_FIRST	function	<b>tree</b>	string
getreadablepaths	function	<b>treehash</b>	function
getwritablepath	function	<b>usedpaths</b>	function

## callback (basic tex)

```
find      function
list      function
register overloaded function
```

## callbacks (context)

**freeze**    function  
**known**    function  
**list**    data table  
**pop**    function

**push**    function  
**register**    function  
**report**    function

## catcodes (context)

```
names      data table  
numbers    data table  
register   function
```

# characters (context)

		lhash	data table
activeoffset	number		
adobename	function	linebreaks	table
bidi	data table	S ai	
blockrange	function	S al	
blocks	data table	S b2	
casemap	table	S ba	
categories	data table	S bb	
category	function	S bk	
categorytags	data table	S cb	
collapsed	data table	S cj	
combined	data table	S cl	
contextname	function	S cm	
csletters	data table	S cp	
data	data table	S cr	
decomposed	data table	S ex	
description	function	S gl	
descriptions	data table	S h2	
detailtags	data table	S h3	
directions	table	S hl	
encodes	data table	S hy	
entities	data table	S id	
fallbacks	data table	S in	
filters	data table	S is	
fractions	table	S jl	
fromnumber	function	S jt	
fschars	data table	S jv	
fscodes	data table	S lf	
getrange	function	S nl	
graphemes	data table	S ns	
hangul	data table	S nu	
initialize	function	S op	
is_character	data table	S po	
is_command	data table	S pr	
is_letter	data table	S qu	
is_mark	data table	S ri	
is_punctuation	data table	S sa	
is_spacing	data table	S sg	
lcchars	data table	S sp	
lccode	function	S sy	
lccodes	data table	S wj	
lettered	function	S xx	

S zw

		T char
<b>lower</b>	function	T compat
<b>math</b>	table	<b>subscripts</b> table
<b>mathpairs</b>	data table	<b>superscripts</b> table
<b>mirrors</b>	table	<b>synonyms</b> data table
<b>otfscripts</b>	data table	<b>tex</b> table
<b>ranges</b>	data table	D accentmapping
<b>registerentities</b>	function	D commandmapping
<b>remap_hangul_syllabe</b>	function	F defineaccents
<b>setactivecatcodes</b>	function	F safechar
<b>setlettercatcodes</b>	function	F toutf
<b>shape</b>	function	F toutfpattern
<b>shaped</b>	function	<b>textclasses</b> table
<b>shash</b>	data table	<b>tonumber</b> function
<b>shchars</b>	data table	<b>ucchars</b> data table
<b>shcodes</b>	data table	<b>uccode</b> function
<b>showstring</b>	function	<b>uccodes</b> data table
<b>specialchars</b>	data table	<b>uhash</b> data table
<b>specials</b>	data table	<b>unicodechar</b> function
<b>splits</b>	table	<b>upper</b> function

## chemistry (context)

<b>component</b>	function	<b>molecule</b>	function
<b>define</b>	function	<b>moleculeparser</b>	userdata
<b>definitions</b>	data table	<b>start</b>	function
<b>format</b>	string	<b>stop</b>	function
<b>inlinechemical</b>	function	<b>structures</b>	number
<b>instance</b>	string	<b>undefine</b>	function
<b>method</b>	string		

## containers (context)

<b>cleanname</b>	function	<b>is_valid</b>	function
<b>content</b>	function	<b>read</b>	function
<b>define</b>	function	<b>usecache</b>	boolean
<b>is_usable</b>	function	<b>write</b>	function

# converters (context)

A	function	isleepyear	function
A:es	function	lchexnumber	function
AK	function	lchexnumbers	function
Alphabetic	function	leapyear	function
Alphabetic:es	function	lower	function
Character	function	max	function
Characters	function	maxchr\$	function
I	function	minute	function
KA	function	month	function
KR	function	nicenumber	function
R	function	nofdays	function
RK	function	number	function
Romannumerals	function	numbers	function
Sloviannumerals	function	octnumber	function
Spanishnumerals	function	octstringtonumber	function
Word	function	ordinal	function
Words	function	r	function
a	function	rawcharacter	function
a:es	function	romannumerals	function
abjadnodotnumerals	function	second	function
abjadnumerals	function	sequences	data table
alphabetic	function	settime	function
alphabetic:es	function	sloviannumerals	function
character	function	spanishnumerals	function
characters	function	textime	function
chineseallnumerals	function	toabjad	function
chinesecapnumerals	function	tochinese	function
chinesenumerals	function	toroman	function
chr	function	totime	function
chr\$	function	uchexnumber	function
cn	function	uchexnumbers	function
cn-a	function	upper	function
cn-c	function	verbose	table
convert	function	D	data
decimals	function	F	translate
define	function	weekday	function
hexstringtonumber	function	word	function
hour	function	words	function
i	function	year	function

## coroutine (basic lua)

<b>create</b>	function	<b>status</b>	function
<b>resume</b>	function	<b>wrap</b>	function
<b>running</b>	function	<b>yield</b>	function

## ctxrunner (context)

<b>load</b>	function	<b>prefiles</b>	data table
<b>preparedfile</b>	function	<b>resolve</b>	function

## debug (basic lua)

<b>debug</b>	function	<b>setfenv</b>	function
<b>getfenv</b>	function	<b>sethook</b>	function
<b>gethook</b>	function	<b>setlocal</b>	function
<b>getinfo</b>	function	<b>setmetatable</b>	function
<b>getlocal</b>	function	<b>setupvalue</b>	function
<b>getmetatable</b>	function	<b>setuservalue</b>	function
<b>getregistry</b>	function	<b>traceback</b>	function
<b>getupvalue</b>	function	<b>upvalueid</b>	function
<b>getuservalue</b>	function	<b>upvaluejoin</b>	function

## dir (context)

**collectpattern** function  
**current** function  
**expandname** function  
**found** function  
**glob** function  
**globfiles** function

**globpattern** function  
**ls** function  
**makedirs** function  
**mkdirs** function  
**pop** function  
**push** function

## directives (context)

<b>data</b>	data table	<b>name</b>	string
<b>default</b>	function	<b>register</b>	function
<b>disable</b>	function	<b>report</b>	function
<b>done</b>	table	<b>reset</b>	function
<b>enable</b>	function	<b>show</b>	function
<b>list</b>	function	<b>value</b>	function

# document (context)

<b>arguments</b>	data table	D modes
<b>files</b>	table	D modules
<b>functions</b>	table	
<b>getargument</b>	function	<b>setargument</b> function
<b>getfilename</b>	function	<b>setcommandline</b> function
<b>options</b>	table	<b>setdefaultargument</b> function
		<b>setenvironments</b> function
T commandline		<b>setfilename</b> function
D environments		<b>setfilenames</b> function
D modes		<b>setmodes</b> function
D modules		<b>setmodules</b> function
T ctxfile		<b>variables</b> data table
D environments		

# environment (context)

<b>argument</b>	function	<b>luofile</b>	function
<b>arguments</b>	data table	<b>luafilechunk</b>	function
<b>basicengines</b>	data table	<b>maxnofruns</b>	number
<b>currentrun</b>	number	<b>originalarguments</b>	data table
<b>default_texmfcnf</b>	string	<b>outputfilename</b>	string
<b>definefilefallback</b>	function	<b>ownbin</b>	string
<b>definefilesynonym</b>	function	<b>ownmain</b>	string
<b>engineflags</b>	data table	<b>ownname</b>	string
<b>filename</b>	string	<b>ownpath</b>	string
<b>files</b>	table	<b>prerollrun</b>	boolean
<b>filesynonyms</b>	data table	<b>rawarguments</b>	data table
<b>forcedruns</b>	number	<b>reconstructcommandline</b>	function
<b>getargument</b>	function	<b>relativepath</b>	function
<b>homedir</b>	string	<b>setargument</b>	function
<b>initex</b>	boolean	<b>splitarguments</b>	function
<b>initializearguments</b>	function	<b>suffix</b>	string
<b>initializefilenames</b>	function	<b>texfile</b>	function
<b>inputfilebarename</b>	string	<b>texmfos</b>	string
<b>inputfilename</b>	string	<b>texos</b>	string
<b>inputfilesuffix</b>	string	<b>texroot</b>	string
<b>jobfilename</b>	string	<b>truefilename</b>	function
<b>jobfilesuffix</b>	string	<b>useluamodule</b>	function
<b>jobname</b>	string	<b>usemodules</b>	function
<b>kindofrun</b>	number	<b>validengines</b>	data table
<b>loadexamodes</b>	function	<b>version</b>	string
<b>loadluofile</b>	function		

## epdf (extra tex)

**Array** function  
**Attribute** function  
**AttributeOwner\_Type** function  
**Attribute\_Type** function  
**Dict** function  
**Object** function

**PDFRectangle** function  
**StructElement\_Type** function  
**open** overloaded function  
**openMemStream** function  
**type** function

## experiments (context)

<b>data</b>	data table	<b>register</b>	function
<b>default</b>	function	<b>report</b>	function
<b>disable</b>	function	<b>reset</b>	function
<b>enable</b>	function	<b>show</b>	function
<b>list</b>	function	<b>value</b>	function
<b>name</b>	string		

# figures (context)

<b>applyratio</b>	function	F node
<b>badname</b>	function	F ofindex
<b>bases</b>	data table	F package
<b>bitmapimage</b>	function	F print
<b>boxnumber</b>	number	F scan
<b>cachepaths</b>	data table	F serialize
<b>check</b>	function	F totable
<b>checkers</b>	data table	F types
<b>converters</b>	data table	F write
<b>current</b>	function	<b>include</b> function
<b>defaultdepth</b>	number	<b>includers</b> data table
<b>defaultheight</b>	number	<b>initialize</b> function
<b>defaultsearch</b>	boolean	<b>loaded</b> data table
<b>defaultwidth</b>	number	<b>localpaths</b> data table
<b>done</b>	function	<b>magics</b> data table
<b>dummy</b>	function	<b>mergegoodies</b> function
<b>existsers</b>	data table	<b>nofprocessed</b> number
<b>exists</b>	function	<b>order</b> data table
<b>formats</b>	data table	<b>paths</b> data table
<b>found</b>	data table	<b>patterns</b> data table
<b>get</b>	function	<b>pop</b> function
<b>getrealpage</b>	function	<b>preferquality</b> boolean
<b>guess</b>	function	<b>programs</b> data table
<b>hash</b>	function	<b>push</b> function
<b>identifiers</b>	data table	<b>registerpattern</b> function
<b>identify</b>	function	<b>registerresource</b> function
<b>images</b>	table	<b>registersuffix</b> function
F boxes		<b>resources</b> data table
F check		<b>scale</b> function
F checksize		<b>set</b> function
F clone		<b>setlookups</b> function
F copy		<b>setorder</b> function
F immediatewrite		<b>setpaths</b> function
F keys		<b>suffixes</b> data table
F new		<b>used</b> data table

## file (basic lua)

<b>addsuffix</b>	function	<b>needsupdating</b>	function
<b>basename</b>	function	<b>pathpart</b>	function
<b>checksum</b>	function	<b>readdata</b>	function
<b>collapsepath</b>	function	<b>removesuffix</b>	function
<b>copy</b>	function	<b>replacesuffix</b>	function
<b>dirname</b>	function	<b>reslash</b>	function
<b>expandname</b>	function	<b>robustname</b>	function
<b>extname</b>	function	<b>savechecksum</b>	function
<b>is_qualified_path</b>	function	<b>savedata</b>	function
<b>is_readable</b>	function	<b>size</b>	function
<b>is_rootbased_path</b>	function	<b>splitbase</b>	function
<b>is_writable</b>	function	<b>splitname</b>	function
<b>isreadable</b>	function	<b>splitpath</b>	function
<b>iswritable</b>	function	<b>strip</b>	function
<b>join</b>	function	<b>suffix</b>	function
<b>joinpath</b>	function	<b>suffixes</b>	function
<b>loadchecksum</b>	function	<b>suffixesonly</b>	function
<b>nameonly</b>	function	<b>suffixonly</b>	function
<b>nametotable</b>	function	<b>syncmtimes</b>	function
<b>needs_updating</b>	function		

## floats (context)

<b>analysemethod</b>	function	<b>nofstacked</b>	function
<b>checkedpagefloat</b>	function	<b>pop</b>	function
<b>collect</b>	function	<b>push</b>	function
<b>consult</b>	function	<b>resave</b>	function
<b>flush</b>	function	<b>save</b>	function
<b>getvariable</b>	function	<b>stacked</b>	function
<b>hasstacked</b>	function		

## font (basic tex)

<b>current</b>	function	<b>id</b>	function
<b>define</b>	function	<b>max</b>	function
<b>each</b>	function	<b>nextid</b>	function
<b>fonts</b>	table	<b>read_tfm</b>	function
<b>frozen</b>	function	<b>read_vf</b>	function
<b>getfont</b>	overloaded function	<b>setfont</b>	overloaded function

## fontloader (extra tex)

<b>apply_afmfile</b>	function	<b>info</b>	overloaded function
<b>apply_featurefile</b>	function	<b>open</b>	overloaded function
<b>close</b>	function	<b>to_table</b>	function
<b>fields</b>	function	<b>totable</b>	function
<b>fullinfo</b>	function		

# fonts (context)

<b>analyzers</b>	table	F checkenabled F clonevector F define T definitions F found F prepare F process F registermain F report F reset T vectors
T features		
N blwf		
N fin2		
N fin3		
N fina		
N half		
N init		
N isol		
N med2		
N medi		
N pref		
N pstf		
N rphf		
D initializers		
D methods		
F setstate		
T states		
N blwf		
N fin2		
N fin3		
N fina		
N half		
N init		
N isol		
N mark		
N med2		
N medi		
N pref		
N pstf		
N rest		
N rphf		
B useunicodemarks		
<b>checkers</b>	table	F getfeatureaction F hashfeatures F hashinstance T hashmethods F normal F virtual
F getmissing		
F missing		
F placeholder		
<b>cid</b>	table	F initializefeatures T keys T character
F getmap		
F loadfile		
<b>collections</b>	table	

S depth	S space_stretch
S height	S spaceshrink
S italic	S spacestretch
S width	S x_height
T description	S units
T boundingbox	S vfactor
S depth	S xheight
S height	T properties
S width	S autoitalicamount
T parameters	T cidinfo
S ascender	S embedding
S descender	S encodingbytes
S designszie	S filename
T expansion	S finalized
S auto	S fontname
S shrink	S format
S step	S fullname
S stretch	S hasitalics
S extendfactor	S hasmath
S factor	S mathitalics
S hfactor	S mode
S mathszie	S name
T protrusion	S noglyphnames
S auto	S nostackmath
S quad	S psname
S scaledpoints	S textitalics
S scriptpercentage	S virtualized
S scriptsscriptpercentage	D loadedfonts
S size	S namemode
S slantfactor	F newfeatures
S slantperpoint	F newhandler
T spacing	N noffontsloaded
S extra	Nnofsharedfonts
S shrink	Nnofsharedhashes
S stretch	Nnofsharedvectors
S width	Nprivateoffset
T synonyms	F readanddefine
S em	F registerfeature
S ex	B resolvevirtualtoo
S extra_space	F scale
S extraspase	F scaled
S slant	F setfactor
S space	F setname
S space_shrink	B sharefonts

F	trytosharefont	N	Dzhecyrilllic
N	version	N	Ecyrilllic
<b>current</b>	function	N	Edot
<b>currentid</b>	function	N	Efcyrilllic
<b>definers</b>	table	N	Elcyrilllic
F	addlookup	N	Emcyrilllic
F	analyze	N	Encyrilllic
F	applypostprocessors	N	Ercyrilllic
F	checkedmode	N	Ereversedcyrilllic
F	checkedscript	N	Escyrilllic
F	current	N	Fitacyrilllic
S	defaultlookup	N	Gcedilla
F	define	N	Gdot
F	getspecification	N	Gecyrilllic
F	internal	N	Gheupturncyrilllic
F	loadfont	N	Gjecyrilllic
F	makespecification	N	Hardsigncyrilllic
T	methods	N	IAcyrilllic
F	install	N	IUcyrilllic
D	variants	N	Icyrilllic
F	read	N	Idot
F	register	N	Iecyrilllic
F	registered	N	Iicyrilllic
F	registersplit	N	Iishortcyrilllic
F	resetnullfont	N	Iocyrilllic
F	resolve	N	Izhitsacyrilllic
T	resolvers	N	Jecyrilllic
F	file	N	Kacyrilllic
F	name	N	Kcedilla
F	spec	N	Khacyrilllic
<b>definetypeface</b>	function	N	Kjecyrilllic
<b>encodings</b>	table	N	Lcedilla
T	agl	N	Ljecyrilllic
D	ctxcodes	N	Ncedilla
D	extras	N	Njecyrilllic
D	names	N	Ocyrilllic
T	synonyms	N	Odblacute
N	Acyrilllic	N	Ohm
N	Becyrilllic	N	Pecyrilllic
N	Cdot	N	Rcedilla
N	Checyrilllic	N	Shacyrilllic
N	Decyrilllic	N	Shchacyrilllic
N	Djecyrilllic	N	Softsigncyrilllic
N	Dzecyrilllic	N	Tcedilla

N Tcyrillic	N dalethatafpatahhebrew
N Tsecyrillic	N dalethatafsegol
N Tshecyrilllic	N dalethatafsegolhebrew
N Ucyrillic	N dalethebrew
N Udblacute	N dalethiriq
N Ushortcyrilllic	N dalethiriqhebrew
N Vecyrillic	N daletholam
N Yatcyrillic	N daletholamhebrew
N Yericyrilllic	N daletpatah
N Yicyrilllic	N daletpatahhebrew
N Zdot	N daletqamats
N Zecyrillic	N daletqamatshbrew
N Zhecyrilllic	N daletqubits
N acutecmb	N daletqubutshebrew
N acyrilllic	N daletsegol
N afii00208	N daletsegolhebrew
N afii08941	N daletsheva
N afii57694	N daletshevahebrew
N afii57695	N dalettsere
N afii57700	N dammaarabic
N afii57705	N dammatanaltonearabic
N afii57723	N dargahebrew
N alef	N dbllowline
N alefmaksurainitalarabic	N decimalseparatorarabic
N alefmaksuramedialarabic	N dialytikatonos
N approximatelyequal	N dotbelowcmb
N asteriskaltonearabic	N doubleyodpatah
N ayin	N doubleyodpatahhhebrew
N bet	N edot
N betdagesh	N eightarabic
N blackdownpointingtriangle	N eighthnotebeamed
N blackleftpointingpointer	N etnahtafoukhhebrew
N blackrectangle	N etnahtafoukhlefthebrew
N blackrightpointingpointer	N etnahtahebrew
N blacksmilingface	N fathaarabic
N blacksquare	N finalkaf
N blackuppointingtriangle	N finalkafdagesh
N bulletinverse	N finalkafhebrew
N cdot	N finalkafqamats
N compass	N finalkafqamatshbrew
N dagesh	N finalkafsheva
N dalet	N finalmem
N daletdagesh	N finalnun
N dalethatafpatah	N finalpe

N finaltsadi	N hiriql4
N fivearabic	N hiriq21
N forall	N hiriq2d
N fourarabic	N hiriqhebrew
N gcedilla	N hiriqnarrowhebrew
N gdot	N hiriqquarterhebrew
N gimel	N holam
N gimeldagesh	N holam19
N gravecmb	N holam26
N haaltonearabic	N holam32
N hamzaarabic	N holamhebrew
N hamzadammaarabic	N holamnarrowhebrew
N hamzadammatarabic	N holamquarterhebrew
N hamzafathaarabic	N ilde
N hamzafathanarabic	N integralbottom
N hamzalowarabic	N integraltop
N hamzalowkasraarabic	N kaf
N hamzalowkasratantarabic	N kafdagesh
N hatafpatah	N kashidaautoarabic
N hatafpatah16	N kashidaautonosidebearingarabic
N hatafpatah23	N kcedilla
N hatafpatah2f	N lamed
N hatafpatahhebrew	N lammeddagesh
N hatafpatahnarrowhebrew	N lamedhebrew
N hatafpatahquarterhebrew	N lamedholam
N hatafqamats	N lamedholamdagesh
N hatafqamats1b	N lamedholamdageshhebrew
N hatafqamats28	N laminitialarabic
N hatafqamats34	N lammeemjeeminitialarabic
N hatafqamatshebrew	N lcdilla
N hatafqamatsnarrowhebrew	N logicalnotreversed
N hatafqamatsquarterhebrew	N mahapakhhebrew
N hatafsegol	N mem
N hatafsegol17	N memdagesh
N hatafsegol24	N merkhahebrew
N hatafsegol30	N merkhakefulahebrew
N hatafsegolhebrew	N middot
N hatafsegolnarrowhebrew	N munahhebrew
N hatafsegolquarterhebrew	N nbspace
N he	N ncedilla
N hedagesh	N newsheqelsign
N hehfinaalalttwoarabic	N ninearabic
N het	N noonhehinitialarabic
N hiriq	N nun

N nundagesh	N qofqubitshebrew
N odblacute	N qofsegol
N onearabic	N qofsegolhebrew
N overscore	N qofsheva
N patah	N qofshevahebrew
N patah11	N qoftsere
N patah1d	N qubuts
N patah2a	N qubuts18
N patahhebrew	N qubuts25
N patahnarrowhebrew	N qubuts31
N patahquarterhebrew	N qubutshebrew
N pe	N qubutsnarrowhebrew
N pedagesh	N qubutsquarterhebrew
N qamats	N quoteleftreversed
N qamats10	N rafe
N qamats1a	N rcedilla
N qamats1c	N reharabic
N qamats27	N resh
N qamats29	N reshhatafpatah
N qamats33	N reshhatafpatahhebrew
N qamatsde	N reshhatafsegol
N qamatshebrew	N reshhatafsegolhebrew
N qamatsnarrowhebrew	N reshhebrew
N qamatsqatanhebrew	N reshhiriq
N qamatsqatannarrowhebrew	N reshhiriqhebrew
N qamatsqatanquarterhebrew	N reshholam
N qamatsqatanwidehebrew	N reshholamhebrew
N qamatsquarterhebrew	N reshpatah
N qof	N reshpatahhebrew
N qofdagesh	N reshqamats
N qofhatafpatah	N reshqamatshebrew
N qofhatafpatahhebrew	N reshqbuts
N qofhatafsegol	N reshqbutshebrew
N qofhatafsegolhebrew	N reshsegol
N qofhebrew	N reshsegolhebrew
N qofhiriq	N reshsheva
N qofhiriqhebrew	N reshshevahebrew
N qofholam	N reshtsere
N qofholamhebrew	N reviahebrew
N qopatah	N samekh
N qopatahhebrew	N samekhdagesh
N qofqamats	N segol
N qofqamatshebrew	N segol13
N qofqubits	N segol1f

N segol2c	N tserequarterhebrew
N segolhebrew	N twoarabic
N segolarrowhebrew	N ublacute
N segolquarterhebrew	N vav
N sevenarabic	N vavdagesh
N sfthypen	N vavdagesh65
N shaddaarabic	N vavholam
N sheqel	N yerahbenyomohebrew
N sheva	N yod
N sheva115	N yoddagesh
N sheva15	N zayin
N sheva22	N zayindagesh
N sheva2e	N zdot
N shevahebrew	N zeroarabic
N shevanarrowhebrew	D unicodes
N shevaquarterhebrew	D cache
N shin	F is_known
N shindagesh	D known
N shindageshshindot	F load
N shindageshsindot	F make_unicode_vector
N shinshindot	D math
N shinsindot	N version
N siluqhebrew	<b>enhanceid</b> function
N sixarabic	<b>expansions</b> data table
N tav	<b>formats</b> data table
N tavdages	<b>getalternate</b> function
N tavdagesh	<b>getdiscexpansion</b> function
N tcedilla	<b>getkern</b> function
N tchehinitialarabic	<b>getmultiple</b> function
N tet	<b>getsubstitution</b> function
N tetedagesh	<b>getters</b> table
N tevirhebrew	T alternate
N thousandsseparatorarabic	F opentype
N threearabic	T kern
N tildecmb	F opentype
N tipehahebrew	F type1
N tsadi	T multiple
N tsadidagesh	F opentype
N tsere	T substitution
N tsere12	F opentype
N tsere1e	<b>goodies</b> table
N tsere2b	D colorschemes
N tserehebrew	D data
N tserenarrowhebrew	D designsizes

D filenames	F chainsubstitution
F getcompositions	F kern
T list	F ligature
F compositions	F multiple
F designsizes	F pair
F expansions	F substitution
F featureset	F register
F filenames	S stepkey
F files	F dataset
F mathematics	S defaultbasealternate
F protrusions	S defaultnodealternate
F solutions	D enhancers
F treatments	D features
F typefaces	F featuresprocessor
F load	F getalternate
F prepare_features	F getgsub
F register	F getkern
F registerpostprocessor	F getmultiple
F report	F getsubstitution
<b>handlers</b>	<b>table</b>
T afm	T handlers
B autoprefixed	F devanagari_remove_joiners
D cache	F devanagari_reorder_matras
D features	F devanagari_reorder_pre_base_reordered_consonants
F getkern	F devanagari_reorder_reph
T helpdata	F gpos_context
D bothkerned	F gpos_contextchain
D leftkerned	F gpos_cursive
D ligatures	F gpos_mark2base
D rightkerned	F gpos_mark2ligature
D texligatures	F gpos_mark2mark
F load	F gpos_pair
F setfeatures	F gpos_single
B syncspace	F gsub_alternate
N version	F gsub_context
T otf	F gsub_contextchain
F addfeature	F gsub_ligature
F basemodeinitializer	F gsub_multiple
D cache	F gsub_reversecontextchain
F collectlookups	F gsub_single
T coverup	F trigger_space_kerns
T actions	F load
F alternate	F nodemodeinitializer
F chainposition	F packoutlines
	T readers

F addunicodetable	F readinteger
D cache	F readinteger1
F cff	F readinteger2
F checkhash	F readinteger4
F cmap	F readstring
F compact	F readtag
F expand	F setposition
F extend	F size
F gdef	F skip
F getcomponents	F skiplong
F getinfo	F skipshort
F glyf	N tableversion
F gpos	F unpack
F gsub	N version
F head	F scriptandlanguage
F hhea	F setdynamics
F hmtx	F setfeatures
F kern	T statistics
F loadfont	D usedfeatures
F loadshapes	T tables
F loca	D baselines
F math	D features
F maxp	D featuretypes
F name	D languages
F os/2	D scripts
F pack	F unpackoutlines
F post	N version
F registerextender	T pfb
F rehash	T tfm
T streamreader	D features
F close	N maxnestingdepth
F getposition	N maxnestingsize
F look	F setfeatures
F open	N version
F read2dot14	T vf
F readbyte	T combinations
F readbytes	F combine
F readcardinal	T combiner
F readcardinal1	D commands
F readcardinal2	D helpers
F readcardinal3	D math
F readcardinal4	D predefined
F readchar	N version
F readfixed4	D whatever

<b>hashes</b>	table	F characters F descriptions F glyphs
D characters		
D csnames		
D descriptions		
D dynamics		F add_placeholders
D emwidths		D category_to_placeholder
D exheights		F format
D extensibles		F onetimemessage
D features		F register
D identifiers		F reportdefinedfonts
D italics		F reportusedfeatures
D lastmathids		
D marks		
D modes		F addtounicode
D originals		F fromunicodel6
D parameters		F loadfile
T processes		F loadline
D properties		F makenameparser
D quads		D overloads
D resources		F reset
T setdynamics		F tounicode
T shapes		F tounicode16
D spaces		F tounicode16sequence
D spacings		
D unicodes		
D variants		
D xheights		
<b>helpers</b>	table	
F addprivate		F boundingbox
F dimenfactor		F boxtomp
F expandglyph		F draw
F fontpatternhassize		F fill
F getdigitwidth		F maxbounds
F getparameters		F output
F getprivatenode		F paths
F hasprivate		F widthline
F indextoslot		F zeroiline
F name		
F nametoslot		
F setdigitwidth		
F splitfontpattern		
F tochar		
<b>infofont</b>	function	
<b>iterators</b>	table	
<b>loggers</b>	table	
<b>mappings</b>	table	
<b>metapost</b>	table	
<b>mp</b>	table	
<b>names</b>	data table	
<b>nulldata</b>	data table	
<b>protrusions</b>	data table	
<b>readers</b>	table	

F ofm		<b>setdiscrexpansion</b> function
F opentype		<b>specifiers</b> table
F otf		D contextmerged
F pfb		F contextnumber
D sequence		D contextnumbers
F tfm		D contextsetups
F ttc		F contexttostring
F ttf		F definecontext
<b>reserveid</b>	function	F mergecontext
<b>select</b>	table	F presetcontext
T data		F registercontext
F define		F showcontext
F definetypeface		F splitcontext
T fallbacks		D synonyms
F filterinput		D variants
T methods		<b>symbols</b> table
F default		F uselibrary
F features		<b>tables</b> table
F file		<b>tracers</b> table
F goodies		<b>treatments</b> table
F name		F applyfixes
F selectfont		D data
F simplefonts		S filename
F spec		F ignoredfile
F style		F report
F registerfallback		F trace
F searchfiles		<b>typefaces</b> data table

## functions (context)

**dummy** function

# graphics (context)

**backgrounds** table

F pair

F path

F point

F calculatemultipar

F fetchmultipar

## gzip (extra lua)

**close** function  
**lines** function  
**load** function

**open** function  
**save** function  
**suffix** function

## img (basic tex)

<b>boxes</b>	function	<b>ofindex</b>	function
<b>check</b>	function	<b>package</b>	function
<b>checkszie</b>	function	<b>print</b>	function
<b>clone</b>	function	<b>scan</b>	function
<b>copy</b>	function	<b>serialize</b>	function
<b>immediatewrite</b>	function	<b>totable</b>	function
<b>keys</b>	function	<b>types</b>	function
<b>new</b>	function	<b>write</b>	function
<b>node</b>	function		

# interactions (context)

<b>attachments</b>	data table	D functions
<b>fields</b>	table	D preambles
F clone		F setpreamble
F define		F storecode
F defineset		F storepreamble
F insert		F usepreamblenow
<b>general</b>	table	F usescripts
F getidentity		<b>linkedlists</b> data table
F setupidentity		<b>pages</b> table
<b>help</b>	table	F setpagetransition
F collect		F setupcanvas
F reference		<b>references</b> table
F register		F setclosedocument
<b>javascripts</b>	table	F setclosepage
F addtopreamble		F setopendocument
F code		F setopenpage
D codes		<b>renderings</b> data table
F flushpreambles		<b>soundclips</b> data table

# interfaces (context)

<b>addvalidkeys</b>	function	F MPplus
<b>cachedsetups</b>	data table	F MPpos
<b>cachesetup</b>	function	F MPposset
<b>checkedspecification</b>	function	F MPr
<b>complete</b>	data table	F MPrest
<b>constants</b>	data table	F MPrs
<b>corenamespaces</b>	data table	F MPul
<b>currentinterface</b>	string	F MPur
<b>currentresponse</b>	string	F MPw
<b>definecommand</b>	function	F MPx
<b>defined</b>	function	F MPxy
<b>doifelsemessage</b>	function	F MPxywhd
<b>elements</b>	data table	F MPy
<b>formats</b>	data table	F Romannumerals
<b>getcheckedparameters</b>	function	F abjadnodotnumerals
<b>getmessage</b>	function	F abjadnumerals
<b>getsetupstring</b>	function	F addcounter
<b>hashedsetups</b>	data table	F addfeature
<b>implement</b>	function	F addgrapheme
<b>interfacedcommand</b>	function	F addlinklistelement
<b>interfaces</b>	table	F addreplacements
<b>invalidkey</b>	function	F addtolumnset
<b>message</b>	function	F addtojavascriptpreamble
<b>namespaces</b>	table	F addtolist
F define		F addvalidinterfacekeys
F list		F allinputpaths
<b>registernamespace</b>	function	F alphabetic
<b>scanners</b>	table	F analysefloatmethod
F Alphabetic		F analyzeitemgroup
F Character		F analyzelist
F Characters		F analyzeregister
F MPLIBconvertoutlinetext		F applytobox
F MPc		F applytofirstcharacter
F MPd		F assignbuffer
F MPph		F autofinishstructurelevels
F MPll		F autonextspace
F MPlr		F autonextstructurelevel
F MPls		F autosetups
F MPn		F autostarttext
F MPp		F autostoptext
F MPpadata		F averagecharwidth

F bitmapimage	F btxloadreplacementfile
F blockcolumnset	F btxoneorrange
F boxtostring	F btxpreparelistentries
F bposcolumn	F btxremapauthor
F bposcolumnregistered	F btxsavedataset
F btxabbreviatedjournal	F btxsavejournallist
F btxaddentry	F btxsetdataset
F btxaddjournal	F btxsetentry
F btxauthor	F btxsetregister
F btxauthorfield	F btxsetspecification
F btxauthortoregister	F btxsingularorplural
F btxcollectlistentries	F btxtoregister
F btxcurrentfirstnames	F btxusedataset
F btxcurrentinitials	F btxuservariable
F btxcurrentjuniors	F buildtextaccent
F btxcurrentsurnames	F character
F btxcurrentvons	F characters
F btxdetail	F chardescription
F btxdirect	F checkcolumnset
F btxdoif	F checkcountersetup
F btxdoifelse	F checkedconversion
F btxdoifelsecombiinlist	F checkedpagefloat
F btxdoifelsesameasprevious	F checkinjector
F btxdoifelseuservariable	F checkinterfacechain
F btxdoifnot	F checktwopassdata
F btxexpandedjournal	F chemicalcomponent
F btxfetchlistentries	F chinesenumerals
F btxfield	F cleanfontname
F btxfieldname	F cleanupbox
F btxfieldtype	F cleanupplayers
F btxfirstofrange	F clonefield
F btxflush	F collectfloat
F btxflushlistcombi	F collecthelp
F btxflushlistentry	F colorcomponents
F btxflushmarked	F columnsetcurrentcolumn
F btxflushpages	F columnsetgoto
F btxfoundname	F columnsetnoto
F btxfoundtype	F concatcommalist
F btxhandlecite	F consultfloat
F btxhandlenocite	F convertbtxdatasettoxml
F btxlastofrange	F converteddimen
F btxlistvariant	F convertmpstopdf
F btxloaddefinitionfile	F copyposition
F btxloadjournallist	F cos

F cosd	F definelinkedlist
F countervalue	F definemarking
F counttwopassdata	F definemetafont
F currentcomponent	F definemultitonecolorglobal
F currentdate	F definenamespace
F currentdesignsize	F definenote
F currentenvironment	F defineparallel
F currentposthyphenchar	F defineparbuilder
F currentprehyphenchar	F defineprocesscolordummy
F currentproduct	F defineprocesscolorglobal
F currentproject	F defineprocesscolorlocal
F currentreferenceorder	F defineprogram
F currentsectiontolist	F definereference
F datasetvariable	F defineregister
F dayname	F definerule
F decimals	F definesectionlevels
F decrementcounter	F defineselectfont
F decrementedcounter	F defineshift
F decrementsubcounter	F definesnapmethod
F defineaccents	F definespotcolorglobal
F defineattribute	F definestructureblock
F definebreakpoint	F definestructureset
F definebreakpoints	F definetransparency
F definecharacterspacing	F definetwopasslist
F definechemical	F definetypeface
F definecolumnset	F defineviewerlayer
F defineconversion	F depthnumber
F definecounter	F digits_normal
F definedlayoutcomponent	F digits_reverse
F definefallbackfamily	F disableautofontscript
F definefield	F disabledirectives
F definefieldset	F disableexperiments
F definefilefallback	F disablejobsave
F definefilesynonym	F disableparbuilder
F definefont_one	F disableregime
F definefont_two	F disablespellchecking
F definefontfamily	F disablestatetriggering
F definefontfeature	F disablestream
F definefontsolution	F disabletrackers
F definehyphenationfeatures	F discardfromlist
F defineinsertion	F doanalyzeboxed
F defineintermediatecolor	F doifcommon
F definelabels	F doifcounter
F definelanguage	F doifelseblack

F doifelsebuffer	F doifelseurldefined
F doifelsecharinfont	F doifelseutfmathabove
F doifelsecommon	F doifelseutfmathaccent
F doifelsecontinuewithfile	F doifelseutfmathbelow
F doifelseconverter	F doifelseutfmathfiller
F doifelsecounter	F doifelsevisualizer
F doifelsecurrentfonthasfeature	F doiffieldsetelse
F doifelsedrawingblack	F dofinset
F doifelsefieldcategory	F doifnotcommon
F doifelsefiledefined	F doifnotcounter
F doifelsefileexist	F doifnotecontent
F doifelsefirstchar	F doifnoteonsamepageasprevious
F doifelsefontpresent	F doifnotinset
F doifelseinelement	F doifnotsame
F doifelseinputfile	F doiposition
F doifelseinset	F dofsame
F doifelseintwopassdata	F doprocesstypescriptfile
F doifelseleapyear	F doreshapeframedbox
F doifselisthasentry	F dosaveposition
F doifselisthasnumber	F dosavepositionplus
F doifselisthaspage	F dosavepositionwhd
F doifselisthastitle	F dosetposition
F doifselocfile	F dosetpositionbox
F doifelsemarking	F dosetpositionplus
F doifsemessag	F dosetpositionstrut
F doifelseobject	F dosetpositionwhd
F doifelseobjectreference	F dostarttextfile
F doifseolderversion	F dostoptextfile
F doifelseoverlapping	F elapsedtime
F doifelseparallel	F enableasciimode
F doifelseparentfile	F enableautofences
F doifsepatherist	F enableautofontscript
F doifelseposition	F enablebackgroundalign
F doifelsepositiononpage	F enablebackgroundboxes
F doifelsepositionsontsamepage	F enablecolor
F doifelsepositionsonthispage	F enablecolorintents
F doifelsepositionsused	F enablecrlf
F doifelserangeonpage	F enabledirectives
F doifelsereference	F enableexperiments
F doifelserighttoleftinbox	F enablefontcolorschemes
F doiflesesame	F enableinteraction
F doifleststackedfloats	F enableparbuilder
F doiflesesynonymshown	F enableregime
F doiflesesynonymused	F enablerules

F enableshifts	F figuresetdimensions
F enablespellchecking	F figurestatus
F enablestatetriggering	F figureused
F enablestream	F filterdefaultreference
F enabletrackers	F filterreference
F enabletransparency	F finalizebox
F enableutf	F findregisterinternal
F enhancelinkedlist	F findtwopassdata
F enhancelist	F finishcolumnsetflush
F enhancerefERENCE	F finishexport
F enhanceregISTER	F firstcountervalue
F eposcolumn	F firstinset
F eposcolumnregistered	F firstsubcountervalue
F erasebuffer	F flushcolumnsetareas
F execute	F flushcolumnsetcolumn
F expandcurrentreference	F flushcolumnsetrest
F exportformdata	F flushfloat
F exportpreferences	F flushlabeledfloat
F extendregister	F flushnotes
F extensiblecode	F flushpageinjectionsafter
F fakeword	F flushpageinjectionsbefore
F featureattribute	F flushpostponedblocks
F featurelist	F flushpostponednotes
F feedback	F flushstream
F fetchallmarks	F flushstreamcopy
F fetchmultipar	F fontchar
F fetchmultishape	F fontcharbyindex
F fetchonemark	F fontcollectionclone
F fetchposboxes	F fontcollectiondefine
F fetchtwomarks	F fontcollectionprepare
F figure_check	F fontcollectionregister
F figure_done	F fontcollectionreport
F figure_dummy	F fontcollectionreset
F figure_identify	F fontlookupgetkey
F figure_include	F fontlookupgetkeyofindex
F figure_mergegoodies	F fontlookupinitialize
F figure_pop	F fontlookupnofound
F figure_push	F forceendjob
F figure_reset	F forcequitjob
F figure_scale	F formatcolor
F figurefilename	F formatgray
F figurefilepath	F from
F figurefiletype	F frule
F figurerequest	F getbidimode

F getbodyfontsizes	F getsubstring
F getbuffer	F gettextbuffer
F getbufferctxlua	F gettwopassdata
F getbuffermkvi	F gettwopassdatalist
F getcheckedinterfaceparameters	F geturl
F getcurrentprefixspec	F getvisual
F getcurrentreferencemetadata	F hboxtovbox
F getdefaultfieldvalue	F helpaction
F getdocumentargument	F helppreference
F getdocumentfilename	F hexstringtonumber
F getelementtag	F horizontalcode
F getfieldcategory	F hour
F getfile	F hyphenatedlist
F getfirstcharacter	F hyphenatedurl
F getfirsttwopassdata	F immediatemessage
F getfloatvariable	F incrementcounter
F getfullstructurenumber	F incrementedcounter
F getinternalcachedlistreference	F incrementsubcounter
F getinternallistreference	F initializejob
F getlasttwopassdata	F initializemathdomain
F getmarking	F initializemathitalics
F getmathdomain	F initializestream
F getmathitalics	F initializetexdirectives
F getmessage	F initializetextrackers
F getmpextensions	F injectcurrentreference
F getmprandomnumber	F injectcurrentreferencehtdp
F getnaturaldimensions	F injectreference
F getnotestate	F inlinechemical
F getobjectdimensions	F inputfilebarenname
F getobjectreference	F inputfilename
F getobjectreferencepage	F inputfilerealsuffix
F getprivatechar	F inputfilesuffix
F getprogram	F insertattachment
F getrandomdimen	F insertcomment
F getrandomfloat	F insertfield
F getrandomnumber	F insertionnumber
F getrandomseed	F insertrenderingwindow
F getreadfilename	F installedlanguages
F getsetupstring	F installtexdirective
F getsomefullstructurenumber	F installtextracker
F getsomestructurenumber	F jobfilename
F getspecificstructuretitle	F jobfilesuffix
F getstructurelevel	F languagenumber
F getstructurenumber	F lastcountervalue

F lastsubcountervalue	F markingtitle
F lchexnumber	F markinjector
F lchexnumbers	F markregionbox
F leapyear	F markregionboxcorrected
F linenumbersstageone	F markregionboxtagged
F linenumbersstagetwo	F markvisualfonts
F listgroupindex	F mathfraction
F listlabel	F mathrenderset
F listlocation	F message
F listnamespaces	F metapostescaped
F listprefixednumber	F metapostformatted
F listprefixedpage	F metapostgraphformat
F listrealpage	F minute
F listsize	F mixcleanup
F listtitle	F mixfinalize
F listuserdata	F mixflushlist
F loadexamodes	F mixflushrest
F loadfontgoodies	F mixgetsplit
F loadluamodule	F mixsetsplit
F loadmapfile	F mixstate
F loadmapline	F molecule
F loadspellchecklist	F month
F loadtypescriptfile	F monthmnem
F loadvisualizer	F monthname
F locatefilepath	F mpcolor
F locfilename	F mpflushliteral
F lower	F mpflushreset
F lpdf_adddocumentcolorspace	F mpgettext
F lpdf_adddocumentextgstate	F mpgraphic
F lpdf_adddocumentpattern	F mpoptions
F lpdf_adddocumentshade	F mprunset
F lpdf_addtocatalog	F mpruntab
F lpdf_addtoinfo	F mprunvar
F lpdf_addtonames	F mpsetclippath
F lpdf_addtopageattributes	F mpsetoutercolor
F lpdf_addtopageresources	F mpsetsxsy
F lpdf_addtopagesattributes	F mpsettext
F lpdf_collectedresources	F mptexget
F lpdf_color	F mptexreset
F luascript	F mptexset
F luathread	F mptexsetfrombuffer
F lxmlid	F namedstructureuservariable
F markcontent	F namedstructurevariable
F markingnumber	F naturalwd

F nbfs	F popitaliccorrection
F nextcountervalue	F poplist
F nextparallel	F poppath
F nextsubcountervalue	F poprandomseed
F nofconversions	F popreferenceprefix
F nodays	F popregime
F nofstackedfloats	F popsectionblock
F notedeltapage	F postponenotes
F noteinternal	F prefixedconverted
F notelistindex	F preparecolumnsetflush
F noteprefixednumber	F presetsymbolist
F notetitle	F presettabulate
F ntimes	F prevcountervalue
F number	F previoussubcountervalue
F numbers	F processbodyfontsizes
F octnumber	F processbuffer
F octstringtonumber	F processcolorcomponents
F operatingsystem	F processedfile
F ordinal	F processedfiles
F outputfilename	F processfile
F overloadbookmark	F processfilemany
F overloaderror	F processfilenone
F overloadlowercase	F processfileonce
F overloaduppercase	F processjob
F pageofinternal	F processlist
F pagestaterealpage	F processregister
F parpos	F processsplit
F pdfrotation	F processsynonyms
F pdfstartmatrix	F profilebox
F pdfstartmirroring	F purefontname
F pdfstartrotation	F pushfloat
F pdfstartscaling	F pushhyphenation
F pdfstopmatrix	F pushitaliccorrection
F pdfstopmirroring	F pushlist
F pdfstoprotation	F pushpath
F pdfstopscaling	F pushrandomseed
F percentageof	F pushreferenceprefix
F pgfxcolorspec	F pushregime
F pickupbuffer	F pushsectionblock
F pickupmarkedcontent	F pushstream
F pickuppunctuation	F putincolumnset
F placeparallel	F rawcharacter
F popfloat	F rawcountervalue
F pophyphenation	F rawdate

F rawsetupstring	F resetcounter
F rawsubcountervalue	F reseteffect
F referencepagedetail	F resetfeature
F referencepagestate	F resetfontfeature
F referencerealpage	F resetfontsolution
F registerattachment	F resetinjector
F registerbackendsymbol	F resetitaliccorrection
F registerbodyfontsize	F resetmapfiles
F registerbookmark	F resetmarking
F registerbuttons	F resetmathattributes
F registercolorintent	F resetmathitalics
F registercolumnsetarea	F resetnullfont
F registeredviewerlayer	F resetparallel
F registerfigurepattern	F resetpath
F registerfiguresuffix	F resetprevdepth
F registerhelp	F resetreference
F registerhyphenationexception	F resetscript
F registerhyphenationpattern	F resetshownsynonyms
F registeritemgroup	F resetstructureprocessor
F registerlanguagefeatures	F resetsubcounter
F registerlinenumbering	F resettimer
F registermaintextcolor	F resettrackers
F registermpyfile	F resetusedsynonyms
F registernamedlua	F restartcounter
F registernamespace	F restartsubcounter
F registerobject	F restorecounter
F registerpostponedblock	F restorecurrentattributes
F registerreferencedobject	F restorenote
F registerrendering	F restoreobject
F registersection	F reuserandomseed
F registershownsynonym	F revivefeature
F registerstructureprocessor	F romannumerals
F registersynonym	F rounded
F registerunit	F runbuffer
F registerusedsynonym	F runcontextjob
F registeruserdata	F safechar
F relatemarking	F savebuffer
F renderingvar	F savecounter
F replacefeature	F savecurrentattributes
F replacepospxywhd	F savedlistnumber
F reportstructure	F savedlistprefixednumber
F resavefloat	F savedlisttitle
F resetcharacteralign	F savefloat
F resetcolumnset	F savemargindata

F savenote	F setfigurepaths
F savepagedata	F setfirstline
F savepageinjections	F setfontfeature
F saveparallel	F setfontofid
F savespecificfloat	F setfontsolution
F savestructureblock	F setformat
F savetaggedtwopassdata	F setformsmethod
F savetwopassdata	F sethsizecolumnset
F savevariable	F sethsizecolumnspan
F second	F sethyphenatedurlcharacters
F selectstructureblock	F sethyphenationfeatures
F setactivecatcodes	F sethyphenationmethod
F setbreakpoints	F setinitial
F setcharacteralign	F setinitialsectionblock
F setcharactercasing	F setinjector
F setcharactercleaning	F setinnerreferencemethod
F setcharacterkerning	F setinsertionlocation
F setcharacterspacing	F setinterfaceconstant
F setcharacterstripping	F setinterfaceelement
F setclosedocumentaction	F setinterfacemessage
F setclosepageaction	F setinterfacemessages
F setcolormodel	F setinterfacevariable
F setcolumnsetarea	F setinternalreference
F setcolumnsetlines	F setitaliccorrection
F setcolumnsetproperties	F setjavascriptpreamble
F setcolumnsetstart	F setjobcomment
F setcounter	F setlanguageexceptions
F setdataset	F setlanguagesynonym
F setdestinationattribute	F setlettercatcodes
F setdigitsmanipulation	F setmapfile
F setdirection	F setmapline
F setdocumentargument	F setmarking
F setdocumentcommandline	F setmathalphabet
F setdocumentctxfile	F setmathalternate
F setdocumentdefaultargument	F setmathattribute
F setdocumentenvironments	F setmathdirection
F setdocumentfilename	F setmathdomain
F setdocumentfilenames	F setmathitalics
F setdocumentmodes	F setmathstyle
F setdocumentmodules	F setmpextensions
F seteffect	F setnegative
F setelementuserproperties	F setnextinternalreference
F setfieldcalculationset	F setnextreferenceorder
F setfigurelookuporder	F setnotestate

F setopendocumentaction	F settagsynonym
F setopenpageaction	F settagtablecell
F setowncounter	F settagtabulatecell
F setownsubcounter	F setupbookmarks
F setpagecolormodel	F setupcanvas
F setpagestate	F setupcharacterspacing
F setpagestaterealpageno	F setupexport
F setpagetransition	F setupfontexpansion
F setparbuilder	F setupfontprotrusion
F setpdfcompression	F setupidentity
F setprofile	F setupinsertion
F setrandomseed	F setupitaliccorrection
F setrealign	F setuplinenumbering
F setrealspaces	F setuserinterface
F setreferencearguments	F setvalidinterfacekeys
F setreferenceoperation	F setvisual
F setregionbox	F setvisualfont
F setregionboxtagged	F setvisuallayer
F setregistermethod	F setvsizecolumnset
F setreplacements	F setxmpfile
F setscript	F showassignerror
F setsectionblock	F showattributes
F setsectionentry	F showcounter
F setstructureblockstate	F showdebuginfo
F setstructurelevel	F showdirectives
F setstructurenumber	F showdiscretionaries
F setsubcounter	F showexperiments
F settagaspect	F showhyphenatedinlist
F settagcombination	F showhyphenationtrace
F settagdelimitedsymbol	F showinjector
F settagfigure	F showjustification
F settaggedmetadata	F showlogcategories
F settaghighlight	F showmessage
F settagitem	F showtrackers
F settagitemgroup	F sin
F settaglist	F sind
F settagnotation	F splitfilename
F settagnotationsymbol	F spotcolorname
F settagproperty	F spotcolorparent
F settagproperty_b	F spotcolorvalue
F settagproperty_n	F startactualtext
F settagregister	F startchemical
F settagsorting	F startcolorset
F settagsubsentencesymbol	F startcomponent

F startenvironment	F structurevariable
F startfontsolution	F strwd
F startparbuilder	F subcountervalue
F startproduct	F subcountervalues
F startproject	F subsubcountervalues
F startregime	F subtractfeature
F startsectionlevel	F synchronizemarking
F startstream	F synchronizestream
F starttag	F synonymmeaning
F starttag_c	F synonymname
F starttag_d	F systemlog
F starttag_u	F tagmfunctionlab
F starttext	F tagmfunctiontxt
F startviewerlayer	F tan
F step	F tand
F stopactualtext	F texdefinition_one
F stopchemical	F texdefinition_two
F stopcolorset	F textime
F stopcomponent	F thefirstcharacter
F stopenvironment	F themaxboxwidth
F stopfontsolution	F theremainingcharacters
F stopparbuilder	F tochar
F stopproduct	F transparencycomponents
F stopproject	F triggerpagebuilder
F stopregime	F truefilename
F stopsectionlevel	F type
F stopstream	F typebuffer
F stoptag	F typefile
F stoptext	F uchar
F stopviewerlayer	F uchexnumber
F storejavascriptcode	F uchexnumbers
F storejavascriptpreamble	F undefinechemical
F storenote	F unicodechar
F storeregister	F unihex
F strdp	F unit_normal
F strhd	F unit_reverse
F strht	F unloadlanguage
F strip	F upper
F structureautocatcodedget	F useMPlibrary
F structurecatcodedget	F useanyfile
F structuregivencatcodedget	F useanyfileonce
F structurenumber	F usecldfile
F structuretitle	F usecldfileonce
F structureuservariable	F usecolors

F usecomponent	F x_table_create
F useenvironment	F x_table_finish_row
F usefigurebase	F x_table_flush
F usefile	F x_table_init_construct
F usejavascriptpreamble	F x_table_init_reflow_height
F usejavascriptsheets	F x_table_init_reflow_height_option
F useluofile	F x_table_init_reflow_width
F useluofileonce	F x_table_init_reflow_width_option
F useluamodule	F x_table_next_row
F usemodules	F x_table_next_row_option
F usepath	F x_table_r
F useproduct	F x_table_reflow_height
F useproject	F x_table_reflow_width
F usesubpath	F x_table_set_construct
F usesymbols	F x_table_set_reflow_height
F usetexfile	F x_table_set_reflow_width
F usetexfileonce	F xmloffindex
F useurl	F xmllaftersetup
F usexmlfile	F xmlall
F usexmlfileonce	F xmlappendsetup
F usezipfile	F xmlapplyselectors
F utfchar	F xmlatt
F utfmathclass	F xmlattdef
F utfmathcommand	F xmlattribute
F utfmathcommandabove	F xmlattributedef
F utfmathcommandbelow	F xmlbadinclusions
F utfmathcommandfiller	F xmlbeforesetup
F utfmathfiller	F xmlchainatt
F utfmathstretch	F xmlchainattdef
F vboxlisttohbox	F xmlchecknamespace
F verbose	F xmlcommand
F vspacing	F xmlconcat
F vspacingscollapse	F xmlconcatrange
F vspacingscollapseonly	F xmlcontext
F vspacingsdefine	F xmlcount
F vspacingsetamount	F xmldelete
F vspacingsnap	F xmldirect
F way	F xmldirectives
F weekday	F xmldirectivesafter
F weekdayname	F xmldirectivesbefore
F writestatus	F xmldisplayverbatim
F x_table_c	F xmldoif
F x_table_cleanup	F xmldoifelse
F x_table_construct	F xmldoifelseempty

F	xmldoifelseempty	F	xmlprependsetup
F	xmldoifsettext	F	xmlpure
F	xmldoisempty	F	xmlraw
F	xmldoifnot	F	xmlrawtex
F	xmldoifnotempty	F	xmlrefatt
F	xmldoifnotselfempty	F	xmlregistersns
F	xmldoifnottext	F	xmlremapname
F	xmldoifselfempty	F	xmlremapnamespace
F	xmldoiftext	F	xmlremovesetup
F	xmlelement	F	xmlresetinjectors
F	xmlfilter	F	xmlresetsetups
F	xmlfilterlist	F	xmlsave
F	xmlfirst	F	xmlsetcommandtonone
F	xmlflush	F	xmlsetcommandtotext
F	xmlflushcontext	F	xmlsetentity
F	xmlflushlinewise	F	xmlsetinjectors
F	xmlflushpure	F	xmlsetsetup
F	xmlflushsetups	F	xmlsnippet
F	xmlflushspacewise	F	xmlstarraw
F	xmlflushtext	F	xmlstarttiming
F	xmlfunction	F	xmlstopraw
F	xmlgetindex	F	xmlstoptiming
F	xmlinclude	F	xmlstrip
F	xmlincludedeoptions	F	xmlstripanywhere
F	xmlinclusion	F	xmlstripnolines
F	xmlinclusions	F	xmlstripped
F	xmlindex	F	xmlstrippednolines
F	xmlinlineverbatim	F	xmltag
F	xmlinstalldirective	F	xmltexentity
F	xmllast	F	xmltext
F	xmllastatt	F	xmltobuffer
F	xmllastmatch	F	xmltobufferverbose
F	xmlload	F	xmltofile
F	xmlloadbuffer	F	xmltoparameters
F	xmlloaddata	F	xmlverbatim
F	xmlloaddirectives	F	xmlwithindex
F	xmlloadentities	F	year
F	xmlmain	<b>setconstant</b>	function
F	xmlmatch	<b>setcount</b>	function
F	xmlname	<b>setdimen</b>	function
F	xmlnamespace	<b>setelement</b>	function
F	xmlnonamespace	<b>setformat</b>	function
F	xmlpath	<b>setmacro</b>	function
F	xmlpos	<b>setmessage</b>	function

<b>setmessages</b>	function	<b>storedscanners</b>	data table
<b>settranslation</b>	function	<b>strings</b>	table
<b>setupstrings</b>	data table	<b>syntax</b>	data table
<b>setuserinterface</b>	function	<b>tolist</b>	function
<b>setvalidkeys</b>	function	<b>translations</b>	data table
<b>setvariable</b>	function	<b>variables</b>	data table
<b>showmessage</b>	function	<b>writestatus</b>	function

## io (basic lua)

<b>ask</b>	function	<b>pathseparator</b>	string
<b>bytes</b>	function	<b>popen</b>	overloaded function
<b>characters</b>	function	<b>read</b>	function
<b>close</b>	function	<b>readall</b>	function
<b>exists</b>	function	<b>readnumber</b>	function
<b>fileseparator</b>	string	<b>readstring</b>	function
<b>flush</b>	function	<b>savedata</b>	function
<b>input</b>	overloaded function	<b>size</b>	function
<b>lines</b>	overloaded function	<b>stderr</b>	userdata
<b>loadchunk</b>	function	<b>stdin</b>	userdata
<b>loaddata</b>	function	<b>stdout</b>	userdata
<b>loadlines</b>	function	<b>tmpfile</b>	function
<b>noflines</b>	function	<b>type</b>	function
<b>open</b>	overloaded function	<b>write</b>	function
<b>output</b>	overloaded function		

## jit (context)

<b>arch</b>	string	F start
<b>attach</b>	function	<b>os</b> string
<b>flush</b>	function	<b>status</b> function
<b>off</b>	function	<b>version</b> string
<b>on</b>	function	<b>version_num</b> number
<b>opt</b>	table	

# job (context)

<b>comment</b>	function	F find
<b>datasets</b>	table	F first
D collected		F get
F extend		F getcollected
F getdata		F getdata
F setdata		F getfield
D tobesaved		F gettobesaved
<b>disablesave</b>	function	F inlist
<b>fileobjreferences</b>	table	F last
D collected		F list
D tobesaved		F save
<b>files</b>	table	F savetagged
D collected		D tobesaved
F context		<b>positions</b> table
B forcerun		F b_col
F run		F b_region
D tobesaved		F c
<b>initialize</b>	function	D collected
<b>load</b>	function	F column
<b>loadother</b>	function	F copy
<b>objects</b>	table	F depth
D collected		F e_col
F get		F e_region
F number		F enhance
F page		F extra
F save		F get
F set		F getreserved
D tobesaved		F hangafter
<b>pack</b>	boolean	F hangindent
<b>packversion</b>	number	F height
<b>pagestates</b>	table	F hsize
D collected		F leftskip
F extend		F lowerleft
F realpage		F lowerright
F setstate		F markregionbox
D tobesaved		F n
<b>passes</b>	table	F onsamepage
F check		F overlapping
D collected		F p
F count		F page
F define		F paragraph

F parindent	<b>save</b>	function
F position	<b>structure</b>	table
F r	D collected	
F region	T components	
F replace	T tobesaved	
F rightskip	T branches	
F set	S name	
F setall	S type	
F setdim	<b>variables</b>	table
F setregionbox	D checksums	
D tobesaved	D collected	
F upperleft	F getchecksum	
F upperright	F makechecksum	
S used	F restore	
F width	F save	
F x	F setchecksum	
F xy	D tobesaved	
F y	<b>version</b>	number
<b>register</b>	function	

## lang (basic tex)

<code>clean</code>	function	<code>id</code>	function
<code>clear_hyphenation</code>	function	<code>new</code>	function
<code>clear_patterns</code>	function	<code>patterns</code>	function
<code>exceptions</code>	function	<code>postexhyphenchar</code>	function
<code>gethjcode</code>	function	<code>posthyphenchar</code>	function
<code>hyphenate</code>	function	<code>preexhyphenchar</code>	function
<code>hyphenation</code>	function	<code>prehphenchar</code>	function
<code>hyphenationmin</code>	function	<code>sethjcode</code>	function

# languages (context)

<b>associate</b>	function	F registerpattern
<b>associated</b>	data table	F setfeatures
<b>association</b>	function	<b>installed</b>
<b>counters</b>	data table	<b>labels</b>
<b>current</b>	function	F define
<b>data</b>	data table	F split
<b>decimals</b>	data table	<b>loadable</b>
<b>define</b>	function	<b>loadwords</b>
<b>expand</b>	function	<b>logger</b>
<b>expanders</b>	table	F report
<b>frequencies</b>	table	<b>numbers</b>
F averagecharwidth		data table
F getdata		<b>postexhyphenchar</b>
<b>getdata</b>	function	<b>posthyphenchar</b>
<b>getnumber</b>	function	<b>preexhyphenchar</b>
<b>hyphenate</b>	function	<b>prehypenchar</b>
<b>hyphenators</b>	table	<b>registered</b>
T dictionaries		<b>replacements</b>
D featuresets		F add
F handler		F handler
T methods		F set
F expanded		<b>serializediscretionary</b>
B none		<b>setexceptions</b>
F original		<b>setsynonym</b>
F tex		<b>showdiscretionaries</b>
F traditional		<b>unload</b>
B optimize		<b>urls</b>
F popmethod		D characters
F pushmethod		N lefthyphenmin
F setmethod		D mapping
F setup		B packslashes
F showhyphenationtrace		N righthyphenmin
T traditional		F setcharacters
F definefeatures		<b>version</b>
F gettrace		<b>visualizediscretionaries</b>
F hyphenate		<b>words</b>
F injecthyphens		F check
F installmethod		T data
F lasttrace		F disable
F loadpatterns		F enable
F registerexception		T enablers
		B enables

F found

F load

T methods

N threshold

# layouts (context)

**status** table

F isleftpage

F leftorrightpagection

## lfs (extra lua)

<b>attributes</b>	overloaded function	<b>mkdirs</b>	function
<b>chdir</b>	overloaded function	<b>readlink</b>	overloaded function
<b>currentdir</b>	function	<b>rmdir</b>	overloaded function
<b>dir</b>	overloaded function	<b>setmode</b>	overloaded function
<b>isdir</b>	overloaded function	<b>shortname</b>	overloaded function
<b>isfile</b>	overloaded function	<b>symlinkattributes</b>	overloaded function
<b>lock</b>	function	<b>touch</b>	overloaded function
<b>lock_dir</b>	overloaded function	<b>unlock</b>	function
<b>mkdir</b>	overloaded function		

## libraries (context)

**basiclua** data table  
**basictex** data table  
**builtin** data table  
**extralua** data table

**extratex** data table  
**functions** data table  
**globals** data table

# lmx (context)

<b>color</b>	function	<b>loadedfile</b>	function
<b>convert</b>	function	<b>make</b>	function
<b>convertfile</b>	function	<b>new</b>	function
<b>convertstring</b>	function	<b>overloaderror</b>	function
<b>einject</b>	function	<b>popupfile</b>	function
<b>eprint</b>	function	<b>print</b>	function
<b>escape</b>	function	<b>pv</b>	function
<b>finalized</b>	function	<b>report</b>	function
<b>finject</b>	function	<b>reset</b>	function
<b>fprint</b>	function	<b>result</b>	function
<b>get</b>	function	<b>set</b>	function
<b>getvariables</b>	function	<b>show</b>	function
<b>htmfile</b>	function	<b>showdebuginfo</b>	function
<b>html</b>	table	<b>showerror</b>	function
F a		<b>stripcss</b>	function
F td		<b>tv</b>	function
F th		<b>type</b>	function
<b>include</b>	function	<b>urlescape</b>	function
<b>inherited</b>	table	<b>variable</b>	function
S color-background-four		<b>variables</b>	table
S color-background-one		S color-background-blue	
S color-background-three		S color-background-body	
S color-background-two		S color-background-green	
S title		S color-background-main	
<b>initialize</b>	function	S color-background-purple	
<b>inject</b>	function	S color-background-yellow	
<b>lmxfile</b>	function	S title-default	

## logs (context)

<b>application</b>	function	<b>reportlines</b>	function
<b>categories</b>	function	<b>setformats</b>	function
<b>direct</b>	function	<b>setformatters</b>	function
<b>disable</b>	function	<b>setlogfile</b>	function
<b>enable</b>	function	<b>setmessenger</b>	function
<b>exporters</b>	table	<b>setprocessor</b>	function
<b>extendbanner</b>	function	<b>setprogram</b>	function
<b>flush</b>	function	<b>settarget</b>	function
<b>help</b>	function	<b>settimedlog</b>	function
<b>messenger</b>	function	<b>settranslations</b>	function
<b>new</b>	function	<b>show</b>	function
<b>newline</b>	function	<b>show_close</b>	function
<b>poptarget</b>	function	<b>show_load</b>	function
<b>pushtarget</b>	function	<b>show_open</b>	function
<b>report</b>	function	<b>simple</b>	function
<b>reportbanner</b>	function	<b>simpleline</b>	function
<b>reporter</b>	function	<b>simplelines</b>	function
<b>reporters</b>	table	<b>start_page_number</b>	function
F banner		<b>status</b>	function
F export		<b>stop_page_number</b>	function
F help		<b>subdirect</b>	function
F info		<b>subreport</b>	function
F lines		<b>system</b>	function
F version		<b>texterrormessage</b>	function
<b>reportline</b>	function	<b>writer</b>	function

# lpdf (context)

<b>action</b>	function	<b>finalizedocument</b>	function
<b>adddocumentcolorspace</b>	function	<b>finalizepage</b>	function
<b>adddocumenttextgstate</b>	function	<b>finishtransparencycode</b>	function
<b>adddocumentpattern</b>	function	<b>flushobject</b>	function
<b>adddocumentshade</b>	function	<b>flushstreamfileobject</b>	function
<b>addtocatalog</b>	function	<b>flushstreamobject</b>	function
<b>addtinfo</b>	function	<b>formats</b>	data table
<b>addtonames</b>	function	<b>frompdfdoc</b>	function
<b>addtopageattributes</b>	function	<b>fromsixteen</b>	function
<b>addtopageresources</b>	function	<b>gethpos</b>	function
<b>addtopagesattributes</b>	function	<b>getmatrix</b>	function
<b>addxmpinfo</b>	function	<b>getpos</b>	function
<b>annotationspecification</b>	function	<b>getvpos</b>	function
<b>array</b>	function	<b>graycode</b>	function
<b>boolean</b>	function	<b>hasmatrix</b>	function
<b>border</b>	function	<b>id</b>	function
<b>checkedkey</b>	function	<b>injectxmpinfo</b>	function
<b>checkedvalue</b>	function	<b>insertxmpinfo</b>	function
<b>circularshade</b>	function	<b>layerreference</b>	function
<b>cmykcode</b>	function	<b>limited</b>	function
<b>collectedresources</b>	function	<b>linearshade</b>	function
<b>color</b>	function	<b>nametree</b>	function
<b>colorspace</b>	function	<b>null</b>	function
<b>colorspaceconstants</b>	data table	<b>number</b>	function
<b>colorspec</b>	function	<b>pagerefERENCE</b>	function
<b>colorvalue</b>	function	<b>pdfcolor</b>	function
<b>colorvalues</b>	function	<b>pdftimestamp</b>	function
<b>constant</b>	function	<b>permitdetail</b>	function
<b>delayedobject</b>	function	<b>protectresources</b>	boolean
<b>destinationspecification</b>	function	<b>rectangle</b>	function
<b>dictionary</b>	function	<b>reference</b>	function
<b>docstring</b>	function	<b>registerannotation</b>	function
<b>epdf</b>	table	<b>registerdestination</b>	function
F contenttotext		<b>registerdocumentfinalizer</b>	function
F expand		<b>registerpagefinalizer</b>	function
F expanded		<b>reserveobject</b>	function
F getpagecontent		<b>rgbcode</b>	function
F getstructure		<b>rotationcm</b>	function
F load		<b>setdates</b>	function
F unload		<b>settime</b>	function
<b>escaped</b>	function	<b>settrailerid</b>	function

<b>shareobject</b>	function	<b>transform</b>	function
<b>shareobjectreference</b>	function	<b>transparency</b>	function
<b>spotcode</b>	function	<b>transparencycode</b>	function
<b>stream</b>	function	<b>transparencygroups</b>	table
<b>string</b>	function	B none	
<b>timestamp</b>	function	<b>transparencyvalue</b>	function
<b>toeight</b>	function	<b>unicode</b>	function
<b>topdfdoc</b>	function	<b>verbose</b>	function
<b>tosixteen</b>	function		

# lpeg (basic lua)

B	function	finder	function
C	function	firstofsplit	function
Carg	function	frontstripper	function
Cb	function	instringchecker	function
Cc	function	is_lpeg	function
Cf	function	keeper	function
Cg	function	locale	function
Cmt	function	match	function
Cp	function	oneof	function
Cs	function	patterns	data table
Ct	function	pcode	function
P	function	print	function
R	function	ptree	function
S	function	replacer	function
UP	function	secondofsplit	function
UR	function	setmaxstack	function
US	function	split	function
V	function	splitat	function
afterprefix	function	splitter	function
anywhere	function	stripper	function
append	function	times	function
balancer	function	tsplitat	function
beforesuffix	function	tsplitter	function
checkedsplit	function	type	function
counter	function	utfchartabletopattern	function
endstripper	function	version	function

## ltn12 (extra lua)

<b>BLOCKSIZE</b>	number	F simplify
<b>filter</b>	table	F table
	F chain	<b>source</b> table
	F cycle	F cat
<b>pump</b>	table	F chain
	F all	F empty
	F step	F error
<b>sink</b>	table	F file
	F chain	F rewind
	F error	F simplify
	F file	F string
	F null	

## lua (basic tex)

<b>bytecode</b>	<b>table</b>	<b>lastbytecode</b>	number
<b>bytedata</b>	data table	<b>mask</b>	string
<b>bytedone</b>	table	<b>messages</b>	data table
B page-cst		<b>name</b>	table
<b>collectgarbage</b>	function	<b>numbers</b>	data table
<b>delay</b>	function	<b>registercode</b>	function
<b>finalize</b>	function	<b>registeredcodes</b>	function
<b>firstbytecode</b>	number	<b>registerfinalizer</b>	function
<b>flush</b>	function	<b>registername</b>	function
<b>flushdelayed</b>	function	<b>setbytecode</b>	function
<b>get_functions_table</b>	function	<b>setluaname</b>	function
<b>getbytecode</b>	function	<b>startupfile</b>	string
<b>getluaname</b>	function	<b>version</b>	string

## luatex (context)

**cleanuptempfiles**    function  
**registerdumpactions**    function  
**registerstartactions**    function

**registerstopactions**    function  
**registertempfile**    function  
**starttime**    number

# lxml (context)

<b>addindex</b>	function	<b>flush</b>	function
<b>all</b>	function	<b>flushlinewise</b>	function
<b>applyfunction</b>	function	<b>flushsetups</b>	function
<b>applyselectors</b>	function	<b>flushspacewise</b>	function
<b>att</b>	function	<b>get_id</b>	function
<b>attribute</b>	function	<b>getid</b>	function
<b>bardinclusions</b>	function	<b>getindex</b>	function
<b>chainattribute</b>	function	<b>id</b>	function
<b>checkindex</b>	function	<b>idsplitter</b>	userdata
<b>collected</b>	function	<b>include</b>	function
<b>command</b>	function	<b>inclusion</b>	function
<b>concat</b>	function	<b>inclusions</b>	function
<b>concatrange</b>	function	<b>index</b>	function
<b>content</b>	function	<b>inlineverbatim</b>	function
<b>context</b>	function	<b>installsetup</b>	function
<b>convert</b>	function	<b>last</b>	function
<b>count</b>	function	<b>lastatt</b>	function
<b>delete</b>	function	<b>lastmatch</b>	function
<b>direct</b>	function	<b>load</b>	function
<b>directives</b>	table	<b>loadbuffer</b>	function
F after		<b>loaddata</b>	function
F before		<b>loaded</b>	table
F handle		<b>main</b>	function
F load		<b>match</b>	function
F setup		<b>name</b>	function
<b>displayverbatim</b>	function	<b>namespace</b>	function
<b>doif</b>	function	<b>nonspace</b>	function
<b>doifelse</b>	function	<b>path</b>	function
<b>doifelseempty</b>	function	<b>pos</b>	function
<b>doifelsestext</b>	function	<b>position</b>	function
<b>doisempty</b>	function	<b>pure</b>	function
<b>doifnot</b>	function	<b>raw</b>	function
<b>doifnotempty</b>	function	<b>rawroot</b>	function
<b>doifnottext</b>	function	<b>rawtex</b>	function
<b>doiftext</b>	function	<b>refatt</b>	function
<b>element</b>	function	<b>register</b>	function
<b>elements</b>	function	<b>registerentity</b>	function
<b>entities</b>	data table	<b>removesetup</b>	function
<b>filter</b>	function	<b>resetcdata</b>	function
<b>filterlist</b>	function	<b>resetsetup</b>	function
<b>first</b>	function	<b>resolvedentity</b>	function

<b>root</b>	function	<b>startraw</b>	function
<b>save</b>	function	<b>startunescape</b>	function
<b>serialize</b>	function	<b>stopraw</b>	function
<b>setaction</b>	function	<b>stopunescape</b>	function
<b>setcdata</b>	function	<b>store</b>	function
<b>setcommandtonone</b>	function	<b>strip</b>	function
<b>setcommandtotext</b>	function	<b>stripped</b>	function
<b>setup</b>	function	<b>tag</b>	function
<b>snippet</b>	function	<b>text</b>	function
<b>sorters</b>	table	<b>tobuffer</b>	function
F add		<b>tofile</b>	function
F compare		<b>toparameters</b>	function
F flush		<b>toverbatim</b>	function
F reset		<b>verbatim</b>	function
F show		<b>withindex</b>	function
F sort		<b>xmltexhandler</b>	data table
<b>splitid</b>	function		

## math (basic lua)

<b>abs</b>	function	<b>log10</b>	function
<b>acos</b>	function	<b>max</b>	function
<b>asin</b>	function	<b>min</b>	function
<b>atan</b>	function	<b>mod</b>	function
<b>atan2</b>	function	<b>modf</b>	function
<b>ceil</b>	function	<b>odd</b>	function
<b>ceiling</b>	function	<b>pi</b>	number
<b>cos</b>	function	<b>pow</b>	function
<b>cosd</b>	function	<b>rad</b>	function
<b>cosh</b>	function	<b>random</b>	function
<b>deg</b>	function	<b>randomseed</b>	function
<b>div</b>	function	<b>round</b>	function
<b>even</b>	function	<b>setrandomseedi</b>	function
<b>exp</b>	function	<b>sin</b>	function
<b>floor</b>	function	<b>sind</b>	function
<b>fmod</b>	function	<b>sinh</b>	function
<b>frexp</b>	function	<b>sqrt</b>	function
<b>huge</b>	number	<b>tan</b>	function
<b>initialseed</b>	number	<b>tand</b>	function
<b>ldexp</b>	function	<b>tanh</b>	function
<b>log</b>	function		

# mathematics (context)

<b>addfallbacks</b>	function	<b>makefont</b>	function
<b>alphabets</b>	data table	<b>mapremap</b>	data table
<b>alternatives</b>	data table	<b>overloaddimensions</b>	function
<b>big</b>	function	<b>overloadparameters</b>	function
<b>boldmap</b>	data table	<b>privatebase</b>	number
<b>categories</b>	table	<b>registerdomain</b>	function
D functions		<b>remapalphabets</b>	function
<b>charactersets</b>	data table	<b>renderings</b>	table
<b>checkaccentbaseheight</b>	function	D mappings	
<b>checkprivateparameters</b>	function	D numbers	
<b>classes</b>	data table	D sets	
<b>codes</b>	data table	<b>renderset</b>	function
<b>define</b>	function	<b>resetattributes</b>	function
<b>dimensions</b>	function	<b>resetitalics</b>	function
<b>domains</b>	table	<b>scaleparameters</b>	function
<b>extensiblecode</b>	function	<b>setalternate</b>	function
<b>extensibles</b>	data table	<b>setdomain</b>	function
<b>extrabase</b>	number	<b>setitalics</b>	function
<b>extras</b>	table	<b>sets</b>	data table
F add		<b>styles</b>	data table
F copy		<b>syncboth</b>	function
<b>fallbacks</b>	table	<b>syncname</b>	function
F apply		<b>syncstyle</b>	function
F install		<b>toname</b>	function
<b>fallbackstyleattr</b>	function	<b>tostyle</b>	function
<b>families</b>	data table	<b>tweakaftercopyingfont</b>	function
<b>gaps</b>	data table	<b>tweakbeforecopyingfont</b>	function
<b>getboth</b>	function	<b> tweaks</b>	table
<b>getdomain</b>	function	<b>utfmathaccent</b>	function
<b>getitalics</b>	function	<b>utfmathclass</b>	function
<b>getstyle</b>	function	<b>utfmathcommand</b>	function
<b>horizontalcode</b>	function	<b>utfmathfiller</b>	function
<b>initializeparameters</b>	function	<b>utfmathstretch</b>	function
<b>injectfallbacks</b>	function		

## mbox (context)

**parse** function  
**parse\_from** function  
**parse\_header** function  
**parse\_headers** function

**parse\_message** function  
**split\_headers** function  
**split\_mbox** function  
**split\_message** function

## md5 (extra lua)

**HEX**      function  
**crypt**    function  
**dec**      function  
**decrypt** function

**exor**     function  
**hex**      function  
**sum**      function  
**sumhexa** function

# metapost (context)

<b>analyzeplugins</b>	function	<b>gettext</b>	function
<b>checkformat</b>	function	<b>graphic</b>	function
<b>checktexts</b>	function	<b>graphic_base_pass</b>	function
<b>collapse</b>	boolean	<b>initializescriptrunner</b>	function
<b>colorinitializer</b>	function	<b>instance</b>	function
<b>convert</b>	function	<b>intermediate</b>	table
<b>defaultformat</b>	string	T actions	
<b>defaultinstance</b>	string	F makempy	
<b>defaultmethod</b>	string	<b>lastlog</b>	string
<b>directrun</b>	function	<b>load</b>	function
<b>escaped</b>	function	<b>makempy</b>	table
<b>execetime</b>	table	N nofconverted	
<b>extensiondata</b>	data table	F processgraphics	
<b>filterclippath</b>	function	F registerfile	
<b>flush</b>	function	<b>maketext</b>	function
<b>flushers</b>	table	<b>metafun</b>	table
T pdf		F interpolate	
F comment		F topath	
F flushfigure		<b>method</b>	number
F startfigure		<b>mptopdf</b>	table
F stopfigure		F converttmpstopdf	
F textfigure		N nofconverted	
<b>flushliteral</b>	function	<b>n</b>	number
<b>flushnormalpath</b>	function	<b>nvformat</b>	function
<b>flushreset</b>	function	<b>optimize</b>	boolean
<b>fonts</b>	table	<b>parse</b>	function
F define		<b>pdf literals</b>	function
T flusher		<b>pluginactions</b>	function
F flushfigure		<b>process</b>	function
F startfigure		<b>processplugins</b>	function
F stopfigure		<b>processspecial</b>	function
N instances		<b>properties</b>	table
F process		<b>quickanddirty</b>	function
<b>format</b>	function	<b>reducetogray</b>	boolean
<b>format_number</b>	function	<b>reporterror</b>	function
<b>format_string</b>	function	<b>reset</b>	function
<b>formatnumber</b>	function	<b>resetlastlog</b>	function
<b>getclippath</b>	function	<b>resetplugins</b>	function
<b>getextensions</b>	function	<b>runscript</b>	function
<b>getjobdata</b>	function	<b>scripterror</b>	function
<b>getstatistics</b>	function	<b>setextensions</b>	function

<b>setoutercolor</b>	function	F setfrombuffer
<b>settext</b>	function	<b>texerrors</b> boolean
<b>showlog</b>	boolean	<b>textextsdata</b> function
<b>simple</b>	function	<b>theclippath</b> function
<b>svformat</b>	function	<b>totable</b> function
<b>tex</b>	table	<b>unload</b> function
F get		<b>untagvariable</b> function
F reset		<b>variables</b> table
F set		

## **mime (extra lua)**

<b>b64</b>	function	<b>qp</b>	function
<b>decode</b>	function	<b>qpwrp</b>	function
<b>decodet</b>	table	<b>stuff</b>	function
F base64		<b>unb64</b>	function
F quoted-printable		<b>unqp</b>	function
<b>dot</b>	function	<b>wrap</b>	function
<b>encode</b>	function	<b>wrapt</b>	table
<b>encodet</b>	table	F base64	
F base64		F default	
F quoted-printable		F quoted-printable	
<b>eol</b>	function	F text	
<b>normalize</b>	function	<b>wrp</b>	function

# mp (context)

<b>BackSpace</b>	function	<b>OverlayDepth</b>	function
<b>BaseLineSkip</b>	function	<b>OverlayHeight</b>	function
<b>BodyFontSize</b>	function	<b>OverlayLineWidth</b>	function
<b>BottomDistance</b>	function	<b>OverlayOffset</b>	function
<b>BottomHeight</b>	function	<b>OverlayWidth</b>	function
<b>BottomSpace</b>	function	<b>PageDepth</b>	function
<b>CurrentColumn</b>	function	<b>PageFraction</b>	function
<b>CurrentHeight</b>	function	<b>PageNumber</b>	function
<b>CurrentWidth</b>	function	<b>PageOffset</b>	function
<b>CutSpace</b>	function	<b>PaperBleed</b>	function
<b>EmWidth</b>	function	<b>PaperHeight</b>	function
<b>ExHeight</b>	function	<b>PaperWidth</b>	function
<b>FooterDistance</b>	function	<b>PrintPaperHeight</b>	function
<b>FooterHeight</b>	function	<b>PrintPaperWidth</b>	function
<b>HSize</b>	function	<b>RealPageNumber</b>	function
<b>HeaderDistance</b>	function	<b>RightEdgeDistance</b>	function
<b>HeaderHeight</b>	function	<b>RightEdgeWidth</b>	function
<b>InPageBody</b>	function	<b>RightMarginDistance</b>	function
<b>InnerEdgeDistance</b>	function	<b>RightMarginWidth</b>	function
<b>InnerEdgeWidth</b>	function	<b>SpineWidth</b>	function
<b>InnerMarginDistance</b>	function	<b>StrutDepth</b>	function
<b>InnerMarginWidth</b>	function	<b>StrutHeight</b>	function
<b>LastPageNumber</b>	function	<b>TextHeight</b>	function
<b>LayoutColumnDistance</b>	function	<b>TextWidth</b>	function
<b>LayoutColumnWidth</b>	function	<b>TopDistance</b>	function
<b>LayoutColumns</b>	function	<b>TopHeight</b>	function
<b>LeftEdgeDistance</b>	function	<b>TopSkip</b>	function
<b>LeftEdgeWidth</b>	function	<b>TopSpace</b>	function
<b>LeftMarginDistance</b>	function	<b>VSize</b>	function
<b>LeftMarginWidth</b>	function	<b>_f_</b>	function
<b>LineHeight</b>	function	<b>boolean</b>	function
<b>MakeupHeight</b>	function	<b>dataset</b>	function
<b>MakeupWidth</b>	function	<b>datasets</b>	table
<b>NOfColumns</b>	function		F load
<b>NOfPages</b>	function	<b>defaultcolormodel</b>	function
<b>OnOddPage</b>	function	<b>format</b>	function
<b>OnRightPage</b>	function	<b>formatted</b>	function
<b>OuterEdgeDistance</b>	function	<b>get</b>	table
<b>OuterEdgeWidth</b>	function		F boolean
<b>OuterMarginDistance</b>	function		F number
<b>OuterMarginWidth</b>	function		F numeric

F	string		
<b>get_outline_text</b>	function	<b>quadruple</b>	function
<b>graphformat</b>	function	<b>quoted</b>	function
<b>n</b>	function	<b>report</b>	function
<b>numeric</b>	function	<b>size</b>	function
<b>pair</b>	function	<b>triplet</b>	function
<b>path</b>	function	<b>tt_dimensions</b>	function
<b>print</b>	function	<b>tt_initialize</b>	function

## mplib (extra tex)

<b>fields</b>	function	<b>get_numeric</b>	function
<b>finder</b>	function	<b>get_string</b>	function
<b>finders</b>	table	<b>new</b>	overloaded function
F file		<b>pen_info</b>	function
<b>get_boolean</b>	function	<b>preprocessed</b>	function
<b>get_number</b>	function	<b>version</b>	function

# noads (context)

<b>handlers</b>	table	
F alternates		F unscript
F autofences		F variants
F classes		<b>process</b> function
F collapse		<b>processnested</b> function
F domains		<b>processors</b> table
F families		T autofences
F italics		T collapse
F relocate		F <code>mlist_to_hlist</code>
F render		T relocate
F resize		T render
F showtree		T resize
F tags		T unscript
		<b>processouter</b> function

## node (basic tex)

copy	function	F is_char
copy_list	function	F is_direct
count	function	F is_glyph
current_attr	function	F is_node
dimensions	function	F is_zero_glue
direct	table	F kerning
F copy		F last_node
F copy_list		F length
F count		F ligaturing
F current_attr		F new
F dimensions		F protect_glyph
F do_ligature_n		F protect_glyphs
F effective_glue		F protrusion_skippable
F end_of_math		F remove
F first_glyph		F set_attribute
F flush_list		F set_properties_mode
F flush_node		F setboth
F flush_properties_table		F setbox
F free		F setchar
F get_attribute		F setdisc
F get_properties_table		F setfield
F getboth		F setglue
F getbox		F setleader
F getchar		F setlink
F getdisc		F setlist
F getfield		F setnext
F getfont		F setprev
F getglue		F setproperty
F getid		F setsubtype
F getleader		F slide
F getlist		F tail
F getnext		F todirect
F getprev		F tonode
F getproperty		F tostring
F getsubtype		F traverse
F has_attribute		F traverse_char
F has_field		F traverse_id
F has_glyph		F unprotect_glyphs
F hpack		F unset_attribute
F insert_after		F usedlist
F insert_before		F vpack

F write		
do_ligature_n	function	kerning
effective_glue	function	last_node
end_of_math	function	length
family_font	function	ligaturing
fields	function	mlist_to_hlist
first_glyph	function	new
flush_list	function	next
flush_node	function	prev
flush_properties_table	function	protect_glyph
free	function	protect_glyphs
get_attribute	function	protrusion_skippable
get_properties_table	function	remove
getboth	function	set_attribute
getchar	function	set_properties_mode
getdisc	function	setboth
getfield	function	setfield
getfont	function	setglue
getglue	function	setlink
getid	function	setnext
getleader	function	setprev
getlist	function	setProperty
getnext	function	slide
getprev	function	subtype
getproperty	function	subtypes
getsubtype	function	tail
has_attribute	function	tostring
has_field	function	traverse
has_glyph	function	traverse_char
hpack	function	traverse_id
id	function	type
insert_after	function	types
insert_before	function	unprotect_glyphs
is_char	function	unset_attribute
is_glyph	function	usedlist
is_node	function	vpack
is_zero_glue	function	whatsits
		write

# nodes (context)

<b>accentcodes</b>	data table	<b>fullhpack</b>	function
<b>aligned</b>	function	<b>getbox</b>	function
<b>append</b>	function	<b>getchar</b>	function
<b>astable</b>	function	<b>getdisc</b>	function
<b>basepoints</b>	function	<b>getfield</b>	function
<b>boundarycodes</b>	data table	<b>getfont</b>	function
<b>builders</b>	table	<b>getglue</b>	function
F buildpage_filter		<b>getid</b>	function
F vpack_filter		<b>getleader</b>	function
<b>codes</b>	data table	<b>getlist</b>	function
<b>concat</b>	function	<b>getnext</b>	function
<b>copy</b>	function	<b>getprev</b>	function
<b>copy_list</b>	function	<b>getskip</b>	function
<b>count</b>	function	<b>getsubtype</b>	function
<b>current_attr</b>	function	<b>gluecodes</b>	data table
<b>delete</b>	function	<b>glyphcodes</b>	data table
<b>destinations</b>	table	<b>glyphdir_is_equal</b>	data table
N attribute		<b>glyphdir_is_opposite</b>	data table
T done		<b>glyphdir_is_orthogonal</b>	data table
F handler		<b>handlers</b>	table
T stack		F accessibility	
<b>dimensionfields</b>	data table	F alignbackgrounds	
<b>dimensions</b>	function	F backgrounds	
<b>dir_is_pop</b>	data table	F characters	
<b>dir_negation</b>	data table	F checkforleaks	
<b>disccodes</b>	data table	F checkglyphs	
<b>discretionarycodes</b>	data table	F cleanupbox	
<b>do_ligature_n</b>	function	F cleanuppage	
<b>effective_glue</b>	function	F export	
<b>end_of_math</b>	function	F finalize	
<b>fencecodes</b>	data table	F migrate	
<b>fields</b>	function	F protectglyphs	
<b>fillcodes</b>	data table	F stripping	
<b>first_glyph</b>	function	F unprotectglyphs	
<b>firstcharacter</b>	function	<b>has_attribute</b>	function
<b>firstcharinbox</b>	function	<b>has_field</b>	function
<b>firstdirinbox</b>	function	<b>has_glyph</b>	function
<b>firstglyph</b>	function	<b>hpack</b>	function
<b>flush_list</b>	function	<b>idstosstring</b>	function
<b>flush_node</b>	function	<b>ignorablefields</b>	data table
<b>free</b>	function	<b>injections</b>	table

F copy		F number
F getligaindex		N scratchbox
F handler		<b>link</b> function
F installnewkern		<b>linked</b> function
F keepcounts		<b>list</b> function
F reset		<b>listablefields</b> data table
F resetcounts		<b>listcodes</b> data table
F setcursive		<b>listtoutf</b> function
F setkern		<b>load</b> function
F setligaindex		<b>locate</b> function
F setmark		<b>margincodes</b> data table
F setpair		<b>marginkerncodes</b> data table
F setspacekerns		<b>markers</b> table
<b>insert_after</b>	function	F get
<b>insert_before</b>	function	<b>mathcodes</b> data table
<b>insert_list_after</b>	function	<b>maxboxwidth</b> function
<b>installattributehandler</b>	function	<b>mlist_to_hlist</b> function
<b>is_char</b>	function	<b>new</b> function
<b>is_direct</b>	function	<b>n��dcodes</b> data table
<b>is_display_math</b>	function	<b>nodecodes</b> data table
<b>is_glyph</b>	function	<b>nopts</b> function
<b>is_mirrored</b>	data table	<b>nuts</b> table
<b>is_node</b>	function	F append
<b>is_nut</b>	function	F concat
<b>is_rotated</b>	data table	F copy
<b>is_zero_glue</b>	function	F copy_list
<b>ischar</b>	function	F copy_properties
<b>isglyph</b>	function	F copyvisual
<b>kerncodes</b>	data table	F count
<b>kerning</b>	function	F current_attr
<b>keys</b>	table	F delete
T whatsit		F dimensions
<b>last_node</b>	function	F do_ligature_n
<b>leadercodes</b>	data table	F effective_glue
<b>leftmarginwidth</b>	function	F end_of_math
<b>ligaturing</b>	function	F first_glyph
<b>lines</b>	table	F firstcharacter
T boxed		F firstcharinbox
F register		F firstglyph
F setup		F flush_list
F stage_one		F flush_node
F stage_two		F free
D data		F fullhpack
F finalize		F getattr

F getattribute	F boundary
F getboth	F cleanup
F getbox	F disc
F getchar	F emptyrule
F getdisc	F fontkern
F getfield	F glue
F getfont	F gluespec
F getglue	F glyph
F getid	F hlist
F getleader	F italic kern
F getlist	F kern
F getnext	F latelua
F getprev	F lateluafunction
F getprop	F leftmarginkern
F getskip	F leftskip
F getsubtype	F lineskip
F has_attribute	F negatedglue
F has_field	F noad
F has_glyph	F pdfannotation
F hpack	F pdfdestination
F insert_after	F pdfdirect
F insert_before	F pdfliteral
F insert_list_after	F pdfrestore
F is_char	F pdfsave
F is_direct	F pdfsetmatrix
F is_display_math	F penalty
F is_glyph	F register
F is_node	F rightmarginkern
F is_nut	F rightskip
F is_zero_glue	F rule
F ischar	F shrink
F isglyph	F special
F kerning	F stretch
F last_node	F temp
F leftmarginwidth	F textdir
F ligaturing	F usage
F link	T userids
F linked	N margins.inline
F locate	N property
F mlist_to_hlist	N splitters.one
F nestedtracedslide	N splitters.two
F new	F userlist
T pool	F usernumber
F baselineskip	F userrule

F userstring	F tonut	
F usertokens	F tosequence	
F vlist	F tostring	
F wordboundary	F tracedslide	
F zeroglue	F traverse	
F prepend	F traverse_char	
F protect_glyph	F traverse_id	
F protect_glyphs	T typesetters	
F protrusion_skippable	F tohbox	
F rawprop	F tohpack	
F reference	F tonodes	
F remove	F tovbox	
F repackhlist	F tovpack	
F replace	F unprotect_glyphs	
F rightmarginwidth	F unset_attribute	
F set_attribute	F unsetattribute	
F setattr	F unsetattributes	
F setattribute	F untracedslide	
F setattributes	F usedlist	
F setboth	F vianodes	
F setbox	F vianuts	
F setchar	F vpack	
F setdisc	F write	
F setfield	<b>packlist</b>	function
F setglue	<b>pardir_is_equal</b>	data table
F setleader	<b>pardir_is_opposite</b>	data table
F setlink	<b>pardir_is_parallel</b>	data table
F setlist	<b>partextdir_is_equal</b>	data table
F setnext	<b>penaltycodes</b>	data table
F setprev	<b>plugindata</b>	table
F setprop	F finalizer	
F setsubtype	F initializer	
F setunsetattributes	S name	
F setvisual	T namespace	
F slide	N attribute	
F somepenalty	D data	
F somespace	F enable	
F splitbox	F handler	
F tail	F register	
F takebox	D registered	
F takelist	D values	
F theprop	F processor	
F tonode	<b>points</b>	function
F tonodes	<b>pool</b>	table

F baselineskip		T stack	
F cleanup		<b>remove</b>	function
F glyph		<b>repackhlist</b>	function
F kern		<b>replace</b>	function
F latelua		<b>report</b>	function
F lateluafunction		<b>rightmarginwidth</b>	function
F lineskip		<b>rulecodes</b>	data table
F pdfdirect		<b>rules</b>	table
F pdfliteral		D data	
F pdfrestore		F define	
F pdfsave		F enable	
F pdfsetmatrix		F handler	
F register		T ruleactions	
F rule		F draw	
F special		F fill	
F usage		F mp	
F usernumber		F stroke	
<b>prepend</b>	function	F userrule	
<b>print</b>	function	<b>save</b>	function
<b>processors</b>	table	<b>serialize</b>	function
B enabled		<b>serializebox</b>	function
F hpack_filter		<b>set_attribute</b>	function
F post_linebreak_filter		<b>setattributes</b>	function
F pre_linebreak_filter		<b>setbox</b>	function
F tracer		<b>setfield</b>	function
<b>processwords</b>	function	<b>setunsetattributes</b>	function
<b>properties</b>	table	<b>shifts</b>	table
T actions		D data	
F delayed		F define	
F fdelayed		F enable	
F immediate		F handler	
F attach		<b>show</b>	function
T data		<b>showboxes</b>	function
F delayed		<b>showcodes</b>	function
<b>protect_glyph</b>	function	<b>showlist</b>	function
<b>protect_glyphs</b>	function	<b>showsimplist</b>	function
<b>protrusion_skippable</b>	function	<b>skipcodes</b>	data table
<b>pts</b>	function	<b>slide</b>	function
<b>radicalcodes</b>	data table	<b>snapshots</b>	table
<b>reference</b>	function	F getparameters	
<b>references</b>	table	F getsamples	
N attribute		F resetsamples	
T done		F takesample	
F handler		<b>somopenalty</b>	function

<b>somespace</b>	function	<b>toscaledpoints</b>	function
<b>splitbox</b>	function	<b>tosequence</b>	function
<b>stripdiscretionaries</b>	function	<b>tostring</b>	function
<b>stripping</b>	table	<b>totable</b>	function
T glyphs		<b>totree</b>	function
F set		<b>toutf</b>	function
<b>striprange</b>	function	<b>tracers</b>	table
<b>tail</b>	function	T characters	
<b>takebox</b>	function	F collect	
<b>tasks</b>	table	F equal	
F actions		F start	
F appendaction		F string	
F disableaction		F unicodes	
F disablegroup		T colors	
F enableaction		F reset	
F enablegroup		F set	
F freeze		F setlist	
F freezegroup		F fontchar	
F new		T frequencies	
F prependaction		F register	
F removeaction		T pool	
F replaceaction		T nodes	
F restart		F rule	
F setaction		T nuts	
F showactions		F rule	
F table		F resetproperties	
<b>textdir_is_equal</b>	data table	F rule	
<b>textdir_is_is</b>	data table	F setlist	
<b>textdir_is_opposite</b>	data table	F setproperties	
<b>textdir_is_parallel</b>	data table	F start	
<b>tobasepoints</b>	function	T steppers	
<b>tocentimeters</b>	function	F check	
<b>tociceros</b>	function	F codes	
<b>todidots</b>	function	F features	
<b>todimen</b>	function	F font	
<b>toinches</b>	function	F glyphs	
<b>tomillimeters</b>	function	F message	
<b>tonewciceros</b>	function	F messages	
<b>tonewdidots</b>	function	F nofsteps	
<b>tonode</b>	function	F register	
<b>tonodes</b>	function	F reset	
<b>tonut</b>	function	F start	
<b>topicas</b>	function	F stop	
<b>topoints</b>	function	F stop	

T transparencies		vianodes	function
F reset		vianuts	function
F set		visualizebox	function
F setlist		visualizers	table
<b>traverse</b>	function	F box	
<b>traverse_char</b>	function	F handler	
<b>traverse_id</b>	function	F markfonts	
<b>typesetters</b>	table	F setfont	
F hbox		F setlayer	
F hpack		F setvisual	
F tohbox		<b>vpack</b>	function
F tohpack		<b>whatcodes</b>	data table
F tonodes		<b>whatsitcodes</b>	data table
F tovbox		<b>whatsitters</b>	table
F tovpack		T getters	
F vpack		T dimensions	
<b>unprotect_glyphs</b>	function	T width	
<b>unset_attribute</b>	function	T setters	
<b>unsetattribute</b>	function	T dimensions	
<b>unsetattributes</b>	function	T width	
<b>usedlist</b>	function	<b>write</b>	function

## number (context)

basepoints	function	tobitstring	function
bit	function	tocentimeters	function
bits	function	tociceros	function
clearbit	function	todidots	function
dimenfactors	data table	todimen	function
formatted	function	toevenhex	function
hasbit	function	toinches	function
maxdimen	number	tomillimeters	function
nopts	function	tonewciceros	function
percent	function	tonewdidots	function
points	function	tonumberf	function
pts	function	tonumberg	function
setbit	function	topics	function
signed	function	topoints	function
sparseexponent	function	toscaled	function
splitdimen	function	toscaledpoints	function
tobasepoints	function	toset	function
		valid	function

## objects (context)

**data**        table  
**dimensions**    function  
**found**        function  
**n**            number

**page**        function  
**reference**    function  
**register**      function  
**restore**      function

## os (basic lua)

<b>__getenv__</b>	function	<b>remove</b>	overloaded function
<b>__setenv__</b>	function	<b>rename</b>	overloaded function
<b>binsuffix</b>	string	<b>resolvers</b>	table
<b>binsuffixes</b>	table	<b>F bits</b>	
<b>clock</b>	function	<b>resultof</b>	function
<b>converttime</b>	function	<b>runtime</b>	function
<b>date</b>	function	<b>selfdir</b>	string
<b>difftime</b>	function	<b>setenv</b>	overloaded function
<b>env</b>	data table	<b>setlocale</b>	overloaded function
<b>exec</b>	overloaded function	<b>sleep</b>	function
<b>execute</b>	overloaded function	<b>spawn</b>	overloaded function
<b>exit</b>	function	<b>time</b>	function
<b>fulltime</b>	function	<b>times</b>	function
<b>getenv</b>	overloaded function	<b>timezone</b>	function
<b>gettimeofday</b>	function	<b>tmpdir</b>	function
<b>isleapyear</b>	function	<b>tmpname</b>	function
<b>launch</b>	function	<b>today</b>	function
<b>libsuffix</b>	string	<b>type</b>	string
<b>localtime</b>	function	<b>uname</b>	function
<b>name</b>	string	<b>uuid</b>	function
<b>newline</b>	string	<b>validate</b>	function
<b>nofday</b>	function	<b>weekday</b>	function
<b>now</b>	function	<b>where</b>	function
<b>platform</b>	string	<b>which</b>	function

## package (basic lua)

<b>config</b>	string	<b>loaded</b>	table
<b>cpath</b>	string	<b>loaders</b>	table
<b>extralibpath</b>	function	<b>loadlib</b>	function
<b>extralibpaths</b>	function	<b>luapaths</b>	function
<b>extraluapath</b>	function	<b>path</b>	string
<b>extraluapaths</b>	function	<b>preload</b>	table
<b>helpers</b>	table	<b>searchpath</b>	function
<b>libpaths</b>	function	<b>seeall</b>	function

# pagebuilders (context)

<b>columnsets</b>	table	
F add		F setsize
F block		F setspan
F check		F setlines
F currentcolumn		F setproperties
F define		F setstart
F finishflush		F setvsize
F flushareas		<b>injections</b> table
F flushcolumn		F flushafter
F flushrest		F flushbefore
F goto		F save
F noto		<b>mixedcolumns</b> table
F prepareflush		F cleanup
F put		F finalize
F registerarea		F getlist
F reset		F getrest
F setarea		F getsplit
		F setsplit

# pdf (basic tex)

<b>fontname</b>	function	<b>immediateobj</b>	function
<b>fontobjnum</b>	function	<b>mapfile</b>	function
<b>fontsize</b>	function	<b>mapline</b>	function
<b>getcatalog</b>	function	<b>maxobjnum</b>	function
<b>getcompresslevel</b>	function	<b>newcolorstack</b>	function
<b>getdecimaldigits</b>	function	<b>obj</b>	function
<b>getdestmargin</b>	function	<b>objtype</b>	function
<b>gethpos</b>	function	<b>pageref</b>	function
<b>getignoreunknownimages</b>	function	<b>print</b>	function
<b>getinclusionerrorlevel</b>	function	<b>refobj</b>	function
<b>getinfo</b>	function	<b>registerannot</b>	overloaded function
<b>getlastannot</b>	function	<b>reserveobj</b>	function
<b>getlastlink</b>	function	<b>setcatalog</b>	overloaded function
<b>getlastobj</b>	function	<b>setcompresslevel</b>	function
<b>getlinkmargin</b>	function	<b>setdecimaldigits</b>	function
<b>getmajorversion</b>	function	<b>setdestmargin</b>	function
<b>getmatrix</b>	function	<b>setignoreunknownimages</b>	function
<b>getminorversion</b>	function	<b>setinclusionerrorlevel</b>	function
<b>getnames</b>	function	<b>setinfo</b>	overloaded function
<b>getobjcompresslevel</b>	function	<b>setlinkmargin</b>	function
<b>getorigin</b>	function	<b>setmajorversion</b>	function
<b>getpageattributes</b>	function	<b>setminorversion</b>	function
<b>getpageresources</b>	function	<b>setnames</b>	overloaded function
<b>getpagesattributes</b>	function	<b>setobjcompresslevel</b>	function
<b>getpkresolution</b>	function	<b>setorigin</b>	function
<b>getpos</b>	function	<b>setpageattributes</b>	overloaded function
<b>getretval</b>	function	<b>setpageresources</b>	overloaded function
<b>getsuppressoptionalinfo</b>	function	<b>setpagesattributes</b>	overloaded function
<b>getthreadmargin</b>	function	<b>setpkresolution</b>	function
<b>gettrailer</b>	function	<b>setsuppressoptionalinfo</b>	function
<b>gettrailerid</b>	function	<b>setthreadmargin</b>	function
<b>getversion</b>	function	<b>settrailer</b>	overloaded function
<b>getvpos</b>	function	<b>settrailerid</b>	function
<b>getxformatattributes</b>	function	<b>setxformatattributes</b>	function
<b>getxformmargin</b>	function	<b>setxformmargin</b>	function
<b>getxformresources</b>	function	<b>setxformresources</b>	function
<b>hasmatrix</b>	function	<b>xformname</b>	function

# pdfscanner (context)

**scan** function

# physics (context)

**units** table

F registerunit

D tables

## profiler (extra lua)

**pause** function  
**resume** function

**start** function  
**stop** function

# publications (context)

<b>addtexentry</b>	function	S author
<b>analyze</b>	function	T categories
<b>anywhere</b>	function	T article
<b>authorcache</b>	data table	S category
<b>authorcollapsers</b>	data table	T extra
<b>authorhashers</b>	table	T fields
F invertedshort		S author
F normal		S editor
F normalinverted		S journal
F normalshort		S keywords
F short		S number
<b>authormap</b>	data table	S pages
<b>authortoregister</b>	function	S title
<b>casters</b>	table	S volume
F author		S year
F keyword		T optional
F pagenumber		T required
F range		T sets
<b>checkeddataset</b>	function	T author
<b>citevariants</b>	table	T virtual
F author		T book
F authornum		S category
F authoryear		T extra
F authoryears		T fields
F category		S address
F default		S author
F entry		S edition
F index		S editor
F keywords		S keywords
F num		S number
F page		S publisher
F short		S subtitle
F tag		S title
F textnum		S volume
F year		S year
<b>collected</b>	data table	T optional
<b>components</b>	table	T required
F author		T sets
<b>concatstate</b>	function	T author
<b>converttoxml</b>	function	T editionset
<b>currentspecification</b>	table	T virtual

T demo-a		T virtualfields
S category		B authornum
T extra		B authoryear
T fields		B authoryears
S author		B num
S institution		B suffix
S organization		<b>datasets</b>
S subtitle		table
S title		<b>detailed</b>
S year		table
T optional		<b>endnotes_to_btx</b>
T required		function
T sets		<b>enhancer</b>
T author		table
T virtual		S arguments
T demo-b		T skip
S category		B dirty
T extra		T gskip
T fields		T kind
S author		T list
S institution		T system
S organization		T order
S subtitle		<b>enhancers</b>
S title		table
S year		F details
T optional		F order
T required		F suffixes
T sets		<b>finder</b>
T authors		function
T virtual		<b>firstofrange</b>
S comment		function
S copyright		<b>found</b>
T fields		function
S name		<b>get</b>
T types		<b>getcasted</b>
S author		function
S editor		<b>getdetail</b>
S keywords		function
S number		<b>getdirect</b>
S page		function
S pages		<b>getfaster</b>
S volume		function
S version		<b>getfield</b>
D virtual		<b>getfuzzy</b>
		function
		<b>getindex</b>
		<b>inspectors</b>
		data table
		<b>journals</b>
		table
		F abbreviated
		F add
		F expanded
		F load
		F save
		<b>lastofrange</b>
		function
		<b>lists</b>
		table
		F collectentries
		F combinlist

F fetchentries		okay	function
F filterall		oneorange	function
F flushcombi		parenttag	function
F flushentry		permitted	function
T methods		refman_to_btx	function
F dataset		resolvedname	function
F force		save	function
F global		search	function
F local		setcategory	function
F nogregistered		setspecification	function
F prepareentries		singularorplural	function
F register		sortedentries	function
F sameasprevious		sortmethods	table
T sorters			T authoryear
F cite			T sequence
F dataset		specifications	table
F default			T default
F index			S author
F list			S comment
F reference			S copyright
F short			S name
F used			S version
F uservariable			D virtual
<b>listvariants</b>	table	splitauthor	function
F default		splitoneauthor	function
F index		statistics	table
F num			N nofbytes
F page			N nofdatasets
F short			N nofdefinitions
F tag			N nofshortcuts
<b>load</b>	function	tables	table
<b>loadbibdata</b>	function		D implicits
<b>loaddefinitionfile</b>	function		D origins
<b>loaders</b>	table		D privates
F bbl			D sets
F bib			D specials
F buffer			D types
F endnote			D virtuals
F lua		<b>tags</b>	function
F refman		<b>tracers</b>	table
F registercleaner			F showdatasetauthors
F xml			F showdatasetcompleteness
<b>loadreplacementfile</b>	function		F showdatasetfields
<b>new</b>	function		F showentry

F showfields	<b>useddataset</b>	function
F showhashedauthors	<b>usedentries</b>	function
F showtables	<b>writers</b>	table
F showvariants		
<b>typesetters</b>	<b>table</b>	
F author		F author
F string		F keyword
		F pagenumber
		F range

## regimes (context)

**cleanup**    function  
**disable**    function  
**enable**    function  
**fromregime** function  
**pop**        function

**process**    function  
**push**        function  
**toregime**    function  
**translate**   function

# resolvers (context)

allprefixes	function	findtexfile	function
appendhash	function	findwildcardfile	function
automount	function	findwildcardfiles	function
automounted	table	formatofsuffix	function
booleanvariable	function	formatofvariable	function
cacheversion	string	formats	data table
checkedvariable	function	generators	data table
cleanedpathlist	function	get_from_content	function
cleanpath	function	getenv	function
cleanpathlist	function	getownpath	function
concatinators	data table	getreadfilename	function
configbanner	string	hashers	data table
criticalvars	data table	homendir	string
dangerous	data table	inputstack	table
datastate	function	installinputfilehandler	function
defaultsuffixes	table	installinputlinehandler	function
dowithfilesandreport	function	instance	table
dowithfilesintree	function	D data	
dowithpath	function	B diskcache	
dowithvariable	function	D environment	
env	function	D expansions	
executers	table	D fakepaths	
expandbraces	function	D files	
expandedpathfromlist	function	B force_suffixes	
expandedpathlist	function	D found	
expandedpathlistfromvariable	function	D foundintrees	
expandpath	function	D hashed	
expandpathfromvariable	function	D hashes	
expansion	function	D lists	
extendtexmfvariable	function	B loaderror	
filtered_from_content	function	D order	
find_file	function	D pathlists	
find_files	function	T pathstack	
findbinfile	function	B remember	
findctxfile	function	B renewcache	
finders	data table	B renewtree	
findfile	function	B savelists	
findfiles	function	D setups	
findgivenfile	function	D specification	
findgivenfiles	function	D variables	
findpath	function	jobpath	function

<b>jobs</b>		<b>table</b>		
F currentcomponent			<b>registerextrapath</b>	function
F currentenvironment			<b>registerfile</b>	function
F currentproduct			<b>registerfilehash</b>	function
F currentproject			<b>registerintrees</b>	function
F justacomponent			<b>registermethod</b>	function
D processors			<b>registerzipfile</b>	function
F productcomponent			<b>relations</b>	data table
F usefile			<b>renew</b>	function
<b>joinpath</b>		function	<b>repath</b>	function
<b>load</b>		function	<b>reset</b>	function
<b>loadbinfile</b>		function	<b>resetextrapath</b>	function
<b>loaders</b>		data table	<b>resetresolve</b>	function
<b>loadlualib</b>		function	<b>resolve</b>	function
<b>loadtexfile</b>		function	<b>savers</b>	data table
<b>loadtime</b>		function	<b>scandata</b>	function
<b>locateformat</b>		function	<b>scanfiles</b>	function
<b>locators</b>		data table	<b>schemes</b>	table
<b>luacnfname</b>		string	T cleaners	
<b>luacnfspec</b>		string	F md5	
<b>luacnfstate</b>		string	F none	
<b>macros</b>		table	F strip	
F convertfile			F cleanname	
F decodecomment			F fetchstring	
F enablecomment			F fetchtable	
F encodecomment			F install	
F preprocessed			<b>setdynamic</b>	function
F processmk			<b>setenv</b>	function
F processmkvi			<b>setinstance</b>	function
F version			<b>showpath</b>	function
<b>maxreadlevel</b>	number		<b>simplescanfiles</b>	function
<b>methodhandler</b>	function		<b>splitconfigurationpath</b>	function
<b>newinstance</b>	function		<b>splitexpansions</b>	function
<b>openbinfile</b>	function		<b>splitmethod</b>	function
<b>openers</b>	data table		<b>splitpath</b>	function
<b>openfile</b>	function		<b>stackpath</b>	function
<b>opentexfile</b>	function		<b>suffixes</b>	data table
<b>ownpath</b>	string		<b>suffixmap</b>	data table
<b>popextrapath</b>	function		<b>suffixofformat</b>	function
<b>poppath</b>	function		<b>texdatablob</b>	function
<b>prefixes</b>	data table		<b>toppath</b>	function
<b>prependhash</b>	function		<b>unexpandedpath</b>	function
<b>pushextrapath</b>	function		<b>unexpandedpathlist</b>	function
<b>pushpath</b>	function		<b>unresolve</b>	function
			<b>updaterelations</b>	function

<b>updatescript</b>	function	<b>variable</b>	function
<b>uselibrary</b>	function	<b>variableofformat</b>	function
<b>usertypes</b>	data table	<b>variableofformatsuffix</b>	function
<b>usezipfile</b>	function	<b>wildcardpattern</b>	function
<b>validatedpath</b>	function		

## sandbox (context)

<b>binaryhandler</b>	function	<b>redefine</b>	function
<b>disablerunners</b>	function	<b>register</b>	function
<b>enable</b>	function	<b>registerbinary</b>	function
<b>filehandlerone</b>	function	<b>registerroot</b>	function
<b>filehandlertwo</b>	function	<b>registerrunner</b>	function
<b>finalizer</b>	function	<b>report</b>	function
<b>initializer</b>	function	<b>run</b>	function
<b>iohandler</b>	function	<b>runhandler</b>	function
<b>logcalls</b>	function	<b>setfilenamelogger</b>	function
<b>logfiles</b>	function	<b>setlogger</b>	function
<b>original</b>	function	<b>setreporter</b>	function
<b>overload</b>	function	<b>settrace</b>	function
<b>possiblepath</b>	function	<b>validfilename</b>	function

# scripts (context)

<b>autofontfeature</b>	table	N inter_char_stretch_factor
F disable		N inter_word_stretch_factor
F enable		<b>handlers</b> data table
F handler		<b>hash</b> table
<b>categorytonumber</b>	data table	<b>injectors</b> data table
<b>colors</b>	data table	<b>installdataset</b> function
<b>decomposehangul</b>	function	<b>installmethod</b> function
<b>defaults</b>	table	<b>numbertocategory</b> data table
N inter_char_half_shrink_factor		<b>numbertodataset</b> data table
N inter_char_half_stretch_factor		<b>numbertohandler</b> data table
N inter_char_hangul_penalty		<b>reset</b> function
N inter_char_quarter_shrink_factor		<b>set</b> function
N inter_char_quarter_stretch_factor		<b>splitters</b> data table
N inter_char_shrink_factor		

## set (context)

**contains** function  
**create** function  
**tolist** function

**tonumber** function  
**totable** function

# socket (extra lua)

<b>BLOCKSIZE</b>	number	S connection
<b>_DEBUG</b>	boolean	S content-description
<b>_SETSIZE</b>	number	S content-disposition
<b>bind</b>	function	S content-encoding
<b>choose</b>	function	S content-id
<b>connect</b>	function	S content-language
<b>connect4</b>	function	S content-length
<b>connect6</b>	function	S content-location
<b>dns</b>	table	S content-md5
	F getaddrinfo	S content-range
	F gethostname	S content-transfer-encoding
	F getnameinfo	S content-type
	F tohostname	S date
	F toip	S diagnostic-code
<b>ftp</b>	table	S dsn-gateway
	S PASSWORD	S etag
	N PORT	S expect
	N TIMEOUT	S expires
	S USER	S final-log-id
	F command	S final-recipient
	F get	S from
	F open	S host
	F put	S if-match
<b>gettime</b>	function	S if-modified-since
<b>headers</b>	table	S if-none-match
	T canonic	S if-range
	S accept	S if-unmodified-since
	S accept-charset	S in-reply-to
	S accept-encoding	S keywords
	S accept-language	S last-attempt-date
	S accept-ranges	S last-modified
	S action	S location
	S age	S max-forwards
	S allow	S message-id
	S alternate-recipient	S mime-version
	S arrival-date	S original-envelope-id
	S authorization	S original-recipient
	S bcc	S pragma
	S cache-control	S proxy-authenticate
	S cc	S proxy-authorization
	S comments	S range

S received	
S received-from-mta	
S references	
S referer	
S remote-mta	
S reply-to	
S reporting-mta	
S resent-bcc	
S resent-cc	
S resent-date	
S resent-from	
S resent-message-id	
S resent-reply-to	
S resent-sender	
S resent-to	
S retry-after	
S return-path	
S sender	
S server	
S smtp-remote-recipient	
S status	
S subject	
S te	
S to	
S trailer	
S transfer-encoding	
S upgrade	
S user-agent	
S vary	
S via	
S warning	
S will-retry-until	
S www-authenticate	
S x-mailer	
<b>http</b>	<b>table</b>
N PORT	
N TIMEOUT	
S USERAGENT	
F open	
F request	
<b>newtry</b>	<b>function</b>
	<b>protect</b> function
	<b>select</b> function
	<b>sink</b> function
	<b>sinkt</b> table
	F close-when-done
	F default
	F http-chunked
	F keep-open
	<b>skip</b> function
	<b>sleep</b> function
	<b>smtp</b> table
	S DOMAIN
	N PORT
	S SERVER
	N TIMEOUT
	S ZONE
	F message
	F open
	F send
	<b>source</b> function
	<b>sourcet</b> table
	F by-length
	F default
	F http-chunked
	F until-closed
	<b>tcp</b> function
	<b>tcp6</b> function
	<b>tp</b> table
	N TIMEOUT
	F connect
	<b>try</b> function
	<b>udp</b> function
	<b>udp6</b> function
	<b>url</b> table
	F absolute
	F build
	F build_path
	F escape
	F parse
	F parse_path
	F unescape

## sorters (context)

<b>basicsorter</b>	function	B pm
<b>comparers</b>	table	B uc
F basic		B zc
<b>constants</b>	table	B zm
S defaultdigits		<b>definitions</b> data table
S defaultlanguage		<b>firstofsplits</b> function
S defaultmethod		<b>packch</b> function
N digitsmaximum		<b>packuc</b> function
N digitsoffset		<b>setlanguage</b> function
N ignoredoffset		<b>sort</b> function
N replacementoffset		<b>splitters</b> table
T validmethods		F utf
B ch		<b>strip</b> function
B mc		<b>tracers</b> data table
B mm		<b>update</b> function
B pc		

## statistics (context)

<b>checkfmtstatus</b>	function	<b>resettiming</b>	function
<b>elapsed</b>	function	<b>runtime</b>	function
<b>elapsedindeed</b>	function	<b>savefmtstatus</b>	function
<b>elapsedseconds</b>	function	<b>show</b>	function
<b>elapsedtime</b>	function	<b>starttiming</b>	function
<b>enable</b>	boolean	<b>stoptiming</b>	function
<b>formatruntime</b>	function	<b>threshold</b>	number
<b>hastiming</b>	function	<b>timed</b>	function
<b>memused</b>	function	<b>tracefunction</b>	function
<b>register</b>	function		

## status (basic tex)

**list** function  
**resetmessages** function

## storage (context)

<b>allocate</b>	function	<b>noftables</b>	number
<b>data</b>	table	<b>register</b>	function
<b>mark</b>	function	<b>shared</b>	data table
<b>marked</b>	function	<b>storedfunctions</b>	data table
<b>max</b>	number	<b>strip</b>	boolean
<b>min</b>	number	<b>tofmodules</b>	number
<b>nofmodules</b>	number	<b>toftables</b>	number

## streams (context)

<b>collect</b>	function	<b>push</b>	function
<b>disable</b>	function	<b>start</b>	function
<b>enable</b>	function	<b>stop</b>	function
<b>flush</b>	function	<b>synchronize</b>	function
<b>initialize</b>	function		

## string (basic lua)

autodouble	function	optionalquoted	function
autosingle	function	quote	function
booleanstring	function	quoted	function
byte	function	rep	function
bytelpairs	function	replacenewlines	function
bytes	function	reverse	function
char	function	split	function
characterpairs	function	splitlines	function
characters	function	splitup	function
checkedsplit	function	strip	function
collapsespaces	function	sub	function
count	function	tformat	function
dump	function	toHEX	function
escapedpattern	function	toboolan	function
explode	function	tobytes	function
find	function	tocontext	function
format	function	todec	function
formatter	function	todimen	function
formatters	function	tohex	function
fullstrip	function	tonodes	function
gmatch	function	topattern	function
gsub	function	totable	function
is_boolean	function	toutf	function
is_empty	function	tracedchar	function
itself	function	tracedchars	table
len	function	unquote	function
limit	function	unquoted	function
longtostring	function	upper	function
lower	function	utfcharacters	function
match	function	utfvalues	function
nspaces	table	valid	function

# structures (context)

<b>atlocation</b>	function	F previous
<b>blocks</b>	table	F raw
D collected		F record
F define		F reset
F print		F restart
F save		F restore
F select		F save
F setstate		F set
D states		F setlevel
D tobesaved		F setoffset
<b>bookmarks</b>	table	F setown
T extras		F setstate
F get		F setvalue
F mergesections		T specials
F register		F userpage
F reset		F subs
F tosections		D tobesaved
F finalize		F value
F flatten		F way
F installhandler		<b>currentsectionnumber</b> function
F merge		<b>descriptions</b> table
S method		<b>documents</b> table
F overload		D data
F place		F initialize
F register		F preset
F setup		F reset
<b>counters</b>	table	<b>floats</b> table
F add		<b>formulas</b> table
F analyze		<b>helpers</b> table
F check		F analyze
D collected		F formulanumber
F compact		F merged
F converted		F page
F currentvalue		F pageofinternal
D data		F prefix
F define		F prefixlastpage
F first		F prefixpage
F get		F simplify
F last		F title
F next		F touserdata
F prev		<b>inserts</b> table

D data	F savedlistnumber
F define	F savedlistprefixednumber
F getdata	F savedlisttitle
F getlocation	D sectionblocks
F getname	F sectionnumber
F getnumber	F size
F setlocation	F title
F setup	D tobesaved
D stored	F userdata
<b>itemgroups</b>	<b>table</b>
<b>lists</b>	<b>table</b>
F addto	F uservalue
F analyze	<b>marks</b>
B autoreorder	<b>table</b>
D cached	D data
D collected	F define
F discard	F exists
F enhance	F fetch
T enhancers	F fetchallmarks
F filter	F fetched
F formulanumber	F fetchonemark
F getresult	F fetchtwomarks
F groupindex	F get
F hasnumberdata	F number
F haspagedata	F relate
F hastitledata	F reset
F iscached	F set
D kinds	F show
F label	F synchronize
F location	F title
D names	T tracers
F number	F showtable
D ordered	<b>notes</b>
F page	<b>table</b>
F popnesting	F checkpagechange
F prefix	F define
F prefixednumber	F doifonsamepageasprevious
F prefixedpage	F get
F process	F getdeltapage
D pushed	F getinternal
F pushnesting	F getn
F realpage	F getstate
F reordered	F hascontent
T result	F internal
	F internalid
	F listindex
	F ordered
	F postpone

F resetpostponed	D flaginternals
F restore	F from
F save	D functions
F setstate	F get
D states	F getcurrentmetadata
F store	F getcurrentprefixspec
<b>pages</b>	F getinnermethod
	F getinternalcachedlistreference
	F getinternallistreference
	F getinternalreference
	D handlers
	F identify
	F import
	F inject
	F injectcurrentset
	S innermethod
	D internals
	F load
	F loadpresets
	F mark
	D pages
	U prefixsplitter
	D productdata
	T programs
	T data
	F define
	F get
	F realpageofpage
	U referencesplitter
	D referred
	F referredpage
	F registerfinalizer
	F registerinitializer
	F registerpage
	F reportproblems
	F reset
	D runners
	F set
	F setandgetattribute
	F setcomponent
	F setinnermethod
	F setinternalreference
	F setnextinternal
	F setnextorder
<b>references</b>	table
F analyze	
F checkedfile	
F checkedfileorurl	
F checkedprogram	
F checkedrealpage	
F checkedurl	
D collected	
U componentsplitter	
F currentmetadata	
F currentorder	
D currentset	
F define	
D defined	
D derived	
F enableinteraction	
F enhance	
D executers	
F expandcurrent	
F export	
T files	
T data	
F define	
F found	
F get	
F filter	
F filterdefault	
D filters	

F setreferencerealpage	F process	
D specials	F setmethod	
F splitcomponent	F sort	
F splitprefix	F store	
F splitreference	D tobesaved	
F synchronizepage	F unique	
T testrunners	F userdata	
F inner	<b>sections</b>	table
F special	F autodepth	
F special operation	F cct	
F special operation with arguments	D collected	
T testspecials	F current	
F deltapage	F currentblock	
F i	F currentid	
F internal	F currentlevel	
F page	F currentsectionindex	
F realpage	F depthnumber	
F section	F finddata	
F userpage	F findnumber	
D tobereferrals	F fullnumber	
D tobesaved	F getcurrentlevel	
D tracedpages	F getlevel	
T urls	F getnumber	
T data	F internalreference	
F define	D levelmap	
F found	D levels	
F get	F load	
D usedinternals	F matchingtilldepth	
D usedviews	F numberatdepth	
F valid	F numbers	
<b>registers</b>	F popblock	
table	F prefixedconverted	
F analyze	F pushblock	
D collected	F register	
F compare	D registered	
F define	F reportstructure	
F enhance	F save	
F extend	T sectionblockdata	
F filter	T bodypart	
F filtercollected	S bookmark	
F finalize	F set	
F findinternal	F setblock	
F flush	F setchecker	
F get	F setentry	
F prepare		

F	setinitialblock	F	elementtag	
F	setlevel	F	finishexport	
F	setnumber	F	getid	
F	structuredata	F	handler	
F	title	D	labels	
D	tobesaved	F	last	
F	typesetnumber	F	lastinchain	
F	userdata	F	locatedtag	
B	verbose	T	patterns	
<b>sets</b>	table		U	splitter
F	define	D	properties	
F	get	F	registermetadata	
F	getall	F	restart	
D	setlist	F	setaspect	
<b>specials</b>	table	F	setattributehash	
D	collected	F	setcombination	
F	retrieve	F	setfigure	
F	store	F	sethighlight	
D	tobesaved	F	setitem	
<b>synonyms</b>	table	F	setitemgroup	
F	analyzed	F	setlist	
D	collected	F	setnotation	
F	compare	F	setnotationsymbol	
F	define	F	setproperty	
F	filter	F	setregister	
F	finalize	F	setsorting	
F	flush	F	setsynonym	
F	isshown	F	settablecell	
F	isused	F	settabulatecell	
F	meaning	F	settagdelimitedsymbol	
F	prepare	F	settagsubsentencesymbol	
F	process	F	setupexport	
F	register	F	setuserproperties	
F	registershown	D	specifications	
F	registerused	F	start	
F	resetshown	F	stop	
F	resetused	F	strip	
F	sort	D	taglist	
F	synonym	T	usewithcare	
D	tobesaved	T	images	
<b>tags</b>	table			

## table (basic lua)

allkeys	function	prepend	function
append	function	print	function
are_equal	function	remove	function
autokey	function	reverse	function
compact	function	reversed	function
concat	function	save	function
contains	function	sequenced	function
copy	function	serialize	function
count	function	setmetatablecall	function
derive	function	setmetatableindex	function
deserialize	function	setmetatablekey	function
drop	function	setmetatablelenewindex	function
fastcopy	function	sort	function
fastserialize	function	sorted	function
filtered	function	sortedhash	function
flattened	function	sortedhashkeys	function
foreach	function	sortedhashonly	function
foreachi	function	sortedindexonly	function
fromhash	function	sortedkeys	function
getmetatablekey	function	sortedpairs	function
getn	function	sparse	function
has_one_entry	function	strip	function
identical	function	sub	function
imerge	function	swapped	function
imerged	function	tocontext	function
insert	function	tocsv	function
is_empty	function	tofile	function
keys	function	tohandle	function
load	function	tohash	function
loweredkeys	function	toxml	function
maxn	function	twoWayMapper	function
merge	function	unique	function
merged	function	unnest	function
mirrored	function	unpack	function
pack	function	values	function

# tex (basic tex)

attribute	table	gettoks	function
badness	function	getuccode	function
box	table	glue	table
catcode	table	hashtokens	function
conditionals	data table	ifs	data table
constants	data table	inicatcodes	number
count	table	init_rand	function
cprint	function	isattribute	function
ctdcatcodes	number	isbox	function
ctxcatcodes	number	iscount	overloaded function
definefont	function	isdefined	function
delcode	table	isdimen	overloaded function
dimen	table	ismuskip	overloaded function
directives	data table	isskip	overloaded function
enableprimitives	function	istoken	function
error	function	istoks	function
extraprimitives	function	lccode	table
finish	function	linebreak	function
fontidentifier	function	lists	table
fontname	function	lua_math_random	function
fprint	function	lua_math_randomseed	function
get	function	luacatcodes	number
getattribute	function	mathcode	table
getbox	function	modes	data table
getboxresourcedimensions	function	muglue	table
getcatcode	function	muskip	table
getcount	function	nest	table
getdelcode	function	nilcatcodes	number
getdelcodes	function	normal_rand	function
getdimen	function	notcatcodes	number
getglue	function	number	function
getlccode	function	primitives	function
getlist	function	print	function
getmath	function	prtcatcodes	number
getmathcode	function	resetparagraph	function
getmathcodes	function	romannumeral	function
getmuglue	function	round	function
getmuskip	function	run	function
getnest	function	saveboxresource	function
getsfcode	function	scale	function
getskip	function	scantoks	function

<b>set</b>	function	<b>skip</b>	table
<b>setattribute</b>	function	<b>sp</b>	function
<b>setbox</b>	function	<b>splitbox</b>	function
<b>setcatcode</b>	function	<b>sprint</b>	function
<b>setcount</b>	function	<b>systemmodes</b>	data table
<b>setdelcode</b>	function	<b>takebox</b>	function
<b>setdimen</b>	function	<b>texcatcodes</b>	number
<b>setglue</b>	function	<b>toks</b>	table
<b>setlccode</b>	function	<b>tpacatcodes</b>	number
<b>setlist</b>	function	<b>tpbcatcodes</b>	number
<b>setmath</b>	function	<b>tprint</b>	function
<b>setmathcode</b>	function	<b>trackers</b>	data table
<b>setmuglue</b>	function	<b>triggerbuildpage</b>	function
<b>setmuskip</b>	function	<b>txtcatcodes</b>	number
<b>setnest</b>	function	<b>type</b>	function
<b>setsfcode</b>	function	<b>uccode</b>	table
<b>setskip</b>	function	<b>uniform_rand</b>	function
<b>settoks</b>	function	<b>uniformdeviate</b>	function
<b>setuccode</b>	function	<b>uprint</b>	function
<b>sfcode</b>	table	<b>useboxresource</b>	function
<b>shipout</b>	function	<b>vrbcatcodes</b>	number
<b>show_context</b>	function	<b>write</b>	function

## texconfig (basic tex)

<b>error_line</b>	number	<b>max_print_line</b>	number
<b>expand_depth</b>	number	<b>max_strings</b>	number
<b>formatname</b>	string	<b>nest_size</b>	number
<b>half_error_line</b>	number	<b>param_size</b>	number
<b>hash_extra</b>	number	<b>save_size</b>	number
<b>init</b>	overloaded function	<b>shell_escape</b>	string
<b>kpse_init</b>	boolean	<b>stack_size</b>	overloaded number
<b>max_in_open</b>	number		

## texio (basic tex)

**setescape** function  
**write** function  
**write\_nl** function

# tokens (context)

<b>astable</b>	function	<b>defined</b>	function
<b>bgroup</b>	userdata	<b>egroup</b>	userdata
<b>bits</b>	table	<b>getters</b>	table
N active		F box	
N alignment		F count	
N begingroup		F dimen	
N character		F glue	
N close		F skip	
N comment		F token	
N endgroup		<b>hbox</b>	userdata
N endofline		<b>istoken</b>	function
N escape		<b>letter</b>	function
N ignore		<b>letters</b>	function
N invalid		<b>other</b>	function
N letter		<b>pickup</b>	function
N mathshift		<b>printlist</b>	function
N open		<b>scanners</b>	table
N other			F boolean
N parameter			F code
N space			F conditional
N subscript			F count
N superscript			F csname
N whitespace			F dimen
<b>collectors</b>	table		F dimension
T data			F glue
F defaultwords			F integer
F dowithwords			F keyword
F flush			F list
F install			F lxmlid
F register			F number
T registered			F scanclose
F show			F scanopen
F test			F skip
<b>compile</b>	function		F string
<b>constant</b>	function		F token
<b>converters</b>	table		F tokens
S toboolean			F toks
S todimen			F word
S togue		<b>scantable</b>	function
S tonumber		<b>setters</b>	table
S tostring			F box

F count	F conditional
F dimen	F count
F glue	F csname
F macro	F dimen
F skip	F dimension
<b>shortcuts</b> table	
T bits	F glue
N active	F integer
N alignment	F keyword
N begingroup	F list
N character	F lxmjid
N close	F number
N comment	F scanclose
N endgroup	F scanopen
N endofline	F skip
N escape	F string
N ignore	F token
N invalid	F tokens
N letter	F toks
N mathshift	F word
N open	F scannumber
N other	F scanopen
N parameter	F scanstring
N space	F scanword
N subscript	F toboolean
N superscript	F todimen
N whitespace	T tokens
N close	F astable
F inspect	U bgroup
N open	T collectors
F report	F defaultwords
F scanboolean	F dowithwords
F scanclose	F flush
F scancode	F install
F scanconditional	F register
F scancsname	F show
F scandimen	F test
F scandimension	F compile
F scaninteger	F constant
F scankeyword	T converters
F scanlist	S toboolean
T scanners	S todimen
F boolean	S togue
F code	S tonumber
	S tostring

F defined	N open
U egroup	F report
T getters	F scanboolean
F box	F scanclose
F count	F scandcode
F dimen	F scanconditional
F glue	F scancsname
F skip	F scandimen
F token	F scandimension
U hbox	F scaninteger
F istoken	F scankeyword
F letter	F scanlist
F letters	F scannumber
F other	F scanopen
F pickup	F scanstring
F printlist	F scanword
F scantable	F toboolean
T setters	F todimen
F box	F tonumber
F count	F tostring
F dimen	U vbox
F glue	U vtop
F macro	F tonumber
F skip	F tostring
T shortcuts	<b>vbox</b> userdata
N close	<b>vtop</b> userdata
F inspect	

## tracers (context)

<b>count</b>	function	<b>primitive</b>	function
<b>cs</b>	function	<b>printerror</b>	function
<b>dimen</b>	function	<b>printwarning</b>	function
<b>knownlist</b>	function	<b>showlines</b>	function
<b>lists</b>	table	<b>strings</b>	table
	T context		S undefined
	T internals	<b>toks</b>	function
	T scratch	<b>type</b>	function
<b>name</b>	function		

## trackers (context)

<b>data</b>	data table	<b>register</b>	function
<b>default</b>	function	<b>report</b>	function
<b>disable</b>	function	<b>reset</b>	function
<b>dumphashstofile</b>	function	<b>savehash</b>	function
<b>enable</b>	function	<b>show</b>	function
<b>list</b>	function	<b>value</b>	function
<b>name</b>	string		

# typesetters (context)

<b>alignments</b>	table	T handlers F installhandler F processmath F set F setcolor F setmath F tomode
<b>breakpoints</b>	table	F define F handler D mapping T methods T numbers F set F setreplacement
<b>cases</b>	table	T actions F handler F register F set
<b>characteralign</b>	table	F handler F resetcharacteralign F setcharacteralign
<b>characters</b>	table	F handler T methods F replacenbsp F replacenbspaces
<b>checkers</b>	table	F handler F reset F set
<b>cleaners</b>	table	F handler F set
<b>digits</b>	table	T actions F handler F set
<b>directions</b>	table	F getfences F getglobal F getmethod F handler
<b>firstlines</b>	table	T actions F default F line F word
<b>initials</b>	table	T actions F default F addanchortoline F addtoline F calculatedelta F checkline F handler F moveinline F normalize F set
<b>injectors</b>	table	F check T list F mark F reset F set F show
<b>italics</b>	table	F enablemath F enabletext F forcevariant F handler F reset F set
<b>kerns</b>	table	D factors

F handler	F register
F keepligature	F reset
B keeptogether	F split
D mapping	F startapply
F set	F stopapply
<b>manipulators</b> table	F stripped
F apply	F tostring
F applicspecification	<b>showsuspects</b> function
T methods	<b>spacings</b> table
F Word	F define
F Words	F handler
F abbreviatedjournal	D mapping
F expandedjournal	T numbers
F lowercase	T frenchpunctuation
F stripperiod	T characters
F uppercase	S name
T patterns	N number
U list	F reset
U pair	F set
F splitspecification	F setup
<b>margins</b> table	<b>wrappers</b> table
F finalhandler	F handler
F globalhandler	<b>xtables</b> table
F ha	F cleanup
F localhandler	F construct
F save	F create
<b>marksuspects</b> function	F finish_row
<b>paragraphs</b> table	F flush
F addanchortoline	F initialize_construct
F addtoline	F initialize_reflow_height
F calculatedelta	F initialize_reflow_width
F checkline	F next_row
F handler	F reflow_height
F moveinline	F reflow_width
F normalize	F set_construct
F set	F set_reflow_height
<b>processors</b> table	F set_reflow_width
F apply	

# unicode (extra lua)

## ascii table

F byte  
F char  
F dump  
F find  
F format  
F gfind  
F gmatch  
F gsub  
F len  
F lower  
F match  
F rep  
F reverse  
F sub  
F upper

## grapheme table

F byte  
F char  
F dump  
F find  
F format  
F gfind  
F gmatch  
F gsub  
F len  
F lower  
F match  
F rep  
F reverse  
F sub  
F upper

## latin1 table

F byte  
F char  
F dump  
F find  
F format  
F gfind  
F gmatch  
F gsub

F len  
F lower  
F match  
F rep  
F reverse  
F sub  
F upper

**utf8** table

F byte  
F char  
F characters  
F chrlen  
F count  
F dump  
F filetype  
F find  
F format  
F gfind  
F gmatch  
F gsub  
F is\_valid  
F len  
F length  
F lower  
F magic  
F match  
F remapper  
F rep  
F replacer  
F reverse  
F split  
F splitlines  
F sub

F substituter  
F tocodes  
F toeight  
F toentities  
F tostring  
F totable  
F upper  
F ustring

F utf16\_to\_utf8\_be  
F utf16\_to\_utf8\_be\_t  
F utf16\_to\_utf8\_le  
F utf16\_to\_utf8\_le\_t  
F utf16\_to\_utf8\_t  
F utf32\_to\_utf8\_be  
F utf32\_to\_utf8\_be\_t  
F utf32\_to\_utf8\_le

F utf32\_to\_utf8\_le\_t  
F utf32\_to\_utf8\_t  
F utf8\_to\_utf16  
F utf8\_to\_utf16\_be  
F utf8\_to\_utf16\_le  
F utf8\_to\_utf8\_t  
F values  
F xstring

## url (context)

<b>addscheme</b>	function
<b>barepath</b>	function
<b>construct</b>	function
<b>escape</b>	function
<b>filename</b>	function
<b>hashed</b>	function

<b>hasscheme</b>	function
<b>query</b>	function
<b>split</b>	function
<b>toquery</b>	function
<b>unescapeget</b>	function

# utilities (context)

<b>debugger</b>	table	B alwaysstripcode F disable F enable F savestats F showstats F showtraceback	F compile F loadedluacode F loadstripped N nofstrippedbytes N nofstrippedchunks
<b>files</b>	table	F close F getposition F look F open F read2dot14 F readbyte F readbytes F readcardinal F readcardinal1 F readcardinal2 F readcardinal3 F readcardinal4 F readchar F readfixed4 F readinteger F readinteger1 F readinteger2 F readinteger4 F readstring F readtag F setposition F size F skip F skiplong F skipshort	B stripcode T strippedchunks F strippedloadstring T suffixes S lua S luc S lui S luij S luv S tma S tmc S tua S tuc
			<b>packers</b> table
			F hashed F new F pack F simplehashed F strip F unpack N version
			<b>parsers</b> table
			F add_settings_to_array F arguments_to_table F array_to_string F csvsplitter F getparameters F groupedsplitat F hash_to_string T hashes T settings_to_set T max,fit,broad,auto
<b>formatters</b>	table	F formatcolumns F list F stripzeros	B auto B broad B fit
<b>garbagecollector</b>	table	F check N criterium B enabled	
<b>lua</b>	table		

B max		F enableaction
T text,hidden,paper,page,leftpage,rightpage		F enablegroup
B hidden		D functions
B leftpage		F localize
B page		F new
B paper		F nodeprocessor
B rightpage		F prependaction
B text		F prependgroup
<b>F iterator</b>		F removeaction
F keq_to_hash		F replaceaction
<b>F listitem</b>		F setkind
F make_settings_to_hash_pattern		F tostring
F mergehashes		<b>setters</b> table
F options_to_array		F disable
F options_to_hash		F enable
T patterns		F initialize
U settings_to_array		F list
U settings_to_hash_a		F new
U settings_to_hash_b		F register
U settings_to_hash_c		F report
U unittotex		F reset
F process_stripped_settings		F show
F rfc4180splitter		<b>stacker</b> table
F runtime		F new
F settings_to_array		<b>storage</b> table
F settings_to_array_with_repeat		F allocate
F settings_to_hash		F checked
F settings_to_hash_strict		F mark
F settings_to_hash_tolerant		F marked
F settings_to_set		F setinitializer
F simple_hash_to_string		F sparse
F splitmethod		<b>streams</b> table
F splitthousands		F close
F stepper		F getposition
F stripped_settings_to_array		F look
F unittotex		F open
F unittoxml		F read2dot14
<b>report</b> function		F readbyte
<b>sequencers</b> table		F readbytes
F appendaction		F readcardinal
F appendgroup		F readcardinal1
F compile		F readcardinal2
F disableaction		F readcardinal3
F disablegroup		F readcardinal4

F readchar	U prune and no empty
F readfixed4	U retain
F readinteger	U retain and collapse
F readinteger1	U retain and no empty
F readinteger2	F striplines
F readinteger4	F striplong
F readstring	F tabtospace
F setposition	T tracers
F size	<b>tables</b> table
F skip	F accesstable
F skipbytes	F definedtable
F skiplong	F definetable
F skipshort	F encapsulate
<b>strings</b> table	F insertaftervalue
F collapsecrlf	F insertbeforevalue
T formatters	F migratetable
F add	F removevalue
F new	F replacevalue
F newrepeater	<b>templates</b> table
F nice	F load
T striplinepatterns	F replace
U collapse	F replacer
U prune	F resolve
U prune and collapse	

## vf (context)

<b>char</b>	function	<b>pop</b>	function
<b>down</b>	function	<b>push</b>	function
<b>fontid</b>	function	<b>right</b>	function
<b>image</b>	function	<b>rule</b>	function
<b>node</b>	function	<b>special</b>	function
<b>nop</b>	function		

## visualizers (context)

<b>escapepatterns</b>	data table	<b>signal</b>	string
<b>getspecification</b>	function	<b>signalpattern</b>	userdata
<b>getvisualizer</b>	function	<b>specifications</b>	data table
<b>load</b>	function	<b>visualize</b>	function
<b>makenested</b>	function	<b>visualizebuffer</b>	function
<b>makepattern</b>	function	<b>visualizefile</b>	function
<b>newgrammar</b>	function	<b>visualizestring</b>	function
<b>newhandler</b>	function	<b>write</b>	function
<b>parsedxml</b>	function	<b>writeargument</b>	function
<b>pattern</b>	function	<b>writedefault</b>	function
<b>register</b>	function	<b>writeemptyline</b>	function
<b>registerescapecommand</b>	function	<b>writenewline</b>	function
<b>registerescapeline</b>	function	<b>writespace</b>	function
<b>registerescapepattern</b>	function		

# xml (context)

<b>addentitiesdoctype</b>	function	D parsedxml
<b>addspecialcode</b>	function	D string
<b>after</b>	function	D tex
<b>all</b>	function	D texline
<b>applyxpath</b>	function	D texspace
<b>assign</b>	function	D verbose
<b>attribute</b>	function	<b>defaultprotocol</b> string
<b>badinclusions</b>	function	<b>delete</b> function
<b>before</b>	function	<b>delete_element</b> function
<b>body</b>	function	<b>each</b> function
<b>builtinentities</b>	table	<b>each_element</b> function
B amp		<b>elements</b> function
B apos		<b>elementtodata</b> function
B gt		<b>empty</b> function
B lt		<b>entities</b> data table
B quot		<b>erase</b> function
<b>cdata</b>	function	<b>errorhandler</b> function
<b>cdatatotext</b>	function	<b>escaped</b> function
<b>checkbox</b>	function	<b>expressions</b> table
<b>checkerror</b>	function	F boolean
<b>checknamespace</b>	function	F child
<b>checkns</b>	function	F contains
<b>cleansed</b>	function	F count
<b>collect</b>	function	F error
<b>collect_elements</b>	function	F find
<b>collect_tags</b>	function	F idstring
<b>collect_texts</b>	function	F lower
<b>collected</b>	function	F name
<b>collecttexts</b>	function	F number
<b>content</b>	function	F oneof
<b>convert</b>	function	F print
<b>copy</b>	function	F quit
<b>count</b>	function	F tag
<b>cprint</b>	function	F text
<b>css</b>	table	F undefined
F colorspecification		F upper
F dimension		<b>fillin</b> function
F fontspecification		<b>filter</b> function
F padding		<b>finalizers</b> table
<b>defaulthandlers</b>	table	F paragraphs
D file		T tex

F all	F match	
F attribute	F name	
F chainattribute	F position	
F chainpath	F reverse	
F command	F table	
F concat	F tag	
F concatrange	F tags	
F context	F text	
F count	F texts	
F ctxttext	F upperall	
F default	<b>first</b>	function
F first	<b>found</b>	function
F function	<b>functions</b>	table
F index	<b>getbuffer</b>	function
F last	<b>gethandlers</b>	function
F lettered	<b>gethandlersfunction</b>	function
F lower	<b>helpers</b>	table
F lowerall	F recusetext	
F match	<b>include</b>	function
F name	<b>inclusion</b>	function
F position	<b>inclusions</b>	function
F reverse	<b>index</b>	function
F stripped	<b>inheritedconvert</b>	function
F tag	<b>inject</b>	function
F tags	<b>inject_element</b>	function
F text	<b>inject_element_after</b>	function
F upper	<b>inject_element_before</b>	function
F upperall	<b>injectafter</b>	function
T xml	<b>injectbefore</b>	function
F all	<b>insert</b>	function
F att	<b>insert_element</b>	function
F attribute	<b>insert_element_after</b>	function
F attributes	<b>insert_element_before</b>	function
F cdata	<b>insertafter</b>	function
F chainattribute	<b>insertbefore</b>	function
F count	<b>insertcdata</b>	function
F default	<b>insertcomment</b>	function
F elements	<b>inspect</b>	function
F empty	<b>is_valid</b>	function
F first	<b>kind</b>	function
F function	<b>last</b>	function
F index	<b>lastmatch</b>	function
F last	<b>load</b>	function
F lowerall	<b>lpath</b>	function

<b>lpathcached</b>	function	<b>selection</b>	function
<b>lpathcalls</b>	function	<b>separate</b>	function
<b>lshow</b>	function	<b>serialize</b>	function
<b>makestandalone</b>	function	<b>setcdata</b>	function
<b>match</b>	function	<b>setcomment</b>	function
<b>name</b>	function	<b>sethandlersfunction</b>	function
<b>newhandlers</b>	function	<b>setinjectors</b>	function
<b>nodesettoString</b>	function	<b>setProperty</b>	function
<b>originalload</b>	function	<b>settings</b>	function
<b>package</b>	function	<b>specialcodes</b>	table
<b>parent</b>	function	S "	
<b>parsedentitylpeg</b>	userdata	S #	
<b>pihandlers</b>	table	S \$	
	F injector	S %	
<b>placeholders</b>	table	S &	
	F unknown_any_entity	S '	
	F unknown_dec_entity	S <	
	F unknown_hex_entity	S >	
<b>position</b>	function	S \	
<b>privatecodes</b>	table	S {	
<b>privatetoken</b>	function	S	
<b>process</b>	function	S }	
<b>process_attributes</b>	function	S ~	
<b>process_elements</b>	function	<b>specialhandler</b>	table
<b>processattributes</b>	function	<b>sprint</b>	function
<b>profiled</b>	table	<b>string</b>	function
<b>raw</b>	function	<b>strip</b>	function
<b>registerentity</b>	function	<b>strip whitespace</b>	function
<b>registerns</b>	function	<b>stripelement</b>	function
<b>reindex</b>	function	<b>stripleadingspaces</b>	function
<b>remap_name</b>	function	<b>table</b>	function
<b>remap_namespace</b>	function	<b>text</b>	function
<b>remap_tag</b>	function	<b>textonly</b>	function
<b>remapname</b>	function	<b>texttodata</b>	function
<b>remapnamespace</b>	function	<b>tocdata</b>	function
<b>remaptag</b>	function	<b>toelement</b>	function
<b>renamespace</b>	function	<b>tostring</b>	function
<b>reparsedentitylpeg</b>	userdata	<b>totable</b>	function
<b>replace</b>	function	<b>toxml</b>	function
<b>replace_element</b>	function	<b>tprint</b>	function
<b>resetinjectors</b>	function	<b>traverse</b>	function
<b>resolvens</b>	function	<b>unescape</b>	function
<b>root</b>	function	<b>unescapeentitylpeg</b>	userdata
<b>save</b>	function	<b>unprivatized</b>	function

<b>unspecialized</b>	function	<b>wrap</b>	function
<b>withelement</b>	function	<b>xmlns</b>	table
<b>withelements</b>	function		

## zip (extra lua)

<b>archives</b>	table	<b>openarchive</b>	function
<b>close</b>	function	<b>openfile</b>	function
<b>closearchive</b>	function	<b>registeredfiles</b>	table
<b>open</b>	overloaded function	<b>type</b>	function

## **zlib (extra lua)**

**adler32**      function  
**compress**      function  
**compressobj**      function  
**crc32**      function

**decompress**      function  
**decompressobj**      function  
**version**      function