OTFINFO(1) OTFINFO(1)

### **NAME**

otfinfo – report information about OpenType fonts

### **SYNOPSIS**

```
otfinfo [-sfzpvag] [FILE...]
```

### DESCRIPTION

**Otfinfo** reports information about the named OpenType font *FILE*s (or standard input, if no *FILE*s are given). Results are printed to standard output. Each line is prefaced with the relevant *FILE* if more than one *FILE* was supplied.

### **OPTIONS**

With long options, you need type only as many characters as will make the option unique.

# **Query options**

# -s, --scripts

Print supported scripts and language systems. The scripts are printed one per line, with human-readable descriptions; for example:

```
cyrl Cyrillic
grek Greek
latn Latin
latn.TUR Latin/Turkish
```

#### -f. --features

Print GSUB and GPOS features supported by the selected script (see the —-script option below). The scripts are printed one per line, with human-readable descriptions; for example:

```
aalt Access All Alternates
c2sc Small Capitals From Capitals
case Case-Sensitive Forms
cpsp Capital Spacing
...
zero Slashed Zero
```

### -z, --optical-size

Print optical size information. For example:

design size 11 pt, size range (8.4 pt, 13 pt], subfamily ID 11, subfamily name Semibold Italic

### -p, --postscript-name

Print each font's PostScript name. For example:

MinionPro-SemiboldItCapt

# -a, --family

Print each font's family name. For example:

Minion Pro

# -v, --font-version

Print font version information, if available. For example:

```
OTF 1.013;PS 001.000;Core 1.0.27;makeotf.lib(1.11)
```

# -i, --info

Print each font's name, version, designer, vendor, copyright, and license information. For example:

Family: Minion Pro

OTFINFO(1) OTFINFO(1)

Subfamily: Regular Full name: Minion Pro

PostScript name: MinionPro-Regular

Version: OTF 1.011;PS 001.000;Core 1.0.27;makeotf.lib1.3.1

Unique ID: 1.011;ADBE;MinionPro-Regular

Designer: Robert Slimbach

Vendor URL: http://www.adobe.com/type/

Trademark: Minion is either a registered trademark or a trademark of Adobe Systems Incorporated in Copyright: © 2000 Adobe Systems Incorporated. All Rights Reserved. U.S. Patent Des. 337,604. Ot

License URL: http://www.adobe.com/type/legal.html

# -g, --glyphs

Print the name of every glyph in each font, one per line. For example:

.notdef space exclam

...

ncommaaccent.end

lje.ali

Works for PostScript-flavored OpenType fonts only.

#### \_t \_\_tables

Print the size and name of every OpenType table in the font. For example:

52 BASE 87723 CFF 4940 DSIG 21366 GPOS

...

# -T, --dump-tabletable

Print the contents of the font's OpenType table table.

# Miscellaneous options

# --script=script[.lang]

Select the script system *script* and language system *lang* used to look up features by —**features**. Examples include "latn" (Latin script), "grek" (Greek script), and "yi.YIC" (Yi script with classic characters). If *lang* is not specified, offinfo will use the default language system for that script. Defaults to "latn".

# -V, --verbose

Write progress messages to standard error.

#### -a. --auiei

Do not generate any error messages.

# -h, --help

Print usage information and exit.

#### --version

Print the version number and some short non-warranty information and exit.

# **SEE ALSO**

otftotfm(1)

OTFINFO(1)

OpenType Specification, Version 1.4

# **AUTHOR**

Eddie Kohler (ekohler@gmail.com)