OTFINFO(1)

NAME

otfinfo – report information about OpenType fonts

SYNOPSIS

```
otfinfo [-sfzpvag] [FILE...]
```

DESCRIPTION

Otfinfo reports information about the named OpenType font *FILE*s (or standard input, if no *FILE*s are given). Results are printed to standard output. Each line is prefaced with the relevant *FILE* if more than one *FILE* was supplied.

OPTIONS

With long options, you need type only as many characters as will make the option unique.

Query options

-s, --scripts

Print supported scripts and language systems. The scripts are printed one per line, with human-readable descriptions; for example:

```
cyrl Cyrillic
grek Greek
latn Latin
latn.TUR Latin/Turkish
```

-f, --features

Print GSUB and GPOS features supported by the selected script (see the **—-script** option below). The scripts are printed one per line, with human-readable descriptions; for example:

```
    aalt Access All Alternates
    c2sc Small Capitals From Capitals
    case Case-Sensitive Forms
    cpsp Capital Spacing
    ...
    zero Slashed Zero
```

-z, --optical-size

Print optical size information. For example:

design size 11 pt, size range (8.4 pt, 13 pt], subfamily ID 11, subfamily name Semibold Italic

-p, --postscript-name

Print each font's PostScript name. For example:

MinionPro-SemiboldItCapt

-a, --family

Print each font's family name. For example:

Minion Pro

-v, --font-version

Print font version information, if available. For example: OTF 1.013;PS 001.000;Core 1.0.27;makeotf.lib(1.11)

011 1.013,15 001.000, core 1.0.27, makeoti.no(

-i, --info

Print each font's name, version, designer, vendor, copyright, and license information. For example:

Family: Minion Pro

OTFINFO(1)

Subfamily: Regular Full name: Minion Pro

PostScript name: MinionPro-Regular

Version: OTF 1.011;PS 001.000;Core 1.0.27;makeotf.lib1.3.1

Unique ID: 1.011;ADBE;MinionPro-Regular

Designer: Robert Slimbach

Vendor URL: http://www.adobe.com/type/

Trademark: Minion is either a registered trademark or a trademark of Adobe Systems Incorporate © 2000 Adobe Systems Incorporated. All Rights Reserved. U.S. Patent Des. 337,604

License URL: http://www.adobe.com/type/legal.html

-g, --glyphs

Print the name of every glyph in each font, one per line. For example:

.notdef space exclam

...

ncommaaccent.end

lje.alt

Works for PostScript-flavored OpenType fonts only.

-t. --tables

Print the size and name of every OpenType table in the font. For example:

52 BASE 87723 CFF 4940 DSIG 21366 GPOS

...

-T, --dump-tabletable

Print the contents of the font's OpenType table table.

Miscellaneous options

--script=script[.lang]

Select the script system *script* and language system *lang* used to look up features by —**features**. Examples include "latn" (Latin script), "grek" (Greek script), and "yi.YIC" (Yi script with classic characters). If *lang* is not specified, otfinfo will use the default language system for that script. Defaults to "latn".

-V, --verbose

Write progress messages to standard error.

-q, --quiet

Do not generate any error messages.

-h, --help

Print usage information and exit.

--version

Print the version number and some short non-warranty information and exit.

SEE ALSO

otftotfm(1)

OTFINFO(1)

OpenType Specification, Version 1.4

AUTHOR

Eddie Kohler (ekohler@gmail.com)