## **NAME**

prepmx – preprocessor for PMX, easy music typesetting program

#### **SYNOPSIS**

prepmx [options] jobname [outdir/] [stylefile]

## DESCRIPTION

**M-Tx** is an easy to use preprocessor language for the **PMX** music typesetting program, aimed at people who are not experts. For an easy example, have a look at the following example:

```
c2+ e4 g | b4d- c1 d c2 |
c8 g+ e g c- g+ e g | d g f g | c- g+ e g |
```

For syntax reference, please look at the M-Tx manual written by Dirk Laurie, the creator of the M-Tx language and the author of prepmx, its command line utility.

**prepmx** processes the file *jobname*.mtx to generate *jobname*.pmx. You can then process this file using the 'pmx' command. **PMX** is a preprocessor for MusiXTeX.

*outdir/* is the directory where 'pmx' will put the final .tex file. Note that the trailing slash is mandatory. You can provide a *stylefile* for M-Tx. If omitted, the file 'mtxstyle.txt' in the current directory is used, if there is one.

## **OPTIONS**

Options can also be specified in a 'Options:' line in the preamble, which takes precedence over the command line.

- **−b** never unbeam eighth notes and shorter
- **−c** main music lines only ignore chords
- **−D** enable debug mode
- **−f** use tonic sol−fa note names
- -i ignore errors
- **−m** music only ignore lyrics
- **−n** indent first system and print default instrument names
- -t ignore uptext lines
- −**u** uptext synchronizes with notes only, not rests
- −**v** verbose progress report
- -w enable pedantic warnings
- -n select specified case of multiple score

## **EXIT STATUS**

If no error was found, **prepmx** exits with return code 0. In case of an error, the line number of the processed line is returned. This may not always be the line containing the actual error. A return status of 10000 means that the input file was empty or could not be opened.

1

## **SEE ALSO**

**M-Tx** User's Guide (mtx060.pdf) pmx(1), musixtex(1)

# **AUTHORS**

prepmx was written by Dirk Laurie <dpl@sun.ac.za>. This manual page was written by Roland Stigge <stigge@antcom.de> for the Debian project. It was revised and extended by Nis Martensen <nis.martensen@web.de>, mostly by copying text from Dirk Laurie's M-Tx User's Guide.