PSSELECT(1) PSSELECT(1)

### **NAME**

psselect – select pages from a PostScript file

#### **SYNOPSIS**

**psselect** 
$$[-q][-e][-o][-r][-ppages][pages][infile[outfile]]$$

### DESCRIPTION

*Psselect* selects pages from a PostScript document, creating a new PostScript file. The input PostScript file should follow the Adobe Document Structuring Conventions.

The -e option selects all of the even pages; it may be used in conjunction with the other page selection options to select the even pages from a range of pages.

The -o option selects all of the odd pages; it may be used in conjunction with the other page selection options.

The -ppages option specifies the pages which are to be selected. Pages is a comma separated list of page ranges, each of which may be a page number, or a page range of the form first-last. If first is omitted, the first page is assumed, and if last is omitted, the last page is assumed.

The prefix character '\_' indicates that the page number is relative to the end of the document, counting backwards. If just this character with no page number is used, a blank page will be inserted.

The -r option causes *psselect* to output the selected pages in reverse order.

Psselect normally prints the page numbers of the pages rearranged; the -q option suppresses this.

If any of the -r, -e, or -o options are specified, the page range must be given with the -p option. This is for backwards compatibility with previous versions.

### **NOTES**

The page number given to *psselect* is the number of the page counting from the start or end of the file, starting at one. The actual page number in the document may be different.

## **AUTHOR**

Copyright (C) Angus J. C. Duggan 1991-1995

# **SEE ALSO**

### **TRADEMARKS**

**PostScript** is a trademark of Adobe Systems Incorporated.

## **BUGS**

Psselect does not accept all DSC comments.