

**NAME**

rumakeindex – process a LaTeX index using Russian Cyrillic characters

**SYNOPSIS**

**rumakeindex** *basename*

**DESCRIPTION**

**rumakeindex** is used to run **makeindex**(1) on *idx* files that use Russian characters. It is part of the T2 package.

**rumakeindex** runs **sed**(1) on the *idx* file to convert Cyrillic character commands to 8-bit ASCII characters; pipes the results through **makeindex**(1); and then through **tr**(1) to do some final conversions. The results are placed in a KOI8-R encoded *ind* file.

**FILES**

*basename.idx*

LaTeX index entry file

*basename.ilg*

LaTeX index log file

*basename.ind*

LaTeX processed index file

**BUGS**

None known, but report any bugs found to the authors.

**COPYRIGHT**

The T2 package is Copyright 1997-1999 Werner Lemberg, Vladimir Volovich and any individual authors listed elsewhere in package files.

It may be distributed under the conditions of the LaTeX Project Public License, either version 1.1 of this license or (at your option) any later version.

**SEE ALSO**

**makeindex**(1), **sed**(1), **tr**(1), <<ftp://ftp.vsu.ru/pub/tex/T2/README>>.

**AUTHOR**

Werner Lemberg <[wl@gnu.org](mailto:wl@gnu.org)>, Vladimir Volovich <[TeX@vov.vsu.ru](mailto:TeX@vov.vsu.ru)>.

This manual page was written by C.M. Connelly <[c@eskimo.com](mailto:c@eskimo.com)>, for the Debian GNU/Linux system. It may be used by other distributions without contacting the author. Any mistakes or omissions in the manual page are my fault; inquiries about or corrections to this manual page should be directed to me (and not to the primary author).