Sample Document using the glossaries Package

Nicola Talbot

July 31, 2014

Abstract

This is a sample document illustrating the use of the glossaries package. In this example, a new glossary type called notation is defined, so that the document can have a separate glossary of terms, list of acronyms and index of notation.

Contents

Glossary	ii
Acronyms	iii
Notation	iv
1 Introduction	1
2 Another Chapter	2

Glossary

cardinality The number of elements in the specified set. 1set A collection of distinct objects. 1

Acronyms

```
{\bf AD} axiom of determinacy. 1, 2 ${\bf NF}$ new foundations. 1, 2 ${\bf ZFC}$ Zermelo-Fraenkel set theory. 1, 2
```

Notation

```
\mathcal S A set. 1 \emptyset The empty set. 1, 2 |\mathcal S| cardinality of \mathcal S. 1
```

Chapter 1

Introduction

Sets are denoted by a calligraphic font e.g. \mathcal{S} . The cardinality of a set \mathcal{S} is denoted $|\mathcal{S}|$. The empty set is denoted \emptyset . Here are some acronyms: new foundations (NF), Zermelo-Fraenkel set theory (ZFC) and axiom of determinacy (AD).

Chapter 2

Another Chapter

Another mention of the empty set \emptyset . Here are the acronyms again: NF, ZFC and AD.