

NAME

psresize – multiple pages per sheet

SYNOPSIS

```
psresize [ -wwidth ] [ -hheight ] [ -ppaper ] [ -Wwidth ] [ -Hheight ] [ -Ppaper ] [ -q ] [ infile  
[ outfile ] ]
```

DESCRIPTION

Psresize rescales and centres a document on a different size of paper. The input PostScript file should follow the Adobe Document Structuring Conventions.

The *-w* option gives the output paper width, and the *-h* option gives the output paper height, normally specified in **cm** or **in** to convert PostScript's points (1/72 of an inch) to centimeters or inches. The *-p* option can be used as an alternative, to set the output paper size to **a3**, **a4**, **a5**, **b5**, **letter**, **legal**, **tabloid**, **statement**, **executive**, **folio**, **quarto** or **10x14**. The default output paper size is **a4**.

The *-W* option gives the input paper width, and the *-H* option gives the input paper height. The *-P* option can be used as an alternative, to set the input paper size. The default input paper size is **a4**.

Psresize normally prints the page numbers of the pages output; the *-q* option suppresses this.

EXAMPLES

The following command can be used to convert a document on A4 size paper to letter size paper:

```
psresize -PA4 -pletter in.ps out.ps
```

AUTHOR

Copyright (C) Angus J. C. Duggan 1991-1995

SEE ALSO

epsffit(1), psbook(1), psnup(1), psresize(1), psselect(1), pstops(1), extractres(1), fixdlsrps(1), fixfmmps(1), fixpsditps(1), fixpspps(1), fixscribes(1), fixtpps(1), fixwfwp(1), fixwpps(1), fixwwps(1), includeres(1), psmerge(1), getafm(1)

TRADEMARKS

PostScript is a trademark of Adobe Systems Incorporated.

BUGS

Psresize does not accept all DSC comments.